


PPS Performance

PAOP MEETING

Top Performing Measures




Follow Up After Hospitalization for Mental Illness - within 30 Days




Follow Up After Hospitalization for Mental Illness - within 30 Days

Percentage of hospital discharges where the patient had a follow-up visit with a mental health provider within 30 days. Does not include visits that occurred on the date of discharge.




Prevention Quality Indicator #15 - Younger Adult Asthma (18-39 years) ±

+ A lower rate is desirable.



Pediatric Quality Indicator #14 Pediatric Asthma *

+ A lower rate is desirable.



Average Performing Measures



Antidepressant Medication Management – Continuation Phase Treatment



Antidepressant Medication Management - Continuation Phase Treatment

Percentage of Medicaid members who remained on antidepressant medication for at least six months



Initiation of Alcohol and Other Drug Dependence Treatment (1 visit within 14 days)




Initiation of Alcohol and Other Drug Dependence Treatment (1 visit within 14 days)

Percentage of Medicaid members who initiated treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter, or partial hospitalization within 14 days of the index episode.




Prevention Quality Indicator #8 – Heart Failure *

+ A lower rate is desirable.



Statin Therapy for Patients with Cardiovascular Disease - Received Statin Therapy


Number of people who were dispensed at least one high or moderate-intensity statin medication



Challenging Measures




Adult Access to Preventive or Ambulatory Care - 20 to 44 years



Adult Access to Preventive or Ambulatory Care - 20 to 44 years

Percentage of adults who had an ambulatory or preventive care visit during the MY.



Un-adjudicated MY4 Month 9 data

Number of PPS that improved: **10**Number of PPS achieving target: **4**

Improving

Not Improving





Adult Access to Preventive or Ambulatory Care - 45 to 64 years





Adult Access to Preventive or Ambulatory Care - 45 to 64 years

Percentage of adults who had an ambulatory or preventive care visit during the MY.

