

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**New York State, White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	89,362.0	488.8	487.3-490.3	45,003.8	528.2	526.0-530.5	44,358.2	464.4	462.4-466.5	26,546.0	137.6	136.8-138.3	13,369.4	159.4	158.1-160.6	13,176.6	122.4	121.5-123.4
Oral cavity and pharynx	2,215.0	11.9	11.7-12.2	1,533.4	17.6	17.2-18.1	681.6	6.9	6.7-7.1	420.6	2.2	2.1-2.3	290.4	3.3	3.2-3.5	130.2	1.2	1.1-1.3
Esophagus	890.4	4.6	4.5-4.8	687.4	7.9	7.6-8.2	203.0	1.9	1.8-2.0	705.4	3.6	3.5-3.8	558.0	6.4	6.2-6.7	147.4	1.3	1.2-1.5
Stomach	1,323.2	7.2	7.1-7.4	802.6	9.6	9.3-9.9	520.6	5.3	5.1-5.5	511.6	2.7	2.6-2.8	307.2	3.7	3.5-3.9	204.4	2.0	1.8-2.1
Colorectal	6,620.8	36.5	36.1-36.9	3,449.2	41.8	41.2-42.4	3,171.6	32.0	31.5-32.5	2,206.4	11.5	11.3-11.8	1,119.6	13.5	13.2-13.9	1,086.8	9.9	9.6-10.2
Colon excluding rectum	4,701.6	25.7	25.3-26.0	2,334.0	28.3	27.8-28.9	2,367.6	23.5	23.0-23.9	1,731.0	9.0	8.8-9.2	850.6	10.3	10.0-10.6	880.4	7.9	7.7-8.2
Rectum & rectosigmoid	1,919.2	10.8	10.6-11.0	1,115.2	13.5	13.1-13.8	804.0	8.5	8.3-8.8	475.4	2.5	2.4-2.6	269.0	3.2	3.1-3.4	206.4	1.9	1.8-2.1
Liver / intrahepatic bile duct	1,492.4	7.7	7.5-7.9	1,051.2	11.8	11.4-12.1	441.2	4.2	4.1-4.4	986.2	5.1	4.9-5.2	652.2	7.4	7.2-7.7	334.0	3.1	3.0-3.3
Pancreas	2,816.2	14.7	14.5-15.0	1,443.4	16.9	16.5-17.3	1,372.8	12.9	12.5-13.2	2,152.8	11.1	10.9-11.3	1,086.6	12.8	12.4-13.1	1,066.2	9.7	9.4-10.0
Larynx	553.4	2.9	2.8-3.0	438.2	5.0	4.8-5.2	115.2	1.2	1.1-1.3	156.4	0.8	0.7-0.9	125.2	1.4	1.3-1.6	31.2	0.3	0.2-0.3
Lung and bronchus	11,352.6	58.8	58.3-59.3	5,372.8	62.3	61.6-63.1	5,979.8	56.6	55.9-57.2	6,123.6	31.4	31.1-31.8	3,080.8	36.1	35.6-36.7	3,042.8	28.0	27.5-28.5
Melanoma of the skin	4,050.4	22.7	22.4-23.1	2,349.4	28.4	27.8-28.9	1,701.0	18.8	18.4-19.2	372.0	2.0	1.9-2.1	234.4	2.8	2.7-3.0	137.6	1.3	1.2-1.4
Female breast							12,637.8	137.8	136.6-138.9							1,858.8	17.9	17.5-18.3
Cervix uteri							504.2	6.6	6.3-6.9							151.6	1.7	1.6-1.8
Corpus uterus and NOS							3,070.0	31.1	30.6-31.6							564.0	5.3	5.1-5.5
Ovary							1,064.2	11.4	11.1-11.7							687.0	6.5	6.3-6.8
Prostate				11,219.0	122.5	121.4-123.5							1,247.2	15.2	14.9-15.6			
Testis				498.2	7.6	7.3-7.9							18.8	0.3	0.2-0.3			
Urinary bladder (incl. in situ)	4,711.6	24.5	24.2-24.8	3,538.8	41.9	41.3-42.5	1,172.8	10.9	10.7-11.2	836.0	4.2	4.0-4.3	592.0	7.2	7.0-7.5	244.0	2.1	2.0-2.2
Kidney and renal pelvis	3,172.8	17.6	17.3-17.9	2,074.6	24.7	24.2-25.2	1,098.2	11.5	11.2-11.9	542.6	2.8	2.7-2.9	347.6	4.1	3.9-4.3	195.0	1.8	1.7-1.9
Brain and other central nervous system	1,153.2	7.1	6.9-7.3	646.6	8.4	8.1-8.7	506.6	6.0	5.8-6.3	762.2	4.3	4.1-4.4	435.4	5.3	5.0-5.5	326.8	3.4	3.2-3.6
Thyroid	2,824.6	18.9	18.6-19.2	795.6	10.5	10.1-10.8	2,029.0	27.3	26.7-27.8	96.0	0.5	0.5-0.5	40.4	0.5	0.4-0.6	55.6	0.5	0.4-0.6
Hodgkin lymphoma	473.0	3.3	3.1-3.4	257.2	3.6	3.4-3.8	215.8	3.0	2.8-3.2	51.6	0.3	0.2-0.3	31.6	0.4	0.3-0.4	20.0	0.2	0.2-0.3
Non-Hodgkin lymphomas	4,061.2	22.4	22.1-22.7	2,181.2	26.5	26.0-27.0	1,880.0	19.1	18.7-19.6	971.6	5.0	4.9-5.2	534.4	6.5	6.2-6.8	437.2	3.9	3.7-4.1
Myeloma	1,341.2	7.1	6.9-7.3	761.6	8.9	8.7-9.2	579.6	5.7	5.4-5.9	486.2	2.5	2.4-2.6	261.8	3.1	2.9-3.3	224.4	2.0	1.8-2.1
Leukemias	3,060.6	17.1	16.9-17.4	1,810.6	22.3	21.8-22.8	1,250.0	12.9	12.6-13.3	1,104.4	5.8	5.7-6.0	629.0	7.8	7.5-8.1	475.4	4.4	4.2-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
New York State, Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	16,616.8	430.9	427.9-433.9	8,116.0	504.4	499.4-509.6	8,500.8	385.8	382.1-389.6	4,944.6	131.5	129.8-133.1	2,293.4	157.0	154.0-160.0	2,651.2	117.3	115.2-119.3
Oral cavity and pharynx	299.2	7.7	7.3-8.1	188.6	11.6	10.8-12.4	110.6	5.0	4.6-5.4	69.2	1.8	1.6-2.0	47.4	3.0	2.6-3.5	21.8	1.0	0.8-1.2
Esophagus	125.0	3.3	3.0-3.5	80.4	5.2	4.7-5.8	44.6	2.0	1.7-2.3	80.4	2.1	1.9-2.3	53.6	3.6	3.2-4.1	26.8	1.1	1.0-1.4
Stomach	382.8	10.3	9.8-10.8	201.4	13.5	12.6-14.4	181.4	8.3	7.7-8.8	156.8	4.3	4.0-4.6	90.4	6.2	5.6-6.8	66.4	3.0	2.7-3.3
Colorectal	1,409.8	37.2	36.4-38.1	689.4	44.6	43.0-46.1	720.4	32.5	31.4-33.6	492.4	13.2	12.6-13.7	236.4	16.0	15.1-17.0	256.0	11.3	10.7-12.0
Colon excluding rectum	1,030.4	27.3	26.5-28.1	477.0	31.2	29.9-32.5	553.4	24.9	23.9-25.8	407.4	10.9	10.4-11.4	190.0	12.9	12.1-13.8	217.4	9.6	9.0-10.2
Rectum & rectosigmoid	379.4	9.9	9.5-10.4	212.4	13.4	12.6-14.3	167.0	7.6	7.1-8.1	85.0	2.3	2.0-2.5	46.4	3.1	2.7-3.5	38.6	1.7	1.5-2.0
Liver / intrahepatic bile duct	407.4	10.0	9.6-10.5	279.4	16.5	15.6-17.4	128.0	5.4	5.0-5.9	247.8	6.3	5.9-6.6	164.0	10.1	9.4-10.9	83.8	3.6	3.3-4.0
Pancreas	557.8	14.7	14.1-15.2	250.2	16.1	15.2-17.0	307.6	13.6	12.9-14.3	401.6	10.6	10.2-11.1	182.8	11.9	11.1-12.8	218.8	9.6	9.1-10.2
Larynx	107.4	2.7	2.5-2.9	81.6	5.1	4.6-5.6	25.8	1.1	0.9-1.3	34.2	0.9	0.7-1.0	25.8	1.7	1.4-2.0	8.4	0.3	0.2-0.5
Lung and bronchus	1,661.2	43.1	42.2-44.1	833.0	54.0	52.3-55.7	828.2	36.1	35.0-37.3	877.4	23.0	22.3-23.7	465.0	31.1	29.8-32.5	412.4	17.9	17.1-18.7
Melanoma of the skin	35.6	1.0	0.8-1.1	13.8	0.9	0.7-1.2	21.8	1.0	0.8-1.2	6.6	0.2	0.1-0.2	3.2	0.2	0.1-0.3	3.4	0.1	0.1-0.2
Female breast							2,644.4	122.3	120.1-124.4							485.2	21.8	21.0-22.7
Cervix uteri							190.0	9.1	8.5-9.7							59.8	2.8	2.5-3.1
Corpus uterus and NOS							771.4	33.2	32.1-34.2							230.2	9.9	9.4-10.5
Ovary							202.6	9.2	8.7-9.9							124.0	5.4	5.0-5.9
Prostate				3,210.4	190.4	187.3-193.4							379.2	29.2	27.9-30.6			
Testis				33.8	2.0	1.7-2.3							1.4	0.1	0.0-0.2			
Urinary bladder (incl. in situ)	398.6	10.7	10.2-11.2	268.4	18.5	17.5-19.5	130.2	5.8	5.3-6.3	86.0	2.4	2.2-2.6	52.6	4.0	3.5-4.5	33.4	1.5	1.2-1.7
Kidney and renal pelvis	591.4	15.2	14.7-15.8	362.2	22.1	21.1-23.2	229.2	10.3	9.7-10.9	78.6	2.1	1.9-2.3	50.6	3.3	2.9-3.8	28.0	1.2	1.0-1.5
Brain and other central nervous system	159.0	4.3	4.0-4.6	84.8	5.2	4.7-5.7	74.2	3.6	3.2-4.0	80.4	2.1	1.9-2.4	42.6	2.6	2.3-3.0	37.8	1.8	1.5-2.0
Thyroid	367.8	9.9	9.5-10.4	70.4	4.4	3.9-4.9	297.4	14.5	13.8-15.3	19.2	0.5	0.4-0.6	5.8	0.4	0.3-0.6	13.4	0.6	0.5-0.8
Hodgkin lymphoma	99.8	2.7	2.5-2.9	50.8	3.0	2.7-3.4	49.0	2.4	2.1-2.8	7.6	0.2	0.1-0.3	4.4	0.3	0.2-0.4	3.2	0.2	0.1-0.3
Non-Hodgkin lymphomas	574.8	15.3	14.8-15.9	295.2	18.7	17.7-19.7	279.6	13.0	12.3-13.7	130.2	3.5	3.2-3.8	71.8	4.8	4.3-5.3	58.4	2.7	2.4-3.0
Myeloma	518.4	13.7	13.1-14.2	245.2	15.9	15.0-16.9	273.2	12.2	11.5-12.8	152.4	4.1	3.8-4.4	71.8	5.0	4.5-5.6	80.6	3.6	3.2-4.0
Leukemias	384.2	10.3	9.9-10.8	196.0	12.6	11.8-13.5	188.2	8.8	8.2-9.4	156.4	4.2	3.9-4.5	79.0	5.4	4.8-5.9	77.4	3.5	3.2-3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**New York State, Asians and Pacific Islander Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6,615.8	340.5	336.8-344.3	3,072.8	344.1	338.5-349.7	3,543.0	339.1	334.1-344.2	1,597.8	86.7	84.8-88.7	859.6	103.9	100.7-107.1	738.2	72.9	70.5-75.3
Oral cavity and pharynx	211.8	10.7	10.0-11.4	135.4	14.6	13.5-15.8	76.4	7.2	6.5-8.0	39.4	2.0	1.8-2.3	27.0	3.0	2.5-3.6	12.4	1.2	0.9-1.5
Esophagus	54.2	2.8	2.5-3.2	41.8	4.6	4.0-5.3	12.4	1.2	0.9-1.6	32.4	1.7	1.5-2.0	24.8	2.8	2.3-3.4	7.6	0.8	0.6-1.1
Stomach	264.0	13.7	12.9-14.5	165.4	18.6	17.3-19.9	98.6	9.5	8.7-10.4	101.8	5.5	5.1-6.1	60.4	7.3	6.4-8.1	41.4	4.1	3.6-4.7
Colorectal	597.4	30.9	29.8-32.1	326.0	36.2	34.4-38.1	271.4	26.2	24.8-27.7	143.6	7.8	7.3-8.5	77.2	9.3	8.4-10.3	66.4	6.6	5.9-7.3
Colon excluding rectum	373.0	19.4	18.6-20.4	195.8	21.8	20.5-23.3	177.2	17.3	16.2-18.5	115.8	6.4	5.8-6.9	59.8	7.2	6.4-8.1	56.0	5.6	4.9-6.3
Rectum & rectosigmoid	224.4	11.5	10.8-12.2	130.2	14.4	13.3-15.6	94.2	8.9	8.1-9.8	27.8	1.5	1.2-1.8	17.4	2.1	1.7-2.6	10.4	1.0	0.7-1.3
Liver / intrahepatic bile duct	260.8	13.3	12.6-14.1	185.0	20.0	18.7-21.4	75.8	7.4	6.7-8.2	142.8	7.6	7.0-8.2	96.4	11.0	10.0-12.0	46.4	4.7	4.1-5.3
Pancreas	196.0	10.4	9.7-11.0	100.6	11.5	10.5-12.6	95.4	9.4	8.5-10.3	124.2	6.7	6.2-7.2	63.4	7.4	6.6-8.3	60.8	6.1	5.4-6.8
Larynx	30.4	1.6	1.3-1.8	26.6	3.0	2.5-3.6	3.8	0.3	0.2-0.5	4.0	0.2	0.1-0.3	3.6	0.4	0.2-0.7	0.4	0.0	0.0-0.1
Lung and bronchus	831.6	43.4	42.1-44.8	470.6	54.2	52.0-56.5	361.0	34.5	32.9-36.2	346.6	18.9	18.0-19.9	211.2	25.8	24.2-27.4	135.4	13.3	12.3-14.4
Melanoma of the skin	23.6	1.2	1.0-1.5	12.4	1.4	1.0-1.8	11.2	1.1	0.8-1.5	6.6	0.4	0.3-0.6	4.2	0.6	0.3-0.9	2.4	0.3	0.1-0.5
Female breast							1,120.8	106.3	103.5-109.2							97.8	9.5	8.7-10.4
Cervix uteri							79.8	7.7	7.0-8.5							16.6	1.6	1.3-2.0
Corpus uterus and NOS							238.4	21.8	20.6-23.1							32.2	3.1	2.6-3.6
Ovary							112.8	10.9	10.0-11.8							43.0	4.0	3.5-4.6
Prostate				571.4	61.8	59.5-64.2							47.6	6.4	5.6-7.3			
Testis				22.8	2.4	2.0-2.9							0.4	0.1	0.0-0.2			
Urinary bladder (incl. in situ)	177.0	9.5	8.9-10.2	139.0	16.5	15.2-17.8	38.0	3.8	3.2-4.3	24.8	1.4	1.2-1.7	19.2	2.5	2.0-3.1	5.6	0.6	0.4-0.8
Kidney and renal pelvis	192.0	9.7	9.1-10.3	123.4	13.4	12.4-14.6	68.6	6.4	5.8-7.2	24.8	1.4	1.1-1.7	17.0	2.0	1.6-2.5	7.8	0.8	0.6-1.1
Brain and other central nervous system	83.6	4.4	3.9-4.8	46.2	5.1	4.4-5.8	37.4	3.7	3.2-4.3	44.6	2.4	2.1-2.7	24.8	2.9	2.4-3.5	19.8	2.0	1.6-2.4
Thyroid	476.0	24.1	23.1-25.1	120.4	13.0	12.0-14.1	355.6	33.9	32.3-35.5	6.8	0.4	0.3-0.5	3.8	0.5	0.3-0.8	3.0	0.3	0.2-0.5
Hodgkin lymphoma	31.4	1.6	1.4-1.9	17.4	1.9	1.5-2.4	14.0	1.4	1.0-1.7	2.0	0.1	0.0-0.2	0.8	0.1	0.0-0.2	1.2	0.1	0.0-0.3
Non-Hodgkin lymphomas	267.8	14.0	13.2-14.8	148.4	16.9	15.7-18.2	119.4	11.5	10.6-12.5	53.0	2.9	2.5-3.2	33.4	4.0	3.4-4.6	19.6	1.9	1.6-2.4
Myeloma	85.2	4.3	3.9-4.8	52.0	5.7	5.0-6.5	33.2	3.1	2.7-3.7	21.4	1.2	1.0-1.4	11.8	1.5	1.1-1.9	9.6	0.9	0.7-1.3
Leukemias	167.2	8.9	8.3-9.6	96.2	11.2	10.2-12.2	71.0	7.1	6.3-7.9	57.6	3.2	2.8-3.6	36.2	4.6	3.9-5.3	21.4	2.1	1.7-2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**New York City, White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	23,454.0	439.5	437.0-442.1	11,340.0	468.9	465.0-472.9	12,114.0	425.6	422.1-429.2	6,800.8	120.7	119.4-122.0	3,337.0	139.7	137.5-141.8	3,463.8	108.0	106.4-109.7
Oral cavity and pharynx	530.4	9.8	9.5-10.2	357.0	14.6	13.9-15.3	173.4	5.8	5.5-6.3	109.8	2.0	1.8-2.2	75.6	3.1	2.8-3.5	34.2	1.1	0.9-1.3
Esophagus	182.8	3.3	3.1-3.5	134.4	5.5	5.1-5.9	48.4	1.5	1.3-1.7	130.8	2.3	2.2-2.5	100.6	4.1	3.8-4.5	30.2	0.9	0.8-1.1
Stomach	445.6	8.4	8.0-8.7	251.0	10.6	10.0-11.2	194.6	6.7	6.2-7.1	205.6	3.8	3.5-4.0	124.4	5.2	4.8-5.7	81.2	2.7	2.4-2.9
Colorectal	1,876.8	35.1	34.4-35.8	989.8	41.4	40.3-42.6	887.0	30.0	29.1-30.9	634.6	11.3	10.9-11.7	324.0	13.6	13.0-14.3	310.6	9.4	9.0-10.0
Colon excluding rectum	1,333.4	24.7	24.1-25.3	683.0	28.6	27.6-29.6	650.4	21.5	20.8-22.3	510.6	9.0	8.6-9.4	256.0	10.7	10.2-11.4	254.6	7.7	7.3-8.1
Rectum & rectosigmoid	543.4	10.4	10.0-10.8	306.8	12.8	12.2-13.5	236.6	8.4	8.0-9.0	124.0	2.3	2.1-2.5	68.0	2.9	2.6-3.2	56.0	1.8	1.5-2.0
Liver / intrahepatic bile duct	510.2	9.2	8.8-9.5	356.0	14.3	13.6-14.9	154.2	4.9	4.6-5.3	324.4	5.8	5.5-6.1	208.0	8.5	8.0-9.0	116.4	3.6	3.3-3.9
Pancreas	763.6	13.7	13.2-14.1	376.0	15.6	14.8-16.3	387.6	12.1	11.5-12.7	582.4	10.2	9.9-10.6	287.0	11.9	11.3-12.6	295.4	8.9	8.4-9.4
Larynx	138.6	2.5	2.4-2.8	110.2	4.5	4.1-4.9	28.4	1.0	0.8-1.2	44.2	0.8	0.7-0.9	37.6	1.5	1.3-1.8	6.6	0.2	0.1-0.3
Lung and bronchus	2,497.0	44.8	44.0-45.6	1,197.4	49.7	48.5-51.0	1,299.6	41.4	40.4-42.5	1,289.6	22.7	22.2-23.3	660.8	27.6	26.6-28.5	628.8	19.2	18.5-19.9
Melanoma of the skin	832.0	15.6	15.2-16.1	469.2	19.7	18.9-20.6	362.8	12.8	12.2-13.4	73.0	1.3	1.2-1.5	43.2	1.8	1.6-2.1	29.8	0.9	0.8-1.1
Female breast							3,542.2	130.2	128.2-132.2							539.4	17.4	16.7-18.1
Cervix uteri							179.8	7.2	6.7-7.7							47.8	1.8	1.5-2.0
Corpus uterus and NOS							837.4	29.2	28.3-30.1							171.8	5.5	5.1-5.8
Ovary							307.6	11.0	10.5-11.6							195.8	6.3	5.9-6.8
Prostate				2,693.4	107.1	105.3-109.0							335.2	14.2	13.5-14.9			
Testis				167.6	7.1	6.6-7.6							4.4	0.2	0.1-0.3			
Urinary bladder (incl. in situ)	1,097.0	19.6	19.1-20.1	815.0	34.1	33.0-35.1	282.0	8.9	8.5-9.4	204.0	3.4	3.2-3.7	138.8	5.9	5.4-6.3	65.2	1.9	1.7-2.1
Kidney and renal pelvis	801.0	15.3	14.8-15.8	525.2	21.9	21.0-22.7	275.8	9.8	9.3-10.4	132.6	2.4	2.2-2.6	86.6	3.6	3.3-4.0	46.0	1.4	1.2-1.6
Brain and other central nervous system	333.4	6.8	6.5-7.1	185.8	8.0	7.5-8.6	147.6	5.7	5.3-6.1	195.4	3.7	3.5-4.0	107.6	4.5	4.1-4.9	87.8	3.0	2.7-3.3
Thyroid	986.4	20.6	20.0-21.2	257.2	11.0	10.4-11.6	729.2	30.1	29.1-31.1	28.2	0.5	0.4-0.6	10.0	0.4	0.3-0.6	18.2	0.5	0.4-0.7
Hodgkin lymphoma	149.4	3.2	2.9-3.4	82.6	3.6	3.3-4.0	66.8	2.8	2.5-3.1	15.2	0.3	0.2-0.3	9.4	0.4	0.3-0.5	5.8	0.2	0.1-0.3
Non-Hodgkin lymphomas	1,171.0	22.1	21.5-22.6	620.2	26.2	25.3-27.1	550.8	18.8	18.0-19.5	268.2	4.7	4.5-5.0	148.0	6.3	5.8-6.7	120.2	3.6	3.3-3.9
Myeloma	395.4	7.2	6.9-7.5	219.8	9.1	8.5-9.6	175.6	5.8	5.4-6.2	133.8	2.3	2.1-2.5	74.4	3.1	2.8-3.4	59.4	1.8	1.6-2.0
Leukemias	799.4	15.3	14.8-15.8	458.8	19.6	18.8-20.5	340.6	11.8	11.3-12.4	292.8	5.3	5.0-5.6	155.4	6.6	6.2-7.1	137.4	4.3	4.0-4.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**New York City, Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	11,389.2	417.7	414.2-421.3	5,426.4	487.3	481.3-493.3	5,962.8	376.6	372.2-381.0	3,377.2	125.4	123.5-127.4	1,518.6	148.8	145.4-152.3	1,858.6	112.9	110.6-115.3
Oral cavity and pharynx	207.0	7.6	7.1-8.1	127.0	11.5	10.6-12.4	80.0	5.0	4.5-5.5	47.8	1.8	1.5-2.0	31.2	2.9	2.5-3.4	16.6	1.0	0.8-1.3
Esophagus	85.0	3.1	2.8-3.4	54.6	5.0	4.4-5.6	30.4	1.9	1.6-2.2	49.6	1.8	1.5-2.0	31.4	2.9	2.5-3.4	18.2	1.1	0.9-1.3
Stomach	267.0	10.1	9.5-10.6	141.6	13.7	12.7-14.8	125.4	7.9	7.3-8.5	112.0	4.3	3.9-4.6	65.2	6.5	5.8-7.2	46.8	2.9	2.5-3.3
Colorectal	973.4	36.3	35.3-37.3	464.8	43.4	41.6-45.3	508.6	31.7	30.5-33.0	345.4	12.9	12.3-13.6	158.8	15.5	14.4-16.7	186.6	11.3	10.6-12.1
Colon excluding rectum	715.2	26.6	25.8-27.5	323.0	30.3	28.8-31.9	392.2	24.3	23.2-25.5	285.2	10.7	10.1-11.3	126.0	12.3	11.4-13.4	159.2	9.6	9.0-10.4
Rectum & rectosigmoid	258.2	9.6	9.1-10.2	141.8	13.1	12.1-14.1	116.4	7.4	6.8-8.0	60.2	2.3	2.0-2.5	32.8	3.2	2.7-3.7	27.4	1.7	1.4-2.0
Liver / intrahepatic bile duct	279.4	9.7	9.2-10.3	188.0	16.2	15.2-17.3	91.4	5.3	4.9-5.9	166.0	5.9	5.5-6.3	108.2	9.8	8.9-10.7	57.8	3.4	3.0-3.8
Pancreas	377.0	13.8	13.2-14.5	166.2	15.3	14.2-16.4	210.8	12.8	12.0-13.6	269.6	9.9	9.4-10.4	119.8	11.1	10.2-12.1	149.8	9.0	8.3-9.7
Larynx	71.0	2.5	2.2-2.8	53.0	4.8	4.2-5.4	18.0	1.1	0.8-1.3	23.2	0.8	0.7-1.0	17.0	1.6	1.3-2.0	6.2	0.3	0.2-0.5
Lung and bronchus	1,071.0	39.0	37.9-40.1	525.4	48.8	46.9-50.7	545.6	32.8	31.5-34.0	556.8	20.4	19.6-21.2	286.2	27.2	25.7-28.7	270.6	16.2	15.3-17.1
Melanoma of the skin	24.4	0.9	0.8-1.1	9.2	0.9	0.6-1.2	15.2	1.0	0.8-1.2	4.2	0.2	0.1-0.2	1.8	0.2	0.1-0.3	2.4	0.1	0.1-0.3
Female breast							1,849.6	119.6	117.2-122.2							343.2	21.3	20.3-22.4
Cervix uteri							145.6	9.9	9.1-10.6							45.6	2.9	2.6-3.4
Corpus uterus and NOS							573.2	34.0	32.8-35.3							176.6	10.4	9.7-11.2
Ovary							153.6	9.8	9.1-10.6							95.8	5.7	5.2-6.3
Prostate				2,152.2	183.6	180.0-187.2							272.4	29.6	28.1-31.3			
Testis				23.6	2.1	1.8-2.6							1.4	0.2	0.1-0.3			
Urinary bladder (incl. in situ)	266.4	10.0	9.4-10.5	178.8	17.7	16.5-19.0	87.6	5.3	4.8-5.9	60.8	2.3	2.1-2.6	37.2	4.0	3.4-4.6	23.6	1.4	1.2-1.7
Kidney and renal pelvis	381.2	13.8	13.2-14.5	229.4	20.4	19.2-21.6	151.8	9.4	8.7-10.1	53.6	2.0	1.7-2.2	34.6	3.3	2.8-3.8	19.0	1.1	0.9-1.4
Brain and other central nervous system	112.0	4.4	4.0-4.8	60.6	5.5	4.9-6.2	51.4	3.5	3.1-4.0	53.8	2.1	1.8-2.3	29.6	2.7	2.3-3.2	24.2	1.6	1.3-1.9
Thyroid	248.4	9.7	9.2-10.3	45.8	4.2	3.7-4.8	202.6	14.0	13.1-14.9	13.0	0.5	0.4-0.6	3.2	0.3	0.2-0.5	9.8	0.6	0.4-0.8
Hodgkin lymphoma	68.2	2.7	2.4-3.0	34.6	3.1	2.6-3.6	33.6	2.5	2.1-2.9	5.4	0.2	0.1-0.3	2.6	0.2	0.1-0.4	2.8	0.2	0.1-0.4
Non-Hodgkin lymphomas	403.4	15.4	14.7-16.1	201.0	18.6	17.4-19.8	202.4	13.2	12.4-14.1	88.2	3.4	3.0-3.7	47.0	4.5	3.9-5.1	41.2	2.6	2.2-3.0
Myeloma	359.0	13.3	12.7-13.9	163.6	15.3	14.2-16.4	195.4	12.0	11.3-12.8	103.0	3.8	3.5-4.2	46.6	4.5	3.9-5.2	56.4	3.4	3.0-3.8
Leukemias	262.8	10.1	9.6-10.7	132.0	12.5	11.5-13.5	130.8	8.6	7.9-9.3	104.6	4.0	3.7-4.4	52.0	5.1	4.5-5.8	52.6	3.3	2.9-3.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**New York City, Asians and Pacific Islander Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5,076.6	350.7	346.3-355.2	2,380.0	357.2	350.6-363.9	2,696.6	347.3	341.4-353.3	1,243.8	89.4	87.1-91.7	680.6	109.3	105.6-113.2	563.2	73.5	70.8-76.3
Oral cavity and pharynx	164.6	11.2	10.4-12.0	104.8	15.3	14.0-16.7	59.8	7.6	6.7-8.5	32.6	2.2	1.9-2.6	23.2	3.4	2.8-4.1	9.4	1.2	0.9-1.6
Esophagus	42.0	2.8	2.5-3.3	33.0	4.8	4.0-5.6	9.0	1.2	0.9-1.6	25.6	1.8	1.5-2.1	20.0	3.0	2.4-3.7	5.6	0.8	0.5-1.1
Stomach	220.4	15.2	14.2-16.1	141.4	21.1	19.5-22.8	79.0	10.1	9.1-11.2	84.8	6.1	5.5-6.7	51.6	8.3	7.3-9.4	33.2	4.3	3.7-5.0
Colorectal	461.6	31.8	30.5-33.2	258.2	38.4	36.3-40.6	203.4	26.2	24.6-27.9	105.4	7.6	6.9-8.3	56.4	9.0	8.0-10.2	49.0	6.4	5.6-7.3
Colon excluding rectum	290.2	20.2	19.1-21.3	156.6	23.4	21.7-25.1	133.6	17.4	16.1-18.8	86.4	6.3	5.7-6.9	43.6	7.0	6.1-8.0	42.8	5.6	4.9-6.5
Rectum & rectosigmoid	171.4	11.7	10.9-12.5	101.6	15.0	13.7-16.4	69.8	8.8	7.9-9.8	19.0	1.3	1.1-1.6	12.8	2.0	1.6-2.6	6.2	0.8	0.5-1.1
Liver / intrahepatic bile duct	210.6	14.3	13.5-15.2	151.2	21.9	20.3-23.6	59.4	7.7	6.9-8.7	110.6	7.7	7.1-8.4	75.8	11.4	10.2-12.6	34.8	4.6	3.9-5.3
Pancreas	149.2	10.5	9.7-11.3	77.0	11.8	10.6-13.0	72.2	9.4	8.4-10.4	96.0	6.8	6.2-7.5	48.0	7.4	6.5-8.5	48.0	6.4	5.6-7.2
Larynx	24.4	1.7	1.4-2.0	21.8	3.3	2.7-4.0	2.6	0.3	0.2-0.6	2.6	0.2	0.1-0.3	2.2	0.3	0.2-0.6	0.4	0.0	0.0-0.2
Lung and bronchus	686.2	47.7	46.1-49.4	393.6	60.6	57.8-63.4	292.6	37.2	35.3-39.2	282.0	20.4	19.3-21.5	175.6	28.6	26.7-30.6	106.4	13.8	12.6-15.0
Melanoma of the skin	15.0	1.1	0.8-1.3	7.8	1.2	0.8-1.6	7.2	1.0	0.7-1.3	5.6	0.5	0.3-0.7	3.4	0.6	0.4-1.0	2.2	0.3	0.2-0.6
Female breast							825.2	106.0	102.7-109.3							72.6	9.4	8.5-10.5
Cervix uteri							65.6	8.6	7.7-9.6							12.6	1.6	1.2-2.1
Corpus uteri and NOS							180.0	22.3	20.9-23.9							25.0	3.2	2.6-3.8
Ovary							85.4	11.2	10.1-12.3							32.0	4.0	3.4-4.7
Prostate				404.4	58.0	55.4-60.7							36.0	6.4	5.5-7.5			
Testis				16.4	2.5	2.0-3.1							0.4	0.1	0.0-0.3			
Urinary bladder (incl. in situ)	133.2	9.5	8.8-10.2	105.0	16.6	15.1-18.1	28.2	3.7	3.1-4.3	20.6	1.6	1.3-1.9	15.6	2.7	2.2-3.4	5.0	0.7	0.4-1.0
Kidney and renal pelvis	149.4	10.1	9.4-10.9	94.2	13.9	12.6-15.2	55.2	6.9	6.1-7.8	20.6	1.5	1.2-1.9	14.8	2.4	1.8-3.0	5.8	0.8	0.5-1.2
Brain and other central nervous system	63.6	4.4	4.0-5.0	35.0	5.2	4.4-6.0	28.6	3.8	3.2-4.5	33.2	2.4	2.0-2.8	18.4	2.9	2.3-3.6	14.8	2.0	1.5-2.5
Thyroid	379.4	26.3	25.1-27.5	98.8	14.7	13.4-16.1	280.6	36.5	34.6-38.5	4.8	0.4	0.2-0.6	3.2	0.6	0.3-0.9	1.6	0.2	0.1-0.5
Hodgkin lymphoma	23.0	1.7	1.4-2.0	13.2	2.1	1.6-2.7	9.8	1.3	1.0-1.7	1.2	0.1	0.0-0.2	0.4	0.1	0.0-0.2	0.8	0.1	0.0-0.3
Non-Hodgkin lymphomas	198.0	13.9	13.0-14.8	110.2	16.9	15.5-18.4	87.8	11.3	10.3-12.5	37.6	2.7	2.3-3.1	24.0	3.8	3.1-4.6	13.6	1.7	1.3-2.2
Myeloma	63.0	4.3	3.8-4.8	37.4	5.5	4.7-6.4	25.6	3.3	2.7-3.9	16.8	1.2	1.0-1.5	9.8	1.6	1.2-2.2	7.0	0.9	0.6-1.3
Leukemias	126.6	9.2	8.5-10.0	73.2	11.6	10.4-12.9	53.4	7.3	6.4-8.2	43.0	3.2	2.8-3.7	26.6	4.5	3.8-5.4	16.4	2.2	1.7-2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**New York State Excl New York City, White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	65,887.6	509.4	507.6-511.3	33,652.0	551.9	549.2-554.7	32,235.6	481.6	479.1-484.1	19,745.2	144.6	143.7-145.5	10,032.4	167.3	165.8-168.8	9,712.8	128.7	127.5-129.9
Oral cavity and pharynx	1,684.2	12.8	12.5-13.1	1,176.4	18.9	18.4-19.4	507.8	7.3	7.0-7.6	310.8	2.2	2.1-2.4	214.8	3.4	3.2-3.6	96.0	1.3	1.1-1.4
Esophagus	707.4	5.2	5.0-5.4	552.8	8.9	8.5-9.2	154.6	2.1	1.9-2.2	574.6	4.2	4.0-4.3	457.4	7.3	7.0-7.7	117.2	1.5	1.4-1.7
Stomach	877.4	6.7	6.5-6.9	551.4	9.2	8.8-9.6	326.0	4.7	4.5-5.0	306.0	2.3	2.2-2.4	182.8	3.1	2.9-3.3	123.2	1.7	1.5-1.8
Colorectal	4,742.0	37.2	36.7-37.7	2,458.0	42.0	41.3-42.8	2,284.0	33.0	32.3-33.6	1,571.8	11.6	11.4-11.9	795.6	13.5	13.1-14.0	776.2	10.1	9.7-10.4
Colon excluding rectum	3,367.2	26.2	25.8-26.6	1,650.6	28.3	27.7-28.9	1,716.6	24.3	23.8-24.9	1,220.4	9.0	8.8-9.2	594.6	10.1	9.8-10.5	625.8	8.1	7.8-8.4
Rectum & rectosigmoid	1,374.8	11.0	10.7-11.3	807.4	13.7	13.3-14.2	567.4	8.6	8.3-8.9	351.4	2.6	2.5-2.8	201.0	3.4	3.2-3.6	150.4	2.0	1.9-2.2
Liver / intrahepatic bile duct	981.6	7.1	6.9-7.3	694.8	10.8	10.4-11.2	286.8	4.0	3.8-4.2	661.8	4.8	4.6-4.9	444.2	7.0	6.7-7.3	217.6	2.9	2.7-3.1
Pancreas	2,052.2	15.1	14.8-15.4	1,067.2	17.4	16.9-17.9	985.0	13.2	12.8-13.6	1,570.4	11.4	11.1-11.7	799.6	13.1	12.7-13.5	770.8	10.0	9.7-10.3
Larynx	414.8	3.1	2.9-3.2	328.0	5.2	4.9-5.4	86.8	1.2	1.1-1.4	112.2	0.8	0.7-0.9	87.6	1.4	1.3-1.5	24.6	0.3	0.3-0.4
Lung and bronchus	8,854.0	64.5	63.9-65.1	4,174.8	67.3	66.4-68.2	4,679.2	62.9	62.1-63.7	4,834.0	35.0	34.6-35.5	2,420.0	39.5	38.8-40.3	2,414.0	31.7	31.1-32.3
Melanoma of the skin	3,216.8	25.9	25.4-26.3	1,879.2	31.9	31.2-32.5	1,337.6	21.6	21.0-22.2	299.0	2.2	2.1-2.4	191.2	3.3	3.1-3.5	107.8	1.4	1.3-1.6
Female breast							9,093.8	141.0	139.6-142.4							1,319.4	18.1	17.7-18.6
Cervix uteri							324.4	6.5	6.1-6.8							103.8	1.7	1.5-1.9
Corpus uterus and NOS							2,232.0	31.9	31.3-32.6							392.2	5.2	5.0-5.5
Ovary							756.4	11.6	11.2-12.0							491.2	6.6	6.4-6.9
Prostate				8,521.8	128.3	127.0-129.5							912.0	15.7	15.2-16.1			
Testis				330.6	7.9	7.5-8.3							14.4	0.3	0.2-0.4			
Urinary bladder (incl. in situ)	3,613.6	26.5	26.1-26.9	2,722.8	45.1	44.3-45.8	890.8	11.8	11.4-12.2	632.0	4.5	4.3-4.6	453.2	7.8	7.5-8.1	178.8	2.2	2.0-2.3
Kidney and renal pelvis	2,371.4	18.6	18.3-19.0	1,549.0	25.9	25.3-26.5	822.4	12.3	11.9-12.7	410.0	3.0	2.9-3.1	261.0	4.3	4.1-4.5	149.0	1.9	1.8-2.1
Brain and other central nervous system	819.2	7.3	7.1-7.5	460.6	8.5	8.2-8.9	358.6	6.2	5.9-6.5	566.8	4.5	4.3-4.7	327.8	5.6	5.3-5.9	239.0	3.6	3.4-3.8
Thyroid	1,837.2	18.2	17.9-18.6	538.4	10.3	9.9-10.7	1,298.8	26.2	25.5-26.9	67.8	0.5	0.4-0.6	30.4	0.5	0.4-0.6	37.4	0.5	0.4-0.6
Hodgkin lymphoma	323.0	3.3	3.2-3.5	174.4	3.6	3.3-3.8	148.6	3.1	2.9-3.3	36.4	0.3	0.2-0.3	22.2	0.4	0.3-0.5	14.2	0.2	0.2-0.3
Non-Hodgkin lymphomas	2,889.4	22.5	22.2-22.9	1,560.4	26.6	26.0-27.2	1,329.0	19.3	18.8-19.8	703.4	5.1	5.0-5.3	386.4	6.6	6.3-6.9	317.0	4.1	3.9-4.3
Myeloma	945.6	7.1	6.9-7.3	541.6	8.9	8.6-9.3	404.0	5.6	5.4-5.9	352.4	2.5	2.4-2.7	187.4	3.1	2.9-3.3	165.0	2.1	1.9-2.2
Leukemias	2,260.8	17.9	17.5-18.2	1,351.6	23.4	22.8-23.9	909.2	13.4	13.0-13.8	811.6	6.1	5.9-6.3	473.6	8.3	7.9-8.6	338.0	4.4	4.2-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
New York State Excl New York City, Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5,223.2	465.6	459.8-471.4	2,687.2	545.9	536.2-555.7	2,536.0	411.1	403.9-418.5	1,567.4	147.8	144.5-151.2	774.8	177.7	171.8-183.7	792.6	129.3	125.2-133.4
Oral cavity and pharynx	92.2	8.0	7.2-8.8	61.6	11.9	10.5-13.3	30.6	4.9	4.2-5.8	21.4	1.9	1.6-2.3	16.2	3.3	2.6-4.2	5.2	0.8	0.5-1.2
Esophagus	39.8	3.8	3.2-4.3	25.8	6.0	4.9-7.1	14.0	2.2	1.7-2.9	30.8	2.9	2.4-3.4	22.2	5.2	4.2-6.3	8.6	1.4	1.0-1.8
Stomach	115.6	10.9	10.0-11.8	59.6	13.0	11.4-14.6	56.0	9.4	8.3-10.6	44.8	4.3	3.7-4.9	25.2	5.6	4.6-6.8	19.6	3.2	2.6-3.9
Colorectal	436.2	39.6	37.9-41.4	224.4	47.4	44.5-50.4	211.8	34.3	32.2-36.5	147.0	13.7	12.7-14.8	77.6	17.3	15.6-19.3	69.4	11.3	10.1-12.6
Colon excluding rectum	315.2	29.0	27.6-30.5	154.0	33.4	30.9-35.9	161.2	26.2	24.4-28.1	122.2	11.4	10.5-12.4	64.0	14.4	12.8-16.2	58.2	9.4	8.4-10.6
Rectum & rectosigmoid	121.0	10.6	9.8-11.5	70.4	14.0	12.5-15.6	50.6	8.1	7.1-9.2	24.8	2.3	1.9-2.7	13.6	2.9	2.2-3.7	11.2	1.9	1.4-2.4
Liver / intrahepatic bile duct	128.0	10.7	9.9-11.6	91.4	17.3	15.7-19.0	36.6	5.6	4.8-6.5	81.8	7.2	6.5-8.0	55.8	11.1	9.8-12.6	26.0	4.2	3.5-5.0
Pancreas	180.8	16.9	15.8-18.0	84.0	18.0	16.3-19.9	96.8	15.8	14.4-17.3	132.0	12.6	11.6-13.6	63.0	14.0	12.4-15.7	69.0	11.4	10.2-12.7
Larynx	36.4	3.1	2.7-3.6	28.6	5.7	4.8-6.8	7.8	1.2	0.8-1.6	11.0	1.0	0.7-1.3	8.8	1.9	1.4-2.6	2.2	0.3	0.2-0.6
Lung and bronchus	589.8	53.9	51.9-55.9	307.6	67.0	63.6-70.7	282.2	45.1	42.7-47.5	320.6	29.9	28.4-31.4	178.8	40.9	38.1-43.8	141.8	22.6	20.9-24.4
Melanoma of the skin	11.2	1.1	0.8-1.4	4.6	1.0	0.6-1.5	6.6	1.1	0.7-1.5	2.4	0.2	0.1-0.4	1.4	0.3	0.1-0.6	1.0	0.2	0.1-0.4
Female breast							794.4	129.5	125.5-133.7							142.0	23.2	21.5-25.0
Cervix uteri							44.4	7.3	6.3-8.3							14.2	2.3	1.8-3.0
Corpus uterus and NOS							198.0	31.0	29.1-33.0							53.6	8.6	7.6-9.7
Ovary							49.0	7.9	6.9-8.9							28.2	4.7	3.9-5.5
Prostate				1,056.8	205.3	199.6-211.2							106.8	28.1	25.7-30.7			
Testis				10.2	1.6	1.2-2.2							0.0	0.0	0.0-0.2			
Urinary bladder (incl. in situ)	132.2	12.5	11.5-13.5	89.6	20.3	18.4-22.4	42.6	7.0	6.1-8.1	25.2	2.6	2.2-3.1	15.4	4.1	3.2-5.2	9.8	1.6	1.2-2.2
Kidney and renal pelvis	210.0	18.5	17.4-19.7	132.6	25.9	23.9-28.1	77.4	12.6	11.4-14.0	25.0	2.4	2.0-2.8	16.0	3.4	2.7-4.3	9.0	1.5	1.1-2.1
Brain and other central nervous system	47.0	4.1	3.6-4.6	24.2	4.7	3.8-5.6	22.8	3.7	3.0-4.4	26.6	2.3	2.0-2.8	13.0	2.4	1.8-3.1	13.6	2.2	1.7-2.8
Thyroid	118.4	10.4	9.5-11.3	24.4	4.7	3.9-5.7	94.0	15.6	14.2-17.1	6.2	0.6	0.4-0.9	2.6	0.6	0.3-1.1	3.6	0.6	0.4-1.0
Hodgkin lymphoma	31.6	2.7	2.2-3.1	16.2	2.9	2.3-3.7	15.4	2.4	1.9-3.1	2.2	0.2	0.1-0.3	1.8	0.4	0.2-0.7	0.4	0.1	0.0-0.2
Non-Hodgkin lymphomas	171.4	15.5	14.4-16.6	94.2	19.2	17.4-21.1	77.2	12.7	11.4-14.0	42.0	3.9	3.4-4.5	24.8	5.4	4.5-6.5	17.2	2.8	2.3-3.5
Myeloma	159.4	14.7	13.6-15.7	81.6	17.6	15.8-19.5	77.8	12.6	11.3-13.9	49.4	4.9	4.3-5.6	25.2	6.3	5.2-7.6	24.2	4.1	3.4-4.9
Leukemias	121.2	10.9	10.0-11.8	63.8	13.2	11.7-14.8	57.4	9.3	8.3-10.5	51.8	4.9	4.3-5.6	27.0	6.2	5.1-7.4	24.8	4.1	3.4-4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
New York State Excl New York City, Asians and Pacific Islander Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,535.8	311.7	304.6-318.9	692.0	306.7	296.3-317.4	843.8	316.7	307.0-326.5	354.0	78.7	74.9-82.5	179.0	87.7	81.9-93.8	175.0	71.2	66.5-76.2
Oral cavity and pharynx	47.0	9.4	8.2-10.7	30.6	12.9	10.9-15.2	16.4	6.3	5.0-7.8	6.8	1.5	1.0-2.1	3.8	1.9	1.1-3.0	3.0	1.2	0.7-2.0
Esophagus	12.0	2.6	2.0-3.4	8.6	4.1	2.9-5.6	3.4	1.3	0.8-2.2	6.8	1.5	1.0-2.1	4.8	2.3	1.5-3.5	2.0	0.8	0.4-1.6
Stomach	43.2	9.2	7.9-10.5	23.8	10.9	9.0-13.1	19.4	7.7	6.2-9.4	17.0	3.8	3.0-4.7	8.8	4.2	3.0-5.7	8.2	3.4	2.4-4.6
Colorectal	135.8	28.1	26.0-30.3	67.8	29.7	26.5-33.1	68.0	26.5	23.7-29.6	38.2	8.7	7.5-10.1	20.8	10.4	8.4-12.7	17.4	7.3	5.8-9.0
Colon excluding rectum	82.8	17.3	15.7-19.1	39.2	17.2	14.8-19.9	43.6	17.2	15.0-19.7	29.4	6.8	5.7-8.0	16.2	8.2	6.4-10.2	13.2	5.5	4.3-7.1
Rectum & rectosigmoid	53.0	10.8	9.5-12.2	28.6	12.5	10.5-14.7	24.4	9.3	7.7-11.1	8.8	2.0	1.4-2.7	4.6	2.2	1.4-3.4	4.2	1.7	1.1-2.7
Liver / intrahepatic bile duct	50.0	10.3	9.0-11.6	33.8	14.5	12.4-17.0	16.2	6.5	5.1-8.1	32.2	7.1	6.0-8.3	20.6	9.7	7.8-11.8	11.6	4.9	3.7-6.4
Pancreas	46.6	10.1	8.8-11.5	23.6	10.8	8.9-13.0	23.0	9.4	7.7-11.3	28.2	6.3	5.2-7.4	15.4	7.2	5.6-9.1	12.8	5.4	4.1-6.9
Larynx	6.0	1.2	0.8-1.7	4.8	2.1	1.3-3.2	1.2	0.4	0.1-0.9	1.4	0.3	0.1-0.6	1.4	0.6	0.2-1.3	0.0	0.0	0.0-0.3
Lung and bronchus	145.2	30.5	28.3-32.9	77.0	35.2	31.7-39.1	68.2	26.4	23.7-29.5	64.6	14.4	12.8-16.1	35.6	17.3	14.7-20.1	29.0	11.9	10.0-14.1
Melanoma of the skin	8.6	1.8	1.3-2.4	4.6	2.0	1.3-3.0	4.0	1.5	0.9-2.4	1.0	0.2	0.1-0.5	0.8	0.4	0.1-1.1	0.2	0.1	0.0-0.4
Female breast							294.4	107.7	102.2-113.4							25.2	9.8	8.2-11.7
Cervix uteri							14.2	5.2	4.1-6.6							4.0	1.5	0.9-2.4
Corpus uteri and NOS							58.4	20.6	18.3-23.1							7.2	2.7	1.9-3.8
Ovary							27.4	10.2	8.6-12.1							11.0	4.3	3.2-5.6
Prostate				166.8	73.0	68.0-78.3							11.6	6.4	4.8-8.4			
Testis				6.4	2.4	1.6-3.4							0.0	0.0	0.0-0.3			
Urinary bladder (incl. in situ)	43.8	9.7	8.4-11.1	34.0	16.2	13.8-18.9	9.8	4.2	3.1-5.5	4.2	1.0	0.6-1.6	3.6	2.0	1.1-3.1	0.6	0.3	0.1-0.8
Kidney and renal pelvis	42.6	8.3	7.2-9.6	29.2	12.2	10.2-14.4	13.4	5.0	3.9-6.4	4.2	1.0	0.6-1.5	2.2	1.1	0.5-2.0	2.0	0.8	0.4-1.6
Brain and other central nervous system	19.8	4.0	3.2-4.9	11.2	4.5	3.4-5.9	8.6	3.4	2.5-4.6	11.4	2.4	1.8-3.1	6.4	2.8	1.9-3.9	5.0	2.0	1.3-2.9
Thyroid	96.4	18.2	16.6-19.9	21.4	8.7	7.1-10.5	75.0	26.7	24.1-29.6	2.0	0.4	0.2-0.8	0.6	0.3	0.1-0.9	1.4	0.5	0.2-1.1
Hodgkin lymphoma	8.4	1.4	1.0-2.0	4.2	1.6	1.0-2.4	4.2	1.4	0.8-2.1	0.8	0.2	0.0-0.4	0.4	0.1	0.0-0.5	0.4	0.2	0.0-0.6
Non-Hodgkin lymphomas	69.8	14.3	12.8-15.9	38.2	17.1	14.7-19.7	31.6	11.9	10.1-14.0	15.4	3.4	2.7-4.3	9.4	4.5	3.3-6.0	6.0	2.5	1.7-3.6
Myeloma	22.2	4.5	3.7-5.4	14.6	6.4	4.9-8.1	7.6	2.9	2.0-4.0	4.6	1.0	0.6-1.6	2.0	1.1	0.5-2.0	2.6	1.0	0.5-1.8
Leukemias	40.4	8.4	7.2-9.6	23.0	10.4	8.6-12.6	17.4	6.6	5.3-8.1	14.6	3.2	2.5-4.1	9.6	4.8	3.5-6.5	5.0	1.9	1.2-2.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
Bronx, White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	3,008.8	422.4	415.6-429.3	1,485.0	485.5	474.4-496.8	1,523.8	382.3	373.5-391.2	1,071.6	145.5	141.6-149.5	538.0	180.2	173.4-187.3	533.6	122.8	118.1-127.7
Oral cavity and pharynx	80.0	11.1	10.0-12.2	57.6	18.5	16.4-20.8	22.4	5.4	4.4-6.6	23.6	3.2	2.6-3.8	16.6	5.4	4.3-6.7	7.0	1.6	1.1-2.2
Esophagus	26.2	3.6	3.0-4.2	19.8	6.4	5.2-7.9	6.4	1.4	1.0-2.0	19.8	2.6	2.1-3.2	14.8	4.7	3.7-5.9	5.0	1.1	0.7-1.7
Stomach	68.0	9.7	8.7-10.8	40.2	13.5	11.7-15.6	27.8	6.9	5.8-8.2	30.0	4.3	3.6-5.1	18.8	6.5	5.3-8.0	11.2	2.8	2.1-3.7
Colorectal	254.6	36.1	34.1-38.1	138.2	45.9	42.5-49.5	116.4	28.8	26.4-31.3	99.4	13.6	12.4-14.8	51.4	17.6	15.5-19.9	48.0	10.7	9.4-12.2
Colon excluding rectum	177.6	25.0	23.4-26.8	93.8	31.4	28.5-34.4	83.8	20.4	18.4-22.5	82.2	11.2	10.1-12.3	40.2	13.7	11.9-15.8	42.0	9.4	8.1-10.8
Rectum & rectosigmoid	77.0	11.0	9.9-12.2	44.4	14.6	12.7-16.7	32.6	8.4	7.1-9.8	17.2	2.4	1.9-3.0	11.2	3.8	2.9-5.0	6.0	1.3	0.9-1.9
Liver / intrahepatic bile duct	115.4	15.7	14.4-17.0	83.8	26.3	23.8-29.0	31.6	7.5	6.4-8.8	75.4	10.3	9.2-11.4	50.2	16.4	14.4-18.5	25.2	5.7	4.8-6.9
Pancreas	99.8	13.5	12.3-14.8	54.0	17.8	15.7-20.1	45.8	10.4	9.1-11.9	74.6	10.0	9.0-11.1	39.2	13.2	11.4-15.2	35.4	7.8	6.6-9.0
Larynx	32.2	4.5	3.8-5.2	24.0	7.8	6.5-9.3	8.2	2.1	1.5-2.9	10.2	1.4	1.0-1.8	9.2	3.0	2.2-4.0	1.0	0.2	0.1-0.6
Lung and bronchus	329.6	44.9	42.8-47.2	166.6	55.3	51.6-59.2	163.0	37.9	35.3-40.6	196.0	26.5	24.8-28.2	104.2	34.6	31.7-37.8	91.8	20.7	18.8-22.8
Melanoma of the skin	50.2	7.1	6.2-8.0	29.2	9.9	8.4-11.7	21.0	5.1	4.2-6.2	5.4	0.7	0.5-1.0	3.4	1.1	0.7-1.8	2.0	0.4	0.2-0.8
Female breast							419.8	109.1	104.4-114.0							79.2	18.9	17.0-20.9
Cervix uteri							28.2	8.1	6.8-9.6							9.6	2.6	1.9-3.5
Corpus uterus and NOS							116.4	29.2	26.9-31.8							30.4	7.1	6.0-8.3
Ovary							42.8	10.8	9.4-12.4							27.6	6.6	5.5-7.8
Prostate				346.2	109.7	104.5-115.0							56.8	19.6	17.4-22.1			
Testis				12.4	4.0	3.0-5.1							1.2	0.4	0.1-0.9			
Urinary bladder (incl. in situ)	113.6	15.5	14.2-16.8	82.4	27.7	25.1-30.6	31.2	7.2	6.1-8.4	28.2	3.7	3.1-4.4	18.2	6.3	5.1-7.8	10.0	2.1	1.5-2.8
Kidney and renal pelvis	108.2	15.3	14.0-16.7	68.4	22.5	20.1-25.0	39.8	10.0	8.7-11.6	24.0	3.4	2.8-4.0	14.8	5.2	4.1-6.5	9.2	2.0	1.5-2.7
Brain and other central nervous system	38.2	5.6	4.8-6.4	22.0	7.3	6.0-8.8	16.2	4.2	3.3-5.2	29.0	4.1	3.4-4.8	15.0	5.0	4.0-6.3	14.0	3.4	2.7-4.4
Thyroid	99.0	15.3	14.0-16.7	22.6	7.7	6.3-9.3	76.4	22.1	19.9-24.5	3.8	0.5	0.3-0.8	1.2	0.4	0.2-0.9	2.6	0.6	0.3-1.1
Hodgkin lymphoma	20.2	3.0	2.5-3.7	11.0	3.6	2.7-4.6	9.2	2.6	1.9-3.5	2.2	0.3	0.2-0.6	1.6	0.5	0.2-1.0	0.6	0.2	0.0-0.5
Non-Hodgkin lymphomas	142.6	20.2	18.7-21.8	74.2	24.6	22.1-27.2	68.4	16.9	15.2-18.9	41.4	5.6	4.9-6.4	22.6	7.5	6.2-9.0	18.8	4.3	3.4-5.3
Myeloma	71.6	9.7	8.7-10.8	39.8	12.9	11.1-14.8	31.8	7.5	6.4-8.8	25.8	3.4	2.8-4.0	15.2	5.0	3.9-6.2	10.6	2.3	1.7-3.0
Leukemias	99.4	14.1	12.9-15.5	53.4	17.7	15.6-20.0	46.0	11.7	10.2-13.3	43.2	5.9	5.1-6.7	22.6	7.5	6.2-9.1	20.6	4.8	3.9-5.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
Bronx, Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2,745.2	411.7	404.7-418.8	1,326.2	476.2	464.3-488.4	1,419.0	371.2	362.4-380.1	774.8	119.9	116.1-123.8	360.2	141.2	134.4-148.2	414.6	107.4	102.8-112.2
Oral cavity and pharynx	58.0	8.7	7.7-9.8	35.0	12.7	10.8-14.8	23.0	5.9	4.9-7.1	13.0	2.0	1.5-2.6	9.0	3.3	2.4-4.5	4.0	1.1	0.7-1.7
Esophagus	17.0	2.6	2.1-3.3	12.0	4.7	3.6-6.2	5.0	1.3	0.8-1.9	9.0	1.4	1.0-1.8	5.6	2.2	1.4-3.2	3.4	0.9	0.5-1.4
Stomach	63.2	10.0	8.9-11.2	33.0	12.8	10.9-15.0	30.2	8.1	6.9-9.6	22.6	3.6	3.0-4.4	12.8	4.9	3.7-6.4	9.8	2.6	1.9-3.5
Colorectal	217.2	33.4	31.4-35.5	103.6	38.8	35.3-42.4	113.6	29.8	27.4-32.4	66.8	10.5	9.4-11.7	32.2	12.6	10.6-14.8	34.6	9.0	7.7-10.5
Colon excluding rectum	155.4	24.0	22.3-25.8	71.4	26.7	23.9-29.7	84.0	22.2	20.1-24.4	55.2	8.7	7.7-9.8	25.2	9.7	8.0-11.7	30.0	7.8	6.6-9.2
Rectum & rectosigmoid	61.8	9.4	8.4-10.6	32.2	12.1	10.2-14.2	29.6	7.7	6.5-9.0	11.6	1.8	1.4-2.4	7.0	2.9	2.0-4.0	4.6	1.2	0.8-1.8
Liver / intrahepatic bile duct	82.8	11.9	10.7-13.1	55.2	19.1	16.8-21.6	27.6	6.7	5.6-7.9	46.4	6.7	5.9-7.7	30.4	10.7	9.0-12.7	16.0	3.9	3.1-4.9
Pancreas	88.8	13.5	12.3-14.9	42.6	15.5	13.4-17.9	46.2	12.0	10.4-13.6	59.6	9.1	8.0-10.2	28.8	10.3	8.6-12.2	30.8	8.0	6.8-9.4
Larynx	19.6	2.9	2.3-3.5	14.6	5.3	4.1-6.7	5.0	1.3	0.8-1.9	5.4	0.8	0.5-1.2	3.4	1.4	0.8-2.3	2.0	0.5	0.2-0.9
Lung and bronchus	280.6	42.4	40.1-44.7	138.2	51.4	47.4-55.5	142.4	36.2	33.6-39.0	147.6	22.6	20.9-24.3	75.8	29.0	26.0-32.2	71.8	18.3	16.5-20.4
Melanoma of the skin	5.6	1.0	0.7-1.4	1.8	0.9	0.4-1.7	3.8	1.1	0.7-1.7	1.0	0.2	0.1-0.4	0.4	0.1	0.0-0.5	0.6	0.2	0.0-0.5
Female breast							419.2	110.1	105.4-115.0							74.8	19.6	17.6-21.7
Cervix uteri							34.4	9.4	8.0-11.0							11.0	2.9	2.2-3.8
Corpus uterus and NOS							126.6	31.7	29.2-34.3							41.2	10.5	9.1-12.1
Ovary							36.2	9.5	8.1-11.0							16.4	4.2	3.3-5.2
Prostate				496.8	169.9	163.0-177.0							58.2	26.5	23.4-29.8			
Testis				4.2	1.6	1.0-2.4							0.8	0.4	0.1-1.0			
Urinary bladder (incl. in situ)	62.0	9.9	8.8-11.1	42.4	17.4	15.1-20.1	19.6	5.3	4.3-6.4	13.2	2.1	1.6-2.7	8.0	3.4	2.4-4.7	5.2	1.4	0.9-2.0
Kidney and renal pelvis	94.2	13.9	12.6-15.2	55.2	19.7	17.3-22.2	39.0	10.0	8.6-11.5	14.2	2.1	1.7-2.7	8.8	3.3	2.3-4.4	5.4	1.4	0.9-2.0
Brain and other central nervous system	30.0	4.6	3.9-5.4	16.6	5.7	4.5-7.1	13.4	3.6	2.8-4.6	13.2	2.0	1.5-2.5	7.8	2.8	1.9-3.8	5.4	1.5	1.0-2.2
Thyroid	68.0	10.4	9.3-11.6	12.2	4.3	3.3-5.6	55.8	15.3	13.5-17.2	2.4	0.4	0.2-0.7	1.0	0.3	0.1-0.8	1.4	0.4	0.2-0.8
Hodgkin lymphoma	17.4	2.7	2.1-3.3	9.0	3.0	2.2-4.1	8.4	2.4	1.7-3.3	2.0	0.3	0.2-0.6	1.0	0.4	0.1-0.8	1.0	0.3	0.1-0.7
Non-Hodgkin lymphomas	109.4	16.8	15.4-18.3	55.6	20.4	18.0-23.1	53.8	14.5	12.8-16.4	21.4	3.3	2.7-4.0	13.0	4.9	3.7-6.3	8.4	2.3	1.6-3.1
Myeloma	88.4	13.5	12.2-14.8	39.2	14.4	12.4-16.7	49.2	12.9	11.4-14.7	22.2	3.5	2.9-4.2	11.2	4.3	3.2-5.6	11.0	3.0	2.2-3.9
Leukemias	61.0	9.2	8.2-10.4	30.4	10.7	9.0-12.6	30.6	8.2	6.9-9.6	21.2	3.2	2.6-3.9	11.0	4.2	3.1-5.5	10.2	2.7	2.0-3.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
Kings (Brooklyn), White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6,054.4	437.9	432.9-443.0	2,875.2	459.4	451.8-467.1	3,179.2	431.1	424.2-438.0	1,734.0	119.9	117.4-122.5	847.4	137.8	133.6-142.0	886.6	108.1	104.8-111.4
Oral cavity and pharynx	123.4	9.0	8.3-9.7	80.4	13.0	11.8-14.4	43.0	5.4	4.7-6.3	23.8	1.8	1.5-2.1	16.4	2.8	2.2-3.4	7.4	0.9	0.6-1.3
Esophagus	39.0	2.8	2.4-3.2	29.0	4.7	3.9-5.5	10.0	1.2	0.9-1.7	28.4	2.0	1.7-2.3	22.6	3.6	2.9-4.3	5.8	0.7	0.5-1.0
Stomach	128.8	9.3	8.6-10.1	75.4	12.3	11.0-13.6	53.4	7.0	6.1-7.9	65.6	4.7	4.2-5.3	38.8	6.4	5.5-7.4	26.8	3.4	2.8-4.0
Colorectal	519.4	37.3	35.9-38.8	273.4	44.0	41.7-46.4	246.0	31.9	30.1-33.8	174.6	11.9	11.1-12.7	85.6	13.9	12.6-15.3	89.0	10.4	9.4-11.4
Colon excluding rectum	368.2	26.2	25.0-27.4	190.4	30.6	28.7-32.7	177.8	22.6	21.1-24.2	141.2	9.5	8.8-10.3	68.6	11.1	9.9-12.3	72.6	8.4	7.5-9.3
Rectum & rectosigmoid	151.2	11.1	10.3-12.0	83.0	13.4	12.1-14.7	68.2	9.3	8.3-10.4	33.4	2.4	2.0-2.8	17.0	2.8	2.2-3.5	16.4	2.0	1.6-2.5
Liver / intrahepatic bile duct	118.4	8.3	7.7-9.0	82.0	12.8	11.6-14.1	36.4	4.5	3.9-5.3	76.4	5.3	4.8-5.9	46.6	7.4	6.5-8.4	29.8	3.6	3.0-4.3
Pancreas	205.6	14.4	13.5-15.3	99.8	15.9	14.5-17.4	105.8	13.0	11.9-14.2	153.0	10.6	9.8-11.4	78.2	12.7	11.5-14.1	74.8	8.8	7.9-9.8
Larynx	33.8	2.4	2.1-2.8	27.4	4.4	3.7-5.2	6.4	0.9	0.6-1.3	11.2	0.8	0.6-1.0	10.4	1.7	1.3-2.2	0.8	0.1	0.0-0.3
Lung and bronchus	616.4	43.2	41.7-44.8	315.4	51.2	48.6-53.8	301.0	37.6	35.7-39.6	333.2	22.8	21.7-24.0	186.8	30.3	28.4-32.4	146.4	17.4	16.1-18.7
Melanoma of the skin	207.6	15.1	14.1-16.0	111.4	18.0	16.5-19.6	96.2	13.0	11.9-14.3	18.4	1.3	1.0-1.6	10.6	1.7	1.3-2.3	7.8	0.9	0.6-1.2
Female breast							924.2	131.4	127.5-135.3							153.4	19.4	18.0-20.9
Cervix uteri							52.4	7.8	6.9-8.8							14.0	2.0	1.5-2.6
Corpus uterus and NOS							212.0	29.1	27.4-31.0							42.4	5.3	4.6-6.1
Ovary							80.4	11.0	10.0-12.2							51.2	6.5	5.7-7.4
Prostate				621.0	97.4	93.9-100.9							71.8	11.8	10.6-13.1			
Testis				51.4	7.5	6.5-8.5							0.4	0.1	0.0-0.3			
Urinary bladder (incl. in situ)	288.2	20.2	19.2-21.3	218.4	35.5	33.4-37.7	69.8	8.9	7.9-9.9	51.2	3.3	2.9-3.7	35.6	5.7	4.9-6.6	15.6	1.8	1.4-2.2
Kidney and renal pelvis	220.4	16.1	15.2-17.1	145.2	23.1	21.4-24.9	75.2	10.3	9.3-11.4	33.0	2.3	2.0-2.7	22.8	3.7	3.0-4.4	10.2	1.3	0.9-1.7
Brain and other central nervous system	99.4	7.4	6.8-8.1	54.2	8.6	7.6-9.7	45.2	6.4	5.6-7.4	51.2	3.8	3.3-4.3	28.4	4.6	3.9-5.4	22.8	3.1	2.5-3.7
Thyroid	305.6	23.2	22.0-24.4	74.8	11.7	10.6-13.0	230.8	34.4	32.4-36.5	7.4	0.5	0.4-0.7	2.4	0.4	0.2-0.8	5.0	0.6	0.4-0.9
Hodgkin lymphoma	46.4	3.5	3.0-4.0	25.2	4.0	3.3-4.8	21.2	3.0	2.5-3.7	3.4	0.2	0.1-0.4	2.2	0.4	0.2-0.6	1.2	0.2	0.1-0.4
Non-Hodgkin lymphomas	305.4	22.2	21.1-23.4	164.6	26.7	24.8-28.6	140.8	18.6	17.2-20.1	64.6	4.4	3.9-4.9	33.6	5.4	4.6-6.3	31.0	3.6	3.0-4.2
Myeloma	86.4	6.2	5.7-6.9	44.6	7.2	6.3-8.2	41.8	5.6	4.8-6.4	29.6	2.0	1.7-2.4	15.6	2.5	2.0-3.2	14.0	1.6	1.2-2.0
Leukemias	211.0	15.3	14.4-16.3	118.8	19.2	17.7-20.9	92.2	12.1	11.0-13.3	70.4	5.0	4.4-5.5	37.6	6.2	5.3-7.1	32.8	4.1	3.5-4.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
Kings (Brooklyn), Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4,321.0	412.6	406.9-418.2	2,035.2	487.1	477.4-497.0	2,285.8	369.4	362.4-376.4	1,316.0	127.1	124.0-130.3	571.2	148.5	142.9-154.2	744.8	115.9	112.1-119.8
Oral cavity and pharynx	71.0	6.8	6.1-7.5	43.4	10.7	9.3-12.3	27.6	4.3	3.6-5.1	17.8	1.7	1.3-2.1	12.4	3.1	2.4-4.0	5.4	0.8	0.5-1.2
Esophagus	33.6	3.1	2.7-3.7	20.4	4.8	3.9-5.9	13.2	2.1	1.6-2.6	18.6	1.7	1.3-2.0	13.0	3.2	2.4-4.1	5.6	0.8	0.5-1.2
Stomach	107.8	10.5	9.6-11.4	59.0	15.0	13.3-16.9	48.8	7.7	6.8-8.8	49.2	4.9	4.3-5.5	28.2	7.5	6.3-8.9	21.0	3.3	2.7-4.0
Colorectal	377.6	36.5	34.9-38.2	178.0	44.1	41.1-47.2	199.6	31.8	29.8-33.9	137.6	13.4	12.4-14.4	63.8	16.4	14.6-18.4	73.8	11.6	10.4-12.8
Colon excluding rectum	279.6	27.0	25.6-28.5	122.4	30.3	27.9-32.9	157.2	24.9	23.2-26.8	114.8	11.1	10.2-12.1	52.6	13.5	11.9-15.3	62.2	9.7	8.6-10.9
Rectum & rectosigmoid	98.0	9.5	8.7-10.4	55.6	13.7	12.1-15.5	42.4	6.9	5.9-7.9	22.8	2.3	1.9-2.7	11.2	2.9	2.2-3.8	11.6	1.9	1.4-2.4
Liver / intrahepatic bile duct	85.0	7.7	6.9-8.4	55.4	12.7	11.2-14.3	29.6	4.4	3.7-5.2	55.4	5.1	4.5-5.8	34.4	8.2	7.0-9.5	21.0	3.2	2.6-3.9
Pancreas	141.4	13.5	12.5-14.6	59.6	14.5	12.9-16.3	81.8	12.7	11.5-14.1	100.8	9.6	8.8-10.5	42.8	10.5	9.1-12.1	58.0	9.0	7.9-10.1
Larynx	23.4	2.1	1.8-2.6	16.2	3.9	3.1-4.9	7.2	1.1	0.7-1.5	8.8	0.8	0.6-1.1	7.2	1.9	1.3-2.6	1.6	0.2	0.1-0.5
Lung and bronchus	380.8	36.0	34.3-37.6	188.2	46.5	43.5-49.7	192.6	29.5	27.6-31.4	200.6	19.0	17.9-20.3	101.4	25.2	23.0-27.6	99.2	15.3	13.9-16.7
Melanoma of the skin	7.8	0.8	0.5-1.1	3.4	0.8	0.5-1.4	4.4	0.7	0.4-1.1	1.6	0.2	0.1-0.3	0.8	0.2	0.1-0.5	0.8	0.1	0.0-0.4
Female breast							713.6	118.7	114.7-122.8							143.0	22.8	21.1-24.6
Cervix uteri							59.6	10.2	9.0-11.4							17.2	2.8	2.2-3.5
Corpus uterus and NOS							237.6	35.7	33.7-37.9							78.6	11.8	10.6-13.0
Ovary							62.0	10.1	9.0-11.4							44.4	6.8	5.9-7.8
Prostate				857.8	195.1	189.2-201.3							108.4	31.1	28.5-33.9			
Testis				8.2	2.0	1.4-2.8							0.2	0.0	0.0-0.2			
Urinary bladder (incl. in situ)	95.6	9.2	8.4-10.1	66.2	17.2	15.3-19.2	29.4	4.6	3.9-5.4	22.8	2.3	1.9-2.8	13.8	4.1	3.2-5.3	9.0	1.4	1.0-1.8
Kidney and renal pelvis	135.8	12.9	11.9-13.9	80.0	19.2	17.3-21.2	55.8	8.7	7.7-9.8	19.2	1.8	1.5-2.2	13.8	3.4	2.6-4.4	5.4	0.8	0.5-1.1
Brain and other central nervous system	43.2	4.5	3.9-5.1	22.6	5.5	4.5-6.7	20.6	3.7	3.0-4.5	18.4	1.9	1.5-2.3	10.4	2.6	1.9-3.4	8.0	1.3	0.9-1.9
Thyroid	86.8	9.0	8.2-9.9	14.8	3.7	2.9-4.7	72.0	12.8	11.5-14.3	6.0	0.6	0.4-0.8	1.0	0.2	0.1-0.6	5.0	0.7	0.5-1.1
Hodgkin lymphoma	25.2	2.7	2.3-3.3	12.6	3.1	2.4-4.0	12.6	2.4	1.9-3.2	2.6	0.3	0.1-0.5	1.2	0.3	0.1-0.7	1.4	0.3	0.1-0.5
Non-Hodgkin lymphomas	142.8	14.2	13.2-15.3	69.6	17.3	15.5-19.3	73.2	12.2	10.9-13.6	34.4	3.4	2.9-4.0	16.2	4.1	3.2-5.1	18.2	2.9	2.4-3.6
Myeloma	141.8	13.6	12.6-14.7	66.0	16.6	14.8-18.6	75.8	11.9	10.7-13.1	42.2	4.0	3.5-4.6	19.4	5.1	4.1-6.3	22.8	3.5	2.8-4.2
Leukemias	100.0	10.1	9.2-11.1	48.2	12.3	10.8-14.0	51.8	8.7	7.6-9.9	43.0	4.4	3.8-5.0	20.0	5.2	4.2-6.4	23.0	3.8	3.1-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**Kings (Brooklyn), Asians and Pacific Islander Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,315.4	378.4	369.0-388.0	656.0	399.7	385.6-414.2	659.4	357.7	345.3-370.4	331.6	101.7	96.7-106.9	193.0	127.6	119.3-136.2	138.6	79.2	73.3-85.5
Oral cavity and pharynx	52.0	14.1	12.4-16.0	35.0	20.1	17.2-23.5	17.0	8.7	6.9-10.8	10.8	3.1	2.3-4.1	7.4	4.4	3.1-6.2	3.4	1.8	1.1-3.0
Esophagus	10.2	2.7	2.0-3.6	8.8	4.9	3.5-6.6	1.4	0.7	0.3-1.6	6.8	2.0	1.3-2.8	6.2	3.6	2.4-5.3	0.6	0.4	0.1-1.2
Stomach	58.4	16.7	14.7-18.8	36.4	21.4	18.3-24.9	22.0	12.1	9.9-14.6	22.8	7.0	5.7-8.5	13.8	8.9	6.9-11.4	9.0	5.2	3.8-7.0
Colorectal	127.0	36.9	34.0-40.0	72.8	44.3	39.7-49.3	54.2	30.0	26.5-33.9	29.8	9.4	7.9-11.1	18.2	12.5	10.0-15.4	11.6	6.7	5.0-8.7
Colon excluding rectum	79.6	23.3	21.0-25.8	43.0	26.2	22.7-30.1	36.6	20.6	17.7-23.9	24.6	7.8	6.5-9.4	14.6	10.0	7.7-12.6	10.0	5.8	4.3-7.7
Rectum & rectosigmoid	47.4	13.6	11.9-15.5	29.8	18.1	15.2-21.4	17.6	9.4	7.5-11.6	5.2	1.6	1.0-2.4	3.6	2.5	1.5-4.0	1.6	0.9	0.4-1.7
Liver / intrahepatic bile duct	66.4	19.6	17.4-21.9	51.6	31.6	27.7-35.9	14.8	8.6	6.7-10.9	32.2	9.6	8.1-11.2	25.4	15.5	12.8-18.6	6.8	4.1	2.8-5.8
Pancreas	34.4	10.2	8.7-11.9	19.8	12.4	10.0-15.3	14.6	8.3	6.5-10.5	22.8	7.1	5.8-8.6	11.6	7.6	5.7-10.0	11.2	6.7	5.0-8.7
Larynx	6.4	1.8	1.2-2.5	6.0	3.5	2.3-5.0	0.4	0.2	0.0-0.8	0.6	0.2	0.0-0.5	0.6	0.3	0.1-1.1	0.0	0.0	0.0-0.5
Lung and bronchus	198.6	58.2	54.5-62.1	117.6	72.7	66.6-79.1	81.0	45.1	40.7-49.8	82.0	25.5	23.0-28.2	52.0	34.9	30.6-39.6	30.0	17.3	14.6-20.4
Melanoma of the skin	4.6	1.3	0.8-2.0	2.4	1.5	0.7-2.6	2.2	1.1	0.6-2.1	1.6	0.5	0.2-1.0	0.8	0.6	0.2-1.5	0.8	0.5	0.1-1.2
Female breast							179.4	95.9	89.6-102.5							16.4	9.0	7.1-11.3
Cervix uteri							17.0	9.2	7.3-11.4							3.0	1.6	0.9-2.7
Corpus uteri and NOS							42.2	22.4	19.4-25.7							5.6	3.1	2.1-4.6
Ovary							20.8	11.3	9.2-13.8							8.2	4.4	3.1-6.0
Prostate				89.2	54.4	49.3-60.0							9.0	6.7	4.9-9.0			
Testis				5.6	3.3	2.2-4.8							0.0	0.0	0.0-0.5			
Urinary bladder (incl. in situ)	35.2	10.7	9.1-12.5	29.4	18.8	15.8-22.3	5.8	3.4	2.3-4.9	4.4	1.4	0.9-2.1	3.4	2.5	1.4-4.0	1.0	0.6	0.2-1.3
Kidney and renal pelvis	37.6	10.5	9.0-12.1	24.8	14.3	11.8-17.2	12.8	7.0	5.3-8.9	4.4	1.5	0.9-2.2	3.0	2.1	1.1-3.4	1.4	1.0	0.4-1.9
Brain and other central nervous system	17.4	4.8	3.8-6.0	8.4	4.8	3.4-6.5	9.0	4.9	3.5-6.6	9.0	2.8	2.0-3.8	4.2	2.8	1.7-4.3	4.8	2.8	1.8-4.2
Thyroid	119.2	32.4	29.8-35.2	35.8	20.9	17.9-24.3	83.4	42.5	38.4-46.9	1.4	0.5	0.2-1.0	0.8	0.6	0.1-1.5	0.6	0.5	0.1-1.3
Hodgkin lymphoma	6.8	1.9	1.3-2.7	4.4	2.7	1.7-4.2	2.4	1.2	0.6-2.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.5	0.2	0.1	0.0-0.7
Non-Hodgkin lymphomas	45.6	13.4	11.6-15.3	27.8	16.8	14.0-20.0	17.8	10.2	8.1-12.6	9.4	2.7	1.9-3.6	5.6	3.4	2.2-5.0	3.8	2.0	1.2-3.2
Myeloma	15.0	4.6	3.6-5.8	9.2	5.8	4.2-7.9	5.8	3.4	2.3-4.9	4.8	1.6	1.0-2.4	3.6	2.6	1.5-4.1	1.2	0.7	0.2-1.5
Leukemias	29.6	9.0	7.6-10.6	18.6	12.0	9.6-14.8	11.0	6.3	4.7-8.3	9.6	3.0	2.2-4.0	6.0	4.1	2.7-5.9	3.6	2.1	1.2-3.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**New York (Manhattan), White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5,828.4	433.1	428.0-438.3	2,818.4	458.9	451.3-466.7	3,010.0	422.5	415.5-429.7	1,500.4	105.2	102.8-107.7	716.6	117.5	113.7-121.5	783.8	97.2	94.1-100.4
Oral cavity and pharynx	149.4	10.8	10.0-11.6	101.6	16.1	14.7-17.6	47.8	6.3	5.5-7.2	27.0	1.9	1.6-2.2	19.0	3.1	2.5-3.8	8.0	0.9	0.6-1.3
Esophagus	43.2	3.1	2.7-3.5	29.2	4.8	4.0-5.6	14.0	1.7	1.3-2.2	30.2	2.1	1.8-2.5	21.6	3.5	2.9-4.2	8.6	1.0	0.7-1.4
Stomach	74.4	5.5	4.9-6.1	38.8	6.4	5.5-7.4	35.6	4.8	4.1-5.7	37.8	2.7	2.3-3.1	24.8	4.0	3.3-4.8	13.0	1.7	1.3-2.2
Colorectal	389.4	29.0	27.7-30.3	200.2	33.1	31.1-35.3	189.2	25.5	23.9-27.3	120.6	8.6	7.9-9.3	63.0	10.4	9.3-11.6	57.6	7.2	6.3-8.1
Colon excluding rectum	272.6	20.1	19.0-21.2	135.4	22.4	20.8-24.2	137.2	18.1	16.7-19.6	89.6	6.3	5.7-6.9	47.4	7.8	6.8-8.8	42.2	5.2	4.5-6.0
Rectum & rectosigmoid	116.8	8.9	8.2-9.7	64.8	10.7	9.5-12.0	52.0	7.4	6.5-8.4	31.0	2.3	2.0-2.7	15.6	2.6	2.1-3.3	15.4	2.0	1.6-2.5
Liver / intrahepatic bile duct	102.2	7.4	6.7-8.0	67.4	10.8	9.7-12.1	34.8	4.3	3.7-5.0	61.8	4.3	3.8-4.8	39.2	6.2	5.4-7.2	22.6	2.7	2.2-3.3
Pancreas	172.6	12.2	11.4-13.1	88.2	14.5	13.1-15.9	84.4	10.5	9.4-11.6	140.0	9.7	9.0-10.5	69.4	11.4	10.2-12.7	70.6	8.6	7.7-9.6
Larynx	24.4	1.8	1.5-2.2	19.2	3.1	2.5-3.8	5.2	0.8	0.5-1.1	8.8	0.6	0.4-0.8	7.0	1.1	0.8-1.6	1.8	0.2	0.1-0.4
Lung and bronchus	563.8	39.5	38.1-41.0	237.0	38.4	36.2-40.7	326.8	40.4	38.5-42.5	260.8	18.0	17.0-19.0	112.4	18.4	16.9-20.0	148.4	17.8	16.5-19.1
Melanoma of the skin	315.2	23.4	22.2-24.6	183.2	30.1	28.2-32.1	132.0	18.4	17.0-20.0	20.4	1.4	1.2-1.7	12.8	2.1	1.6-2.7	7.6	0.9	0.6-1.3
Female breast							964.8	144.3	140.1-148.7							120.0	15.5	14.2-16.8
Cervix uteri							32.2	5.3	4.5-6.3							8.4	1.1	0.8-1.6
Corpus uterus and NOS							198.8	27.7	26.0-29.6							37.0	4.7	4.0-5.5
Ovary							71.2	10.0	8.9-11.1							53.8	6.8	6.0-7.8
Prostate				766.4	119.7	115.9-123.6							86.4	14.1	12.8-15.6			
Testis				53.0	8.7	7.6-9.9							0.6	0.1	0.0-0.3			
Urinary bladder (incl. in situ)	263.6	18.5	17.5-19.5	190.6	31.1	29.1-33.1	73.0	9.1	8.2-10.2	46.0	3.0	2.6-3.5	30.2	4.9	4.1-5.8	15.8	1.8	1.4-2.3
Kidney and renal pelvis	149.6	11.4	10.5-12.2	102.0	16.9	15.4-18.5	47.6	6.7	5.9-7.7	23.0	1.6	1.3-1.9	15.2	2.5	1.9-3.1	7.8	0.9	0.6-1.3
Brain and other central nervous system	89.0	7.4	6.7-8.2	53.2	9.3	8.2-10.6	35.8	5.8	4.9-6.8	50.2	3.9	3.4-4.5	29.2	5.0	4.2-5.9	21.0	3.0	2.4-3.7
Thyroid	205.4	16.9	15.8-18.0	60.2	10.1	9.0-11.3	145.2	23.7	21.9-25.6	5.2	0.4	0.2-0.5	1.2	0.2	0.1-0.4	4.0	0.5	0.3-0.8
Hodgkin lymphoma	33.4	2.8	2.4-3.3	16.6	2.9	2.3-3.7	16.8	2.7	2.1-3.5	3.6	0.2	0.1-0.4	2.0	0.3	0.1-0.6	1.6	0.2	0.1-0.4
Non-Hodgkin lymphomas	307.6	22.8	21.6-24.0	159.6	26.5	24.7-28.5	148.0	19.8	18.4-21.4	64.8	4.5	4.0-5.1	37.2	6.1	5.3-7.1	27.6	3.2	2.7-3.9
Myeloma	94.4	6.7	6.1-7.4	58.0	9.4	8.3-10.5	36.4	4.6	4.0-5.4	31.6	2.2	1.9-2.6	18.6	3.0	2.4-3.7	13.0	1.6	1.2-2.0
Leukemias	206.0	15.8	14.8-16.9	120.4	20.8	19.1-22.6	85.6	11.7	10.5-13.0	69.4	4.9	4.4-5.5	36.6	6.3	5.4-7.3	32.8	4.0	3.4-4.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**New York (Manhattan), Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,672.4	445.8	436.1-455.7	799.0	518.3	502.0-535.0	873.4	404.7	392.4-417.3	516.8	133.8	128.6-139.2	240.6	164.2	154.9-173.9	276.2	117.1	110.9-123.7
Oral cavity and pharynx	34.8	9.3	8.0-10.9	23.2	14.8	12.2-17.9	11.6	5.5	4.2-7.2	8.2	2.1	1.5-2.9	4.4	3.0	1.8-4.5	3.8	1.6	0.9-2.5
Esophagus	12.8	3.3	2.5-4.2	6.8	4.3	3.0-6.1	6.0	2.6	1.8-3.8	8.4	2.2	1.6-2.9	4.0	2.6	1.6-4.1	4.4	1.8	1.2-2.9
Stomach	32.0	8.6	7.3-10.1	16.6	11.1	8.8-13.8	15.4	6.9	5.4-8.7	13.8	3.6	2.8-4.5	7.4	4.7	3.3-6.5	6.4	2.6	1.8-3.8
Colorectal	141.2	37.8	35.0-40.8	73.0	48.9	43.9-54.3	68.2	30.7	27.4-34.2	49.4	12.9	11.3-14.7	26.0	18.2	15.1-21.7	23.4	9.4	7.8-11.4
Colon excluding rectum	99.4	26.5	24.2-29.0	49.6	33.3	29.2-37.8	49.8	22.2	19.5-25.3	37.0	9.7	8.4-11.3	18.0	12.7	10.2-15.7	19.0	7.7	6.2-9.5
Rectum & rectosigmoid	41.8	11.3	9.8-13.0	23.4	15.6	12.8-18.7	18.4	8.4	6.8-10.4	12.4	3.2	2.4-4.2	8.0	5.4	3.9-7.5	4.4	1.7	1.0-2.7
Liver / intrahepatic bile duct	59.2	14.9	13.2-16.7	40.2	24.9	21.5-28.7	19.0	8.1	6.5-10.0	30.0	7.7	6.5-9.1	19.0	12.6	10.2-15.5	11.0	4.6	3.5-6.1
Pancreas	58.8	15.1	13.4-16.9	27.8	18.1	15.2-21.5	31.0	13.1	11.1-15.4	44.2	11.2	9.8-12.8	19.4	12.9	10.4-15.8	24.8	10.2	8.4-12.2
Larynx	13.2	3.3	2.6-4.3	10.0	6.2	4.6-8.3	3.2	1.4	0.8-2.3	4.2	1.0	0.6-1.6	3.0	1.8	1.0-3.1	1.2	0.5	0.2-1.1
Lung and bronchus	191.2	49.6	46.4-52.9	91.2	60.4	54.9-66.4	100.0	42.7	39.0-46.7	97.0	24.8	22.6-27.2	48.8	32.6	28.6-37.1	48.2	20.1	17.6-22.9
Melanoma of the skin	5.8	1.6	1.1-2.4	2.0	1.4	0.6-2.5	3.8	1.8	1.1-2.9	0.8	0.2	0.1-0.6	0.2	0.1	0.0-0.8	0.6	0.2	0.0-0.8
Female breast							260.0	126.4	119.4-133.7							47.8	21.0	18.3-24.0
Cervix uteri							19.4	9.8	7.9-12.1							6.8	3.3	2.2-4.7
Corpus uterus and NOS							78.0	34.7	31.3-38.4							17.4	7.4	5.9-9.2
Ovary							18.2	8.8	7.0-10.9							11.8	5.1	3.8-6.6
Prostate				266.6	166.2	157.2-175.6							41.8	29.8	25.9-34.2			
Testis				5.4	3.3	2.1-4.9							0.2	0.1	0.0-0.8			
Urinary bladder (incl. in situ)	50.0	13.2	11.6-15.0	31.0	21.6	18.3-25.4	19.0	8.2	6.6-10.1	11.6	2.9	2.2-3.8	6.6	4.9	3.3-6.8	5.0	1.9	1.2-2.8
Kidney and renal pelvis	58.8	15.7	13.9-17.6	34.8	22.0	18.8-25.6	24.0	11.2	9.2-13.5	7.8	2.0	1.4-2.8	3.2	2.2	1.3-3.6	4.6	2.0	1.2-3.0
Brain and other central nervous system	14.2	4.1	3.2-5.3	7.2	4.9	3.4-6.8	7.0	3.6	2.5-5.1	7.6	2.0	1.4-2.8	4.8	3.0	1.9-4.6	2.8	1.3	0.7-2.2
Thyroid	35.6	10.4	8.9-12.1	8.2	5.2	3.7-7.1	27.4	15.0	12.5-17.8	1.0	0.3	0.1-0.6	0.4	0.3	0.0-1.1	0.6	0.2	0.0-0.8
Hodgkin lymphoma	12.0	3.6	2.7-4.7	6.4	4.5	3.1-6.4	5.6	3.0	2.0-4.4	0.2	0.1	0.0-0.3	0.2	0.1	0.0-0.7	0.0	0.0	0.0-0.5
Non-Hodgkin lymphomas	65.6	18.2	16.2-20.3	33.8	22.8	19.4-26.6	31.8	15.0	12.7-17.7	13.0	3.5	2.7-4.6	7.6	5.5	3.9-7.6	5.4	2.3	1.5-3.5
Myeloma	46.2	12.4	10.8-14.2	21.0	14.3	11.6-17.4	25.2	11.0	9.1-13.2	13.0	3.3	2.5-4.3	5.2	3.4	2.2-5.1	7.8	3.3	2.3-4.5
Leukemias	36.6	10.3	8.8-11.9	18.2	12.5	10.0-15.4	18.4	8.8	7.0-10.9	15.8	4.3	3.4-5.5	6.8	4.8	3.3-6.8	9.0	4.1	3.0-5.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.



**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**New York (Manhattan), Asians and Pacific Islander Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	791.2	340.1	329.4-351.1	343.2	347.1	330.7-364.2	448.0	338.6	324.3-353.3	210.4	86.8	81.5-92.4	104.0	105.4	96.4-115.0	106.4	73.8	67.5-80.6
Oral cavity and pharynx	25.2	10.9	9.0-13.0	15.2	15.3	12.0-19.2	10.0	7.5	5.6-10.0	4.0	1.7	1.0-2.6	3.6	3.6	2.1-5.8	0.4	0.3	0.0-1.2
Esophagus	6.8	3.0	2.0-4.2	5.6	5.9	3.9-8.6	1.2	0.8	0.3-1.9	4.0	1.7	1.0-2.6	3.0	3.0	1.7-5.1	1.0	0.7	0.2-1.8
Stomach	31.6	13.2	11.2-15.5	21.8	21.9	17.9-26.5	9.8	7.0	5.1-9.4	15.0	6.1	4.8-7.7	9.0	9.0	6.5-12.1	6.0	4.1	2.8-6.0
Colorectal	64.6	28.0	25.0-31.3	33.6	35.0	29.8-40.7	31.0	23.1	19.6-27.2	18.8	7.6	6.1-9.3	9.4	9.3	6.8-12.4	9.4	6.4	4.7-8.7
Colon excluding rectum	37.6	16.1	13.9-18.7	17.0	17.4	13.9-21.6	20.6	15.3	12.5-18.7	15.2	6.1	4.8-7.7	7.2	7.0	4.9-9.8	8.0	5.5	3.9-7.6
Rectum & rectosigmoid	27.0	11.9	9.9-14.1	16.6	17.6	14.0-21.8	10.4	7.8	5.8-10.3	3.6	1.5	0.9-2.4	2.2	2.2	1.1-4.1	1.4	0.9	0.4-2.1
Liver / intrahepatic bile duct	31.2	13.3	11.2-15.6	20.2	20.3	16.5-24.7	11.0	8.0	6.0-10.6	16.8	6.9	5.5-8.6	10.2	10.4	7.7-13.8	6.6	4.4	3.0-6.4
Pancreas	24.6	10.6	8.8-12.7	9.4	9.6	7.1-12.9	15.2	11.3	8.8-14.2	14.8	6.1	4.8-7.7	6.2	6.2	4.2-8.9	8.6	6.0	4.3-8.1
Larynx	4.0	1.7	1.1-2.7	3.6	3.8	2.2-6.0	0.4	0.3	0.0-1.2	0.4	0.2	0.0-0.8	0.2	0.2	0.0-1.4	0.2	0.2	0.0-1.0
Lung and bronchus	113.6	48.1	44.1-52.3	60.4	61.1	54.3-68.5	53.2	38.9	34.3-44.1	50.4	20.5	18.0-23.3	29.0	29.2	24.6-34.4	21.4	14.4	11.7-17.5
Melanoma of the skin	2.6	1.1	0.6-2.0	1.2	1.2	0.4-2.7	1.4	1.1	0.4-2.4	0.8	0.4	0.1-1.1	0.4	0.5	0.1-1.7	0.4	0.4	0.0-1.4
Female breast							135.0	105.6	97.7-114.0							12.2	8.8	6.7-11.5
Cervix uteri							7.4	5.9	4.2-8.3							1.4	1.2	0.5-2.5
Corpus uterus and NOS							27.2	20.9	17.5-24.8							3.8	2.7	1.6-4.4
Ovary							12.2	9.3	7.0-12.2							5.8	4.3	2.9-6.3
Prostate				55.0	56.8	50.3-64.0							4.4	4.3	2.7-6.6			
Testis				4.0	3.2	1.9-5.2							0.0	0.0	0.0-0.9			
Urinary bladder (incl. in situ)	20.4	8.3	6.8-10.2	15.4	15.5	12.2-19.5	5.0	3.3	2.1-5.0	4.2	1.6	1.0-2.5	2.6	2.6	1.4-4.5	1.6	0.9	0.4-2.1
Kidney and renal pelvis	20.8	9.0	7.3-11.0	11.6	11.6	8.8-15.2	9.2	7.2	5.2-9.7	4.4	1.8	1.1-2.7	3.0	2.9	1.6-4.9	1.4	0.9	0.4-2.1
Brain and other central nervous system	9.6	4.0	2.9-5.4	6.0	5.8	3.8-8.3	3.6	2.6	1.5-4.3	5.8	2.5	1.7-3.7	3.2	3.2	1.8-5.3	2.6	2.0	1.1-3.5
Thyroid	62.8	25.5	22.7-28.6	14.6	13.8	10.7-17.5	48.2	34.5	30.2-39.3	1.0	0.4	0.1-1.0	0.6	0.7	0.1-2.0	0.4	0.2	0.0-1.1
Hodgkin lymphoma	3.4	1.4	0.8-2.3	1.4	1.4	0.6-3.0	2.0	1.3	0.6-2.5	0.4	0.2	0.0-0.7	0.2	0.2	0.0-1.2	0.2	0.1	0.0-1.0
Non-Hodgkin lymphomas	35.4	15.3	13.0-17.8	17.2	17.3	13.8-21.5	18.2	13.9	11.1-17.3	6.2	2.4	1.6-3.5	2.8	2.8	1.5-4.7	3.4	2.1	1.2-3.5
Myeloma	7.8	3.2	2.3-4.5	4.4	4.3	2.7-6.6	3.4	2.5	1.4-4.1	2.4	1.0	0.5-1.8	1.4	1.5	0.6-3.2	1.0	0.7	0.2-1.7
Leukemias	22.4	9.9	8.0-12.0	12.0	11.7	8.9-15.3	10.4	8.6	6.2-11.7	7.4	3.0	2.1-4.2	4.0	4.2	2.5-6.5	3.4	2.2	1.2-3.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
Queens, White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5,997.0	421.7	416.8-426.6	2,923.6	447.7	440.4-455.2	3,073.4	411.7	404.9-418.6	1,777.6	116.1	113.6-118.6	888.8	135.8	131.8-140.0	888.8	102.7	99.6-105.9
Oral cavity and pharynx	127.8	8.8	8.1-9.5	82.4	12.2	11.1-13.5	45.4	5.9	5.1-6.8	26.2	1.8	1.5-2.1	17.0	2.6	2.0-3.2	9.2	1.2	0.8-1.6
Esophagus	49.8	3.3	2.9-3.7	36.2	5.4	4.6-6.3	13.6	1.6	1.2-2.0	37.4	2.5	2.1-2.9	29.2	4.5	3.8-5.3	8.2	0.9	0.7-1.3
Stomach	136.6	9.8	9.0-10.5	73.6	11.5	10.3-12.8	63.0	8.4	7.5-9.5	55.6	3.8	3.3-4.3	32.4	5.0	4.2-5.8	23.2	2.9	2.3-3.5
Colorectal	515.2	36.1	34.7-37.5	271.6	42.0	39.7-44.3	243.6	31.3	29.5-33.2	171.0	11.1	10.4-11.9	87.8	13.4	12.2-14.7	83.2	9.3	8.4-10.3
Colon excluding rectum	365.6	25.3	24.1-26.5	184.2	28.5	26.6-30.4	181.4	22.7	21.2-24.3	139.8	9.1	8.4-9.8	70.2	10.8	9.6-12.0	69.6	7.8	7.0-8.7
Rectum & rectosigmoid	149.6	10.8	10.0-11.7	87.4	13.5	12.2-14.9	62.2	8.6	7.6-9.7	31.2	2.0	1.7-2.4	17.6	2.6	2.1-3.3	13.6	1.5	1.2-2.0
Liver / intrahepatic bile duct	124.4	8.3	7.6-9.0	86.2	12.7	11.5-14.0	38.2	4.6	4.0-5.4	79.4	5.2	4.7-5.8	52.4	7.8	6.9-8.9	27.0	3.1	2.6-3.7
Pancreas	203.2	13.4	12.6-14.3	93.2	14.3	13.0-15.6	110.0	12.5	11.5-13.7	152.2	9.8	9.1-10.5	70.4	10.6	9.5-11.8	81.8	8.9	8.1-9.9
Larynx	33.2	2.2	1.9-2.6	27.8	4.2	3.5-5.0	5.4	0.7	0.4-1.0	10.2	0.7	0.5-0.9	9.0	1.4	1.0-1.8	1.2	0.1	0.0-0.3
Lung and bronchus	659.2	44.0	42.5-45.5	327.0	49.9	47.5-52.4	332.2	39.7	37.7-41.7	333.4	21.7	20.6-22.8	175.4	26.8	25.0-28.6	158.0	17.9	16.6-19.2
Melanoma of the skin	178.0	12.5	11.7-13.4	101.4	15.7	14.4-17.2	76.6	10.3	9.3-11.5	20.8	1.4	1.2-1.8	12.2	1.9	1.4-2.4	8.6	1.1	0.8-1.5
Female breast							874.6	122.1	118.3-125.9							135.0	16.2	14.9-17.5
Cervix uteri							49.0	7.6	6.7-8.7							11.8	1.7	1.3-2.3
Corpus uterus and NOS							212.8	28.1	26.4-29.9							44.0	5.2	4.5-5.9
Ovary							74.2	10.3	9.3-11.5							43.2	5.3	4.6-6.1
Prostate				687.6	100.8	97.4-104.3							89.8	13.8	12.5-15.1			
Testis				38.6	6.7	5.8-7.8							1.2	0.2	0.1-0.4			
Urinary bladder (incl. in situ)	296.4	19.5	18.5-20.6	223.6	34.2	32.2-36.3	72.8	8.5	7.6-9.4	54.8	3.4	3.0-3.8	38.4	5.9	5.1-6.8	16.4	1.7	1.3-2.2
Kidney and renal pelvis	210.2	15.3	14.4-16.3	132.8	20.7	19.1-22.4	77.4	10.7	9.6-11.8	35.6	2.3	2.0-2.7	22.0	3.4	2.8-4.1	13.6	1.6	1.2-2.0
Brain and other central nervous system	76.6	6.0	5.4-6.6	40.6	6.6	5.7-7.6	36.0	5.4	4.6-6.3	46.8	3.3	2.8-3.7	25.0	3.9	3.2-4.6	21.8	2.8	2.2-3.4
Thyroid	237.6	19.8	18.6-21.0	58.6	9.6	8.5-10.8	179.0	30.4	28.4-32.6	9.4	0.6	0.4-0.8	4.2	0.6	0.4-1.0	5.2	0.6	0.4-0.9
Hodgkin lymphoma	36.8	3.3	2.8-3.8	22.4	4.0	3.2-4.8	14.4	2.6	2.0-3.3	3.8	0.3	0.1-0.4	2.2	0.3	0.2-0.6	1.6	0.2	0.1-0.4
Non-Hodgkin lymphomas	296.4	21.0	19.9-22.2	158.6	24.8	23.1-26.7	137.8	18.0	16.6-19.4	74.4	4.8	4.3-5.3	42.2	6.6	5.7-7.5	32.2	3.4	2.9-4.0
Myeloma	101.4	6.9	6.3-7.6	54.4	8.3	7.3-9.3	47.0	5.8	5.0-6.6	34.6	2.1	1.8-2.5	18.0	2.7	2.2-3.4	16.6	1.7	1.4-2.2
Leukemias	195.6	14.1	13.2-15.0	116.0	18.4	16.9-20.0	79.6	10.6	9.5-11.8	77.0	5.1	4.6-5.6	42.2	6.6	5.7-7.5	34.8	4.1	3.5-4.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
Queens, Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2,410.6	413.4	405.8-421.0	1,147.6	476.4	463.7-489.4	1,263.0	377.2	367.7-387.0	708.8	123.6	119.5-127.8	317.8	148.3	140.8-156.0	391.0	111.5	106.6-116.7
Oral cavity and pharynx	40.2	7.0	6.1-8.1	23.6	9.8	8.1-11.8	16.6	5.1	4.1-6.4	8.2	1.4	1.0-1.9	5.2	2.2	1.4-3.3	3.0	0.8	0.4-1.4
Esophagus	20.0	3.4	2.7-4.1	14.6	6.2	4.8-7.8	5.4	1.5	1.0-2.3	13.0	2.1	1.6-2.7	8.6	3.7	2.7-5.1	4.4	1.2	0.7-1.8
Stomach	60.8	10.8	9.6-12.1	30.8	14.3	12.0-16.8	30.0	8.9	7.5-10.5	24.2	4.3	3.6-5.2	15.8	7.7	6.1-9.7	8.4	2.5	1.8-3.4
Colorectal	216.4	37.8	35.6-40.2	98.8	42.8	39.0-46.9	117.6	34.8	32.0-37.8	84.4	14.9	13.5-16.4	33.4	15.4	13.1-18.0	51.0	14.6	12.8-16.5
Colon excluding rectum	166.6	29.1	27.1-31.1	73.2	32.0	28.7-35.6	93.4	27.1	24.7-29.8	72.6	12.8	11.5-14.3	28.2	13.2	11.0-15.6	44.4	12.7	11.0-14.5
Rectum & rectosigmoid	49.8	8.8	7.7-10.0	25.6	10.8	9.0-13.0	24.2	7.6	6.3-9.2	11.8	2.1	1.6-2.7	5.2	2.2	1.4-3.3	6.6	1.9	1.3-2.7
Liver / intrahepatic bile duct	45.2	7.6	6.6-8.6	32.2	13.2	11.2-15.5	13.0	3.6	2.8-4.7	29.6	5.0	4.2-5.9	21.0	9.2	7.5-11.2	8.6	2.4	1.7-3.3
Pancreas	81.0	13.8	12.5-15.2	33.0	14.2	12.0-16.6	48.0	13.5	11.8-15.4	60.2	10.4	9.2-11.6	27.0	11.9	9.9-14.2	33.2	9.2	7.8-10.8
Larynx	14.0	2.3	1.8-2.9	11.4	4.9	3.7-6.4	2.6	0.7	0.4-1.2	4.4	0.7	0.4-1.0	3.0	1.2	0.7-2.1	1.4	0.3	0.1-0.8
Lung and bronchus	192.0	32.9	30.8-35.1	96.4	42.0	38.1-46.0	95.6	27.1	24.7-29.7	99.2	17.1	15.6-18.7	53.2	24.4	21.4-27.6	46.0	12.8	11.2-14.6
Melanoma of the skin	4.6	0.8	0.5-1.2	2.0	0.9	0.4-1.6	2.6	0.7	0.4-1.3	0.8	0.1	0.0-0.3	0.4	0.2	0.0-0.6	0.4	0.1	0.0-0.4
Female breast							422.0	128.7	123.1-134.5							73.8	21.5	19.4-23.9
Cervix uteri							29.8	10.0	8.4-11.8							9.6	2.8	2.1-3.8
Corpus uterus and NOS							120.4	33.5	30.9-36.4							36.2	10.0	8.6-11.6
Ovary							33.8	10.2	8.6-11.9							22.2	6.2	5.1-7.5
Prostate				484.4	188.2	180.5-196.1							60.8	31.4	27.9-35.2			
Testis				5.0	2.2	1.4-3.3							0.2	0.1	0.0-0.6			
Urinary bladder (incl. in situ)	54.4	9.4	8.3-10.6	37.2	17.3	14.8-20.1	17.2	4.8	3.8-5.9	11.8	2.1	1.6-2.7	8.2	3.9	2.7-5.3	3.6	1.1	0.6-1.7
Kidney and renal pelvis	85.0	14.5	13.1-16.0	54.8	22.6	19.9-25.5	30.2	8.8	7.4-10.4	11.4	2.1	1.6-2.7	8.0	3.8	2.7-5.2	3.4	1.0	0.6-1.7
Brain and other central nervous system	21.6	4.1	3.4-5.0	13.0	5.6	4.3-7.2	8.6	2.8	2.0-3.9	13.6	2.7	2.0-3.4	6.2	2.9	2.0-4.2	7.4	2.4	1.6-3.3
Thyroid	53.0	9.9	8.7-11.3	9.4	4.4	3.2-5.9	43.6	14.5	12.6-16.6	3.4	0.6	0.3-0.9	0.6	0.2	0.0-0.7	2.8	0.8	0.4-1.3
Hodgkin lymphoma	11.2	2.1	1.6-2.7	5.4	2.1	1.4-3.2	5.8	2.1	1.4-3.0	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.4	0.2	0.1	0.0-0.4
Non-Hodgkin lymphomas	75.6	13.3	12.0-14.7	38.2	16.1	13.8-18.6	37.4	11.5	9.9-13.4	18.0	3.2	2.5-3.9	9.2	4.0	2.9-5.4	8.8	2.6	1.9-3.5
Myeloma	73.2	12.6	11.3-14.0	32.4	13.7	11.6-16.1	40.8	11.8	10.2-13.6	24.0	4.2	3.5-5.0	10.0	4.5	3.3-6.0	14.0	4.0	3.1-5.1
Leukemias	59.4	11.0	9.7-12.4	31.8	14.4	12.2-16.9	27.6	8.8	7.3-10.5	23.0	4.0	3.3-4.9	13.2	6.0	4.6-7.7	9.8	2.9	2.1-3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**Queens, Asians and Pacific Islander Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2,547.6	346.7	340.5-353.0	1,177.6	343.8	334.7-353.1	1,370.0	352.1	343.6-360.8	606.4	86.1	83.0-89.3	331.6	104.0	98.8-109.3	274.8	71.8	68.0-75.8
Oral cavity and pharynx	73.2	9.8	8.8-10.9	44.8	12.7	11.0-14.5	28.4	7.3	6.1-8.6	16.0	2.1	1.7-2.7	10.6	2.9	2.2-3.9	5.4	1.4	0.9-2.0
Esophagus	20.0	2.7	2.2-3.3	15.4	4.3	3.3-5.4	4.6	1.3	0.8-2.0	12.4	1.7	1.3-2.3	9.4	2.8	2.0-3.7	3.0	0.8	0.5-1.4
Stomach	117.4	16.0	14.7-17.4	74.8	22.1	19.8-24.6	42.6	10.7	9.3-12.3	41.8	6.0	5.2-6.8	25.6	8.1	6.7-9.6	16.2	4.2	3.3-5.2
Colorectal	230.4	31.1	29.3-33.0	130.2	37.2	34.2-40.3	100.2	25.8	23.5-28.2	48.4	6.8	6.0-7.8	24.6	7.4	6.1-8.9	23.8	6.2	5.2-7.5
Colon excluding rectum	147.4	20.1	18.7-21.7	82.6	23.7	21.4-26.2	64.8	16.9	15.1-18.9	40.2	5.8	5.0-6.6	19.0	5.8	4.7-7.2	21.2	5.6	4.6-6.8
Rectum & rectosigmoid	83.0	11.0	9.9-12.1	47.6	13.4	11.7-15.3	35.4	8.8	7.5-10.3	8.2	1.1	0.8-1.5	5.6	1.6	1.0-2.4	2.6	0.6	0.3-1.1
Liver / intrahepatic bile duct	94.2	12.4	11.3-13.6	67.8	18.5	16.5-20.7	26.4	6.9	5.8-8.3	55.6	7.5	6.7-8.5	36.8	10.5	8.9-12.2	18.8	5.0	4.0-6.1
Pancreas	78.2	10.7	9.7-11.9	40.6	11.9	10.3-13.8	37.6	9.6	8.3-11.2	49.4	6.9	6.0-7.8	24.8	7.2	6.0-8.7	24.6	6.5	5.4-7.8
Larynx	11.4	1.5	1.1-1.9	10.2	2.9	2.2-3.9	1.2	0.3	0.1-0.6	1.6	0.2	0.1-0.5	1.4	0.5	0.2-1.0	0.2	0.0	0.0-0.3
Lung and bronchus	322.8	43.9	41.7-46.2	183.0	55.1	51.4-58.9	139.8	34.8	32.2-37.5	124.6	17.8	16.4-19.3	79.4	25.5	23.0-28.2	45.2	11.5	10.0-13.2
Melanoma of the skin	6.6	0.9	0.6-1.3	3.6	1.0	0.6-1.6	3.0	0.8	0.4-1.3	3.0	0.5	0.3-0.8	2.2	0.8	0.4-1.4	0.8	0.2	0.1-0.6
Female breast							441.4	112.4	107.6-117.3							38.2	9.9	8.5-11.5
Cervix uteri							36.8	9.6	8.2-11.2							7.4	1.9	1.3-2.6
Corpus uterus and NOS							95.4	23.4	21.3-25.7							14.0	3.5	2.7-4.5
Ovary							45.2	12.0	10.4-13.7							15.4	3.8	3.0-4.8
Prostate				218.6	59.1	55.5-62.9							19.6	7.0	5.6-8.6			
Testis				4.8	1.6	1.0-2.4							0.2	0.1	0.0-0.5			
Urinary bladder (incl. in situ)	68.0	9.6	8.5-10.7	52.4	16.3	14.3-18.5	15.6	4.0	3.2-5.1	10.2	1.6	1.2-2.1	8.0	2.8	2.0-3.9	2.2	0.6	0.3-1.1
Kidney and renal pelvis	77.6	10.2	9.2-11.3	49.2	14.1	12.3-16.1	28.4	6.8	5.7-8.1	10.8	1.5	1.1-2.0	8.0	2.4	1.7-3.3	2.8	0.8	0.4-1.4
Brain and other central nervous system	30.0	4.3	3.6-5.0	17.0	5.1	4.0-6.3	13.0	3.5	2.7-4.6	15.0	2.2	1.7-2.8	9.0	2.8	2.0-3.8	6.0	1.7	1.1-2.5
Thyroid	166.4	23.9	22.3-25.6	39.4	11.7	10.1-13.5	127.0	34.9	32.2-37.9	2.0	0.3	0.1-0.6	1.4	0.5	0.2-1.0	0.6	0.2	0.0-0.5
Hodgkin lymphoma	9.8	1.5	1.1-2.0	5.2	1.7	1.1-2.5	4.6	1.4	0.8-2.1	0.4	0.1	0.0-0.2	0.0	0.0	0.0-0.3	0.4	0.1	0.0-0.4
Non-Hodgkin lymphomas	100.6	14.0	12.7-15.3	56.6	17.2	15.2-19.5	44.0	11.2	9.7-12.9	18.4	2.7	2.2-3.3	13.4	4.4	3.4-5.6	5.0	1.4	0.9-2.0
Myeloma	32.0	4.2	3.5-4.9	19.8	5.5	4.4-6.8	12.2	3.0	2.3-3.9	8.0	1.1	0.8-1.6	4.2	1.4	0.8-2.1	3.8	1.0	0.6-1.6
Leukemias	66.6	9.8	8.7-11.0	38.2	12.2	10.4-14.1	28.4	7.8	6.5-9.2	23.2	3.5	2.9-4.2	14.4	4.8	3.7-6.1	8.8	2.4	1.7-3.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**Richmond (Staten Island), White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2,565.4	540.6	531.0-550.4	1,237.8	565.6	551.2-580.3	1,327.6	528.6	515.4-542.1	717.2	145.4	140.6-150.3	346.2	165.0	157.2-173.2	371.0	131.9	125.8-138.2
Oral cavity and pharynx	49.8	10.2	8.9-11.6	35.0	15.3	13.1-17.9	14.8	5.7	4.4-7.2	9.2	1.7	1.3-2.3	6.6	2.7	1.9-3.9	2.6	0.9	0.5-1.6
Esophagus	24.6	4.8	4.0-5.8	20.2	8.7	7.0-10.6	4.4	1.6	1.0-2.5	15.0	2.9	2.3-3.7	12.4	5.3	4.0-6.9	2.6	0.8	0.4-1.5
Stomach	37.8	8.1	7.0-9.4	23.0	11.3	9.3-13.7	14.8	5.6	4.3-7.1	16.6	3.3	2.6-4.2	9.6	4.5	3.3-6.0	7.0	2.5	1.7-3.6
Colorectal	198.2	41.6	39.0-44.4	106.4	49.6	45.3-54.1	91.8	34.9	31.7-38.4	69.0	14.0	12.5-15.6	36.2	17.2	14.7-20.0	32.8	11.4	9.7-13.3
Colon excluding rectum	149.4	31.0	28.8-33.4	79.2	36.9	33.2-40.8	70.2	26.4	23.6-29.4	57.8	11.7	10.4-13.2	29.6	14.1	11.9-16.7	28.2	9.8	8.2-11.7
Rectum & rectosigmoid	48.8	10.6	9.2-12.0	27.2	12.7	10.6-15.1	21.6	8.6	7.0-10.5	11.2	2.2	1.7-2.9	6.6	3.1	2.1-4.4	4.6	1.5	1.0-2.4
Liver / intrahepatic bile duct	49.8	9.7	8.5-11.0	36.6	15.6	13.4-18.2	13.2	4.7	3.6-6.1	31.4	6.3	5.3-7.4	19.6	8.8	7.1-10.8	11.8	4.2	3.2-5.5
Pancreas	82.4	16.6	15.0-18.3	40.8	18.2	15.8-21.0	41.6	15.0	13.0-17.3	62.6	12.4	11.0-13.9	29.8	13.6	11.5-16.1	32.8	11.5	9.7-13.4
Larynx	15.0	3.0	2.4-3.9	11.8	5.4	4.1-7.0	3.2	1.2	0.7-2.0	3.8	0.7	0.4-1.2	2.0	0.8	0.4-1.6	1.8	0.6	0.3-1.3
Lung and bronchus	328.0	65.9	62.7-69.3	151.4	69.3	64.3-74.6	176.6	64.4	60.1-68.9	166.2	33.6	31.3-36.0	82.0	39.0	35.2-43.0	84.2	29.9	27.1-33.0
Melanoma of the skin	81.0	17.1	15.4-18.9	44.0	20.5	17.8-23.5	37.0	14.6	12.5-17.0	8.0	1.7	1.2-2.4	4.2	2.2	1.4-3.5	3.8	1.5	0.9-2.4
Female breast							358.8	145.9	138.9-153.1							51.8	18.1	15.9-20.6
Cervix uteri							18.0	8.3	6.6-10.3							4.0	1.5	0.9-2.4
Corpus uterus and NOS							97.4	36.7	33.4-40.3							18.0	6.5	5.2-8.0
Ovary							39.0	16.1	13.8-18.7							20.0	7.1	5.7-8.7
Prostate				272.2	114.4	108.3-120.9							30.4	15.6	13.2-18.4			
Testis				12.2	7.5	5.7-9.6							1.0	0.5	0.2-1.3			
Urinary bladder (incl. in situ)	135.2	27.3	25.2-29.5	100.0	46.4	42.3-50.7	35.2	12.5	10.7-14.6	23.8	4.8	4.0-5.8	16.4	8.4	6.7-10.5	7.4	2.5	1.8-3.6
Kidney and renal pelvis	112.6	23.7	21.7-25.8	76.8	34.9	31.3-38.7	35.8	14.0	11.9-16.3	17.0	3.5	2.7-4.3	11.8	5.7	4.3-7.4	5.2	1.9	1.2-2.8
Brain and other central nervous system	30.2	7.1	6.0-8.4	15.8	7.8	6.2-9.9	14.4	6.4	4.9-8.2	18.2	3.9	3.1-4.9	10.0	4.7	3.5-6.3	8.2	3.2	2.3-4.5
Thyroid	138.8	34.9	32.2-37.7	41.0	20.7	17.8-23.8	97.8	48.6	44.2-53.3	2.4	0.4	0.2-0.8	1.0	0.4	0.1-1.1	1.4	0.4	0.2-1.0
Hodgkin lymphoma	12.6	3.5	2.6-4.5	7.4	4.2	2.9-5.8	5.2	2.8	1.8-4.1	2.2	0.4	0.2-0.8	1.4	0.6	0.2-1.3	0.8	0.3	0.1-0.9
Non-Hodgkin lymphomas	119.0	25.3	23.3-27.5	63.2	30.1	26.8-33.7	55.8	21.2	18.7-24.0	23.0	4.8	4.0-5.9	12.4	6.2	4.7-8.0	10.6	3.7	2.8-5.0
Myeloma	41.6	8.5	7.3-9.8	23.0	10.6	8.7-12.8	18.6	6.7	5.4-8.3	12.2	2.4	1.8-3.1	7.0	3.2	2.2-4.5	5.2	1.8	1.2-2.7
Leukemias	87.4	19.3	17.5-21.3	50.2	23.8	20.9-27.1	37.2	15.5	13.3-18.1	32.8	6.8	5.8-8.0	16.4	8.0	6.4-10.0	16.4	5.9	4.7-7.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020**

**Erie, White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5,671.4	536.8	530.3-543.4	2,860.4	585.0	575.2-595.1	2,811.0	506.5	497.5-515.5	1,773.2	157.5	154.1-160.9	882.4	183.4	177.9-189.0	890.8	140.0	135.7-144.4
Oral cavity and pharynx	152.4	14.0	13.0-15.1	105.4	20.8	19.0-22.7	47.0	8.2	7.2-9.5	33.6	2.9	2.4-3.3	24.8	4.7	3.9-5.7	8.8	1.4	1.0-1.9
Esophagus	66.0	5.9	5.3-6.6	52.2	10.3	9.0-11.7	13.8	2.2	1.7-2.9	52.0	4.5	3.9-5.1	42.6	8.3	7.2-9.5	9.4	1.4	1.0-2.0
Stomach	78.4	7.3	6.6-8.1	49.8	10.5	9.2-11.9	28.6	4.7	4.0-5.7	28.2	2.5	2.1-3.0	16.4	3.4	2.7-4.3	11.8	1.8	1.4-2.4
Colorectal	377.4	35.9	34.2-37.6	187.0	39.7	37.1-42.4	190.4	32.8	30.6-35.1	131.8	11.8	10.9-12.8	65.0	13.7	12.2-15.3	66.8	10.3	9.1-11.5
Colon excluding rectum	264.0	24.9	23.5-26.4	122.6	26.1	24.0-28.3	141.4	24.0	22.1-25.9	94.6	8.3	7.5-9.1	45.2	9.4	8.2-10.8	49.4	7.4	6.5-8.5
Rectum & rectosigmoid	113.4	11.0	10.1-12.0	64.4	13.6	12.1-15.2	49.0	8.8	7.7-10.1	37.2	3.5	3.0-4.1	19.8	4.3	3.5-5.3	17.4	2.9	2.3-3.6
Liver / intrahepatic bile duct	82.8	7.2	6.5-8.0	61.0	11.9	10.6-13.4	21.8	3.4	2.8-4.2	56.2	4.9	4.3-5.5	39.6	7.7	6.6-8.9	16.6	2.6	2.1-3.3
Pancreas	168.2	15.4	14.4-16.5	87.2	18.0	16.3-19.9	81.0	13.3	11.9-14.7	129.2	11.5	10.7-12.5	65.6	13.6	12.1-15.2	63.6	10.0	8.9-11.2
Larynx	31.6	2.9	2.4-3.4	24.0	4.7	3.9-5.7	7.6	1.4	1.0-2.0	10.0	0.8	0.6-1.1	7.2	1.4	1.0-2.0	2.8	0.4	0.2-0.8
Lung and bronchus	759.0	67.7	65.5-70.0	345.6	70.1	66.8-73.6	413.4	66.5	63.6-69.5	430.8	37.9	36.3-39.6	205.6	42.1	39.5-44.8	225.2	34.8	32.7-37.0
Melanoma of the skin	345.4	34.1	32.4-35.9	195.6	40.6	38.0-43.4	149.8	29.9	27.6-32.3	28.4	2.5	2.1-3.0	18.0	3.8	3.0-4.7	10.4	1.6	1.2-2.1
Female breast							762.4	142.4	137.6-147.4							126.4	20.5	18.8-22.3
Cervix uteri							26.6	7.1	5.9-8.4							9.8	2.0	1.4-2.7
Corpus uterus and NOS							195.4	34.2	32.0-36.6							33.4	5.4	4.6-6.4
Ovary							62.2	11.3	10.0-12.7							50.0	8.5	7.4-9.7
Prostate				729.0	136.7	132.2-141.4							80.8	17.3	15.6-19.1			
Testis				26.0	7.6	6.3-9.0							0.6	0.1	0.0-0.4			
Urinary bladder (incl. in situ)	323.0	28.9	27.5-30.4	228.0	47.1	44.4-50.1	95.0	15.0	13.6-16.5	57.6	5.0	4.4-5.7	37.6	8.1	7.0-9.4	20.0	3.0	2.4-3.7
Kidney and renal pelvis	187.4	18.0	16.8-19.3	119.6	25.2	23.1-27.4	67.8	12.1	10.8-13.6	34.8	3.1	2.6-3.6	20.0	4.1	3.3-5.0	14.8	2.3	1.8-3.0
Brain and other central nervous system	69.0	8.0	7.1-9.0	39.8	9.5	8.2-11.0	29.2	6.8	5.6-8.1	47.0	4.6	4.0-5.3	27.2	6.0	5.0-7.1	19.8	3.5	2.8-4.3
Thyroid	128.4	16.3	15.0-17.7	39.0	9.6	8.2-11.2	89.4	22.9	20.7-25.3	4.0	0.4	0.2-0.6	2.2	0.5	0.3-1.0	1.8	0.3	0.1-0.6
Hodgkin lymphoma	26.2	3.3	2.7-3.9	15.6	4.0	3.2-5.1	10.6	2.6	1.9-3.5	2.2	0.2	0.1-0.4	1.2	0.2	0.1-0.6	1.0	0.2	0.0-0.5
Non-Hodgkin lymphomas	255.0	24.2	22.8-25.6	136.4	29.0	26.8-31.4	118.6	20.6	18.9-22.4	64.2	5.6	5.0-6.3	40.0	8.6	7.4-9.9	24.2	3.7	3.0-4.4
Myeloma	79.4	7.3	6.6-8.1	40.0	8.4	7.2-9.7	39.4	6.6	5.7-7.7	29.0	2.6	2.2-3.1	16.2	3.5	2.8-4.4	12.8	2.0	1.5-2.5
Leukemias	196.2	19.0	17.7-20.3	118.6	25.4	23.3-27.7	77.6	13.7	12.3-15.3	74.2	6.6	5.9-7.3	44.2	9.6	8.3-10.9	30.0	4.4	3.7-5.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022

Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020**

**Erie, Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	679.0	521.3	503.4-539.6	335.0	620.1	589.5-651.9	344.0	457.9	435.9-480.6	249.0	194.1	183.1-205.4	123.2	249.7	229.5-271.1	125.8	162.1	149.4-175.6
Oral cavity and pharynx	13.4	9.7	7.5-12.4	9.8	17.0	12.4-22.7	3.6	4.6	2.7-7.3	3.6	2.6	1.5-4.1	3.0	5.5	3.0-9.3	0.6	0.6	0.1-1.9
Esophagus	3.6	2.9	1.7-4.7	2.0	4.4	2.1-8.1	1.6	2.0	0.8-4.1	3.6	3.0	1.8-4.7	3.0	6.8	3.7-11.2	0.6	0.7	0.1-2.2
Stomach	14.4	11.7	9.1-14.8	6.2	11.9	8.0-17.1	8.2	11.3	8.1-15.5	5.6	4.3	2.8-6.2	3.2	5.6	3.1-9.3	2.4	3.0	1.5-5.3
Colorectal	60.8	48.2	42.8-54.1	29.0	55.2	46.2-65.3	31.8	43.2	36.6-50.6	24.0	18.4	15.2-22.1	13.4	26.5	20.3-34.0	10.6	13.6	10.1-17.9
Colon excluding rectum	46.6	37.1	32.4-42.3	22.0	42.3	34.5-51.3	24.6	33.2	27.5-39.8	19.4	15.2	12.3-18.7	11.2	22.7	16.9-29.8	8.2	10.7	7.6-14.6
Rectum & rectosigmoid	14.2	11.1	8.6-14.1	7.0	12.9	8.8-18.1	7.2	9.9	6.9-13.9	4.6	3.2	2.0-4.9	2.2	3.8	1.8-7.0	2.4	2.9	1.5-5.2
Liver / intrahepatic bile duct	24.2	16.9	13.9-20.2	17.8	29.7	23.6-36.8	6.4	7.9	5.3-11.3	14.8	10.8	8.4-13.6	10.0	17.9	13.1-23.8	4.8	6.0	3.8-9.1
Pancreas	28.8	22.0	18.5-26.0	13.2	24.6	18.9-31.6	15.6	19.8	15.6-24.9	19.0	14.9	12.0-18.3	9.0	17.7	12.7-23.9	10.0	12.7	9.4-16.8
Larynx	5.8	4.2	2.8-6.1	4.6	8.2	5.1-12.5	1.2	1.5	0.5-3.3	2.6	2.1	1.1-3.6	1.8	3.8	1.7-7.2	0.8	1.1	0.3-3.0
Lung and bronchus	101.2	76.5	69.8-83.6	49.0	95.7	83.6-109.1	52.2	65.7	57.8-74.4	59.2	45.1	40.0-50.7	31.4	64.5	54.4-75.9	27.8	34.5	28.9-40.9
Melanoma of the skin	1.0	0.8	0.3-1.9	0.2	0.3	0.0-1.9	0.8	1.1	0.3-2.8	0.2	0.2	0.0-0.9	0.0	0.0	0.0-1.4	0.2	0.2	0.0-1.5
Female breast							101.2	137.1	125.1-150.0							23.8	31.4	25.9-37.8
Cervix uteri							6.4	8.7	5.9-12.4							2.2	2.8	1.4-5.0
Corpus uterus and NOS							20.8	27.5	22.3-33.5							4.8	6.4	4.1-9.6
Ovary							7.2	9.7	6.7-13.5							4.4	6.0	3.7-9.2
Prostate				109.6	192.6	176.1-210.1							16.6	36.3	28.7-45.3			
Testis				1.4	2.5	1.0-5.3							0.0	0.0	0.0-1.4			
Urinary bladder (incl. in situ)	16.4	12.8	10.1-16.0	11.0	21.2	15.8-27.9	5.4	7.1	4.6-10.4	2.6	2.3	1.2-3.9	2.0	5.0	2.4-9.1	0.6	0.8	0.2-2.3
Kidney and renal pelvis	28.8	22.1	18.5-26.1	17.0	31.1	24.5-38.7	11.8	15.6	11.8-20.2	3.8	2.9	1.7-4.6	2.8	5.3	2.8-8.9	1.0	1.2	0.4-3.0
Brain and other central nervous system	4.4	3.1	1.9-4.8	2.4	3.4	1.7-6.1	2.0	2.7	1.3-5.1	2.0	1.6	0.7-2.9	0.8	1.1	0.3-3.0	1.2	1.9	0.7-4.1
Thyroid	9.8	7.8	5.7-10.5	1.8	3.5	1.6-6.7	8.0	11.5	8.1-15.8	0.4	0.3	0.0-1.1	0.0	0.0	0.0-1.4	0.4	0.5	0.1-1.8
Hodgkin lymphoma	2.6	2.1	1.1-3.6	1.4	2.9	1.1-6.0	1.2	1.5	0.5-3.4	0.2	0.2	0.0-0.9	0.0	0.0	0.0-1.4	0.2	0.2	0.0-1.5
Non-Hodgkin lymphomas	16.6	13.3	10.5-16.5	8.4	16.1	11.4-22.0	8.2	11.3	8.0-15.4	6.8	5.2	3.6-7.3	4.0	7.1	4.2-11.2	2.8	4.0	2.1-6.8
Myeloma	19.6	16.0	12.9-19.5	10.0	21.2	15.6-28.2	9.6	13.0	9.5-17.4	5.8	4.9	3.2-7.0	2.6	6.5	3.4-11.0	3.2	4.1	2.3-6.7
Leukemias	18.4	14.5	11.6-17.9	10.2	19.8	14.4-26.3	8.2	11.4	8.1-15.5	7.6	6.2	4.3-8.5	4.6	9.6	5.9-14.5	3.0	3.9	2.1-6.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
 NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
Monroe, White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4,139.6	508.4	501.2-515.8	2,103.8	557.9	547.0-569.0	2,035.8	476.7	466.9-486.8	1,256.8	145.8	142.1-149.6	634.0	171.0	165.0-177.2	622.8	129.3	124.6-134.2
Oral cavity and pharynx	106.6	12.9	11.8-14.1	71.0	18.8	16.8-20.9	35.6	7.7	6.5-9.0	20.8	2.3	1.9-2.9	14.4	3.6	2.8-4.6	6.4	1.3	0.9-1.9
Esophagus	39.2	4.5	3.9-5.2	29.4	7.5	6.3-8.9	9.8	2.0	1.5-2.7	40.0	4.6	4.0-5.3	30.4	7.9	6.7-9.4	9.6	1.9	1.4-2.6
Stomach	44.8	5.5	4.8-6.3	28.2	7.7	6.4-9.1	16.6	3.8	3.0-4.9	17.8	2.1	1.7-2.6	9.8	2.7	1.9-3.6	8.0	1.6	1.1-2.3
Colorectal	277.4	34.5	32.6-36.4	141.8	38.9	36.0-42.0	135.6	30.8	28.4-33.4	100.4	11.6	10.5-12.7	51.0	13.7	12.1-15.6	49.4	9.8	8.5-11.1
Colon excluding rectum	199.0	24.4	22.9-26.1	96.6	26.5	24.1-29.1	102.4	22.8	20.8-25.1	77.2	8.9	8.0-9.8	37.0	10.0	8.6-11.6	40.2	8.0	6.9-9.2
Rectum & rectosigmoid	78.4	10.0	9.0-11.2	45.2	12.4	10.8-14.2	33.2	8.0	6.7-9.4	23.2	2.7	2.2-3.3	14.0	3.7	2.9-4.8	9.2	1.8	1.3-2.4
Liver / intrahepatic bile duct	55.2	6.4	5.7-7.3	34.0	8.6	7.3-10.1	21.2	4.7	3.8-5.7	44.0	5.2	4.5-6.0	26.4	7.0	5.8-8.4	17.6	3.9	3.1-4.9
Pancreas	124.0	14.6	13.4-15.8	64.8	17.5	15.6-19.5	59.2	12.3	10.9-13.9	104.8	12.2	11.1-13.3	55.8	14.9	13.2-16.9	49.0	9.9	8.7-11.3
Larynx	21.0	2.4	1.9-2.9	15.6	3.9	3.1-4.9	5.4	1.1	0.7-1.7	6.6	0.7	0.5-1.1	4.2	1.0	0.6-1.6	2.4	0.5	0.3-1.0
Lung and bronchus	521.4	60.2	57.8-62.6	249.4	65.0	61.4-68.9	272.0	57.3	54.2-60.6	294.4	33.8	32.1-35.7	153.8	40.6	37.8-43.7	140.6	29.1	27.0-31.5
Melanoma of the skin	242.6	32.2	30.3-34.2	132.4	37.3	34.4-40.4	110.2	29.2	26.7-32.0	17.6	2.1	1.7-2.6	11.0	3.1	2.3-4.1	6.6	1.4	0.9-2.0
Female breast							619.4	151.0	145.3-156.8							81.8	17.6	15.9-19.6
Cervix uteri							16.0	4.6	3.6-5.8							5.4	1.3	0.8-1.9
Corpus uterus and NOS							146.0	32.6	30.1-35.2							30.8	6.3	5.3-7.5
Ovary							41.4	10.1	8.7-11.7							30.0	6.1	5.2-7.3
Prostate				599.4	147.0	141.7-152.5							64.8	17.9	16.0-20.0			
Testis				24.6	9.3	7.7-11.2							0.6	0.2	0.0-0.6			
Urinary bladder (incl. in situ)	216.8	25.0	23.5-26.6	164.4	43.8	40.8-47.0	52.4	10.8	9.5-12.2	38.0	4.2	3.6-4.9	26.2	7.2	6.0-8.5	11.8	2.2	1.7-2.9
Kidney and renal pelvis	148.4	18.6	17.2-20.0	102.4	27.8	25.4-30.5	46.0	10.7	9.3-12.3	26.8	3.1	2.5-3.6	16.8	4.5	3.6-5.6	10.0	1.9	1.4-2.6
Brain and other central nervous system	48.2	6.9	6.0-7.9	25.8	7.7	6.4-9.2	22.4	6.2	5.0-7.6	37.4	5.0	4.3-5.8	19.8	5.7	4.6-7.0	17.6	4.5	3.5-5.6
Thyroid	101.0	15.5	14.1-17.1	33.0	10.1	8.6-11.9	68.0	20.8	18.5-23.3	3.8	0.5	0.3-0.8	1.0	0.3	0.1-0.7	2.8	0.6	0.3-1.0
Hodgkin lymphoma	22.4	3.8	3.1-4.6	13.8	4.8	3.7-6.1	8.6	2.9	2.1-3.9	2.6	0.3	0.2-0.5	1.8	0.5	0.2-1.0	0.8	0.2	0.0-0.5
Non-Hodgkin lymphomas	181.4	22.7	21.2-24.3	96.8	26.7	24.3-29.2	84.6	19.7	17.8-21.8	50.0	5.8	5.1-6.6	26.0	7.1	5.9-8.5	24.0	4.8	3.9-5.8
Myeloma	54.0	6.3	5.5-7.1	32.4	8.6	7.3-10.1	21.6	4.6	3.7-5.6	24.0	2.7	2.2-3.2	12.2	3.3	2.5-4.2	11.8	2.3	1.8-3.1
Leukemias	124.2	15.4	14.1-16.7	72.6	20.0	17.9-22.2	51.6	11.6	10.2-13.3	49.6	5.8	5.1-6.6	29.6	8.3	7.0-9.8	20.0	4.0	3.2-5.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.



**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**Monroe, Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	581.6	523.9	504.4-543.9	297.2	625.7	592.6-660.1	284.4	451.5	427.8-476.1	196.0	187.6	175.6-200.2	98.0	226.8	206.0-249.0	98.0	161.1	146.8-176.3
Oral cavity and pharynx	9.6	8.2	6.0-10.9	6.0	11.8	7.8-17.2	3.6	5.5	3.2-8.7	2.2	2.0	1.0-3.7	1.6	3.4	1.4-7.0	0.6	1.0	0.2-2.9
Esophagus	4.0	3.9	2.4-6.1	2.8	6.9	3.7-11.6	1.2	1.9	0.7-4.2	3.8	3.8	2.3-6.1	1.8	5.0	2.2-9.4	2.0	3.2	1.5-5.9
Stomach	13.4	12.8	9.8-16.4	7.6	15.9	11.0-22.1	5.8	10.3	6.8-14.8	5.6	5.5	3.6-8.0	4.2	9.1	5.5-14.1	1.4	2.7	1.1-5.5
Colorectal	49.2	44.4	38.9-50.5	25.4	54.6	45.1-65.4	23.8	37.3	30.8-44.7	18.2	16.9	13.5-20.8	10.2	22.2	16.3-29.5	8.0	13.2	9.3-18.0
Colon excluding rectum	34.0	31.1	26.5-36.3	16.8	36.7	29.0-45.8	17.2	27.3	21.7-33.8	14.4	13.6	10.6-17.2	7.8	17.4	12.1-24.0	6.6	11.0	7.5-15.5
Rectum & rectosigmoid	15.2	13.3	10.4-16.7	8.6	17.9	12.8-24.3	6.6	10.0	6.8-14.2	3.8	3.3	1.9-5.2	2.4	4.8	2.4-8.7	1.4	2.2	0.9-4.5
Liver / intrahepatic bile duct	13.6	11.1	8.5-14.2	10.0	18.6	13.6-24.9	3.6	5.4	3.1-8.6	11.0	9.7	7.2-12.7	7.8	15.8	11.0-21.9	3.2	5.1	2.9-8.4
Pancreas	20.4	19.8	16.1-24.2	9.4	21.1	15.2-28.5	11.0	18.8	14.0-24.5	16.0	15.3	12.0-19.2	7.4	16.0	11.0-22.3	8.6	14.6	10.5-19.8
Larynx	4.8	4.3	2.7-6.4	3.8	8.1	4.7-12.9	1.0	1.6	0.5-3.7	2.0	1.8	0.8-3.3	1.6	3.4	1.4-6.8	0.4	0.6	0.1-2.2
Lung and bronchus	83.4	74.6	67.4-82.4	44.8	97.6	84.6-112.1	38.6	58.9	50.7-68.0	46.0	42.7	37.1-48.7	24.4	55.3	45.4-66.5	21.6	33.9	27.7-41.1
Melanoma of the skin	0.8	0.8	0.2-2.1	0.4	1.0	0.1-3.5	0.4	0.7	0.1-2.5	0.2	0.2	0.0-1.0	0.0	0.0	0.0-1.6	0.2	0.3	0.0-1.7
Female breast							91.6	146.6	133.2-160.9							15.4	26.2	20.6-32.9
Cervix uteri							5.6	8.7	5.7-12.6							2.4	3.9	2.0-6.8
Corpus uterus and NOS							20.4	30.7	24.9-37.4							7.2	10.2	7.1-14.3
Ovary							4.8	7.7	4.9-11.5							3.2	5.6	3.2-9.1
Prostate				103.4	210.3	191.7-230.0							11.8	33.9	25.4-44.0			
Testis				0.4	0.8	0.1-2.9							0.0	0.0	0.0-1.6			
Urinary bladder (incl. in situ)	13.8	13.4	10.3-17.1	8.4	19.4	13.6-26.6	5.4	9.2	6.0-13.5	1.8	1.9	0.9-3.7	1.2	3.0	1.0-6.6	0.6	1.2	0.2-3.3
Kidney and renal pelvis	33.2	29.4	25.0-34.4	19.6	39.2	31.5-48.1	13.6	21.9	16.9-27.9	2.8	2.8	1.5-4.7	2.0	4.7	2.2-8.8	0.8	1.4	0.4-3.6
Brain and other central nervous system	4.2	3.4	2.1-5.3	2.2	4.0	1.9-7.5	2.0	3.0	1.4-5.5	2.6	2.2	1.1-3.8	1.6	3.3	1.4-6.6	1.0	1.4	0.5-3.3
Thyroid	12.0	10.6	8.1-13.8	3.2	7.3	4.0-12.0	8.8	13.4	9.7-18.1	0.8	0.8	0.2-2.1	0.4	1.1	0.1-3.7	0.4	0.7	0.1-2.4
Hodgkin lymphoma	3.6	3.0	1.7-4.7	2.4	4.5	2.3-8.1	1.2	1.7	0.6-3.8	0.2	0.1	0.0-0.9	0.2	0.3	0.0-2.1	0.0	0.0	0.0-1.2
Non-Hodgkin lymphomas	18.6	17.1	13.7-21.0	11.8	26.0	19.4-34.0	6.8	10.9	7.5-15.3	4.0	4.0	2.4-6.2	2.2	5.7	2.7-10.4	1.8	2.9	1.3-5.6
Myeloma	14.2	13.4	10.4-17.0	7.8	18.3	12.7-25.3	6.4	10.2	6.9-14.5	4.8	5.1	3.2-7.6	2.8	7.4	3.9-12.4	2.0	3.5	1.7-6.5
Leukemias	11.0	10.8	8.1-14.2	6.2	13.4	8.9-19.4	4.8	8.6	5.5-12.9	7.8	8.0	5.6-10.9	4.4	10.2	6.2-15.6	3.4	6.3	3.6-10.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
Nassau, White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	7,440.6	520.5	515.0-526.1	3,718.2	557.4	549.2-565.8	3,722.4	499.5	491.8-507.3	1,984.0	126.5	123.9-129.1	973.6	145.1	141.0-149.4	1,010.4	113.8	110.5-117.2
Oral cavity and pharynx	165.2	11.5	10.7-12.3	109.4	16.3	15.0-17.8	55.8	7.4	6.5-8.4	26.4	1.7	1.4-2.0	14.0	2.1	1.6-2.7	12.4	1.3	1.0-1.7
Esophagus	60.6	3.9	3.5-4.4	45.4	6.7	5.8-7.7	15.2	1.6	1.2-2.0	47.8	3.1	2.7-3.5	38.0	5.6	4.8-6.5	9.8	1.0	0.7-1.3
Stomach	112.2	7.6	7.0-8.3	67.4	10.1	9.0-11.3	44.8	5.7	4.9-6.5	34.2	2.2	1.9-2.6	19.2	2.9	2.3-3.6	15.0	1.7	1.3-2.2
Colorectal	535.8	37.3	35.8-38.8	264.8	40.9	38.6-43.2	271.0	34.2	32.3-36.3	169.2	10.9	10.1-11.7	81.8	12.5	11.3-13.9	87.4	9.5	8.6-10.5
Colon excluding rectum	391.8	26.9	25.6-28.2	185.6	28.4	26.6-30.4	206.2	25.7	24.0-27.4	138.6	8.8	8.1-9.5	62.6	9.5	8.5-10.7	76.0	8.2	7.3-9.1
Rectum & rectosigmoid	144.0	10.4	9.6-11.3	79.2	12.5	11.2-13.8	64.8	8.6	7.6-9.7	30.6	2.1	1.8-2.5	19.2	3.0	2.4-3.7	11.4	1.3	1.0-1.8
Liver / intrahepatic bile duct	92.8	6.0	5.5-6.6	65.2	9.2	8.2-10.3	27.6	3.4	2.8-4.0	66.2	4.3	3.8-4.8	44.4	6.4	5.6-7.3	21.8	2.5	2.1-3.1
Pancreas	252.4	16.4	15.5-17.4	130.6	19.4	17.9-21.0	121.8	14.0	12.8-15.2	186.0	11.7	10.9-12.5	95.4	14.0	12.7-15.3	90.6	9.9	8.9-10.9
Larynx	39.2	2.6	2.3-3.0	31.6	4.6	3.9-5.5	7.6	0.9	0.7-1.3	9.4	0.6	0.4-0.8	8.2	1.2	0.8-1.6	1.2	0.1	0.0-0.3
Lung and bronchus	831.8	54.4	52.7-56.1	356.2	52.9	50.4-55.5	475.6	56.3	54.0-58.7	392.0	24.8	23.6-25.9	185.2	27.3	25.5-29.1	206.8	23.0	21.6-24.5
Melanoma of the skin	377.6	26.7	25.5-28.0	228.8	34.9	32.8-37.0	148.8	20.8	19.2-22.5	32.2	2.1	1.8-2.5	20.8	3.2	2.6-3.9	11.4	1.3	0.9-1.7
Female breast							1,070.4	151.5	147.1-155.9							145.8	17.2	15.9-18.6
Cervix uteri							37.6	6.5	5.6-7.6							9.6	1.3	0.9-1.8
Corpus uterus and NOS							252.4	32.1	30.2-34.0							48.6	5.8	5.1-6.6
Ovary							89.8	12.5	11.3-13.9							51.8	6.2	5.4-7.0
Prostate				973.4	134.8	131.0-138.7							93.2	13.6	12.4-14.9			
Testis				31.0	7.0	5.9-8.3							1.4	0.3	0.1-0.6			
Urinary bladder (incl. in situ)	401.2	25.8	24.7-27.0	305.6	45.3	43.0-47.7	95.6	10.8	9.9-11.9	74.0	4.5	4.0-5.0	54.6	8.1	7.1-9.1	19.4	2.1	1.7-2.6
Kidney and renal pelvis	269.0	19.1	18.0-20.2	177.0	26.8	25.0-28.7	92.0	12.2	11.1-13.5	39.0	2.4	2.1-2.8	24.8	3.6	3.0-4.4	14.2	1.5	1.1-1.9
Brain and other central nervous system	97.6	8.0	7.2-8.8	52.2	9.0	7.9-10.2	45.4	7.1	6.1-8.2	63.6	4.6	4.0-5.1	36.8	5.7	4.9-6.6	26.8	3.6	2.9-4.3
Thyroid	268.4	24.6	23.2-26.0	82.6	14.6	13.2-16.2	185.8	34.5	32.2-37.0	8.8	0.6	0.4-0.8	4.4	0.7	0.4-1.1	4.4	0.5	0.3-0.8
Hodgkin lymphoma	41.0	3.9	3.3-4.5	21.2	4.0	3.2-4.9	19.8	3.8	3.1-4.7	4.6	0.3	0.2-0.4	2.4	0.3	0.2-0.6	2.2	0.2	0.1-0.5
Non-Hodgkin lymphomas	346.4	24.3	23.1-25.5	182.8	28.2	26.3-30.2	163.6	21.2	19.7-22.8	81.8	5.2	4.7-5.7	42.0	6.3	5.5-7.3	39.8	4.4	3.8-5.1
Myeloma	114.4	7.7	7.1-8.4	66.2	9.9	8.9-11.1	48.2	5.9	5.2-6.8	38.2	2.4	2.0-2.8	20.6	3.1	2.5-3.8	17.6	1.8	1.5-2.3
Leukemias	255.8	18.3	17.3-19.4	155.4	24.3	22.6-26.2	100.4	13.6	12.3-15.0	97.0	6.2	5.6-6.8	59.0	9.0	8.0-10.2	38.0	4.2	3.5-4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**Nassau, Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	861.0	434.5	421.3-447.9	414.0	496.2	474.3-519.0	447.0	396.5	379.9-413.6	225.2	118.4	111.5-125.7	94.6	126.6	115.1-139.0	130.6	114.4	105.7-123.7
Oral cavity and pharynx	12.0	5.9	4.5-7.7	7.6	8.3	5.8-11.5	4.4	4.0	2.5-6.1	2.2	1.0	0.5-1.9	1.4	1.5	0.6-3.1	0.8	0.7	0.2-1.9
Esophagus	6.8	3.6	2.5-5.1	4.0	5.5	3.3-8.5	2.8	2.4	1.3-4.1	3.4	1.8	1.0-2.9	2.4	3.2	1.6-5.7	1.0	0.8	0.3-2.1
Stomach	22.4	11.6	9.5-14.1	10.8	13.5	10.0-17.8	11.6	10.2	7.7-13.3	8.6	4.5	3.2-6.1	3.8	5.0	2.9-7.9	4.8	4.1	2.6-6.1
Colorectal	76.8	39.5	35.6-43.8	40.0	50.1	43.2-57.9	36.8	32.6	28.0-37.8	21.6	11.4	9.3-13.8	11.0	14.5	10.8-19.0	10.6	9.3	6.9-12.2
Colon excluding rectum	58.4	30.2	26.8-34.0	29.0	37.0	31.0-43.7	29.4	25.9	21.9-30.6	18.8	9.9	8.0-12.2	9.2	12.0	8.7-16.2	9.6	8.4	6.1-11.1
Rectum & rectosigmoid	18.4	9.3	7.5-11.5	11.0	13.2	9.8-17.3	7.4	6.6	4.6-9.2	2.8	1.5	0.8-2.5	1.8	2.4	1.1-4.7	1.0	0.9	0.3-2.2
Liver / intrahepatic bile duct	12.4	6.2	4.7-7.9	7.8	8.8	6.2-12.1	4.6	4.1	2.6-6.2	9.2	4.7	3.5-6.4	6.0	7.3	4.8-10.5	3.2	2.8	1.6-4.6
Pancreas	31.8	16.5	14.0-19.3	12.8	16.1	12.3-20.8	19.0	16.7	13.5-20.5	24.4	12.9	10.7-15.5	10.2	13.6	10.0-18.0	14.2	12.5	9.7-15.9
Larynx	4.0	1.9	1.2-3.0	3.2	3.6	2.0-6.0	0.8	0.6	0.2-1.8	1.2	0.6	0.2-1.4	1.2	1.5	0.5-3.3	0.0	0.0	0.0-0.8
Lung and bronchus	66.8	34.7	31.0-38.7	32.2	42.7	36.2-50.1	34.6	30.2	25.8-35.1	35.6	18.7	16.1-21.8	18.8	25.7	20.6-31.7	16.8	14.5	11.5-18.0
Melanoma of the skin	1.2	0.7	0.2-1.5	0.2	0.4	0.0-1.8	1.0	0.9	0.3-2.2	0.2	0.1	0.0-0.7	0.2	0.4	0.0-1.8	0.0	0.0	0.0-0.8
Female breast							142.4	126.6	117.3-136.5							24.0	20.7	17.1-24.9
Cervix uteri							9.4	8.4	6.1-11.3							3.8	3.5	2.1-5.5
Corpus uterus and NOS							46.4	38.7	33.8-44.1							11.2	9.4	7.1-12.3
Ovary							9.6	8.7	6.4-11.6							5.4	4.9	3.2-7.1
Prostate				194.2	221.8	207.5-236.8							12.6	18.8	14.4-24.2			
Testis				0.8	0.9	0.2-2.4							0.0	0.0	0.0-0.9			
Urinary bladder (incl. in situ)	20.0	10.6	8.6-12.9	12.2	16.0	12.1-20.7	7.8	7.0	5.0-9.7	4.4	2.5	1.5-3.8	2.0	3.0	1.4-5.5	2.4	2.2	1.1-3.9
Kidney and renal pelvis	27.8	14.2	11.9-16.9	15.8	18.4	14.5-23.2	12.0	11.0	8.3-14.2	3.0	1.6	0.9-2.7	2.0	2.6	1.2-4.8	1.0	1.0	0.3-2.4
Brain and other central nervous system	7.6	4.1	2.9-5.7	3.8	4.6	2.7-7.3	3.8	3.8	2.3-6.0	3.0	1.5	0.8-2.6	1.2	1.2	0.4-2.8	1.8	1.7	0.8-3.3
Thyroid	21.6	11.2	9.1-13.5	3.8	4.3	2.6-6.8	17.8	16.9	13.5-20.9	1.6	0.9	0.4-1.9	0.8	1.2	0.3-3.0	0.8	0.8	0.2-2.0
Hodgkin lymphoma	4.0	2.1	1.3-3.2	1.4	1.6	0.6-3.3	2.6	2.5	1.3-4.3	0.2	0.1	0.0-0.7	0.2	0.3	0.0-1.5	0.0	0.0	0.0-0.8
Non-Hodgkin lymphomas	27.0	14.5	12.1-17.2	13.4	16.9	13.0-21.6	13.6	12.5	9.7-15.9	6.8	3.6	2.5-5.1	3.4	4.2	2.4-6.8	3.4	3.1	1.8-5.1
Myeloma	28.8	14.5	12.2-17.1	12.2	15.3	11.5-19.8	16.6	14.1	11.2-17.5	8.0	4.2	2.9-5.7	3.4	4.6	2.6-7.4	4.6	3.9	2.5-6.0
Leukemias	18.0	9.4	7.5-11.6	9.4	12.4	9.0-16.6	8.6	7.7	5.5-10.4	5.8	3.1	2.0-4.4	2.4	3.3	1.6-5.7	3.4	2.9	1.7-4.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**Suffolk, White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	9,052.4	528.2	523.1-533.2	4,603.8	578.3	570.6-586.0	4,448.6	496.0	489.2-502.9	2,452.2	137.3	134.8-139.8	1,224.2	157.6	153.6-161.6	1,228.0	123.6	120.4-126.9
Oral cavity and pharynx	218.0	12.4	11.6-13.1	150.2	18.2	16.9-19.6	67.8	7.3	6.5-8.2	34.0	2.0	1.7-2.3	23.0	2.9	2.4-3.5	11.0	1.2	0.9-1.6
Esophagus	84.2	4.6	4.1-5.1	66.2	7.9	7.0-8.8	18.0	1.8	1.4-2.2	66.2	3.6	3.2-4.0	52.4	6.3	5.5-7.1	13.8	1.4	1.1-1.8
Stomach	130.6	7.5	6.9-8.1	76.2	9.5	8.6-10.6	54.4	5.9	5.2-6.7	47.2	2.6	2.3-3.0	25.0	3.1	2.6-3.7	22.2	2.3	1.9-2.8
Colorectal	670.8	39.2	37.8-40.6	356.0	45.5	43.3-47.7	314.8	34.0	32.3-35.8	206.2	11.7	11.0-12.5	107.4	14.1	12.9-15.4	98.8	9.8	8.9-10.8
Colon excluding rectum	480.2	28.0	26.9-29.2	242.6	31.2	29.4-33.1	237.6	25.3	23.9-26.9	164.6	9.3	8.7-10.0	83.4	11.0	9.9-12.1	81.2	8.1	7.3-8.9
Rectum & rectosigmoid	190.6	11.2	10.4-11.9	113.4	14.2	13.1-15.5	77.2	8.6	7.8-9.6	41.6	2.4	2.1-2.7	24.0	3.2	2.6-3.8	17.6	1.8	1.4-2.2
Liver / intrahepatic bile duct	135.2	7.4	6.9-8.0	95.0	11.4	10.4-12.5	40.2	4.2	3.6-4.8	84.8	4.7	4.2-5.1	56.0	6.8	6.1-7.7	28.8	2.9	2.4-3.4
Pancreas	287.2	16.1	15.3-17.0	144.8	17.9	16.6-19.3	142.4	14.5	13.4-15.6	205.6	11.5	10.8-12.2	102.2	12.8	11.7-14.0	103.4	10.3	9.5-11.3
Larynx	53.6	2.9	2.6-3.3	43.0	5.2	4.5-6.0	10.6	1.1	0.8-1.4	14.4	0.8	0.6-1.0	11.0	1.4	1.0-1.8	3.4	0.3	0.2-0.5
Lung and bronchus	1,170.6	65.1	63.4-66.8	534.2	67.3	64.8-70.0	636.4	64.2	62.0-66.5	554.6	30.8	29.6-32.0	268.6	34.3	32.5-36.3	286.0	28.4	26.9-29.9
Melanoma of the skin	459.8	27.1	25.9-28.2	275.6	35.1	33.2-37.0	184.2	21.2	19.8-22.7	37.0	2.1	1.8-2.4	24.4	3.1	2.5-3.7	12.6	1.3	1.0-1.7
Female breast							1,220.2	140.5	136.8-144.3							172.6	17.7	16.5-19.0
Cervix uteri							39.8	5.6	4.8-6.4							12.0	1.5	1.2-2.0
Corpus uterus and NOS							302.6	31.9	30.3-33.7							53.6	5.5	4.8-6.2
Ovary							109.6	12.4	11.3-13.5							67.6	6.8	6.0-7.6
Prostate				1,145.6	133.5	130.0-137.1							113.0	15.1	13.9-16.4			
Testis				46.2	8.0	7.0-9.2							2.2	0.3	0.2-0.6			
Urinary bladder (incl. in situ)	495.0	27.9	26.8-29.1	369.8	47.6	45.4-49.9	125.2	12.7	11.7-13.7	88.8	4.9	4.5-5.4	63.6	8.6	7.7-9.6	25.2	2.4	2.0-2.8
Kidney and renal pelvis	329.6	19.2	18.3-20.2	210.4	26.3	24.7-28.0	119.2	13.0	11.9-14.1	47.4	2.6	2.3-3.0	30.8	3.9	3.3-4.6	16.6	1.6	1.3-2.0
Brain and other central nervous system	112.8	7.4	6.8-8.1	60.0	8.3	7.3-9.3	52.8	6.7	5.9-7.6	75.2	4.4	3.9-4.8	43.0	5.3	4.6-6.2	32.2	3.5	2.9-4.1
Thyroid	304.6	22.1	21.0-23.3	95.4	13.1	11.9-14.4	209.2	31.2	29.2-33.2	10.4	0.6	0.4-0.8	3.8	0.5	0.3-0.8	6.6	0.7	0.5-1.0
Hodgkin lymphoma	48.4	3.7	3.2-4.2	25.2	3.8	3.1-4.5	23.2	3.6	3.0-4.4	4.4	0.3	0.2-0.5	2.0	0.3	0.1-0.6	2.4	0.3	0.2-0.6
Non-Hodgkin lymphomas	391.2	23.1	22.0-24.1	212.8	27.6	25.9-29.4	178.4	19.5	18.2-20.9	83.0	4.6	4.2-5.1	46.8	6.1	5.3-6.9	36.2	3.6	3.1-4.2
Myeloma	138.8	7.9	7.3-8.5	80.6	10.0	9.1-11.1	58.2	6.1	5.4-6.9	43.8	2.4	2.1-2.7	25.4	3.2	2.6-3.8	18.4	1.7	1.4-2.2
Leukemias	332.4	20.1	19.1-21.1	197.4	26.2	24.5-27.9	135.0	15.2	14.0-16.4	101.4	5.9	5.3-6.4	59.6	8.0	7.1-9.0	41.8	4.3	3.7-4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**Suffolk, Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	629.4	486.4	468.9-504.3	307.6	545.1	516.3-575.1	321.8	448.7	426.6-471.7	162.4	137.8	128.2-148.0	81.6	174.1	156.5-193.0	80.8	116.0	104.7-128.2
Oral cavity and pharynx	11.8	8.5	6.4-11.0	7.2	11.2	7.7-15.7	4.6	6.1	3.8-9.3	1.8	1.5	0.7-2.8	1.6	3.1	1.3-6.1	0.2	0.3	0.0-1.5
Esophagus	4.0	2.9	1.7-4.6	3.0	5.5	2.9-9.3	1.0	1.1	0.4-2.8	4.6	3.6	2.2-5.5	3.6	7.3	4.1-11.9	1.0	1.1	0.4-2.8
Stomach	11.2	9.1	6.8-11.9	6.4	13.0	8.6-18.7	4.8	6.7	4.2-10.0	4.0	3.4	2.0-5.2	2.6	5.5	2.8-9.5	1.4	1.9	0.7-3.9
Colorectal	57.0	44.6	39.4-50.3	26.2	50.0	41.1-60.1	30.8	42.0	35.5-49.3	14.0	12.1	9.3-15.3	6.6	14.6	9.7-20.9	7.4	10.9	7.6-15.0
Colon excluding rectum	39.8	32.2	27.7-37.2	16.6	33.8	26.4-42.5	23.2	32.1	26.4-38.7	11.8	10.1	7.6-13.1	5.2	11.4	7.2-17.0	6.6	9.5	6.5-13.5
Rectum & rectosigmoid	17.2	12.4	9.8-15.4	9.6	16.2	11.6-22.0	7.6	9.9	6.9-13.6	2.2	2.0	1.0-3.5	1.4	3.2	1.2-6.7	0.8	1.3	0.4-3.3
Liver / intrahepatic bile duct	11.2	8.3	6.2-10.9	8.2	14.0	9.8-19.3	3.0	4.0	2.2-6.7	6.8	5.2	3.5-7.3	4.0	7.2	4.2-11.5	2.8	3.8	2.0-6.4
Pancreas	18.4	15.1	12.1-18.6	9.6	18.7	13.5-25.2	8.8	12.5	9.0-16.8	11.6	9.8	7.3-12.7	6.4	13.1	8.8-18.8	5.2	7.4	4.8-10.9
Larynx	2.8	2.0	1.1-3.4	2.2	3.6	1.8-6.7	0.6	0.7	0.2-2.3	0.8	0.5	0.1-1.3	0.8	1.0	0.3-2.9	0.0	0.0	0.0-1.1
Lung and bronchus	55.6	45.1	39.8-50.9	25.6	48.0	39.5-57.7	30.0	42.9	36.2-50.6	28.0	22.8	19.1-27.1	16.6	32.9	25.7-41.3	11.4	15.8	11.8-20.6
Melanoma of the skin	1.6	1.3	0.6-2.7	0.6	1.1	0.2-3.3	1.0	1.5	0.5-3.6	0.8	0.7	0.2-1.8	0.6	1.2	0.2-3.5	0.2	0.3	0.0-1.7
Female breast							102.8	141.1	128.9-154.2							14.2	19.6	15.2-24.8
Cervix uteri							3.8	5.3	3.1-8.3							1.0	1.4	0.4-3.2
Corpus uterus and NOS							26.4	35.9	29.9-42.8							6.2	9.4	6.3-13.4
Ovary							6.2	8.6	5.8-12.3							2.6	4.1	2.1-7.0
Prostate				127.6	215.9	198.4-234.4							13.4	32.2	24.5-41.2			
Testis				2.0	2.8	1.3-5.4							0.0	0.0	0.0-1.4			
Urinary bladder (incl. in situ)	17.6	14.7	11.7-18.2	12.6	25.4	19.1-33.0	5.0	7.3	4.6-10.8	4.0	3.8	2.3-5.9	2.4	6.4	3.2-11.2	1.6	2.5	1.1-4.9
Kidney and renal pelvis	23.4	17.5	14.4-21.1	14.6	25.3	19.4-32.3	8.8	12.1	8.7-16.4	3.0	2.7	1.5-4.5	2.0	4.1	1.9-7.6	1.0	1.6	0.5-3.8
Brain and other central nervous system	8.2	6.3	4.5-8.6	3.4	6.6	3.7-10.6	4.8	6.5	4.1-9.7	4.6	3.5	2.2-5.3	1.6	2.7	1.1-5.5	3.0	4.0	2.2-6.8
Thyroid	19.2	14.4	11.6-17.7	4.0	6.7	4.0-10.4	15.2	21.1	16.5-26.5	0.8	0.7	0.2-1.8	0.2	0.2	0.0-1.7	0.6	0.9	0.2-2.7
Hodgkin lymphoma	3.6	2.5	1.4-4.0	1.4	1.9	0.8-4.2	2.2	2.9	1.4-5.2	0.2	0.1	0.0-0.8	0.2	0.2	0.0-1.7	0.0	0.0	0.0-1.1
Non-Hodgkin lymphomas	22.0	16.8	13.7-20.3	12.4	21.1	15.9-27.4	9.6	13.4	9.8-17.9	5.2	4.3	2.8-6.4	3.2	7.0	3.8-11.5	2.0	2.6	1.2-4.9
Myeloma	17.2	14.1	11.2-17.6	9.0	15.9	11.3-21.6	8.2	12.2	8.7-16.7	5.6	5.1	3.3-7.4	2.8	7.4	3.9-12.4	2.8	4.1	2.2-6.9
Leukemias	14.8	11.9	9.2-15.0	7.6	12.9	8.9-18.1	7.2	10.9	7.6-15.2	5.4	4.9	3.2-7.1	2.8	6.1	3.2-10.3	2.6	4.0	2.1-6.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence and Mortality by Sex and Race, 2016-2020**  
**Westchester, White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4,672.2	477.2	470.9-483.6	2,295.4	508.7	499.2-518.4	2,376.8	460.6	451.9-469.5	1,209.2	112.9	110.0-115.9	597.2	131.2	126.5-136.1	612.0	100.6	96.9-104.5
Oral cavity and pharynx	97.4	9.7	8.8-10.6	66.2	14.1	12.6-15.8	31.2	5.8	4.9-6.8	17.0	1.6	1.3-2.0	11.8	2.5	1.9-3.2	5.2	0.9	0.6-1.3
Esophagus	35.2	3.5	3.0-4.0	25.6	5.8	4.8-6.9	9.6	1.6	1.2-2.2	27.6	2.7	2.2-3.2	20.2	4.5	3.7-5.5	7.4	1.2	0.8-1.7
Stomach	75.0	7.6	6.8-8.5	47.2	10.6	9.3-12.1	27.8	5.3	4.4-6.3	29.8	2.9	2.4-3.4	19.8	4.3	3.5-5.3	10.0	1.8	1.3-2.4
Colorectal	322.4	32.7	31.1-34.4	166.0	37.5	35.0-40.3	156.4	28.8	26.7-31.0	103.6	9.5	8.6-10.4	51.6	11.3	9.9-12.8	52.0	8.1	7.1-9.3
Colon excluding rectum	230.0	23.1	21.7-24.5	113.8	25.8	23.6-28.0	116.2	20.9	19.1-22.8	80.6	7.3	6.5-8.0	39.8	8.6	7.4-9.9	40.8	6.3	5.4-7.3
Rectum & rectosigmoid	92.4	9.6	8.7-10.6	52.2	11.8	10.3-13.3	40.2	7.9	6.8-9.1	23.0	2.2	1.8-2.7	11.8	2.7	2.0-3.5	11.2	1.8	1.4-2.5
Liver / intrahepatic bile duct	73.8	7.2	6.5-8.0	51.8	11.1	9.8-12.6	22.0	4.0	3.3-4.9	44.2	4.2	3.6-4.8	31.2	6.7	5.6-7.8	13.0	2.3	1.7-2.9
Pancreas	159.2	15.3	14.2-16.4	84.0	18.7	16.9-20.6	75.2	12.4	11.1-13.8	109.6	10.3	9.4-11.2	56.2	12.4	11.0-14.0	53.4	8.6	7.5-9.7
Larynx	24.4	2.3	1.9-2.8	20.0	4.2	3.4-5.2	4.4	0.8	0.5-1.2	6.8	0.6	0.4-0.9	6.0	1.3	0.9-1.9	0.8	0.2	0.0-0.5
Lung and bronchus	488.4	46.7	44.8-48.6	213.0	46.8	43.9-49.7	275.4	47.1	44.6-49.8	232.4	21.5	20.3-22.8	107.8	23.6	21.6-25.7	124.6	19.9	18.4-21.7
Melanoma of the skin	214.8	21.7	20.4-23.1	123.0	27.6	25.4-29.9	91.8	17.4	15.7-19.2	17.4	1.6	1.3-2.0	11.0	2.4	1.8-3.2	6.4	0.9	0.6-1.4
Female breast							726.0	149.3	144.2-154.5							94.4	16.6	15.1-18.3
Cervix uteri							22.4	5.7	4.7-7.0							5.6	1.1	0.7-1.7
Corpus uterus and NOS							155.4	29.0	26.9-31.2							28.8	4.8	4.1-5.8
Ovary							64.6	13.1	11.6-14.7							37.2	6.4	5.5-7.5
Prostate				597.8	124.7	120.2-129.4							62.8	13.7	12.2-15.3			
Testis				22.6	7.1	5.8-8.6							1.4	0.4	0.1-0.8			
Urinary bladder (incl. in situ)	238.6	22.8	21.5-24.2	173.6	38.3	35.8-41.1	65.0	11.0	9.8-12.3	38.8	3.4	2.9-3.9	26.2	5.7	4.8-6.8	12.6	1.8	1.4-2.4
Kidney and renal pelvis	151.4	15.7	14.6-16.9	103.0	23.1	21.0-25.2	48.4	9.4	8.2-10.8	21.0	2.0	1.6-2.5	15.2	3.4	2.7-4.3	5.8	0.9	0.6-1.4
Brain and other central nervous system	60.6	7.1	6.3-8.0	33.4	8.4	7.1-9.9	27.2	5.9	4.9-7.1	36.8	3.9	3.3-4.5	22.0	5.0	4.1-6.1	14.8	2.9	2.3-3.7
Thyroid	164.0	21.0	19.6-22.6	47.0	11.9	10.3-13.5	117.0	30.2	27.7-32.9	6.2	0.6	0.4-0.8	3.6	0.8	0.5-1.3	2.6	0.4	0.2-0.8
Hodgkin lymphoma	26.4	3.6	3.0-4.3	12.4	3.3	2.5-4.3	14.0	3.9	3.0-5.0	3.0	0.3	0.1-0.5	1.2	0.2	0.1-0.6	1.8	0.3	0.1-0.6
Non-Hodgkin lymphomas	231.8	23.6	22.2-25.1	129.8	29.7	27.4-32.1	102.0	18.7	17.0-20.5	46.0	4.1	3.6-4.7	24.0	5.2	4.3-6.2	22.0	3.4	2.7-4.1
Myeloma	78.0	7.7	7.0-8.6	43.2	9.7	8.4-11.1	34.8	6.2	5.3-7.3	26.4	2.4	2.0-2.9	14.2	3.1	2.4-4.0	12.2	1.8	1.4-2.4
Leukemias	196.0	20.3	19.0-21.6	114.8	26.3	24.1-28.6	81.2	15.3	13.7-17.0	57.8	5.5	4.8-6.2	33.4	7.5	6.4-8.8	24.4	3.9	3.2-4.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence and Mortality by Sex and Race, 2016-2020  
Westchester, Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	797.8	431.8	418.2-445.7	379.2	504.4	481.2-528.5	418.6	390.7	373.8-408.2	214.0	117.9	110.9-125.3	98.8	144.3	131.4-158.0	115.2	104.3	95.8-113.4
Oral cavity and pharynx	13.6	7.5	5.8-9.5	9.6	12.8	9.3-17.1	4.0	3.9	2.4-6.1	2.2	1.3	0.7-2.4	1.4	2.1	0.8-4.3	0.8	0.8	0.2-2.1
Esophagus	6.0	3.1	2.1-4.5	4.0	5.3	3.2-8.3	2.0	1.8	0.8-3.3	5.0	2.7	1.7-4.1	4.2	6.0	3.6-9.3	0.8	0.7	0.2-1.9
Stomach	18.2	10.5	8.4-12.9	6.6	9.9	6.8-14.0	11.6	10.9	8.2-14.1	7.0	4.0	2.8-5.7	3.2	4.8	2.7-7.9	3.8	3.5	2.1-5.6
Colorectal	61.8	34.0	30.3-38.1	28.2	39.2	32.8-46.5	33.6	31.2	26.6-36.4	20.2	10.9	8.9-13.3	9.6	13.5	9.9-18.1	10.6	9.2	6.9-12.2
Colon excluding rectum	44.8	24.8	21.6-28.4	18.6	27.0	21.7-33.3	26.2	24.1	20.1-28.7	16.6	8.9	7.1-11.1	8.2	11.8	8.3-16.1	8.4	7.4	5.3-10.1
Rectum & rectosigmoid	17.0	9.2	7.3-11.4	9.6	12.1	8.9-16.3	7.4	7.1	5.0-9.9	3.6	2.0	1.2-3.1	1.4	1.8	0.7-3.7	2.2	1.8	0.9-3.4
Liver / intrahepatic bile duct	20.2	10.5	8.5-12.8	13.2	16.7	12.8-21.5	7.0	6.3	4.4-8.9	9.4	4.9	3.5-6.5	5.8	7.1	4.7-10.4	3.6	3.3	1.9-5.2
Pancreas	25.6	14.4	11.9-17.1	10.8	15.7	11.6-20.6	14.8	13.5	10.5-17.0	16.4	9.3	7.3-11.6	6.8	10.3	7.0-14.5	9.6	8.7	6.4-11.7
Larynx	5.2	2.6	1.7-3.9	4.2	5.1	3.1-7.9	1.0	0.9	0.3-2.1	1.4	0.7	0.3-1.5	1.2	1.6	0.6-3.6	0.2	0.1	0.0-1.0
Lung and bronchus	71.0	38.9	34.9-43.3	36.8	51.7	44.3-60.1	34.2	31.1	26.5-36.2	36.0	19.6	16.8-22.8	19.6	29.0	23.4-35.5	16.4	14.3	11.3-17.8
Melanoma of the skin	1.6	0.8	0.3-1.7	1.0	1.3	0.4-3.1	0.6	0.5	0.1-1.6	0.4	0.2	0.0-0.8	0.2	0.2	0.0-1.3	0.2	0.1	0.0-1.1
Female breast							133.2	126.9	117.2-137.1							21.6	20.8	17.0-25.3
Cervix uteri							7.8	7.4	5.2-10.1							1.2	1.1	0.4-2.4
Corpus uteri and NOS							34.6	30.9	26.4-36.0							8.8	7.8	5.7-10.6
Ovary							10.4	9.4	6.9-12.4							5.2	4.6	3.0-6.8
Prostate				154.2	196.0	181.9-210.9							16.0	25.9	20.4-32.3			
Testis				1.4	1.7	0.7-3.5							0.0	0.0	0.0-1.0			
Urinary bladder (incl. in situ)	22.0	11.9	9.7-14.4	13.6	19.6	15.0-25.0	8.4	7.6	5.4-10.4	4.8	2.7	1.7-4.1	2.8	4.5	2.4-7.6	2.0	1.7	0.8-3.3
Kidney and renal pelvis	29.0	15.3	12.9-18.1	17.2	21.4	17.0-26.7	11.8	10.9	8.3-14.2	3.8	2.2	1.3-3.4	2.0	2.9	1.3-5.3	1.8	1.8	0.8-3.5
Brain and other central nervous system	7.6	4.5	3.2-6.2	3.2	4.5	2.5-7.4	4.4	4.6	2.9-7.1	4.2	2.4	1.5-3.7	1.6	2.2	0.9-4.4	2.6	2.5	1.3-4.3
Thyroid	22.0	12.3	10.1-14.9	4.2	5.5	3.3-8.5	17.8	18.1	14.5-22.4	1.4	0.7	0.3-1.6	0.6	0.8	0.1-2.4	0.8	0.7	0.2-1.8
Hodgkin lymphoma	4.2	2.5	1.5-3.9	3.2	4.4	2.5-7.2	1.0	1.1	0.3-2.6	0.0	0.0	0.0-0.4	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.8
Non-Hodgkin lymphomas	31.0	16.8	14.2-19.8	15.4	21.1	16.5-26.5	15.6	14.2	11.2-17.8	6.4	3.4	2.3-4.8	3.6	4.8	2.8-7.7	2.8	2.6	1.4-4.4
Myeloma	28.6	15.5	13.0-18.3	13.6	18.8	14.4-24.0	15.0	13.6	10.7-17.2	9.8	5.5	4.1-7.3	4.4	6.2	3.8-9.5	5.4	5.0	3.3-7.4
Leukemias	20.4	11.3	9.2-13.8	10.0	13.8	10.2-18.4	10.4	9.8	7.3-13.0	8.4	4.4	3.2-6.0	4.0	5.5	3.3-8.6	4.4	3.9	2.4-6.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.