

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	MEDICAID, HIVSNP, HARP
GENERAL INFO	30	25	54	Member ID	Member ID should be Medicaid Client ID Number (CIN). For Medicaid: AA#####A For CHP: 0##### or 5#####
GENERAL INFO	8	55	62	Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	63	64	Member Months	The member month contribution this member adds according to the Enrollment by Product Line measure. Valid values are between 0 - 12.
GENERAL INFO	1	65	65	Sex	Enter: The sex assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed
GENERAL INFO	2	66	67	Race	Enter the member's race: 01=White 02=Black or African American 03=American Indian/Alaskan Native 04=Asian 05=Native Hawaiian/Pacific Islander 06=Some Other Race 07=Two or more races 08=Asked But No Answer 09=Unknown
GENERAL INFO	2	68	69	Source of Race Data	Provide the source of Race data: 20 = Health Plan Direct (Direct) 21 = CMS databases (Direct) 22 = State Databases (Direct) 23 = Surname Analysis (Indirect) 24 = Geo-coding Analysis (Indirect) 28 = Unknown – Use this as the race source value when the member's race is "UNK" for Unknown Race. 29 = Other (Direct) 30 = Other (Indirect) - Use when "other" indirect method is used to determine Race.
GENERAL INFO	1	70	70	Ethnicity	Enter the Member's ethnicity: 1=Hispanic or Latino 2=Non-Hispanic or Latino 9=Unknown 0=Asked but not answered

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	2	71	72	Source of Ethnicity Data	<p>Provide the source of Ethnicity data:</p> <ul style="list-style-type: none"> <li>20 = Health Plan Direct (Direct)</li> <li>21 = CMS databases (Direct)</li> <li>22 = State Databases (Direct)</li> <li>23 = Surname Analysis (Indirect)</li> <li>24 = Geo-coding Analysis (Indirect)</li> <li>28 = 28 = Unknown – Use this as the ethnicity source value when the member's ethnicity is "UNK" for Unknown Ethnicity.</li> <li>29 = Other (Direct)</li> <li>30 = Other (Indirect) - Use when "other" indirect method is used to determine Ethnicity</li> </ul>
GENERAL INFO	2	73	74	Asian American Subgroups	<p>If member is Asian then identify the specific subgroup:</p> <ul style="list-style-type: none"> <li>01=Chinese</li> <li>02=Japanese</li> <li>03=Filipino</li> <li>04=Korean</li> <li>05=Vietnamese</li> <li>06=Asian Indian</li> <li>07=Laotian</li> <li>08=Cambodian</li> <li>09=Bangladeshi</li> <li>10=Hmong</li> <li>11=Indonesian</li> <li>12=Malaysian</li> <li>13=Pakistani</li> <li>14=Sri Lankan</li> <li>15=Taiwanese</li> <li>16=Nepalese</li> <li>17=Burmese</li> <li>18=Thai</li> <li>19=Two or more subgroups</li> <li>20=Unknown</li> <li>21=Declined</li> <li>00=Not Asian</li> </ul>
GENERAL INFO	1	75	75	Native Hawaiian/Pacific Islander Subgroups	<p>If member is Native Hawaiian or Pacific Islander then identify the subgroup:</p> <ul style="list-style-type: none"> <li>1=Hawaiian</li> <li>2=Guamanian/Chamorro</li> <li>3=Samoa</li> <li>4=Fijian</li> <li>5=Tongan</li> <li>6=Two or more subgroups</li> <li>7=Unknown</li> <li>8=Declined</li> <li>0=Not Native Hawaiian/Pacific Islander</li> </ul>

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	3	76	78	Language Spoken	<p>Enter the member's spoken language: 001=English *For all other languages other than English see the Language Value Set on the <a href="#">Managed Care &gt; Information for Health Plans &gt; Quality Assurance Reporting Requirements (QARR)&gt; 2024&gt; NYS QARR Language Value Set</a> webpage.</p> <p>197=Unknown 199=Declined</p>
GENERAL INFO	3	79	81	County of Residence	<p>Enter the 3-digit county FIPS code for each member's residence of county. See the attachment for codes and values to enter here. ### = FIPS Code 000= Outside of NYS 999 = Unknown</p>
AAB	2	82	83	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	<p>Enter: The number of times this member is in the denominator '0' if the member is not in the denominator</p>
AAB	2	84	85	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	<p>Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing</p>
AAB	2	86	87	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	<p>Enter: The number of times this member is in the denominator '0' if the member is not in the denominator</p>
AAB	2	88	89	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	<p>Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing</p>
AAB	2	90	91	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	<p>Enter: The number of times this member is in the denominator '0' if the member is not in the denominator</p>
AAB	2	92	93	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	<p>Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing</p>
AAP	1	94	94	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	<p>Enter: '1' if this member is in the denominator '0' if this member is not in the denominator</p>
AAP	1	95	95	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	<p>Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing</p>
AAP	1	96	96	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	<p>Enter: '1' if this member is in the denominator '0' if this member is not in the denominator</p>
AAP	1	97	97	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	<p>Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing</p>

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AAP	1	98	98	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	99	99	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	100	100	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	101	101	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	102	102	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	103	103	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	104	104	Denominator 1 for Adult Immunization Status (AIS-E): Influenza and Td/Tdap (Population Criteria 1) [Members 19 -65 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	105	105	Numerator for Adult Immunization Status (AIS-E): Influenza (Population Criteria 1) [Members 19 -65 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	106	106	Numerator for Adult Immunization Status (AIS-E): Td/Tdap (Population Criteria 2) [Members 19 -65 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	107	107	Denominator 2 for Adult Immunization Status (AIS-E): Influenza and Td/Tdap (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	108	108	Numerator for Adult Immunization Status (AIS-E): Influenza (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	109	109	Numerator for Adult Immunization Status (AIS-E): Td/Tdap (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	110	110	Denominator 3 for Adult Immunization Status (AIS-E): Zoster (Population Criteria 3) [Members 50 - 65 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AIS-E	1	111	111	Numerator for Adult Immunization Status (AIS-E): Zoster (Population Criteria 3) [Members 50 - 65 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	112	112	Denominator 4 for Adult Immunization Status (AIS-E): Zoster (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	113	113	Numerator for Adult Immunization Status (AIS-E): Zoster (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	114	114	Denominator 4 for Adult Immunization Status (AIS-E): Pneumococcal (Population Criteria 4) [Members 66 years and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	115	115	Numerator for Adult Immunization Status (AIS-E): Pneumococcal (Population Criteria 4) [Members 66 years and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	116	116	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMM	1	117	117	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	118	118	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	119	119	Denominator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	120	120	Numerator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	121	121	Denominator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	122	122	Numerator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	123	123	Denominator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AMR	1	124	124	Numerator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	125	125	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	126	126	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	127	127	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM-E	1	128	128	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM-E): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	129	129	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM-E): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	130	130	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM-E	1	131	131	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	132	132	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	133	133	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	134	134	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	135	135	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	136	136	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	2	137	138	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AXR	2	139	140	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	141	142	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	143	144	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	145	146	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	147	148	Numerator for Antibiotic Utilization for Respiratory Conditions 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
BCS-E	1	149	149	Denominator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS-E	1	150	150	Numerator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPD	1	151	151	Denominator for Blood Pressure Control for Patients with Diabetes (BPD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPD	1	152	152	Numerator for Blood Pressure Control for Patients with Diabetes (BPD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CBP	1	153	153	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	154	154	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS	1	155	155	Denominator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS	1	156	156	Numerator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS-E	1	157	157	Denominator for Cervical Cancer Screening Electronic (CCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS-E	1	158	158	Numerator for Cervical Cancer Screening Electronic (CCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CET	1	159	159	Denominator for Continued Engagement in Substance Use Disorder Treatment (CET)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CET	1	160	160	Numerator for Continued Engagement in Substance Use Disorder Treatment (CET)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	161	161	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	162	162	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	163	163	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	164	164	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	165	165	Denominator for Childhood Immunization Status (CIS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS	1	166	166	Numerator for Childhood Immunization Status (CIS): DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	167	167	Numerator for Childhood Immunization Status (CIS): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	168	168	Numerator for Childhood Immunization Status (CIS): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	169	169	Numerator for Childhood Immunization Status (CIS): HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	170	170	Numerator for Childhood Immunization Status (CIS): HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	171	171	Numerator for Childhood Immunization Status (CIS): VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing



# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS	1	172	172	Numerator for Childhood Immunization Status (CIS): PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	173	173	Numerator for Childhood Immunization Status (CIS): HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	174	174	Numerator for Childhood Immunization Status (CIS): RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	175	175	Numerator for Childhood Immunization Status (CIS): Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	176	176	Numerator for Childhood Immunization Status (CIS): Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	177	177	Numerator for Childhood Immunization Status (CIS): Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	178	178	Numerator for Childhood Immunization Status (CIS): Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	179	179	Denominator for Childhood Immunization Status Electronic (CIS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS-E	1	180	180	Numerator for Childhood Immunization Status Electronic (CIS-E) : DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	181	181	Numerator for Childhood Immunization Status Electronic (CIS-E): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	182	182	Numerator for Childhood Immunization Status Electronic (CIS-E): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	183	183	Numerator for Childhood Immunization Status Electronic (CIS-E) : HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS-E	1	184	184	Numerator for Childhood Immunization Status Electronic (CIS-E) : HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	185	185	Numerator for Childhood Immunization Status Electronic (CIS-E) : VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	186	186	Numerator for Childhood Immunization Status Electronic (CIS-E) : PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	187	187	Numerator for Childhood Immunization Status Electronic (CIS-E) : HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	188	188	Numerator for Childhood Immunization Status Electronic (CIS-E) : RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	189	189	Numerator for Childhood Immunization Status Electronic (CIS-E) : Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	190	190	Numerator for Childhood Immunization Status Electronic (CIS-E) : Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	191	191	Numerator for Childhood Immunization Status Electronic (CIS-E) : Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	192	192	Numerator for Childhood Immunization Status Electronic (CIS-E) : Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	193	193	Denominator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	194	194	Numerator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	195	195	Denominator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	196	196	Numerator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications  
MEDICAID**

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CRE	1	197	197	Denominator for Cardiac Rehabilitation Initiation 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	198	198	Numerator Initiation (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	199	199	Denominator for Cardiac Rehabilitation Initiation 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	200	200	Numerator Initiation (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	201	201	Denominator for Cardiac Rehabilitation Engagement 1 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	202	202	Numerator Engagement 1 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	203	203	Denominator for Cardiac Rehabilitation Engagement 1 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	204	204	Numerator Engagement 1 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	205	205	Denominator for Cardiac Rehabilitation Engagement 2 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	206	206	Numerator Engagement 2 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	207	207	Denominator for Cardiac Rehabilitation Engagement 2 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	208	208	Numerator Engagement 2 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	209	209	Denominator for Cardiac Rehabilitation Achievement 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	210	210	Numerator Achievement (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CRE	1	211	211	Denominator for Cardiac Rehabilitation Achievement 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	212	212	Numerator Achievement (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	213	213	Denominator for COVID-19 Vaccination Status (CVS): 6 months - 4 years old	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	214	214	Numerator for COVID-19 Vaccination Status (CVS): 6 months - 4 years old	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	215	215	Denominator for COVID-19 Vaccination Status (CVS): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	216	216	Numerator for COVID-19 Vaccination Status (CVS): 5-11 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	217	217	Denominator for COVID-19 Vaccination Status (CVS): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	218	218	Numerator for COVID-19 Vaccination Status (CVS): 12-17 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	219	219	Denominator for COVID-19 Vaccination Status (CVS): 18- 64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	220	220	Numerator for COVID-19 Vaccination Status (CVS): 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	2	221	222	Denominator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	223	224	Numerator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	225	226	Denominator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	227	228	Numerator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	229	230	Denominator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

# NYS MY2024 Patient-Level Detail File Specifications MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CWP	2	231	232	Numerator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DEV-N	1	233	233	Denominator for Development Screening 1 (DEV-N) : The children in the eligible population who turned 1 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	234	234	Numerator (DEV-N): First Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	235	235	Denominator for Development Screening 2 (DEV-N): The children in the eligible population who turned 2 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	236	236	Numerator (DEV-N): Second Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	237	237	Denominator for Development Screening 3 (DEV-N): The children in the eligible population who turned 3 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	238	238	Numerator (DEV-N): Third Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	239	239	Denominator 1 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	240	240	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	241	241	Denominator 1 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	242	242	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	243	243	Denominator 1 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	244	244	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	245	245	Denominator 1 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications  
MEDICAID**

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DRR-E	1	246	246	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	247	247	Denominator 2 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	248	248	Numerator Depression Remission (Population Criteria 2) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	249	249	Denominator 2 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	250	250	Numerator Depression Remission (Population Criteria 2) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	251	251	Denominator 2 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	252	252	Numerator Depression Remission (Population Criteria 2) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	253	253	Denominator 2 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	254	254	Numerator Depression Remission (Population Criteria 2) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	255	255	Denominator 3 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	256	256	Numerator Depression Response (Population Criteria 3) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	257	257	Denominator 3 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	258	258	Numerator Depression Response (Population Criteria 3) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	259	259	Denominator 3 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DRR-E	1	260	260	Numerator Depression Response (Population Criteria 3) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	261	261	Denominator 3 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	262	262	Numerator Depression Response (Population Criteria 3) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	263	263	Denominator 1 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	264	264	Numerator Depression Screening (Population Criteria 1) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	265	265	Denominator 1 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	266	266	Numerator Depression Screening (Population Criteria 1) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	267	267	Denominator 1 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	268	268	Numerator Depression Screening (Population Criteria 1) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	269	269	Denominator 2 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	270	270	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	271	271	Denominator 2 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	272	272	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	273	273	Denominator 2 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DSF-E	1	274	274	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
EED	1	275	275	Denominator for Eye Exam for Patients with Diabetes (EED)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
EED	1	276	276	Numerator for Eye Exam for Patients with Diabetes (EED)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUA	2	277	278	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	279	280	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	281	282	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	283	284	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	285	286	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	287	288	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	289	290	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	291	292	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	293	294	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	295	296	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	297	298	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	299	300	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	301	302	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator



**NYS MY2024 Patient-Level Detail File Specifications**  
**MEDICAID**

Revision Date:  
 5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUH	2	303	304	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	305	306	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	307	308	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	309	310	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	311	312	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	313	314	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	315	316	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	317	318	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	319	320	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	321	322	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	323	324	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	325	326	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	327	328	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	329	330	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	331	332	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	333	334	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUM	2	335	336	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	337	338	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	339	340	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	341	342	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
GSD	1	343	343	Denominator for Glycemic Status Assessment for Patients With Diabetes (GSD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
GSD	1	344	344	Numerator for Glycemic Status <8.0% (GSD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
GSD	1	345	345	Numerator for Glycemic Status >9.0% (GSD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HDO	1	346	346	Denominator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HDO	1	347	347	Numerator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	2	348	349	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET) 13-17 years old	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	350	351	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment 13-17 year olds Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	352	353	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	354	355	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	356	357	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	358	359	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

**NYS MY2024 Patient-Level Detail File Specifications  
MEDICAID**

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	2	360	361	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	362	363	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	364	365	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	366	367	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	368	369	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	370	371	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	372	373	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	374	375	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	376	377	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	378	379	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	380	381	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	382	383	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	384	385	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	386	387	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	388	389	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	390	391	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	2	392	393	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	394	395	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	396	397	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	398	399	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of Other substance use disorder, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	400	401	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of other substance use disorder 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IMA	1	402	402	Denominator for Immunizations for Adolescents (IMA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA	1	403	403	Numerator for Immunizations for Adolescents (IMA): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	404	404	Numerator for Immunizations for Adolescents (IMA): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	405	405	Numerator for Immunizations for Adolescents (IMA): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	406	406	Numerator for Immunizations for Adolescents (IMA): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	407	407	Numerator for Immunizations for Adolescents (IMA): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	408	408	Denominator for Immunizations for Adolescents Electronic (IMA-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA-E	1	409	409	Numerator for Immunizations for Adolescents Electronic (IMA-E): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	410	410	Numerator for Immunizations for Adolescents Electronic (IMA-E): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**MEDICAID**

Revision Date:  
 5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IMA-E	1	411	411	Numerator for Immunizations for Adolescents Electronic (IMA-E): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	412	412	Numerator for Immunizations for Adolescents Electronic (IMA-E): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	413	413	Numerator for Immunizations for Adolescents Electronic (IMA-E): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	414	414	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	415	415	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	416	416	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	417	417	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	418	418	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	419	419	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	420	420	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	421	421	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	422	422	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	423	423	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LSC	1	424	424	Denominator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
LSC	1	425	425	Numerator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
OED	1	426	426	Denominator: Oral Evaluation, Dental Services (OED) - 0-2 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
OED	1	427	427	Numerator: Oral Evaluation, Dental Services (OED) - 0-2 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
OED	1	428	428	Denominator: Oral Evaluation, Dental Services (OED) -3-5 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
OED	1	429	429	Numerator: Oral Evaluation, Dental Services (OED) -3-5 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
OED	1	430	430	Denominator: Oral Evaluation, Dental Services (OED) - 6-14 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
OED	1	431	431	Numerator: Oral Evaluation, Dental Services (OED) - 6-14 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
OED	1	432	432	Denominator: Oral Evaluation, Dental Services (OED) - 15-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
OED	1	433	433	Numerator: Oral Evaluation, Dental Services (OED) - 15-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PBH	1	434	434	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PBH	1	435	435	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PCE	2	436	437	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
PCE	2	438	439	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PCE	2	440	441	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

**NYS MY2024 Patient-Level Detail File Specifications  
MEDICAID**

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PDS-E	2	442	443	Denominator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	444	445	Numerator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PDS-E	2	446	447	Denominator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	448	449	Numerator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	450	451	Denominator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Denominator 1 Initial Population	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	452	453	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 1 Depression Screening	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	454	455	Denominator for Prenatal Depression Screening and Follow Up Electronic (PND-E): Denominator 2 All deliveries from Numerator 1 with a positive finding for depression during pregnancy	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	456	457	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 2—Follow-Up on Positive Screen	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POA	1	458	458	Denominator for Use of Pharmacotherapy for Alcohol Use or Dependence (POA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
POA	1	459	459	Numerator for Use of Pharmacotherapy for Alcohol Use or Dependence (POA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
POD	2	460	461	Denominator for Pharmacotherapy for Opioid Use Disorder (POD): 16-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	462	463	Numerator for Pharmacotherapy for Opioid Use Disorder (POD): 16-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	464	465	Denominator for Pharmacotherapy for Opioid Use Disorder (POD): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	466	467	Numerator for Pharmacotherapy for Opioid Use Disorder (POD): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD-N	1	468	468	Denominator for Initiation of Pharmacotherapy upon New Episode of Opioid Dependence (POD-N)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2024 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
POD-N	1	469	469	Numerator for Initiation of Pharmacotherapy upon New Episode of Opioid Dependence (POD-N)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PPC	2	470	471	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	472	473	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	474	475	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	476	477	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	478	479	Denominator for Prenatal Immunization Status (PRS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PRS-E	2	480	481	Numerator for Prenatal Immunization Status (PRS-E): Influenza (Population Criteria 1)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	482	483	Numerator for Prenatal Immunization Status (PRS-E): Td/Tdap (Population Criteria 2)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
SAA	1	484	484	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SAA	1	485	485	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SMC	1	486	486	Denominator for Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SMC	1	487	487	Numerator for Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SMD	1	488	488	Denominator for Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SMD	1	489	489	Numerator for Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	490	490	Social Need Screening and Intervention (SNS-E) Denominator 1: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator



**NYS MY2024 Patient-Level Detail File Specifications**  
**MEDICAID**

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SNS-E	1	491	491	Social Need Screening and Intervention (SNS-E) Numerator 1— Total Number of Members in denominator 1 with a documented result for food insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	492	492	Social Need Screening and Intervention (SNS-E) Denominator 2: All members in numerator 1 with a positive food insecurity screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	493	493	Social Need Screening and Intervention (SNS-E) Numerator 2: Total Number of Members in denominator 2 receiving a food insecurity intervention on or up to 30 days after the date of the first positive food insecurity screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	494	494	Social Need Screening and Intervention (SNS-E)Denominator 3 : The initial population, minus exclusions	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	495	495	Social Need Screening and Intervention (SNS-E) Numerator 3: Total Number of Members in denominator 1 with a documented result for housing instability, homelessness or housing inadequacy screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	496	496	Social Need Screening and Intervention (SNS-E) Denominator 4: All members in numerator 3 with a positive housing instability, homelessness or housing inadequacy screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	497	497	Social Need Screening and Intervention (SNS-E) Numerator 4—Total Number of Members in denominator 4 receiving an intervention corresponding to the type of housing need identified on or up to 30 days after the date of the first positive housing screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	498	498	Social Need Screening and Intervention (SNS-E) Denominator 5: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	499	499	<del>Social Need Screening and Intervention (SNS-E) Numerator 5: Total Number of Members in denominator 4 receiving an intervention corresponding to the type of housing need identified on or up to 30 days after the date of the first positive housing screen (31 days total).</del>  Total Number of Members in denominator 5 with a documented result for transportation insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**MEDICAID**

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SNS-E	1	500	500	Social Need Screening and Intervention (SNS-E) Denominator 6: All members in numerator 5 with a positive transportation insecurity screen finding between January 1 and December 1 of the measurement period	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	501	501	Social Need Screening and Intervention (SNS-E) Numerator 6: Total Number of Members in denominator 6 receiving a transportation insecurity intervention on or up to 30 days after the date of the first positive transportation screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	502	502	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	503	503	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	504	504	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	505	505	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	506	506	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	507	507	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	508	508	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	509	509	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	510	510	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	511	511	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	512	512	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications  
MEDICAID**

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SPD	1	513	513	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SSD	1	514	514	Denominator for Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SSD	1	515	515	Numerator for Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TFC	1	516	516	Denominator: Topical Fluoride for Children (TFC) - 1-2 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TFC	1	517	517	Numerator: Topical Fluoride for Children (TFC) - 1-2 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TFC	1	518	518	Denominator: Topical Fluoride for Children (TFC) - 3-4 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TFC	1	519	519	Numerator: Topical Fluoride for Children (TFC) - 3- 4 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	520	520	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	521	521	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	522	522	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	523	523	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	2	524	525	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	526	527	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	528	529	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications  
MEDICAID**

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
URI	2	530	531	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	532	533	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	534	535	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
W30	1	536	536	Denominator for Well-Child Visits in the First 15 Months (W30). Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	537	537	Numerator for Well-Child Visits in the First 15 Months (W30). Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	538	538	Denominator for Well-Child Visits for Age 15 Months-30 Months (W30). Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	539	539	Numerator for Well-Child Visits for Age 15 Months-30 Months (W30). Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	540	540	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	541	541	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	542	542	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	543	543	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	544	544	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	545	545	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	546	546	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications  
MEDICAID**

Revision Date:  
5/9/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	547	547	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	548	548	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	549	549	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	550	550	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	551	551	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	552	552	Denominator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	553	553	Numerator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	554	554	Denominator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	555	555	Numerator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	556	556	Denominator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	557	557	Numerator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2024 Patient-Level Detail File Change Log MEDICAID

Version	Date	Data Element	Change Summary
Specification Release MY2024	12/11/2023	Multiple	<ul style="list-style-type: none"> <li>• <b><u>Asian American Subgroups</u></b> Adding a "two or more subgroups" option</li> <li>• <b><u>Native Hawaiian/Pacific Islander Subgroups</u></b> Adding a "two or more subgroups" option</li> <li>• <b><u>Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)</u></b> has been added to align with HEDIS reporting requirements</li> <li>• <b><u>Continued Engagement in Substance Use Disorder (SUD) Treatment (CET)</u></b> has added as a new NYS measure.</li> <li>• <b><u>Depression Remission or Response for Adolescents and Adults (DRR-E)</u></b> has been added as a required ECDS measure.</li> </ul> <p>The following Measures have been removed due to retirement by the steward:</p> <ul style="list-style-type: none"> <li>• <b><u>Follow-Up Care for Children Prescribed ADHD Medication (ADD)*</u></b></li> <li>• <b><u>Ambulatory Care (AMB)</u></b></li> <li>• <b><u>Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM)*</u></b></li> <li>• <b><u>Colorectal Cancer Screening (COL)*</u></b></li> <li>• <b><u>Inpatient Utilization—General Hospital/Acute Care (IPU)</u></b></li> <li>• <b><u>Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)</u></b></li> <li>• <b><u>Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)</u></b>.</li> </ul> <p><i>*Only the COL-E, ADD-E and APM-E measures will be reported.</i></p> <ul style="list-style-type: none"> <li>• <b><u>COVID-19 Immunization Status (CVS)</u></b> Specifications and reporting requirements have been updated.</li> <li>• <b><u>Hemoglobin A1c (HbA1c) Control for Patients With Diabetes (HBD)</u></b> has been replaced by <b><u>Glycemic Status Assessment for Patients With Diabetes (GSD)</u></b></li> </ul>

NYS MY2024 Patient-Level Detail File Change Log MEDICAID			
Version	Date	Data Element	Change Summary
Clarification #1	5/9/2024	Multiple	<p><b><u>Source of Race Data</u></b></p> <ul style="list-style-type: none"> <li>Valid values have been updated to align with NCQA/HEDIS specifications               <ul style="list-style-type: none"> <li>28=Unknown</li> <li>30=Other (indirect)</li> </ul> </li> </ul> <p><b><u>Source of Ethnicity Data</u></b></p> <ul style="list-style-type: none"> <li>Valid values have been updated to align with NCQA/HEDIS specifications               <ul style="list-style-type: none"> <li>28=Unknown</li> <li>30=Other (indirect)</li> </ul> </li> </ul> <p><b><u>Asian American Subgroups</u></b></p> <ul style="list-style-type: none"> <li>Updated values               <ul style="list-style-type: none"> <li>19=Two or more subgroups</li> <li>20=Unknown</li> <li>21=Declined</li> <li>00=Not Asian</li> </ul> </li> </ul> <p><b><u>Social Needs Screeing &amp; Intervention (SNS-E)</u></b></p> <p>Updated label/definition for Numerator 5</p>