

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York State, Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	11,717.2	356.9	354.0-359.9	5,584.6	397.0	392.2-401.9	6,132.6	336.0	332.2-339.8	3,084.2	100.6	99.0-102.2	1,541.8	122.9	120.1-125.8	1,542.4	86.3	84.4-88.3
Oral cavity and pharynx	268.6	8.1	7.6-8.5	183.4	12.6	11.8-13.5	85.2	4.6	4.2-5.1	56.4	1.8	1.6-2.0	41.0	3.1	2.7-3.6	15.4	0.9	0.7-1.1
Esophagus	84.4	2.7	2.4-3.0	66.8	5.1	4.5-5.7	17.6	1.0	0.8-1.2	53.2	1.7	1.5-2.0	41.6	3.2	2.8-3.7	11.6	0.7	0.5-0.9
Stomach	339.0	10.7	10.2-11.2	184.6	13.5	12.6-14.4	154.4	8.7	8.1-9.4	132.8	4.3	3.9-4.6	77.4	6.0	5.3-6.6	55.4	3.1	2.8-3.5
Colorectal	1,002.8	31.0	30.2-31.9	528.2	37.4	35.9-38.9	474.6	26.4	25.3-27.5	284.6	9.3	8.8-9.8	151.0	11.8	10.9-12.7	133.6	7.5	6.9-8.1
Colon excluding rectum	688.4	21.6	20.9-22.4	345.0	25.0	23.7-26.2	343.4	19.2	18.3-20.2	226.0	7.4	7.0-7.9	115.2	9.1	8.3-9.9	110.8	6.2	5.7-6.8
Rectum & rectosigmoid	314.4	9.4	8.9-9.9	183.2	12.5	11.6-13.3	131.2	7.1	6.6-7.7	58.6	1.9	1.7-2.1	35.8	2.7	2.3-3.1	22.8	1.3	1.1-1.5
Liver / intrahepatic bile duct	404.2	12.4	11.8-12.9	273.4	19.1	18.1-20.2	130.8	7.2	6.7-7.8	239.4	7.6	7.2-8.0	155.8	11.5	10.7-12.4	83.6	4.7	4.2-5.2
Pancreas	374.0	11.9	11.4-12.5	181.0	13.4	12.5-14.3	193.0	10.8	10.1-11.5	246.8	8.1	7.6-8.6	121.8	9.5	8.7-10.3	125.0	7.0	6.5-7.6
Larynx	85.6	2.6	2.4-2.9	66.2	4.7	4.2-5.3	19.4	1.0	0.8-1.3	24.8	0.8	0.7-0.9	21.2	1.6	1.3-2.0	3.6	0.2	0.1-0.3
Lung and bronchus	953.4	30.9	30.0-31.8	490.6	38.9	37.3-40.5	462.8	25.7	24.6-26.7	460.4	15.2	14.6-15.9	257.8	21.0	19.8-22.2	202.6	11.3	10.6-12.0
Melanoma of the skin	92.4	2.9	2.6-3.2	51.0	3.7	3.3-4.3	41.4	2.3	2.0-2.7	13.2	0.4	0.3-0.5	7.6	0.6	0.4-0.8	5.6	0.3	0.2-0.5
Female breast							1,799.0	98.1	96.0-100.1							234.0	13.0	12.2-13.7
Cervix uteri							158.6	8.7	8.1-9.3							37.0	2.0	1.8-2.4
Corpus uteri and NOS							441.4	23.7	22.7-24.7							83.2	4.6	4.1-5.0
Ovary							165.2	9.0	8.3-9.6							78.8	4.3	3.9-4.8
Prostate				1,504.4	106.3	103.8-108.8							163.2	15.3	14.3-16.4			
Testis				88.0	4.4	4.0-4.8							4.6	0.2	0.1-0.4			
Urinary bladder (incl. in situ)	324.4	10.7	10.2-11.3	230.4	18.8	17.6-19.9	94.0	5.3	4.8-5.8	62.6	2.2	2.0-2.5	39.6	3.7	3.2-4.3	23.0	1.3	1.1-1.6
Kidney and renal pelvis	412.4	12.3	11.8-12.9	250.2	16.9	16.0-17.9	162.2	8.8	8.2-9.5	55.2	1.8	1.6-2.0	34.2	2.6	2.2-3.1	21.0	1.2	1.0-1.4
Brain and other central nervous system	181.4	5.2	4.9-5.6	104.2	6.5	5.9-7.1	77.2	4.1	3.7-4.6	85.0	2.6	2.4-2.9	48.0	3.3	2.9-3.8	37.0	2.0	1.7-2.4
Thyroid	554.8	15.5	14.9-16.0	111.2	6.7	6.1-7.3	443.6	23.8	22.8-24.8	14.0	0.5	0.4-0.6	4.2	0.3	0.2-0.5	9.8	0.6	0.4-0.8
Hodgkin lymphoma	94.8	2.6	2.4-2.9	53.6	3.2	2.8-3.6	41.2	2.2	1.9-2.5	8.6	0.3	0.2-0.4	4.2	0.3	0.2-0.4	4.4	0.3	0.2-0.4
Non-Hodgkin lymphomas	586.4	18.0	17.3-18.7	305.4	21.5	20.4-22.7	281.0	15.5	14.7-16.3	120.0	4.0	3.7-4.3	67.2	5.5	4.9-6.1	52.8	3.0	2.6-3.4
Myeloma	255.8	8.0	7.6-8.5	135.8	9.9	9.2-10.7	120.0	6.6	6.1-7.2	67.8	2.3	2.0-2.5	34.2	2.8	2.4-3.2	33.6	1.9	1.6-2.2
Leukemias	391.0	11.6	11.1-12.1	225.0	15.1	14.2-16.1	166.0	9.0	8.4-9.6	132.0	4.2	3.9-4.5	71.4	5.2	4.7-5.8	60.6	3.4	3.0-3.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York State, Non-Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	103,151.4	493.4	492.0-494.8	51,806.4	535.7	533.5-537.8	51,345.0	465.7	463.8-467.5	30,550.6	139.3	138.5-140.0	15,273.0	161.1	160.0-162.3	15,277.6	124.2	123.3-125.2
Oral cavity and pharynx	2,504.2	11.9	11.7-12.1	1,705.2	17.4	17.1-17.8	799.0	7.1	6.8-7.3	484.8	2.2	2.1-2.3	333.0	3.4	3.2-3.6	151.8	1.2	1.1-1.3
Esophagus	995.6	4.5	4.4-4.7	750.2	7.6	7.3-7.9	245.4	2.0	1.9-2.1	775.6	3.5	3.4-3.6	603.0	6.1	5.9-6.3	172.6	1.4	1.3-1.5
Stomach	1,670.2	7.9	7.7-8.1	1,006.8	10.6	10.3-10.9	663.4	5.8	5.6-6.0	654.6	3.0	2.9-3.1	391.4	4.1	4.0-4.3	263.2	2.2	2.1-2.3
Colorectal	7,790.0	37.5	37.1-37.9	4,024.6	43.0	42.4-43.7	3,765.4	33.0	32.5-33.5	2,604.0	12.0	11.8-12.2	1,310.0	14.0	13.6-14.3	1,294.0	10.4	10.1-10.6
Colon excluding rectum	5,524.2	26.4	26.1-26.7	2,716.0	29.1	28.6-29.6	2,808.2	24.2	23.8-24.6	2,061.6	9.4	9.2-9.6	1,004.6	10.7	10.4-11.1	1,057.0	8.4	8.2-8.6
Rectum & rectosigmoid	2,265.8	11.1	10.9-11.4	1,308.6	14.0	13.6-14.3	957.2	8.8	8.5-9.0	542.4	2.5	2.4-2.6	305.4	3.2	3.1-3.4	237.0	1.9	1.8-2.1
Liver / intrahepatic bile duct	1,799.8	8.1	8.0-8.3	1,273.8	12.6	12.3-12.9	526.0	4.4	4.2-4.6	1,174.4	5.3	5.2-5.4	785.2	7.9	7.7-8.2	389.2	3.2	3.0-3.3
Pancreas	3,229.2	14.8	14.5-15.0	1,628.4	16.8	16.4-17.2	1,600.8	13.1	12.8-13.4	2,469.8	11.2	11.0-11.4	1,228.6	12.7	12.4-13.0	1,241.2	9.9	9.6-10.1
Larynx	620.2	2.8	2.7-2.9	490.8	4.9	4.7-5.1	129.4	1.1	1.0-1.2	173.6	0.8	0.7-0.8	136.4	1.4	1.3-1.5	37.2	0.3	0.3-0.3
Lung and bronchus	12,993.0	58.9	58.5-59.4	6,233.4	63.8	63.1-64.5	6,759.6	55.6	55.0-56.2	6,987.8	31.5	31.1-31.8	3,555.6	36.8	36.3-37.4	3,432.2	27.5	27.1-28.0
Melanoma of the skin	4,123.6	20.2	20.0-20.5	2,379.0	25.5	25.0-25.9	1,744.6	16.5	16.2-16.9	374.6	1.7	1.7-1.8	235.6	2.6	2.4-2.7	139.0	1.1	1.0-1.2
Female breast							14,889.2	140.7	139.7-141.8							2,252.0	19.1	18.7-19.5
Cervix uteri							650.0	7.1	6.9-7.4							196.2	1.9	1.7-2.0
Corpus uterus and NOS							3,727.4	32.4	31.9-32.8							759.4	6.2	6.0-6.4
Ovary							1,244.4	11.6	11.3-11.9							787.2	6.5	6.3-6.7
Prostate				13,951.2	133.8	132.8-134.8							1,543.2	16.7	16.4-17.1			
Testis				491.2	6.6	6.4-6.9							17.4	0.2	0.2-0.3			
Urinary bladder (incl. in situ)	5,038.0	23.0	22.7-23.3	3,770.6	39.5	39.0-40.1	1,267.4	10.3	10.0-10.5	895.6	3.9	3.8-4.1	632.6	6.9	6.6-7.1	263.0	2.0	1.9-2.1
Kidney and renal pelvis	3,631.8	17.6	17.3-17.8	2,368.0	24.9	24.4-25.3	1,263.8	11.4	11.1-11.7	600.6	2.7	2.6-2.8	386.6	4.0	3.9-4.2	214.0	1.7	1.6-1.8
Brain and other central nervous system	1,237.6	6.7	6.5-6.9	687.6	7.9	7.6-8.2	550.0	5.7	5.4-5.9	815.4	4.0	3.9-4.1	462.0	5.0	4.8-5.2	353.4	3.2	3.0-3.3
Thyroid	3,265.2	19.0	18.7-19.3	910.2	10.7	10.4-11.0	2,355.0	27.0	26.5-27.5	110.8	0.5	0.5-0.6	48.4	0.5	0.5-0.6	62.4	0.5	0.4-0.5
Hodgkin lymphoma	525.4	3.2	3.0-3.3	281.8	3.5	3.3-3.7	243.6	2.9	2.7-3.0	53.6	0.3	0.2-0.3	33.4	0.4	0.3-0.4	20.2	0.2	0.1-0.2
Non-Hodgkin lymphomas	4,419.8	21.4	21.2-21.7	2,376.2	25.6	25.1-26.1	2,043.6	18.1	17.8-18.5	1,051.6	4.8	4.7-4.9	583.2	6.3	6.1-6.5	468.4	3.7	3.5-3.8
Myeloma	1,728.8	8.0	7.9-8.2	942.8	9.8	9.5-10.1	786.0	6.7	6.4-6.9	604.6	2.7	2.6-2.8	318.6	3.4	3.2-3.5	286.0	2.2	2.1-2.4
Leukemias	3,306.8	16.2	15.9-16.5	1,925.4	20.9	20.5-21.4	1,381.4	12.4	12.1-12.7	1,211.4	5.6	5.5-5.8	688.4	7.5	7.3-7.8	523.0	4.2	4.1-4.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York State, Non-Hispanic White Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	80,596.0	512.6	511.0-514.3	40,847.8	550.2	547.7-552.6	39,748.2	489.0	486.7-491.3	23,973.8	141.4	140.6-142.2	12,092.6	162.7	161.4-164.0	11,881.2	126.5	125.4-127.5
Oral cavity and pharynx	2,010.4	12.6	12.4-12.9	1,391.4	18.5	18.1-19.0	619.0	7.3	7.1-7.6	375.0	2.2	2.1-2.3	257.0	3.4	3.2-3.5	118.0	1.2	1.1-1.4
Esophagus	826.4	4.9	4.8-5.1	636.0	8.3	8.0-8.6	190.4	2.0	1.9-2.2	661.4	3.9	3.8-4.0	523.4	6.8	6.6-7.1	138.0	1.5	1.3-1.6
Stomach	1,056.6	6.6	6.4-6.8	655.8	8.9	8.6-9.3	400.8	4.7	4.5-4.9	395.0	2.4	2.3-2.5	239.6	3.2	3.1-3.4	155.4	1.7	1.5-1.8
Colorectal	5,871.2	37.6	37.1-38.0	3,052.6	42.8	42.1-43.5	2,818.6	33.0	32.5-33.6	1,968.0	11.7	11.5-12.0	995.0	13.7	13.3-14.1	973.0	10.1	9.8-10.4
Colon excluding rectum	4,187.2	26.4	26.1-26.8	2,075.6	29.0	28.5-29.6	2,111.6	24.2	23.7-24.7	1,543.4	9.1	8.9-9.3	756.6	10.4	10.0-10.7	786.8	8.1	7.8-8.4
Rectum & rectosigmoid	1,684.0	11.1	10.9-11.4	977.0	13.8	13.4-14.2	707.0	8.8	8.5-9.2	424.6	2.6	2.5-2.7	238.4	3.3	3.1-3.5	186.2	2.0	1.9-2.2
Liver / intrahepatic bile duct	1,177.2	7.0	6.8-7.1	836.2	10.7	10.3-11.0	341.0	3.8	3.6-4.0	783.4	4.6	4.4-4.7	521.8	6.7	6.5-7.0	261.6	2.8	2.6-3.0
Pancreas	2,521.6	15.0	14.8-15.3	1,299.0	17.3	16.8-17.7	1,222.6	13.1	12.8-13.5	1,949.2	11.4	11.2-11.6	987.2	13.1	12.7-13.5	962.0	10.0	9.7-10.3
Larynx	489.6	3.0	2.9-3.1	388.8	5.1	4.8-5.3	100.8	1.2	1.1-1.3	134.8	0.8	0.7-0.8	106.4	1.4	1.3-1.5	28.4	0.3	0.2-0.4
Lung and bronchus	10,598.8	62.8	62.2-63.3	4,991.0	65.5	64.7-66.4	5,607.8	61.2	60.5-61.9	5,740.0	33.6	33.2-34.0	2,865.0	37.9	37.3-38.5	2,875.0	30.4	29.9-30.9
Melanoma of the skin	3,972.6	26.4	26.0-26.8	2,305.8	32.2	31.6-32.8	1,666.8	22.2	21.7-22.7	360.4	2.2	2.1-2.3	227.6	3.2	3.0-3.4	132.8	1.4	1.3-1.6
Female breast							11,297.0	146.1	144.8-147.4							1,665.4	18.4	18.0-18.9
Cervix uteri							392.4	6.3	6.1-6.7							120.0	1.6	1.5-1.7
Corpus uterus and NOS							2,753.8	32.7	32.1-33.3							496.6	5.3	5.1-5.5
Ovary							942.0	11.9	11.6-12.3							620.4	6.8	6.6-7.1
Prostate				10,196.0	126.4	125.3-127.6							1,119.6	15.2	14.8-15.6			
Testis				433.0	8.6	8.2-9.0							14.8	0.2	0.2-0.3			
Urinary bladder (incl. in situ)	4,463.0	26.5	26.1-26.8	3,359.2	44.9	44.3-45.6	1,103.8	11.9	11.5-12.2	783.4	4.4	4.2-4.5	559.4	7.6	7.3-7.9	224.0	2.2	2.0-2.3
Kidney and renal pelvis	2,865.8	18.6	18.3-18.9	1,887.2	26.1	25.5-26.6	978.6	12.1	11.7-12.4	495.4	2.9	2.8-3.0	319.2	4.3	4.0-4.5	176.2	1.8	1.7-2.0
Brain and other central nervous system	1,010.6	7.5	7.3-7.7	564.2	8.7	8.4-9.1	446.4	6.4	6.1-6.7	691.0	4.5	4.4-4.7	394.6	5.6	5.3-5.8	296.4	3.6	3.4-3.8
Thyroid	2,414.6	20.0	19.6-20.4	716.0	11.5	11.1-11.9	1,698.6	28.4	27.8-29.1	85.0	0.5	0.5-0.6	37.6	0.5	0.4-0.6	47.4	0.5	0.4-0.6
Hodgkin lymphoma	401.6	3.5	3.3-3.7	218.4	3.8	3.6-4.1	183.2	3.2	3.0-3.4	44.0	0.3	0.2-0.3	28.0	0.4	0.3-0.5	16.0	0.2	0.1-0.2
Non-Hodgkin lymphomas	3,607.6	23.1	22.7-23.4	1,944.0	27.2	26.6-27.8	1,663.6	19.7	19.3-20.2	868.0	5.0	4.9-5.2	477.4	6.5	6.3-6.8	390.6	3.9	3.8-4.1
Myeloma	1,159.0	7.0	6.9-7.2	663.4	8.9	8.6-9.2	495.6	5.6	5.3-5.8	432.0	2.5	2.4-2.6	233.8	3.1	2.9-3.3	198.2	2.0	1.8-2.1
Leukemias	2,755.2	17.8	17.5-18.1	1,635.4	23.1	22.6-23.6	1,119.8	13.4	13.0-13.8	994.4	5.9	5.7-6.1	570.0	7.9	7.6-8.2	424.4	4.4	4.2-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York State, Non-Hispanic Black Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	14,797.6	452.0	448.7-455.3	7,267.4	531.9	526.3-537.6	7,530.2	403.3	399.1-407.5	4,660.4	145.0	143.1-146.9	2,152.8	173.0	169.6-176.4	2,507.6	129.7	127.4-132.1
Oral cavity and pharynx	259.0	7.9	7.4-8.3	162.2	11.8	10.9-12.6	96.8	5.2	4.7-5.6	63.6	1.9	1.7-2.2	43.4	3.3	2.9-3.8	20.2	1.0	0.8-1.3
Esophagus	109.6	3.4	3.1-3.7	68.2	5.2	4.7-5.9	41.4	2.2	1.9-2.5	75.8	2.3	2.1-2.5	49.6	3.9	3.4-4.4	26.2	1.3	1.1-1.6
Stomach	338.0	10.7	10.2-11.2	178.0	14.1	13.2-15.1	160.0	8.5	7.9-9.2	148.6	4.7	4.4-5.1	85.8	7.0	6.3-7.7	62.8	3.3	2.9-3.7
Colorectal	1,248.2	38.8	37.8-39.8	607.8	46.4	44.7-48.1	640.4	33.9	32.7-35.1	465.4	14.6	14.0-15.2	221.8	17.7	16.6-18.8	243.6	12.6	11.9-13.3
Colon excluding rectum	917.2	28.5	27.7-29.4	422.2	32.5	31.1-34.0	495.0	26.1	25.1-27.2	383.6	12.0	11.5-12.6	177.4	14.2	13.3-15.2	206.2	10.6	10.0-11.3
Rectum & rectosigmoid	331.0	10.2	9.8-10.8	185.6	13.9	13.0-14.8	145.4	7.8	7.2-8.4	81.8	2.6	2.3-2.8	44.4	3.5	3.0-4.0	37.4	1.9	1.7-2.3
Liver / intrahepatic bile duct	345.4	10.0	9.5-10.5	240.2	16.7	15.7-17.7	105.2	5.2	4.8-5.7	230.8	6.9	6.5-7.3	154.2	11.2	10.4-12.1	76.6	3.9	3.5-4.3
Pancreas	497.2	15.3	14.7-16.0	222.2	16.9	15.9-17.9	275.0	14.2	13.4-15.0	375.0	11.6	11.1-12.1	169.6	13.0	12.1-13.9	205.4	10.5	9.9-11.2
Larynx	94.4	2.8	2.5-3.0	71.6	5.3	4.7-5.9	22.8	1.1	0.9-1.4	33.0	1.0	0.8-1.1	24.8	1.9	1.6-2.3	8.2	0.4	0.3-0.5
Lung and bronchus	1,511.8	45.8	44.8-46.9	749.8	56.8	54.9-58.7	762.0	38.8	37.5-40.1	838.4	25.6	24.8-26.4	443.8	34.7	33.2-36.2	394.6	19.9	19.1-20.9
Melanoma of the skin	30.4	1.0	0.8-1.1	11.4	0.9	0.7-1.2	19.0	1.0	0.8-1.3	5.6	0.2	0.1-0.3	2.6	0.2	0.1-0.3	3.0	0.2	0.1-0.3
Female breast							2,331.6	127.9	125.5-130.3							461.0	24.4	23.4-25.5
Cervix uteri							166.2	9.5	8.8-10.2							56.4	3.1	2.7-3.5
Corpus uterus and NOS							694.6	35.0	33.9-36.2							220.0	11.1	10.4-11.8
Ovary							176.4	9.5	8.9-10.2							116.6	6.0	5.5-6.5
Prostate				2,943.6	204.9	201.5-208.4							354.2	32.0	30.4-33.5			
Testis				27.0	1.9	1.6-2.3							1.2	0.1	0.0-0.2			
Urinary bladder (incl. in situ)	351.2	11.0	10.4-11.5	237.2	19.1	18.0-20.3	114.0	5.9	5.4-6.4	81.2	2.6	2.4-2.9	49.2	4.4	3.8-5.0	32.0	1.6	1.4-1.9
Kidney and renal pelvis	535.8	16.3	15.6-16.9	330.4	23.8	22.6-25.0	205.4	10.9	10.2-11.6	73.6	2.3	2.1-2.5	46.2	3.6	3.1-4.1	27.4	1.4	1.2-1.7
Brain and other central nervous system	132.8	4.3	4.0-4.7	70.8	5.2	4.7-5.8	62.0	3.6	3.2-4.0	73.6	2.3	2.1-2.6	38.8	2.8	2.4-3.3	34.8	1.9	1.6-2.2
Thyroid	303.6	9.8	9.3-10.3	56.0	4.1	3.6-4.7	247.6	14.5	13.7-15.4	17.2	0.6	0.4-0.7	5.4	0.4	0.3-0.6	11.8	0.6	0.5-0.8
Hodgkin lymphoma	86.0	2.8	2.6-3.1	42.4	3.1	2.7-3.5	43.6	2.6	2.3-3.0	7.2	0.2	0.2-0.3	4.2	0.3	0.2-0.5	3.0	0.2	0.1-0.3
Non-Hodgkin lymphomas	500.0	15.8	15.2-16.5	258.6	19.4	18.4-20.6	241.4	13.3	12.6-14.1	121.2	3.8	3.5-4.2	65.8	5.1	4.6-5.7	55.4	3.0	2.6-3.3
Myeloma	468.4	14.5	13.9-15.1	219.8	16.8	15.8-17.9	248.6	13.0	12.2-13.7	143.6	4.5	4.2-4.9	68.4	5.6	5.0-6.3	75.2	3.9	3.5-4.3
Leukemias	333.8	10.7	10.2-11.2	168.0	12.9	12.0-13.9	165.8	9.2	8.6-9.9	146.2	4.6	4.3-5.0	74.2	5.9	5.3-6.6	72.0	3.8	3.4-4.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York City, Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8,188.4	349.2	345.8-352.7	3,897.0	392.7	387.0-398.4	4,291.4	325.9	321.5-330.3	2,307.2	102.6	100.7-104.5	1,154.0	127.8	124.4-131.2	1,153.2	86.8	84.5-89.1
Oral cavity and pharynx	186.8	7.8	7.3-8.4	127.4	12.5	11.5-13.5	59.4	4.4	3.9-5.0	42.2	1.8	1.6-2.1	30.6	3.2	2.7-3.7	11.6	0.9	0.7-1.1
Esophagus	60.2	2.6	2.3-2.9	46.2	4.8	4.2-5.5	14.0	1.0	0.8-1.3	41.8	1.8	1.6-2.1	32.2	3.4	2.9-4.0	9.6	0.7	0.5-1.0
Stomach	235.4	10.3	9.8-11.0	129.0	13.5	12.4-14.6	106.4	8.2	7.5-9.0	96.2	4.3	3.9-4.7	57.8	6.2	5.5-7.0	38.4	3.0	2.6-3.4
Colorectal	709.4	30.7	29.7-31.8	377.6	38.4	36.6-40.2	331.8	25.3	24.1-26.6	218.2	9.8	9.2-10.4	116.2	12.7	11.7-13.8	102.0	7.7	7.0-8.4
Colon excluding rectum	489.2	21.4	20.5-22.2	249.2	25.6	24.2-27.1	240.0	18.4	17.4-19.5	175.2	7.9	7.3-8.4	90.2	9.9	9.0-10.9	85.0	6.4	5.8-7.1
Rectum & rectosigmoid	220.2	9.4	8.8-9.9	128.4	12.8	11.8-13.8	91.8	6.9	6.3-7.6	43.0	1.9	1.7-2.2	26.0	2.8	2.3-3.3	17.0	1.3	1.0-1.6
Liver / intrahepatic bile duct	299.2	12.5	11.9-13.2	203.2	19.8	18.6-21.1	96.0	7.1	6.5-7.8	175.0	7.5	7.0-8.0	113.6	11.6	10.6-12.6	61.4	4.5	4.0-5.1
Pancreas	263.8	11.5	10.9-12.2	126.6	13.2	12.1-14.3	137.2	10.3	9.6-11.1	184.4	8.2	7.7-8.8	90.6	9.9	9.0-10.9	93.8	7.0	6.4-7.7
Larynx	62.2	2.6	2.3-2.9	46.4	4.7	4.1-5.3	15.8	1.2	0.9-1.5	19.8	0.8	0.7-1.0	17.6	1.9	1.5-2.3	2.2	0.1	0.1-0.3
Lung and bronchus	675.0	29.6	28.6-30.6	349.2	38.0	36.2-39.9	325.8	24.2	23.0-25.4	348.0	15.5	14.8-16.3	191.4	21.4	20.0-22.8	156.6	11.6	10.8-12.5
Melanoma of the skin	53.6	2.3	2.1-2.6	27.6	2.9	2.4-3.4	26.0	2.0	1.7-2.4	8.0	0.4	0.3-0.5	4.8	0.5	0.3-0.8	3.2	0.2	0.1-0.4
Female breast							1,253.0	95.4	93.0-97.8							173.2	13.1	12.2-14.0
Cervix uteri							113.4	8.9	8.2-9.7							28.2	2.2	1.8-2.6
Corpus uteri and NOS							324.0	24.1	22.9-25.3							64.6	4.8	4.3-5.3
Ovary							115.6	8.8	8.1-9.6							59.4	4.4	3.9-5.0
Prostate				1,079.6	106.8	103.9-109.8							128.4	16.2	15.0-17.6			
Testis				56.6	4.4	3.9-4.9							2.8	0.2	0.1-0.4			
Urinary bladder (incl. in situ)	223.0	9.9	9.4-10.6	153.4	17.3	16.1-18.6	69.6	5.2	4.7-5.8	46.6	2.2	1.9-2.5	28.2	3.6	3.0-4.2	18.4	1.4	1.1-1.7
Kidney and renal pelvis	284.4	12.0	11.4-12.7	168.6	16.5	15.3-17.6	115.8	8.7	8.0-9.5	40.4	1.8	1.6-2.1	25.0	2.7	2.3-3.3	15.4	1.2	0.9-1.4
Brain and other central nervous system	117.0	4.9	4.6-5.4	65.8	6.2	5.5-6.9	51.2	3.9	3.5-4.4	58.8	2.6	2.3-2.9	33.2	3.4	2.9-4.0	25.6	2.0	1.6-2.3
Thyroid	356.4	14.8	14.1-15.5	71.0	6.5	5.9-7.3	285.4	22.4	21.2-23.6	10.6	0.5	0.4-0.6	3.0	0.3	0.2-0.6	7.6	0.6	0.4-0.8
Hodgkin lymphoma	63.4	2.6	2.3-2.9	35.2	3.2	2.7-3.7	28.2	2.2	1.8-2.6	6.4	0.3	0.2-0.4	3.2	0.3	0.2-0.5	3.2	0.3	0.1-0.4
Non-Hodgkin lymphomas	403.4	17.4	16.6-18.2	207.0	20.8	19.5-22.1	196.4	14.9	14.0-15.9	91.0	4.1	3.7-4.5	52.2	5.8	5.1-6.5	38.8	2.9	2.5-3.3
Myeloma	186.8	8.1	7.6-8.6	98.6	10.2	9.3-11.2	88.2	6.6	6.0-7.3	51.4	2.3	2.0-2.6	27.2	3.0	2.5-3.6	24.2	1.8	1.5-2.2
Leukemias	259.0	11.0	10.4-11.7	148.2	14.5	13.4-15.6	110.8	8.5	7.8-9.2	94.8	4.2	3.8-4.6	48.8	5.1	4.5-5.8	46.0	3.5	3.1-4.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York City, Non-Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	33,253.2	459.1	456.9-461.4	16,034.0	493.6	490.1-497.1	17,219.2	439.0	436.0-442.1	9,509.4	126.2	125.0-127.3	4,600.6	145.2	143.3-147.1	4,908.8	113.7	112.3-115.2
Oral cavity and pharynx	744.8	10.3	10.0-10.6	480.6	14.8	14.2-15.4	264.2	6.6	6.3-7.0	156.0	2.1	1.9-2.2	105.8	3.3	3.0-3.6	50.2	1.2	1.0-1.3
Esophagus	255.8	3.4	3.2-3.6	179.6	5.4	5.0-5.8	76.2	1.8	1.6-2.0	171.2	2.2	2.1-2.4	125.0	3.8	3.5-4.1	46.2	1.1	0.9-1.2
Stomach	725.4	9.9	9.6-10.2	420.8	13.1	12.6-13.7	304.6	7.4	7.1-7.8	320.4	4.3	4.1-4.5	192.6	6.1	5.7-6.5	127.8	3.0	2.7-3.2
Colorectal	2,714.4	37.4	36.8-38.1	1,394.4	43.7	42.7-44.8	1,320.0	32.4	31.6-33.3	902.0	12.0	11.6-12.3	444.2	14.1	13.5-14.7	457.8	10.4	10.0-10.9
Colon excluding rectum	1,921.0	26.3	25.7-26.8	948.4	29.8	28.9-30.6	972.6	23.5	22.9-24.2	732.6	9.7	9.4-10.0	350.0	11.1	10.6-11.6	382.6	8.7	8.3-9.1
Rectum & rectosigmoid	793.4	11.1	10.8-11.5	446.0	14.0	13.4-14.6	347.4	8.9	8.5-9.3	169.4	2.3	2.1-2.5	94.2	3.0	2.7-3.3	75.2	1.7	1.6-1.9
Liver / intrahepatic bile duct	733.0	9.7	9.4-10.1	515.2	15.4	14.8-16.0	217.8	5.1	4.8-5.4	453.2	6.0	5.7-6.2	300.2	9.1	8.7-9.6	153.0	3.5	3.2-3.7
Pancreas	1,048.2	13.9	13.5-14.3	502.6	15.5	14.9-16.1	545.6	12.6	12.1-13.1	789.6	10.3	10.0-10.7	377.2	11.7	11.2-12.3	412.4	9.3	8.9-9.7
Larynx	181.2	2.4	2.3-2.6	146.0	4.4	4.1-4.8	35.2	0.8	0.7-1.0	52.8	0.7	0.6-0.8	41.2	1.3	1.1-1.5	11.6	0.3	0.2-0.3
Lung and bronchus	3,636.0	48.3	47.6-49.0	1,795.0	55.5	54.3-56.7	1,841.0	43.1	42.2-44.1	1,849.8	24.3	23.8-24.8	972.6	30.4	29.5-31.2	877.2	19.9	19.3-20.5
Melanoma of the skin	857.8	12.0	11.6-12.3	478.6	15.3	14.6-15.9	379.2	9.7	9.2-10.1	76.4	1.0	0.9-1.2	44.6	1.5	1.3-1.7	31.8	0.7	0.6-0.9
Female breast							5,169.4	137.3	135.6-139.1							814.4	19.6	19.0-20.2
Cervix uteri							301.8	8.5	8.1-9.0							82.6	2.2	2.0-2.4
Corpus uterus and NOS							1,330.0	32.7	31.9-33.5							322.0	7.4	7.1-7.8
Ovary							452.4	11.9	11.4-12.4							272.2	6.5	6.1-6.8
Prostate				4,480.8	130.5	128.7-132.2							540.2	17.5	16.8-18.2			
Testis				168.8	5.7	5.3-6.1							4.2	0.1	0.1-0.2			
Urinary bladder (incl. in situ)	1,319.2	17.5	17.1-18.0	978.0	30.8	29.9-31.7	341.2	7.9	7.5-8.3	248.0	3.2	3.0-3.4	170.4	5.5	5.2-5.9	77.6	1.6	1.5-1.8
Kidney and renal pelvis	1,104.2	15.3	14.9-15.8	717.8	22.3	21.5-23.0	386.4	9.7	9.3-10.2	173.0	2.3	2.1-2.5	114.8	3.6	3.3-3.9	58.2	1.3	1.2-1.5
Brain and other central nervous system	408.6	6.2	5.9-6.5	225.4	7.4	7.0-7.9	183.2	5.2	4.8-5.5	231.6	3.3	3.1-3.5	127.2	4.1	3.7-4.4	104.4	2.6	2.4-2.9
Thyroid	1,373.6	21.3	20.7-21.8	356.0	11.6	11.1-12.2	1,017.6	30.0	29.1-30.8	37.2	0.5	0.4-0.6	15.2	0.5	0.4-0.6	22.0	0.5	0.4-0.6
Hodgkin lymphoma	187.6	3.0	2.8-3.2	100.8	3.4	3.1-3.7	86.8	2.6	2.4-2.9	16.2	0.2	0.2-0.3	9.8	0.3	0.2-0.4	6.4	0.2	0.1-0.2
Non-Hodgkin lymphomas	1,441.0	20.2	19.7-20.7	763.2	24.3	23.5-25.1	677.8	17.0	16.4-17.6	314.8	4.2	4.0-4.4	174.4	5.6	5.2-6.0	140.4	3.2	2.9-3.4
Myeloma	659.4	8.9	8.5-9.2	336.6	10.4	9.9-10.9	322.8	7.7	7.3-8.1	210.6	2.7	2.6-2.9	109.4	3.4	3.1-3.7	101.2	2.3	2.1-2.5
Leukemias	984.2	14.0	13.6-14.4	546.8	17.7	17.0-18.4	437.4	11.1	10.7-11.6	364.4	4.9	4.7-5.2	197.0	6.4	6.0-6.8	167.4	3.9	3.7-4.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York City, Non-Hispanic White Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	17,694.0	490.7	487.3-494.0	8,612.4	510.0	505.1-514.9	9,081.6	485.0	480.3-489.8	4,920.8	123.1	121.5-124.7	2,406.8	138.8	136.2-141.3	2,514.0	112.5	110.4-114.6
Oral cavity and pharynx	396.0	10.9	10.4-11.4	263.0	15.6	14.7-16.5	133.0	6.8	6.2-7.3	77.0	2.0	1.8-2.2	51.8	3.0	2.7-3.4	25.2	1.1	0.9-1.4
Esophagus	140.0	3.6	3.4-3.9	101.2	5.8	5.3-6.4	38.8	1.8	1.5-2.0	95.8	2.5	2.2-2.7	73.2	4.2	3.8-4.7	22.6	1.0	0.8-1.2
Stomach	271.6	7.4	7.0-7.8	154.2	9.2	8.6-9.9	117.4	5.9	5.4-6.4	123.0	3.2	2.9-3.4	75.0	4.4	4.0-4.9	48.0	2.2	1.9-2.5
Colorectal	1,374.4	37.7	36.8-38.6	719.2	43.4	41.9-44.8	655.2	32.8	31.6-34.0	455.4	11.3	10.9-11.8	230.2	13.3	12.6-14.2	225.2	9.7	9.2-10.4
Colon excluding rectum	986.0	26.5	25.7-27.3	503.4	30.1	28.9-31.3	482.6	23.4	22.4-24.4	367.8	9.0	8.6-9.5	183.2	10.5	9.8-11.2	184.6	7.9	7.4-8.5
Rectum & rectosigmoid	388.4	11.2	10.7-11.7	215.8	13.2	12.4-14.1	172.6	9.4	8.7-10.1	87.6	2.3	2.1-2.6	47.0	2.9	2.5-3.3	40.6	1.8	1.6-2.1
Liver / intrahepatic bile duct	287.2	7.5	7.1-7.9	202.6	11.6	10.9-12.4	84.6	4.0	3.6-4.4	179.8	4.6	4.3-4.9	115.6	6.6	6.1-7.2	64.2	2.8	2.5-3.2
Pancreas	565.2	14.4	13.9-15.0	280.4	16.3	15.4-17.2	284.8	12.8	12.1-13.5	434.2	10.7	10.3-11.2	215.8	12.4	11.7-13.2	218.4	9.3	8.7-9.9
Larynx	93.8	2.5	2.3-2.8	77.0	4.5	4.1-5.0	16.8	0.9	0.7-1.1	27.0	0.7	0.6-0.8	22.0	1.3	1.0-1.5	5.0	0.2	0.1-0.3
Lung and bronchus	1,988.2	51.2	50.1-52.2	937.8	54.3	52.7-55.9	1,050.4	49.0	47.6-50.4	1,007.4	25.0	24.3-25.7	506.4	29.1	27.9-30.2	501.0	21.9	21.0-22.8
Melanoma of the skin	789.6	22.2	21.5-23.0	446.8	27.0	25.9-28.2	342.8	18.7	17.8-19.7	66.0	1.7	1.5-1.9	38.8	2.3	2.0-2.7	27.2	1.3	1.1-1.5
Female breast							2,666.8	152.5	149.8-155.3							398.2	18.6	17.8-19.5
Cervix uteri							105.4	6.8	6.2-7.4							24.6	1.4	1.2-1.7
Corpus uterus and NOS							619.0	32.9	31.7-34.1							121.2	5.6	5.1-6.0
Ovary							228.2	12.6	11.8-13.4							147.2	7.0	6.5-7.6
Prostate				2,012.0	113.4	111.2-115.7							236.8	13.2	12.5-14.0			
Testis				128.8	9.1	8.4-9.8							2.0	0.1	0.1-0.3			
Urinary bladder (incl. in situ)	938.2	24.0	23.3-24.7	704.0	40.7	39.4-42.1	234.2	10.9	10.2-11.5	167.4	3.8	3.6-4.1	117.6	6.5	6.0-7.1	49.8	1.9	1.7-2.2
Kidney and renal pelvis	601.6	17.2	16.6-17.8	407.2	24.8	23.7-25.9	194.4	10.5	9.8-11.2	98.2	2.5	2.2-2.7	65.6	3.8	3.4-4.2	32.6	1.4	1.2-1.7
Brain and other central nervous system	247.8	7.9	7.4-8.4	137.6	9.1	8.4-9.8	110.2	6.9	6.3-7.5	147.2	4.2	3.9-4.5	80.4	4.9	4.4-5.5	66.8	3.5	3.1-4.0
Thyroid	741.2	24.7	23.9-25.5	209.8	13.9	13.1-14.8	531.4	35.5	34.0-36.9	20.2	0.5	0.4-0.6	8.2	0.5	0.4-0.7	12.0	0.5	0.4-0.6
Hodgkin lymphoma	104.6	3.6	3.3-4.0	58.2	4.1	3.7-4.7	46.4	3.1	2.7-3.6	9.6	0.2	0.2-0.3	6.6	0.4	0.2-0.5	3.0	0.2	0.1-0.3
Non-Hodgkin lymphomas	879.0	24.4	23.6-25.1	469.8	28.6	27.5-29.9	409.2	20.8	19.9-21.8	190.2	4.7	4.4-5.0	104.0	6.1	5.5-6.6	86.2	3.6	3.2-4.0
Myeloma	269.8	7.0	6.6-7.4	152.6	8.8	8.2-9.5	117.2	5.5	5.1-6.0	94.0	2.3	2.1-2.5	52.8	3.0	2.6-3.4	41.2	1.8	1.5-2.0
Leukemias	611.2	17.0	16.4-17.6	351.4	21.5	20.4-22.5	259.8	13.3	12.5-14.1	217.4	5.4	5.1-5.8	117.4	6.8	6.3-7.4	100.0	4.4	4.0-4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York City, Non-Hispanic Black Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	9,831.6	439.4	435.4-443.4	4,699.2	515.4	508.6-522.3	5,132.4	394.9	390.0-399.9	3,134.8	141.0	138.7-143.2	1,399.2	167.1	163.0-171.2	1,735.6	127.4	124.6-130.1
Oral cavity and pharynx	172.2	7.7	7.2-8.3	104.6	11.6	10.6-12.7	67.6	5.2	4.6-5.8	42.8	1.9	1.7-2.2	27.6	3.2	2.7-3.8	15.2	1.1	0.9-1.4
Esophagus	71.4	3.1	2.8-3.5	44.0	4.9	4.2-5.6	27.4	2.0	1.7-2.4	46.4	2.0	1.7-2.3	28.8	3.3	2.7-3.9	17.6	1.2	1.0-1.5
Stomach	227.0	10.4	9.8-11.1	120.8	14.4	13.2-15.6	106.2	8.1	7.4-8.8	105.0	4.8	4.4-5.3	61.2	7.4	6.6-8.4	43.8	3.3	2.8-3.7
Colorectal	836.2	37.9	36.8-39.1	395.6	45.2	43.2-47.4	440.6	33.3	31.9-34.7	321.8	14.6	13.9-15.4	146.0	17.5	16.2-18.9	175.8	12.8	12.0-13.8
Colon excluding rectum	619.2	28.0	27.0-29.0	276.4	31.7	30.0-33.5	342.8	25.7	24.5-27.0	264.6	12.0	11.3-12.7	115.2	13.8	12.7-15.1	149.4	10.9	10.1-11.7
Rectum & rectosigmoid	217.0	9.9	9.3-10.5	119.2	13.5	12.4-14.7	97.8	7.6	6.9-8.3	57.2	2.6	2.3-3.0	30.8	3.7	3.1-4.3	26.4	2.0	1.6-2.3
Liver / intrahepatic bile duct	225.8	9.6	9.0-10.2	154.2	16.4	15.2-17.6	71.6	5.1	4.5-5.6	151.2	6.6	6.1-7.0	99.8	11.0	10.1-12.1	51.4	3.7	3.2-4.1
Pancreas	326.8	14.5	13.8-15.2	142.0	16.0	14.8-17.2	184.8	13.5	12.6-14.4	247.0	11.0	10.3-11.6	108.2	12.2	11.2-13.3	138.8	10.0	9.3-10.8
Larynx	60.6	2.6	2.3-2.9	45.2	5.0	4.4-5.8	15.4	1.1	0.9-1.4	22.4	1.0	0.8-1.2	16.2	1.9	1.5-2.4	6.2	0.4	0.3-0.6
Lung and bronchus	941.8	41.4	40.2-42.6	455.0	51.1	49.0-53.4	486.8	35.2	33.8-36.7	523.2	23.1	22.2-24.0	268.0	30.8	29.2-32.6	255.2	18.3	17.3-19.4
Melanoma of the skin	20.0	0.9	0.8-1.1	7.2	0.8	0.6-1.1	12.8	1.0	0.8-1.3	3.6	0.2	0.1-0.3	1.6	0.2	0.1-0.3	2.0	0.1	0.1-0.3
Female breast							1,584.2	125.7	122.8-128.5							323.6	24.4	23.2-25.7
Cervix uteri							123.2	10.3	9.4-11.1							42.4	3.3	2.9-3.8
Corpus uterus and NOS							507.0	36.4	35.0-37.9							167.8	11.9	11.1-12.8
Ovary							129.8	10.1	9.3-11.0							88.6	6.4	5.8-7.1
Prostate				1,920.6	199.3	195.2-203.5							251.0	33.2	31.3-35.1			
Testis				17.6	2.0	1.6-2.5							1.2	0.2	0.1-0.4			
Urinary bladder (incl. in situ)	223.4	10.1	9.5-10.7	150.8	18.2	16.9-19.6	72.6	5.3	4.8-5.9	56.0	2.6	2.3-2.9	33.8	4.4	3.7-5.1	22.2	1.6	1.3-1.9
Kidney and renal pelvis	334.2	14.8	14.1-15.6	201.8	21.9	20.6-23.4	132.4	9.9	9.1-10.7	49.8	2.2	2.0-2.5	31.4	3.6	3.1-4.3	18.4	1.3	1.1-1.6
Brain and other central nervous system	90.4	4.4	4.0-4.9	48.8	5.5	4.9-6.3	41.6	3.6	3.1-4.1	47.8	2.3	2.0-2.6	26.2	3.0	2.5-3.5	21.6	1.7	1.4-2.1
Thyroid	198.2	9.6	8.9-10.2	34.2	3.8	3.3-4.5	164.0	14.0	13.0-15.0	11.2	0.5	0.4-0.7	2.8	0.3	0.2-0.6	8.4	0.6	0.4-0.8
Hodgkin lymphoma	56.4	2.9	2.5-3.2	27.8	3.1	2.6-3.7	28.6	2.7	2.2-3.1	5.0	0.3	0.2-0.4	2.4	0.3	0.1-0.5	2.6	0.2	0.1-0.4
Non-Hodgkin lymphomas	338.2	15.9	15.1-16.7	169.8	19.4	18.1-20.8	168.4	13.5	12.6-14.5	81.0	3.7	3.4-4.1	42.2	4.9	4.3-5.6	38.8	2.9	2.5-3.4
Myeloma	317.0	14.2	13.5-15.0	142.4	16.2	15.0-17.5	174.6	13.0	12.1-13.9	95.0	4.3	3.9-4.7	43.4	5.1	4.5-5.9	51.6	3.7	3.3-4.2
Leukemias	220.0	10.5	9.8-11.1	108.2	12.7	11.6-13.8	111.8	9.1	8.3-9.9	95.2	4.4	4.0-4.8	47.8	5.7	5.0-6.5	47.4	3.6	3.2-4.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York State Excl New York City, Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	3,522.4	382.3	376.3-388.4	1,684.6	413.5	403.8-423.3	1,837.8	366.8	359.0-374.6	777.0	96.0	92.9-99.3	387.8	111.7	106.4-117.2	389.2	85.6	81.7-89.6
Oral cavity and pharynx	81.6	8.8	8.0-9.8	55.8	13.1	11.5-14.9	25.8	5.2	4.3-6.3	14.2	1.8	1.4-2.3	10.4	3.1	2.3-4.1	3.8	0.8	0.5-1.3
Esophagus	24.0	3.1	2.5-3.7	20.4	5.9	4.7-7.2	3.6	0.9	0.5-1.4	11.4	1.4	1.1-1.9	9.4	2.7	1.9-3.6	2.0	0.5	0.2-0.9
Stomach	103.4	11.7	10.7-12.8	55.4	13.6	11.9-15.4	48.0	10.3	9.0-11.7	36.6	4.3	3.7-5.0	19.6	5.3	4.2-6.6	17.0	3.7	2.9-4.5
Colorectal	292.8	32.1	30.4-33.9	150.6	35.2	32.5-38.1	142.2	29.5	27.3-31.8	66.4	8.1	7.2-9.0	34.8	9.6	8.1-11.3	31.6	7.0	5.9-8.2
Colon excluding rectum	198.6	22.6	21.1-24.2	95.8	23.7	21.4-26.1	102.8	21.9	19.9-23.9	50.8	6.3	5.5-7.2	25.0	7.2	5.9-8.7	25.8	5.7	4.8-6.9
Rectum & rectosigmoid	94.2	9.5	8.6-10.4	54.8	11.6	10.1-13.2	39.4	7.6	6.6-8.8	15.6	1.7	1.4-2.2	9.8	2.4	1.7-3.2	5.8	1.2	0.8-1.7
Liver / intrahepatic bile duct	104.8	12.3	11.2-13.4	70.0	17.8	15.8-19.9	34.8	7.8	6.6-9.0	64.4	8.0	7.1-8.9	42.2	11.5	9.9-13.3	22.2	5.2	4.2-6.2
Pancreas	110.2	13.2	12.1-14.4	54.4	14.1	12.3-16.0	55.8	12.4	11.0-14.0	62.4	7.8	6.9-8.7	31.2	8.5	7.1-10.0	31.2	7.1	6.0-8.4
Larynx	23.4	2.6	2.1-3.2	19.8	4.9	3.9-6.1	3.6	0.7	0.4-1.2	5.0	0.7	0.4-1.0	3.6	1.2	0.7-1.8	1.4	0.3	0.1-0.7
Lung and bronchus	278.0	35.3	33.4-37.3	141.2	42.0	38.8-45.5	136.8	30.7	28.3-33.1	112.4	14.6	13.3-15.9	66.4	20.2	17.9-22.6	46.0	10.4	9.1-11.9
Melanoma of the skin	38.6	4.4	3.8-5.1	23.4	6.1	5.0-7.5	15.2	3.2	2.5-4.1	5.2	0.5	0.3-0.8	2.8	0.6	0.3-1.0	2.4	0.5	0.2-0.9
Female breast							545.2	105.6	101.5-109.7							60.8	12.5	11.1-14.1
Cervix uteri							45.0	8.1	7.0-9.2							8.8	1.6	1.2-2.2
Corpus uteri and NOS							117.4	23.1	21.2-25.1							18.6	4.1	3.3-5.0
Ovary							49.6	9.3	8.1-10.6							19.4	4.1	3.3-5.0
Prostate				423.4	105.7	100.9-110.6							34.8	12.7	10.8-14.8			
Testis				31.4	4.3	3.7-5.1							1.8	0.3	0.1-0.5			
Urinary bladder (incl. in situ)	101.4	13.2	12.0-14.5	77.0	23.1	20.7-25.7	24.4	5.7	4.7-6.8	16.0	2.4	1.9-3.0	11.4	4.2	3.1-5.4	4.6	1.2	0.7-1.7
Kidney and renal pelvis	128.0	13.3	12.2-14.4	81.6	18.1	16.2-20.1	46.4	9.2	8.0-10.5	14.8	1.8	1.4-2.3	9.2	2.3	1.6-3.2	5.6	1.4	0.9-2.0
Brain and other central nervous system	64.0	5.7	5.1-6.4	38.2	7.1	6.0-8.3	25.8	4.5	3.7-5.3	26.2	2.6	2.2-3.2	14.8	3.1	2.4-4.0	11.4	2.2	1.7-2.9
Thyroid	198.0	16.8	15.7-17.9	40.2	6.9	6.0-8.0	157.8	26.9	25.0-28.9	3.4	0.4	0.2-0.7	1.2	0.3	0.1-0.7	2.2	0.5	0.3-0.9
Hodgkin lymphoma	31.2	2.8	2.3-3.3	18.4	3.3	2.6-4.1	12.8	2.3	1.7-2.9	2.2	0.3	0.1-0.5	1.0	0.2	0.1-0.5	1.2	0.3	0.1-0.6
Non-Hodgkin lymphomas	182.2	19.9	18.5-21.3	98.2	23.9	21.6-26.3	84.0	17.0	15.3-18.7	29.0	3.9	3.3-4.6	15.0	4.9	3.8-6.2	14.0	3.2	2.5-4.1
Myeloma	69.0	7.9	7.1-8.8	37.2	9.3	7.9-10.8	31.8	6.8	5.7-7.9	16.4	2.2	1.7-2.7	7.0	2.2	1.5-3.1	9.4	2.1	1.6-2.9
Leukemias	132.0	13.4	12.4-14.6	76.8	17.4	15.5-19.4	55.2	10.4	9.2-11.8	37.2	4.2	3.6-4.9	22.6	5.6	4.5-6.8	14.6	3.1	2.4-3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York State Excl New York City, Non-Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	69,861.2	511.1	509.3-512.9	35,753.0	556.4	553.7-559.0	34,108.2	480.2	477.8-482.6	21,041.2	146.2	145.3-147.1	10,672.4	169.1	167.6-170.6	10,368.8	130.1	128.9-131.2
Oral cavity and pharynx	1,758.6	12.7	12.4-12.9	1,224.4	18.7	18.3-19.2	534.2	7.3	7.0-7.6	328.8	2.3	2.1-2.4	227.2	3.4	3.2-3.7	101.6	1.3	1.1-1.4
Esophagus	739.2	5.1	5.0-5.3	570.2	8.7	8.4-9.0	169.0	2.1	2.0-2.3	604.4	4.2	4.0-4.3	478.0	7.3	7.0-7.6	126.4	1.6	1.4-1.7
Stomach	944.2	6.8	6.6-7.0	585.6	9.2	8.9-9.6	358.6	4.9	4.6-5.1	334.2	2.4	2.2-2.5	198.8	3.2	3.0-3.4	135.4	1.7	1.6-1.9
Colorectal	5,073.6	37.7	37.2-38.1	2,628.2	42.7	42.0-43.5	2,445.4	33.4	32.7-34.0	1,702.0	12.0	11.7-12.2	865.8	14.0	13.5-14.4	836.2	10.3	10.0-10.7
Colon excluding rectum	3,602.6	26.5	26.1-26.9	1,767.0	28.7	28.1-29.4	1,835.6	24.6	24.1-25.2	1,329.0	9.3	9.1-9.6	654.6	10.6	10.2-11.0	674.4	8.3	8.0-8.6
Rectum & rectosigmoid	1,471.0	11.1	10.9-11.4	861.2	14.0	13.5-14.4	609.8	8.7	8.4-9.1	373.0	2.7	2.5-2.8	211.2	3.4	3.2-3.6	161.8	2.1	1.9-2.2
Liver / intrahepatic bile duct	1,066.2	7.3	7.1-7.5	758.4	11.1	10.8-11.5	307.8	4.0	3.8-4.2	721.2	4.9	4.8-5.1	485.0	7.3	7.0-7.6	236.2	3.0	2.8-3.2
Pancreas	2,180.4	15.2	14.9-15.5	1,125.6	17.5	17.0-18.0	1,054.8	13.3	13.0-13.7	1,680.2	11.6	11.3-11.8	851.4	13.2	12.8-13.6	828.8	10.2	9.9-10.5
Larynx	439.0	3.1	2.9-3.2	344.8	5.2	4.9-5.4	94.2	1.3	1.2-1.4	120.8	0.8	0.7-0.9	95.2	1.4	1.3-1.6	25.6	0.3	0.3-0.4
Lung and bronchus	9,355.2	64.4	63.8-65.0	4,438.0	67.9	67.0-68.8	4,917.2	62.3	61.5-63.1	5,138.0	35.2	34.8-35.7	2,583.0	40.1	39.3-40.8	2,555.0	31.7	31.1-32.2
Melanoma of the skin	3,263.8	24.9	24.5-25.3	1,899.0	30.7	30.1-31.3	1,364.8	20.7	20.2-21.3	298.2	2.1	2.0-2.2	191.0	3.1	2.9-3.3	107.2	1.3	1.2-1.5
Female breast							9,712.8	142.2	140.9-143.6							1,437.6	18.8	18.4-19.3
Cervix uteri							348.2	6.4	6.1-6.7							113.6	1.7	1.6-1.9
Corpus uterus and NOS							2,396.4	32.2	31.6-32.8							437.4	5.5	5.3-5.7
Ovary							791.8	11.4	11.0-11.8							515.0	6.6	6.3-6.8
Prostate				9,461.6	135.3	134.0-136.5							1,003.0	16.4	15.9-16.9			
Testis				322.4	7.3	7.0-7.7							13.2	0.3	0.2-0.3			
Urinary bladder (incl. in situ)	3,717.6	25.8	25.4-26.2	2,791.6	43.9	43.2-44.7	926.0	11.6	11.2-11.9	647.6	4.3	4.2-4.5	462.2	7.6	7.2-7.9	185.4	2.1	2.0-2.3
Kidney and renal pelvis	2,527.0	18.8	18.5-19.2	1,649.6	26.2	25.6-26.8	877.4	12.4	12.0-12.8	427.6	3.0	2.8-3.1	271.8	4.2	4.0-4.5	155.8	1.9	1.8-2.1
Brain and other central nervous system	828.6	7.0	6.7-7.2	462.2	8.1	7.8-8.5	366.4	5.9	5.7-6.3	583.8	4.4	4.2-4.6	334.8	5.4	5.2-5.7	249.0	3.5	3.3-3.7
Thyroid	1,889.2	17.7	17.3-18.1	553.8	10.1	9.7-10.5	1,335.4	25.2	24.5-25.8	73.6	0.5	0.5-0.6	33.2	0.5	0.5-0.6	40.4	0.5	0.4-0.6
Hodgkin lymphoma	337.4	3.3	3.1-3.4	180.8	3.5	3.3-3.8	156.6	3.0	2.8-3.3	37.4	0.3	0.2-0.3	23.6	0.4	0.3-0.5	13.8	0.2	0.1-0.2
Non-Hodgkin lymphomas	2,977.8	22.0	21.7-22.4	1,612.4	26.2	25.6-26.8	1,365.4	18.7	18.3-19.2	736.8	5.1	4.9-5.3	408.8	6.6	6.4-6.9	328.0	4.0	3.8-4.2
Myeloma	1,069.2	7.6	7.4-7.8	606.0	9.5	9.1-9.8	463.2	6.1	5.8-6.3	394.0	2.7	2.6-2.8	209.2	3.3	3.1-3.5	184.8	2.2	2.1-2.4
Leukemias	2,321.2	17.3	17.0-17.7	1,377.8	22.6	22.0-23.1	943.4	13.1	12.7-13.5	847.0	6.0	5.8-6.2	491.4	8.1	7.8-8.5	355.6	4.4	4.2-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York State Excl New York City, Non-Hispanic White Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	62,885.6	519.5	517.6-521.4	32,225.8	562.3	559.5-565.2	30,659.8	490.9	488.3-493.6	19,053.0	147.1	146.2-148.1	9,685.8	170.2	168.6-171.7	9,367.2	130.9	129.7-132.2
Oral cavity and pharynx	1,614.0	13.1	12.8-13.4	1,128.4	19.4	18.9-20.0	485.6	7.5	7.2-7.8	298.0	2.3	2.2-2.4	205.2	3.4	3.2-3.7	92.8	1.3	1.2-1.4
Esophagus	686.4	5.3	5.2-5.5	534.8	9.1	8.7-9.4	151.6	2.1	2.0-2.3	565.6	4.3	4.2-4.5	450.2	7.6	7.3-8.0	115.4	1.6	1.5-1.7
Stomach	785.0	6.4	6.1-6.6	501.6	8.8	8.5-9.2	283.4	4.3	4.1-4.6	272.0	2.1	2.0-2.3	164.6	2.9	2.7-3.1	107.4	1.5	1.4-1.7
Colorectal	4,495.4	37.6	37.1-38.1	2,332.0	42.7	41.9-43.5	2,163.4	33.2	32.6-33.9	1,512.6	11.9	11.6-12.2	764.8	13.8	13.3-14.3	747.8	10.3	9.9-10.6
Colon excluding rectum	3,200.8	26.5	26.1-26.9	1,571.8	28.7	28.1-29.4	1,629.0	24.6	24.0-25.1	1,175.6	9.2	8.9-9.4	573.4	10.4	10.0-10.8	602.2	8.2	7.9-8.5
Rectum & rectosigmoid	1,294.6	11.1	10.8-11.4	760.2	13.9	13.5-14.4	534.4	8.7	8.3-9.1	337.0	2.7	2.6-2.8	191.4	3.4	3.2-3.7	145.6	2.1	1.9-2.3
Liver / intrahepatic bile duct	889.6	6.8	6.6-7.0	633.4	10.4	10.0-10.8	256.2	3.8	3.5-4.0	603.6	4.6	4.4-4.8	406.2	6.8	6.5-7.1	197.4	2.8	2.6-3.0
Pancreas	1,956.0	15.2	14.9-15.6	1,018.4	17.6	17.1-18.1	937.6	13.3	12.9-13.7	1,515.0	11.6	11.3-11.9	771.4	13.3	12.9-13.7	743.6	10.2	9.8-10.5
Larynx	395.8	3.1	3.0-3.3	311.8	5.2	5.0-5.5	84.0	1.3	1.2-1.4	107.8	0.8	0.7-0.9	84.4	1.4	1.3-1.6	23.4	0.3	0.3-0.4
Lung and bronchus	8,609.2	66.2	65.6-66.9	4,052.8	68.9	67.9-69.9	4,556.4	64.8	63.9-65.6	4,732.6	36.1	35.6-36.6	2,358.6	40.5	39.8-41.3	2,374.0	32.9	32.3-33.5
Melanoma of the skin	3,181.6	27.7	27.2-28.2	1,858.0	33.8	33.1-34.5	1,323.6	23.4	22.8-24.0	294.4	2.3	2.2-2.5	188.8	3.4	3.2-3.7	105.6	1.5	1.4-1.6
Female breast							8,628.6	144.2	142.7-145.7							1,267.2	18.4	18.0-18.9
Cervix uteri							287.0	6.3	6.0-6.7							95.4	1.7	1.5-1.8
Corpus uteri and NOS							2,134.2	32.7	32.0-33.3							375.4	5.3	5.0-5.5
Ovary							713.6	11.7	11.3-12.1							473.2	6.8	6.5-7.1
Prostate				8,181.0	130.1	128.8-131.4							882.8	15.8	15.4-16.3			
Testis				304.2	8.5	8.0-8.9							12.8	0.3	0.2-0.4			
Urinary bladder (incl. in situ)	3,523.8	27.3	26.9-27.7	2,654.2	46.3	45.5-47.1	869.6	12.2	11.8-12.6	616.0	4.6	4.4-4.7	441.8	7.9	7.6-8.3	174.2	2.2	2.1-2.4
Kidney and renal pelvis	2,263.8	19.1	18.7-19.5	1,479.6	26.5	25.9-27.1	784.2	12.6	12.2-13.0	397.2	3.0	2.9-3.2	253.6	4.4	4.1-4.6	143.6	2.0	1.8-2.1
Brain and other central nervous system	762.6	7.4	7.2-7.7	426.6	8.6	8.3-9.0	336.0	6.3	6.0-6.7	543.8	4.7	4.5-4.9	314.2	5.8	5.5-6.1	229.6	3.7	3.5-3.9
Thyroid	1,672.6	18.6	18.1-19.0	506.2	10.8	10.3-11.2	1,166.4	26.3	25.5-27.0	64.8	0.5	0.4-0.6	29.4	0.5	0.5-0.6	35.4	0.5	0.4-0.6
Hodgkin lymphoma	296.6	3.5	3.3-3.6	160.0	3.7	3.5-4.0	136.6	3.2	3.0-3.5	34.4	0.3	0.3-0.3	21.4	0.4	0.3-0.5	13.0	0.2	0.2-0.3
Non-Hodgkin lymphomas	2,728.2	22.7	22.3-23.1	1,473.8	26.7	26.1-27.4	1,254.4	19.4	18.9-19.9	677.8	5.2	5.0-5.4	373.4	6.7	6.4-7.0	304.4	4.1	3.9-4.3
Myeloma	889.0	7.1	6.9-7.3	510.6	8.9	8.5-9.3	378.4	5.6	5.3-5.9	338.0	2.5	2.4-2.7	181.0	3.2	3.0-3.4	157.0	2.0	1.9-2.2
Leukemias	2,143.6	18.0	17.7-18.4	1,283.8	23.6	23.0-24.2	859.8	13.4	13.0-13.9	777.0	6.1	5.9-6.3	452.6	8.3	7.9-8.6	324.4	4.4	4.2-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York State Excl New York City, Non-Hispanic Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4,962.0	481.7	475.6-487.9	2,565.8	567.5	557.2-577.9	2,396.2	423.8	416.1-431.6	1,525.6	155.3	151.7-158.9	753.6	186.8	180.6-193.2	772.0	135.9	131.6-140.3
Oral cavity and pharynx	86.8	8.2	7.4-9.0	57.6	12.1	10.7-13.6	29.2	5.1	4.3-6.1	20.8	2.0	1.6-2.4	15.8	3.5	2.8-4.4	5.0	0.8	0.5-1.3
Esophagus	38.0	3.9	3.3-4.5	24.2	6.1	5.0-7.4	13.8	2.4	1.8-3.0	29.4	3.0	2.5-3.5	20.8	5.3	4.3-6.5	8.6	1.5	1.0-2.0
Stomach	110.8	11.3	10.4-12.3	57.0	13.5	11.9-15.3	53.8	9.7	8.6-11.0	43.6	4.5	3.9-5.1	24.6	6.0	4.9-7.2	19.0	3.4	2.7-4.1
Colorectal	411.8	40.8	39.0-42.6	212.0	48.8	45.8-52.0	199.8	35.2	33.1-37.5	143.6	14.5	13.4-15.6	75.8	18.3	16.4-20.4	67.8	11.9	10.7-13.3
Colon excluding rectum	298.0	29.8	28.3-31.4	145.8	34.3	31.7-37.0	152.2	26.9	25.0-28.9	119.0	12.1	11.1-13.1	62.2	15.2	13.5-17.1	56.8	10.0	8.8-11.2
Rectum & rectosigmoid	113.8	11.0	10.1-11.9	66.2	14.5	12.9-16.2	47.6	8.4	7.3-9.5	24.6	2.5	2.0-2.9	13.6	3.1	2.4-4.0	11.0	2.0	1.5-2.6
Liver / intrahepatic bile duct	119.6	10.8	9.9-11.7	86.0	17.5	15.8-19.3	33.6	5.5	4.7-6.5	79.6	7.6	6.9-8.4	54.4	11.8	10.4-13.3	25.2	4.4	3.6-5.2
Pancreas	170.4	17.2	16.0-18.4	80.2	18.8	16.9-20.8	90.2	15.9	14.4-17.4	128.0	13.1	12.1-14.2	61.4	14.8	13.1-16.6	66.6	11.8	10.6-13.2
Larynx	33.8	3.2	2.7-3.7	26.4	5.7	4.8-6.8	7.4	1.2	0.9-1.7	10.6	1.0	0.8-1.3	8.6	2.0	1.4-2.7	2.0	0.3	0.2-0.6
Lung and bronchus	569.8	56.1	54.0-58.2	294.8	69.4	65.7-73.2	275.0	47.2	44.7-49.8	315.2	31.6	30.0-33.2	175.8	43.3	40.3-46.4	139.4	23.9	22.1-25.7
Melanoma of the skin	10.4	1.1	0.8-1.4	4.2	1.0	0.6-1.6	6.2	1.1	0.7-1.6	2.0	0.2	0.1-0.4	1.0	0.2	0.1-0.6	1.0	0.2	0.1-0.4
Female breast							747.0	133.6	129.3-138.1							137.4	24.4	22.6-26.4
Cervix uteri							43.0	7.8	6.8-9.0							14.0	2.5	1.9-3.2
Corpus uterus and NOS							187.4	31.8	29.7-33.9							52.2	9.0	7.9-10.2
Ovary							46.6	8.2	7.2-9.4							28.0	5.0	4.2-5.9
Prostate				1,021.6	215.8	209.6-222.1							103.2	29.1	26.6-31.8			
Testis				9.4	1.8	1.3-2.4							0.0	0.0	0.0-0.2			
Urinary bladder (incl. in situ)	127.8	13.0	12.0-14.0	86.4	21.1	19.1-23.3	41.4	7.3	6.4-8.4	25.2	2.8	2.3-3.3	15.4	4.4	3.5-5.6	9.8	1.7	1.3-2.3
Kidney and renal pelvis	201.4	19.4	18.2-20.6	128.4	27.4	25.2-29.7	73.0	13.0	11.7-14.4	23.8	2.4	2.0-2.9	14.8	3.4	2.7-4.3	9.0	1.7	1.2-2.2
Brain and other central nervous system	42.4	4.1	3.6-4.7	22.0	4.7	3.8-5.7	20.4	3.7	3.0-4.5	25.8	2.5	2.1-3.0	12.6	2.6	2.0-3.3	13.2	2.4	1.8-3.0
Thyroid	104.6	10.2	9.4-11.2	21.6	4.7	3.8-5.7	83.0	15.4	14.0-17.0	6.0	0.7	0.4-0.9	2.6	0.7	0.3-1.2	3.4	0.6	0.4-1.0
Hodgkin lymphoma	29.6	2.8	2.4-3.3	14.6	3.0	2.3-3.8	15.0	2.7	2.1-3.4	2.2	0.2	0.1-0.4	1.8	0.4	0.2-0.8	0.4	0.1	0.0-0.2
Non-Hodgkin lymphomas	161.8	16.0	14.9-17.2	88.8	19.8	17.9-21.8	73.0	13.1	11.7-14.5	40.2	4.1	3.5-4.7	23.6	5.7	4.6-6.8	16.6	3.0	2.4-3.7
Myeloma	151.4	15.1	14.0-16.2	77.4	18.2	16.3-20.2	74.0	12.9	11.6-14.3	48.6	5.2	4.6-5.9	25.0	6.8	5.6-8.1	23.6	4.3	3.5-5.1
Leukemias	113.6	11.3	10.3-12.2	59.6	13.6	12.0-15.3	54.0	9.7	8.5-10.9	51.0	5.3	4.6-6.0	26.4	6.6	5.4-7.9	24.6	4.4	3.7-5.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Bronx, Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2,736.0	371.9	365.6-378.2	1,330.0	436.5	425.7-447.5	1,406.0	331.7	323.9-339.6	814.8	116.3	112.7-120.0	414.6	149.7	143.1-156.6	400.2	95.5	91.3-99.8
Oral cavity and pharynx	71.2	9.5	8.5-10.6	50.0	16.1	14.1-18.3	21.2	4.9	4.0-5.9	18.8	2.6	2.1-3.2	14.0	4.8	3.7-6.1	4.8	1.2	0.7-1.7
Esophagus	21.4	2.9	2.4-3.6	18.0	6.1	4.9-7.6	3.4	0.8	0.5-1.3	14.0	1.9	1.5-2.5	11.0	3.8	2.8-5.0	3.0	0.7	0.4-1.2
Stomach	70.0	9.9	8.8-11.0	39.6	13.6	11.7-15.7	30.4	7.4	6.3-8.7	26.2	3.8	3.2-4.5	17.6	6.4	5.1-7.9	8.6	2.1	1.5-2.9
Colorectal	227.6	31.3	29.5-33.2	124.0	40.8	37.5-44.2	103.6	24.7	22.6-26.9	71.2	10.4	9.3-11.5	39.6	14.5	12.5-16.8	31.6	7.6	6.4-8.9
Colon excluding rectum	157.0	21.9	20.4-23.5	82.6	27.5	24.9-30.4	74.4	17.9	16.1-19.8	59.0	8.6	7.6-9.6	30.8	11.3	9.5-13.3	28.2	6.8	5.7-8.0
Rectum & rectosigmoid	70.6	9.4	8.5-10.5	41.4	13.2	11.4-15.2	29.2	6.8	5.7-8.0	12.2	1.8	1.3-2.3	8.8	3.2	2.3-4.3	3.4	0.8	0.5-1.3
Liver / intrahepatic bile duct	112.0	14.8	13.6-16.1	78.6	24.5	22.1-27.1	33.4	7.8	6.6-9.0	67.4	9.2	8.2-10.3	45.0	14.9	12.9-17.0	22.4	5.2	4.3-6.3
Pancreas	87.6	12.2	11.1-13.4	44.8	15.3	13.3-17.5	42.8	10.1	8.8-11.6	55.0	7.9	7.0-8.9	29.0	10.5	8.8-12.4	26.0	6.2	5.2-7.4
Larynx	26.2	3.5	3.0-4.2	20.0	6.7	5.4-8.2	6.2	1.4	1.0-2.0	9.0	1.2	0.9-1.6	7.6	2.5	1.8-3.5	1.4	0.3	0.1-0.6
Lung and bronchus	248.6	35.0	33.1-37.0	129.4	46.2	42.6-50.0	119.2	27.9	25.7-30.3	138.0	19.8	18.3-21.3	75.8	27.6	24.8-30.6	62.2	14.8	13.1-16.5
Melanoma of the skin	10.6	1.5	1.1-2.0	5.2	1.8	1.2-2.7	5.4	1.3	0.8-1.9	2.2	0.3	0.1-0.5	1.4	0.4	0.2-0.9	0.8	0.2	0.1-0.5
Female breast							411.6	97.2	93.0-101.5							61.4	14.6	13.0-16.4
Cervix uteri							36.0	8.7	7.5-10.1							9.8	2.4	1.7-3.1
Corpus uteri and NOS							103.8	24.1	22.0-26.2							22.4	5.2	4.2-6.2
Ovary							38.8	9.2	8.0-10.6							19.0	4.6	3.7-5.6
Prostate				365.4	117.3	111.8-123.0							47.6	19.8	17.3-22.6			
Testis				12.2	3.1	2.3-4.0							0.8	0.2	0.1-0.6			
Urinary bladder (incl. in situ)	76.6	10.9	9.9-12.1	53.8	19.5	17.2-22.0	22.8	5.5	4.5-6.6	14.4	2.2	1.7-2.8	8.4	3.5	2.5-4.7	6.0	1.5	1.0-2.1
Kidney and renal pelvis	100.0	13.4	12.2-14.6	60.0	19.2	17.0-21.6	40.0	9.3	8.0-10.7	16.6	2.4	1.9-3.0	10.6	3.8	2.8-5.0	6.0	1.5	1.0-2.1
Brain and other central nervous system	38.2	5.0	4.3-5.8	21.4	6.5	5.3-7.9	16.8	3.9	3.1-4.9	20.2	2.8	2.3-3.4	9.6	3.2	2.3-4.3	10.6	2.5	1.9-3.3
Thyroid	98.4	13.0	11.8-14.2	19.4	6.1	4.9-7.4	79.0	18.8	17.0-20.8	3.2	0.5	0.3-0.8	1.0	0.4	0.1-0.8	2.2	0.5	0.3-1.0
Hodgkin lymphoma	22.0	2.8	2.3-3.4	11.6	3.3	2.5-4.3	10.4	2.4	1.8-3.2	1.8	0.3	0.1-0.5	1.2	0.4	0.1-0.8	0.6	0.2	0.0-0.5
Non-Hodgkin lymphomas	133.6	18.3	16.9-19.7	67.8	22.3	19.9-24.9	65.8	15.5	13.8-17.2	31.0	4.4	3.8-5.2	17.0	6.1	4.8-7.5	14.0	3.4	2.6-4.3
Myeloma	71.4	9.7	8.7-10.8	38.0	12.7	10.9-14.7	33.4	7.8	6.6-9.1	21.2	3.0	2.5-3.7	12.8	4.5	3.4-5.8	8.4	2.0	1.5-2.7
Leukemias	87.0	11.6	10.5-12.7	46.8	14.8	12.9-16.9	40.2	9.3	8.1-10.7	34.8	4.8	4.1-5.6	17.8	5.9	4.7-7.3	17.0	4.1	3.2-5.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Bronx, Non-Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	3,589.0	475.6	468.5-482.7	1,765.2	534.7	523.3-546.2	1,823.8	437.7	428.4-447.1	1,194.6	153.0	149.0-157.0	575.6	180.3	173.6-187.1	619.0	135.8	130.9-140.9
Oral cavity and pharynx	79.2	10.6	9.6-11.7	51.2	15.6	13.7-17.7	28.0	6.7	5.6-7.9	20.8	2.7	2.2-3.3	14.2	4.4	3.4-5.5	6.6	1.5	1.0-2.2
Esophagus	26.6	3.4	2.8-4.0	17.2	5.2	4.2-6.5	9.4	2.1	1.5-2.8	18.2	2.2	1.8-2.8	11.6	3.4	2.6-4.5	6.6	1.4	1.0-2.0
Stomach	74.8	10.1	9.1-11.2	41.0	13.2	11.4-15.1	33.8	7.9	6.7-9.3	31.4	4.1	3.4-4.8	18.0	5.6	4.5-6.9	13.4	2.9	2.3-3.8
Colorectal	293.6	39.5	37.4-41.6	143.2	45.3	42.0-48.8	150.4	35.3	32.7-38.0	109.2	14.0	12.9-15.3	50.6	16.0	14.0-18.1	58.6	12.7	11.2-14.3
Colon excluding rectum	208.4	27.7	26.0-29.5	99.0	31.2	28.5-34.2	109.4	25.2	23.1-27.5	89.6	11.5	10.4-12.6	39.2	12.3	10.6-14.2	50.4	10.9	9.6-12.4
Rectum & rectosigmoid	85.2	11.8	10.6-13.0	44.2	14.1	12.2-16.1	41.0	10.1	8.7-11.6	19.6	2.6	2.1-3.2	11.4	3.7	2.8-4.8	8.2	1.8	1.3-2.5
Liver / intrahepatic bile duct	106.2	13.5	12.4-14.7	72.6	21.5	19.3-23.9	33.6	7.4	6.3-8.6	67.8	8.6	7.7-9.6	44.8	13.5	11.8-15.5	23.0	4.9	4.1-6.0
Pancreas	113.2	14.4	13.2-15.6	59.0	17.9	15.9-20.1	54.2	11.7	10.3-13.3	92.4	11.7	10.6-12.8	46.8	14.4	12.6-16.4	45.6	9.8	8.5-11.2
Larynx	29.2	3.8	3.2-4.5	21.6	6.5	5.3-7.9	7.6	1.8	1.2-2.5	7.6	1.0	0.7-1.4	5.4	1.7	1.1-2.5	2.2	0.5	0.3-0.9
Lung and bronchus	395.8	50.5	48.2-52.8	195.8	59.4	55.7-63.3	200.0	43.9	41.2-46.8	236.4	29.8	28.1-31.6	123.8	37.6	34.6-40.7	112.6	24.1	22.1-26.2
Melanoma of the skin	47.8	6.4	5.6-7.3	27.0	8.8	7.4-10.5	20.8	4.9	4.0-6.0	4.4	0.6	0.3-0.9	2.6	0.9	0.4-1.5	1.8	0.4	0.2-0.8
Female breast							513.4	127.7	122.7-133.0							105.0	24.0	21.9-26.3
Cervix uteri							36.0	10.1	8.6-11.7							12.6	3.3	2.5-4.3
Corpus uterus and NOS							162.0	36.7	34.2-39.4							54.4	12.0	10.6-13.5
Ovary							50.2	12.3	10.8-14.0							27.2	6.1	5.1-7.2
Prostate				571.6	162.8	156.7-169.0							76.6	25.0	22.5-27.7			
Testis				9.2	3.3	2.4-4.4							1.4	0.6	0.2-1.1			
Urinary bladder (incl. in situ)	116.8	15.0	13.8-16.3	84.0	26.6	24.1-29.4	32.8	7.2	6.1-8.4	29.8	3.7	3.1-4.4	19.6	6.4	5.2-7.8	10.2	1.9	1.4-2.5
Kidney and renal pelvis	126.8	16.7	15.4-18.1	79.0	24.0	21.6-26.5	47.8	11.3	9.9-12.9	25.0	3.2	2.7-3.8	15.4	4.9	3.8-6.1	9.6	2.0	1.5-2.7
Brain and other central nervous system	37.2	5.5	4.7-6.3	21.0	6.9	5.6-8.4	16.2	4.3	3.3-5.3	25.2	3.4	2.8-4.1	15.4	4.8	3.8-6.1	9.8	2.4	1.7-3.2
Thyroid	105.4	15.9	14.5-17.3	22.4	7.3	5.9-8.8	83.0	23.5	21.2-25.9	3.8	0.5	0.3-0.8	2.0	0.7	0.3-1.2	1.8	0.4	0.2-0.8
Hodgkin lymphoma	19.2	3.0	2.4-3.7	10.6	3.5	2.6-4.6	8.6	2.6	1.8-3.5	2.8	0.4	0.2-0.7	1.8	0.6	0.3-1.1	1.0	0.3	0.1-0.7
Non-Hodgkin lymphomas	143.6	19.9	18.4-21.5	76.0	24.0	21.6-26.6	67.6	16.8	15.0-18.8	37.8	4.9	4.2-5.7	22.2	6.9	5.7-8.4	15.6	3.5	2.7-4.4
Myeloma	100.0	13.0	11.9-14.2	47.0	14.2	12.4-16.2	53.0	12.3	10.8-13.9	31.6	4.0	3.4-4.7	16.4	5.0	4.0-6.3	15.2	3.3	2.6-4.1
Leukemias	91.0	12.4	11.3-13.7	47.4	14.9	13.0-16.9	43.6	10.8	9.3-12.4	37.0	4.8	4.1-5.5	21.2	6.9	5.6-8.3	15.8	3.4	2.7-4.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Bronx, Non-Hispanic White Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,131.4	527.6	512.5-543.1	572.6	561.3	539.8-583.5	558.8	509.9	488.2-532.5	398.2	154.2	146.8-161.9	200.8	180.4	168.9-192.6	197.4	134.9	125.3-145.2
Oral cavity and pharynx	27.4	13.6	11.2-16.3	19.0	19.5	15.5-24.2	8.4	8.1	5.6-11.6	7.6	3.1	2.1-4.5	4.8	4.3	2.7-6.7	2.8	2.2	1.1-4.2
Esophagus	10.6	4.7	3.4-6.3	7.0	6.8	4.7-9.7	3.6	2.7	1.5-4.7	8.8	4.1	2.9-5.6	6.0	6.0	4.0-8.9	2.8	2.3	1.1-4.2
Stomach	17.6	8.2	6.4-10.4	10.8	11.3	8.3-15.1	6.8	5.4	3.5-8.1	7.0	2.7	1.8-4.0	3.8	3.4	2.0-5.6	3.2	2.3	1.1-4.3
Colorectal	98.4	45.6	41.2-50.4	51.0	52.7	46.0-60.2	47.4	39.6	33.9-46.2	39.8	15.6	13.2-18.3	19.4	18.1	14.5-22.5	20.4	13.5	10.5-17.2
Colon excluding rectum	70.8	31.5	27.9-35.5	35.4	36.1	30.6-42.4	35.4	27.7	23.1-33.0	33.0	12.4	10.4-14.8	15.6	13.9	10.8-17.7	17.4	11.3	8.7-14.7
Rectum & rectosigmoid	27.6	14.1	11.6-17.0	15.6	16.6	12.9-21.2	12.0	12.0	8.7-16.2	6.8	3.2	2.1-4.7	3.8	4.2	2.4-6.9	3.0	2.2	1.0-4.2
Liver / intrahepatic bile duct	31.0	14.2	12.0-16.9	22.8	22.0	18.0-26.7	8.2	7.5	5.2-10.6	19.8	8.3	6.6-10.3	13.0	12.1	9.2-15.6	6.8	5.1	3.3-7.7
Pancreas	37.0	14.1	12.0-16.6	22.0	19.9	16.2-24.3	15.0	9.2	6.9-12.2	30.4	10.7	8.9-12.8	16.2	13.8	10.9-17.4	14.2	8.3	6.2-11.1
Larynx	12.0	5.6	4.2-7.3	9.2	9.0	6.6-12.3	2.8	2.5	1.3-4.7	2.2	0.9	0.4-1.7	2.0	1.8	0.9-3.6	0.2	0.2	0.0-1.4
Lung and bronchus	137.8	56.3	52.0-61.0	68.4	63.0	56.3-70.3	69.4	50.9	45.3-57.2	82.2	32.4	29.1-35.9	42.8	38.7	33.6-44.6	39.4	26.8	22.9-31.4
Melanoma of the skin	41.6	20.1	17.1-23.5	25.0	26.0	21.3-31.5	16.6	15.3	11.7-19.8	3.6	1.7	0.9-2.9	2.2	2.2	1.0-4.3	1.4	1.3	0.4-3.2
Female breast							147.2	146.9	135.0-159.7							28.4	19.5	15.9-23.8
Cervix uteri							5.0	7.1	4.4-10.8							1.4	2.0	0.7-4.4
Corpus uterus and NOS							43.0	39.6	33.9-46.0							12.0	8.8	6.4-12.1
Ovary							17.6	16.9	13.1-21.5							10.8	8.5	6.2-11.6
Prostate				126.8	116.4	107.3-126.2							18.8	14.9	12.0-18.6			
Testis				4.2	6.9	4.2-10.6							0.6	0.8	0.1-2.7			
Urinary bladder (incl. in situ)	60.0	24.0	21.1-27.1	44.2	39.9	34.6-45.8	15.8	11.0	8.5-14.3	16.6	5.3	4.1-6.7	11.6	9.5	7.2-12.5	5.0	2.0	1.2-3.5
Kidney and renal pelvis	38.4	18.2	15.5-21.3	25.2	24.9	20.5-30.0	13.2	12.8	9.5-16.9	10.2	4.1	2.9-5.6	6.4	6.2	4.1-9.0	3.8	2.3	1.3-4.1
Brain and other central nervous system	14.0	8.0	6.0-10.4	8.2	9.8	6.8-13.7	5.8	6.4	4.0-9.8	13.2	6.4	4.8-8.5	8.0	8.7	6.0-12.3	5.2	4.4	2.6-7.0
Thyroid	37.2	26.5	22.6-30.9	11.2	15.5	11.5-20.5	26.0	38.2	31.4-46.0	1.2	0.4	0.2-1.2	0.8	0.7	0.2-2.2	0.4	0.2	0.0-1.4
Hodgkin lymphoma	4.6	3.0	1.8-4.6	2.6	3.1	1.6-5.5	2.0	2.9	1.3-5.6	0.4	0.2	0.0-1.0	0.4	0.5	0.0-1.9	0.0	0.0	0.0-1.3
Non-Hodgkin lymphomas	49.6	22.9	19.8-26.4	26.6	26.2	21.7-31.5	23.0	19.9	15.7-24.9	14.4	5.4	4.1-7.1	7.6	6.9	4.8-9.8	6.8	4.2	2.7-6.6
Myeloma	25.2	10.4	8.5-12.6	15.2	14.0	10.9-17.8	10.0	7.3	5.2-10.3	7.4	2.5	1.7-3.7	3.8	2.9	1.7-4.8	3.6	2.4	1.3-4.3
Leukemias	36.2	16.7	14.1-19.8	20.4	20.5	16.5-25.3	15.8	13.7	10.4-17.9	16.6	6.0	4.7-7.7	9.6	8.3	6.0-11.3	7.0	4.5	2.8-6.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Bronx, Non-Hispanic Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2,175.4	463.3	454.4-472.3	1,055.6	538.2	523.0-553.6	1,119.8	418.1	406.9-429.4	701.4	152.6	147.5-157.8	321.8	179.1	170.1-188.6	379.6	137.9	131.7-144.4
Oral cavity and pharynx	44.4	9.6	8.3-10.9	27.0	13.9	11.6-16.6	17.4	6.4	5.1-7.9	11.2	2.5	1.8-3.2	7.4	3.8	2.6-5.3	3.8	1.5	0.9-2.4
Esophagus	12.6	2.7	2.1-3.5	7.8	4.5	3.1-6.2	4.8	1.8	1.1-2.6	7.6	1.6	1.1-2.2	4.4	2.4	1.5-3.7	3.2	1.1	0.6-1.9
Stomach	49.6	11.2	9.8-12.7	25.6	14.7	12.1-17.6	24.0	9.0	7.5-10.9	20.8	4.7	3.8-5.7	11.6	6.4	4.8-8.3	9.2	3.5	2.5-4.6
Colorectal	170.8	37.3	34.8-40.0	80.4	43.0	38.7-47.6	90.4	33.7	30.6-37.0	59.4	13.2	11.7-14.8	27.0	15.1	12.5-18.0	32.4	11.9	10.1-13.9
Colon excluding rectum	122.0	26.7	24.5-28.9	55.4	29.6	26.0-33.5	66.6	24.8	22.2-27.7	48.8	10.8	9.5-12.3	20.8	11.5	9.3-14.0	28.0	10.3	8.6-12.1
Rectum & rectosigmoid	48.8	10.7	9.3-12.1	25.0	13.4	11.1-16.1	23.8	8.9	7.3-10.7	10.6	2.4	1.8-3.1	6.2	3.6	2.4-5.2	4.4	1.6	1.0-2.5
Liver / intrahepatic bile duct	63.0	12.8	11.4-14.4	42.6	21.2	18.3-24.4	20.4	6.9	5.6-8.5	41.4	8.4	7.3-9.7	27.8	14.0	11.6-16.6	13.6	4.6	3.6-5.9
Pancreas	69.0	14.8	13.2-16.5	32.6	16.8	14.2-19.7	36.4	13.2	11.3-15.3	53.8	11.5	10.2-13.0	25.8	13.1	10.8-15.7	28.0	10.2	8.5-12.0
Larynx	16.4	3.4	2.7-4.3	11.8	6.0	4.5-7.8	4.6	1.7	1.1-2.5	5.2	1.1	0.7-1.6	3.2	1.9	1.0-3.1	2.0	0.7	0.3-1.3
Lung and bronchus	235.0	49.6	46.8-52.6	112.8	58.5	53.5-63.8	122.2	43.4	40.0-47.1	136.0	29.0	26.8-31.3	69.2	37.1	33.1-41.5	66.8	23.7	21.2-26.4
Melanoma of the skin	4.4	1.1	0.7-1.7	1.2	0.9	0.3-1.9	3.2	1.3	0.7-2.1	0.6	0.1	0.0-0.4	0.2	0.1	0.0-0.6	0.4	0.2	0.0-0.6
Female breast							320.4	121.2	115.2-127.5							69.4	25.7	23.0-28.6
Cervix uteri							26.8	10.9	9.1-13.0							10.0	3.9	2.9-5.2
Corpus uterus and NOS							108.8	38.2	35.0-41.6							39.2	14.0	12.1-16.1
Ovary							27.0	10.1	8.5-12.0							14.8	5.2	4.1-6.6
Prostate				408.0	196.1	187.3-205.2							52.2	33.8	29.7-38.3			
Testis				3.2	1.8	1.0-2.9							0.6	0.4	0.1-1.2			
Urinary bladder (incl. in situ)	48.6	10.9	9.6-12.4	33.2	19.9	16.8-23.2	15.4	5.7	4.5-7.2	12.0	2.7	2.1-3.5	7.2	4.3	3.0-6.0	4.8	1.7	1.1-2.6
Kidney and renal pelvis	78.2	16.4	14.8-18.2	47.0	24.0	20.9-27.4	31.2	11.3	9.6-13.3	12.8	2.7	2.1-3.5	7.4	3.9	2.7-5.4	5.4	1.9	1.3-2.8
Brain and other central nervous system	19.8	4.5	3.7-5.5	11.0	5.5	4.1-7.3	8.8	3.5	2.5-4.8	10.4	2.2	1.6-2.9	6.2	3.0	2.0-4.4	4.2	1.7	1.0-2.6
Thyroid	50.0	11.0	9.6-12.5	7.0	3.3	2.2-4.6	43.0	17.1	14.8-19.6	2.2	0.5	0.3-0.9	0.8	0.4	0.1-1.1	1.4	0.6	0.2-1.2
Hodgkin lymphoma	12.4	2.9	2.2-3.8	6.6	3.3	2.2-4.7	5.8	2.6	1.7-3.7	2.0	0.5	0.2-0.9	1.0	0.5	0.2-1.2	1.0	0.4	0.1-1.0
Non-Hodgkin lymphomas	82.6	18.4	16.6-20.3	43.2	22.8	19.8-26.2	39.4	15.5	13.4-17.9	19.6	4.3	3.5-5.3	12.2	6.6	4.9-8.5	7.4	2.8	2.0-3.9
Myeloma	69.0	14.9	13.3-16.6	28.8	15.1	12.6-17.9	40.2	15.0	12.9-17.2	21.0	4.6	3.8-5.6	10.6	5.8	4.3-7.7	10.4	3.9	2.9-5.1
Leukemias	46.0	10.1	8.8-11.5	22.6	11.3	9.2-13.7	23.4	9.2	7.6-11.1	17.6	3.8	3.1-4.7	9.4	5.1	3.7-6.9	8.2	3.0	2.2-4.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Kings (Brooklyn), Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,562.8	346.6	338.9-354.5	736.6	386.3	373.5-399.5	826.2	326.5	316.5-336.7	461.0	108.5	104.0-113.1	230.0	133.3	125.4-141.5	231.0	92.5	87.2-98.0
Oral cavity and pharynx	35.6	7.8	6.7-9.0	23.2	12.0	9.8-14.5	12.4	4.8	3.7-6.2	10.2	2.3	1.7-3.0	7.4	3.9	2.7-5.4	2.8	1.2	0.6-1.9
Esophagus	15.0	3.3	2.6-4.2	11.8	6.2	4.6-8.0	3.2	1.3	0.7-2.1	10.2	2.3	1.7-3.1	8.0	4.4	3.1-6.0	2.2	0.9	0.4-1.6
Stomach	51.0	11.6	10.2-13.1	31.0	16.8	14.2-19.8	20.0	7.8	6.3-9.5	22.4	5.2	4.3-6.3	13.4	7.5	5.8-9.6	9.0	3.6	2.6-4.9
Colorectal	131.6	30.3	28.0-32.8	71.8	39.1	35.0-43.5	59.8	24.2	21.6-27.2	45.6	10.9	9.5-12.5	22.4	12.8	10.5-15.5	23.2	9.5	7.9-11.4
Colon excluding rectum	90.6	21.0	19.1-23.0	48.0	26.3	23.0-30.0	42.6	17.3	15.0-19.8	37.0	8.9	7.7-10.3	17.8	10.5	8.4-13.0	19.2	7.9	6.4-9.6
Rectum & rectosigmoid	41.0	9.4	8.1-10.7	23.8	12.8	10.5-15.4	17.2	7.0	5.6-8.6	8.6	2.0	1.4-2.7	4.6	2.3	1.4-3.5	4.0	1.7	1.0-2.6
Liver / intrahepatic bile duct	59.8	12.9	11.4-14.5	41.4	20.7	17.9-23.8	18.4	7.1	5.7-8.7	34.6	7.7	6.6-9.0	23.0	11.8	9.7-14.3	11.6	4.6	3.5-6.0
Pancreas	49.6	11.3	9.9-12.8	23.0	12.4	10.2-15.0	26.6	10.5	8.8-12.4	38.2	9.0	7.8-10.4	19.8	11.3	9.1-13.8	18.4	7.4	6.0-9.1
Larynx	12.8	2.7	2.1-3.5	8.6	4.3	3.0-5.8	4.2	1.6	1.0-2.4	4.8	1.1	0.7-1.6	4.6	2.6	1.6-3.9	0.2	0.1	0.0-0.4
Lung and bronchus	132.6	30.5	28.2-32.9	65.6	37.2	33.1-41.6	67.0	26.2	23.4-29.2	67.8	16.0	14.3-17.8	37.2	21.8	18.7-25.3	30.6	12.2	10.3-14.3
Melanoma of the skin	10.0	2.3	1.7-3.1	4.8	2.6	1.6-3.9	5.2	2.1	1.4-3.1	1.0	0.3	0.1-0.6	0.4	0.3	0.0-1.0	0.6	0.2	0.0-0.7
Female breast							228.6	90.0	84.8-95.5							34.6	13.7	11.7-15.9
Cervix uteri							25.4	10.2	8.5-12.2							7.6	3.1	2.2-4.2
Corpus uterus and NOS							67.0	26.1	23.3-29.1							14.6	5.7	4.5-7.2
Ovary							22.4	8.9	7.3-10.7							12.2	4.6	3.5-6.0
Prostate				189.0	97.1	90.8-103.7							26.2	17.5	14.6-20.9			
Testis				12.0	4.5	3.4-5.8							0.0	0.0	0.0-0.4			
Urinary bladder (incl. in situ)	44.8	10.6	9.2-12.1	29.6	18.4	15.5-21.8	15.2	5.9	4.6-7.4	10.2	2.5	1.9-3.3	6.2	4.2	2.8-6.0	4.0	1.6	1.0-2.5
Kidney and renal pelvis	51.4	11.2	9.9-12.7	30.8	15.6	13.2-18.4	20.6	8.0	6.5-9.8	7.0	1.7	1.2-2.3	4.0	2.4	1.4-3.7	3.0	1.2	0.7-2.0
Brain and other central nervous system	25.4	5.4	4.5-6.5	14.2	6.8	5.2-8.6	11.2	4.4	3.3-5.7	10.6	2.4	1.8-3.1	6.6	3.3	2.2-4.7	4.0	1.6	1.0-2.5
Thyroid	68.2	14.5	13.0-16.1	12.0	5.5	4.2-7.1	56.2	22.7	20.1-25.5	1.2	0.3	0.1-0.6	0.2	0.1	0.0-0.5	1.0	0.4	0.1-1.0
Hodgkin lymphoma	14.4	3.0	2.4-3.8	8.2	3.7	2.6-5.0	6.2	2.4	1.6-3.4	1.8	0.4	0.2-0.8	1.0	0.6	0.2-1.3	0.8	0.3	0.1-0.9
Non-Hodgkin lymphomas	74.4	16.5	14.9-18.3	39.8	20.2	17.4-23.3	34.6	13.8	11.8-16.1	15.0	3.6	2.8-4.5	8.6	4.8	3.4-6.5	6.4	2.6	1.8-3.6
Myeloma	33.4	7.6	6.5-8.9	16.2	9.0	7.1-11.3	17.2	6.8	5.5-8.5	10.0	2.5	1.8-3.3	4.4	2.8	1.7-4.2	5.6	2.3	1.5-3.3
Leukemias	51.2	11.2	9.9-12.7	29.8	14.9	12.5-17.6	21.4	8.5	6.9-10.2	15.4	3.6	2.8-4.5	8.2	4.6	3.2-6.2	7.2	2.9	2.0-4.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Kings (Brooklyn), Non-Hispanic Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	10,456.0	447.9	444.0-451.9	5,003.2	489.4	483.2-495.6	5,452.8	422.7	417.6-427.9	3,004.4	125.9	123.8-127.9	1,426.4	144.8	141.4-148.3	1,578.0	113.9	111.3-116.5
Oral cavity and pharynx	219.2	9.5	8.9-10.0	141.8	14.0	13.0-15.1	77.4	5.8	5.2-6.4	43.6	1.9	1.6-2.2	30.0	3.1	2.6-3.6	13.6	1.0	0.7-1.2
Esophagus	68.8	2.8	2.5-3.2	47.2	4.6	4.0-5.2	21.6	1.6	1.3-1.9	44.8	1.8	1.6-2.1	34.4	3.3	2.8-3.8	10.4	0.7	0.5-1.0
Stomach	250.8	10.6	10.0-11.2	144.0	14.2	13.2-15.3	106.8	8.0	7.3-8.7	119.0	5.1	4.7-5.5	70.2	7.2	6.4-8.0	48.8	3.5	3.1-4.0
Colorectal	915.6	39.1	38.0-40.3	466.6	46.3	44.4-48.3	449.0	33.7	32.3-35.2	304.4	12.7	12.1-13.4	149.6	15.2	14.2-16.4	154.8	11.0	10.2-11.8
Colon excluding rectum	650.2	27.7	26.7-28.7	315.4	31.4	29.8-33.0	334.8	24.9	23.7-26.2	249.4	10.3	9.8-11.0	120.8	12.2	11.3-13.3	128.6	9.0	8.3-9.8
Rectum & rectosigmoid	265.4	11.5	10.8-12.1	151.2	14.9	13.9-16.1	114.2	8.8	8.1-9.6	55.0	2.4	2.1-2.7	28.8	3.0	2.5-3.5	26.2	1.9	1.6-2.3
Liver / intrahepatic bile duct	216.6	9.1	8.5-9.6	152.8	14.7	13.7-15.9	63.8	4.6	4.1-5.2	133.2	5.5	5.1-6.0	87.2	8.5	7.7-9.3	46.0	3.2	2.8-3.7
Pancreas	335.0	14.0	13.3-14.7	157.2	15.4	14.4-16.6	177.8	12.9	12.0-13.8	244.0	10.2	9.6-10.8	115.0	11.5	10.6-12.5	129.0	9.2	8.4-9.9
Larynx	53.0	2.2	1.9-2.5	42.6	4.2	3.6-4.8	10.4	0.8	0.6-1.0	16.8	0.7	0.6-0.9	14.6	1.5	1.2-1.9	2.2	0.1	0.1-0.3
Lung and bronchus	1,076.4	45.0	43.8-46.2	562.0	55.7	53.7-57.9	514.4	37.5	36.0-39.0	562.6	23.4	22.5-24.3	312.2	31.3	29.8-33.0	250.4	17.8	16.8-18.9
Melanoma of the skin	220.2	9.6	9.0-10.2	117.4	11.9	11.0-13.0	102.8	8.0	7.3-8.8	20.6	0.9	0.7-1.1	11.8	1.2	0.9-1.6	8.8	0.6	0.5-0.9
Female breast							1,630.2	131.1	128.2-134.1							286.2	21.3	20.2-22.5
Cervix uteri							109.0	9.1	8.3-9.9							27.0	2.2	1.8-2.6
Corpus uterus and NOS							438.2	32.8	31.4-34.3							114.6	8.2	7.5-8.9
Ovary							144.2	11.4	10.6-12.3							94.0	6.9	6.3-7.6
Prostate				1,441.8	135.0	131.8-138.2							168.2	17.7	16.5-19.0			
Testis				58.0	5.6	5.0-6.3							0.8	0.1	0.0-0.2			
Urinary bladder (incl. in situ)	383.0	16.1	15.4-16.9	290.6	29.3	27.8-30.9	92.4	6.8	6.2-7.4	70.6	2.9	2.6-3.2	48.4	5.1	4.5-5.8	22.2	1.5	1.2-1.8
Kidney and renal pelvis	352.6	15.1	14.4-15.9	226.0	22.0	20.7-23.4	126.6	9.7	8.9-10.5	50.6	2.1	1.9-2.4	36.0	3.6	3.1-4.2	14.6	1.0	0.8-1.3
Brain and other central nervous system	139.0	6.3	5.8-6.8	74.4	7.4	6.7-8.2	64.6	5.4	4.8-6.1	71.0	3.1	2.8-3.5	38.2	3.8	3.3-4.4	32.8	2.6	2.2-3.0
Thyroid	474.8	21.6	20.7-22.5	119.6	11.8	10.9-12.8	355.2	30.0	28.6-31.5	13.6	0.6	0.4-0.7	4.0	0.4	0.3-0.7	9.6	0.7	0.5-0.9
Hodgkin lymphoma	67.6	3.1	2.8-3.5	36.2	3.6	3.1-4.2	31.4	2.7	2.3-3.2	4.6	0.2	0.1-0.3	2.4	0.3	0.1-0.4	2.2	0.2	0.1-0.3
Non-Hodgkin lymphomas	437.0	19.1	18.3-19.9	232.2	23.4	22.1-24.8	204.8	15.7	14.7-16.7	96.0	4.1	3.7-4.5	48.4	4.9	4.3-5.6	47.6	3.4	3.0-3.9
Myeloma	215.2	9.1	8.6-9.7	106.8	10.6	9.7-11.6	108.4	8.0	7.3-8.7	68.6	2.8	2.5-3.1	35.4	3.5	3.0-4.1	33.2	2.3	2.0-2.7
Leukemias	300.0	13.1	12.4-13.8	162.0	16.4	15.3-17.6	138.0	10.7	9.9-11.5	110.2	4.7	4.3-5.2	57.4	5.9	5.2-6.6	52.8	3.9	3.5-4.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Kings (Brooklyn), Non-Hispanic White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5,023.2	475.1	469.1-481.2	2,393.0	490.7	481.8-499.8	2,630.2	473.0	464.5-481.5	1,389.0	122.1	119.2-125.1	674.6	137.7	133.0-142.5	714.4	111.9	108.1-115.8
Oral cavity and pharynx	100.0	9.6	8.7-10.5	65.8	13.9	12.4-15.5	34.2	5.6	4.7-6.5	16.4	1.6	1.3-2.0	11.2	2.5	1.9-3.2	5.2	0.8	0.5-1.2
Esophagus	28.8	2.6	2.2-3.1	21.2	4.4	3.6-5.3	7.6	1.2	0.8-1.7	19.8	1.8	1.4-2.2	15.6	3.1	2.4-3.9	4.2	0.7	0.4-1.1
Stomach	95.8	9.0	8.2-9.8	54.2	11.3	9.9-12.7	41.6	7.2	6.2-8.3	47.0	4.3	3.7-4.9	27.8	5.8	4.8-6.8	19.2	3.0	2.4-3.8
Colorectal	434.4	40.5	38.8-42.3	226.4	46.6	43.9-49.5	208.0	35.4	33.2-37.7	139.6	12.1	11.2-13.1	68.4	14.0	12.5-15.6	71.2	10.6	9.4-11.8
Colon excluding rectum	310.2	28.5	27.1-30.0	159.0	32.6	30.4-35.0	151.2	25.0	23.2-27.0	113.4	9.6	8.8-10.5	54.8	11.0	9.7-12.5	58.6	8.6	7.6-9.7
Rectum & rectosigmoid	124.2	12.0	11.1-13.1	67.4	14.0	12.5-15.6	56.8	10.4	9.1-11.7	26.2	2.5	2.0-2.9	13.6	3.0	2.3-3.8	12.6	2.0	1.5-2.6
Liver / intrahepatic bile duct	76.4	7.0	6.3-7.8	52.6	10.6	9.3-12.0	23.8	3.9	3.2-4.7	47.2	4.2	3.7-4.8	28.0	5.6	4.7-6.7	19.2	3.0	2.4-3.7
Pancreas	170.2	15.3	14.3-16.4	82.6	16.8	15.2-18.5	87.6	14.0	12.6-15.4	125.0	11.0	10.1-11.9	63.6	13.2	11.7-14.7	61.4	9.2	8.1-10.3
Larynx	25.4	2.4	2.0-2.8	21.8	4.5	3.6-5.4	3.6	0.7	0.4-1.1	7.6	0.7	0.5-1.0	7.0	1.5	1.0-2.1	0.6	0.1	0.0-0.3
Lung and bronchus	521.8	47.0	45.2-48.9	269.8	55.3	52.3-58.4	252.0	41.0	38.7-43.4	282.6	24.6	23.3-26.0	157.8	32.1	29.9-34.5	124.8	19.0	17.5-20.7
Melanoma of the skin	200.0	19.1	17.9-20.4	107.4	22.3	20.5-24.4	92.6	16.9	15.4-18.6	17.6	1.6	1.3-2.0	10.2	2.1	1.6-2.8	7.4	1.1	0.8-1.6
Female breast							773.0	147.5	142.7-152.4							129.0	21.3	19.6-23.1
Cervix uteri							37.4	7.6	6.5-8.8							7.6	1.5	1.1-2.1
Corpus uterus and NOS							170.4	31.2	29.1-33.5							33.0	5.3	4.5-6.2
Ovary							66.4	12.2	10.9-13.7							42.4	7.1	6.2-8.2
Prostate				512.4	102.9	98.8-107.0							55.4	11.1	9.8-12.5			
Testis				43.4	8.7	7.6-10.0							0.4	0.1	0.0-0.3			
Urinary bladder (incl. in situ)	255.2	23.0	21.8-24.4	196.6	40.3	37.8-42.9	58.6	9.7	8.6-10.9	43.8	3.5	3.0-4.0	31.4	6.1	5.2-7.2	12.4	1.7	1.3-2.2
Kidney and renal pelvis	186.0	18.0	16.8-19.2	125.4	26.0	23.9-28.1	60.6	11.0	9.8-12.4	27.2	2.4	2.0-2.9	19.4	3.9	3.1-4.8	7.8	1.2	0.8-1.7
Brain and other central nervous system	80.4	8.1	7.3-8.9	43.4	9.1	7.9-10.4	37.0	7.2	6.1-8.3	43.2	4.2	3.6-4.8	23.2	4.9	4.0-5.9	20.0	3.6	2.9-4.4
Thyroid	259.2	26.4	25.0-28.0	66.0	13.8	12.3-15.4	193.2	38.8	36.3-41.4	6.6	0.6	0.4-0.8	2.2	0.5	0.3-0.9	4.4	0.6	0.4-1.0
Hodgkin lymphoma	36.6	3.7	3.1-4.3	20.0	4.2	3.4-5.2	16.6	3.2	2.5-4.0	2.2	0.2	0.1-0.4	1.4	0.3	0.1-0.6	0.8	0.2	0.0-0.4
Non-Hodgkin lymphomas	255.6	24.3	22.9-25.7	137.8	28.9	26.8-31.2	117.8	20.4	18.8-22.2	53.2	4.6	4.0-5.2	27.6	5.6	4.7-6.6	25.6	3.8	3.2-4.6
Myeloma	64.6	5.9	5.3-6.6	34.8	7.0	6.0-8.2	29.8	5.0	4.2-6.0	23.6	2.0	1.7-2.5	13.2	2.7	2.1-3.4	10.4	1.5	1.1-2.0
Leukemias	175.0	16.3	15.2-17.5	97.2	20.0	18.2-21.9	77.8	13.3	12.0-14.8	58.4	5.2	4.6-5.9	31.2	6.4	5.4-7.5	27.2	4.4	3.6-5.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Kings (Brooklyn), Non-Hispanic Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	3,955.6	420.1	414.1-426.2	1,866.2	497.5	487.2-508.1	2,089.4	375.4	368.0-382.9	1,245.0	132.8	129.5-136.2	538.8	154.7	148.7-160.8	706.2	121.3	117.3-125.5
Oral cavity and pharynx	63.8	6.8	6.0-7.6	38.4	10.6	9.1-12.2	25.4	4.4	3.7-5.3	16.2	1.7	1.4-2.1	11.2	3.2	2.4-4.2	5.0	0.8	0.5-1.3
Esophagus	29.4	3.0	2.6-3.6	17.0	4.5	3.5-5.6	12.4	2.1	1.6-2.8	18.0	1.8	1.4-2.2	12.4	3.3	2.5-4.3	5.6	0.9	0.6-1.3
Stomach	95.2	10.2	9.3-11.2	52.2	14.8	13.0-16.8	43.0	7.6	6.6-8.7	47.4	5.2	4.5-5.9	27.2	8.0	6.7-9.6	20.2	3.5	2.8-4.3
Colorectal	343.8	36.8	35.1-38.7	161.0	44.4	41.3-47.7	182.8	32.1	30.0-34.3	131.2	14.1	13.0-15.2	61.2	17.5	15.5-19.6	70.0	12.1	10.8-13.4
Colon excluding rectum	255.4	27.3	25.8-28.9	110.4	30.5	27.9-33.2	145.0	25.3	23.5-27.3	109.0	11.6	10.7-12.7	50.4	14.4	12.6-16.3	58.6	10.0	8.9-11.3
Rectum & rectosigmoid	88.4	9.5	8.7-10.5	50.6	13.9	12.2-15.8	37.8	6.8	5.8-7.8	22.2	2.4	2.0-3.0	10.8	3.1	2.3-4.1	11.4	2.0	1.5-2.7
Liver / intrahepatic bile duct	72.0	7.3	6.5-8.1	47.2	12.2	10.6-13.9	24.8	4.1	3.4-5.0	52.6	5.4	4.8-6.1	32.6	8.7	7.4-10.2	20.0	3.4	2.7-4.1
Pancreas	130.0	13.8	12.7-14.9	54.6	14.8	13.1-16.7	75.4	13.0	11.7-14.4	93.8	9.9	9.0-10.8	38.8	10.6	9.1-12.2	55.0	9.4	8.3-10.6
Larynx	20.6	2.1	1.7-2.6	14.4	3.9	3.0-5.0	6.2	1.0	0.7-1.5	8.4	0.9	0.6-1.2	6.8	2.0	1.4-2.8	1.6	0.2	0.1-0.5
Lung and bronchus	350.6	36.6	34.8-38.4	171.6	46.8	43.7-50.2	179.0	30.2	28.3-32.3	190.6	19.9	18.7-21.3	97.0	26.6	24.2-29.2	93.6	15.9	14.4-17.4
Melanoma of the skin	7.0	0.8	0.5-1.1	3.0	0.8	0.5-1.4	4.0	0.7	0.4-1.1	1.4	0.2	0.1-0.4	0.8	0.2	0.1-0.6	0.6	0.1	0.0-0.4
Female breast							655.6	122.0	117.7-126.4							136.4	24.1	22.3-26.1
Cervix uteri							52.8	10.0	8.8-11.4							16.2	3.0	2.3-3.7
Corpus uterus and NOS							219.6	36.5	34.4-38.8							74.8	12.3	11.1-13.6
Ovary							56.2	10.2	9.0-11.5							41.8	7.1	6.2-8.2
Prostate				805.0	203.7	197.3-210.3							101.4	31.8	29.0-34.7			
Testis				6.4	1.8	1.2-2.6							0.2	0.0	0.0-0.3			
Urinary bladder (incl. in situ)	86.0	9.1	8.3-10.0	59.8	17.0	15.1-19.2	26.2	4.5	3.7-5.3	21.2	2.4	1.9-2.9	12.6	4.1	3.2-5.3	8.6	1.4	1.0-1.9
Kidney and renal pelvis	125.0	13.2	12.2-14.3	72.8	19.5	17.5-21.7	52.2	9.0	7.9-10.2	18.4	1.9	1.6-2.4	13.2	3.7	2.8-4.7	5.2	0.8	0.5-1.2
Brain and other central nervous system	38.8	4.6	4.0-5.3	20.6	5.8	4.7-7.0	18.2	3.8	3.0-4.7	17.4	2.0	1.6-2.5	10.0	2.8	2.1-3.7	7.4	1.4	1.0-1.9
Thyroid	77.6	9.0	8.1-10.0	13.8	4.0	3.1-5.0	63.8	12.7	11.3-14.2	5.6	0.6	0.4-0.9	1.0	0.3	0.1-0.7	4.6	0.8	0.5-1.2
Hodgkin lymphoma	22.6	2.8	2.3-3.4	10.8	3.0	2.3-4.0	11.8	2.6	2.0-3.4	2.2	0.2	0.1-0.5	1.0	0.3	0.1-0.6	1.2	0.2	0.1-0.5
Non-Hodgkin lymphomas	129.2	14.5	13.4-15.7	63.6	17.8	15.9-20.0	65.6	12.3	10.9-13.7	32.4	3.6	3.0-4.2	14.6	4.1	3.2-5.1	17.8	3.2	2.6-4.0
Myeloma	133.8	14.2	13.2-15.4	62.0	17.4	15.5-19.5	71.8	12.4	11.1-13.8	39.0	4.1	3.5-4.7	18.0	5.2	4.1-6.4	21.0	3.5	2.8-4.3
Leukemias	90.0	10.2	9.3-11.2	43.0	12.4	10.7-14.2	47.0	8.8	7.7-10.1	41.0	4.6	4.0-5.3	19.4	5.6	4.5-6.9	21.6	3.9	3.2-4.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York (Manhattan), Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,603.6	335.5	328.1-343.0	768.6	389.0	376.6-401.6	835.0	306.8	297.2-316.5	478.2	97.4	93.4-101.4	230.6	121.5	114.5-128.8	247.6	82.8	78.1-87.7
Oral cavity and pharynx	35.8	7.4	6.4-8.6	24.0	11.9	9.9-14.3	11.8	4.2	3.2-5.5	6.6	1.3	0.9-1.9	4.4	2.2	1.4-3.3	2.2	0.6	0.3-1.2
Esophagus	10.6	2.2	1.6-2.8	6.8	3.6	2.5-5.1	3.8	1.2	0.7-2.0	9.2	1.9	1.4-2.5	6.8	3.6	2.5-5.0	2.4	0.7	0.4-1.4
Stomach	39.8	8.4	7.2-9.7	19.4	10.1	8.2-12.4	20.4	7.3	5.9-9.0	17.6	3.6	2.9-4.5	11.2	5.8	4.4-7.6	6.4	2.2	1.5-3.2
Colorectal	152.0	31.5	29.2-33.8	77.6	39.3	35.4-43.4	74.4	25.9	23.3-28.8	47.2	9.7	8.5-11.0	24.0	12.6	10.4-15.1	23.2	7.7	6.4-9.4
Colon excluding rectum	105.0	21.7	19.8-23.6	50.8	25.8	22.7-29.2	54.2	18.7	16.5-21.1	35.0	7.1	6.1-8.3	17.4	9.0	7.2-11.2	17.6	5.8	4.6-7.2
Rectum & rectosigmoid	47.0	9.8	8.6-11.2	26.8	13.5	11.3-16.0	20.2	7.2	5.9-8.9	12.2	2.6	2.0-3.3	6.6	3.5	2.4-5.0	5.6	2.0	1.3-2.9
Liver / intrahepatic bile duct	59.2	12.0	10.6-13.4	37.0	18.3	15.7-21.1	22.2	7.4	6.1-9.0	35.4	7.1	6.1-8.2	22.2	11.2	9.2-13.6	13.2	4.3	3.3-5.6
Pancreas	50.6	10.3	9.0-11.6	23.6	12.0	9.9-14.4	27.0	9.0	7.5-10.7	40.6	8.1	7.0-9.3	17.4	9.0	7.2-11.1	23.2	7.6	6.3-9.2
Larynx	12.4	2.5	1.9-3.2	9.4	4.6	3.4-6.2	3.0	1.1	0.6-1.9	3.8	0.7	0.4-1.2	3.2	1.6	0.9-2.6	0.6	0.2	0.0-0.6
Lung and bronchus	142.8	29.0	26.9-31.2	74.6	38.9	35.0-43.1	68.2	22.7	20.3-25.3	70.8	14.3	12.9-15.9	37.0	19.4	16.6-22.4	33.8	11.2	9.5-13.1
Melanoma of the skin	15.8	3.4	2.6-4.2	8.4	4.2	3.0-5.6	7.4	2.8	2.0-4.0	1.8	0.4	0.2-0.7	1.4	0.7	0.3-1.5	0.4	0.1	0.0-0.5
Female breast							248.4	94.9	89.5-100.5							36.0	12.6	10.8-14.7
Cervix uteri							15.4	6.1	4.8-7.7							3.4	1.3	0.7-2.1
Corpus uterus and NOS							66.8	24.6	22.0-27.5							11.0	3.8	2.8-4.9
Ovary							19.6	7.5	6.0-9.2							13.4	4.6	3.5-5.9
Prostate				228.0	112.4	105.9-119.2							26.2	14.5	12.1-17.2			
Testis				11.2	4.8	3.6-6.3							0.6	0.3	0.0-0.8			
Urinary bladder (incl. in situ)	48.8	9.8	8.6-11.2	33.4	17.7	15.1-20.6	15.4	5.0	3.9-6.3	11.8	2.3	1.8-3.0	6.6	3.6	2.5-5.1	5.2	1.6	1.0-2.3
Kidney and renal pelvis	46.0	10.0	8.7-11.4	25.2	12.9	10.7-15.4	20.8	8.0	6.5-9.8	7.8	1.6	1.1-2.1	4.2	2.2	1.4-3.4	3.6	1.1	0.6-1.8
Brain and other central nervous system	20.4	4.7	3.8-5.7	12.2	6.2	4.8-8.0	8.2	3.4	2.4-4.7	12.0	2.6	2.0-3.4	7.2	3.9	2.7-5.4	4.8	1.7	1.0-2.5
Thyroid	53.8	12.2	10.7-13.7	14.0	7.0	5.4-8.9	39.8	16.9	14.6-19.5	2.6	0.5	0.3-0.9	0.4	0.2	0.0-0.8	2.2	0.7	0.4-1.4
Hodgkin lymphoma	8.8	2.0	1.5-2.7	5.0	2.4	1.6-3.6	3.8	1.7	1.0-2.7	1.4	0.3	0.1-0.6	0.6	0.3	0.1-0.9	0.8	0.3	0.1-0.8
Non-Hodgkin lymphomas	76.8	16.3	14.7-18.0	38.4	19.8	17.1-22.9	38.4	13.8	11.9-16.0	19.6	4.0	3.2-4.9	10.8	5.8	4.4-7.6	8.8	2.8	2.0-3.8
Myeloma	35.2	7.3	6.3-8.5	19.8	10.2	8.3-12.5	15.4	5.3	4.2-6.7	10.2	2.0	1.5-2.7	5.6	2.9	1.9-4.1	4.6	1.5	0.9-2.2
Leukemias	45.4	9.9	8.7-11.3	26.4	13.7	11.4-16.3	19.0	7.3	5.8-9.0	19.6	4.1	3.4-5.1	9.6	5.1	3.7-6.8	10.0	3.4	2.5-4.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York (Manhattan), Non-Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6,998.2	468.7	463.6-473.7	3,348.0	493.7	486.1-501.4	3,650.2	457.4	450.5-464.4	1,825.0	115.4	113.0-117.9	873.2	129.2	125.4-133.2	951.8	106.4	103.3-109.6
Oral cavity and pharynx	181.2	12.0	11.2-12.8	120.8	17.6	16.2-19.1	60.4	7.3	6.5-8.2	34.2	2.1	1.8-2.5	23.4	3.4	2.8-4.1	10.8	1.2	0.9-1.5
Esophagus	53.2	3.4	3.0-3.8	35.0	5.1	4.4-5.9	18.2	2.0	1.6-2.5	34.8	2.2	1.8-2.5	22.8	3.3	2.7-4.0	12.0	1.3	1.0-1.7
Stomach	103.0	6.8	6.2-7.4	60.4	8.9	7.9-10.0	42.6	5.1	4.4-5.9	50.2	3.2	2.8-3.6	30.6	4.5	3.8-5.3	19.6	2.2	1.8-2.7
Colorectal	462.6	31.1	29.8-32.4	239.2	36.1	34.0-38.2	223.4	27.1	25.5-28.8	147.8	9.4	8.8-10.2	78.6	11.8	10.7-13.1	69.2	7.6	6.8-8.5
Colon excluding rectum	316.4	21.0	19.9-22.1	156.4	23.6	22.0-25.4	160.0	19.0	17.6-20.4	111.2	7.0	6.4-7.7	57.8	8.7	7.7-9.8	53.4	5.8	5.1-6.6
Rectum & rectosigmoid	146.2	10.1	9.3-10.9	82.8	12.5	11.3-13.7	63.4	8.1	7.2-9.1	36.6	2.4	2.1-2.8	20.8	3.1	2.6-3.8	15.8	1.8	1.4-2.2
Liver / intrahepatic bile duct	137.8	8.9	8.3-9.6	94.0	13.5	12.3-14.9	43.8	5.0	4.3-5.7	79.6	5.0	4.5-5.5	51.2	7.4	6.6-8.4	28.4	3.1	2.6-3.7
Pancreas	212.6	13.6	12.8-14.5	105.4	15.6	14.3-17.0	107.2	12.0	11.0-13.1	162.6	10.1	9.4-10.9	80.2	11.8	10.7-13.1	82.4	8.9	8.1-9.8
Larynx	31.6	2.1	1.8-2.4	25.2	3.7	3.1-4.4	6.4	0.8	0.5-1.1	9.8	0.6	0.4-0.8	7.2	1.0	0.7-1.4	2.6	0.3	0.1-0.5
Lung and bronchus	739.6	47.2	45.7-48.8	320.4	47.1	44.8-49.5	419.2	47.4	45.4-49.5	352.0	22.0	21.0-23.1	161.0	23.7	22.1-25.4	191.0	20.6	19.3-22.0
Melanoma of the skin	324.4	21.6	20.5-22.7	186.8	27.8	26.0-29.7	137.6	16.9	15.6-18.2	21.0	1.3	1.1-1.6	12.6	1.9	1.4-2.4	8.4	0.9	0.6-1.3
Female breast							1,151.2	153.1	149.0-157.2							149.8	17.5	16.3-18.9
Cervix uteri							46.6	6.7	5.8-7.6							14.0	1.8	1.4-2.3
Corpus uterus and NOS							248.8	30.9	29.2-32.7							48.2	5.5	4.8-6.3
Ovary							86.0	11.0	9.9-12.1							59.4	6.8	6.1-7.7
Prostate				917.6	130.3	126.5-134.2							111.2	16.4	15.0-17.8			
Testis				54.2	7.9	7.0-9.0							0.4	0.0	0.0-0.2			
Urinary bladder (incl. in situ)	296.2	18.8	17.9-19.8	211.6	31.4	29.5-33.4	84.6	9.6	8.7-10.6	52.8	3.1	2.7-3.5	35.2	5.2	4.4-6.0	17.6	1.8	1.4-2.2
Kidney and renal pelvis	192.0	13.0	12.2-13.9	128.6	19.1	17.7-20.7	63.4	8.0	7.1-9.0	28.4	1.8	1.5-2.1	17.8	2.6	2.1-3.3	10.6	1.2	0.9-1.5
Brain and other central nervous system	96.8	7.1	6.5-7.9	56.4	9.0	7.9-10.2	40.4	5.6	4.8-6.5	52.8	3.6	3.2-4.1	30.6	4.6	3.9-5.4	22.2	2.8	2.3-3.5
Thyroid	272.6	19.8	18.7-20.9	75.4	11.5	10.3-12.8	197.2	27.5	25.7-29.3	5.2	0.3	0.2-0.5	2.4	0.4	0.2-0.7	2.8	0.3	0.2-0.5
Hodgkin lymphoma	42.2	3.1	2.6-3.5	20.6	3.2	2.6-3.9	21.6	2.9	2.4-3.6	2.8	0.2	0.1-0.3	1.8	0.2	0.1-0.5	1.0	0.1	0.0-0.3
Non-Hodgkin lymphomas	348.0	23.4	22.2-24.5	179.8	27.2	25.4-29.1	168.2	20.4	19.0-21.9	67.4	4.3	3.8-4.8	38.4	5.7	4.9-6.6	29.0	3.1	2.6-3.7
Myeloma	120.0	7.8	7.2-8.5	66.4	9.8	8.7-10.9	53.6	6.2	5.5-7.1	37.2	2.3	2.0-2.7	19.8	2.9	2.4-3.6	17.4	1.9	1.6-2.4
Leukemias	229.0	15.8	14.8-16.8	128.8	20.0	18.5-21.7	100.2	12.3	11.2-13.6	77.0	5.0	4.5-5.5	39.8	6.2	5.3-7.1	37.2	4.2	3.6-4.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York (Manhattan), Non-Hispanic White Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4,765.8	471.9	465.7-478.2	2,307.0	484.5	475.5-493.7	2,458.8	471.6	462.8-480.5	1,105.4	101.2	98.5-104.0	530.8	109.8	105.6-114.1	574.6	95.6	92.0-99.3
Oral cavity and pharynx	125.4	12.0	11.1-13.1	84.4	17.2	15.6-19.0	41.0	7.4	6.4-8.6	22.2	2.0	1.6-2.4	15.6	3.2	2.5-4.0	6.6	1.0	0.7-1.4
Esophagus	36.0	3.4	2.9-4.0	24.0	5.0	4.1-6.0	12.0	2.0	1.5-2.6	22.0	2.0	1.6-2.4	15.2	3.1	2.4-3.9	6.8	1.1	0.7-1.6
Stomach	46.4	4.5	3.9-5.2	25.0	5.2	4.4-6.3	21.4	4.0	3.2-4.9	23.4	2.2	1.8-2.7	15.4	3.2	2.5-4.0	8.0	1.4	1.0-2.0
Colorectal	285.6	28.5	27.0-30.1	149.2	32.2	29.9-34.7	136.4	25.2	23.2-27.3	81.4	7.6	6.8-8.4	44.2	9.3	8.1-10.6	37.2	6.1	5.3-7.2
Colon excluding rectum	198.2	19.4	18.2-20.7	101.0	21.8	19.9-23.8	97.2	17.4	15.8-19.2	60.6	5.5	4.9-6.2	33.6	6.9	5.9-8.1	27.0	4.4	3.7-5.3
Rectum & rectosigmoid	87.4	9.0	8.2-10.0	48.2	10.4	9.1-11.9	39.2	7.7	6.6-9.0	20.8	2.1	1.7-2.5	10.6	2.3	1.7-3.1	10.2	1.8	1.3-2.4
Liver / intrahepatic bile duct	60.8	5.8	5.2-6.5	41.8	8.7	7.5-10.0	19.0	3.2	2.6-4.0	33.4	3.0	2.6-3.5	21.8	4.4	3.6-5.4	11.6	1.8	1.4-2.4
Pancreas	136.8	12.8	11.8-13.8	71.6	15.0	13.4-16.6	65.2	11.0	9.7-12.3	106.2	9.7	8.9-10.6	56.0	11.6	10.3-13.1	50.2	8.2	7.2-9.3
Larynx	17.0	1.7	1.3-2.1	13.8	2.9	2.2-3.7	3.2	0.6	0.3-1.1	5.2	0.5	0.3-0.7	4.0	0.8	0.5-1.3	1.2	0.2	0.1-0.5
Lung and bronchus	464.8	43.0	41.2-44.8	185.4	38.3	35.8-40.9	279.4	46.9	44.4-49.5	203.4	18.3	17.2-19.5	83.0	17.2	15.5-19.0	120.4	19.2	17.7-20.9
Melanoma of the skin	303.0	30.1	28.5-31.7	176.2	37.5	35.0-40.1	126.8	24.2	22.2-26.2	18.8	1.7	1.4-2.1	11.6	2.4	1.8-3.2	7.2	1.2	0.8-1.7
Female breast							801.2	165.0	159.7-170.5							89.0	15.3	13.9-16.9
Cervix uteri							23.2	5.4	4.4-6.6							6.0	1.1	0.7-1.6
Corpus uterus and NOS							158.0	30.0	27.8-32.2							27.6	4.8	4.0-5.7
Ovary							57.6	11.0	9.7-12.4							43.0	7.4	6.4-8.5
Prostate				619.8	124.2	119.8-128.7							66.4	13.5	12.1-15.1			
Testis				45.2	10.1	8.7-11.6							0.0	0.0	0.0-0.3			
Urinary bladder (incl. in situ)	234.8	21.7	20.4-23.0	170.0	35.2	32.8-37.7	64.8	11.0	9.8-12.4	37.0	3.1	2.7-3.6	25.4	5.1	4.2-6.1	11.6	1.8	1.3-2.3
Kidney and renal pelvis	121.0	12.1	11.1-13.2	86.6	18.5	16.8-20.4	34.4	6.4	5.4-7.6	16.2	1.5	1.2-1.9	11.6	2.4	1.8-3.1	4.6	0.7	0.4-1.1
Brain and other central nervous system	74.6	8.4	7.5-9.4	45.0	10.4	9.0-12.1	29.6	6.5	5.4-7.9	39.2	4.0	3.4-4.7	22.6	4.8	3.9-5.9	16.6	3.3	2.6-4.2
Thyroid	174.0	19.4	18.0-20.8	53.2	11.9	10.5-13.5	120.8	26.8	24.6-29.2	3.2	0.3	0.2-0.5	1.0	0.2	0.1-0.5	2.2	0.4	0.2-0.7
Hodgkin lymphoma	28.4	3.3	2.7-3.9	13.8	3.3	2.5-4.3	14.6	3.2	2.4-4.2	2.2	0.2	0.1-0.4	1.4	0.3	0.1-0.6	0.8	0.1	0.0-0.4
Non-Hodgkin lymphomas	257.8	25.2	23.8-26.7	134.4	28.7	26.5-31.0	123.4	22.4	20.5-24.3	49.0	4.5	3.9-5.1	28.8	6.0	5.0-7.1	20.2	3.2	2.6-3.9
Myeloma	73.8	6.9	6.2-7.7	44.4	9.2	8.0-10.5	29.4	5.0	4.2-5.9	23.0	2.1	1.7-2.5	13.8	2.8	2.2-3.6	9.2	1.5	1.1-2.1
Leukemias	174.6	17.9	16.6-19.2	101.0	22.6	20.6-24.8	73.6	13.7	12.2-15.3	53.4	4.9	4.3-5.5	28.6	6.1	5.1-7.2	24.8	4.0	3.3-4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
New York (Manhattan), Non-Hispanic Black Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,302.0	500.0	487.7-512.5	628.0	588.4	567.4-610.0	674.0	451.4	435.8-467.4	467.2	176.2	169.0-183.6	215.2	217.5	204.4-231.3	252.0	155.5	146.8-164.6
Oral cavity and pharynx	26.6	10.2	8.5-12.2	18.2	16.7	13.4-20.7	8.4	5.8	4.1-8.0	7.6	2.9	2.0-4.0	4.2	4.2	2.6-6.5	3.4	2.1	1.2-3.5
Esophagus	10.0	3.7	2.7-4.9	5.2	4.8	3.1-7.1	4.8	3.1	2.0-4.7	7.8	2.9	2.1-4.0	3.8	3.8	2.2-6.0	4.0	2.5	1.5-3.9
Stomach	23.4	9.1	7.5-11.0	12.6	12.2	9.3-15.8	10.8	7.0	5.2-9.2	11.6	4.4	3.3-5.7	6.0	5.5	3.7-7.9	5.6	3.3	2.2-4.8
Colorectal	105.8	41.0	37.5-44.7	54.0	52.5	46.3-59.4	51.8	33.7	29.6-38.2	45.6	17.3	15.1-19.8	23.4	24.2	19.9-29.1	22.2	13.0	10.7-15.8
Colon excluding rectum	76.6	29.5	26.6-32.7	37.6	36.8	31.6-42.6	39.0	25.3	21.7-29.2	34.0	13.0	11.1-15.2	16.0	16.8	13.2-21.0	18.0	10.6	8.5-13.2
Rectum & rectosigmoid	29.2	11.5	9.7-13.6	16.4	15.8	12.5-19.7	12.8	8.4	6.4-10.9	11.6	4.3	3.3-5.7	7.4	7.4	5.1-10.3	4.2	2.4	1.5-3.8
Liver / intrahepatic bile duct	45.0	16.4	14.3-18.7	31.2	28.2	23.8-33.2	13.8	8.5	6.6-10.8	26.0	9.7	8.1-11.6	16.6	16.3	12.9-20.4	9.4	5.8	4.2-7.8
Pancreas	47.6	17.7	15.5-20.2	22.4	21.9	17.9-26.5	25.2	15.3	12.7-18.4	39.0	14.4	12.4-16.6	17.0	16.8	13.3-20.9	22.0	13.1	10.7-15.9
Larynx	10.0	3.6	2.7-4.8	7.6	7.0	4.9-9.8	2.4	1.5	0.8-2.7	4.0	1.4	0.8-2.2	2.8	2.5	1.4-4.3	1.2	0.7	0.2-1.6
Lung and bronchus	155.8	58.3	54.3-62.6	72.8	69.7	62.6-77.5	83.0	51.3	46.4-56.7	90.6	33.6	30.6-36.9	45.0	44.5	38.8-50.9	45.6	27.5	24.0-31.5
Melanoma of the skin	4.0	1.5	0.9-2.3	1.4	1.2	0.5-2.6	2.6	1.7	0.9-3.1	0.8	0.3	0.1-0.8	0.2	0.2	0.0-1.1	0.6	0.3	0.1-1.2
Female breast							196.6	137.9	129.1-147.1							44.4	28.5	24.7-32.7
Cervix uteri							15.4	11.3	8.8-14.2							6.0	4.0	2.7-5.9
Corpus uterus and NOS							59.8	38.4	34.1-43.2							16.0	9.8	7.8-12.3
Ovary							14.2	9.9	7.6-12.6							10.0	6.2	4.6-8.2
Prostate				218.2	196.1	184.3-208.4							36.6	39.4	33.8-45.7			
Testis				4.0	3.6	2.2-5.7							0.2	0.2	0.0-1.3			
Urinary bladder (incl. in situ)	35.2	13.5	11.6-15.7	22.0	22.6	18.5-27.4	13.2	8.3	6.4-10.7	10.8	4.0	3.0-5.3	6.4	7.1	4.8-10.0	4.4	2.4	1.5-3.8
Kidney and renal pelvis	47.6	18.2	15.9-20.8	28.4	25.4	21.3-30.1	19.2	12.9	10.3-15.8	7.0	2.7	1.9-3.8	2.6	2.6	1.4-4.5	4.4	2.7	1.7-4.3
Brain and other central nervous system	10.4	4.3	3.2-5.7	4.6	4.4	2.8-6.8	5.8	4.2	2.7-6.2	7.2	2.8	1.9-3.9	4.4	4.0	2.5-6.2	2.8	1.8	1.0-3.2
Thyroid	25.4	10.6	8.8-12.6	4.8	4.1	2.6-6.2	20.6	16.3	13.2-20.0	0.6	0.3	0.0-0.8	0.4	0.5	0.1-1.7	0.2	0.1	0.0-0.9
Hodgkin lymphoma	9.2	3.9	2.8-5.2	5.0	5.0	3.2-7.5	4.2	3.1	1.9-4.9	0.2	0.1	0.0-0.5	0.2	0.2	0.0-1.1	0.0	0.0	0.0-0.7
Non-Hodgkin lymphomas	48.2	19.4	17.0-22.1	25.2	24.5	20.3-29.3	23.0	15.8	13.0-19.2	11.0	4.4	3.3-5.8	6.2	6.6	4.4-9.4	4.8	3.0	1.9-4.5
Myeloma	37.0	14.3	12.3-16.6	17.0	16.4	13.0-20.5	20.0	12.8	10.3-15.7	11.4	4.3	3.2-5.6	4.4	4.4	2.7-6.8	7.0	4.3	3.0-6.1
Leukemias	26.4	10.7	8.9-12.8	13.0	12.9	9.9-16.6	13.4	9.2	7.0-11.9	13.4	5.3	4.1-6.8	5.8	6.1	4.1-8.9	7.6	5.0	3.5-7.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Queens, Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2,004.2	329.6	323.0-336.2	929.4	347.3	336.9-358.0	1,074.8	327.3	318.4-336.2	491.6	86.7	83.2-90.3	248.2	105.3	99.2-111.6	243.4	75.2	70.9-79.6
Oral cavity and pharynx	37.8	6.1	5.2-7.1	25.6	9.3	7.6-11.1	12.2	3.6	2.8-4.7	5.6	1.0	0.6-1.4	4.2	1.6	1.0-2.5	1.4	0.4	0.2-0.9
Esophagus	10.4	1.8	1.3-2.3	7.6	3.0	2.1-4.2	2.8	0.9	0.5-1.5	6.8	1.2	0.8-1.7	5.0	2.1	1.3-3.1	1.8	0.6	0.3-1.1
Stomach	69.0	11.8	10.6-13.2	35.8	13.8	11.8-16.1	33.2	10.6	9.0-12.4	27.4	4.7	3.9-5.6	14.4	5.6	4.3-7.1	13.0	4.1	3.2-5.3
Colorectal	173.4	28.9	27.0-31.0	90.4	33.9	30.7-37.3	83.0	25.6	23.2-28.2	47.0	8.2	7.1-9.3	26.2	10.3	8.5-12.3	20.8	6.5	5.3-7.9
Colon excluding rectum	118.0	19.9	18.3-21.6	57.8	22.0	19.4-24.9	60.2	18.7	16.6-20.9	38.0	6.7	5.7-7.7	20.8	8.3	6.7-10.1	17.2	5.4	4.3-6.7
Rectum & rectosigmoid	55.4	9.0	7.9-10.1	32.6	11.8	10.0-13.9	22.8	7.0	5.7-8.4	9.0	1.5	1.1-2.0	5.4	2.0	1.3-2.9	3.6	1.1	0.6-1.7
Liver / intrahepatic bile duct	58.2	9.8	8.7-11.0	38.8	14.9	12.8-17.2	19.4	5.9	4.8-7.3	32.6	5.5	4.7-6.5	20.8	8.1	6.6-9.9	11.8	3.6	2.7-4.6
Pancreas	64.8	11.6	10.4-13.0	28.8	11.6	9.7-13.7	36.0	11.4	9.8-13.3	43.4	7.9	6.8-9.0	19.8	8.3	6.6-10.1	23.6	7.4	6.2-8.9
Larynx	9.4	1.6	1.2-2.2	7.8	3.0	2.1-4.2	1.6	0.6	0.2-1.1	2.0	0.4	0.2-0.7	2.0	0.9	0.4-1.7	0.0	0.0	0.0-0.2
Lung and bronchus	128.4	22.2	20.4-24.0	67.0	27.9	24.8-31.2	61.4	18.4	16.4-20.6	63.4	11.3	10.1-12.7	36.6	16.0	13.7-18.6	26.8	8.1	6.7-9.6
Melanoma of the skin	14.2	2.4	1.9-3.0	7.8	3.1	2.1-4.3	6.4	2.0	1.4-2.8	2.6	0.5	0.3-0.8	1.6	0.7	0.3-1.5	1.0	0.3	0.1-0.8
Female breast							319.4	95.9	91.2-100.8							35.6	10.8	9.2-12.5
Cervix uteri							33.4	10.4	8.9-12.1							7.2	2.2	1.6-3.1
Corpus uterus and NOS							77.4	22.6	20.3-25.0							14.6	4.4	3.5-5.6
Ovary							29.4	9.0	7.6-10.6							12.4	3.8	2.9-4.9
Prostate				267.6	98.5	93.0-104.2							26.6	13.5	11.2-16.0			
Testis				18.4	5.3	4.3-6.5							1.0	0.3	0.1-0.7			
Urinary bladder (incl. in situ)	45.4	8.1	7.0-9.2	30.8	13.3	11.2-15.7	14.6	4.5	3.5-5.7	8.8	1.8	1.3-2.4	6.2	3.3	2.2-4.7	2.6	0.9	0.5-1.5
Kidney and renal pelvis	77.2	12.3	11.1-13.6	47.0	16.5	14.4-18.9	30.2	9.0	7.6-10.6	8.6	1.5	1.1-2.0	5.8	2.4	1.6-3.5	2.8	0.8	0.4-1.4
Brain and other central nervous system	29.6	4.9	4.2-5.8	16.6	5.9	4.6-7.3	13.0	4.1	3.2-5.2	15.2	2.6	2.1-3.3	9.4	3.8	2.8-5.1	5.8	1.8	1.2-2.7
Thyroid	119.4	18.3	16.9-19.9	22.6	7.2	5.9-8.7	96.8	29.5	26.9-32.2	3.4	0.6	0.4-1.0	1.2	0.5	0.2-1.1	2.2	0.7	0.3-1.3
Hodgkin lymphoma	15.4	2.4	1.9-3.0	9.0	3.1	2.2-4.1	6.4	2.0	1.4-2.8	1.2	0.2	0.1-0.5	0.4	0.1	0.0-0.5	0.8	0.3	0.1-0.7
Non-Hodgkin lymphomas	103.2	17.4	15.9-19.0	53.4	20.1	17.6-22.7	49.8	15.3	13.5-17.4	23.8	4.2	3.5-5.1	14.8	6.2	4.8-7.9	9.0	2.7	2.0-3.7
Myeloma	42.0	7.0	6.1-8.0	22.8	8.5	7.0-10.3	19.2	5.8	4.7-7.1	9.0	1.6	1.2-2.2	3.8	1.6	1.0-2.6	5.2	1.6	1.1-2.4
Leukemias	64.4	10.6	9.5-11.9	38.8	14.0	12.0-16.2	25.6	8.0	6.6-9.5	22.2	3.8	3.1-4.6	12.2	5.0	3.8-6.5	10.0	3.1	2.3-4.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Queens, Non-Hispanic Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	9,450.2	440.6	436.5-444.7	4,576.0	466.9	460.8-473.2	4,874.2	426.6	421.0-432.2	2,702.8	119.9	117.8-122.0	1,344.8	140.0	136.6-143.5	1,358.0	106.3	103.7-109.0
Oral cavity and pharynx	211.2	9.9	9.3-10.5	129.4	13.2	12.2-14.3	81.8	7.2	6.5-8.0	46.8	2.1	1.8-2.4	30.6	3.1	2.6-3.7	16.2	1.3	1.0-1.6
Esophagus	81.6	3.6	3.2-3.9	60.0	5.9	5.3-6.7	21.6	1.6	1.3-2.0	57.4	2.5	2.2-2.8	43.6	4.4	3.8-5.1	13.8	1.0	0.8-1.3
Stomach	255.4	11.8	11.1-12.5	149.6	15.6	14.5-16.8	105.8	8.8	8.0-9.6	100.4	4.5	4.1-4.9	62.8	6.6	5.9-7.4	37.6	2.9	2.5-3.4
Colorectal	826.8	38.3	37.1-39.6	429.0	44.4	42.5-46.4	397.8	33.3	31.8-34.9	267.2	11.8	11.2-12.5	126.8	13.2	12.2-14.3	140.4	10.8	10.0-11.6
Colon excluding rectum	587.2	27.0	26.1-28.1	294.6	30.6	29.0-32.2	292.6	24.1	22.8-25.4	222.2	9.8	9.3-10.5	102.0	10.7	9.8-11.7	120.2	9.2	8.5-10.0
Rectum & rectosigmoid	239.6	11.3	10.6-12.0	134.4	13.8	12.8-14.9	105.2	9.2	8.4-10.1	45.0	2.0	1.7-2.3	24.8	2.5	2.1-3.0	20.2	1.6	1.3-1.9
Liver / intrahepatic bile duct	217.2	9.8	9.2-10.4	156.0	15.4	14.3-16.6	61.2	5.0	4.5-5.7	138.4	6.2	5.7-6.7	94.2	9.5	8.6-10.4	44.2	3.5	3.1-4.1
Pancreas	304.4	13.4	12.7-14.1	140.8	14.3	13.3-15.5	163.6	12.5	11.7-13.5	224.4	9.7	9.2-10.3	104.8	10.5	9.6-11.5	119.6	8.9	8.2-9.7
Larynx	51.2	2.2	2.0-2.5	43.2	4.3	3.7-4.9	8.0	0.6	0.4-0.9	14.6	0.6	0.5-0.8	11.8	1.2	0.9-1.6	2.8	0.2	0.1-0.4
Lung and bronchus	1,062.0	47.1	45.9-48.5	547.4	55.8	53.6-57.9	514.6	40.8	39.2-42.4	509.8	22.3	21.5-23.2	281.0	29.0	27.5-30.6	228.8	17.4	16.4-18.5
Melanoma of the skin	184.2	8.6	8.0-9.2	103.2	10.9	9.9-11.9	81.0	7.0	6.3-7.8	22.4	1.1	0.9-1.3	13.4	1.4	1.1-1.8	9.0	0.8	0.5-1.0
Female breast							1,489.0	135.3	132.1-138.5							218.6	18.0	16.9-19.1
Cervix uteri							91.2	9.0	8.1-9.9							23.8	2.1	1.7-2.5
Corpus uterus and NOS							373.6	31.5	30.1-33.1							84.8	6.7	6.0-7.4
Ovary							131.8	12.2	11.3-13.3							71.2	5.8	5.2-6.4
Prostate				1,232.0	117.3	114.3-120.3							150.2	15.9	14.8-17.1			
Testis				36.0	4.5	3.9-5.3							1.0	0.1	0.0-0.3			
Urinary bladder (incl. in situ)	386.2	17.1	16.3-17.9	291.4	30.2	28.7-31.9	94.8	7.3	6.7-8.1	69.4	3.0	2.7-3.3	49.4	5.2	4.6-6.0	20.0	1.5	1.2-1.8
Kidney and renal pelvis	316.6	14.9	14.2-15.7	204.4	21.3	20.0-22.7	112.2	9.6	8.8-10.5	50.6	2.3	2.0-2.6	32.8	3.4	2.9-4.0	17.8	1.4	1.1-1.8
Brain and other central nervous system	102.6	5.4	4.9-5.9	56.0	6.3	5.5-7.1	46.6	4.6	4.0-5.3	61.8	3.0	2.6-3.4	32.0	3.5	3.0-4.1	29.8	2.5	2.1-3.0
Thyroid	373.0	20.9	19.9-21.9	93.0	10.7	9.7-11.7	280.0	30.4	28.8-32.1	11.8	0.5	0.4-0.7	5.4	0.6	0.4-0.8	6.4	0.5	0.3-0.7
Hodgkin lymphoma	45.4	2.7	2.3-3.1	25.6	3.1	2.6-3.7	19.8	2.3	1.8-2.8	3.6	0.2	0.1-0.3	2.2	0.2	0.1-0.4	1.4	0.1	0.0-0.3
Non-Hodgkin lymphomas	389.4	18.3	17.5-19.2	210.6	22.2	20.9-23.7	178.8	15.2	14.2-16.3	89.4	3.9	3.6-4.3	51.8	5.5	4.8-6.2	37.6	2.7	2.4-3.2
Myeloma	174.0	7.8	7.3-8.3	88.8	8.9	8.1-9.8	85.2	6.9	6.2-7.6	59.4	2.5	2.3-2.9	29.8	3.0	2.6-3.6	29.6	2.2	1.9-2.6
Leukemias	277.0	13.5	12.8-14.3	158.2	17.4	16.1-18.7	118.8	10.5	9.7-11.5	105.8	4.8	4.3-5.2	60.8	6.5	5.8-7.3	45.0	3.5	3.1-4.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Queens, Non-Hispanic White Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4,449.4	493.4	486.5-500.4	2,214.2	519.7	509.7-529.9	2,235.2	482.6	472.7-492.6	1,363.8	130.7	127.5-134.1	680.4	150.4	145.2-155.7	683.4	117.0	112.7-121.4
Oral cavity and pharynx	99.2	10.9	9.9-11.9	63.0	14.5	12.9-16.3	36.2	7.7	6.5-9.1	22.4	2.4	1.9-2.9	14.2	3.2	2.5-4.1	8.2	1.7	1.2-2.4
Esophagus	41.8	4.2	3.6-4.9	30.4	6.8	5.8-8.1	11.4	1.9	1.4-2.6	31.2	3.2	2.7-3.8	24.8	5.7	4.7-6.8	6.4	1.1	0.7-1.6
Stomach	79.2	8.7	7.8-9.7	44.2	10.7	9.3-12.3	35.0	6.9	5.8-8.2	31.0	3.1	2.6-3.6	19.4	4.5	3.6-5.6	11.6	1.8	1.3-2.4
Colorectal	379.8	41.3	39.3-43.3	198.4	47.4	44.4-50.6	181.4	35.9	33.4-38.7	131.8	12.4	11.4-13.4	65.6	14.4	12.9-16.1	66.2	10.8	9.6-12.2
Colon excluding rectum	274.2	29.1	27.4-30.8	138.0	32.7	30.2-35.3	136.2	26.0	23.8-28.3	108.6	10.1	9.3-11.1	52.8	11.6	10.2-13.2	55.8	9.1	8.0-10.4
Rectum & rectosigmoid	105.6	12.2	11.1-13.4	60.4	14.8	13.1-16.6	45.2	10.0	8.6-11.5	23.2	2.2	1.8-2.7	12.8	2.8	2.1-3.6	10.4	1.7	1.2-2.4
Liver / intrahepatic bile duct	78.4	7.9	7.1-8.8	55.6	12.3	10.9-13.9	22.8	4.2	3.4-5.2	52.8	5.3	4.6-6.0	35.6	8.0	6.8-9.4	17.2	2.9	2.3-3.7
Pancreas	149.6	14.5	13.4-15.6	69.4	15.7	14.1-17.5	80.2	13.3	11.9-14.8	116.0	10.8	9.9-11.8	53.8	11.8	10.4-13.4	62.2	9.7	8.6-11.0
Larynx	25.4	2.6	2.2-3.1	21.0	4.7	3.9-5.8	4.4	0.8	0.5-1.3	8.4	0.9	0.6-1.2	7.2	1.7	1.2-2.4	1.2	0.2	0.1-0.6
Lung and bronchus	555.8	55.9	53.7-58.1	273.8	61.7	58.4-65.1	282.0	51.4	48.6-54.3	279.8	26.9	25.4-28.4	145.0	32.1	29.7-34.5	134.8	22.8	21.0-24.7
Melanoma of the skin	166.6	18.8	17.5-20.2	95.4	22.6	20.6-24.9	71.2	16.2	14.4-18.2	18.2	2.0	1.6-2.5	10.6	2.5	1.9-3.3	7.6	1.6	1.1-2.3
Female breast							626.0	146.4	140.8-152.1							104.6	19.5	17.7-21.5
Cervix uteri							25.0	6.8	5.6-8.3							5.8	1.5	1.0-2.2
Corpus uterus and NOS							157.6	34.1	31.6-36.8							32.6	5.7	4.8-6.7
Ovary							52.0	12.0	10.5-13.7							33.2	6.2	5.2-7.3
Prostate				503.4	111.5	107.1-116.0							67.2	14.0	12.5-15.6			
Testis				25.6	9.0	7.5-10.8							0.4	0.1	0.0-0.4			
Urinary bladder (incl. in situ)	259.4	25.7	24.2-27.2	198.4	44.4	41.6-47.3	61.0	10.8	9.5-12.2	47.6	4.1	3.5-4.7	33.6	7.0	6.0-8.2	14.0	2.0	1.5-2.6
Kidney and renal pelvis	152.4	17.9	16.6-19.4	98.0	24.4	22.2-26.8	54.4	12.0	10.5-13.7	28.0	2.7	2.2-3.2	16.8	3.7	2.9-4.6	11.2	1.9	1.4-2.6
Brain and other central nervous system	51.8	7.1	6.2-8.2	26.4	7.3	6.0-8.8	25.4	7.0	5.6-8.5	34.2	3.8	3.2-4.4	17.0	4.2	3.3-5.3	17.2	3.3	2.6-4.2
Thyroid	145.8	22.9	21.1-24.7	41.2	12.1	10.5-14.0	104.6	34.2	31.1-37.5	7.0	0.7	0.5-1.0	3.4	0.8	0.5-1.3	3.6	0.5	0.3-1.0
Hodgkin lymphoma	24.6	4.3	3.5-5.2	15.4	5.4	4.2-6.8	9.2	3.3	2.3-4.5	2.8	0.3	0.1-0.5	2.0	0.4	0.2-0.9	0.8	0.2	0.0-0.5
Non-Hodgkin lymphomas	210.4	23.6	22.1-25.2	114.2	27.9	25.6-30.5	96.2	19.9	18.0-22.0	52.2	4.7	4.1-5.4	28.6	6.3	5.3-7.5	23.6	3.5	2.9-4.3
Myeloma	68.0	7.0	6.2-7.8	36.8	8.4	7.2-9.7	31.2	5.8	4.9-6.9	28.4	2.5	2.1-3.0	15.4	3.2	2.5-4.1	13.0	2.0	1.6-2.7
Leukemias	147.0	16.2	15.0-17.6	87.8	21.3	19.2-23.5	59.2	12.0	10.5-13.7	58.2	5.3	4.7-6.0	32.2	6.9	5.9-8.1	26.0	4.2	3.5-5.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Queens, Non-Hispanic Black Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2,178.6	418.8	410.8-427.0	1,041.6	486.0	472.4-499.9	1,137.0	379.7	369.6-390.1	662.0	127.9	123.5-132.4	295.4	153.1	145.1-161.4	366.6	115.4	110.0-120.9
Oral cavity and pharynx	34.6	6.9	5.8-8.0	19.4	9.2	7.4-11.3	15.2	5.3	4.1-6.7	7.2	1.4	0.9-1.9	4.6	2.2	1.4-3.4	2.6	0.8	0.4-1.4
Esophagus	18.2	3.4	2.7-4.2	13.4	6.3	4.8-8.1	4.8	1.5	1.0-2.3	12.6	2.3	1.7-2.9	8.2	3.9	2.8-5.4	4.4	1.3	0.8-2.1
Stomach	55.8	11.0	9.7-12.4	28.4	14.8	12.4-17.6	27.4	9.0	7.5-10.7	23.2	4.6	3.8-5.5	15.4	8.4	6.6-10.6	7.8	2.5	1.7-3.4
Colorectal	196.0	38.3	35.9-40.8	89.4	43.5	39.4-47.9	106.6	35.0	32.0-38.2	78.6	15.4	13.9-17.0	31.0	15.9	13.4-18.7	47.6	15.1	13.2-17.2
Colon excluding rectum	151.6	29.5	27.4-31.8	66.8	32.7	29.1-36.5	84.8	27.4	24.8-30.3	67.4	13.2	11.8-14.7	26.0	13.5	11.2-16.2	41.4	13.0	11.3-15.0
Rectum & rectosigmoid	44.4	8.8	7.6-10.0	22.6	10.8	8.8-13.1	21.8	7.6	6.2-9.3	11.2	2.2	1.6-2.9	5.0	2.3	1.5-3.5	6.2	2.0	1.4-2.9
Liver / intrahepatic bile duct	38.8	7.3	6.3-8.4	28.2	13.1	10.9-15.5	10.6	3.3	2.4-4.4	26.6	5.0	4.2-6.0	19.4	9.5	7.6-11.7	7.2	2.2	1.6-3.2
Pancreas	73.4	13.9	12.4-15.4	29.4	14.1	11.9-16.7	44.0	13.7	11.9-15.7	55.8	10.5	9.3-11.9	25.0	12.1	10.0-14.5	30.8	9.4	7.9-11.0
Larynx	12.8	2.3	1.8-3.0	10.6	5.1	3.8-6.7	2.2	0.6	0.3-1.2	4.4	0.8	0.5-1.2	3.0	1.4	0.8-2.3	1.4	0.4	0.2-0.9
Lung and bronchus	175.8	33.4	31.2-35.8	87.4	42.5	38.5-46.8	88.4	27.7	25.2-30.5	93.8	17.8	16.2-19.6	49.8	25.2	22.1-28.7	44.0	13.5	11.7-15.4
Melanoma of the skin	4.0	0.8	0.5-1.3	1.6	0.7	0.3-1.5	2.4	0.8	0.4-1.4	0.8	0.1	0.0-0.4	0.4	0.2	0.0-0.7	0.4	0.1	0.0-0.5
Female breast							380.0	130.5	124.5-136.8							69.8	22.6	20.2-25.2
Cervix uteri							25.8	9.6	8.0-11.6							9.2	3.0	2.2-4.1
Corpus uterus and NOS							108.8	33.9	31.0-37.0							34.6	10.6	9.0-12.3
Ovary							29.6	10.0	8.4-11.9							21.0	6.5	5.3-7.9
Prostate				446.8	194.9	186.6-203.5							57.8	32.7	29.0-36.8			
Testis				3.6	1.9	1.1-3.1							0.2	0.1	0.0-0.7			
Urinary bladder (incl. in situ)	49.4	9.5	8.3-10.8	33.8	17.4	14.8-20.3	15.6	4.8	3.8-6.1	10.6	2.0	1.5-2.7	7.0	3.6	2.5-5.1	3.6	1.2	0.7-1.9
Kidney and renal pelvis	76.8	14.7	13.3-16.4	49.8	23.3	20.4-26.5	27.0	8.8	7.4-10.5	10.6	2.1	1.6-2.8	7.4	4.0	2.8-5.5	3.2	1.0	0.6-1.7
Brain and other central nervous system	18.6	4.0	3.2-5.0	11.6	5.7	4.3-7.5	7.0	2.6	1.8-3.7	11.8	2.6	2.0-3.4	5.2	2.8	1.8-4.2	6.6	2.3	1.6-3.4
Thyroid	41.0	8.8	7.6-10.1	7.4	3.9	2.7-5.4	33.6	12.7	10.8-14.9	2.6	0.5	0.3-0.8	0.4	0.1	0.0-0.6	2.2	0.7	0.3-1.2
Hodgkin lymphoma	10.4	2.3	1.7-3.0	4.6	2.2	1.4-3.3	5.8	2.4	1.6-3.5	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.4	0.2	0.1	0.0-0.5
Non-Hodgkin lymphomas	69.2	13.7	12.3-15.3	34.6	16.5	14.0-19.3	34.6	12.0	10.2-14.0	16.6	3.3	2.6-4.1	8.2	4.0	2.9-5.5	8.4	2.7	1.9-3.7
Myeloma	68.2	13.1	11.8-14.7	29.8	14.2	12.0-16.8	38.4	12.4	10.6-14.3	22.0	4.2	3.5-5.1	9.6	4.8	3.5-6.4	12.4	3.9	2.9-5.0
Leukemias	52.8	11.1	9.8-12.6	26.6	13.8	11.5-16.5	26.2	9.5	7.9-11.4	21.8	4.3	3.5-5.2	12.4	6.3	4.8-8.1	9.4	3.1	2.3-4.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Richmond (Staten Island), Non-Hispanic Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2,759.8	531.7	522.5-541.0	1,341.6	560.9	547.1-575.0	1,418.2	514.4	502.0-527.2	782.6	145.6	141.0-150.3	380.6	165.8	158.2-173.6	402.0	131.6	125.7-137.7
Oral cavity and pharynx	54.0	10.2	9.0-11.6	37.4	15.4	13.2-17.9	16.6	5.6	4.5-7.1	10.6	1.8	1.4-2.5	7.6	3.0	2.1-4.1	3.0	0.9	0.5-1.6
Esophagus	25.6	4.5	3.8-5.4	20.2	7.8	6.3-9.6	5.4	1.9	1.2-2.8	16.0	2.8	2.2-3.6	12.6	4.9	3.7-6.3	3.4	1.1	0.6-1.9
Stomach	41.4	7.9	6.8-9.1	25.8	11.3	9.4-13.6	15.6	5.3	4.1-6.7	19.4	3.7	2.9-4.5	11.0	4.7	3.5-6.2	8.4	2.9	2.1-4.1
Colorectal	215.8	41.4	38.9-44.0	116.4	49.6	45.5-54.0	99.4	34.4	31.3-37.7	73.4	13.6	12.2-15.1	38.6	16.8	14.4-19.4	34.8	11.0	9.4-12.9
Colon excluding rectum	158.8	30.0	27.9-32.3	83.0	35.3	31.9-39.0	75.8	25.7	23.1-28.6	60.2	11.1	9.9-12.5	30.2	13.1	11.1-15.5	30.0	9.5	8.0-11.3
Rectum & rectosigmoid	57.0	11.3	10.0-12.8	33.4	14.3	12.2-16.8	23.6	8.6	7.1-10.5	13.2	2.5	1.9-3.2	8.4	3.7	2.6-5.0	4.8	1.5	0.9-2.3
Liver / intrahepatic bile duct	55.2	9.7	8.6-11.0	39.8	15.3	13.2-17.7	15.4	5.0	3.9-6.3	34.2	6.1	5.2-7.2	22.8	9.1	7.5-11.1	11.4	3.7	2.8-4.8
Pancreas	83.0	15.2	13.7-16.8	40.2	16.6	14.3-19.1	42.8	13.9	12.1-16.0	66.2	12.0	10.8-13.5	30.4	12.7	10.7-15.0	35.8	11.5	9.9-13.4
Larynx	16.2	3.0	2.4-3.8	13.4	5.6	4.3-7.1	2.8	1.0	0.5-1.7	4.0	0.7	0.4-1.1	2.2	0.9	0.4-1.6	1.8	0.6	0.3-1.2
Lung and bronchus	362.2	66.5	63.4-69.7	169.4	71.4	66.6-76.6	192.8	63.5	59.5-67.8	189.0	35.1	32.9-37.5	94.6	41.2	37.5-45.2	94.4	30.9	28.1-33.9
Melanoma of the skin	81.2	15.7	14.2-17.4	44.2	19.0	16.5-21.8	37.0	13.3	11.4-15.5	8.0	1.6	1.1-2.2	4.2	2.1	1.3-3.2	3.8	1.4	0.8-2.2
Female breast							385.6	143.7	137.1-150.7							54.8	17.7	15.6-20.0
Cervix uteri							19.0	8.1	6.5-10.1							5.2	1.8	1.2-2.7
Corpus uterus and NOS							107.4	36.3	33.2-39.7							20.0	6.4	5.2-7.9
Ovary							40.2	15.3	13.2-17.7							20.4	6.8	5.5-8.3
Prostate				317.8	121.3	115.2-127.6							34.0	16.2	13.8-18.9			
Testis				11.4	6.6	4.9-8.5							0.6	0.3	0.1-0.9			
Urinary bladder (incl. in situ)	137.0	25.2	23.3-27.2	100.4	42.5	38.8-46.5	36.6	11.9	10.2-13.8	25.4	4.7	3.9-5.7	17.8	8.3	6.6-10.2	7.6	2.4	1.7-3.4
Kidney and renal pelvis	116.2	22.2	20.3-24.2	79.8	33.4	30.0-37.0	36.4	12.6	10.8-14.7	18.4	3.4	2.7-4.2	12.8	5.5	4.2-7.1	5.6	1.8	1.2-2.7
Brain and other central nervous system	33.0	7.3	6.2-8.5	17.6	8.4	6.7-10.5	15.4	6.2	4.8-7.9	20.8	4.0	3.2-4.9	11.0	4.7	3.5-6.2	9.8	3.4	2.5-4.5
Thyroid	147.8	34.2	31.7-36.9	45.6	21.6	18.7-24.7	102.2	46.1	42.0-50.5	2.8	0.5	0.3-0.8	1.4	0.6	0.2-1.2	1.4	0.4	0.2-0.9
Hodgkin lymphoma	13.2	3.5	2.7-4.4	7.8	4.2	2.9-5.8	5.4	2.7	1.8-4.0	2.4	0.5	0.2-0.8	1.6	0.6	0.3-1.3	0.8	0.3	0.1-0.9
Non-Hodgkin lymphomas	123.0	24.0	22.1-26.0	64.6	28.2	25.1-31.6	58.4	20.5	18.1-23.2	24.2	4.7	3.9-5.7	13.6	6.2	4.8-8.0	10.6	3.5	2.6-4.7
Myeloma	50.2	9.3	8.2-10.6	27.6	11.7	9.7-13.9	22.6	7.5	6.1-9.1	13.8	2.5	1.9-3.2	8.0	3.3	2.3-4.5	5.8	1.9	1.2-2.7
Leukemias	87.2	17.5	15.9-19.4	50.4	22.2	19.4-25.2	36.8	13.7	11.7-16.0	34.4	6.6	5.7-7.7	17.8	8.2	6.5-10.1	16.6	5.5	4.4-7.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Richmond (Staten Island), Non-Hispanic White Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2,324.2	559.6	549.0-570.4	1,125.6	582.5	566.8-598.5	1,198.6	549.5	534.7-564.6	664.4	150.0	144.8-155.3	320.2	169.5	161.1-178.3	344.2	136.4	129.8-143.3
Oral cavity and pharynx	44.0	10.3	8.9-11.9	30.8	15.5	13.1-18.4	13.2	5.7	4.4-7.4	8.4	1.7	1.3-2.4	6.0	2.7	1.8-4.0	2.4	0.9	0.5-1.7
Esophagus	22.8	5.0	4.1-6.1	18.6	9.0	7.2-11.1	4.2	1.8	1.1-2.8	14.0	3.0	2.4-3.9	11.6	5.6	4.2-7.3	2.4	0.9	0.4-1.7
Stomach	32.6	7.8	6.6-9.2	20.0	11.0	8.9-13.5	12.6	5.3	4.0-7.0	14.6	3.2	2.5-4.1	8.6	4.4	3.2-6.1	6.0	2.4	1.6-3.5
Colorectal	176.2	42.0	39.1-45.0	94.2	49.7	45.2-54.6	82.0	35.4	31.9-39.2	62.8	14.2	12.6-16.0	32.6	17.3	14.7-20.3	30.2	11.6	9.8-13.8
Colon excluding rectum	132.6	31.0	28.6-33.5	70.0	36.5	32.7-40.7	62.6	26.4	23.5-29.7	52.2	11.8	10.4-13.4	26.4	14.1	11.7-16.9	25.8	10.0	8.3-12.0
Rectum & rectosigmoid	43.6	11.0	9.5-12.7	24.2	13.2	10.9-15.9	19.4	9.0	7.2-11.1	10.6	2.4	1.8-3.2	6.2	3.2	2.2-4.7	4.4	1.7	1.0-2.6
Liver / intrahepatic bile duct	40.6	8.8	7.6-10.2	29.8	14.2	12.0-16.8	10.8	4.3	3.2-5.7	26.6	6.0	5.0-7.1	17.2	8.6	6.9-10.8	9.4	3.7	2.7-5.1
Pancreas	71.6	16.2	14.5-18.0	34.8	17.8	15.1-20.8	36.8	14.6	12.5-17.0	56.6	12.6	11.1-14.2	26.2	13.4	11.2-16.0	30.4	11.9	10.0-14.1
Larynx	14.0	3.2	2.5-4.2	11.2	5.8	4.3-7.6	2.8	1.2	0.7-2.2	3.6	0.8	0.4-1.3	1.8	0.8	0.4-1.7	1.8	0.7	0.3-1.5
Lung and bronchus	308.0	69.0	65.6-72.7	140.4	71.7	66.3-77.3	167.6	68.0	63.4-72.9	159.4	35.7	33.3-38.4	77.8	40.8	36.8-45.2	81.6	32.3	29.2-35.7
Melanoma of the skin	78.4	19.0	17.1-21.1	42.8	22.7	19.6-26.1	35.6	16.3	13.9-19.1	7.8	1.9	1.3-2.7	4.2	2.5	1.5-3.9	3.6	1.6	0.9-2.7
Female breast							319.4	151.4	143.6-159.6							47.2	18.2	15.9-20.9
Cervix uteri							14.8	8.4	6.5-10.8							3.8	1.7	1.0-2.7
Corpus uterus and NOS							90.0	38.7	35.0-42.7							16.0	6.3	4.9-7.9
Ovary							34.6	16.8	14.2-19.7							17.8	7.3	5.8-9.1
Prostate				249.6	117.2	110.7-124.1							29.0	16.3	13.7-19.2			
Testis				10.4	8.2	6.1-10.8							0.6	0.4	0.1-1.2			
Urinary bladder (incl. in situ)	128.8	29.0	26.7-31.4	94.8	48.8	44.5-53.6	34.0	13.5	11.5-15.8	22.4	5.0	4.1-6.0	15.6	8.7	6.9-10.9	6.8	2.6	1.8-3.8
Kidney and renal pelvis	103.8	25.0	22.8-27.3	72.0	37.5	33.6-41.9	31.8	14.0	11.8-16.5	16.6	3.8	3.0-4.7	11.4	6.1	4.6-8.0	5.2	2.1	1.3-3.2
Brain and other central nervous system	27.0	7.7	6.4-9.2	14.6	8.8	6.8-11.3	12.4	6.7	5.0-8.8	17.4	4.3	3.4-5.4	9.6	5.2	3.8-7.1	7.8	3.5	2.5-4.9
Thyroid	125.0	38.4	35.3-41.7	38.2	23.5	20.1-27.3	86.8	52.8	47.6-58.4	2.2	0.4	0.2-0.8	0.8	0.3	0.1-1.0	1.4	0.5	0.2-1.1
Hodgkin lymphoma	10.4	3.7	2.8-5.0	6.4	4.7	3.2-6.7	4.0	2.8	1.6-4.4	2.0	0.4	0.2-0.9	1.4	0.7	0.3-1.5	0.6	0.3	0.1-1.0
Non-Hodgkin lymphomas	105.6	25.5	23.3-27.9	56.8	30.7	27.1-34.7	48.8	21.1	18.4-24.2	21.4	5.1	4.1-6.2	11.4	6.3	4.7-8.3	10.0	4.0	2.9-5.4
Myeloma	38.2	8.7	7.5-10.1	21.4	11.0	9.0-13.5	16.8	6.8	5.4-8.6	11.6	2.6	1.9-3.4	6.6	3.3	2.3-4.8	5.0	1.9	1.2-3.0
Leukemias	78.4	19.7	17.7-21.9	45.0	24.2	21.0-27.7	33.4	16.1	13.5-19.0	30.8	7.1	6.0-8.4	15.8	8.6	6.8-10.8	15.0	6.0	4.6-7.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Nassau, Hispanic Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	682.6	369.9	357.0-383.2	308.4	383.7	363.0-405.1	374.2	370.0	353.0-387.5	141.6	84.7	78.3-91.4	64.8	88.3	78.1-99.3	76.8	81.8	73.6-90.6
Oral cavity and pharynx	15.6	8.5	6.6-10.7	10.0	12.1	8.8-16.2	5.6	5.6	3.7-8.1	2.4	1.5	0.7-2.6	1.8	2.5	1.1-4.8	0.6	0.7	0.1-1.9
Esophagus	5.2	3.3	2.1-4.9	4.6	6.9	4.2-10.6	0.6	0.7	0.1-2.0	1.2	0.8	0.3-1.7	1.0	1.6	0.5-3.6	0.2	0.2	0.0-1.2
Stomach	24.0	13.2	10.9-15.9	11.4	13.0	9.6-17.2	12.6	13.1	10.0-16.9	7.8	3.9	2.7-5.4	4.4	4.2	2.6-6.6	3.4	3.4	1.9-5.5
Colorectal	54.2	30.4	26.7-34.4	26.2	32.7	26.8-39.3	28.0	29.0	24.3-34.4	10.6	6.4	4.7-8.5	5.4	7.5	4.7-11.2	5.2	5.6	3.6-8.2
Colon excluding rectum	37.8	22.0	18.8-25.5	16.8	23.0	17.9-28.9	21.0	21.9	17.8-26.6	8.4	5.2	3.7-7.1	3.8	5.6	3.2-9.0	4.6	5.0	3.1-7.5
Rectum & rectosigmoid	16.4	8.4	6.6-10.5	9.4	9.7	6.9-13.1	7.0	7.1	4.9-10.0	2.2	1.2	0.6-2.2	1.6	1.9	0.7-4.0	0.6	0.6	0.1-1.8
Liver / intrahepatic bile duct	18.4	11.2	8.9-13.8	11.2	14.5	10.7-19.2	7.2	8.4	5.8-11.6	10.4	6.4	4.7-8.5	5.6	8.3	5.3-12.2	4.8	5.1	3.2-7.6
Pancreas	20.8	12.7	10.3-15.5	9.6	12.9	9.2-17.4	11.2	12.3	9.2-16.0	14.0	8.7	6.7-11.0	6.4	9.2	6.1-13.2	7.6	8.2	5.7-11.3
Larynx	4.6	2.6	1.6-4.0	3.6	4.5	2.5-7.3	1.0	1.1	0.4-2.6	0.2	0.2	0.0-0.8	0.2	0.4	0.0-1.9	0.0	0.0	0.0-0.7
Lung and bronchus	45.6	28.3	24.6-32.4	21.2	32.8	26.5-40.0	24.4	26.1	21.5-31.2	17.0	10.4	8.2-12.9	9.8	14.0	10.1-18.8	7.2	7.7	5.3-10.7
Melanoma of the skin	7.2	3.8	2.6-5.3	3.6	3.8	2.1-6.2	3.6	3.7	2.2-5.9	1.6	0.9	0.4-1.8	0.8	0.9	0.2-2.5	0.8	0.8	0.2-2.1
Female breast							109.8	105.1	96.3-114.5							11.8	11.8	8.9-15.3
Cervix uteri							10.2	9.4	7.0-12.4							2.0	2.2	1.0-4.0
Corpus uterus and NOS							21.0	19.7	16.0-23.9							4.0	4.4	2.7-6.9
Ovary							8.2	7.5	5.3-10.2							4.0	3.8	2.3-5.9
Prostate				77.4	97.2	87.1-108.2							7.2	12.4	8.5-17.2			
Testis				5.0	4.1	2.6-6.1							0.0	0.0	0.0-0.9			
Urinary bladder (incl. in situ)	17.8	11.0	8.8-13.7	13.0	18.7	14.1-24.2	4.8	5.3	3.4-8.0	2.4	1.7	0.9-2.9	1.4	2.3	0.9-4.7	1.0	1.2	0.4-2.7
Kidney and renal pelvis	25.0	13.4	11.1-16.1	15.4	18.2	14.0-23.1	9.6	9.6	7.0-12.8	2.0	1.4	0.6-2.5	1.2	1.7	0.6-3.7	0.8	1.0	0.3-2.5
Brain and other central nervous system	15.8	7.4	5.8-9.3	8.4	7.8	5.5-10.8	7.4	6.9	4.8-9.5	6.4	3.0	2.0-4.3	3.8	3.6	2.1-5.7	2.6	2.4	1.3-4.2
Thyroid	40.6	18.0	15.6-20.7	8.6	7.8	5.6-10.6	32.0	28.6	24.3-33.4	1.0	0.7	0.2-1.6	0.2	0.3	0.0-1.6	0.8	1.0	0.3-2.4
Hodgkin lymphoma	6.0	2.7	1.8-3.9	2.8	2.7	1.4-4.7	3.2	2.8	1.6-4.6	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.7
Non-Hodgkin lymphomas	34.2	18.1	15.3-21.1	18.0	21.6	16.9-27.0	16.2	15.8	12.4-19.7	5.8	3.6	2.4-5.3	3.2	5.1	2.7-8.3	2.6	2.7	1.4-4.6
Myeloma	15.2	8.8	6.9-11.2	6.8	9.2	6.2-13.1	8.4	8.7	6.2-11.8	2.2	1.4	0.6-2.4	0.6	0.8	0.1-2.3	1.6	1.7	0.7-3.4
Leukemias	25.6	13.4	11.1-16.1	15.6	17.9	13.8-22.8	10.0	10.0	7.4-13.2	6.2	3.3	2.2-4.7	3.6	3.6	2.0-5.9	2.6	2.9	1.5-4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Nassau, Non-Hispanic Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8,251.4	516.2	511.0-521.5	4,122.2	555.7	547.9-563.6	4,129.2	490.8	483.6-498.0	2,191.2	125.8	123.4-128.3	1,066.4	143.3	139.3-147.3	1,124.8	114.2	111.1-117.4
Oral cavity and pharynx	179.8	11.3	10.5-12.1	118.8	16.2	14.9-17.6	61.0	7.1	6.3-8.0	28.2	1.6	1.3-1.9	15.0	2.0	1.6-2.6	13.2	1.2	0.9-1.6
Esophagus	65.8	3.9	3.4-4.3	47.2	6.3	5.5-7.2	18.6	1.8	1.5-2.3	52.4	3.1	2.7-3.5	41.0	5.5	4.8-6.4	11.4	1.1	0.8-1.4
Stomach	126.4	7.7	7.1-8.4	75.2	10.2	9.2-11.4	51.2	5.7	5.0-6.5	41.0	2.4	2.0-2.7	21.8	2.9	2.4-3.5	19.2	1.9	1.6-2.4
Colorectal	606.2	37.9	36.5-39.4	302.4	42.2	40.1-44.5	303.8	34.3	32.5-36.2	192.4	11.3	10.5-12.0	94.4	13.1	11.9-14.4	98.0	9.8	8.9-10.8
Colon excluding rectum	443.0	27.3	26.1-28.5	212.4	29.4	27.6-31.3	230.6	25.6	24.0-27.2	158.6	9.2	8.5-9.9	73.2	10.2	9.1-11.3	85.4	8.4	7.6-9.3
Rectum & rectosigmoid	163.2	10.7	9.9-11.5	90.0	12.9	11.7-14.2	73.2	8.8	7.8-9.8	33.8	2.1	1.8-2.4	21.2	3.0	2.4-3.6	12.6	1.3	1.0-1.8
Liver / intrahepatic bile duct	103.0	6.0	5.5-6.6	71.6	9.0	8.1-10.0	31.4	3.5	2.9-4.1	73.8	4.3	3.8-4.7	49.2	6.3	5.5-7.2	24.6	2.6	2.1-3.1
Pancreas	278.6	16.3	15.4-17.2	143.2	19.1	17.7-20.6	135.4	14.1	13.0-15.2	207.2	11.8	11.1-12.6	105.4	13.9	12.7-15.2	101.8	10.1	9.2-11.0
Larynx	40.8	2.4	2.1-2.8	32.8	4.3	3.6-5.0	8.0	0.8	0.6-1.1	11.0	0.6	0.5-0.8	9.8	1.3	0.9-1.7	1.2	0.1	0.0-0.3
Lung and bronchus	905.4	52.9	51.3-54.5	393.6	52.5	50.2-54.9	511.8	53.8	51.7-56.0	434.6	24.7	23.6-25.7	207.2	27.5	25.8-29.3	227.4	22.7	21.3-24.1
Melanoma of the skin	382.4	24.1	23.0-25.3	230.6	31.7	29.8-33.6	151.8	18.7	17.3-20.2	31.2	1.8	1.5-2.1	20.2	2.8	2.3-3.4	11.0	1.1	0.8-1.4
Female breast							1,215.0	152.6	148.5-156.8							167.0	17.9	16.6-19.2
Cervix uteri							41.8	5.9	5.1-6.9							11.8	1.4	1.0-1.8
Corpus uterus and NOS							300.4	33.3	31.6-35.1							58.4	6.1	5.4-6.9
Ovary							102.2	12.8	11.6-14.0							57.2	6.1	5.4-6.9
Prostate				1,181.0	146.8	143.0-150.7							103.6	13.8	12.6-15.0			
Testis				30.2	6.3	5.3-7.4							1.6	0.3	0.1-0.6			
Urinary bladder (incl. in situ)	424.0	24.5	23.5-25.6	319.4	42.7	40.5-44.9	104.6	10.7	9.8-11.7	77.0	4.2	3.8-4.7	55.4	7.4	6.6-8.4	21.6	2.1	1.7-2.6
Kidney and renal pelvis	287.4	18.1	17.2-19.2	188.6	25.8	24.1-27.6	98.8	11.5	10.4-12.6	42.2	2.4	2.1-2.8	26.8	3.5	3.0-4.2	15.4	1.5	1.2-1.9
Brain and other central nervous system	97.8	7.1	6.4-7.8	52.8	8.1	7.1-9.2	45.0	6.2	5.4-7.2	62.6	3.9	3.5-4.4	36.0	4.9	4.2-5.8	26.6	3.1	2.5-3.7
Thyroid	293.0	24.0	22.7-25.3	89.0	14.6	13.2-16.1	204.0	33.0	30.9-35.2	10.6	0.6	0.5-0.8	5.4	0.8	0.5-1.2	5.2	0.5	0.3-0.7
Hodgkin lymphoma	44.0	3.8	3.3-4.3	22.2	3.9	3.2-4.7	21.8	3.7	3.0-4.5	5.0	0.3	0.2-0.5	2.6	0.3	0.2-0.6	2.4	0.2	0.1-0.5
Non-Hodgkin lymphomas	367.0	23.2	22.1-24.3	194.6	27.3	25.6-29.2	172.4	19.8	18.5-21.3	89.6	5.1	4.6-5.6	46.8	6.3	5.5-7.2	42.8	4.3	3.7-4.9
Myeloma	137.2	8.2	7.6-8.9	76.6	10.3	9.3-11.4	60.6	6.5	5.8-7.3	46.0	2.6	2.2-3.0	24.4	3.3	2.7-3.9	21.6	2.1	1.7-2.6
Leukemias	267.8	17.1	16.2-18.1	159.8	22.6	21.0-24.3	108.0	12.9	11.7-14.1	101.8	5.8	5.2-6.3	61.4	8.4	7.5-9.5	40.4	3.9	3.3-4.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Nassau, Non-Hispanic White Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6,849.2	544.9	538.6-551.1	3,455.2	583.1	574.0-592.3	3,394.0	521.6	512.9-530.4	1,856.0	130.1	127.4-133.0	914.4	149.2	144.8-153.8	941.6	117.4	113.8-121.1
Oral cavity and pharynx	151.2	12.0	11.1-12.9	100.8	17.1	15.6-18.8	50.4	7.5	6.5-8.6	24.4	1.7	1.4-2.1	12.4	2.1	1.6-2.7	12.0	1.4	1.0-1.8
Esophagus	56.2	4.0	3.6-4.6	41.4	6.8	5.9-7.8	14.8	1.7	1.3-2.2	46.8	3.3	2.9-3.8	37.2	6.1	5.2-7.1	9.6	1.0	0.7-1.4
Stomach	90.8	6.8	6.2-7.6	58.0	9.6	8.5-10.9	32.8	4.6	3.9-5.5	26.8	1.8	1.5-2.2	15.2	2.4	1.9-3.1	11.6	1.4	1.0-1.9
Colorectal	489.6	38.5	36.9-40.2	242.8	42.6	40.1-45.3	246.8	35.0	32.8-37.2	159.2	11.5	10.6-12.4	76.8	13.3	11.9-14.7	82.4	10.0	9.0-11.2
Colon excluding rectum	360.0	27.6	26.3-29.0	171.6	29.5	27.5-31.7	188.4	26.1	24.3-28.0	130.8	9.2	8.5-10.1	59.2	10.1	8.9-11.4	71.6	8.6	7.6-9.6
Rectum & rectosigmoid	129.6	10.9	10.0-11.9	71.2	13.1	11.7-14.7	58.4	8.9	7.8-10.1	28.4	2.3	1.9-2.7	17.6	3.2	2.5-4.0	10.8	1.5	1.1-2.0
Liver / intrahepatic bile duct	76.2	5.5	5.0-6.2	55.6	8.7	7.6-9.8	20.6	2.9	2.3-3.6	56.4	4.1	3.6-4.6	39.2	6.2	5.4-7.2	17.2	2.3	1.8-2.9
Pancreas	235.4	17.0	16.0-18.0	122.6	20.1	18.5-21.9	112.8	14.5	13.2-15.9	174.6	12.1	11.3-13.0	90.2	14.5	13.2-16.0	84.4	10.1	9.1-11.2
Larynx	35.2	2.6	2.2-3.1	28.4	4.6	3.9-5.5	6.8	0.9	0.6-1.3	9.2	0.6	0.5-0.9	8.0	1.3	0.9-1.8	1.2	0.1	0.0-0.4
Lung and bronchus	791.2	57.1	55.3-59.0	337.2	55.0	52.4-57.8	454.0	59.4	56.9-62.1	376.6	26.1	24.9-27.4	176.2	28.4	26.5-30.5	200.4	24.5	23.0-26.2
Melanoma of the skin	371.0	30.3	28.8-31.8	225.4	38.9	36.5-41.4	145.6	24.0	22.0-26.0	30.8	2.2	1.9-2.6	20.0	3.4	2.7-4.2	10.8	1.3	0.9-1.8
Female breast							975.2	161.3	156.3-166.4							135.6	17.9	16.4-19.4
Cervix uteri							28.2	5.6	4.6-6.7							7.6	1.2	0.8-1.7
Corpus uterus and NOS							235.4	33.8	31.8-36.0							44.8	5.9	5.1-6.8
Ovary							82.4	13.5	12.0-15.0							48.2	6.5	5.7-7.5
Prostate				910.4	140.3	136.2-144.6							86.4	13.6	12.3-15.0			
Testis				27.4	8.3	6.9-9.8							1.4	0.3	0.1-0.7			
Urinary bladder (incl. in situ)	385.0	27.5	26.2-28.8	293.6	48.0	45.5-50.6	91.4	11.6	10.5-12.8	71.6	4.7	4.2-5.3	53.2	8.5	7.5-9.6	18.4	2.2	1.8-2.8
Kidney and renal pelvis	246.4	20.0	18.8-21.2	163.2	28.3	26.3-30.5	83.2	12.5	11.2-13.9	37.2	2.6	2.2-3.0	23.8	3.8	3.1-4.6	13.4	1.5	1.2-2.0
Brain and other central nervous system	83.2	8.0	7.2-8.9	44.8	9.1	7.8-10.5	38.4	7.1	6.0-8.3	57.6	4.6	4.0-5.2	33.0	5.7	4.8-6.7	24.6	3.7	3.0-4.5
Thyroid	234.4	26.6	25.0-28.4	75.6	16.7	15.0-18.7	158.8	36.4	33.7-39.3	8.0	0.6	0.4-0.8	4.2	0.8	0.5-1.2	3.8	0.4	0.2-0.7
Hodgkin lymphoma	35.2	4.2	3.5-4.9	18.6	4.4	3.5-5.4	16.6	4.0	3.1-5.0	4.4	0.3	0.2-0.5	2.2	0.3	0.2-0.7	2.2	0.3	0.1-0.6
Non-Hodgkin lymphomas	314.8	24.9	23.6-26.3	166.4	28.9	26.9-31.1	148.4	21.7	20.0-23.5	76.6	5.2	4.7-5.8	39.2	6.4	5.5-7.4	37.4	4.4	3.8-5.2
Myeloma	102.4	7.7	7.0-8.5	60.4	10.1	9.0-11.4	42.0	5.8	5.0-6.7	36.4	2.5	2.1-2.9	20.0	3.3	2.7-4.0	16.4	1.9	1.5-2.4
Leukemias	232.4	18.8	17.6-20.0	141.4	24.9	23.0-26.9	91.0	14.0	12.6-15.5	91.6	6.3	5.7-7.0	55.8	9.2	8.2-10.4	35.8	4.3	3.6-5.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Nassau, Non-Hispanic Black Individuals**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	807.6	441.1	427.3-455.2	391.4	510.5	487.3-534.5	416.2	398.6	381.3-416.5	216.8	122.5	115.1-130.1	90.8	131.4	119.2-144.5	126.0	118.0	108.8-127.8
Oral cavity and pharynx	11.0	5.8	4.4-7.7	6.8	8.1	5.5-11.5	4.2	4.0	2.5-6.3	2.0	1.0	0.5-1.9	1.2	1.4	0.5-3.1	0.8	0.7	0.2-2.0
Esophagus	6.0	3.4	2.3-4.9	3.4	5.1	2.9-8.2	2.6	2.3	1.2-4.1	3.2	1.8	1.0-3.0	2.2	3.2	1.6-5.8	1.0	0.9	0.3-2.2
Stomach	21.0	11.8	9.6-14.3	9.8	13.4	9.8-17.9	11.2	10.5	7.9-13.7	8.4	4.6	3.3-6.3	3.6	5.1	3.0-8.2	4.8	4.3	2.8-6.6
Colorectal	70.8	39.2	35.1-43.6	36.8	49.9	42.7-57.9	34.0	32.2	27.5-37.6	21.0	11.9	9.7-14.5	10.6	15.0	11.1-19.7	10.4	9.7	7.2-12.9
Colon excluding rectum	53.6	29.8	26.3-33.7	26.8	36.8	30.6-43.8	26.8	25.2	21.1-30.0	18.2	10.3	8.3-12.8	8.8	12.3	8.9-16.7	9.4	8.7	6.4-11.7
Rectum & rectosigmoid	17.2	9.4	7.5-11.7	10.0	13.1	9.6-17.5	7.2	7.0	4.9-9.8	2.8	1.6	0.9-2.7	1.8	2.6	1.2-5.1	1.0	1.0	0.3-2.4
Liver / intrahepatic bile duct	11.6	6.3	4.7-8.1	7.2	8.9	6.2-12.5	4.4	4.2	2.6-6.5	8.8	4.9	3.5-6.6	5.8	7.7	5.1-11.2	3.0	2.8	1.5-4.7
Pancreas	28.2	15.7	13.2-18.6	11.4	15.5	11.6-20.3	16.8	15.8	12.6-19.7	22.4	12.7	10.4-15.4	9.4	13.5	9.8-18.1	13.0	12.2	9.4-15.7
Larynx	3.8	2.0	1.2-3.1	3.0	3.7	2.0-6.2	0.8	0.7	0.2-1.9	1.2	0.7	0.2-1.5	1.2	1.6	0.6-3.6	0.0	0.0	0.0-0.9
Lung and bronchus	63.6	35.5	31.6-39.7	30.8	44.1	37.2-52.0	32.8	30.6	26.1-35.8	34.4	19.4	16.6-22.6	18.0	26.6	21.2-32.8	16.4	15.0	11.9-18.8
Melanoma of the skin	1.0	0.6	0.2-1.4	0.2	0.4	0.0-2.0	0.8	0.7	0.2-2.0	0.2	0.1	0.0-0.7	0.2	0.4	0.0-2.0	0.0	0.0	0.0-0.9
Female breast							132.6	128.5	118.6-138.9							23.0	21.4	17.6-25.9
Cervix uteri							9.0	8.8	6.4-11.9							3.8	3.7	2.2-5.9
Corpus uterus and NOS							43.6	38.9	33.8-44.5							11.0	9.9	7.4-13.0
Ovary							9.2	9.1	6.6-12.3							5.4	5.2	3.4-7.7
Prostate				188.0	233.5	218.3-249.5							12.4	19.9	15.1-25.6			
Testis				0.4	0.5	0.1-2.0							0.0	0.0	0.0-1.1			
Urinary bladder (incl. in situ)	19.2	11.0	8.9-13.5	11.8	16.8	12.6-21.8	7.4	7.2	5.0-10.0	4.4	2.6	1.6-4.0	2.0	3.2	1.5-5.9	2.4	2.3	1.2-4.1
Kidney and renal pelvis	26.4	14.6	12.1-17.3	15.2	19.4	15.2-24.5	11.2	10.8	8.2-14.2	2.8	1.6	0.9-2.7	1.8	2.4	1.1-4.7	1.0	1.1	0.3-2.6
Brain and other central nervous system	6.6	3.9	2.7-5.6	3.0	4.0	2.2-6.8	3.6	4.0	2.4-6.5	2.8	1.6	0.8-2.7	1.2	1.4	0.5-3.1	1.6	1.6	0.7-3.3
Thyroid	17.8	10.2	8.1-12.6	3.2	4.2	2.3-6.9	14.6	15.2	11.8-19.2	1.4	0.9	0.3-1.8	0.8	1.3	0.3-3.2	0.6	0.6	0.1-1.9
Hodgkin lymphoma	4.0	2.3	1.4-3.6	1.4	1.8	0.7-3.8	2.6	2.7	1.4-4.8	0.2	0.2	0.0-0.8	0.2	0.3	0.0-1.8	0.0	0.0	0.0-0.9
Non-Hodgkin lymphomas	26.2	15.3	12.8-18.2	13.0	18.2	13.9-23.3	13.2	13.0	10.0-16.7	6.4	3.6	2.5-5.2	3.0	4.0	2.2-6.6	3.4	3.4	1.9-5.5
Myeloma	26.2	14.1	11.8-16.8	11.2	15.3	11.4-20.1	15.0	13.5	10.6-17.0	7.8	4.4	3.1-6.0	3.4	4.9	2.8-8.0	4.4	4.1	2.5-6.3
Leukemias	17.0	9.8	7.8-12.2	8.8	13.0	9.4-17.5	8.2	8.0	5.7-11.1	5.6	3.2	2.1-4.7	2.2	3.4	1.6-6.0	3.4	3.0	1.8-5.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020**
Suffolk, Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	779.6	385.2	372.2-398.4	349.0	390.1	369.8-411.2	430.6	394.8	377.5-412.5	162.0	95.4	88.5-102.6	75.4	103.5	92.3-115.6	86.6	91.2	82.4-100.5
Oral cavity and pharynx	15.8	7.2	5.6-9.1	10.4	10.2	7.3-13.8	5.4	4.6	3.0-6.7	3.0	1.7	0.9-2.9	2.0	2.8	1.2-5.2	1.0	1.0	0.3-2.2
Esophagus	3.6	2.1	1.2-3.3	3.0	3.9	2.0-6.5	0.6	0.7	0.1-2.0	2.4	1.5	0.7-2.5	1.8	2.5	1.0-4.8	0.6	0.7	0.1-1.9
Stomach	23.0	11.8	9.6-14.3	12.2	14.0	10.3-18.4	10.8	10.4	7.7-13.6	8.8	5.1	3.6-7.0	5.0	7.4	4.5-11.1	3.8	3.8	2.2-5.9
Colorectal	66.0	32.7	29.0-36.7	31.8	33.0	27.4-39.3	34.2	32.7	27.8-38.2	12.8	7.8	5.9-10.0	6.6	9.1	6.0-13.1	6.2	6.8	4.6-9.7
Colon excluding rectum	44.2	23.4	20.2-27.0	20.4	22.8	18.0-28.3	23.8	24.1	19.8-29.0	10.4	6.4	4.7-8.5	5.4	7.7	4.8-11.5	5.0	5.5	3.5-8.1
Rectum & rectosigmoid	21.8	9.2	7.5-11.3	11.4	10.3	7.5-13.7	10.4	8.6	6.4-11.4	2.4	1.4	0.7-2.4	1.2	1.4	0.4-3.2	1.2	1.3	0.5-2.8
Liver / intrahepatic bile duct	23.4	13.2	10.8-16.0	14.0	18.1	13.7-23.3	9.4	9.6	6.9-12.8	12.4	7.1	5.4-9.2	8.4	10.5	7.3-14.6	4.0	4.4	2.7-6.8
Pancreas	26.2	13.7	11.3-16.4	12.4	13.0	9.6-17.0	13.8	14.1	10.8-17.9	13.4	7.5	5.7-9.6	6.2	7.5	4.9-11.0	7.2	7.5	5.2-10.4
Larynx	2.4	1.4	0.7-2.4	2.0	2.3	1.0-4.4	0.4	0.5	0.1-1.7	0.8	0.5	0.1-1.3	0.4	0.4	0.0-1.6	0.4	0.5	0.1-1.6
Lung and bronchus	56.6	34.4	30.3-38.9	25.4	36.3	29.8-43.7	31.2	33.5	28.3-39.4	23.0	14.2	11.6-17.1	10.8	15.1	11.0-20.0	12.2	13.4	10.1-17.3
Melanoma of the skin	9.0	5.3	3.7-7.1	5.4	7.9	5.0-11.7	3.6	3.6	2.1-5.8	1.2	0.7	0.2-1.5	0.6	0.6	0.1-1.9	0.6	0.7	0.1-1.9
Female breast							117.2	104.9	96.3-114.1							10.8	11.3	8.3-14.8
Cervix uteri							10.2	8.5	6.3-11.3							1.8	1.4	0.6-2.7
Corpus uterus and NOS							26.4	23.9	19.9-28.5							4.4	4.4	2.7-6.7
Ovary							14.0	12.3	9.5-15.7							5.6	5.6	3.7-8.2
Prostate				89.4	100.8	90.9-111.5							6.2	11.5	7.7-16.3			
Testis				8.2	5.1	3.7-7.0							0.4	0.3	0.0-1.1			
Urinary bladder (incl. in situ)	21.2	13.5	11.0-16.5	15.0	21.9	16.8-27.9	6.2	7.3	4.9-10.3	4.2	2.7	1.6-4.2	3.0	4.9	2.6-8.0	1.2	1.3	0.4-2.7
Kidney and renal pelvis	27.0	13.2	10.9-15.8	16.2	16.8	12.9-21.4	10.8	10.1	7.5-13.3	3.4	2.0	1.1-3.2	1.8	1.9	0.8-3.8	1.6	2.0	0.8-3.8
Brain and other central nervous system	16.0	6.6	5.1-8.4	8.8	9.0	6.1-12.6	7.2	5.1	3.5-7.2	5.0	2.4	1.5-3.6	3.0	3.6	1.8-6.2	2.0	1.6	0.7-3.0
Thyroid	56.6	21.0	18.5-23.7	9.6	7.1	5.2-9.6	47.0	35.8	31.3-40.8	0.8	0.4	0.1-1.0	0.4	0.3	0.0-1.3	0.4	0.4	0.0-1.4
Hodgkin lymphoma	6.2	3.0	1.9-4.3	3.4	3.1	1.6-5.3	2.8	2.8	1.5-4.7	0.6	0.3	0.0-0.9	0.2	0.1	0.0-1.0	0.4	0.4	0.0-1.5
Non-Hodgkin lymphomas	39.8	19.4	16.5-22.5	20.8	22.0	17.4-27.3	19.0	17.6	14.1-21.7	6.6	4.4	2.9-6.1	3.0	4.5	2.4-7.4	3.6	4.4	2.5-6.9
Myeloma	15.4	7.8	6.1-9.9	8.8	8.7	6.2-12.0	6.6	6.7	4.5-9.5	5.6	3.4	2.2-4.9	2.2	3.1	1.4-5.5	3.4	3.5	2.0-5.7
Leukemias	30.2	13.1	10.9-15.6	17.0	16.4	12.6-20.9	13.2	10.7	8.2-13.8	9.6	5.5	4.0-7.4	5.2	6.8	4.2-10.3	4.4	4.5	2.8-6.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020**
Suffolk, Non-Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	9,217.6	540.0	534.8-545.2	4,718.2	595.0	587.1-602.9	4,499.4	501.9	495.0-508.9	2,517.2	140.3	137.8-142.9	1,264.4	162.3	158.3-166.5	1,252.8	125.2	122.0-128.5
Oral cavity and pharynx	221.6	12.6	11.9-13.4	151.4	18.5	17.2-20.0	70.2	7.6	6.8-8.5	34.2	2.0	1.7-2.3	23.4	3.0	2.5-3.7	10.8	1.2	0.8-1.6
Esophagus	85.6	4.6	4.2-5.1	67.2	8.0	7.1-8.9	18.4	1.8	1.4-2.2	69.0	3.7	3.3-4.2	54.8	6.6	5.8-7.5	14.2	1.4	1.1-1.8
Stomach	123.6	7.0	6.4-7.6	73.0	9.1	8.2-10.1	50.6	5.3	4.6-6.0	45.2	2.5	2.2-2.9	24.0	3.0	2.5-3.6	21.2	2.1	1.7-2.6
Colorectal	689.2	40.5	39.1-41.9	366.2	47.3	45.1-49.6	323.0	34.9	33.1-36.7	214.4	12.2	11.4-12.9	110.8	14.5	13.3-15.8	103.6	10.4	9.4-11.4
Colon excluding rectum	491.2	28.7	27.6-30.0	246.2	31.9	30.1-33.8	245.0	26.2	24.6-27.8	171.0	9.7	9.0-10.4	86.0	11.3	10.2-12.4	85.0	8.5	7.7-9.4
Rectum & rectosigmoid	198.0	11.7	11.0-12.5	120.0	15.4	14.2-16.8	78.0	8.7	7.8-9.7	43.4	2.5	2.1-2.8	24.8	3.3	2.7-3.9	18.6	1.9	1.5-2.3
Liver / intrahepatic bile duct	132.2	7.2	6.7-7.8	95.8	11.4	10.4-12.6	36.4	3.7	3.2-4.3	85.8	4.7	4.3-5.2	56.2	6.9	6.1-7.8	29.6	2.9	2.5-3.5
Pancreas	289.0	16.2	15.3-17.1	146.8	18.4	17.0-19.8	142.2	14.3	13.3-15.5	208.4	11.6	10.9-12.4	104.4	13.2	12.0-14.4	104.0	10.3	9.5-11.3
Larynx	55.6	3.0	2.7-3.4	44.6	5.4	4.7-6.2	11.0	1.1	0.8-1.5	14.8	0.8	0.6-1.0	11.8	1.5	1.1-1.9	3.0	0.3	0.2-0.5
Lung and bronchus	1,193.0	65.9	64.2-67.7	548.2	68.7	66.1-71.4	644.8	64.5	62.2-66.8	571.0	31.4	30.2-32.6	280.4	35.5	33.7-37.5	290.6	28.5	27.0-30.0
Melanoma of the skin	465.4	27.7	26.5-28.9	277.8	35.8	33.8-37.8	187.6	21.7	20.2-23.2	36.8	2.1	1.8-2.4	24.6	3.2	2.6-3.8	12.2	1.2	0.9-1.6
Female breast							1,254.0	145.4	141.6-149.3							180.4	18.7	17.4-20.0
Cervix uteri							35.8	4.9	4.2-5.8							11.6	1.4	1.1-1.9
Corpus uterus and NOS							315.4	33.2	31.5-34.9							56.8	5.8	5.1-6.6
Ovary							107.2	12.1	11.0-13.3							66.2	6.6	5.9-7.4
Prostate				1,227.0	142.6	139.0-146.3							123.6	16.3	15.0-17.7			
Testis				42.0	8.1	7.0-9.3							1.8	0.3	0.1-0.5			
Urinary bladder (incl. in situ)	500.8	28.1	27.0-29.2	374.2	48.0	45.8-50.3	126.6	12.7	11.7-13.7	89.6	4.9	4.4-5.4	64.0	8.6	7.7-9.6	25.6	2.4	2.0-2.8
Kidney and renal pelvis	339.0	20.0	19.0-21.0	217.6	27.5	25.9-29.3	121.4	13.4	12.3-14.6	48.2	2.6	2.3-3.0	31.6	4.0	3.4-4.7	16.6	1.6	1.3-2.0
Brain and other central nervous system	108.6	7.4	6.7-8.1	56.4	8.1	7.1-9.2	52.2	6.6	5.8-7.6	76.4	4.4	4.0-4.9	42.2	5.3	4.6-6.1	34.2	3.6	3.1-4.3
Thyroid	286.2	21.7	20.5-22.9	94.2	13.8	12.5-15.2	192.0	29.3	27.3-31.4	10.6	0.6	0.4-0.8	3.6	0.5	0.3-0.7	7.0	0.7	0.5-1.0
Hodgkin lymphoma	47.6	3.8	3.3-4.3	24.4	3.8	3.1-4.6	23.2	3.7	3.0-4.5	4.0	0.3	0.2-0.5	2.0	0.3	0.1-0.6	2.0	0.2	0.1-0.5
Non-Hodgkin lymphomas	388.0	23.0	21.9-24.1	211.8	27.7	26.0-29.5	176.2	19.3	18.0-20.7	84.2	4.7	4.2-5.1	48.4	6.3	5.5-7.2	35.8	3.5	3.0-4.0
Myeloma	144.6	8.2	7.6-8.9	83.0	10.5	9.5-11.6	61.6	6.4	5.6-7.2	45.6	2.5	2.2-2.8	26.8	3.4	2.8-4.0	18.8	1.8	1.4-2.2
Leukemias	326.6	19.6	18.6-20.7	192.8	25.6	23.9-27.3	133.8	14.8	13.7-16.1	99.4	5.7	5.2-6.2	59.0	7.9	7.0-8.9	40.4	4.0	3.4-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Suffolk, Non-Hispanic White Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8,369.0	549.0	543.5-554.6	4,300.2	604.5	596.1-612.9	4,068.8	511.0	503.4-518.6	2,301.2	141.5	138.8-144.2	1,154.2	163.0	158.7-167.4	1,147.0	126.7	123.2-130.2
Oral cavity and pharynx	204.4	13.0	12.2-13.9	141.2	19.3	17.8-20.8	63.2	7.6	6.8-8.6	31.0	2.0	1.7-2.4	21.0	3.0	2.4-3.6	10.0	1.2	0.8-1.6
Esophagus	80.8	4.9	4.4-5.4	63.4	8.4	7.5-9.4	17.4	1.9	1.5-2.4	64.0	3.8	3.4-4.3	50.8	6.7	5.9-7.7	13.2	1.5	1.1-1.9
Stomach	109.2	6.8	6.3-7.5	65.0	9.0	8.0-10.1	44.2	5.1	4.4-5.9	39.0	2.4	2.1-2.8	20.2	2.7	2.2-3.3	18.8	2.1	1.7-2.7
Colorectal	614.2	40.4	38.9-41.9	328.8	47.4	45.1-49.9	285.4	34.4	32.5-36.4	193.6	12.2	11.4-13.0	100.8	14.7	13.4-16.1	92.8	10.2	9.2-11.3
Colon excluding rectum	441.6	28.9	27.7-30.2	224.8	32.5	30.6-34.6	216.8	25.8	24.2-27.6	154.2	9.7	9.0-10.4	78.0	11.3	10.2-12.6	76.2	8.4	7.5-9.3
Rectum & rectosigmoid	172.6	11.5	10.7-12.3	104.0	14.9	13.6-16.3	68.6	8.6	7.6-9.6	39.4	2.5	2.2-2.9	22.8	3.4	2.8-4.1	16.6	1.9	1.5-2.3
Liver / intrahepatic bile duct	114.4	7.0	6.4-7.6	82.8	11.0	9.9-12.2	31.6	3.6	3.1-4.3	72.8	4.4	3.9-4.9	48.0	6.5	5.6-7.4	24.8	2.7	2.2-3.3
Pancreas	263.0	16.2	15.3-17.1	133.8	18.3	16.9-19.8	129.2	14.4	13.2-15.6	192.2	11.8	11.0-12.6	96.0	13.3	12.1-14.6	96.2	10.5	9.6-11.6
Larynx	51.6	3.2	2.8-3.6	41.2	5.6	4.8-6.4	10.4	1.2	0.9-1.6	13.6	0.8	0.6-1.0	10.6	1.5	1.1-1.9	3.0	0.3	0.2-0.6
Lung and bronchus	1,118.2	68.3	66.4-70.1	511.0	70.6	67.8-73.4	607.2	67.3	64.9-69.8	533.4	32.3	31.1-33.6	258.2	36.0	34.0-38.1	275.2	29.8	28.3-31.5
Melanoma of the skin	451.6	30.3	29.0-31.7	270.6	38.8	36.7-41.1	181.0	24.0	22.3-25.8	36.0	2.2	1.9-2.6	24.0	3.4	2.8-4.1	12.0	1.3	1.0-1.8
Female breast							1,119.0	147.2	143.1-151.5							162.8	18.6	17.2-20.0
Cervix uteri							30.8	4.9	4.1-5.9							10.2	1.5	1.1-2.0
Corpus uterus and NOS							279.6	33.0	31.2-34.9							49.8	5.6	4.9-6.4
Ovary							97.8	12.4	11.3-13.7							62.6	6.9	6.1-7.7
Prostate				1,071.0	137.9	134.2-141.7							107.8	15.5	14.2-16.9			
Testis				39.2	9.1	7.9-10.6							1.8	0.3	0.1-0.6			
Urinary bladder (incl. in situ)	476.4	29.5	28.3-30.8	356.6	50.3	47.9-52.8	119.8	13.3	12.2-14.5	84.6	5.1	4.6-5.6	60.6	8.9	7.9-10.0	24.0	2.4	2.0-2.9
Kidney and renal pelvis	306.4	20.2	19.1-21.3	196.2	27.8	26.0-29.7	110.2	13.6	12.4-14.9	44.4	2.7	2.3-3.1	29.4	4.1	3.4-4.8	15.0	1.6	1.2-2.0
Brain and other central nervous system	99.2	7.6	6.9-8.4	52.2	8.5	7.4-9.7	47.0	6.9	5.9-7.9	70.8	4.7	4.1-5.2	40.4	5.7	4.9-6.7	30.4	3.7	3.1-4.4
Thyroid	256.2	22.8	21.4-24.2	88.0	14.9	13.4-16.4	168.2	30.5	28.3-32.8	9.6	0.6	0.4-0.8	3.4	0.5	0.3-0.8	6.2	0.7	0.4-1.0
Hodgkin lymphoma	43.0	4.1	3.6-4.8	22.4	4.2	3.4-5.1	20.6	4.1	3.3-5.0	3.8	0.3	0.2-0.5	1.8	0.4	0.2-0.7	2.0	0.3	0.1-0.6
Non-Hodgkin lymphomas	355.4	23.5	22.3-24.7	194.4	28.3	26.5-30.2	161.0	19.7	18.3-21.2	77.4	4.7	4.2-5.2	44.6	6.3	5.5-7.2	32.8	3.5	3.0-4.1
Myeloma	124.6	7.8	7.2-8.5	72.4	10.1	9.0-11.3	52.2	6.0	5.3-6.9	38.6	2.3	2.0-2.7	23.4	3.2	2.6-3.9	15.2	1.6	1.2-2.0
Leukemias	304.6	20.6	19.5-21.7	182.2	27.2	25.3-29.1	122.4	15.1	13.9-16.5	92.0	5.8	5.2-6.4	54.4	8.0	7.1-9.1	37.6	4.1	3.5-4.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Suffolk, Non-Hispanic Black Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	578.2	501.0	482.3-520.2	285.0	569.1	538.1-601.5	293.2	457.2	433.6-481.8	155.6	145.4	135.0-156.3	78.2	183.8	164.9-204.1	77.4	122.1	110.0-135.2
Oral cavity and pharynx	10.4	8.4	6.2-11.1	6.2	10.8	7.3-15.6	4.2	6.2	3.8-9.7	1.8	1.7	0.8-3.2	1.6	3.5	1.5-6.9	0.2	0.3	0.0-1.8
Esophagus	4.0	3.2	1.9-5.1	3.0	6.1	3.2-10.4	1.0	1.2	0.4-3.1	4.4	3.8	2.3-5.9	3.4	7.8	4.3-12.8	1.0	1.2	0.4-3.1
Stomach	10.4	9.3	6.9-12.4	5.8	13.4	8.7-19.5	4.6	7.0	4.4-10.7	3.6	3.3	2.0-5.3	2.4	5.5	2.7-9.6	1.2	1.8	0.6-4.1
Colorectal	51.0	44.9	39.4-50.9	23.4	51.1	41.6-61.9	27.6	41.8	35.0-49.6	14.0	13.3	10.3-16.9	6.6	16.1	10.8-23.0	7.4	12.0	8.4-16.6
Colon excluding rectum	36.2	32.8	28.0-38.1	14.8	34.5	26.6-43.8	21.4	32.7	26.7-39.7	11.8	11.1	8.4-14.5	5.2	12.6	8.0-18.8	6.6	10.5	7.2-14.8
Rectum & rectosigmoid	14.8	12.1	9.4-15.3	8.6	16.6	11.7-22.8	6.2	9.1	6.1-13.1	2.2	2.2	1.1-3.9	1.4	3.5	1.3-7.4	0.8	1.5	0.4-3.7
Liver / intrahepatic bile duct	9.6	7.7	5.6-10.3	7.0	12.6	8.5-17.8	2.6	3.8	2.0-6.7	6.6	5.6	3.8-8.0	3.8	7.7	4.4-12.4	2.8	4.2	2.2-7.1
Pancreas	17.6	16.3	13.0-20.2	8.8	20.0	14.2-27.1	8.8	13.7	9.9-18.6	11.6	10.8	8.1-14.1	6.4	14.7	9.9-21.1	5.2	8.1	5.3-12.1
Larynx	2.8	2.3	1.2-3.9	2.2	4.1	2.0-7.5	0.6	0.9	0.2-2.6	0.8	0.5	0.1-1.5	0.8	1.2	0.3-3.3	0.0	0.0	0.0-1.3
Lung and bronchus	53.0	47.6	41.8-53.9	24.4	51.1	41.9-61.6	28.6	44.9	37.7-53.2	27.2	24.4	20.3-29.0	16.4	35.9	28.1-45.1	10.8	16.3	12.2-21.5
Melanoma of the skin	1.2	1.1	0.4-2.4	0.4	0.7	0.1-2.9	0.8	1.3	0.3-3.4	0.6	0.6	0.1-1.7	0.4	0.9	0.1-3.1	0.2	0.3	0.0-1.8
Female breast							92.6	142.4	129.5-156.4							13.4	20.3	15.6-25.9
Cervix uteri							3.6	5.8	3.4-9.3							1.0	1.5	0.5-3.6
Corpus uterus and NOS							24.4	36.6	30.2-43.9							5.8	9.7	6.4-14.0
Ovary							5.2	8.1	5.2-11.9							2.4	4.1	2.1-7.2
Prostate				122.4	233.6	214.4-254.1							12.8	33.1	25.1-42.7			
Testis				1.8	3.2	1.4-6.2							0.0	0.0	0.0-1.6			
Urinary bladder (incl. in situ)	16.6	15.3	12.1-19.1	11.8	26.7	19.9-34.9	4.8	7.6	4.8-11.4	4.0	4.1	2.5-6.4	2.4	7.0	3.5-12.2	1.6	2.7	1.1-5.3
Kidney and renal pelvis	21.2	17.7	14.4-21.6	13.4	25.9	19.7-33.3	7.8	12.1	8.5-16.7	2.8	2.8	1.5-4.8	1.8	4.2	1.8-8.0	1.0	1.8	0.6-4.2
Brain and other central nervous system	6.2	5.4	3.6-7.7	2.6	5.3	2.8-9.2	3.6	5.4	3.2-8.7	4.2	3.6	2.2-5.6	1.4	2.8	1.1-5.9	2.8	4.1	2.2-7.1
Thyroid	15.4	13.6	10.6-17.1	3.0	6.1	3.3-10.1	12.4	19.9	15.2-25.7	0.8	0.8	0.2-1.9	0.2	0.3	0.0-2.0	0.6	1.0	0.2-3.0
Hodgkin lymphoma	3.2	2.5	1.4-4.2	1.2	2.0	0.7-4.6	2.0	3.0	1.4-5.6	0.2	0.1	0.0-0.9	0.2	0.3	0.0-2.0	0.0	0.0	0.0-1.3
Non-Hodgkin lymphomas	19.8	17.1	13.8-21.0	11.0	21.7	16.1-28.6	8.8	13.8	10.0-18.7	4.6	4.2	2.7-6.4	2.8	6.7	3.5-11.4	1.8	2.7	1.2-5.2
Myeloma	16.2	14.9	11.8-18.7	8.6	17.3	12.2-23.6	7.6	12.6	8.8-17.3	5.4	5.4	3.5-7.9	2.8	8.1	4.3-13.6	2.6	4.2	2.2-7.3
Leukemias	13.0	11.9	9.1-15.2	6.0	11.6	7.6-16.9	7.0	12.1	8.4-16.9	5.2	5.1	3.3-7.6	2.8	6.8	3.6-11.5	2.4	4.0	2.1-7.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020**
Westchester, Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	696.4	366.9	354.1-379.9	324.8	396.4	375.7-417.9	371.6	353.5	337.0-370.4	146.6	87.5	81.0-94.4	78.0	114.1	102.3-126.9	68.6	70.6	63.0-78.7
Oral cavity and pharynx	13.4	7.3	5.5-9.3	8.4	10.1	7.0-13.9	5.0	5.0	3.2-7.5	3.0	1.8	1.0-3.0	2.2	3.1	1.4-5.6	0.8	0.9	0.2-2.2
Esophagus	4.2	2.5	1.5-3.9	3.6	4.8	2.7-7.9	0.6	0.8	0.2-2.2	1.6	0.9	0.4-1.8	1.6	2.2	0.9-4.4	0.0	0.0	0.0-0.7
Stomach	23.8	13.2	10.8-15.9	11.6	14.5	10.7-19.0	12.2	12.5	9.4-16.1	7.8	4.6	3.2-6.4	4.4	6.2	3.7-9.6	3.4	3.6	2.1-5.8
Colorectal	59.8	31.6	28.0-35.6	30.2	35.9	29.9-42.7	29.6	28.5	24.0-33.7	13.0	7.4	5.6-9.5	7.2	9.7	6.6-13.7	5.8	5.9	3.9-8.5
Colon excluding rectum	41.4	22.6	19.5-26.1	18.6	22.9	18.1-28.5	22.8	22.6	18.6-27.3	9.4	5.5	4.0-7.4	4.4	6.4	3.8-9.8	5.0	5.1	3.2-7.5
Rectum & rectosigmoid	18.4	9.0	7.2-11.2	11.6	13.0	9.6-17.2	6.8	5.9	4.0-8.3	3.6	1.9	1.1-3.1	2.8	3.3	1.7-5.8	0.8	0.8	0.2-2.1
Liver / intrahepatic bile duct	19.0	10.9	8.7-13.5	12.6	17.1	12.8-22.2	6.4	6.4	4.3-9.2	12.4	7.3	5.5-9.4	8.0	10.5	7.3-14.6	4.4	4.9	3.0-7.4
Pancreas	24.6	14.6	12.0-17.5	12.0	15.4	11.4-20.1	12.6	13.8	10.5-17.7	13.2	8.1	6.2-10.4	7.4	10.3	7.0-14.4	5.8	6.4	4.2-9.3
Larynx	4.6	2.5	1.6-3.9	3.8	5.0	2.9-7.9	0.8	0.7	0.2-1.7	1.0	0.6	0.2-1.5	0.8	1.3	0.3-3.2	0.2	0.2	0.0-1.0
Lung and bronchus	48.4	29.7	25.9-33.9	23.6	35.5	29.0-42.9	24.8	26.0	21.5-31.1	18.8	11.8	9.5-14.6	13.0	20.1	15.2-25.9	5.8	6.1	4.0-8.8
Melanoma of the skin	5.8	3.2	2.1-4.7	3.4	4.3	2.4-7.1	2.4	2.5	1.2-4.4	1.2	0.5	0.2-1.1	1.0	0.8	0.3-2.0	0.2	0.2	0.0-1.0
Female breast							113.2	103.3	94.8-112.4							12.8	11.9	9.1-15.3
Cervix uteri							9.4	8.0	5.8-10.7							0.8	0.7	0.2-1.8
Corpus uterus and NOS							26.8	25.9	21.6-30.9							4.0	3.8	2.3-5.9
Ovary							10.6	10.1	7.5-13.3							3.0	3.0	1.6-5.0
Prostate				90.0	108.9	98.3-120.2							6.8	12.6	8.7-17.6			
Testis				5.2	4.0	2.6-5.9							0.6	0.5	0.1-1.5			
Urinary bladder (incl. in situ)	17.2	11.2	8.9-13.9	13.0	20.5	15.6-26.3	4.2	4.7	2.9-7.2	3.4	2.4	1.4-3.8	2.4	4.3	2.2-7.4	1.0	1.2	0.4-2.8
Kidney and renal pelvis	24.4	11.7	9.7-14.1	16.4	17.6	13.8-22.2	8.0	7.0	4.9-9.5	2.2	1.4	0.7-2.5	1.8	2.5	1.1-4.8	0.4	0.5	0.1-1.7
Brain and other central nervous system	10.6	4.6	3.4-6.0	7.0	6.0	4.1-8.5	3.6	3.2	1.9-5.1	4.4	2.2	1.3-3.3	2.8	3.1	1.6-5.4	1.6	1.4	0.6-2.9
Thyroid	40.6	17.6	15.2-20.2	8.4	7.0	5.0-9.5	32.2	27.6	23.5-32.3	0.4	0.3	0.0-0.9	0.2	0.4	0.0-1.8	0.2	0.2	0.0-1.2
Hodgkin lymphoma	6.6	3.0	2.0-4.3	4.0	4.0	2.3-6.5	2.6	2.3	1.2-3.9	0.6	0.4	0.1-1.2	0.2	0.2	0.0-1.3	0.4	0.6	0.1-1.8
Non-Hodgkin lymphomas	36.6	19.4	16.5-22.5	21.4	25.4	20.4-31.2	15.2	14.7	11.5-18.5	8.0	5.3	3.7-7.2	3.8	6.4	3.8-10.0	4.2	4.6	2.8-7.1
Myeloma	14.4	7.9	6.1-10.1	6.8	8.8	5.9-12.5	7.6	7.4	5.2-10.2	2.8	2.0	1.1-3.4	1.4	2.9	1.2-5.6	1.4	1.5	0.6-3.1
Leukemias	25.4	13.2	10.9-15.9	14.0	16.9	12.8-21.8	11.4	10.7	8.0-13.9	6.4	3.8	2.5-5.4	4.2	6.2	3.6-9.5	2.2	2.1	1.0-3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Westchester, Non-Hispanic Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5,071.0	483.0	476.8-489.3	2,496.8	521.7	512.3-531.3	2,574.2	459.1	450.7-467.7	1,338.8	115.5	112.7-118.4	650.6	133.4	128.8-138.2	688.2	103.7	100.1-107.5
Oral cavity and pharynx	104.4	9.7	8.9-10.6	71.8	14.6	13.1-16.3	32.6	5.6	4.7-6.6	17.4	1.5	1.2-1.9	11.6	2.3	1.7-3.0	5.8	0.9	0.6-1.4
Esophagus	39.4	3.6	3.1-4.1	28.0	5.9	4.9-7.0	11.4	1.8	1.3-2.3	32.2	2.9	2.4-3.4	23.8	5.0	4.1-6.0	8.4	1.3	0.9-1.8
Stomach	76.2	7.1	6.4-7.9	45.2	9.7	8.4-11.1	31.0	5.2	4.4-6.1	32.4	2.9	2.4-3.4	20.4	4.2	3.4-5.1	12.0	1.9	1.4-2.6
Colorectal	349.6	33.1	31.5-34.8	178.2	38.3	35.8-41.0	171.4	28.9	26.9-31.1	115.8	9.8	9.0-10.7	57.6	11.9	10.6-13.4	58.2	8.2	7.2-9.3
Colon excluding rectum	249.8	23.4	22.0-24.8	123.0	26.5	24.3-28.7	126.8	21.0	19.3-22.8	91.8	7.7	7.0-8.5	46.6	9.6	8.4-11.0	45.2	6.3	5.5-7.3
Rectum & rectosigmoid	99.8	9.7	8.8-10.7	55.2	11.9	10.5-13.4	44.6	8.0	6.9-9.2	24.0	2.1	1.7-2.5	11.0	2.3	1.7-3.1	13.0	1.8	1.4-2.4
Liver / intrahepatic bile duct	81.0	7.2	6.5-8.0	57.0	11.3	10.0-12.8	24.0	3.9	3.2-4.7	45.8	4.0	3.5-4.5	32.4	6.4	5.4-7.5	13.4	2.1	1.6-2.8
Pancreas	168.6	14.9	13.9-16.0	86.6	18.1	16.4-19.9	82.0	12.3	11.1-13.7	118.8	10.3	9.4-11.2	58.4	12.0	10.7-13.6	60.4	8.8	7.8-10.0
Larynx	25.6	2.2	1.9-2.7	20.6	4.0	3.3-4.9	5.0	0.8	0.5-1.3	7.2	0.6	0.4-0.9	6.4	1.3	0.9-1.9	0.8	0.1	0.0-0.4
Lung and bronchus	535.4	47.1	45.3-48.9	239.4	48.7	45.9-51.6	296.0	46.2	43.8-48.7	258.6	22.0	20.8-23.3	119.8	24.3	22.4-26.4	138.8	20.2	18.7-21.9
Melanoma of the skin	216.4	20.6	19.3-21.9	123.8	26.4	24.3-28.6	92.6	16.4	14.8-18.1	17.0	1.4	1.1-1.8	10.6	2.2	1.6-2.9	6.4	0.8	0.5-1.2
Female breast							798.4	152.1	147.1-157.2							108.4	17.8	16.2-19.5
Cervix uteri							24.8	5.7	4.7-6.9							7.0	1.4	0.9-1.9
Corpus uterus and NOS							174.8	29.7	27.7-31.8							35.2	5.4	4.6-6.3
Ovary							70.2	13.5	12.0-15.1							41.0	6.4	5.5-7.4
Prostate				707.0	138.9	134.3-143.7							73.8	15.0	13.5-16.6			
Testis				19.4	6.3	5.1-7.7							0.8	0.2	0.1-0.6			
Urinary bladder (incl. in situ)	253.2	22.2	21.0-23.5	182.2	37.4	35.0-40.0	71.0	11.0	9.8-12.2	41.6	3.3	2.9-3.8	28.0	5.7	4.8-6.7	13.6	1.7	1.3-2.3
Kidney and renal pelvis	164.4	15.9	14.8-17.1	109.6	23.2	21.2-25.3	54.8	9.8	8.6-11.1	23.2	2.1	1.7-2.5	16.0	3.3	2.6-4.2	7.2	1.2	0.8-1.7
Brain and other central nervous system	61.2	6.9	6.1-7.7	32.0	7.8	6.6-9.2	29.2	6.0	5.0-7.2	40.4	4.0	3.5-4.6	23.2	5.2	4.2-6.3	17.2	3.1	2.4-3.9
Thyroid	158.2	19.6	18.2-21.1	46.0	11.4	9.8-13.0	112.2	27.4	25.1-30.0	7.8	0.7	0.5-0.9	4.4	0.9	0.6-1.4	3.4	0.5	0.3-0.8
Hodgkin lymphoma	25.2	3.3	2.7-4.0	12.4	3.4	2.5-4.4	12.8	3.4	2.5-4.3	2.6	0.2	0.1-0.4	1.2	0.2	0.1-0.5	1.4	0.2	0.1-0.5
Non-Hodgkin lymphomas	241.2	23.0	21.6-24.4	132.2	29.0	26.7-31.4	109.0	18.2	16.7-20.0	46.2	3.8	3.3-4.4	24.6	4.9	4.1-5.9	21.6	3.0	2.4-3.7
Myeloma	96.8	8.9	8.1-9.7	53.0	11.0	9.7-12.5	43.8	7.3	6.3-8.4	34.4	2.9	2.5-3.4	17.6	3.6	2.9-4.5	16.8	2.4	1.9-3.0
Leukemias	199.8	19.1	17.9-20.4	115.4	25.1	23.1-27.4	84.4	14.3	12.9-15.8	61.6	5.3	4.7-5.9	34.6	7.1	6.1-8.3	27.0	4.0	3.3-4.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Westchester, Non-Hispanic White Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4,076.0	502.3	494.9-509.8	2,016.4	532.6	521.7-543.6	2,059.6	485.9	475.6-496.4	1,075.8	115.3	112.1-118.6	525.4	132.2	127.1-137.6	550.4	103.8	99.7-108.1
Oral cavity and pharynx	86.0	10.3	9.3-11.4	59.0	15.2	13.4-17.2	27.0	5.9	4.9-7.1	14.4	1.6	1.2-2.0	9.6	2.4	1.7-3.2	4.8	1.0	0.6-1.6
Esophagus	31.6	3.6	3.0-4.3	22.6	5.9	4.9-7.2	9.0	1.7	1.2-2.4	26.4	3.0	2.5-3.6	19.0	4.9	4.0-6.1	7.4	1.4	1.0-2.0
Stomach	53.6	6.3	5.5-7.2	36.2	9.6	8.2-11.2	17.4	3.7	2.9-4.6	22.2	2.5	2.0-3.0	15.4	3.9	3.0-4.9	6.8	1.4	0.9-2.1
Colorectal	270.8	32.9	31.0-34.9	139.2	37.9	35.0-41.0	131.6	28.8	26.4-31.4	91.4	9.6	8.7-10.6	44.8	11.3	9.8-13.0	46.6	8.2	7.1-9.5
Colon excluding rectum	195.0	23.3	21.8-25.0	98.2	26.6	24.2-29.2	96.8	20.6	18.6-22.8	71.8	7.4	6.6-8.3	35.8	9.0	7.7-10.5	36.0	6.2	5.2-7.3
Rectum & rectosigmoid	75.8	9.6	8.6-10.7	41.0	11.3	9.7-13.1	34.8	8.2	6.9-9.7	19.6	2.2	1.7-2.7	9.0	2.3	1.7-3.2	10.6	2.0	1.5-2.8
Liver / intrahepatic bile duct	58.4	6.5	5.8-7.4	41.6	10.3	8.9-11.8	16.8	3.5	2.7-4.4	32.6	3.5	3.0-4.1	23.8	5.7	4.7-6.9	8.8	1.8	1.3-2.5
Pancreas	137.4	15.3	14.1-16.5	72.6	18.8	16.9-20.9	64.8	12.3	10.9-13.9	97.2	10.6	9.6-11.6	49.2	12.7	11.1-14.4	48.0	8.8	7.7-10.1
Larynx	21.0	2.4	1.9-2.9	17.2	4.2	3.4-5.3	3.8	0.8	0.5-1.5	5.8	0.6	0.4-0.9	5.2	1.3	0.8-2.0	0.6	0.1	0.0-0.5
Lung and bronchus	446.4	49.3	47.2-51.5	192.8	48.6	45.5-51.8	253.6	50.4	47.6-53.4	215.4	22.8	21.4-24.3	95.6	23.8	21.7-26.1	119.8	22.1	20.3-24.0
Melanoma of the skin	209.6	26.1	24.4-27.9	120.0	32.5	29.8-35.4	89.6	21.3	19.2-23.7	16.4	1.7	1.3-2.2	10.2	2.6	1.9-3.5	6.2	1.0	0.7-1.5
Female breast							628.4	161.4	155.2-167.7							83.6	17.1	15.3-19.0
Cervix uteri							14.8	5.1	3.9-6.5							4.8	1.2	0.7-1.9
Corpus uterus and NOS							132.6	29.6	27.3-32.1							25.2	4.9	4.0-5.9
Ovary							55.4	14.1	12.3-16.1							34.2	6.9	5.9-8.1
Prostate				523.4	128.4	123.5-133.6							57.0	13.9	12.3-15.7			
Testis				17.4	8.3	6.6-10.3							0.8	0.3	0.1-0.9			
Urinary bladder (incl. in situ)	224.2	25.0	23.5-26.6	162.8	41.6	38.7-44.6	61.4	12.2	10.8-13.7	35.4	3.4	2.9-4.0	23.8	5.8	4.8-7.0	11.6	1.8	1.4-2.5
Kidney and renal pelvis	129.8	16.4	15.1-17.8	88.0	24.0	21.7-26.5	41.8	9.9	8.5-11.5	19.0	2.1	1.7-2.6	13.6	3.5	2.7-4.5	5.4	1.1	0.7-1.7
Brain and other central nervous system	51.2	7.6	6.6-8.7	26.8	8.6	7.1-10.3	24.4	6.7	5.4-8.2	33.0	4.2	3.6-5.0	19.6	5.5	4.4-6.8	13.4	3.2	2.4-4.1
Thyroid	129.4	22.7	20.9-24.7	39.4	13.2	11.2-15.4	90.0	32.1	29.0-35.5	5.8	0.6	0.4-0.9	3.4	0.9	0.5-1.5	2.4	0.4	0.2-0.9
Hodgkin lymphoma	20.6	3.9	3.1-4.8	9.0	3.4	2.4-4.6	11.6	4.5	3.3-5.9	2.4	0.2	0.1-0.4	1.0	0.2	0.1-0.6	1.4	0.2	0.1-0.6
Non-Hodgkin lymphomas	200.2	24.3	22.8-26.0	111.8	30.9	28.2-33.7	88.4	19.0	17.1-21.0	38.8	3.9	3.3-4.5	20.6	5.0	4.1-6.1	18.2	3.1	2.4-3.9
Myeloma	66.4	7.8	7.0-8.8	38.2	10.1	8.7-11.8	28.2	6.0	5.0-7.2	23.8	2.4	2.0-3.0	12.8	3.2	2.4-4.1	11.0	1.9	1.4-2.5
Leukemias	173.2	21.3	19.8-22.9	102.2	28.1	25.6-30.8	71.0	15.5	13.8-17.4	51.6	5.6	4.9-6.4	29.4	7.5	6.3-8.9	22.2	4.1	3.3-5.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Sex and Hispanic Ethnicity, 2016-2020
Westchester, Non-Hispanic Black Individuals

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	738.2	451.9	437.1-467.0	353.4	530.8	505.6-556.9	384.8	407.2	388.7-426.4	206.0	126.7	118.9-134.8	94.4	153.8	139.9-168.8	111.6	113.0	103.6-123.1
Oral cavity and pharynx	12.2	7.7	5.8-9.9	8.6	13.2	9.4-17.9	3.6	4.1	2.4-6.6	2.0	1.3	0.6-2.5	1.4	2.3	0.9-4.8	0.6	0.7	0.1-2.1
Esophagus	5.6	3.3	2.2-4.9	3.6	5.5	3.2-8.9	2.0	2.0	0.9-3.8	4.8	3.0	1.9-4.5	4.0	6.5	3.9-10.2	0.8	0.8	0.2-2.3
Stomach	16.6	10.7	8.5-13.3	6.2	10.6	7.1-15.1	10.4	10.7	7.9-14.1	6.8	4.4	3.0-6.2	3.2	5.4	3.0-8.8	3.6	3.8	2.2-6.1
Colorectal	57.0	35.4	31.3-39.8	26.2	40.9	34.0-48.8	30.8	32.2	27.2-37.9	19.6	11.8	9.6-14.5	9.4	15.0	10.9-20.1	10.2	9.8	7.3-13.1
Colon excluding rectum	41.0	25.5	22.0-29.3	17.0	27.5	21.8-34.2	24.0	24.7	20.4-29.8	16.2	9.8	7.8-12.3	8.0	13.0	9.1-17.8	8.2	8.1	5.8-11.2
Rectum & rectosigmoid	16.0	9.9	7.8-12.4	9.2	13.3	9.7-18.0	6.8	7.5	5.1-10.6	3.4	2.0	1.2-3.3	1.4	2.0	0.8-4.3	2.0	1.7	0.8-3.4
Liver / intrahepatic bile duct	17.4	10.1	8.0-12.5	11.6	16.1	12.1-21.0	5.8	5.9	3.9-8.7	8.8	5.1	3.7-6.9	5.4	7.6	4.9-11.1	3.4	3.5	2.0-5.7
Pancreas	23.4	14.5	12.0-17.5	10.4	17.0	12.6-22.4	13.0	12.9	9.9-16.5	16.0	10.0	7.9-12.5	6.6	11.0	7.5-15.6	9.4	9.4	6.9-12.7
Larynx	4.2	2.3	1.4-3.6	3.4	4.5	2.6-7.3	0.8	0.8	0.2-2.2	1.4	0.8	0.3-1.7	1.2	1.8	0.6-4.0	0.2	0.2	0.0-1.3
Lung and bronchus	67.0	40.8	36.5-45.5	34.2	53.8	45.8-62.7	32.8	33.0	28.1-38.7	34.8	21.1	18.0-24.5	18.8	30.8	24.7-37.9	16.0	15.5	12.2-19.5
Melanoma of the skin	1.4	0.8	0.3-1.7	0.8	1.2	0.3-3.2	0.6	0.5	0.1-1.8	0.2	0.1	0.0-0.7	0.0	0.0	0.0-1.2	0.2	0.2	0.0-1.3
Female breast							122.2	133.0	122.4-144.3							20.6	22.6	18.4-27.7
Cervix uteri							7.2	7.8	5.4-11.0							1.2	1.3	0.4-2.9
Corpus uterus and NOS							32.0	31.9	27.1-37.4							8.4	8.3	6.0-11.3
Ovary							10.0	10.4	7.6-13.9							5.2	5.1	3.3-7.6
Prostate				145.8	209.3	193.9-225.5							15.2	26.9	21.1-33.8			
Testis				1.4	2.0	0.8-4.2							0.0	0.0	0.0-1.2			
Urinary bladder (incl. in situ)	20.8	12.4	10.1-15.1	12.6	20.1	15.3-25.8	8.2	8.1	5.8-11.2	4.8	3.0	1.9-4.5	2.8	4.9	2.7-8.4	2.0	1.9	0.9-3.6
Kidney and renal pelvis	28.2	16.9	14.2-20.0	16.8	23.7	18.8-29.5	11.4	12.1	9.1-15.8	3.6	2.3	1.4-3.7	1.8	2.9	1.3-5.6	1.8	2.0	0.9-4.0
Brain and other central nervous system	6.8	4.8	3.3-6.7	3.0	5.0	2.7-8.2	3.8	4.9	2.9-7.7	4.0	2.6	1.6-4.0	1.4	2.2	0.8-4.5	2.6	2.9	1.5-5.1
Thyroid	19.2	12.5	10.1-15.4	4.0	6.0	3.6-9.5	15.2	18.1	14.1-22.8	1.4	0.8	0.3-1.8	0.6	0.9	0.2-2.7	0.8	0.7	0.2-2.1
Hodgkin lymphoma	3.8	2.7	1.6-4.3	2.8	4.6	2.5-7.8	1.0	1.3	0.4-3.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.0
Non-Hodgkin lymphomas	28.4	17.5	14.7-20.7	14.0	21.6	16.7-27.5	14.4	15.0	11.7-19.1	6.0	3.6	2.4-5.2	3.2	5.0	2.8-8.2	2.8	2.9	1.5-5.0
Myeloma	26.6	16.1	13.4-19.2	12.4	19.1	14.5-24.7	14.2	14.4	11.2-18.3	9.8	6.1	4.5-8.1	4.4	6.9	4.2-10.6	5.4	5.5	3.6-8.2
Leukemias	18.4	11.6	9.3-14.3	8.8	13.8	10.0-18.7	9.6	10.4	7.5-14.0	8.4	4.9	3.5-6.7	4.0	6.2	3.7-9.7	4.4	4.4	2.7-6.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.