

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

Nassau County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8,934.0	499.4	494.6-504.2	4,430.6	537.4	530.2-544.7	4,503.4	476.2	469.6-482.7
Oral cavity and pharynx	195.4	10.9	10.2-11.7	128.8	15.7	14.4-17.0	66.6	7.0	6.2-7.8
Esophagus	71.0	3.8	3.4-4.2	51.8	6.3	5.5-7.1	19.2	1.7	1.4-2.1
Stomach	150.4	8.3	7.7-8.9	86.6	10.6	9.6-11.7	63.8	6.4	5.7-7.2
Colorectal	660.4	37.0	35.7-38.3	328.6	40.9	38.9-43.0	331.8	33.8	32.1-35.5
Colon excluding rectum	480.8	26.7	25.6-27.8	229.2	28.5	26.8-30.3	251.6	25.3	23.8-26.8
Rectum & rectosigmoid	179.6	10.3	9.6-11.1	99.4	12.4	11.3-13.6	80.2	8.5	7.6-9.4
Liver / intrahepatic bile duct	121.4	6.4	5.9-7.0	82.8	9.5	8.6-10.4	38.6	3.8	3.3-4.4
Pancreas	299.4	15.9	15.1-16.7	152.8	18.6	17.2-20.0	146.6	13.8	12.8-14.9
Larynx	45.4	2.4	2.1-2.8	36.4	4.3	3.7-5.0	9.0	0.9	0.6-1.2
Lung and bronchus	951.0	50.7	49.3-52.2	414.8	50.7	48.5-53.0	536.2	51.4	49.5-53.5
Melanoma of the skin	389.6	21.9	20.9-22.9	234.2	28.9	27.2-30.7	155.4	16.8	15.6-18.1
Female breast							1,324.8	145.9	142.2-149.6
Cervix uteri							52.0	6.6	5.8-7.5
Corpus uterus and NOS							321.4	32.0	30.4-33.7
Ovary							110.4	12.1	11.0-13.2
Prostate				1,258.4	141.7	138.2-145.4			
Testis				35.2	5.8	5.0-6.8			
Urinary bladder (incl. in situ)	441.8	23.3	22.3-24.3	332.4	40.6	38.6-42.7	109.4	10.1	9.3-11.1
Kidney and renal pelvis	312.4	17.6	16.7-18.5	204.0	24.8	23.2-26.4	108.4	11.3	10.3-12.4
Brain and other central nervous system	113.6	7.2	6.6-7.8	61.2	8.2	7.3-9.2	52.4	6.3	5.5-7.2
Thyroid	333.6	22.9	21.8-24.1	97.6	13.3	12.1-14.6	236.0	32.2	30.3-34.2
Hodgkin lymphoma	50.0	3.5	3.1-4.0	25.0	3.6	3.0-4.3	25.0	3.5	2.9-4.2
Non-Hodgkin lymphomas	401.2	22.7	21.6-23.7	212.6	26.7	25.1-28.4	188.6	19.5	18.2-20.8
Myeloma	152.4	8.2	7.6-8.9	83.4	10.1	9.2-11.2	69.0	6.7	6.0-7.5
Leukemias	293.4	16.8	15.9-17.7	175.4	22.3	20.8-23.8	118.0	12.6	11.5-13.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Nassau County
Hempstead and Long Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5,059.6	497.9	491.6-504.3	2,492.6	540.3	530.6-550.1	2,567.0	471.8	463.3-480.4
Oral cavity and pharynx	107.6	10.5	9.6-11.4	72.4	15.4	13.8-17.2	35.2	6.3	5.4-7.4
Esophagus	42.0	4.0	3.4-4.6	30.4	6.7	5.6-7.9	11.6	1.9	1.4-2.5
Stomach	83.0	8.1	7.3-8.9	48.0	10.3	9.0-11.8	35.0	6.3	5.3-7.3
Colorectal	387.8	38.6	36.9-40.4	195.2	43.7	40.9-46.6	192.6	34.6	32.3-36.9
Colon excluding rectum	282.0	27.9	26.4-29.5	133.4	29.8	27.5-32.2	148.6	26.5	24.6-28.6
Rectum & rectosigmoid	105.8	10.7	9.8-11.7	61.8	13.8	12.3-15.5	44.0	8.0	6.9-9.2
Liver / intrahepatic bile duct	70.0	6.4	5.7-7.1	49.0	9.8	8.6-11.2	21.0	3.5	2.9-4.3
Pancreas	168.8	16.0	14.9-17.1	82.6	18.1	16.3-20.0	86.2	14.4	13.0-15.9
Larynx	25.2	2.4	2.0-2.8	20.2	4.3	3.5-5.3	5.0	0.8	0.5-1.2
Lung and bronchus	529.4	50.7	48.8-52.7	232.0	51.3	48.3-54.4	297.4	51.0	48.4-53.7
Melanoma of the skin	217.4	21.6	20.3-22.9	127.8	28.4	26.1-30.7	89.6	16.7	15.1-18.4
Female breast							743.2	140.4	135.7-145.2
Cervix uteri							36.4	7.8	6.7-9.1
Corpus uterus and NOS							189.0	32.7	30.6-34.9
Ovary							61.0	11.6	10.3-13.1
Prostate				722.8	145.7	140.9-150.7			
Testis				21.4	5.8	4.7-7.0			
Urinary bladder (incl. in situ)	243.4	22.9	21.6-24.3	178.0	39.3	36.7-42.1	65.4	10.8	9.6-12.1
Kidney and renal pelvis	184.0	18.3	17.1-19.6	116.0	25.1	23.0-27.3	68.0	12.4	11.0-13.8
Brain and other central nervous system	65.2	7.2	6.4-8.0	34.0	7.9	6.7-9.2	31.2	6.5	5.5-7.7
Thyroid	191.0	22.0	20.6-23.5	56.4	13.3	11.8-15.0	134.6	30.3	27.9-32.8
Hodgkin lymphoma	27.8	3.3	2.7-3.9	13.0	3.1	2.4-4.0	14.8	3.5	2.7-4.4
Non-Hodgkin lymphomas	219.4	22.0	20.6-23.3	113.0	25.3	23.2-27.6	106.4	19.3	17.7-21.1
Myeloma	92.2	8.8	8.0-9.7	50.4	11.0	9.7-12.5	41.8	7.0	6.1-8.1
Leukemias	157.8	15.9	14.8-17.1	95.6	21.7	19.7-23.8	62.2	11.5	10.2-12.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Nassau County
North Hempstead**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,494.0	466.6	455.5-477.9	739.2	487.4	471.2-503.9	754.8	455.6	440.1-471.5
Oral cavity and pharynx	32.0	10.5	8.9-12.4	20.2	14.5	11.7-17.8	11.8	7.1	5.3-9.4
Esophagus	12.2	3.6	2.7-4.7	8.4	5.6	4.0-7.7	3.8	1.8	1.0-3.0
Stomach	29.6	8.9	7.5-10.6	17.2	11.4	9.1-14.3	12.4	6.9	5.2-9.0
Colorectal	103.8	31.9	29.1-35.0	50.0	33.8	29.6-38.5	53.8	30.2	26.4-34.4
Colon excluding rectum	74.2	22.3	20.0-24.9	35.6	23.8	20.3-27.8	38.6	20.9	17.8-24.4
Rectum & rectosigmoid	29.6	9.6	8.0-11.4	14.4	10.0	7.7-12.7	15.2	9.3	7.2-11.9
Liver / intrahepatic bile duct	22.0	6.3	5.2-7.7	13.4	8.1	6.2-10.4	8.6	4.9	3.4-6.8
Pancreas	53.8	15.1	13.3-17.1	28.2	18.2	15.3-21.6	25.6	12.4	10.2-14.9
Larynx	7.6	2.3	1.6-3.2	6.2	4.0	2.7-5.7	1.4	0.9	0.3-2.0
Lung and bronchus	146.4	41.8	38.7-45.0	63.8	41.2	36.7-46.2	82.6	42.5	38.4-47.1
Melanoma of the skin	68.4	21.0	18.7-23.5	42.8	27.8	24.1-31.9	25.6	16.2	13.3-19.5
Female breast							238.8	156.2	146.9-166.0
Cervix uteri							6.2	4.8	3.2-7.0
Corpus uterus and NOS							49.2	27.6	24.1-31.5
Ovary							16.2	9.5	7.5-12.1
Prostate				205.2	125.8	118.1-133.9			
Testis				6.0	6.3	4.2-9.0			
Urinary bladder (incl. in situ)	70.4	19.8	17.7-22.1	53.4	34.1	30.1-38.6	17.0	8.3	6.6-10.5
Kidney and renal pelvis	48.2	15.6	13.6-17.8	33.2	22.5	19.0-26.4	15.0	9.5	7.4-12.2
Brain and other central nervous system	19.6	7.0	5.6-8.6	11.8	9.3	7.0-12.2	7.8	4.9	3.4-6.9
Thyroid	53.2	22.3	19.6-25.3	16.0	12.7	9.9-16.0	37.2	32.0	27.3-37.2
Hodgkin lymphoma	10.4	4.7	3.5-6.2	5.2	5.0	3.2-7.3	5.2	4.6	2.9-6.8
Non-Hodgkin lymphomas	70.0	21.8	19.5-24.4	36.2	25.2	21.5-29.3	33.8	18.8	15.9-22.1
Myeloma	26.4	7.6	6.3-9.1	15.6	9.9	7.8-12.5	10.8	5.8	4.3-7.7
Leukemias	57.6	18.1	16.0-20.5	33.4	22.9	19.4-26.8	24.2	14.3	11.6-17.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Nassau County
Oyster Bay and Glen Cove**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2,211.6	491.2	481.8-500.9	1,113.6	528.6	514.4-543.0	1,098.0	468.5	455.5-481.9
Oral cavity and pharynx	52.6	11.8	10.3-13.4	33.6	16.0	13.6-18.7	19.0	8.2	6.6-10.2
Esophagus	16.0	3.3	2.6-4.2	12.2	5.8	4.4-7.5	3.8	1.3	0.8-2.1
Stomach	35.0	7.6	6.5-8.9	20.2	9.8	8.0-12.0	14.8	5.9	4.6-7.5
Colorectal	157.0	34.8	32.4-37.5	78.6	38.4	34.6-42.5	78.4	31.9	28.6-35.4
Colon excluding rectum	115.4	25.3	23.2-27.6	56.6	27.8	24.6-31.4	58.8	23.4	20.7-26.5
Rectum & rectosigmoid	41.6	9.5	8.2-11.0	22.0	10.6	8.7-12.9	19.6	8.5	6.8-10.5
Liver / intrahepatic bile duct	27.0	5.9	4.9-7.0	19.2	9.1	7.3-11.2	7.8	3.1	2.2-4.4
Pancreas	72.2	15.4	13.8-17.1	39.8	19.0	16.4-22.0	32.4	12.5	10.6-14.7
Larynx	11.6	2.5	1.9-3.2	9.0	4.1	3.0-5.6	2.6	1.0	0.5-1.8
Lung and bronchus	260.0	54.1	51.1-57.2	111.4	53.1	48.7-57.8	148.6	55.9	51.8-60.2
Melanoma of the skin	98.0	21.8	19.9-23.9	60.0	28.8	25.5-32.3	38.0	16.8	14.3-19.5
Female breast							317.4	140.9	133.6-148.4
Cervix uteri							8.2	4.4	3.1-6.2
Corpus uterus and NOS							74.8	30.1	27.1-33.5
Ovary							31.4	13.9	11.7-16.5
Prostate				299.6	130.7	124.1-137.7			
Testis				7.2	5.3	3.7-7.4			
Urinary bladder (incl. in situ)	121.6	25.2	23.2-27.4	96.0	45.6	41.6-50.0	25.6	9.6	8.0-11.6
Kidney and renal pelvis	75.6	16.4	14.8-18.3	51.4	24.0	21.1-27.3	24.2	9.7	8.0-11.7
Brain and other central nervous system	27.0	6.8	5.7-8.2	14.4	7.5	5.8-9.6	12.6	6.1	4.6-8.0
Thyroid	84.6	24.7	22.2-27.3	23.8	13.0	10.6-15.7	60.8	36.0	31.8-40.5
Hodgkin lymphoma	11.4	3.3	2.5-4.4	6.6	3.9	2.6-5.5	4.8	2.9	1.8-4.4
Non-Hodgkin lymphomas	105.2	23.5	21.5-25.7	60.6	29.8	26.4-33.5	44.6	18.6	16.1-21.4
Myeloma	29.8	6.5	5.5-7.7	15.4	7.4	5.8-9.4	14.4	6.0	4.6-7.7
Leukemias	72.0	16.5	14.8-18.5	43.0	21.4	18.6-24.6	29.0	12.9	10.7-15.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

Rockland County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,766.6	468.1	458.2-478.3	898.0	516.8	501.5-532.4	868.6	435.6	422.2-449.3
Oral cavity and pharynx	38.8	10.1	8.7-11.7	27.6	15.5	12.9-18.3	11.2	5.6	4.2-7.4
Esophagus	16.8	4.2	3.4-5.3	12.6	7.1	5.4-9.1	4.2	1.9	1.2-3.0
Stomach	26.8	7.2	6.0-8.5	14.0	8.0	6.2-10.2	12.8	6.5	4.9-8.4
Colorectal	141.4	37.3	34.5-40.2	76.0	44.1	39.7-48.9	65.4	31.8	28.3-35.6
Colon excluding rectum	105.6	27.8	25.4-30.3	55.0	32.0	28.3-36.1	50.6	24.5	21.5-27.9
Rectum & rectosigmoid	35.8	9.5	8.1-11.0	21.0	12.1	9.8-14.7	14.8	7.3	5.6-9.2
Liver / intrahepatic bile duct	26.0	6.6	5.5-7.8	17.6	9.8	7.8-12.1	8.4	3.9	2.8-5.3
Pancreas	57.0	14.5	12.9-16.3	27.0	15.7	13.2-18.7	30.0	13.7	11.6-16.2
Larynx	8.6	2.3	1.6-3.1	7.4	4.3	3.0-6.0	1.2	0.6	0.2-1.3
Lung and bronchus	189.6	48.2	45.1-51.4	87.2	50.8	46.0-55.8	102.4	46.3	42.3-50.7
Melanoma of the skin	70.8	19.1	17.1-21.2	43.2	26.2	22.7-30.0	27.6	13.7	11.5-16.4
Female breast							250.6	132.0	124.5-139.9
Cervix uteri							10.0	6.0	4.3-8.0
Corpus uterus and NOS							61.8	29.2	25.9-32.7
Ovary							25.0	12.9	10.6-15.4
Prostate				248.2	133.5	126.1-141.3			
Testis				10.6	7.5	5.6-9.8			
Urinary bladder (incl. in situ)	84.6	21.5	19.5-23.7	63.4	36.9	32.9-41.2	21.2	9.5	7.7-11.5
Kidney and renal pelvis	65.4	17.3	15.4-19.4	43.8	25.4	22.1-29.1	21.6	10.6	8.7-13.0
Brain and other central nervous system	24.4	6.7	5.6-8.1	14.2	8.3	6.4-10.5	10.2	5.2	3.9-7.0
Thyroid	65.0	20.9	18.6-23.4	18.2	11.8	9.5-14.6	46.8	29.7	25.9-34.0
Hodgkin lymphoma	9.4	2.9	2.1-3.9	5.4	3.4	2.2-5.0	4.0	2.5	1.5-3.9
Non-Hodgkin lymphomas	87.4	23.9	21.6-26.3	46.8	28.7	25.1-32.8	40.6	20.1	17.3-23.2
Myeloma	26.6	6.7	5.6-8.0	14.8	8.3	6.5-10.5	11.8	5.6	4.2-7.3
Leukemias	65.4	17.5	15.7-19.6	39.8	23.9	20.6-27.5	25.6	12.4	10.3-14.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Rockland County
Ramapo**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	515.6	413.8	397.6-430.6	262.8	453.1	428.3-478.9	252.8	385.4	363.6-408.1
Oral cavity and pharynx	10.4	8.3	6.1-10.9	7.0	11.4	7.9-15.9	3.4	5.5	3.1-8.9
Esophagus	3.4	2.9	1.6-4.6	1.8	3.3	1.5-6.4	1.6	2.5	1.0-5.1
Stomach	9.2	7.5	5.4-10.0	5.4	9.7	6.3-14.1	3.8	5.7	3.3-9.1
Colorectal	41.2	32.6	28.2-37.5	22.0	37.5	30.7-45.4	19.2	28.5	22.8-35.1
Colon excluding rectum	29.8	23.4	19.7-27.6	16.2	27.6	21.8-34.5	13.6	19.8	15.1-25.4
Rectum & rectosigmoid	11.4	9.2	6.9-12.1	5.8	9.9	6.6-14.4	5.6	8.7	5.6-12.8
Liver / intrahepatic bile duct	7.4	5.7	4.0-7.9	5.0	8.1	5.1-12.0	2.4	3.6	1.8-6.4
Pancreas	17.8	14.0	11.2-17.3	7.6	13.2	9.3-18.1	10.2	14.9	10.9-19.7
Larynx	3.0	2.8	1.5-4.6	2.4	5.0	2.5-8.7	0.6	0.7	0.1-2.3
Lung and bronchus	47.8	38.9	34.0-44.2	22.2	41.6	34.1-50.2	25.6	36.4	30.2-43.6
Melanoma of the skin	16.6	13.5	10.7-16.8	9.4	16.9	12.3-22.6	7.2	10.6	7.3-14.9
Female breast							70.2	113.1	101.2-126.0
Cervix uteri							3.0	5.0	2.7-8.4
Corpus uterus and NOS							19.4	28.6	23.1-35.0
Ovary							5.2	7.5	4.8-11.1
Prostate				74.0	122.4	110.0-135.8			
Testis				3.8	6.6	3.9-10.4			
Urinary bladder (incl. in situ)	23.4	18.2	15.0-21.9	17.6	31.5	25.1-38.9	5.8	7.9	5.2-11.5
Kidney and renal pelvis	20.6	16.6	13.5-20.3	13.6	23.7	18.3-30.2	7.0	10.6	7.3-15.0
Brain and other central nervous system	9.4	6.9	5.0-9.3	6.0	9.3	6.2-13.5	3.4	4.7	2.6-7.6
Thyroid	23.4	21.3	17.5-25.6	5.8	10.8	7.1-15.6	17.6	31.9	25.3-39.5
Hodgkin lymphoma	4.0	3.2	1.9-5.0	2.4	3.7	1.9-6.6	1.6	2.7	1.1-5.4
Non-Hodgkin lymphomas	27.8	22.4	18.8-26.6	16.8	30.5	24.2-37.9	11.0	15.8	11.8-20.7
Myeloma	8.0	6.0	4.3-8.2	4.8	8.1	5.1-12.0	3.2	4.4	2.5-7.3
Leukemias	21.0	16.6	13.5-20.2	13.4	23.2	17.8-29.6	7.6	11.0	7.7-15.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Rockland County
Remainder of Rockland County**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,195.4	471.8	459.6-484.3	608.2	522.7	504.0-542.1	587.2	438.7	422.3-455.7
Oral cavity and pharynx	27.0	10.4	8.7-12.4	19.4	16.3	13.2-20.0	7.6	5.6	3.9-7.8
Esophagus	13.0	4.7	3.7-6.1	10.6	8.8	6.5-11.6	2.4	1.5	0.8-2.8
Stomach	17.0	6.8	5.4-8.5	8.6	7.2	5.2-9.8	8.4	6.4	4.6-8.9
Colorectal	96.4	37.9	34.5-41.5	52.6	46.0	40.5-52.0	43.8	31.6	27.4-36.3
Colon excluding rectum	73.6	28.9	26.0-32.1	38.2	33.5	28.8-38.7	35.4	25.6	21.8-29.9
Rectum & rectosigmoid	22.8	8.9	7.3-10.8	14.4	12.5	9.7-15.9	8.4	6.0	4.3-8.3
Liver / intrahepatic bile duct	17.6	6.5	5.2-8.1	11.6	9.7	7.3-12.6	6.0	4.0	2.7-5.8
Pancreas	36.8	13.9	11.9-16.1	18.6	16.2	13.0-19.9	18.2	12.2	9.8-15.2
Larynx	5.6	2.1	1.4-3.1	5.0	4.1	2.6-6.1	0.6	0.5	0.1-1.6
Lung and bronchus	135.2	50.1	46.4-54.1	61.2	52.1	46.4-58.4	74.0	49.0	44.0-54.4
Melanoma of the skin	52.0	21.1	18.5-23.9	32.4	29.6	25.1-34.7	19.6	14.7	11.8-18.1
Female breast							172.4	135.2	125.9-145.0
Cervix uteri							7.0	6.7	4.6-9.6
Corpus uterus and NOS							40.4	28.2	24.3-32.5
Ovary							19.2	15.1	12.1-18.7
Prostate				167.6	133.6	124.6-143.2			
Testis				6.8	8.1	5.6-11.3			
Urinary bladder (incl. in situ)	59.0	22.2	19.7-25.0	44.2	38.1	33.1-43.6	14.8	9.8	7.6-12.4
Kidney and renal pelvis	43.0	16.8	14.6-19.3	29.0	25.2	21.1-29.8	14.0	9.9	7.7-12.7
Brain and other central nervous system	14.4	6.1	4.8-7.8	8.2	7.4	5.3-10.2	6.2	4.9	3.3-7.2
Thyroid	40.4	20.1	17.3-23.2	12.2	12.1	9.2-15.7	28.2	27.7	23.1-33.0
Hodgkin lymphoma	5.2	2.7	1.7-4.0	2.8	3.0	1.6-5.1	2.4	2.4	1.2-4.2
Non-Hodgkin lymphomas	54.8	22.5	19.8-25.4	27.6	25.4	21.2-30.1	27.2	20.4	17.0-24.4
Myeloma	18.2	6.9	5.5-8.5	9.6	8.2	6.0-10.9	8.6	6.1	4.4-8.4
Leukemias	41.4	16.6	14.4-19.1	24.8	22.4	18.6-26.8	16.6	12.0	9.5-15.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

Suffolk County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	9,997.2	522.0	517.3-526.7	5,067.2	571.8	564.6-579.1	4,930.0	489.6	483.3-496.0
Oral cavity and pharynx	237.4	12.0	11.4-12.8	161.8	17.6	16.4-18.9	75.6	7.3	6.5-8.1
Esophagus	89.2	4.4	4.0-4.8	70.2	7.5	6.7-8.4	19.0	1.7	1.4-2.1
Stomach	146.6	7.6	7.0-8.2	85.2	9.6	8.7-10.6	61.4	6.0	5.3-6.7
Colorectal	755.2	39.5	38.2-40.8	398.0	45.6	43.5-47.7	357.2	34.5	32.9-36.2
Colon excluding rectum	535.4	28.0	26.9-29.1	266.6	30.8	29.1-32.5	268.8	25.7	24.3-27.2
Rectum & rectosigmoid	219.8	11.5	10.8-12.2	131.4	14.8	13.6-16.0	88.4	8.8	8.0-9.7
Liver / intrahepatic bile duct	155.6	7.7	7.1-8.3	109.8	11.8	10.8-12.9	45.8	4.2	3.7-4.9
Pancreas	315.2	16.0	15.2-16.9	159.2	18.0	16.7-19.3	156.0	14.4	13.4-15.5
Larynx	58.0	2.9	2.5-3.2	46.6	5.1	4.5-5.8	11.4	1.1	0.8-1.4
Lung and bronchus	1,249.6	62.9	61.4-64.5	573.6	65.6	63.2-68.1	676.0	61.6	59.5-63.8
Melanoma of the skin	474.4	24.9	23.9-25.9	283.2	32.4	30.7-34.2	191.2	19.3	18.1-20.7
Female breast							1,371.2	139.9	136.4-143.4
Cervix uteri							46.0	5.5	4.8-6.4
Corpus uterus and NOS							341.8	32.2	30.6-33.8
Ovary							121.2	12.2	11.2-13.2
Prostate				1,316.4	138.2	134.9-141.7			
Testis				50.2	7.3	6.4-8.3			
Urinary bladder (incl. in situ)	522.0	26.7	25.7-27.8	389.2	45.5	43.5-47.7	132.8	12.2	11.2-13.1
Kidney and renal pelvis	366.0	19.1	18.2-20.0	233.8	26.2	24.6-27.8	132.2	12.9	11.9-14.0
Brain and other central nervous system	124.6	7.3	6.7-7.9	65.2	8.0	7.1-8.9	59.4	6.6	5.9-7.5
Thyroid	342.8	21.4	20.4-22.5	103.8	12.5	11.4-13.7	239.0	30.3	28.5-32.1
Hodgkin lymphoma	53.8	3.4	3.0-3.9	27.8	3.5	3.0-4.2	26.0	3.4	2.8-4.0
Non-Hodgkin lymphomas	427.8	22.6	21.7-23.7	232.6	27.2	25.6-28.8	195.2	19.1	17.9-20.4
Myeloma	160.0	8.2	7.6-8.8	91.8	10.3	9.4-11.4	68.2	6.4	5.7-7.1
Leukemias	356.8	19.3	18.3-20.2	209.8	24.8	23.3-26.4	147.0	14.8	13.7-15.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Suffolk County
Babylon**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,351.8	500.2	488.0-512.6	671.8	554.4	535.4-573.9	680.0	467.8	451.6-484.5
Oral cavity and pharynx	33.6	12.0	10.3-14.1	21.2	16.8	13.7-20.5	12.4	8.5	6.4-11.0
Esophagus	10.6	3.6	2.7-4.8	9.0	7.0	5.0-9.4	1.6	0.9	0.4-2.0
Stomach	25.2	9.2	7.7-11.0	15.6	12.8	10.1-16.1	9.6	6.2	4.6-8.4
Colorectal	109.4	40.1	36.7-43.7	56.2	45.9	40.6-51.8	53.2	36.0	31.6-40.8
Colon excluding rectum	78.4	28.7	25.9-31.8	38.0	31.4	27.0-36.4	40.4	27.1	23.4-31.3
Rectum & rectosigmoid	31.0	11.4	9.6-13.4	18.2	14.5	11.6-17.9	12.8	8.9	6.8-11.5
Liver / intrahepatic bile duct	27.0	9.6	8.0-11.4	18.8	14.9	12.0-18.4	8.2	5.4	3.8-7.4
Pancreas	44.2	15.8	13.7-18.1	21.6	18.0	14.7-21.9	22.6	14.0	11.5-17.0
Larynx	8.6	3.0	2.2-4.1	6.0	4.7	3.2-6.9	2.6	1.7	0.9-3.0
Lung and bronchus	174.8	62.1	58.0-66.5	75.8	63.9	57.5-70.8	99.0	61.9	56.5-67.8
Melanoma of the skin	49.8	18.8	16.5-21.4	27.4	23.0	19.2-27.4	22.4	16.3	13.3-19.8
Female breast							177.0	125.7	117.2-134.7
Cervix uteri							7.8	6.6	4.6-9.2
Corpus uterus and NOS							46.8	30.9	27.0-35.3
Ovary							16.2	11.5	9.0-14.4
Prostate				177.0	138.3	129.2-148.0			
Testis				5.8	5.6	3.7-8.1			
Urinary bladder (incl. in situ)	69.0	24.6	22.0-27.4	52.2	44.5	39.2-50.4	16.8	10.2	8.1-12.7
Kidney and renal pelvis	54.2	20.2	17.8-22.8	34.2	27.9	23.8-32.6	20.0	14.0	11.3-17.2
Brain and other central nervous system	17.2	7.4	5.8-9.2	8.8	8.1	5.8-11.0	8.4	6.6	4.7-9.1
Thyroid	46.8	20.8	18.1-23.7	13.6	12.1	9.3-15.4	33.2	29.0	24.5-33.9
Hodgkin lymphoma	6.6	2.9	2.0-4.1	2.6	2.3	1.2-4.1	4.0	3.4	2.0-5.3
Non-Hodgkin lymphomas	53.4	19.9	17.5-22.6	27.0	23.0	19.2-27.4	26.4	18.3	15.2-21.9
Myeloma	23.8	8.4	6.9-10.1	12.0	9.3	7.1-12.1	11.8	7.5	5.7-9.8
Leukemias	41.4	15.8	13.7-18.2	24.8	21.4	17.8-25.7	16.6	11.4	9.0-14.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Suffolk County
Brookhaven**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	3,138.0	544.1	535.4-552.9	1,586.6	596.3	582.8-610.0	1,551.4	509.1	497.4-520.9
Oral cavity and pharynx	69.2	11.6	10.4-13.0	47.2	16.9	14.8-19.3	22.0	6.9	5.7-8.5
Esophagus	31.8	5.4	4.5-6.3	25.2	9.3	7.7-11.1	6.6	2.0	1.4-2.9
Stomach	46.6	8.0	6.9-9.1	26.8	10.0	8.4-12.0	19.8	6.4	5.1-7.8
Colorectal	245.4	43.0	40.5-45.5	128.4	49.1	45.2-53.2	117.0	38.0	34.9-41.3
Colon excluding rectum	176.0	31.1	29.0-33.3	87.2	33.8	30.6-37.2	88.8	28.9	26.2-31.8
Rectum & rectosigmoid	69.4	11.9	10.7-13.3	41.2	15.3	13.2-17.7	28.2	9.1	7.6-10.8
Liver / intrahepatic bile duct	45.4	7.4	6.4-8.4	32.0	11.2	9.5-13.2	13.4	4.1	3.2-5.3
Pancreas	98.8	17.2	15.7-18.9	50.2	19.1	16.7-21.7	48.6	15.8	13.8-18.0
Larynx	20.2	3.3	2.7-4.1	16.6	6.0	4.7-7.5	3.6	1.1	0.6-1.7
Lung and bronchus	430.6	73.7	70.6-77.0	200.2	77.2	72.3-82.3	230.4	71.8	67.6-76.1
Melanoma of the skin	136.4	23.3	21.5-25.2	85.0	31.8	28.7-35.1	51.4	16.8	14.7-19.0
Female breast							406.8	135.1	129.1-141.4
Cervix uteri							13.0	5.0	3.8-6.4
Corpus uterus and NOS							110.4	33.6	30.8-36.7
Ovary							39.0	12.9	11.1-14.9
Prostate				382.6	134.6	128.4-141.0			
Testis				16.6	7.5	5.9-9.3			
Urinary bladder (incl. in situ)	157.0	27.6	25.6-29.6	115.6	46.2	42.4-50.2	41.4	13.1	11.3-15.0
Kidney and renal pelvis	117.2	20.1	18.4-21.9	69.8	25.4	22.7-28.3	47.4	15.3	13.3-17.4
Brain and other central nervous system	40.4	7.5	6.5-8.7	23.0	8.8	7.2-10.6	17.4	6.4	5.0-7.9
Thyroid	118.6	23.1	21.2-25.1	38.2	14.7	12.6-17.0	80.4	31.5	28.4-34.9
Hodgkin lymphoma	17.2	3.3	2.6-4.1	9.2	3.5	2.6-4.8	8.0	3.1	2.2-4.3
Non-Hodgkin lymphomas	145.0	25.6	23.7-27.6	74.8	28.7	25.8-31.9	70.2	23.2	20.7-25.8
Myeloma	50.6	8.8	7.7-9.9	30.0	11.5	9.7-13.6	20.6	6.6	5.3-8.1
Leukemias	107.8	19.2	17.6-21.0	64.0	25.0	22.3-28.0	43.8	14.6	12.7-16.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Suffolk County
Huntington**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,401.0	491.8	479.9-504.0	721.8	534.4	516.5-552.7	679.2	461.2	444.9-478.1
Oral cavity and pharynx	29.2	10.4	8.7-12.4	20.8	15.6	12.6-19.1	8.4	5.7	4.0-7.9
Esophagus	11.0	3.5	2.6-4.6	8.4	5.7	4.1-7.8	2.6	1.4	0.8-2.6
Stomach	19.2	6.7	5.4-8.3	12.2	9.1	6.9-11.8	7.0	4.6	3.2-6.6
Colorectal	101.4	35.4	32.3-38.8	51.8	39.4	34.6-44.8	49.6	31.7	27.7-36.2
Colon excluding rectum	71.6	24.8	22.2-27.7	34.2	26.3	22.3-30.7	37.4	23.3	19.9-27.1
Rectum & rectosigmoid	29.8	10.6	8.9-12.5	17.6	13.2	10.5-16.4	12.2	8.4	6.4-11.0
Liver / intrahepatic bile duct	19.0	6.2	5.0-7.7	13.4	9.5	7.3-12.2	5.6	3.3	2.2-4.9
Pancreas	48.0	16.1	14.1-18.4	27.6	20.1	16.8-23.9	20.4	12.4	10.0-15.3
Larynx	6.0	2.0	1.3-2.9	5.6	4.1	2.7-6.1	0.4	0.2	0.0-1.1
Lung and bronchus	153.0	50.9	47.3-54.8	71.4	53.0	47.5-58.9	81.6	50.0	45.2-55.3
Melanoma of the skin	77.8	28.5	25.6-31.7	47.8	36.6	31.9-41.8	30.0	22.0	18.4-26.3
Female breast							206.8	144.5	135.3-154.2
Cervix uteri							6.2	6.3	4.1-9.1
Corpus uterus and NOS							48.8	30.7	26.8-35.0
Ovary							18.4	12.8	10.2-15.9
Prostate				196.0	133.2	124.9-142.0			
Testis				7.0	8.5	5.9-11.9			
Urinary bladder (incl. in situ)	79.2	26.1	23.5-28.9	60.0	44.4	39.5-49.9	19.2	11.5	9.3-14.3
Kidney and renal pelvis	48.6	16.9	14.7-19.3	32.4	24.2	20.5-28.4	16.2	10.3	8.0-13.0
Brain and other central nervous system	16.0	6.1	4.8-7.8	7.8	6.1	4.2-8.5	8.2	6.2	4.3-8.6
Thyroid	41.4	18.8	16.1-21.8	14.0	12.2	9.3-15.8	27.4	25.4	21.0-30.4
Hodgkin lymphoma	9.2	4.2	3.0-5.7	5.2	4.8	3.1-7.2	4.0	3.6	2.1-5.8
Non-Hodgkin lymphomas	64.2	22.4	19.9-25.1	37.6	28.2	24.2-32.7	26.6	17.8	14.7-21.4
Myeloma	23.0	7.6	6.2-9.2	13.8	9.8	7.6-12.5	9.2	5.6	4.1-7.7
Leukemias	49.2	18.2	15.9-20.8	27.8	21.9	18.3-26.1	21.4	15.3	12.3-18.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Suffolk County
Islip**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,980.6	511.8	501.5-522.2	970.2	550.4	534.4-566.6	1,010.4	490.5	476.7-504.7
Oral cavity and pharynx	48.8	12.0	10.5-13.6	33.0	17.6	14.9-20.6	15.8	7.2	5.7-9.1
Esophagus	17.8	4.4	3.5-5.4	14.0	7.6	5.9-9.7	3.8	1.7	1.0-2.8
Stomach	30.4	8.0	6.7-9.4	15.0	8.9	6.9-11.2	15.4	7.4	5.8-9.4
Colorectal	153.8	39.7	36.9-42.7	82.2	46.9	42.3-51.9	71.6	34.0	30.5-37.8
Colon excluding rectum	107.0	27.8	25.5-30.3	53.4	31.1	27.4-35.2	53.6	25.3	22.3-28.6
Rectum & rectosigmoid	46.8	11.9	10.4-13.6	28.8	15.8	13.2-18.7	18.0	8.7	7.0-10.8
Liver / intrahepatic bile duct	34.0	8.4	7.2-9.8	23.0	12.6	10.3-15.2	11.0	5.1	3.8-6.7
Pancreas	57.4	14.8	13.1-16.6	26.4	15.6	13.0-18.6	31.0	14.0	11.8-16.5
Larynx	9.2	2.2	1.6-3.0	7.0	3.7	2.5-5.2	2.2	1.1	0.5-2.0
Lung and bronchus	241.2	61.2	57.8-64.9	111.2	65.2	59.7-71.1	130.0	59.0	54.4-63.8
Melanoma of the skin	79.8	20.6	18.6-22.8	46.2	26.9	23.5-30.8	33.6	16.2	13.8-19.0
Female breast							292.4	144.4	136.8-152.3
Cervix uteri							12.8	7.0	5.3-9.0
Corpus uterus and NOS							74.0	34.6	31.0-38.4
Ovary							24.8	12.0	10.0-14.4
Prostate				265.8	140.1	132.5-148.1			
Testis				12.2	7.5	5.7-9.6			
Urinary bladder (incl. in situ)	92.8	24.4	22.2-26.8	67.8	41.1	36.7-45.8	25.0	11.9	9.8-14.2
Kidney and renal pelvis	74.2	18.9	17.0-21.0	49.0	26.9	23.5-30.7	25.2	11.9	9.9-14.3
Brain and other central nervous system	26.2	7.5	6.3-9.0	12.8	8.0	6.1-10.3	13.4	7.1	5.4-9.1
Thyroid	73.0	20.9	18.7-23.2	19.2	10.7	8.6-13.1	53.8	30.9	27.2-35.0
Hodgkin lymphoma	12.8	3.8	2.9-4.9	6.2	3.8	2.5-5.4	6.6	4.0	2.7-5.6
Non-Hodgkin lymphomas	77.6	20.6	18.5-22.8	42.6	24.9	21.6-28.7	35.0	16.9	14.5-19.7
Myeloma	29.6	7.7	6.5-9.1	16.4	9.3	7.3-11.6	13.2	6.2	4.7-7.9
Leukemias	70.4	18.7	16.8-20.9	39.8	23.8	20.5-27.5	30.6	14.9	12.6-17.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Suffolk County
Smithtown**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	835.4	497.5	481.9-513.5	421.0	542.7	519.1-567.2	414.4	472.2	450.8-494.5
Oral cavity and pharynx	19.8	11.2	9.1-13.7	13.8	16.8	13.0-21.5	6.0	6.1	4.1-9.1
Esophagus	7.2	4.0	2.8-5.8	5.0	6.4	4.1-9.8	2.2	2.1	1.0-4.1
Stomach	10.0	5.3	3.9-7.1	6.4	7.7	5.2-11.1	3.6	3.5	2.1-5.9
Colorectal	58.6	35.1	31.0-39.5	32.4	43.0	36.4-50.5	26.2	28.4	23.5-34.2
Colon excluding rectum	43.4	25.8	22.4-29.7	22.2	29.2	23.9-35.5	21.2	23.1	18.6-28.4
Rectum & rectosigmoid	15.2	9.2	7.2-11.7	10.2	13.7	10.1-18.4	5.0	5.3	3.4-8.1
Liver / intrahepatic bile duct	9.2	5.3	3.8-7.2	7.0	9.5	6.5-13.6	2.2	1.9	1.0-3.9
Pancreas	28.8	16.1	13.5-19.1	13.8	17.2	13.3-22.1	15.0	15.1	11.8-19.2
Larynx	5.6	2.9	2.0-4.4	4.6	5.7	3.6-8.8	1.0	1.0	0.3-2.7
Lung and bronchus	91.8	50.5	45.9-55.5	41.2	53.2	46.1-61.2	50.6	49.6	43.6-56.5
Melanoma of the skin	43.0	26.7	23.1-30.9	23.6	31.1	25.6-37.6	19.4	24.6	19.5-30.6
Female breast							122.8	149.0	136.8-162.1
Cervix uteri							1.2	1.3	0.5-3.2
Corpus uterus and NOS							26.4	28.2	23.5-33.7
Ovary							9.0	9.8	7.1-13.3
Prostate				109.0	127.2	116.6-138.6			
Testis				3.4	7.0	3.9-11.4			
Urinary bladder (incl. in situ)	46.0	26.4	23.0-30.2	35.0	47.1	40.2-54.9	11.0	11.0	8.2-14.6
Kidney and renal pelvis	32.4	18.9	16.0-22.3	20.6	25.8	20.9-31.5	11.8	13.3	10.0-17.6
Brain and other central nervous system	12.0	7.9	5.9-10.4	5.6	8.1	5.3-12.1	6.4	7.9	5.3-11.5
Thyroid	30.2	23.5	19.7-27.9	7.8	11.3	7.8-15.8	22.4	35.2	28.4-43.0
Hodgkin lymphoma	5.2	4.6	2.9-6.9	3.2	5.7	3.1-9.6	2.0	3.5	1.6-6.6
Non-Hodgkin lymphomas	37.8	22.3	19.2-25.9	21.2	27.9	22.7-34.0	16.6	17.7	13.9-22.3
Myeloma	12.2	7.1	5.3-9.2	7.6	9.9	6.9-13.8	4.6	4.9	3.1-7.8
Leukemias	34.6	20.9	17.8-24.4	21.2	28.5	23.2-34.7	13.4	14.6	11.1-19.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Suffolk County
East End towns**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,081.0	482.1	468.5-496.0	581.4	535.9	515.8-556.6	499.6	443.2	424.2-462.8
Oral cavity and pharynx	31.8	14.3	12.0-17.0	22.0	20.1	16.3-24.5	9.8	9.3	6.6-12.8
Esophagus	9.0	3.5	2.6-4.8	7.0	5.7	4.0-8.2	2.0	1.6	0.8-3.3
Stomach	12.2	5.8	4.3-7.6	7.8	7.3	5.1-10.1	4.4	4.8	2.8-7.6
Colorectal	72.0	33.0	29.4-36.9	38.4	37.8	32.3-44.0	33.6	28.7	24.2-33.9
Colon excluding rectum	50.6	22.3	19.5-25.5	27.0	26.1	21.7-31.2	23.6	18.7	15.3-22.9
Rectum & rectosigmoid	21.4	10.7	8.6-13.2	11.4	11.7	8.6-15.6	10.0	9.9	7.2-13.5
Liver / intrahepatic bile duct	18.0	7.8	6.2-9.8	13.0	11.6	8.8-15.0	5.0	4.5	2.8-7.0
Pancreas	33.6	14.2	12.1-16.7	17.0	15.6	12.3-19.5	16.6	13.0	10.3-16.4
Larynx	7.4	2.9	2.1-4.2	5.8	4.9	3.3-7.3	1.6	1.2	0.5-2.8
Lung and bronchus	138.8	57.1	52.9-61.7	64.8	57.9	51.7-64.9	74.0	56.8	51.1-63.3
Melanoma of the skin	72.4	32.5	29.0-36.3	45.0	42.1	36.6-48.4	27.4	25.2	20.7-30.4
Female breast							138.2	127.7	117.3-138.9
Cervix uteri							4.0	4.7	2.6-7.8
Corpus uterus and NOS							29.0	23.9	19.9-28.6
Ovary							11.8	10.9	8.1-14.5
Prostate				151.4	130.8	121.5-140.8			
Testis				4.8	7.7	4.9-11.6			
Urinary bladder (incl. in situ)	67.6	27.7	24.8-31.0	50.4	45.1	39.6-51.3	17.2	12.8	10.2-16.2
Kidney and renal pelvis	30.8	14.5	12.1-17.3	21.2	20.2	16.3-24.8	9.6	9.6	6.8-13.3
Brain and other central nervous system	11.2	6.3	4.6-8.4	6.2	6.7	4.4-9.9	5.0	6.1	3.6-9.5
Thyroid	27.6	16.9	13.9-20.3	9.6	10.1	7.3-13.8	18.0	24.5	19.2-30.8
Hodgkin lymphoma	2.6	1.8	0.9-3.2	1.2	1.5	0.5-3.5	1.4	2.1	0.8-4.5
Non-Hodgkin lymphomas	43.0	18.7	16.1-21.5	26.0	24.8	20.6-29.7	17.0	13.3	10.5-16.8
Myeloma	17.0	7.2	5.7-9.0	10.0	9.0	6.6-12.2	7.0	5.6	3.9-8.1
Leukemias	43.2	20.9	18.0-24.3	26.2	26.6	22.0-32.1	17.0	15.6	12.1-19.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

Westchester County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5,767.4	463.3	457.9-468.9	2,821.6	501.4	493.0-510.0	2,945.8	440.9	433.5-448.4
Oral cavity and pharynx	117.8	9.2	8.5-10.0	80.2	13.7	12.3-15.1	37.6	5.5	4.7-6.4
Esophagus	43.6	3.4	3.0-3.9	31.6	5.7	4.8-6.7	12.0	1.6	1.2-2.1
Stomach	100.0	8.1	7.4-8.8	56.8	10.4	9.2-11.7	43.2	6.4	5.5-7.3
Colorectal	409.4	32.8	31.4-34.3	208.4	37.7	35.4-40.2	201.0	29.0	27.1-30.9
Colon excluding rectum	291.2	23.2	22.0-24.5	141.6	25.8	23.9-27.8	149.6	21.2	19.7-22.9
Rectum & rectosigmoid	118.2	9.6	8.8-10.4	66.8	11.9	10.7-13.3	51.4	7.7	6.8-8.8
Liver / intrahepatic bile duct	100.0	7.7	7.1-8.5	69.6	12.0	10.8-13.4	30.4	4.3	3.6-5.1
Pancreas	193.2	14.9	13.9-15.9	98.6	17.8	16.2-19.5	94.6	12.5	11.4-13.8
Larynx	30.2	2.3	1.9-2.7	24.4	4.1	3.4-5.0	5.8	0.8	0.5-1.1
Lung and bronchus	583.8	44.8	43.1-46.5	263.0	46.9	44.3-49.6	320.8	43.6	41.4-45.8
Melanoma of the skin	222.2	17.7	16.6-18.8	127.2	23.0	21.2-24.9	95.0	13.8	12.6-15.2
Female breast							911.6	142.9	138.6-147.3
Cervix uteri							34.2	6.3	5.3-7.3
Corpus uterus and NOS							201.6	29.0	27.2-30.9
Ovary							80.8	12.6	11.4-14.0
Prostate				797.0	134.1	129.9-138.4			
Testis				24.6	5.6	4.7-6.7			
Urinary bladder (incl. in situ)	270.4	20.7	19.6-21.9	195.2	35.1	32.9-37.4	75.2	10.1	9.1-11.2
Kidney and renal pelvis	188.8	15.2	14.2-16.3	126.0	22.3	20.5-24.1	62.8	9.4	8.3-10.5
Brain and other central nervous system	71.8	6.5	5.8-7.3	39.0	7.7	6.6-8.8	32.8	5.5	4.6-6.5
Thyroid	198.8	19.0	17.8-20.2	54.4	10.5	9.3-11.9	144.4	27.1	25.0-29.2
Hodgkin lymphoma	31.8	3.2	2.7-3.7	16.4	3.3	2.6-4.1	15.4	3.1	2.4-3.9
Non-Hodgkin lymphomas	277.8	22.4	21.2-23.7	153.6	28.2	26.2-30.4	124.2	17.8	16.4-19.3
Myeloma	111.2	8.7	8.0-9.5	59.8	10.7	9.5-12.0	51.4	7.3	6.4-8.2
Leukemias	225.2	18.4	17.3-19.5	129.4	23.8	22.0-25.8	95.8	14.0	12.8-15.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Westchester County
Northwest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	891.8	477.5	463.2-492.1	439.0	509.5	487.9-531.9	452.8	460.5	441.0-480.7
Oral cavity and pharynx	20.0	9.8	7.9-12.0	14.6	15.0	11.7-19.1	5.4	5.2	3.4-7.8
Esophagus	8.8	4.8	3.4-6.5	6.8	8.1	5.6-11.5	2.0	2.0	0.9-3.8
Stomach	15.2	8.4	6.5-10.6	8.6	10.2	7.3-13.9	6.6	7.1	4.8-10.2
Colorectal	64.8	34.3	30.6-38.4	33.4	39.7	33.8-46.4	31.4	30.0	25.3-35.4
Colon excluding rectum	47.6	25.2	22.0-28.7	22.6	27.4	22.5-33.1	25.0	23.6	19.4-28.4
Rectum & rectosigmoid	17.2	9.2	7.3-11.4	10.8	12.3	9.2-16.2	6.4	6.4	4.3-9.3
Liver / intrahepatic bile duct	15.4	8.1	6.4-10.3	10.8	11.8	8.8-15.6	4.6	5.1	3.2-7.9
Pancreas	28.6	15.0	12.6-17.8	13.8	16.7	12.9-21.3	14.8	13.8	10.8-17.6
Larynx	4.2	2.1	1.3-3.4	2.6	2.8	1.4-4.9	1.6	1.5	0.6-3.2
Lung and bronchus	98.0	51.7	47.1-56.6	47.4	57.3	50.0-65.3	50.6	48.0	42.1-54.5
Melanoma of the skin	34.4	17.8	15.2-20.8	19.0	22.5	18.1-27.6	15.4	14.5	11.3-18.4
Female breast							143.8	151.0	139.7-162.9
Cervix uteri							3.6	4.3	2.5-6.9
Corpus uterus and NOS							29.0	28.1	23.7-33.3
Ovary							11.8	12.3	9.3-16.2
Prostate				107.6	117.4	107.5-128.1			
Testis				4.2	6.1	3.8-9.3			
Urinary bladder (incl. in situ)	42.0	22.1	19.1-25.3	28.8	34.4	28.9-40.7	13.2	13.0	10.0-16.7
Kidney and renal pelvis	32.0	17.2	14.6-20.2	23.2	26.0	21.4-31.4	8.8	9.2	6.5-12.5
Brain and other central nervous system	13.6	8.2	6.3-10.5	8.2	10.6	7.6-14.5	5.4	5.6	3.6-8.4
Thyroid	34.4	20.7	17.6-24.2	8.8	10.3	7.4-14.0	25.6	31.5	26.1-37.7
Hodgkin lymphoma	5.0	3.0	1.9-4.5	2.2	2.7	1.3-5.0	2.8	3.5	1.8-6.0
Non-Hodgkin lymphomas	39.0	21.1	18.2-24.4	22.2	27.2	22.2-32.9	16.8	15.8	12.5-19.7
Myeloma	15.6	8.3	6.5-10.4	9.4	10.6	7.7-14.2	6.2	6.2	4.2-8.9
Leukemias	36.4	19.8	17.0-23.0	22.2	26.3	21.5-31.8	14.2	13.9	10.8-17.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Westchester County
Northeast**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	912.2	488.5	473.7-503.6	446.8	505.9	484.3-528.3	465.4	478.9	458.5-500.1
Oral cavity and pharynx	18.6	9.4	7.5-11.7	12.6	13.6	10.4-17.7	6.0	5.8	3.9-8.6
Esophagus	7.8	3.8	2.7-5.3	5.6	5.9	3.9-8.7	2.2	1.9	0.9-3.6
Stomach	12.4	6.5	5.0-8.5	8.8	10.3	7.4-14.0	3.6	3.4	2.0-5.6
Colorectal	55.8	30.2	26.6-34.2	28.2	32.2	26.9-38.3	27.6	28.7	23.8-34.3
Colon excluding rectum	40.2	22.2	19.1-25.7	19.6	22.9	18.4-28.2	20.6	21.4	17.2-26.4
Rectum & rectosigmoid	15.6	8.1	6.3-10.3	8.6	9.3	6.6-12.8	7.0	7.3	4.9-10.4
Liver / intrahepatic bile duct	10.4	5.1	3.8-6.8	8.8	9.3	6.7-12.8	1.6	1.4	0.6-3.1
Pancreas	31.4	16.1	13.6-19.0	18.6	21.3	17.1-26.4	12.8	11.4	8.7-14.8
Larynx	4.6	2.4	1.5-3.7	4.0	4.3	2.6-6.9	0.6	0.7	0.1-2.4
Lung and bronchus	86.4	44.7	40.5-49.3	35.4	40.6	34.7-47.3	51.0	48.5	42.6-55.0
Melanoma of the skin	50.0	27.1	23.7-30.9	31.4	37.4	31.5-44.1	18.6	18.7	14.8-23.3
Female breast							154.0	158.5	147.0-170.8
Cervix uteri							5.8	8.0	5.1-11.9
Corpus uterus and NOS							30.2	28.6	24.1-33.9
Ovary							14.4	16.7	12.7-21.5
Prostate				111.2	114.7	105.1-125.0			
Testis				4.2	6.8	4.0-10.8			
Urinary bladder (incl. in situ)	51.0	26.2	23.0-29.8	37.8	43.8	37.7-50.8	13.2	11.8	9.1-15.3
Kidney and renal pelvis	29.2	15.9	13.3-18.9	19.0	22.1	17.7-27.4	10.2	10.6	7.8-14.2
Brain and other central nervous system	12.6	7.2	5.5-9.4	6.4	7.6	5.1-10.9	6.2	6.9	4.6-10.0
Thyroid	31.8	22.6	18.9-26.7	8.8	12.2	8.6-16.9	23.0	32.7	26.5-39.9
Hodgkin lymphoma	4.0	2.8	1.6-4.6	2.0	3.0	1.3-5.7	2.0	2.7	1.2-5.4
Non-Hodgkin lymphomas	47.8	24.9	21.7-28.5	27.6	30.8	25.8-36.7	20.2	20.0	16.1-24.7
Myeloma	16.6	8.4	6.7-10.6	10.0	10.9	8.0-14.6	6.6	6.5	4.4-9.4
Leukemias	41.6	22.0	19.0-25.4	24.2	27.5	22.7-33.2	17.4	17.4	13.8-21.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Westchester County
West Central**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,068.8	473.8	460.7-487.2	516.4	513.0	492.9-533.8	552.4	450.5	433.0-468.6
Oral cavity and pharynx	19.6	8.4	6.8-10.3	12.4	12.0	9.1-15.6	7.2	5.4	3.8-7.7
Esophagus	7.4	3.0	2.1-4.3	5.2	4.9	3.2-7.4	2.2	1.6	0.8-3.1
Stomach	16.6	7.2	5.7-9.0	8.2	8.2	5.8-11.3	8.4	6.5	4.6-9.0
Colorectal	72.8	32.1	28.7-35.7	37.6	37.9	32.5-43.9	35.2	27.6	23.5-32.4
Colon excluding rectum	50.4	22.3	19.6-25.4	25.4	26.0	21.6-31.1	25.0	19.6	16.1-23.6
Rectum & rectosigmoid	22.4	9.7	7.9-11.8	12.2	11.9	9.0-15.4	10.2	8.1	5.9-10.8
Liver / intrahepatic bile duct	17.2	7.1	5.6-8.9	10.8	10.3	7.6-13.5	6.4	4.7	3.2-6.9
Pancreas	38.6	16.4	14.1-19.0	18.6	18.7	15.0-23.1	20.0	14.4	11.6-17.8
Larynx	4.2	1.7	1.1-2.7	3.6	3.6	2.1-5.8	0.6	0.4	0.1-1.5
Lung and bronchus	106.8	44.9	41.1-49.0	44.4	44.2	38.5-50.6	62.4	45.6	40.6-51.2
Melanoma of the skin	38.6	17.3	14.9-20.1	20.4	21.1	17.1-25.8	18.2	15.1	12.0-18.8
Female breast							167.8	143.5	133.5-154.1
Cervix uteri							4.8	5.5	3.4-8.3
Corpus uterus and NOS							37.0	29.9	25.6-34.8
Ovary							13.8	11.4	8.8-14.7
Prostate				160.2	148.8	138.4-159.8			
Testis				2.2	3.1	1.5-5.5			
Urinary bladder (incl. in situ)	47.8	19.9	17.4-22.7	35.0	34.2	29.2-39.9	12.8	9.5	7.2-12.4
Kidney and renal pelvis	32.8	14.6	12.3-17.1	22.0	21.9	17.8-26.6	10.8	8.5	6.3-11.3
Brain and other central nervous system	13.2	6.6	5.1-8.6	7.8	8.8	6.1-12.1	5.4	4.8	3.0-7.2
Thyroid	37.4	20.4	17.4-23.7	12.8	14.1	10.7-18.2	24.6	26.6	21.9-32.0
Hodgkin lymphoma	5.6	3.6	2.3-5.2	1.8	2.4	1.1-4.5	3.8	4.8	2.8-7.6
Non-Hodgkin lymphomas	52.8	24.5	21.5-27.8	28.4	30.4	25.5-36.1	24.4	19.5	16.1-23.6
Myeloma	23.2	10.1	8.3-12.2	13.6	13.5	10.4-17.3	9.6	7.7	5.6-10.4
Leukemias	38.8	17.6	15.1-20.4	21.6	23.0	18.8-28.0	17.2	12.8	10.1-16.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Westchester County
East Central**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	619.8	427.9	412.6-443.6	306.0	462.2	439.0-486.3	313.8	409.9	389.1-431.5
Oral cavity and pharynx	11.8	7.9	6.0-10.2	7.6	11.1	7.8-15.4	4.2	4.8	2.9-7.6
Esophagus	2.6	1.9	1.0-3.3	2.2	3.7	1.8-6.6	0.4	0.5	0.1-2.1
Stomach	10.4	7.2	5.3-9.5	6.0	9.1	6.1-13.1	4.4	5.7	3.5-8.9
Colorectal	42.4	29.2	25.3-33.5	22.8	35.2	29.0-42.4	19.6	24.4	19.6-30.0
Colon excluding rectum	29.4	19.8	16.7-23.4	14.6	22.3	17.5-28.2	14.8	17.9	13.9-22.8
Rectum & rectosigmoid	13.0	9.3	7.2-12.0	8.2	12.9	9.2-17.6	4.8	6.4	4.0-9.7
Liver / intrahepatic bile duct	9.4	6.2	4.5-8.4	5.8	8.7	5.8-12.7	3.6	4.3	2.5-7.0
Pancreas	22.0	14.9	12.2-18.1	11.8	18.7	14.2-24.2	10.2	12.2	8.9-16.3
Larynx	3.4	2.2	1.3-3.6	2.8	4.2	2.3-7.2	0.6	0.5	0.1-1.9
Lung and bronchus	56.8	37.1	32.8-41.8	23.0	34.7	28.6-41.8	33.8	39.7	33.8-46.4
Melanoma of the skin	29.2	20.2	17.0-23.8	16.6	24.9	19.8-31.0	12.6	16.6	12.6-21.5
Female breast							98.6	136.3	124.1-149.3
Cervix uteri							3.6	5.7	3.4-9.2
Corpus uterus and NOS							19.8	24.6	19.9-30.1
Ovary							9.2	12.8	9.3-17.4
Prostate				84.0	123.9	112.2-136.5			
Testis				3.4	6.2	3.6-9.9			
Urinary bladder (incl. in situ)	29.6	19.6	16.5-23.2	22.4	34.0	27.9-41.1	7.2	8.8	6.1-12.4
Kidney and renal pelvis	17.0	11.5	9.2-14.4	11.2	16.6	12.5-21.7	5.8	7.4	4.9-10.9
Brain and other central nervous system	7.2	5.5	3.8-7.7	3.6	5.8	3.4-9.3	3.6	5.2	3.0-8.4
Thyroid	23.6	18.2	15.0-21.9	6.6	10.1	6.9-14.3	17.0	26.4	20.9-32.8
Hodgkin lymphoma	3.4	2.9	1.7-4.7	1.4	2.3	0.9-4.7	2.0	3.8	1.8-6.9
Non-Hodgkin lymphomas	32.8	22.4	19.1-26.3	18.8	29.1	23.4-35.7	14.0	16.6	12.8-21.2
Myeloma	11.6	7.4	5.6-9.7	7.0	10.3	7.2-14.5	4.6	5.0	3.1-7.8
Leukemias	28.2	19.5	16.3-23.1	16.8	25.9	20.6-32.2	11.4	14.6	10.9-19.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Westchester County
Southwest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,089.2	434.3	422.5-446.3	531.8	477.4	459.1-496.2	557.4	409.9	394.1-426.2
Oral cavity and pharynx	22.4	9.1	7.4-11.0	16.0	14.3	11.3-18.0	6.4	4.9	3.3-7.0
Esophagus	8.4	3.3	2.3-4.5	6.2	5.8	3.9-8.2	2.2	1.4	0.7-2.7
Stomach	23.8	9.8	8.1-11.8	13.2	12.0	9.3-15.4	10.6	8.3	6.1-11.1
Colorectal	83.8	33.7	30.4-37.2	40.2	37.3	32.2-42.9	43.6	31.4	27.2-36.2
Colon excluding rectum	60.2	23.9	21.2-26.8	29.0	26.7	22.5-31.5	31.2	22.0	18.5-25.9
Rectum & rectosigmoid	23.6	9.8	8.1-11.8	11.2	10.6	7.9-13.8	12.4	9.5	7.1-12.3
Liver / intrahepatic bile duct	27.8	10.7	9.0-12.7	20.0	18.0	14.6-22.0	7.8	5.1	3.6-7.1
Pancreas	35.8	13.5	11.5-15.7	18.0	16.3	13.0-20.1	17.8	11.3	9.0-14.1
Larynx	8.8	3.2	2.3-4.3	7.4	6.1	4.3-8.6	1.4	0.9	0.4-2.0
Lung and bronchus	123.8	46.0	42.4-49.9	60.6	52.9	47.0-59.3	63.2	41.3	36.8-46.3
Melanoma of the skin	28.8	11.3	9.4-13.3	15.8	14.3	11.3-17.9	13.0	9.1	6.9-11.9
Female breast							165.4	129.1	120.0-138.7
Cervix uteri							8.8	7.7	5.5-10.4
Corpus uterus and NOS							43.4	30.5	26.4-35.0
Ovary							14.0	10.5	8.1-13.5
Prostate				150.0	128.5	119.3-138.2			
Testis				5.8	6.0	4.0-8.7			
Urinary bladder (incl. in situ)	45.8	17.4	15.2-19.8	33.2	30.4	25.9-35.4	12.6	8.2	6.3-10.6
Kidney and renal pelvis	35.4	14.4	12.3-16.8	22.8	20.6	16.9-24.9	12.6	9.6	7.2-12.4
Brain and other central nervous system	12.0	5.7	4.3-7.4	5.2	5.1	3.3-7.6	6.8	6.2	4.2-8.8
Thyroid	31.6	14.7	12.4-17.2	7.0	6.9	4.8-9.7	24.6	21.7	17.9-26.0
Hodgkin lymphoma	5.6	2.7	1.8-3.9	3.8	3.9	2.3-6.1	1.8	1.7	0.8-3.3
Non-Hodgkin lymphomas	51.8	20.5	18.0-23.3	27.8	25.8	21.6-30.5	24.0	16.8	13.8-20.3
Myeloma	20.0	8.0	6.5-9.8	10.2	9.6	7.1-12.7	9.8	7.0	5.1-9.3
Leukemias	39.6	16.5	14.2-19.0	22.4	21.1	17.3-25.5	17.2	12.9	10.2-16.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence for Selected Areas by Sex, 2016-2020**

**Westchester County
Southeast**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,080.6	439.1	427.2-451.3	529.0	486.7	468.0-506.0	551.6	408.7	392.9-424.9
Oral cavity and pharynx	22.6	9.0	7.4-10.9	14.8	13.0	10.2-16.5	7.8	5.8	4.1-8.1
Esophagus	7.8	3.2	2.2-4.4	5.4	5.3	3.4-7.8	2.4	1.7	0.9-3.1
Stomach	19.6	8.1	6.5-9.9	11.0	11.0	8.2-14.4	8.6	6.0	4.3-8.2
Colorectal	83.6	34.0	30.7-37.5	43.0	40.1	34.8-46.0	40.6	28.7	24.7-33.2
Colon excluding rectum	59.6	23.9	21.2-26.9	28.6	26.8	22.5-31.8	31.0	21.4	18.0-25.3
Rectum & rectosigmoid	24.0	10.1	8.3-12.1	14.4	13.2	10.3-16.8	9.6	7.3	5.3-9.8
Liver / intrahepatic bile duct	18.0	7.0	5.6-8.7	12.0	10.4	7.9-13.5	6.0	4.4	2.9-6.5
Pancreas	33.8	12.9	11.0-15.1	15.8	14.3	11.2-17.9	18.0	11.7	9.4-14.6
Larynx	4.4	1.6	1.0-2.5	3.6	3.1	1.8-4.9	0.8	0.4	0.1-1.4
Lung and bronchus	103.8	40.2	36.7-43.9	47.6	44.3	38.7-50.4	56.2	37.6	33.3-42.5
Melanoma of the skin	36.4	14.5	12.4-16.9	21.8	19.8	16.2-24.0	14.6	10.7	8.3-13.6
Female breast							169.2	133.7	124.5-143.5
Cervix uteri							7.2	6.0	4.1-8.4
Corpus uterus and NOS							37.8	27.5	23.6-31.9
Ovary							15.8	12.3	9.6-15.5
Prostate				167.6	148.0	137.9-158.5			
Testis				4.0	4.8	2.9-7.3			
Urinary bladder (incl. in situ)	48.4	18.2	15.9-20.7	34.0	31.2	26.6-36.4	14.4	8.9	6.9-11.3
Kidney and renal pelvis	39.6	15.9	13.7-18.4	26.4	24.2	20.2-28.8	13.2	9.2	7.1-11.9
Brain and other central nervous system	12.4	5.3	4.0-6.9	7.0	6.8	4.7-9.6	5.4	4.1	2.7-6.2
Thyroid	35.8	17.5	15.0-20.4	9.6	10.0	7.3-13.4	26.2	24.3	20.2-29.0
Hodgkin lymphoma	7.0	3.5	2.4-4.9	4.8	5.1	3.2-7.6	2.2	2.0	1.0-3.7
Non-Hodgkin lymphomas	47.6	19.3	16.8-22.0	25.6	23.9	19.8-28.5	22.0	15.9	13.0-19.4
Myeloma	22.8	8.9	7.3-10.8	9.4	8.8	6.4-11.7	13.4	9.2	7.1-11.8
Leukemias	38.0	15.7	13.5-18.2	20.6	19.5	15.9-23.8	17.4	13.2	10.4-16.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.