



New York State
HIV/AIDS Surveillance
Annual Report

For Cases Diagnosed
Through December 2011

*Bureau of HIV/AIDS Epidemiology
AIDS Institute
New York State Department of Health*

August 2013

TABLE OF CONTENTS

	Page
Introduction to the New York State HIV/AIDS Annual Surveillance Report.....	4-5
Technical Notes on the New York State HIV/AIDS Annual Surveillance Report.....	6-10
Definition of Terms Used in this Report.....	11-14
Guide to the Tables	15-19

STATEWIDE

Table 1	Newly Diagnosed HIV and AIDS cases by Region and Year of Diagnosis.....	20
Table 2A	Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	21
Table 2B	HIV Cases Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk.....	22
Table 2C	AIDS Cases Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk.....	23

REGIONAL

Table 3A	NYC – Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	24
Table 3B	NYC – HIV Cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk.....	25
Table 3C	NYC – AIDS Cases, Newly Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk.....	26
Table 4A	Rest of State (NYS excluding NYC) - Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	27
Table 4B	Rest of State (NYS excluding NYC) – HIV Cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk.....	28
Table 4C	Rest of State (NYS excluding NYC) –AIDS Cases, Newly Diagnosed and Cumulative By Gender, Age, Race/Ethnicity and Risk.....	29

NYS, EXCLUDING NYC, by COUNTY

Table 5A	Living HIV and AIDS Cases by County.....	30-31
Table 5B	Newly Diagnosed HIV and AIDS cases and Cumulative AIDS by County.....	32-33

NYC by GENDER

Table 6A	Males – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk.....	34
Table 6B	Males – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk.....	35
Table 6C	Males – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk.....	36
Table 6D	Females – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk.....	37
Table 6E	Females – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk.....	38
Table 6F	Females – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk.....	39

NYS, EXCLUDING NYC, by GENDER (EXCLUDES PRISONERS)

Table 7A	Males – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk.....	40
Table 7B	Males – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk.....	41
Table 7C	Males – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk.....	42

	Page
Table 7D	Females – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk..... 43
Table 7E	Females – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk..... 44
Table 7F	Females – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk..... 45

PRISONERS - (NYS, EXCLUDING NYC)

Table 8A	Living HIV and AIDS cases by Gender, Age and Race/Ethnicity 46
Table 8B	Newly Diagnosed HIV and AIDS cases by Gender, Age and Race/Ethnicity 47

NYS, EXCLUDING NYC, by RYAN WHITE REGION

Table 9A	Living HIV and AIDS cases by RWR 48
Table 9B	Newly Diagnosed HIV and AIDS cases and Cumulative AIDS by RWR 49

NYS, EXCLUDING NYC - RYAN WHITE REGIONS

The following three tables have been generated for each of the Ryan White Regions:

- A** – Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** – HIV cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk
- C** – AIDS Cases, Newly Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk

Table 10 – A, B, C	Albany Ryan White Region 50-52
Table 11 – A, B, C	Binghamton Ryan White Region..... 53-55
Table 12 – A, B, C	Buffalo Ryan White Region 56-58
Table 13 – A, B, C	Lower Hudson Ryan White Region 59-61
Table 14 – A, B, C	Mid-Hudson Ryan White Region 62-64
Table 15 – A, B, C	Nassau/Suffolk Ryan White Region 65-67
Table 16 – A, B, C	Rochester Ryan White Region..... 68-70
Table 17 – A, B, C	Syracuse Ryan White Region..... 71-73

NYC – BOROUGHS

Table 18A	Living HIV and AIDS Cases by Borough 74
Table 18B	Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS by Borough..... 75

The following three tables have been generated for each of the Boroughs:

- A** – Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** – HIV cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk
- C** – AIDS Cases, Newly Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk

Table 19 - A, B, C	Bronx 76-78
Table 20 - A, B, C	Brooklyn 79-81
Table 21 - A, B, C	Manhattan 82-84
Table 22 - A, B, C	Queens 85-87
Table 23 - A, B, C	Staten Island 88-90

Introduction to the New York State HIV/AIDS Annual Surveillance Report

Overview

The Annual Surveillance Report presents recent data on newly diagnosed HIV cases and persons living with diagnosed HIV infection in New York State. Twenty-two sets of tables are grouped by major geographic division (New York State (NYS), New York City (NYC), NYS excluding NYC, Ryan White Regions¹, NYC boroughs). Most sets feature three tables on separate pages – (A) living HIV and AIDS cases, (B) new HIV diagnoses and (C) new AIDS diagnoses. The historical table (Table 1) includes HIV and AIDS diagnoses, and deaths among persons with AIDS.

A) Living HIV (not AIDS), Living AIDS Cases and Living HIV/AIDS Cases

- The table features age-adjusted **prevalence rates** (living cases per 100,000 population) and shows the population. This allows comparison of rates between demographic groups and between geographic areas.
- Age is **current age** for the time point being reported, e.g. December 2011.

B) Newly Diagnosed HIV Cases

- **All** HIV cases newly diagnosed during the reporting period are counted, regardless of concurrent or subsequent AIDS diagnosis or vital status.
- Total new HIV diagnoses are subcategorized by AIDS diagnosis status. "Late" diagnoses are defined as HIV diagnoses followed by an AIDS diagnosis within 12 months. "Late" diagnoses are further subdivided into "concurrent" (AIDS diagnosis within one month of HIV diagnosis), or "other late" (AIDS diagnosis within 1 to 12 months). Remaining HIV diagnoses – those who have not developed AIDS to date or developed AIDS more than 12 months after HIV diagnosis are reported as "other".

¹ This report presents tabulations for eight Ryan White regions covering New York State, exclusive of New York City: Albany, Binghamton, Buffalo, Lower Hudson, Mid-Hudson, Nassau/Suffolk, Rochester and Syracuse. For administrative purposes in certain Ryan White programs, Binghamton and Syracuse Regions are combined into Central New York Region, and Mid Hudson and Lower Hudson are combined into Hudson Valley Region,

- Age-adjusted **case rates** (cases per 100,000 population per year) are given for new HIV diagnoses.
- Late and concurrent diagnoses are also presented as a percent of total new HIV diagnoses.

C) Newly Diagnosed AIDS Cases

- Age-adjusted case rates are given.
- Cumulative AIDS cases are shown next to new AIDS diagnoses.

Observations from the Current Report

- As of December 2011 nearly 131,000 New Yorkers were living with HIV/AIDS. While the burden of HIV is heaviest in New York City, 21 percent of persons living with diagnosed HIV infection resided outside the five boroughs at the time of diagnosis.
- Statewide, **24 percent** of newly diagnosed HIV cases have a **concurrent AIDS diagnosis**, and an additional **6 percent** show an AIDS diagnosis within 12 months.
- The tabulation of living cases by current age shows that HIV/AIDS should no longer be thought of as a young persons' disease. While the majority of HIV diagnoses occur before age 40, **77 percent of persons living with diagnosed HIV infection are over age 40 and 45percent are age 50 or older.**

Special Note

Criteria for the inclusion of cases in this report have changed. In previous reports, persons living with diagnosed HIV infection (PLWDHI) whose initial HIV diagnosis occurred outside the United States were included in the tabulations only if they were subsequently diagnosed with AIDS in NYS. Foreign-diagnosed cases are now included regardless of AIDS status. In previous reports, persons diagnosed with HIV in other US states and diagnosed with AIDS in New York were included in the tabulations of PLWDHI regardless of the date of AIDS diagnosis. Such cases are now included only if the AIDS diagnosis date was before the end of the calendar year of the report. The net result of these changes is an increase of 700 in the statewide tally of PLWDHI over what would have been shown in previous reports.

Technical Notes on the New York State HIV/AIDS Annual Surveillance Report

Introduction

This HIV/AIDS Annual Surveillance Report is produced by the Bureau of HIV/AIDS Epidemiology (BHAЕ), AIDS Institute, New York State Department of Health (NYSDOH). Access to this publication is available through the Internet at the following address:

<http://www.nyhealth.gov/diseases/aids/statistics/index.htm>.

Printed copies can be obtained by contacting:

Division of Epidemiology, Evaluation and Research

P.O. Box 2073, ESP Station

Albany NY 12220-0073

(518) 474-4284

bhae@health.state.ny.us

Information presented in this report is generated from data collected and maintained by BHAЕ and the HIV Epidemiology and Field Services (HEFS) Program of the NYC Department of Health and Mental Hygiene (NYCDOHMH). More finely delineated breakouts may be obtained through the BHAЕ data request unit by calling the above phone number or email address.

Source Data

This report was produced using the March 2013 BHAЕ Statewide Analysis file. The Analysis file combines surveillance data from the New York State and New York City HIV/AIDS surveillance registries.

Reporting Procedures

On June 1, 2000, the NYSDOH implemented the HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III). This law enhanced the existing AIDS case reporting by requiring health care providers to report all initial determinations of HIV infection,

HIV-related illness and AIDS to the NYS Commissioner of Health.² Under the amended HIV testing law (Chapter 308 of the Laws 2010), providers are required to report such determinations within 14 days of receipt of positive laboratory result or after diagnosis, whichever is sooner. Until June 2005, laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 cells/mm³ or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests and genotype results of antiretroviral drug resistance tests. In 2010, laboratory reporting requirements were broadened to include electronic reporting of any laboratory test, tests or series of tests approved for the diagnosis of HIV or for the periodic monitoring of HIV infection.

Laboratories conducting HIV-related testing must report directly to the NYSDOH. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 03/09. Copies can be obtained by calling 518-474-4284. Additional information about provider reporting is available at <http://www.health.state.ny.us/diseases/aids>.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

Record Updates:

HIV/AIDS surveillance files are never closed. When additional information is received on a case after the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. For example, new information may indicate that two surveillance cases in

² HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at (518) 474-4845.

fact refer to a single individual. Surveillance system records for the two cases will be combined, reducing the case count for the geographic area, demographic or risk group of the combined cases.

HIV/AIDS Surveillance Case Definition:

A uniform surveillance case definition for AIDS was established by the Centers for Disease Control and Prevention (CDC) in the early 1980s, and has since been modified three times to expand the range of AIDS-indicator diseases and conditions and to incorporate HIV diagnostic tests. Modifications in 1985 and in 1987 were followed by the 1993 expansion of the AIDS case definition for adults and adolescents, which includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOHMH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

In 2008 CDC revised the HIV case definition³, designating AIDS as “stage 3 HIV infection.” This Annual Report continues to use the term AIDS to refer to this stage of disease. The 2008 case definition also requires laboratory-confirmed evidence of HIV infection. Since virtually all HIV cases entered into the NYS surveillance system meet this requirement it is not expected to affect case counts.

³ Revised Surveillance Case Definitions for HIV Infection Among Adults, Adolescents, and Children Aged <18 Months and for HIV Infection and AIDS Among Children Aged 18 Months to <13 Years — United States, 2008;MMWR, Dec. 5 2008, vol. 57, No. RR-10

Deduplication:

The HIV/AIDS case data used in this Annual Report have undergone both inter- and intra-state deduplication.

In 2004 the CDC completed the Interstate Duplication Evaluation Project (IDEP) in which all states were required to participate. The purpose of the project was to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases were only counted once. If a case was reported by two or more states, the earliest date of diagnosis was used to determine which state the case was assigned to. CDC's deduplication of HIV/AIDS cases, now known as Routine Interstate Duplicate Review (RIDR), is conducted on an ongoing basis. Cases in the New York registry that are known through RIDR to have been initially diagnosed in another state are excluded from the Annual Report.

The Annual Report case data have also been deduplicated between NYC and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's BHAE. In NYC, HIV/AIDS surveillance is conducted by the NYCDOHMH HEFS Program. Often, the same case will be reported to both jurisdictions. The NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. At the national level, CDC deduplicates the data between the two jurisdictions for its own use. The goal of CDC's process is to ensure that each case is only counted once and is credited to the case's state of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal funding to NYS. The data used in this report have been deduplicated by BHAE following an algorithm similar to that used by CDC. Since May 2010, BHAE has also performed further adjustments to the data using information from an intrastate extension of the RIDR process. This removes several hundred additional duplicate records, but, importantly, returns to the analysis file some 3,000 unique cases that are excluded by the base procedure.

On-going refinement of the data may also contribute to geographical reassignment of cases at the state, regional and/or county and local levels.

Age Adjustment:

The diagnosis and prevalence rates for total population, gender and race/ethnicity in the report are age-adjusted to the U.S. 2000 Census population. The purpose of the adjustment is to enable comparisons of rates between areas or demographic groups which differ in age structure. In general, the adjusted rates in this report are similar to the crude (unadjusted) ones. Readers interested in the crude rates may derive them by dividing the case counts by the 2010 populations (National Center for Health Statistics, Bridged-Race Vintage 2010 Postcensal File, 2010, Released 2011.) which are given in the Living Cases table for each geographic region.

Data Completeness:

Newly diagnosed HIV and AIDS cases: Historical data indicate that counts of new HIV and AIDS diagnoses are approximately 95% complete by one calendar year after the close of the reporting period.

Living HIV and AIDS Cases: Because living cases include cases diagnosed in previous years as well as newly-diagnosed cases, delays in case reporting and ascertainment have little practical effect on the count. However, counts of living cases may be affected by delays in death reporting and incompleteness of matching death records to surveillance data.

Definition of Terms Used in this Report

Case: “Case” refers to a report for which confirmatory clinical and demographic data required by the CDC have been obtained. Reports received without sufficient information to confirm the suspected case or a confirmed case reported without required demographic variables or risk are investigated by NYS or NYC public health representatives who examine medical records to confirm case status, obtain demographic information, clinical status and reported HIV exposure (risk).

HIV and AIDS Case Categories:

- ***Living HIV Cases*** - All reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases reported by a provider indicating an HIV diagnosis or an HIV illness and/or by a laboratory reporting a confirmatory test result.
- ***Newly Diagnosed HIV Cases*** - HIV cases that have been reported for the first time by a laboratory reporting a confirmatory test result or by a physician reporting an initial HIV diagnosis, regardless of concurrent or subsequent AIDS diagnosis. Although DOH staff seek to obtain an accurate diagnosis date, please note that HIV reporting began in June 2000, so cases diagnosed before then by a provider other than the provider reporting the case may be misclassified as newly diagnosed. (See **Diagnosis date**, below.)
- ***Living AIDS Cases*** - All reported individuals living with AIDS.
- ***Newly Diagnosed AIDS Cases*** – Cases reported with AIDS for the first time. This includes HIV cases that have never been reported before and cases initially reported with HIV infection that have subsequently developed AIDS.
- ***Cumulative AIDS Cases*** - All AIDS cases reported since 1983, both living and deceased. There is no corresponding category for HIV cases.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically gathered by health care providers during routine medical history taking and is obtained from review of the patient's medical records, or may be obtained during routine follow-up for Partner Services). An individual could have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Female presumed heterosexual contact
- Adult with undetermined mode of exposure

Children:

CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive
- Transfusion or transplant recipient

- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure is ranked higher than heterosexual contact on the hierarchy.

Under the standard CDC risk hierarchy, an individual for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if the partner's risk and/or HIV status is documented. In the absence of such information, the case is classified as having an undetermined exposure category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. The Female Presumed Heterosexual Contact categorization addresses this issue in women whose surveillance record indicates heterosexual activity. There is no corresponding classification for males; thus, a proportion of male cases with an undetermined exposure category may be heterosexually exposed.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Age:

Age at Diagnosis: The individual's age at the initial diagnosis of the condition in question (i.e. HIV or AIDS). As noted above, CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Current Age: The individual's age at the end of the reporting period.

Living Cases: Vital status of cases is determined from updated case reports, medical record review, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, from Social Security death data and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed and/or reported while incarcerated in city or county jails or one of the NYS Department of Corrections and Community Supervision (DOCCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCCS facility. Prison cases are often presented separately from general population data because, if diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than the pre-incarceration home address. In this report, tabulations for the whole state, NYC and its boroughs, and NYS excluding NYC (Tables 4A, 4B and 4C) include prisoners. In other geographic areas, prisoners make up a significant but shifting proportion of cases, and are excluded from those tables. Refer to table titles and footnotes to determine inclusion or exclusion of prisoner cases.

Residence: In this report, new HIV and AIDS diagnoses are presented by county of residence at the time of diagnosis, as reported in the surveillance record. Similarly, living AIDS cases are assigned to the county of AIDS diagnosis. Living HIV cases diagnosed with AIDS after the close of the report period are presented by county of HIV diagnosis. For example, a case diagnosed with HIV in Albany County in 2010 and diagnosed with AIDS in Monroe County in 2012, would be included among living HIV cases in Albany County in the annual report for December 2011.

Guide to the Tables

Most of the tables in this report are in one of three formats: (A) Living Cases, (B) Newly Diagnosed HIV Cases or (C) Newly Diagnosed and Cumulative AIDS Cases. Each geographic region – State, substate (NYC, NYS excluding NYC), Ryan White Region, NYC borough – is represented by a set of three tables, one in each format. These main formats are presented in detail below.

Counties:

Except for the boroughs of NYC, individual counties lack sufficient cases for statistically reliable display in the main table format. The county tables (5A, 5B) show new and living cases without demographic breakouts. Readers may contact BHAЕ to obtain more detailed county information.

Prisoners:

The tables for NYS excluding NYC by gender (Tables 7A-7F) and the Ryan White Regions exclude prisoners, as noted in the table titles. The prisoner tables (8A, 8B) show prisoners in state correctional facilities outside NYC. Because of the way cases are reported, the county of residence of these cases reflects the county of incarceration at the time of diagnosis, which may differ from the individual's home county and later county of incarceration. Since the movement of prisoners between facilities is not recorded in the HIV surveillance system, accurate county and regional tabulations of inmates living with diagnosed HIV infection cannot be developed using HIV surveillance data. The county tables (5A, 5B) and Ryan White Region summary tables (9A, 9B) present counts both with and without prisoners in order to show the general effect of prisoners on case counts at the county level.

Guide to the Tables

The "A" Tables (Example: Table 2A)

NEW YORK STATE: Includes all 62 Counties
Living HIV and AIDS Cases as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		51,888	100.0	262.4	79,043	100.0	378.4	130,931	100.0	640.8	19,465,197
Gender	Male	36,103	69.6	374.4	55,604	70.3	548.7	91,707	70.0	923.1	9,431,804
	Female	15,782	30.4	156.3	23,439	29.7	221.3	39,221	30.0	377.6	10,033,393

Living Cases: Persons living with HIV (not AIDS) and AIDS at the end of the report period (in this case December 2011). These are summed to produce a total count of people living with HIV/AIDS.

Prevalence Rate: The number of living cases per 100,000 population, age-adjusted to the U. S. 2000 Census population. The purpose of age-adjustment is to allow comparison of rates among populations with differing age distributions. The crude (unadjusted) rate can be derived by dividing living cases by the area population. In the example above, the crude prevalence rate of total living HIV and AIDS cases in NYS is $(130,931 \div 19,465,197) \times 100,000 = 672.6$ per 100,000, slightly higher than the age-adjusted rate of 640.8 per 100,000.

Area Population: National Center for Health Statistics, Bridged-Race Vintage 2011 Postcensal File, 2011. (Released 2012.)

Guide to the Tables

The "B" Tables (Example: Table 2B)

NEW YORK STATE: Includes all 62 Counties
HIV Cases, Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A+E)*100	All Late (C+E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		895	100.0	237	100.0	1,132	100.0	2,600	100.0	3,732	100.0	19.0	24.0	30.3
Gender	Male	680	76.0	183	77.2	863	76.2	1,984	76.3	2,847	76.3	29.5	23.9	30.3
	Female	215	24.0	54	22.8	269	23.8	616	23.7	885	23.7	8.8	24.3	30.4

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period (in this case, January-December 2011), and those AIDS diagnoses will be reported in the accompanying AIDS diagnosis table (Table 2C).

Late Diagnoses: Late diagnoses are defined as those with an AIDS diagnosis within 12 months of the HIV diagnosis.

Concurrent HIV & AIDS: Newly diagnosed HIV cases with an AIDS diagnosis within a month of the HIV diagnosis date.

Other Late: Newly diagnosed HIV cases with an AIDS diagnosis 2 to 12 months after the HIV diagnosis date.

Other HIV Diagnoses: Newly diagnosed HIV cases without a subsequent AIDS diagnosis or with an AIDS diagnosis more than 12 months after the HIV diagnosis date. Such AIDS diagnoses would not be shown in this report since they occur after the calendar year covered by the report.

Case (diagnosis) Rate: The number of newly diagnosed cases per 100,000 population, age-adjusted to the U. S. 2000 Census population. The purpose of age-adjustment is to allow comparison of rates among populations with differing age structures. The crude (unadjusted) rate can be derived by dividing new diagnoses by the area population. Following the previous example, the crude diagnosis case rate in NYS is $(3,732 \div 19,465,197) \times 100,000 = 19.2$ per 100,000, almost the same as the age-adjusted rate of 19.0 per 100,000.

Percent Concurrent: The percent of newly diagnosed cases that are also diagnosed with AIDS within one month of the HIV diagnosis date.

Percent Late: The percent of newly diagnosed cases that are also diagnosed with AIDS within twelve months of the HIV diagnosis date. This includes concurrent diagnoses.

Guide to the Tables

The "C" Tables (Example: Table 2C)

Table 2C

*NEW YORK STATE: Includes all 62 Counties
AIDS Cases, Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk*

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate**	Number	Percent
Total		2,683	100.0	13.7	197,535	100.0
Gender	Male	1,933	72.0	20.3	146,191	74.0
	Female	750	28.0	7.4	51,344	26.0

AIDS Diagnoses: AIDS diagnoses may occur among persons newly diagnosed with HIV (i.e., within the report period) as well as among those diagnosed earlier. HIV diagnoses and AIDS diagnoses **cannot** be added in a meaningful way.

For concurrent cases with an HIV diagnosis in the last month of the reporting period, the accompanying AIDS diagnosis may occur in the next reporting period. For example, some concurrent cases diagnosed with HIV December 2011 were diagnosed with AIDS in January 2012. The January-December 2011 report will not count their AIDS diagnosis in this table; on the other hand, it *will* count the AIDS diagnoses of some concurrent cases diagnosed with HIV in December 2010. This is of little practical significance.

Case Rate: The AIDS case (diagnosis) rate is calculated the same way as the HIV case (diagnosis) rate (see Guide to "B" Tables).

NEW YORK STATE: Includes all 62 Counties
Newly Diagnosed HIV and AIDS Cases by Region and Year of Diagnosis
and Death Among Persons Living with AIDS (PLWA) by Region and Year

Year	HIV Diagnoses*			AIDS Diagnoses			Death Among PLWA		
	NYC	ROS	Total	NYC	ROS	Total	NYC	ROS	Total
Prior to 1984	.	.	.	1,744	161	1,905	805	81	886
1984	.	.	.	1,773	247	2,020	1,069	136	1,205
1985	.	.	.	2,725	451	3,176	1,766	292	2,058
1986	.	.	.	3,928	712	4,640	2,560	490	3,050
1987	.	.	.	4,897	1,032	5,929	3,158	639	3,797
1988	.	.	.	6,038	1,297	7,335	4,038	767	4,805
1989	.	.	.	6,389	1,599	7,988	4,991	995	5,986
1990	.	.	.	7,273	1,775	9,048	5,334	1,078	6,412
1991	.	.	.	8,399	2,152	10,551	6,044	1,330	7,374
1992	.	.	.	10,129	2,672	12,801	6,485	1,565	8,050
1993	.	.	.	11,788	2,846	14,634	6,887	1,616	8,503
1994	.	.	.	11,593	2,596	14,189	7,740	1,845	9,585
1995	.	.	.	10,448	2,640	13,088	7,661	1,920	9,581
1996	.	.	.	8,670	2,200	10,870	5,637	1,357	6,994
1997	.	.	.	6,902	1,571	8,473	3,195	747	3,942
1998	.	.	.	5,283	1,285	6,568	2,583	631	3,214
1999	.	.	.	4,979	1,240	6,219	2,622	613	3,235
2000**	4,651	1,107	5,758	5,805	1,415	7,220	2,535	606	3,141
2001	5,572	1,164	6,736	5,247	1,315	6,562	2,404	578	2,982
2002	4,996	1,076	6,072	4,337	1,222	5,559	2,407	543	2,950
2003	4,464	1,067	5,531	5,048	1,211	6,259	2,356	602	2,958
2004	4,084	1,070	5,154	4,091	1,064	5,155	2,208	554	2,762
2005	4,156	988	5,144	4,027	1,118	5,145	2,153	555	2,708
2006	3,914	949	4,863	3,679	884	4,563	1,972	515	2,487
2007	3,854	920	4,774	3,502	918	4,420	1,873	494	2,367
2008	3,749	922	4,671	3,181	797	3,978	1,829	464	2,293
2009	3,385	827	4,212	2,867	673	3,540	1,740	430	2,170
2010	3,040	826	3,866	2,405	612	3,017	1,527	413	1,940
2011	2,867	865	3,732	2,059	624	2,683	1,358	318	1,676
Total	48,732	11,781	60,513	159,206	38,329	197,535	96,937	22,174	119,111

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**HIV reporting started in June 2000. No earlier data are available.

NEW YORK STATE: Includes all 62 Counties
Living HIV and AIDS Cases as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Area Population
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	
Total		51,888	100.0	262.4	79,043	100.0	378.4	130,931	100.0	640.8	19,465,197
Gender	Male	36,103	69.6	374.4	55,604	70.3	548.7	91,707	70.0	923.1	9,431,804
	Female	15,782	30.4	156.3	23,439	29.7	221.3	39,221	30.0	377.6	10,033,393
	Unk	3	0.0	3	0.0	.	.
Current Age	12 & under	312	0.6	10.3	17	0.0	0.6	329	0.3	10.9	3,031,818
	13-19	964	1.9	53.3	473	0.6	26.2	1,437	1.1	79.5	1,807,466
	20-24	2,470	4.8	172.4	1,304	1.6	91.0	3,774	2.9	263.5	1,432,341
	25-29	3,920	7.6	279.2	1,985	2.5	141.4	5,905	4.5	420.6	1,404,006
	30-39	10,330	19.9	409.2	8,266	10.5	327.4	18,596	14.2	736.6	2,524,632
	40-49	16,680	32.1	600.7	25,884	32.7	932.2	42,564	32.5	1532.9	2,776,693
	50-59	12,262	23.6	453.6	27,786	35.2	1028	40,048	30.6	1481.4	2,703,378
	60+	4,933	9.5	130.3	13,319	16.9	351.9	18,252	13.9	482.2	3,784,863
	Unk	17	0.0	.	9	0.0	.	26	0.0	.	.
Race/Ethnicity	White	12,404	23.9	107.2	14,880	18.8	113.7	27,284	20.8	220.9	11,423,050
	Black	21,534	41.5	723.2	34,102	43.1	1116	55,636	42.5	1839.1	2,938,083
	Hispanic	15,292	29.5	454.9	26,423	33.4	829.4	41,715	31.9	1284.3	3,495,138
	Asian/PI	818	1.6	49.3	859	1.1	52.5	1,677	1.3	101.9	1,538,681
	Native Am	49	0.1	71.3	57	0.1	82.3	106	0.1	153.6	70,245
	Multi Race**	1,442	2.8	.	2,687	3.4	.	4,129	3.2	.	.
	Unk	349	0.7	.	35	0.0	.	384	0.3	.	.
Risk	MSM	19,790	38.1	.	23,136	29.3	.	42,926	32.8	.	.
	IDU	5,170	10.0	.	17,459	22.1	.	22,629	17.3	.	.
	MSM/IDU	976	1.9	.	2,544	3.2	.	3,520	2.7	.	.
	Heterosexual	8,289	16.0	.	13,779	17.4	.	22,068	16.9	.	.
	Fem. Presumed Het.	7,189	13.9	.	7,947	10.1	.	15,136	11.6	.	.
	Blood Prod.	48	0.1	.	239	0.3	.	287	0.2	.	.
	Pediatric Risk	1,524	2.9	.	1,440	1.8	.	2,964	2.3	.	.
	Unk	8,902	17.2	.	12,499	15.8	.	21,401	16.3	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE: Includes all 62 Counties
HIV Cases, Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		895	100.0	237	100.0	1,132	100.0	2,600	100.0	3,732	100.0	19.0	24.0	30.3
Gender	Male	680	76.0	183	77.2	863	76.2	1,984	76.3	2,847	76.3	29.5	23.9	30.3
	Female	215	24.0	54	22.8	269	23.8	616	23.7	885	23.7	8.8	24.3	30.4
Age at Diagnosis	12 & under	5	0.2	5	0.1	0.2	.	.
	13-19	15	1.7	8	3.4	23	2.0	157	6.0	180	4.8	10.0	8.3	12.8
	20-24	63	7.0	32	13.5	95	8.4	487	18.7	582	15.6	40.6	10.8	16.3
	25-29	98	10.9	32	13.5	130	11.5	463	17.8	593	15.9	42.2	16.5	21.9
	30-39	221	24.7	54	22.8	275	24.3	628	24.2	903	24.2	35.8	24.5	30.5
	40-49	257	28.7	61	25.7	318	28.1	505	19.4	823	22.1	29.6	31.2	38.6
	50-59	167	18.7	34	14.3	201	17.8	269	10.3	470	12.6	17.4	35.5	42.8
	60+	74	8.3	16	6.8	90	8.0	86	3.3	176	4.7	4.7	42.0	51.1
Race/Ethnicity	White	177	19.8	40	16.9	217	19.2	543	20.9	760	20.4	6.9	23.3	28.6
	Black	411	45.9	115	48.5	526	46.5	1,106	42.5	1,632	43.7	53.8	25.2	32.2
	Hispanic	257	28.7	69	29.1	326	28.8	813	31.3	1,139	30.5	30.7	22.6	28.6
	Asian/PI	24	2.7	5	2.1	29	2.6	61	2.3	90	2.4	5.3	26.7	32.2
	Native Am	1	0.1	.	.	1	0.1	2	0.1	3	0.1	4.6	33.3	33.3
	Multi Race***	25	2.8	8	3.4	33	2.9	75	2.9	108	2.9	.	23.1	30.6
Risk	MSM	352	39.3	104	43.9	456	40.3	1,376	52.9	1,832	49.1	.	19.2	24.9
	IDU	45	5.0	15	6.3	60	5.3	78	3.0	138	3.7	.	32.6	43.5
	MSM/IDU	11	1.2	7	3.0	18	1.6	42	1.6	60	1.6	.	18.3	30.0
	Heterosexual	156	17.4	30	12.7	186	16.4	358	13.8	544	14.6	.	28.7	34.2
	Fem. Presumed Het.	124	13.9	30	12.7	154	13.6	351	13.5	505	13.5	.	24.6	30.5
	Pediatric Risk	5	0.2	5	0.1	.	.	.
	Unk	207	23.1	51	21.5	258	22.8	390	15.0	648	17.4	.	31.9	39.8

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

**NEW YORK STATE: Includes all 62 Counties
AIDS Cases, Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate**	Number	Percent
Total		2,683	100.0	13.7	197,535	100.0
Gender	Male	1,933	72.0	20.3	146,191	74.0
	Female	750	28.0	7.4	51,344	26.0
Age at Diagnosis	12 & under	.	.	.	2,389	1.2
	13-19	55	2.0	3.0	1,550	0.8
	20-24	201	7.5	14.0	5,711	2.9
	25-29	256	9.5	18.2	18,662	9.4
	30-39	607	22.6	24.0	76,824	38.9
	40-49	825	30.7	29.7	62,278	31.5
	50-59	527	19.6	19.5	22,629	11.5
	60+	212	7.9	5.6	7,492	3.8
Race/Ethnicity	White	417	15.5	3.7	45,248	22.9
	Black	1,303	48.6	43.9	83,949	42.5
	Hispanic	813	30.3	23.7	61,484	31.1
	Asian/PI	47	1.8	2.8	1,376	0.7
	Native Am	3	0.1	4.2	88	0.0
	Multi Race***	100	3.7	.	5,346	2.7
	Unk	.	.	.	44	0.0
Risk	MSM	958	35.7	.	56,980	28.8
	IDU	282	10.5	.	70,193	35.5
	MSM/IDU	81	3.0	.	6,934	3.5
	Heterosexual	478	17.8	.	24,411	12.4
	Fem. Presumed Het.	331	12.3	.	12,483	6.3
	Blood Prod.	.	.	.	1,135	0.6
	Pediatric Risk	41	1.5	.	3,114	1.6
	Unk	512	19.1	.	22,285	11.3

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY
Living HIV and AIDS Cases as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		40,754	100.0	484.4	62,782	100.0	738.1	103,536	100.0	1222.6	8,244,910
Gender	Male	28,527	70.0	708.6	43,929	70.0	1096	72,456	70.0	1804.3	3,925,356
	Female	12,225	30.0	280.7	18,853	30.0	425.8	31,078	30.0	706.5	4,319,554
	Unk	2	0.0	2	0.0	.	.
Current Age	12 & under	249	0.6	19.3	13	0.0	1.0	262	0.3	20.3	1,289,712
	13-19	763	1.9	110.1	415	0.7	59.9	1,178	1.1	169.9	693,248
	20-24	1,963	4.8	304.8	1,049	1.7	162.9	3,012	2.9	467.7	644,009
	25-29	3,193	7.8	428.9	1,621	2.6	217.7	4,814	4.6	646.6	744,521
	30-39	8,492	20.8	673.8	6,676	10.6	529.7	15,168	14.6	1203.4	1,260,408
	40-49	13,133	32.2	1159	20,330	32.4	1794	33,463	32.3	2953.3	1,133,089
	50-59	9,164	22.5	886.2	21,842	34.8	2112	31,006	29.9	2998.4	1,034,078
	60+	3,790	9.3	262.1	10,829	17.2	749.0	14,619	14.1	1011.1	1,445,845
	Unk	7	0.0	.	7	0.0	.	14	0.0	.	.
Race/Ethnicity	White	8,686	21.3	314.2	10,140	16.2	345.7	18,826	18.2	659.9	2,792,633
	Black	17,678	43.4	889.4	28,196	44.9	1368	45,874	44.3	2257.8	1,937,080
	Hispanic	12,587	30.9	541.1	22,260	35.5	994.3	34,847	33.7	1535.4	2,373,305
	Asian/PI	724	1.8	58.9	786	1.3	64.8	1,510	1.5	123.8	1,115,549
	Native Am	38	0.1	148.7	39	0.1	153.2	77	0.1	302.0	26,343
	Multi Race**	696	1.7	.	1,326	2.1	.	2,022	2.0	.	.
	Unk	345	0.8	.	35	0.1	.	380	0.4	.	.
Risk	MSM	16,189	39.7	.	18,644	29.7	.	34,833	33.6	.	.
	IDU	3,240	8.0	.	13,121	20.9	.	16,361	15.8	.	.
	MSM/IDU	632	1.6	.	1,704	2.7	.	2,336	2.3	.	.
	Heterosexual	5,935	14.6	.	10,394	16.6	.	16,329	15.8	.	.
	Fem. Presumed Het.	6,137	15.1	.	6,980	11.1	.	13,117	12.7	.	.
	Blood Prod.	28	0.1	.	151	0.2	.	179	0.2	.	.
	Pediatric Risk	1,254	3.1	.	1,209	1.9	.	2,463	2.4	.	.
	Unk	7,339	18.0	.	10,579	16.9	.	17,918	17.3	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY
HIV Cases, Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		648	100.0	184	100.0	832	100.0	2,035	100.0	2,867	100.0	32.7	22.6	29.0
Gender	Male	486	75.0	144	78.3	630	75.7	1,571	77.2	2,201	76.8	51.8	22.1	28.6
	Female	162	25.0	40	21.7	202	24.3	464	22.8	666	23.2	15.0	24.3	30.3
Age at Diagnosis	12 & under	4	0.2	4	0.1	0.3	.	.
	13-19	12	1.9	7	3.8	19	2.3	118	5.8	137	4.8	19.8	8.8	13.9
	20-24	51	7.9	28	15.2	79	9.5	366	18.0	445	15.5	69.1	11.5	17.8
	25-29	80	12.3	29	15.8	109	13.1	376	18.5	485	16.9	65.1	16.5	22.5
	30-39	158	24.4	41	22.3	199	23.9	514	25.3	713	24.9	56.6	22.2	27.9
	40-49	188	29.0	42	22.8	230	27.6	405	19.9	635	22.1	56.0	29.6	36.2
	50-59	106	16.4	24	13.0	130	15.6	193	9.5	323	11.3	31.2	32.8	40.2
	60+	53	8.2	13	7.1	66	7.9	59	2.9	125	4.4	8.6	42.4	52.8
Race/Ethnicity	White	80	12.3	24	13.0	104	12.5	366	18.0	470	16.4	15.9	17.0	22.1
	Black	330	50.9	97	52.7	427	51.3	888	43.6	1,315	45.9	65.3	25.1	32.5
	Hispanic	202	31.2	56	30.4	258	31.0	679	33.4	937	32.7	37.0	21.6	27.5
	Asian/PI	19	2.9	3	1.6	22	2.6	53	2.6	75	2.6	5.9	25.3	29.3
	Native Am	1	0.2	.	.	1	0.1	1	0.0	2	0.1	8.8	50.0	50.0
	Multi Race***	16	2.5	4	2.2	20	2.4	48	2.4	68	2.4	.	23.5	29.4
Risk	MSM	244	37.7	84	45.7	328	39.4	1,096	53.9	1,424	49.7	.	17.1	23.0
	IDU	32	4.9	8	4.3	40	4.8	50	2.5	90	3.1	.	35.6	44.4
	MSM/IDU	8	1.2	3	1.6	11	1.3	30	1.5	41	1.4	.	19.5	26.8
	Heterosexual	108	16.7	22	12.0	130	15.6	238	11.7	368	12.8	.	29.3	35.3
	Fem. Presumed Het.	98	15.1	22	12.0	120	14.4	295	14.5	415	14.5	.	23.6	28.9
	Pediatric Risk	4	0.2	4	0.1	.	.	.
	Unk	158	24.4	45	24.5	203	24.4	322	15.8	525	18.3	.	30.1	38.7

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY
AIDS Cases, Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate**	Number	Percent
Total		2,059	100.0	24.3	159,206	100.0
Gender	Male	1,489	72.3	36.6	116,840	73.4
	Female	570	27.7	13.0	42,366	26.6
Age at Diagnosis	12 & under	.	.	.	2,063	1.3
	13-19	46	2.2	6.6	1,221	0.8
	20-24	160	7.8	24.8	4,564	2.9
	25-29	207	10.1	27.8	14,759	9.3
	30-39	478	23.2	37.9	61,394	38.6
	40-49	633	30.7	55.9	50,249	31.6
	50-59	381	18.5	36.8	18,727	11.8
	60+	154	7.5	10.7	6,229	3.9
Race/Ethnicity	White	218	10.6	7.9	31,708	19.9
	Black	1,083	52.6	54.5	69,661	43.8
	Hispanic	671	32.6	28.4	52,983	33.3
	Asian/PI	35	1.7	2.8	1,264	0.8
	Native Am	1	0.0	3.5	48	0.0
	Multi Race***	51	2.5	.	3,499	2.2
	Unk	.	.	.	43	0.0
Risk	MSM	728	35.4	.	46,608	29.3
	IDU	204	9.9	.	55,617	34.9
	MSM/IDU	55	2.7	.	4,919	3.1
	Heterosexual	330	16.0	.	18,952	11.9
	Fem. Presumed Het.	276	13.4	.	10,958	6.9
	Blood Prod.	.	.	.	732	0.5
	Pediatric Risk	37	1.8	.	2,628	1.7
	Unk	429	20.8	.	18,792	11.8

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

REST OF STATE (NEW YORK STATE Excluding NYC)
Living HIV and AIDS Cases as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Area Population
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	
Total		11,134	100.0	97.2	16,261	100.0	132.4	27,395	100.0	229.6	11,220,287
Gender	Male	7,576	68.0	132.1	11,675	71.8	191.3	19,251	70.3	323.4	5,506,448
	Female	3,557	31.9	63.1	4,586	28.2	76.1	8,143	29.7	139.2	5,713,839
	Unk	1	0.0	1	0.0	.	.
Current Age	12 & under	63	0.6	3.6	4	0.0	0.2	67	0.2	3.8	1,742,106
	13-19	201	1.8	18.0	58	0.4	5.2	259	0.9	23.2	1,114,218
	20-24	507	4.6	64.3	255	1.6	32.3	762	2.8	96.7	788,332
	25-29	727	6.5	110.2	364	2.2	55.2	1,091	4.0	165.4	659,485
	30-39	1,838	16.5	145.4	1,590	9.8	125.8	3,428	12.5	271.2	1,264,224
	40-49	3,547	31.9	215.8	5,554	34.2	337.9	9,101	33.2	553.7	1,643,604
	50-59	3,098	27.8	185.6	5,944	36.6	356.1	9,042	33.0	541.7	1,669,300
	60+	1,143	10.3	48.9	2,490	15.3	106.5	3,633	13.3	155.3	2,339,018
	Unk	10	0.1	.	2	0.0	.	12	0.0	.	.
Race/Ethnicity	White	3,718	33.4	42.2	4,740	29.1	48.3	8,458	30.9	90.5	8,630,417
	Black	3,856	34.6	388.3	5,906	36.3	593.5	9,762	35.6	981.8	1,001,003
	Hispanic	2,705	24.3	273.3	4,163	25.6	444.9	6,868	25.1	718.2	1,121,833
	Asian/PI	94	0.8	22.2	73	0.4	17.3	167	0.6	39.5	423,132
	Native Am	11	0.1	25.8	18	0.1	42.9	29	0.1	68.7	43,902
	Multi Race**	746	6.7	.	1,361	8.4	.	2,107	7.7	.	.
	Unk	4	0.0	4	0.0	.	.
Risk	MSM	3,601	32.3	.	4,492	27.6	.	8,093	29.5	.	.
	IDU	1,930	17.3	.	4,338	26.7	.	6,268	22.9	.	.
	MSM/IDU	344	3.1	.	840	5.2	.	1,184	4.3	.	.
	Heterosexual	2,354	21.1	.	3,385	20.8	.	5,739	20.9	.	.
	Fem. Presumed Het.	1,052	9.4	.	967	5.9	.	2,019	7.4	.	.
	Blood Prod.	20	0.2	.	88	0.5	.	108	0.4	.	.
	Pediatric Risk	270	2.4	.	231	1.4	.	501	1.8	.	.
	Unk	1,563	14.0	.	1,920	11.8	.	3,483	12.7	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

REST OF STATE (NEW YORK STATE Excluding NYC)
HIV Cases, Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		247	100.0	53	100.0	300	100.0	565	100.0	865	100.0	7.9	28.6	34.7
Gender	Male	194	78.5	39	73.6	233	77.7	413	73.1	646	74.7	11.8	30.0	36.1
	Female	53	21.5	14	26.4	67	22.3	152	26.9	219	25.3	4.0	24.2	30.6
Age at Diagnosis	12 & under	1	0.2	1	0.1	0.1	.	.
	13-19	3	1.2	1	1.9	4	1.3	39	6.9	43	5.0	3.9	7.0	9.3
	20-24	12	4.9	4	7.5	16	5.3	121	21.4	137	15.8	17.4	8.8	11.7
	25-29	18	7.3	3	5.7	21	7.0	87	15.4	108	12.5	16.4	16.7	19.4
	30-39	63	25.5	13	24.5	76	25.3	114	20.2	190	22.0	15.0	33.2	40.0
	40-49	69	27.9	19	35.8	88	29.3	100	17.7	188	21.7	11.4	36.7	46.8
	50-59	61	24.7	10	18.9	71	23.7	76	13.5	147	17.0	8.8	41.5	48.3
	60+	21	8.5	3	5.7	24	8.0	27	4.8	51	5.9	2.2	41.2	47.1
Race/Ethnicity	White	97	39.3	16	30.2	113	37.7	177	31.3	290	33.5	3.5	33.4	39.0
	Black	81	32.8	18	34.0	99	33.0	218	38.6	317	36.6	31.1	25.6	31.2
	Hispanic	55	22.3	13	24.5	68	22.7	134	23.7	202	23.4	17.4	27.2	33.7
	Asian/PI	5	2.0	2	3.8	7	2.3	8	1.4	15	1.7	3.6	33.3	46.7
	Native Am	1	0.2	1	0.1	1.8	.	.
	Multi Race***	9	3.6	4	7.5	13	4.3	27	4.8	40	4.6	.	22.5	32.5
Risk	MSM	108	43.7	20	37.7	128	42.7	280	49.6	408	47.2	.	26.5	31.4
	IDU	13	5.3	7	13.2	20	6.7	28	5.0	48	5.5	.	27.1	41.7
	MSM/IDU	3	1.2	4	7.5	7	2.3	12	2.1	19	2.2	.	15.8	36.8
	Heterosexual	48	19.4	8	15.1	56	18.7	120	21.2	176	20.3	.	27.3	31.8
	Fem. Presumed Het.	26	10.5	8	15.1	34	11.3	56	9.9	90	10.4	.	28.9	37.8
	Pediatric Risk	1	0.2	1	0.1	.	.	.
	Unk	49	19.8	6	11.3	55	18.3	68	12.0	123	14.2	.	39.8	44.7

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

**REST OF STATE (NEW YORK STATE Excluding NYC)
AIDS Cases, Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate**	Number	Percent
Total		624	100.0	5.6	38,329	100.0
Gender	Male	444	71.2	8.0	29,351	76.6
	Female	180	28.8	3.2	8,978	23.4
Age at Diagnosis	12 & under	.	.	.	326	0.9
	13-19	9	1.4	0.8	329	0.9
	20-24	41	6.6	5.2	1,147	3.0
	25-29	49	7.9	7.4	3,903	10.2
	30-39	129	20.7	10.2	15,430	40.3
	40-49	192	30.8	11.7	12,029	31.4
	50-59	146	23.4	8.7	3,902	10.2
	60+	58	9.3	2.5	1,263	3.3
Race/Ethnicity	White	199	31.9	2.3	13,540	35.3
	Black	220	35.3	22.5	14,288	37.3
	Hispanic	142	22.8	13.7	8,501	22.2
	Asian/PI	12	1.9	2.8	112	0.3
	Native Am	2	0.3	4.8	40	0.1
	Multi Race***	49	7.9	.	1,847	4.8
	Unk	.	.	.	1	0.0
Risk	MSM	230	36.9	.	10,372	27.1
	IDU	78	12.5	.	14,576	38.0
	MSM/IDU	26	4.2	.	2,015	5.3
	Heterosexual	148	23.7	.	5,459	14.2
	Fem. Presumed Het.	55	8.8	.	1,525	4.0
	Blood Prod.	.	.	.	403	1.1
	Pediatric Risk	4	0.6	.	486	1.3
	Unk	83	13.3	.	3,493	9.1

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

**NEW YORK STATE: (Excluding NYC) by County
Living HIV and AIDS Cases as of December 2011**

County	Including Prisoners*			Excluding Prisoners*		
	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Albany	488	638	1,126	440	547	987
Allegany	10	18	28	10	17	27
Broome	149	221	370	142	207	349
Cattaraugus	36	58	94	19	30	49
Cayuga	90	139	229	34	53	87
Chautauqua	129	112	241	90	79	169
Chemung	117	122	239	66	46	112
Chenango	19	37	56	16	30	46
Clinton	96	188	284	31	36	67
Columbia	75	77	152	55	56	111
Cortland	15	15	30	15	15	30
Delaware	19	39	58	18	36	54
Dutchess	479	689	1,168	246	371	617
Erie	946	1,140	2,086	858	1,013	1,871
Essex	47	65	112	11	14	25
Franklin	140	190	330	11	23	34
Fulton	36	38	74	34	34	68
Genessee	32	39	71	22	29	51
Greene	65	110	175	30	39	69
Hamilton	2	3	5	2	3	5
Herkimer	21	31	52	21	29	50
Jefferson	156	149	305	26	50	76
Lewis	5	1	6	5	1	6
Livingston	72	90	162	17	31	48
Madison	22	25	47	19	17	36
Monroe	979	1,306	2,285	930	1,198	2,128
Montgomery	34	38	72	33	34	67
Nassau	1,134	1,824	2,958	1,110	1,753	2,863
Niagara	90	102	192	85	96	181
Oneida	295	426	721	114	167	281
Onondaga	386	598	984	356	558	914
Ontario	45	42	87	41	39	80
Orange	385	643	1,028	312	503	815
Orleans	137	204	341	15	26	41
Oswego	38	53	91	37	52	89

Data as of March 2013.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

**NEW YORK STATE: (Excluding NYC) by County
Living HIV and AIDS Cases as of December 2011**

County	Including Prisoners*			Excluding Prisoners*		
	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Otsego	23	35	58	23	34	57
Putnam	42	90	132	41	89	130
Rensselaer	102	153	255	93	138	231
Rockland	259	514	773	243	442	685
St Lawrence	130	167	297	34	43	77
Saratoga	99	134	233	70	94	164
Schenectady	188	237	425	173	207	380
Schoharie	19	17	36	11	14	25
Schuyler	12	8	20	7	6	13
Seneca	53	63	116	16	9	25
Steuben	35	42	77	34	38	72
Suffolk	1,199	1,807	3,006	1,142	1,708	2,850
Sullivan	159	261	420	106	168	274
Tioga	16	20	36	16	20	36
Tompkins	51	90	141	50	83	133
Ulster	275	446	721	144	243	387
Warren	30	38	68	29	37	66
Washington	72	96	168	18	18	36
Wayne	64	61	125	55	52	107
Westchester	1,427	2,371	3,798	1,172	2,050	3,222
Wyoming	83	135	218	6	5	11
Yates	7	6	13	6	6	12
Total	11,134	16,261	27,395	8,760	12,736	21,496

**NEW YORK STATE: (Excluding NYC) by County
Newly Diagnosed HIV and AIDS Cases, 2011
and Cumulative AIDS Diagnosed through December 2011**

County	Including Prisoners*			Excluding Prisoners*		
	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses
Albany	32	19	1,332	30	16	1,196
Allegany	2	1	29	2	1	28
Broome	12	7	415	12	7	396
Cattaraugus	5	3	96	4	2	58
Cayuga	5	4	333	5	2	95
Chautauqua	6	5	197	6	3	156
Chemung	7	5	303	6	3	144
Chenango	3	2	68	3	2	50
Clinton	2	1	483	2	1	70
Columbia	5	4	157	5	3	106
Cortland	1	0	31	1	0	30
Delaware	1	4	63	1	4	59
Dutchess	23	17	1,823	20	13	999
Erie	100	77	2,606	98	72	2,321
Essex	0	1	184	0	0	37
Franklin	4	3	415	1	3	42
Fulton	4	3	64	3	3	57
Genessee	6	4	69	3	3	57
Greene	0	2	243	0	1	81
Hamilton	1	1	5	1	1	5
Herkimer	4	3	52	4	3	50
Jefferson	2	7	313	2	2	90
Lewis	0	0	2	0	0	1
Livingston	3	4	228	2	2	67
Madison	1	1	61	1	1	43
Monroe	106	73	2,791	101	69	2,600
Montgomery	1	2	88	1	2	82
Nassau	121	73	4,602	120	72	4,447
Niagara	10	8	281	10	8	268
Oneida	9	8	1,027	9	5	395
Onondaga	49	34	1,355	45	31	1,289
Ontario	2	1	73	1	1	70

Data as of March 2013.

**Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**NEW YORK STATE: (Excluding NYC) by County
Newly Diagnosed HIV and AIDS Cases, 2011
and Cumulative AIDS Diagnosed through December 2011**

County	Including Prisoners*			Excluding Prisoners*		
	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses
Orange	22	20	1,593	21	20	1,294
Orleans	5	5	387	5	3	51
Oswego	3	3	107	3	3	105
Otsego	1	1	84	1	1	82
Putnam	4	2	199	4	2	195
Rensselaer	8	4	330	7	4	306
Rockland	29	15	1,096	25	14	998
St Lawrence	3	4	345	2	1	81
Saratoga	7	8	340	6	8	213
Schenectady	16	13	516	16	10	476
Schoharie	0	0	44	0	0	39
Schuyler	0	1	17	0	1	15
Seneca	1	1	94	1	0	21
Steuben	2	2	95	2	2	90
Suffolk	106	80	4,577	104	77	4,384
Sullivan	4	5	719	4	5	509
Tioga	1	0	37	1	0	37
Tompkins	3	1	159	3	1	151
Ulster	13	12	1,039	12	9	641
Warren	0	0	79	0	0	77
Washington	4	1	303	4	1	45
Wayne	4	4	127	4	4	107
Westchester	100	63	5,887	99	62	5,195
Wyoming	2	2	353	1	0	15
Yates	0	0	13	0	0	13
Total	865	624	38,329	824	564	30,529

Data as of March 2013.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

NEW YORK CITY - Males
Living HIV and AIDS Cases as of December 2011, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		28,527	100.0	708.6	43,929	100.0	1095.7	72,456	100.0	1804.3	3,925,356
Current Age	12 & under	116	0.4	17.6	8	0.0	1.2	124	0.2	18.8	659,464
	13-19	396	1.4	112.5	203	0.5	57.7	599	0.8	170.2	351,980
	20-24	1,461	5.1	463.1	651	1.5	206.4	2,112	2.9	669.5	315,463
	25-29	2,453	8.6	686.9	1,201	2.7	336.3	3,654	5.0	1023.1	357,135
	30-39	6,085	21.3	993.2	4,474	10.2	730.2	10,559	14.6	1723.4	612,692
	40-49	9,263	32.5	1693.0	13,788	31.4	2520.0	23,051	31.8	4213.0	547,136
	50-59	6,171	21.6	1279.0	15,437	35.1	3199.4	21,608	29.8	4478.4	482,498
	60+	2,578	9.0	430.4	8,162	18.6	1362.6	10,740	14.8	1793.0	598,988
	Unk	4	0.0	.	5	0.0	.	9	0.0	.	.
Race/Ethnicity	White	7,859	27.5	560.5	8,965	20.4	609.9	16,824	23.2	1170.4	1,353,959
	Black	10,450	36.6	1188.7	17,568	40.0	1971.3	28,018	38.7	3160.1	871,151
	Hispanic	8,805	30.9	790.9	15,742	35.8	1526.9	24,547	33.9	2317.8	1,151,797
	Asian/PI	600	2.1	103.6	670	1.5	115.5	1,270	1.8	219.2	535,987
	Native Am	31	0.1	267.9	33	0.1	292.8	64	0.1	560.7	12,462
	Multi Race**	517	1.8	.	922	2.1	.	1,439	2.0	.	.
	Unk	265	0.9	.	29	0.1	.	294	0.4	.	.
Risk	MSM	16,189	56.7	.	18,644	42.4	.	34,833	48.1	.	.
	IDU	2,029	7.1	.	8,757	19.9	.	10,786	14.9	.	.
	MSM/IDU	632	2.2	.	1,704	3.9	.	2,336	3.2	.	.
	Heterosexual	1,728	6.1	.	3,611	8.2	.	5,339	7.4	.	.
	Blood Prod.	12	0.0	.	66	0.2	.	78	0.1	.	.
	Pediatric Risk	614	2.2	.	599	1.4	.	1,213	1.7	.	.
	Unk	7,323	25.7	.	10,548	24.0	.	17,871	24.7	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY - Males
HIV Cases, Newly Diagnosed (January-December 2011), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		486	100.0	144	100.0	630	100.0	1,571	100.0	2,201	100.0	51.8	22.1	28.6
Age at Diagnosis	12 & under	1	0.1	1	0.0	0.2	.	.
	13-19	8	1.6	4	2.8	12	1.9	88	5.6	100	4.5	28.4	8.0	12.0
	20-24	42	8.6	25	17.4	67	10.6	308	19.6	375	17.0	118.9	11.2	17.9
	25-29	67	13.8	25	17.4	92	14.6	319	20.3	411	18.7	115.1	16.3	22.4
	30-39	127	26.1	35	24.3	162	25.7	401	25.5	563	25.6	91.9	22.6	28.8
	40-49	136	28.0	27	18.8	163	25.9	299	19.0	462	21.0	84.4	29.4	35.3
	50-59	78	16.0	18	12.5	96	15.2	122	7.8	218	9.9	45.2	35.8	44.0
	60+	28	5.8	10	6.9	38	6.0	33	2.1	71	3.2	11.9	39.4	53.5
Race/Ethnicity	White	74	15.2	21	14.6	95	15.1	346	22.0	441	20.0	29.5	16.8	21.5
	Black	216	44.4	70	48.6	286	45.4	607	38.6	893	40.6	98.4	24.2	32.0
	Hispanic	164	33.7	47	32.6	211	33.5	528	33.6	739	33.6	58.9	22.2	28.6
	Asian/PI	18	3.7	2	1.4	20	3.2	48	3.1	68	3.1	11.4	26.5	29.4
	Native Am	1	0.2	.	.	1	0.2	1	0.1	2	0.1	20.9	50.0	50.0
	Multi Race***	13	2.7	4	2.8	17	2.7	41	2.6	58	2.6	.	22.4	29.3
	Unk
Risk	MSM	244	50.2	84	58.3	328	52.1	1,096	69.8	1,424	64.7	.	17.1	23.0
	IDU	25	5.1	4	2.8	29	4.6	36	2.3	65	3.0	.	38.5	44.6
	MSM/IDU	8	1.6	3	2.1	11	1.7	30	1.9	41	1.9	.	19.5	26.8
	Heterosexual	51	10.5	9	6.3	60	9.5	86	5.5	146	6.6	.	34.9	41.1
	Blood Prod.
	Pediatric Risk	1	0.1	1	0.0	.	.	.
	Unk	158	32.5	44	30.6	202	32.1	322	20.5	524	23.8	.	30.2	38.5

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY - Males
AIDS Cases, Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		1,489	100.0	36.6	116,840	100.0
Age at Diagnosis	12 & under	.	.	.	1,027	0.9
	13-19	27	1.8	7.7	678	0.6
	20-24	126	8.5	39.9	2,990	2.6
	25-29	167	11.2	46.8	10,296	8.8
	30-39	366	24.6	59.7	44,645	38.2
	40-49	447	30.0	81.7	37,924	32.5
	50-59	263	17.7	54.5	14,516	12.4
	60+	93	6.2	15.5	4,764	4.1
Race/Ethnicity	White	194	13.0	13.8	28,318	24.2
	Black	711	47.8	81.6	46,232	39.6
	Hispanic	515	34.6	45.4	38,591	33.0
	Asian/PI	32	2.1	5.3	1,090	0.9
	Native Am	1	0.1	7.7	40	0.0
	Multi Race***	36	2.4	.	2,533	2.2
	Unk	.	.	.	36	0.0
Risk	MSM	728	48.9	.	46,608	39.9
	IDU	127	8.5	.	39,138	33.5
	MSM/IDU	55	3.7	.	4,919	4.2
	Heterosexual	132	8.9	.	5,729	4.9
	Blood Prod.	.	.	.	400	0.3
	Pediatric Risk	19	1.3	.	1,306	1.1
	Unk	428	28.7	.	18,740	16.0

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY - Females
Living HIV and AIDS Cases as of December 2011, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		12,225	100.0	280.7	18,853	100.0	425.8	31,078	100.0	706.5	4,319,554
Current Age	12 & under	133	1.1	21.1	5	0.0	0.8	138	0.4	21.9	630,248
	13-19	367	3.0	107.5	212	1.1	62.1	579	1.9	169.7	341,268
	20-24	502	4.1	152.8	398	2.1	121.1	900	2.9	273.9	328,546
	25-29	740	6.1	191.0	420	2.2	108.4	1,160	3.7	299.4	387,386
	30-39	2,407	19.7	371.6	2,202	11.7	340.0	4,609	14.8	711.6	647,716
	40-49	3,869	31.6	660.3	6,542	34.7	1116.5	10,411	33.5	1776.8	585,953
	50-59	2,993	24.5	542.6	6,405	34.0	1161.2	9,398	30.2	1703.8	551,580
	60+	1,211	9.9	143.0	2,667	14.1	314.9	3,878	12.5	457.9	846,857
	Unk	3	0.0	.	2	0.0	.	5	0.0	.	.
Race/Ethnicity	White	827	6.8	60.1	1,175	6.2	82.8	2,002	6.4	142.9	1,438,674
	Black	7,226	59.1	656.1	10,628	56.4	924.3	17,854	57.4	1580.4	1,065,929
	Hispanic	3,782	30.9	313.0	6,518	34.6	544.8	10,300	33.1	857.7	1,221,508
	Asian/PI	124	1.0	18.7	116	0.6	18.6	240	0.8	37.3	579,562
	Native Am	7	0.1	49.9	6	0.0	39.5	13	0.0	89.4	13,881
	Multi Race**	179	1.5	.	404	2.1	.	583	1.9	.	.
	Unk	80	0.7	.	6	0.0	.	86	0.3	.	.
Risk	IDU	1,210	9.9	.	4,364	23.1	.	5,574	17.9	.	.
	Heterosexual	4,206	34.4	.	6,783	36.0	.	10,989	35.4	.	.
	Fem. Presumed Het.	6,137	50.2	.	6,980	37.0	.	13,117	42.2	.	.
	Blood Prod.	16	0.1	.	85	0.5	.	101	0.3	.	.
	Pediatric Risk	640	5.2	.	610	3.2	.	1,250	4.0	.	.
	Unk	16	0.1	.	31	0.2	.	47	0.2	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY - Females
HIV Cases, Newly Diagnosed (January-December 2011), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)				Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses			
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		162	100.0	40	100.0	202	100.0	464	100.0	666	100.0	15.0	24.3	30.3
Age at Diagnosis	12 & under	3	0.6	3	0.5	0.5	.	.
	13-19	4	2.5	3	7.5	7	3.5	30	6.5	37	5.6	10.8	10.8	18.9
	20-24	9	5.6	3	7.5	12	5.9	58	12.5	70	10.5	21.3	12.9	17.1
	25-29	13	8.0	4	10.0	17	8.4	57	12.3	74	11.1	19.1	17.6	23.0
	30-39	31	19.1	6	15.0	37	18.3	113	24.4	150	22.5	23.2	20.7	24.7
	40-49	52	32.1	15	37.5	67	33.2	106	22.8	173	26.0	29.5	30.1	38.7
	50-59	28	17.3	6	15.0	34	16.8	71	15.3	105	15.8	19.0	26.7	32.4
	60+	25	15.4	3	7.5	28	13.9	26	5.6	54	8.1	6.4	46.3	51.9
Race/Ethnicity	White	6	3.7	3	7.5	9	4.5	20	4.3	29	4.4	2.1	20.7	31.0
	Black	114	70.4	27	67.5	141	69.8	281	60.6	422	63.4	38.1	27.0	33.4
	Hispanic	38	23.5	9	22.5	47	23.3	151	32.5	198	29.7	15.8	19.2	23.7
	Asian/PI	1	0.6	1	2.5	2	1.0	5	1.1	7	1.1	1.1	14.3	28.6
	Native Am
	Multi Race***	3	1.9	.	.	3	1.5	7	1.5	10	1.5	.	30.0	30.0
	Unk
Risk	IDU	7	4.3	4	10.0	11	5.4	14	3.0	25	3.8	.	28.0	44.0
	Heterosexual	57	35.2	13	32.5	70	34.7	152	32.8	222	33.3	.	25.7	31.5
	Fem. Presumed Het.	98	60.5	22	55.0	120	59.4	295	63.6	415	62.3	.	23.6	28.9
	Blood Prod.
	Pediatric Risk	3	0.6	3	0.5	.	.	.
	Unk	.	.	1	2.5	1	0.5	.	.	1	0.2	.	.	100.0

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY - Females
AIDS Cases, Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		570	100.0	13.0	42,366	100.0
Age at Diagnosis	12 & under	.	.	.	1,036	2.4
	13-19	19	3.3	5.6	543	1.3
	20-24	34	6.0	10.3	1,574	3.7
	25-29	40	7.0	10.3	4,463	10.5
	30-39	112	19.6	17.3	16,749	39.5
	40-49	186	32.6	31.7	12,325	29.1
	50-59	118	20.7	21.4	4,211	9.9
	60+	61	10.7	7.2	1,465	3.5
Race/Ethnicity	White	24	4.2	1.8	3,390	8.0
	Black	372	65.3	33.2	23,429	55.3
	Hispanic	156	27.4	12.8	14,392	34.0
	Asian/PI	3	0.5	0.5	174	0.4
	Native Am	.	.	.	8	0.0
	Multi Race***	15	2.6	.	966	2.3
	Unk	.	.	.	7	0.0
Risk	IDU	77	13.5	.	16,479	38.9
	Heterosexual	198	34.7	.	13,223	31.2
	Fem. Presumed Het.	276	48.4	.	10,958	25.9
	Blood Prod.	.	.	.	332	0.8
	Pediatric Risk	18	3.2	.	1,322	3.1
	Unk	1	0.2	.	52	0.1

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) - Males
Living HIV and AIDS Cases (excluding prisoners) as of December 2011, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		5,678	100.0	100.7	8,649	100.0	142.6	14,327	100.0	243.2	5,506,448
Current Age	12 & under	26	0.5	2.9	3	0.0	0.3	29	0.2	3.3	890,561
	13-19	103	1.8	18.0	31	0.4	5.1	132	0.9	23.1	572,234
	20-24	341	6.0	83.5	129	1.5	34.5	482	3.4	118.0	408,602
	25-29	460	8.1	135.7	229	2.7	65.2	681	4.8	200.8	339,105
	30-39	964	17.0	153.1	795	9.5	129.9	1,782	12.4	283.0	629,712
	40-49	1,743	30.7	215.6	2,640	31.7	342.9	4,516	31.5	558.5	808,595
	50-59	1,452	25.6	176.9	3,038	36.5	384.5	4,608	32.2	561.5	820,706
	60+	583	10.3	56.2	1,463	17.6	145.2	2,089	14.6	201.5	1,036,933
	Unk	6	0.1	.	2	0.0	.	8	0.1	.	.
Race/Ethnicity	White	2,630	46.3	59.4	3,365	40.4	71.1	6,105	42.6	130.5	4,215,906
	Black	1,565	27.6	320.9	2,524	30.3	550.7	4,175	29.1	871.6	490,215
	Hispanic	1,038	18.3	196.2	1,727	20.7	388.8	2,840	19.8	584.9	574,651
	Asian/PI	56	1.0	28.0	52	0.6	26.8	109	0.8	54.8	204,270
	Native Am	5	0.1	26.7	8	0.1	43.9	14	0.1	70.7	21,406
	Multi Race**	382	6.7	.	654	7.9	.	1,082	7.6	.	.
	Unk	2	0.0	2	0.0	.	.
Risk	MSM	3,421	60.3	.	4,036	48.5	.	7,616	53.2	.	.
	IDU	521	9.2	.	1,581	19.0	.	2,167	15.1	.	.
	MSM/IDU	248	4.4	.	534	6.4	.	828	5.8	.	.
	Heterosexual	482	8.5	.	854	10.3	.	1,370	9.6	.	.
	Blood Prod.	13	0.2	.	58	0.7	.	73	0.5	.	.
	Pediatric Risk	131	2.3	.	113	1.4	.	243	1.7	.	.
	Unk	862	15.2	.	1,154	13.9	.	2,030	14.2	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) -Males
HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2011), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		185	100.0	35	100.0	220	100.0	392	100.0	612	100.0	11.2	30.2	35.9
Age at Diagnosis	12 & under
	13-19	2	1.1	1	2.9	3	1.4	25	6.4	28	4.6	4.9	7.1	10.7
	20-24	11	5.9	3	8.6	14	6.4	97	24.7	111	18.1	27.2	9.9	12.6
	25-29	13	7.0	2	5.7	15	6.8	61	15.6	76	12.4	22.4	17.1	19.7
	30-39	50	27.0	8	22.9	58	26.4	77	19.6	135	22.1	21.4	37.0	43.0
	40-49	48	25.9	13	37.1	61	27.7	67	17.1	128	20.9	15.8	37.5	47.7
	50-59	46	24.9	6	17.1	52	23.6	48	12.2	100	16.3	12.2	46.0	52.0
	60+	15	8.1	2	5.7	17	7.7	17	4.3	34	5.6	3.3	44.1	50.0
Race/Ethnicity	White	84	45.4	14	40.0	98	44.5	143	36.5	241	39.4	5.9	34.9	40.7
	Black	46	24.9	8	22.9	54	24.5	137	34.9	191	31.2	37.1	24.1	28.3
	Hispanic	46	24.9	10	28.6	56	25.5	89	22.7	145	23.7	23.7	31.7	38.6
	Asian/PI	3	1.6	1	2.9	4	1.8	6	1.5	10	1.6	5.1	30.0	40.0
	Native Am
	Multi Race***	6	3.2	2	5.7	8	3.6	17	4.3	25	4.1	.	24.0	32.0
	Unk
Risk	MSM	107	57.8	20	57.1	127	57.7	277	70.7	404	66.0	.	26.5	31.4
	IDU	11	5.9	3	8.6	14	6.4	10	2.6	24	3.9	.	45.8	58.3
	MSM/IDU	3	1.6	3	8.6	6	2.7	12	3.1	18	2.9	.	16.7	33.3
	Heterosexual	21	11.4	3	8.6	24	10.9	33	8.4	57	9.3	.	36.8	42.1
	Blood Prod.
	Unk	43	23.2	6	17.1	49	22.3	60	15.3	109	17.8	.	39.4	45.0

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

**NEW YORK STATE (Excluding NYC) -Males
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		392	100.0	7.1	22,396	100.0
Age at Diagnosis	12 & under	.	.	.	174	0.8
	13-19	5	1.3	0.9	165	0.7
	20-24	28	7.1	6.9	606	2.7
	25-29	30	7.7	8.8	1,991	8.9
	30-39	85	21.7	13.5	8,568	38.3
	40-49	114	29.1	14.1	7,332	32.7
	50-59	90	23.0	11.0	2,661	11.9
	60+	40	10.2	3.9	899	4.0
Race/Ethnicity	White	155	39.5	3.6	10,458	46.7
	Black	113	28.8	23.7	7,247	32.4
	Hispanic	92	23.5	18.0	3,625	16.2
	Asian/PI	8	2.0	4.0	84	0.4
	Native Am	1	0.3	5.4	24	0.1
	Multi Race***	23	5.9	.	957	4.3
	Unk	.	.	.	1	0.0
Risk	MSM	224	57.1	.	9,905	44.2
	IDU	32	8.2	.	6,753	30.2
	MSM/IDU	21	5.4	.	1,478	6.6
	Heterosexual	41	10.5	.	1,411	6.3
	Blood Prod.	.	.	.	301	1.3
	Pediatric Risk	3	0.8	.	250	1.1
	Unk	71	18.1	.	2,298	10.3

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) - Females
Living HIV and AIDS Cases (excluding prisoners) as of December 2011, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		3,081	100.0	55.4	4,087	100.0	67.9	7,168	100.0	123.3	5,713,839
Current Age	12 & under	35	1.1	4.1	1	0.0	0.1	36	0.5	4.2	851,545
	13-19	96	3.1	17.7	26	0.7	5.2	124	1.7	22.9	541,984
	20-24	142	4.6	37.4	91	2.3	25.3	238	3.3	62.7	379,730
	25-29	205	6.7	64.0	101	2.5	33.7	313	4.4	97.7	320,380
	30-39	657	21.3	103.5	516	12.9	83.8	1,189	16.6	187.4	634,512
	40-49	926	30.1	110.9	1,426	35.7	173.8	2,377	33.2	284.7	835,009
	50-59	736	23.9	86.7	1,330	33.3	159.6	2,090	29.2	246.3	848,594
	60+	282	9.2	21.7	505	12.6	39.7	799	11.1	61.4	1,302,085
	Unk	2	0.1	2	0.0	.	.
Race/Ethnicity	White	860	27.9	20.4	994	24.9	21.3	1,867	26.0	41.7	4,414,511
	Black	1,316	42.7	263.2	1,757	44.0	352.5	3,111	43.4	615.6	510,788
	Hispanic	619	20.1	123.7	842	21.1	181.3	1,491	20.8	304.9	547,182
	Asian/PI	34	1.1	15.1	19	0.5	8.1	52	0.7	23.2	218,862
	Native Am	4	0.1	17.8	5	0.1	30.8	10	0.1	48.6	22,496
	Multi Race**	246	8.0	.	379	9.5	.	635	8.9	.	.
	Unk	2	0.1	2	0.0	.	.
Risk	IDU	387	12.6	.	879	22.0	.	1,292	18.0	.	.
	Heterosexual	1,650	53.6	.	2,152	53.9	.	3,838	53.5	.	.
	Fem. Presumed Het.	903	29.3	.	835	20.9	.	1,762	24.6	.	.
	Blood Prod.	5	0.2	.	23	0.6	.	28	0.4	.	.
	Pediatric Risk	130	4.2	.	101	2.5	.	236	3.3	.	.
	Unk	6	0.2	.	6	0.2	.	12	0.2	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) -Females
HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2011), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)				Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses			
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)		Concurrent (A÷E)*100	All Late (C÷E)*100	
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		53	100.0	14	100.0	67	100.0	145	100.0	212	100.0	3.8	25.0	31.6
Age at Diagnosis	12 & under	1	0.7	1	0.5	0.1	.	.
	13-19	1	1.9	.	.	1	1.5	14	9.7	15	7.1	2.8	6.7	6.7
	20-24	1	1.9	.	.	1	1.5	20	13.8	21	9.9	5.5	4.8	4.8
	25-29	2	3.8	1	7.1	3	4.5	17	11.7	20	9.4	6.2	10.0	15.0
	30-39	10	18.9	4	28.6	14	20.9	30	20.7	44	20.8	6.9	22.7	31.8
	40-49	20	37.7	5	35.7	25	37.3	29	20.0	54	25.5	6.5	37.0	46.3
	50-59	15	28.3	4	28.6	19	28.4	26	17.9	45	21.2	5.3	33.3	42.2
	60+	4	7.5	.	.	4	6.0	8	5.5	12	5.7	0.9	33.3	33.3
Race/Ethnicity	White	12	22.6	1	7.1	13	19.4	29	20.0	42	19.8	1.0	28.6	31.0
	Black	28	52.8	8	57.1	36	53.7	70	48.3	106	50.0	20.8	26.4	34.0
	Hispanic	8	15.1	2	14.3	10	14.9	36	24.8	46	21.7	8.6	17.4	21.7
	Asian/PI	2	3.8	1	7.1	3	4.5	1	0.7	4	1.9	1.9	50.0	75.0
	Native Am	1	0.7	1	0.5	3.4	.	.
	Multi Race***	3	5.7	2	14.3	5	7.5	8	5.5	13	6.1	.	23.1	38.5
	Unk
Risk	IDU	2	3.8	1	7.1	3	4.5	10	6.9	13	6.1	.	15.4	23.1
	Heterosexual	25	47.2	5	35.7	30	44.8	78	53.8	108	50.9	.	23.1	27.8
	Fem. Presumed Het.	26	49.1	8	57.1	34	50.7	56	38.6	90	42.5	.	28.9	37.8
	Blood Prod.
	Pediatric Risk	1	0.7	1	0.5	.	.	.
	Unk

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

**NEW YORK STATE (Excluding NYC) -Females
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		172	100.0	3.0	8,133	100.0
Age at Diagnosis	12 & under	.	.	.	148	1.8
	13-19	3	1.7	0.6	138	1.7
	20-24	10	5.8	2.6	343	4.2
	25-29	11	6.4	3.4	977	12.0
	30-39	34	19.8	5.4	3,164	38.9
	40-49	56	32.6	6.7	2,311	28.4
	50-59	43	25.0	5.1	760	9.3
	60+	15	8.7	1.2	292	3.6
Race/Ethnicity	White	34	19.8	0.8	2,403	29.5
	Black	75	43.6	14.9	3,771	46.4
	Hispanic	40	23.3	7.9	1,433	17.6
	Asian/PI	4	2.3	1.9	25	0.3
	Native Am	1	0.6	3.9	12	0.1
	Multi Race***	18	10.5	.	489	6.0
	Unk
Risk	IDU	22	12.8	.	2,795	34.4
	Heterosexual	95	55.2	.	3,626	44.6
	Fem. Presumed Het.	54	31.4	.	1,385	17.0
	Blood Prod.	.	.	.	92	1.1
	Pediatric Risk	1	0.6	.	223	2.7
	Unk	.	.	.	12	0.1

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) -PRISONERS*
Living HIV and AIDS Cases as of December 2011, by Gender, Age and Race/Ethnicity

		Living HIV (not AIDS) Cases		Living AIDS Cases		Living HIV and AIDS Cases	
		Number	Column Percent	Number	Column Percent	Number	Column Percent
Total		2,374	100.0	3,525	100.0	5,899	100.0
Gender	Male	1,898	79.9	3,026	85.8	4,924	83.5
	Female	476	20.1	499	14.2	975	16.5
Current Age	12 & under	2	0.1	0	0.0	2	0.0
	13-19	2	0.1	1	0.0	3	0.1
	20-24	24	1.0	18	0.5	42	0.7
	25-29	62	2.6	35	1.0	97	1.6
	30-39	217	9.1	240	6.8	457	7.7
	40-49	878	37.0	1,330	37.7	2,208	37.4
	50-59	909	38.3	1,434	40.7	2,343	39.7
	60+	278	11.7	467	13.2	745	12.6
	Unk	2	0.1	0	0.0	2	0.0
Race/Ethnicity	White	227	9.6	258	7.3	485	8.2
	Black	975	41.1	1,501	42.6	2,476	42.0
	Hispanic	1,048	44.1	1,489	42.2	2,537	43.0
	Asian/PI	4	0.2	2	0.1	6	0.1
	Native Am	2	0.1	3	0.1	5	0.1
	Multi Race	118	5.0	272	7.7	390	6.6
	Unk	0	0.0	0	0.0	0	0.0

Data as of March 2013.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

NEW YORK STATE (Excluding NYC) -PRISONERS*
Newly Diagnosed HIV and AIDS Cases, 2011 by Gender, Age and Race/Ethnicity

		HIV Diagnoses**		AIDS Diagnoses	
		Number	Column Percent	Number	Column Percent
Total		41	100.0	60	100.0
Gender	Male	34	82.9	52	86.7
	Female	7	17.1	8	13.3
Age at Diagnosis	12 & under	0	0.0	0	0.0
	13-19	0	0.0	4	6.7
	20-24	5	12.2	7	11.7
	25-29	12	29.3	13	21.7
	30-39	11	26.8	18	30.0
	40-49	6	14.6	12	20.0
	50-59	2	4.9	3	5.0
	60+	5	12.2	3	5.0
	Unk	0	0.0	0	0.0
Race/Ethnicity	White	7	17.1	10	16.7
	Black	20	48.8	32	53.3
	Hispanic	11	26.8	10	16.7
	Asian/PI	1	2.4	0	0.0
	Native Am	0	0.0	0	0.0
	Multi Race	2	4.9	8	13.3
	Unk	0	0.0	0	0.0

Data as of March 2013.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**NEW YORK STATE: (Excluding NYC) by Ryan White Region
Living HIV and AIDS Cases as of December 2011**

Ryan White Region	Including Prisoners*			Excluding Prisoners*		
	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Albany	1,535	2,096	3,631	1,082	1,364	2,446
Binghamton	184	278	462	174	257	431
Buffalo	1,463	1,808	3,271	1,105	1,295	2,400
Lower Hudson	1,728	2,975	4,703	1,456	2,581	4,037
Mid Hudson	1,298	2,039	3,337	808	1,285	2,093
Nassau/Suffolk	2,333	3,631	5,964	2,252	3,461	5,713
Rochester	1,384	1,740	3,124	1,172	1,425	2,597
Syracuse	1,209	1,694	2,903	711	1,068	1,779
Total	11,134	16,261	27,395	8,760	12,736	21,496

**NEW YORK STATE: (Excluding NYC) by Ryan White Region
Newly Diagnosed HIV and AIDS Cases, 2011
and Cumulative AIDS Diagnosed through December 2011**

Ryan White Region	Including Prisoners*			Excluding Prisoners*		
	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses
Albany	86	67	4,730	78	58	2,973
Binghamton	16	9	520	16	9	483
Buffalo	136	105	4,018	129	92	2,954
Lower Hudson	133	80	7,182	128	78	6,388
Mid Hudson	62	54	5,174	57	47	3,443
Nassau/Suffolk	227	153	9,179	224	149	8,831
Rochester	125	91	3,741	117	82	3,127
Syracuse	80	65	3,785	75	49	2,330
Total	865	624	38,329	824	564	30,529

Data as of March 2013.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

NEW YORK STATE RYAN WHITE REGION: ALBANY
(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)
Living HIV and AIDS Cases (excluding prisoners) as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		1,082	100.0	70.3	1,364	100.0	84.0	2,446	100.0	154.3	1,504,020
Gender	Male	698	64.5	88.0	919	67.4	110.9	1,617	66.1	198.9	745,823
	Female	384	35.5	52.7	445	32.6	57.5	829	33.9	110.3	758,197
Current Age	12 & under	13	1.2	6.1	.	.	.	13	0.5	6.1	212,865
	13-19	22	2.0	15.2	8	0.6	5.5	30	1.2	20.7	144,695
	20-24	49	4.5	44.2	17	1.2	15.3	66	2.7	59.5	110,832
	25-29	58	5.4	63.8	27	2.0	29.7	85	3.5	93.5	90,911
	30-39	174	16.1	102.1	155	11.4	91.0	329	13.5	193.1	170,393
	40-49	355	32.8	163.8	500	36.7	230.7	855	35.0	394.5	216,711
	50-59	293	27.1	128.3	465	34.1	203.7	758	31.0	332.0	228,331
	60+	117	10.8	35.5	192	14.1	58.3	309	12.6	93.8	329,282
	Unk	1	0.1	1	0.0	.	.
Race/Ethnicity	White	546	50.5	40.1	625	45.8	43.0	1,171	47.9	83.1	1,304,974
	Black	273	25.2	310.7	353	25.9	428.2	626	25.6	738.9	92,065
	Hispanic	148	13.7	321.8	227	16.6	490.5	375	15.3	812.3	61,522
	Asian/PI	11	1.0	30.1	10	0.7	31.6	21	0.9	61.7	37,857
	Native Am	1	0.1	17.6	1	0.1	18.9	2	0.1	36.5	7,602
	Multi Race**	103	9.5	.	148	10.9	.	251	10.3	.	.
	Unk
Risk	MSM	447	41.3	.	485	35.6	.	932	38.1	.	.
	IDU	112	10.4	.	241	17.7	.	353	14.4	.	.
	MSM/IDU	30	2.8	.	66	4.8	.	96	3.9	.	.
	Heterosexual	235	21.7	.	301	22.1	.	536	21.9	.	.
	Fem. Presumed Het.	128	11.8	.	110	8.1	.	238	9.7	.	.
	Blood Prod.	2	0.2	.	11	0.8	.	13	0.5	.	.
	Pediatric Risk	37	3.4	.	24	1.8	.	61	2.5	.	.
	Unk	91	8.4	.	126	9.2	.	217	8.9	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		25	100.0	5	100.0	30	100.0	48	100.0	78	100.0	5.1	32.1	38.5
Gender	Male	20	80.0	4	80.0	24	80.0	32	66.7	56	71.8	7.3	35.7	42.9
	Female	5	20.0	1	20.0	6	20.0	16	33.3	22	28.2	2.9	22.7	27.3
Age at Diagnosis	12 & under
	13-19	5	10.4	5	6.4	3.5	.	.
	20-24	1	4.0	.	.	1	3.3	8	16.7	9	11.5	8.1	11.1	11.1
	25-29	8	16.7	8	10.3	8.8	.	.
	30-39	8	32.0	1	20.0	9	30.0	5	10.4	14	17.9	8.2	57.1	64.3
	40-49	8	32.0	3	60.0	11	36.7	9	18.8	20	25.6	9.2	40.0	55.0
	50-59	5	20.0	1	20.0	6	20.0	10	20.8	16	20.5	7.0	31.3	37.5
	60+	3	12.0	.	.	3	10.0	3	6.3	6	7.7	1.8	50.0	50.0
Race/Ethnicity	White	13	52.0	3	60.0	16	53.3	27	56.3	43	55.1	3.2	30.2	37.2
	Black	6	24.0	1	20.0	7	23.3	11	22.9	18	23.1	20.1	33.3	38.9
	Hispanic	5	20.0	.	.	5	16.7	4	8.3	9	11.5	18.0	55.6	55.6
	Asian/PI	.	.	1	20.0	1	3.3	.	.	1	1.3	3.2	.	100.0
	Native Am
	Multi Race***	1	4.0	.	.	1	3.3	6	12.5	7	9.0	.	14.3	14.3
	Unk
Risk	MSM	11	44.0	.	.	11	36.7	20	41.7	31	39.7	.	35.5	35.5
	IDU	1	4.0	.	.	1	3.3	1	2.1	2	2.6	.	50.0	50.0
	MSM/IDU	2	8.0	3	60.0	5	16.7	1	2.1	6	7.7	.	33.3	83.3
	Heterosexual	5	20.0	1	20.0	6	20.0	9	18.8	15	19.2	.	33.3	40.0
	Fem. Presumed Het.	1	4.0	.	.	1	3.3	9	18.8	10	12.8	.	10.0	10.0
	Blood Prod.
	Pediatric Risk
	Unk	5	20.0	1	20.0	6	20.0	8	16.7	14	17.9	.	35.7	42.9

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: ALBANY
(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		58	100.0	3.9	2,973	100.0
Gender	Male	42	72.4	5.7	2,205	74.2
	Female	16	27.6	2.1	768	25.8
Age at Diagnosis	12 & under	.	.	.	31	1.0
	13-19	.	.	.	29	1.0
	20-24	2	3.4	1.8	90	3.0
	25-29	3	5.2	3.3	349	11.7
	30-39	14	24.1	8.2	1,117	37.6
	40-49	20	34.5	9.2	954	32.1
	50-59	13	22.4	5.7	328	11.0
	60+	6	10.3	1.8	75	2.5
Race/Ethnicity	White	30	51.7	2.3	1,569	52.8
	Black	13	22.4	17.1	799	26.9
	Hispanic	9	15.5	17.2	402	13.5
	Asian/PI	2	3.4	6.9	9	0.3
	Native Am	.	.	.	3	0.1
	Multi Race***	4	6.9	.	191	6.4
	Unk
Risk	MSM	21	36.2	.	1,102	37.1
	IDU	6	10.3	.	758	25.5
	MSM/IDU	6	10.3	.	147	4.9
	Heterosexual	14	24.1	.	456	15.3
	Fem. Presumed Het.	1	1.7	.	173	5.8
	Blood Prod.	.	.	.	46	1.5
	Pediatric Risk	1	1.7	.	46	1.5
	Unk	9	15.5	.	245	8.2

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON*(Includes counties of: Broome, Chenango, Tioga)***Living HIV and AIDS Cases (excluding prisoners) as of December 2011, by Gender, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		174	100.0	61.0	257	100.0	83.8	431	100.0	144.8	300,192
Gender	Male	107	61.5	75.9	181	70.4	118.5	288	66.8	194.4	147,792
	Female	67	38.5	46.7	76	29.6	49.8	143	33.2	96.5	152,400
Current Age	12 & under	43,347
	13-19	4	2.3	13.8	.	.	.	4	0.9	13.8	29,027
	20-24	8	4.6	34.7	6	2.3	26.0	14	3.2	60.7	23,067
	25-29	14	8.0	78.1	7	2.7	39.0	21	4.9	117.1	17,932
	30-39	34	19.5	109.6	35	13.6	112.8	69	16.0	222.4	31,021
	40-49	55	31.6	135.5	86	33.5	211.9	141	32.7	347.5	40,581
	50-59	42	24.1	90.4	91	35.4	195.8	133	30.9	286.2	46,476
	60+	17	9.8	24.7	32	12.5	46.6	49	11.4	71.3	68,741
Race/Ethnicity	White	101	58.0	38.5	142	55.3	49.6	243	56.4	88.1	270,989
	Black	39	22.4	416.9	50	19.5	526.2	89	20.6	943.2	11,485
	Hispanic	22	12.6	361.9	43	16.7	761.4	65	15.1	1123.3	8,683
	Asian/PI	2	1.1	30.0	.	.	.	2	0.5	30.0	8,295
	Native Am	740
	Multi Race**	10	5.7	.	22	8.6	.	32	7.4	.	.
	Unk
Risk	MSM	65	37.4	.	96	37.4	.	161	37.4	.	.
	IDU	25	14.4	.	43	16.7	.	68	15.8	.	.
	MSM/IDU	3	1.7	.	16	6.2	.	19	4.4	.	.
	Heterosexual	35	20.1	.	42	16.3	.	77	17.9	.	.
	Fem. Presumed Het.	26	14.9	.	20	7.8	.	46	10.7	.	.
	Blood Prod.	1	0.6	.	1	0.4	.	2	0.5	.	.
	Pediatric Risk	5	2.9	.	5	1.9	.	10	2.3	.	.
	Unk	14	8.0	.	34	13.2	.	48	11.1	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON

(Includes counties of: Broome, Chenango, Tioga)

HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		4	100.0	1	100.0	5	100.0	11	100.0	16	100.0	5.6	25.0	31.3
Gender	Male	2	50.0	1	100.0	3	60.0	8	72.7	11	68.8	8.2	18.2	27.3
	Female	2	50.0	.	.	2	40.0	3	27.3	5	31.3	3.2	40.0	40.0
Age at Diagnosis	12 & under
	13-19
	20-24	1	25.0	.	.	1	20.0	2	18.2	3	18.8	13.0	33.3	33.3
	25-29	3	27.3	3	18.8	16.7	.	.
	30-39	3	27.3	3	18.8	9.7	.	.
	40-49	1	25.0	.	.	1	20.0	2	18.2	3	18.8	7.4	33.3	33.3
	50-59	2	50.0	1	100.0	3	60.0	.	.	3	18.8	6.5	66.7	100.0
	60+	1	9.1	1	6.3	1.5	.	.
Race/Ethnicity	White	2	50.0	1	100.0	3	60.0	8	72.7	11	68.8	4.6	18.2	27.3
	Black	2	50.0	.	.	2	40.0	2	18.2	4	25.0	27.9	50.0	50.0
	Hispanic
	Asian/PI	1	9.1	1	6.3	13.9	.	.
	Native Am
	Multi Race***
	Unk
Risk	MSM	1	25.0	1	100.0	2	40.0	8	72.7	10	62.5	.	10.0	20.0
	IDU
	MSM/IDU
	Heterosexual	3	75.0	.	.	3	60.0	1	9.1	4	25.0	.	75.0	75.0
	Fem. Presumed Het.	2	18.2	2	12.5	.	.	.
	Blood Prod.
	Pediatric Risk
	Unk

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		9	100.0	2.5	483	100.0
Gender	Male	6	66.7	2.9	355	73.5
	Female	3	33.3	2.2	128	26.5
Age at Diagnosis	12 & under	.	.	.	2	0.4
	13-19	.	.	.	8	1.7
	20-24	2	22.2	8.7	23	4.8
	25-29	.	.	.	51	10.6
	30-39	.	.	.	191	39.5
	40-49	2	22.2	4.9	143	29.6
	50-59	5	55.6	10.8	56	11.6
	60+	.	.	.	9	1.9
Race/Ethnicity	White	4	44.4	1.2	296	61.3
	Black	5	55.6	45.9	90	18.6
	Hispanic	.	.	.	68	14.1
	Asian/PI
	Native Am
	Multi Race***	.	.	.	29	6.0
	Unk
Risk	MSM	3	33.3	.	193	40.0
	IDU	1	11.1	.	103	21.3
	MSM/IDU	.	.	.	34	7.0
	Heterosexual	3	33.3	.	62	12.8
	Fem. Presumed Het.	.	.	.	31	6.4
	Blood Prod.	.	.	.	3	0.6
	Pediatric Risk	.	.	.	8	1.7
	Unk	2	22.2	.	49	10.1

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BUFFALO
(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)
Living HIV and AIDS Cases (excluding prisoners) as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		1,105	100.0	75.3	1,295	100.0	81.5	2,400	100.0	156.8	1,541,576
Gender	Male	713	64.5	94.6	904	69.8	112.8	1,617	67.4	207.5	752,108
	Female	392	35.5	56.4	391	30.2	51.5	783	32.6	108.0	789,468
Current Age	12 & under	9	0.8	3.9	3	0.2	1.3	12	0.5	5.3	228,156
	13-19	16	1.4	10.9	6	0.5	4.1	22	0.9	14.9	147,231
	20-24	62	5.6	54.4	24	1.9	21.0	86	3.6	75.4	114,023
	25-29	111	10.0	115.8	38	2.9	39.6	149	6.2	155.4	95,869
	30-39	251	22.7	150.3	166	12.8	99.4	417	17.4	249.7	167,012
	40-49	339	30.7	158.6	494	38.1	231.2	833	34.7	389.8	213,696
	50-59	235	21.3	99.7	403	31.1	170.9	638	26.6	270.6	235,787
	60+	82	7.4	24.1	161	12.4	47.4	243	10.1	71.5	339,802
Race/Ethnicity	White	437	39.5	35.2	488	37.7	35.6	925	38.5	70.7	1,280,395
	Black	389	35.2	271.2	494	38.1	342.4	883	36.8	613.6	153,476
	Hispanic	162	14.7	326.5	188	14.5	400.3	350	14.6	726.8	63,813
	Asian/PI	18	1.6	57.4	11	0.8	38.4	29	1.2	95.9	31,295
	Native Am	.	.	.	5	0.4	46.9	5	0.2	46.9	12,597
	Multi Race**	99	9.0	.	109	8.4	.	208	8.7	.	.
	Unk
Risk	MSM	476	43.1	.	549	42.4	.	1,025	42.7	.	.
	IDU	135	12.2	.	212	16.4	.	347	14.5	.	.
	MSM/IDU	44	4.0	.	79	6.1	.	123	5.1	.	.
	Heterosexual	322	29.1	.	356	27.5	.	678	28.3	.	.
	Fem. Presumed Het.	62	5.6	.	39	3.0	.	101	4.2	.	.
	Blood Prod.	3	0.3	.	8	0.6	.	11	0.5	.	.
	Pediatric Risk	19	1.7	.	16	1.2	.	35	1.5	.	.
	Unk	44	4.0	.	36	2.8	.	80	3.3	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BUFFALO
(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)
HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		39	100.0	6	100.0	45	100.0	84	100.0	129	100.0	9.1	30.2	34.9
Gender	Male	26	66.7	3	50.0	29	64.4	57	67.9	86	66.7	11.9	30.2	33.7
	Female	13	33.3	3	50.0	16	35.6	27	32.1	43	33.3	6.4	30.2	37.2
Age at Diagnosis	12 & under
	13-19	1	2.6	.	.	1	2.2	5	6.0	6	4.7	4.1	16.7	16.7
	20-24	1	2.6	.	.	1	2.2	15	17.9	16	12.4	14.0	6.3	6.3
	25-29	2	5.1	.	.	2	4.4	13	15.5	15	11.6	15.6	13.3	13.3
	30-39	17	43.6	2	33.3	19	42.2	19	22.6	38	29.5	22.8	44.7	50.0
	40-49	10	25.6	4	66.7	14	31.1	18	21.4	32	24.8	15.0	31.3	43.8
	50-59	7	17.9	.	.	7	15.6	14	16.7	21	16.3	8.9	33.3	33.3
	60+	1	2.6	.	.	1	2.2	.	.	1	0.8	0.3	100.0	100.0
Race/Ethnicity	White	17	43.6	3	50.0	20	44.4	29	34.5	49	38.0	4.2	34.7	40.8
	Black	15	38.5	2	33.3	17	37.8	38	45.2	55	42.6	36.9	27.3	30.9
	Hispanic	4	10.3	1	16.7	5	11.1	10	11.9	15	11.6	26.5	26.7	33.3
	Asian/PI	1	2.6	.	.	1	2.2	2	2.4	3	2.3	9.3	33.3	33.3
	Native Am
	Multi Race***	2	5.1	.	.	2	4.4	5	6.0	7	5.4	.	28.6	28.6
	Unk
Risk	MSM	21	53.8	2	33.3	23	51.1	41	48.8	64	49.6	.	32.8	35.9
	IDU	2	5.1	.	.	2	4.4	3	3.6	5	3.9	.	40.0	40.0
	MSM/IDU	3	3.6	3	2.3	.	.	.
	Heterosexual	9	23.1	3	50.0	12	26.7	25	29.8	37	28.7	.	24.3	32.4
	Fem. Presumed Het.	6	15.4	1	16.7	7	15.6	6	7.1	13	10.1	.	46.2	53.8
	Blood Prod.
	Pediatric Risk
	Unk	1	2.6	.	.	1	2.2	6	7.1	7	5.4	.	14.3	14.3

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BUFFALO
(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		92	100.0	6.5	2,954	100.0
Gender	Male	58	63.0	8.2	2,212	74.9
	Female	34	37.0	4.7	742	25.1
Age at Diagnosis	12 & under	.	.	.	21	0.7
	13-19	2	2.2	1.4	35	1.2
	20-24	7	7.6	6.1	127	4.3
	25-29	6	6.5	6.3	318	10.8
	30-39	24	26.1	14.4	1,085	36.7
	40-49	34	37.0	15.9	928	31.4
	50-59	13	14.1	5.5	338	11.4
	60+	6	6.5	1.8	102	3.5
Race/Ethnicity	White	30	32.6	2.6	1,226	41.5
	Black	36	39.1	24.4	1,210	41.0
	Hispanic	16	17.4	31.4	352	11.9
	Asian/PI	3	3.3	8.7	13	0.4
	Native Am	1	1.1	8.2	9	0.3
	Multi Race***	6	6.5	.	144	4.9
	Unk
Risk	MSM	41	44.6	.	1,298	43.9
	IDU	10	10.9	.	708	24.0
	MSM/IDU	4	4.3	.	153	5.2
	Heterosexual	28	30.4	.	582	19.7
	Fem. Presumed Het.	8	8.7	.	62	2.1
	Blood Prod.	.	.	.	35	1.2
	Pediatric Risk	.	.	.	34	1.2
	Unk	1	1.1	.	82	2.8

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON*(Includes counties of: Putnam, Rockland, Westchester)***Living HIV and AIDS Cases (excluding prisoners) as of December 2011, by Gender, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Area Population
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	
Total		1,456	100.0	105.9	2,581	100.0	170.6	4,037	100.0	276.6	1,370,990
Gender	Male	905	62.2	134.5	1,679	65.1	228.9	2,584	64.0	363.4	665,126
	Female	550	37.8	78.9	902	34.9	117.5	1,452	36.0	196.3	705,864
	Unk	1	0.1	1	0.0	.	.
Current Age	12 & under	12	0.8	5.1	.	.	.	12	0.3	5.1	236,211
	13-19	39	2.7	28.5	13	0.5	9.5	52	1.3	38.0	136,876
	20-24	69	4.7	87.6	38	1.5	48.3	107	2.7	135.9	78,752
	25-29	96	6.6	125.3	60	2.3	78.3	156	3.9	203.7	76,598
	30-39	273	18.8	169.2	247	9.6	153.1	520	12.9	322.3	161,316
	40-49	432	29.7	208.7	782	30.3	377.8	1,214	30.1	586.5	206,994
	50-59	367	25.2	186.5	962	37.3	488.9	1,329	32.9	675.4	196,762
	60+	167	11.5	60.2	477	18.5	171.9	644	16.0	232.1	277,481
	Unk	1	0.1	.	2	0.1	.	3	0.1	.	.
Race/Ethnicity	White	356	24.5	40.6	547	21.2	53.3	903	22.4	94.0	838,396
	Black	615	42.2	346.4	1,102	42.7	579.5	1,717	42.5	925.9	173,660
	Hispanic	381	26.2	139.9	715	27.7	291.0	1,096	27.1	430.9	276,775
	Asian/PI	8	0.5	10.1	7	0.3	7.7	15	0.4	17.8	79,718
	Native Am	3	0.2	141.2	3	0.1	154.4	6	0.1	295.6	2,441
	Multi Race**	93	6.4	.	207	8.0	.	300	7.4	.	.
	Unk
Risk	MSM	482	33.1	.	662	25.6	.	1,144	28.3	.	.
	IDU	144	9.9	.	645	25.0	.	789	19.5	.	.
	MSM/IDU	27	1.9	.	119	4.6	.	146	3.6	.	.
	Heterosexual	483	33.2	.	839	32.5	.	1,322	32.7	.	.
	Fem. Presumed Het.	124	8.5	.	95	3.7	.	219	5.4	.	.
	Blood Prod.	1	0.1	.	10	0.4	.	11	0.3	.	.
	Pediatric Risk	51	3.5	.	42	1.6	.	93	2.3	.	.
	Unk	144	9.9	.	169	6.5	.	313	7.8	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON

(Includes counties of: Putnam, Rockland, Westchester)

HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		32	100.0	5	100.0	37	100.0	91	100.0	128	100.0	9.5	25.0	28.9
Gender	Male	29	90.6	3	60.0	32	86.5	67	73.6	99	77.3	15.1	29.3	32.3
	Female	3	9.4	2	40.0	5	13.5	24	26.4	29	22.7	4.1	10.3	17.2
Age at Diagnosis	12 & under
	13-19	1	3.1	.	.	1	2.7	3	3.3	4	3.1	2.9	25.0	25.0
	20-24	18	19.8	18	14.1	22.9	.	.
	25-29	2	6.3	.	.	2	5.4	10	11.0	12	9.4	15.7	16.7	16.7
	30-39	8	25.0	3	60.0	11	29.7	14	15.4	25	19.5	15.5	32.0	44.0
	40-49	9	28.1	1	20.0	10	27.0	21	23.1	31	24.2	15.0	29.0	32.3
	50-59	8	25.0	1	20.0	9	24.3	17	18.7	26	20.3	13.2	30.8	34.6
	60+	4	12.5	.	.	4	10.8	8	8.8	12	9.4	4.3	33.3	33.3
Race/Ethnicity	White	6	18.8	.	.	6	16.2	15	16.5	21	16.4	2.6	28.6	28.6
	Black	9	28.1	3	60.0	12	32.4	46	50.5	58	45.3	32.7	15.5	20.7
	Hispanic	15	46.9	2	40.0	17	45.9	24	26.4	41	32.0	15.0	36.6	41.5
	Asian/PI	1	3.1	.	.	1	2.7	1	1.1	2	1.6	2.4	50.0	50.0
	Native Am
	Multi Race***	1	3.1	.	.	1	2.7	5	5.5	6	4.7	.	16.7	16.7
	Unk
Risk	MSM	10	31.3	1	20.0	11	29.7	43	47.3	54	42.2	.	18.5	20.4
	IDU	3	9.4	1	20.0	4	10.8	2	2.2	6	4.7	.	50.0	66.7
	MSM/IDU	2	2.2	2	1.6	.	.	.
	Heterosexual	10	31.3	.	.	10	27.0	28	30.8	38	29.7	.	26.3	26.3
	Fem. Presumed Het.	2	6.3	2	40.0	4	10.8	7	7.7	11	8.6	.	18.2	36.4
	Blood Prod.
	Pediatric Risk
	Unk	7	21.9	1	20.0	8	21.6	9	9.9	17	13.3	.	41.2	47.1

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		78	100.0	5.8	6,388	100.0
Gender	Male	56	71.8	8.5	4,528	70.9
	Female	22	28.2	3.2	1,860	29.1
Age at Diagnosis	12 & under	.	.	.	84	1.3
	13-19	2	2.6	1.5	56	0.9
	20-24	6	7.7	7.6	166	2.6
	25-29	5	6.4	6.5	528	8.3
	30-39	20	25.6	12.4	2,375	37.2
	40-49	20	25.6	9.7	2,110	33.0
	50-59	17	21.8	8.6	759	11.9
	60+	8	10.3	2.9	310	4.9
Race/Ethnicity	White	14	17.9	1.5	1,896	29.7
	Black	27	34.6	15.3	2,853	44.7
	Hispanic	30	38.5	11.3	1,332	20.9
	Asian/PI	2	2.6	2.2	18	0.3
	Native Am	1	1.3	64.7	4	0.1
	Multi Race***	4	5.1	.	285	4.5
	Unk
Risk	MSM	25	32.1	.	1,639	25.7
	IDU	7	9.0	.	2,397	37.5
	MSM/IDU	.	.	.	302	4.7
	Heterosexual	25	32.1	.	1,371	21.5
	Fem. Presumed Het.	7	9.0	.	177	2.8
	Blood Prod.	.	.	.	60	0.9
	Pediatric Risk	.	.	.	107	1.7
	Unk	14	17.9	.	335	5.2

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON*(Includes counties of: Dutchess, Orange, Sullivan, Ulster)***Living HIV and AIDS Cases (excluding prisoners) as of December 2011, by Gender, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		808	100.0	82.2	1,285	100.0	121.1	2,093	100.0	203.3	932,219
Gender	Male	489	60.5	97.8	846	65.8	156.8	1,335	63.8	254.7	465,977
	Female	319	39.5	66.7	439	34.2	86.2	758	36.2	152.9	466,242
Current Age	12 & under	5	0.6	3.3	.	.	.	5	0.2	3.3	150,626
	13-19	17	2.1	17.5	7	0.5	7.2	24	1.1	24.7	97,236
	20-24	42	5.2	64.4	28	2.2	43.0	70	3.3	107.4	65,176
	25-29	53	6.6	103.1	23	1.8	44.8	76	3.6	147.9	51,391
	30-39	120	14.9	113.3	105	8.2	99.2	225	10.8	212.5	105,897
	40-49	240	29.7	167.5	383	29.8	267.3	623	29.8	434.8	143,289
	50-59	249	30.8	178.4	508	39.5	364.1	757	36.2	542.5	139,538
	60+	81	10.0	45.2	231	18.0	129.0	312	14.9	174.2	179,066
	Unk	1	0.1	1	0.0	.	.
Race/Ethnicity	White	336	41.6	45.4	401	31.2	49.7	737	35.2	95.1	688,962
	Black	222	27.5	243.2	405	31.5	454.7	627	30.0	697.9	85,888
	Hispanic	166	20.5	138.6	337	26.2	329.3	503	24.0	467.9	128,353
	Asian/PI	8	1.0	31.0	4	0.3	16.2	12	0.6	47.2	26,305
	Native Am	2	0.2	56.3	1	0.1	33.6	3	0.1	89.8	2,711
	Multi Race**	73	9.0	.	137	10.7	.	210	10.0	.	.
	Unk	1	0.1	1	0.0	.	.
Risk	MSM	236	29.2	.	284	22.1	.	520	24.8	.	.
	IDU	139	17.2	.	374	29.1	.	513	24.5	.	.
	MSM/IDU	31	3.8	.	60	4.7	.	91	4.3	.	.
	Heterosexual	264	32.7	.	385	30.0	.	649	31.0	.	.
	Fem. Presumed Het.	50	6.2	.	55	4.3	.	105	5.0	.	.
	Blood Prod.	1	0.1	.	8	0.6	.	9	0.4	.	.
	Pediatric Risk	29	3.6	.	29	2.3	.	58	2.8	.	.
	Unk	58	7.2	.	90	7.0	.	148	7.1	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON

(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		19	100.0	3	100.0	22	100.0	35	100.0	57	100.0	6.2	33.3	38.6
Gender	Male	14	73.7	2	66.7	16	72.7	27	77.1	43	75.4	9.4	32.6	37.2
	Female	5	26.3	1	33.3	6	27.3	8	22.9	14	24.6	2.8	35.7	42.9
Age at Diagnosis	12 & under
	13-19	2	5.7	2	3.5	2.1	.	.
	20-24	11	31.4	11	19.3	16.9	.	.
	25-29	2	10.5	.	.	2	9.1	1	2.9	3	5.3	5.8	66.7	66.7
	30-39	4	21.1	1	33.3	5	22.7	6	17.1	11	19.3	10.4	36.4	45.5
	40-49	6	31.6	2	66.7	8	36.4	8	22.9	16	28.1	11.2	37.5	50.0
	50-59	6	31.6	.	.	6	27.3	4	11.4	10	17.5	7.2	60.0	60.0
	60+	1	5.3	.	.	1	4.5	3	8.6	4	7.0	2.2	25.0	25.0
Race/Ethnicity	White	7	36.8	1	33.3	8	36.4	9	25.7	17	29.8	2.5	41.2	47.1
	Black	4	21.1	2	66.7	6	27.3	12	34.3	18	31.6	20.4	22.2	33.3
	Hispanic	5	26.3	.	.	5	22.7	11	31.4	16	28.1	12.5	31.3	31.3
	Asian/PI	2	10.5	.	.	2	9.1	1	2.9	3	5.3	11.9	66.7	66.7
	Native Am
	Multi Race***	1	5.3	.	.	1	4.5	2	5.7	3	5.3	.	33.3	33.3
	Unk
Risk	MSM	8	42.1	.	.	8	36.4	19	54.3	27	47.4	.	29.6	29.6
	IDU	3	15.8	.	.	3	13.6	5	14.3	8	14.0	.	37.5	37.5
	MSM/IDU
	Heterosexual	6	31.6	2	66.7	8	36.4	8	22.9	16	28.1	.	37.5	50.0
	Fem. Presumed Het.	1	5.3	.	.	1	4.5	1	2.9	2	3.5	.	50.0	50.0
	Blood Prod.
	Pediatric Risk
	Unk	1	5.3	1	33.3	2	9.1	2	5.7	4	7.0	.	25.0	50.0

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		47	100.0	5.3	3,443	100.0
Gender	Male	33	70.2	7.3	2,549	74.0
	Female	14	29.8	3.2	894	26.0
Age at Diagnosis	12 & under	.	.	.	39	1.1
	13-19	1	2.1	1.0	31	0.9
	20-24	1	2.1	1.5	73	2.1
	25-29	5	10.6	9.7	288	8.4
	30-39	12	25.5	11.3	1,341	38.9
	40-49	17	36.2	11.9	1,135	33.0
	50-59	7	14.9	5.0	409	11.9
	60+	4	8.5	2.2	127	3.7
Race/Ethnicity	White	15	31.9	2.3	1,260	36.6
	Black	15	31.9	16.7	1,136	33.0
	Hispanic	12	25.5	9.6	843	24.5
	Asian/PI	2	4.3	8.0	7	0.2
	Native Am	.	.	.	4	0.1
	Multi Race***	3	6.4	.	193	5.6
	Unk
Risk	MSM	16	34.0	.	765	22.2
	IDU	9	19.1	.	1,495	43.4
	MSM/IDU	2	4.3	.	157	4.6
	Heterosexual	14	29.8	.	619	18.0
	Fem. Presumed Het.	1	2.1	.	103	3.0
	Blood Prod.	.	.	.	39	1.1
	Pediatric Risk	1	2.1	.	55	1.6
	Unk	4	8.5	.	210	6.1

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK

(Includes counties of: Nassau, Suffolk)

Living HIV and AIDS Cases (excluding prisoners) as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		2,252	100.0	78.0	3,461	100.0	109.6	5,713	100.0	187.6	2,843,252
Gender	Male	1,467	65.1	103.4	2,378	68.7	154.5	3,845	67.3	258.0	1,388,358
	Female	785	34.9	53.2	1,083	31.3	67.6	1,868	32.7	120.8	1,454,894
Current Age	12 & under	18	0.8	4.0	.	.	.	18	0.3	4.0	452,408
	13-19	62	2.8	22.1	17	0.5	6.1	79	1.4	28.1	280,764
	20-24	133	5.9	76.2	77	2.2	44.1	210	3.7	120.3	174,553
	25-29	175	7.8	112.9	102	2.9	65.8	277	4.8	178.6	155,061
	30-39	418	18.6	127.6	376	10.9	114.8	794	13.9	242.4	327,590
	40-49	654	29.0	147.6	1,093	31.6	246.6	1,747	30.6	394.2	443,185
	50-59	560	24.9	131.8	1,228	35.5	289.1	1,788	31.3	421.0	424,728
	60+	228	10.1	39.0	568	16.4	97.1	796	13.9	136.1	584,963
	Unk	4	0.2	4	0.1	.	.
Race/Ethnicity	White	841	37.3	41.3	1,164	33.6	49.1	2,005	35.1	90.5	1,951,333
	Black	722	32.1	270.9	1,160	33.5	420.7	1,882	32.9	691.6	261,141
	Hispanic	527	23.4	117.8	830	24.0	202.8	1,357	23.8	320.5	457,508
	Asian/PI	26	1.2	14.8	23	0.7	12.4	49	0.9	27.2	167,576
	Native Am	.	.	.	1	0.0	12.8	1	0.0	12.8	5,694
	Multi Race**	133	5.9	.	283	8.2	.	416	7.3	.	.
	Unk	3	0.1	3	0.1	.	.
Risk	MSM	864	38.4	.	1,167	33.7	.	2,031	35.6	.	.
	IDU	183	8.1	.	606	17.5	.	789	13.8	.	.
	MSM/IDU	60	2.7	.	128	3.7	.	188	3.3	.	.
	Heterosexual	433	19.2	.	666	19.2	.	1,099	19.2	.	.
	Fem. Presumed Het.	292	13.0	.	322	9.3	.	614	10.7	.	.
	Blood Prod.	9	0.4	.	26	0.8	.	35	0.6	.	.
	Pediatric Risk	91	4.0	.	75	2.2	.	166	2.9	.	.
	Unk	320	14.2	.	471	13.6	.	791	13.8	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK

(Includes counties of: Nassau, Suffolk)

HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		67	100.0	13	100.0	80	100.0	144	100.0	224	100.0	8.4	29.9	35.7
Gender	Male	55	82.1	9	69.2	64	80.0	108	75.0	172	76.8	12.9	32.0	37.2
	Female	12	17.9	4	30.8	16	20.0	36	25.0	52	23.2	3.9	23.1	30.8
Age at Diagnosis	12 & under
	13-19	.	.	1	7.7	1	1.3	13	9.0	14	6.3	5.0	.	7.1
	20-24	6	9.0	2	15.4	8	10.0	36	25.0	44	19.6	25.2	13.6	18.2
	25-29	6	9.0	1	7.7	7	8.8	21	14.6	28	12.5	18.1	21.4	25.0
	30-39	14	20.9	3	23.1	17	21.3	39	27.1	56	25.0	17.1	25.0	30.4
	40-49	16	23.9	2	15.4	18	22.5	16	11.1	34	15.2	7.7	47.1	52.9
	50-59	22	32.8	4	30.8	26	32.5	13	9.0	39	17.4	9.2	56.4	66.7
	60+	3	4.5	.	.	3	3.8	6	4.2	9	4.0	1.5	33.3	33.3
Race/Ethnicity	White	25	37.3	2	15.4	27	33.8	33	22.9	60	26.8	3.3	41.7	45.0
	Black	20	29.9	4	30.8	24	30.0	51	35.4	75	33.5	28.3	26.7	32.0
	Hispanic	18	26.9	4	30.8	22	27.5	55	38.2	77	34.4	15.0	23.4	28.6
	Asian/PI	1	1.5	.	.	1	1.3	2	1.4	3	1.3	1.6	33.3	33.3
	Native Am
	Multi Race***	3	4.5	3	23.1	6	7.5	3	2.1	9	4.0	.	33.3	66.7
	Unk
Risk	MSM	34	50.7	7	53.8	41	51.3	74	51.4	115	51.3	.	29.6	35.7
	IDU	3	4.5	1	7.7	4	5.0	1	0.7	5	2.2	.	60.0	80.0
	MSM/IDU	3	2.1	3	1.3	.	.	.
	Heterosexual	5	7.5	.	.	5	6.3	24	16.7	29	12.9	.	17.2	17.2
	Fem. Presumed Het.	7	10.4	3	23.1	10	12.5	17	11.8	27	12.1	.	25.9	37.0
	Blood Prod.
	Pediatric Risk
	Unk	18	26.9	2	15.4	20	25.0	25	17.4	45	20.1	.	40.0	44.4

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		149	100.0	5.0	8,831	100.0
Gender	Male	105	70.5	7.3	6,476	73.3
	Female	44	29.5	2.7	2,355	26.7
Age at Diagnosis	12 & under	.	.	.	112	1.3
	13-19	1	0.7	0.4	92	1.0
	20-24	11	7.4	6.3	267	3.0
	25-29	11	7.4	7.1	824	9.3
	30-39	26	17.4	7.9	3,482	39.4
	40-49	37	24.8	8.3	2,721	30.8
	50-59	49	32.9	11.5	969	11.0
	60+	14	9.4	2.4	364	4.1
Race/Ethnicity	White	42	28.2	2.0	3,856	43.7
	Black	46	30.9	17.1	3,111	35.2
	Hispanic	44	29.5	10.6	1,439	16.3
	Asian/PI	1	0.7	0.5	40	0.5
	Native Am	.	.	.	6	0.1
	Multi Race***	16	10.7	.	378	4.3
	Unk	.	.	.	1	0.0
Risk	MSM	65	43.6	.	2,753	31.2
	IDU	12	8.1	.	2,744	31.1
	MSM/IDU	4	2.7	.	414	4.7
	Heterosexual	24	16.1	.	1,179	13.4
	Fem. Presumed Het.	19	12.8	.	521	5.9
	Blood Prod.	.	.	.	127	1.4
	Pediatric Risk	1	0.7	.	168	1.9
	Unk	24	16.1	.	925	10.5

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: ROCHESTER
(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylar, Seneca, Steuben, Wayne, Yates)
Living HIV and AIDS Cases (excluding prisoners) as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Area Population
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	
Total		1,172	100.0	91.5	1,425	100.0	103.3	2,597	100.0	194.9	1,279,542
Gender	Male	842	71.8	132.1	996	69.9	145.4	1,838	70.8	277.5	625,184
	Female	330	28.2	52.3	429	30.1	63.2	759	29.2	115.4	654,358
Current Age	12 & under	.	.	.	1	0.1	0.5	1	0.0	0.5	197,157
	13-19	22	1.9	17.3	3	0.2	2.4	25	1.0	19.7	126,844
	20-24	76	6.5	80.7	29	2.0	30.8	105	4.0	111.5	94,194
	25-29	89	7.6	112.2	45	3.2	56.7	134	5.2	169.0	79,298
	30-39	203	17.3	143.4	132	9.3	93.2	335	12.9	236.6	141,581
	40-49	371	31.7	205.0	479	33.6	264.7	850	32.7	469.7	180,973
	50-59	296	25.3	155.1	507	35.6	265.7	803	30.9	420.9	190,793
	60+	114	9.7	42.4	229	16.1	85.2	343	13.2	127.7	268,702
	Unk	1	0.1	1	0.0	.	.
Race/Ethnicity	White	491	41.9	46.6	553	38.8	47.5	1,044	40.2	94.1	1,040,791
	Black	429	36.6	338.8	548	38.5	449.7	977	37.6	788.5	131,668
	Hispanic	175	14.9	310.6	222	15.6	414.1	397	15.3	724.7	71,087
	Asian/PI	4	0.3	11.8	4	0.3	14.4	8	0.3	26.2	32,452
	Native Am	1	0.1	31.5	.	.	.	1	0.0	31.5	3,544
	Multi Race**	72	6.1	.	98	6.9	.	170	6.5	.	.
	Unk
Risk	MSM	538	45.9	.	522	36.6	.	1,060	40.8	.	.
	IDU	115	9.8	.	283	19.9	.	398	15.3	.	.
	MSM/IDU	39	3.3	.	58	4.1	.	97	3.7	.	.
	Heterosexual	183	15.6	.	241	16.9	.	424	16.3	.	.
	Fem. Presumed Het.	146	12.5	.	148	10.4	.	294	11.3	.	.
	Blood Prod.	.	.	.	9	0.6	.	9	0.3	.	.
	Pediatric Risk	15	1.3	.	15	1.1	.	30	1.2	.	.
	Unk	136	11.6	.	149	10.5	.	285	11.0	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: ROCHESTER

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)

HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		31	100.0	8	100.0	39	100.0	78	100.0	117	100.0	9.2	26.5	33.3
Gender	Male	24	77.4	5	62.5	29	74.4	63	80.8	92	78.6	14.8	26.1	31.5
	Female	7	22.6	3	37.5	10	25.6	15	19.2	25	21.4	3.6	28.0	40.0
Age at Diagnosis	12 & under
	13-19	1	3.2	.	.	1	2.6	6	7.7	7	6.0	5.5	14.3	14.3
	20-24	2	6.5	1	12.5	3	7.7	14	17.9	17	14.5	18.0	11.8	17.6
	25-29	1	3.2	1	12.5	2	5.1	15	19.2	17	14.5	21.4	5.9	11.8
	30-39	8	25.8	1	12.5	9	23.1	13	16.7	22	18.8	15.5	36.4	40.9
	40-49	9	29.0	2	25.0	11	28.2	13	16.7	24	20.5	13.3	37.5	45.8
	50-59	4	12.9	2	25.0	6	15.4	14	17.9	20	17.1	10.5	20.0	30.0
	60+	6	19.4	1	12.5	7	17.9	3	3.8	10	8.5	3.7	60.0	70.0
Race/Ethnicity	White	14	45.2	1	12.5	15	38.5	34	43.6	49	41.9	5.0	28.6	30.6
	Black	12	38.7	2	25.0	14	35.9	28	35.9	42	35.9	30.9	28.6	33.3
	Hispanic	5	16.1	4	50.0	9	23.1	13	16.7	22	18.8	33.2	22.7	40.9
	Asian/PI	.	.	1	12.5	1	2.6	.	.	1	0.9	4.1	.	100.0
	Native Am
	Multi Race***	3	3.8	3	2.6	.	.	.
	Unk
Risk	MSM	12	38.7	3	37.5	15	38.5	48	61.5	63	53.8	.	19.0	23.8
	IDU	1	3.2	.	.	1	2.6	7	9.0	8	6.8	.	12.5	12.5
	MSM/IDU	3	3.8	3	2.6	.	.	.
	Heterosexual	4	12.9	2	25.0	6	15.4	8	10.3	14	12.0	.	28.6	42.9
	Fem. Presumed Het.	6	19.4	2	25.0	8	20.5	7	9.0	15	12.8	.	40.0	53.3
	Blood Prod.
	Pediatric Risk
	Unk	8	25.8	1	12.5	9	23.1	5	6.4	14	12.0	.	57.1	64.3

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: ROCHESTER
(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylar, Seneca, Steuben, Wayne, Yates)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		82	100.0	6.3	3,127	100.0
Gender	Male	60	73.2	9.4	2,311	73.9
	Female	22	26.8	3.4	816	26.1
Age at Diagnosis	12 & under	.	.	.	21	0.7
	13-19	2	2.4	1.6	21	0.7
	20-24	7	8.5	7.4	103	3.3
	25-29	4	4.9	5.0	335	10.7
	30-39	16	19.5	11.3	1,198	38.3
	40-49	21	25.6	11.6	977	31.2
	50-59	18	22.0	9.4	339	10.8
	60+	14	17.1	5.2	133	4.3
Race/Ethnicity	White	31	37.8	3.0	1,426	45.6
	Black	30	36.6	23.9	1,161	37.1
	Hispanic	17	20.7	27.5	411	13.1
	Asian/PI	1	1.2	4.1	7	0.2
	Native Am	.	.	.	2	0.1
	Multi Race***	3	3.7	.	120	3.8
	Unk
Risk	MSM	34	41.5	.	1,186	37.9
	IDU	6	7.3	.	864	27.6
	MSM/IDU	2	2.4	.	134	4.3
	Heterosexual	14	17.1	.	366	11.7
	Fem. Presumed Het.	13	15.9	.	214	6.8
	Blood Prod.	.	.	.	34	1.1
	Pediatric Risk	1	1.2	.	29	0.9
	Unk	12	14.6	.	300	9.6

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: SYRACUSE
*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison,
 Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)*

Living HIV and AIDS Cases (excluding prisoners) as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Area Population
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	
Total		711	100.0	50.9	1,068	100.0	72.8	1,779	100.0	123.8	1,448,496
Gender	Male	457	64.3	64.4	746	69.9	100.5	1,203	67.6	164.9	716,080
	Female	254	35.7	37.5	322	30.1	45.8	576	32.4	83.2	732,416
Current Age	12 & under	4	0.6	1.8	.	.	.	4	0.2	1.8	221,336
	13-19	17	2.4	11.2	3	0.3	2.0	20	1.1	13.2	151,545
	20-24	44	6.2	34.4	18	1.7	14.1	62	3.5	48.5	127,735
	25-29	69	9.7	74.7	27	2.5	29.2	96	5.4	103.9	92,425
	30-39	148	20.8	92.8	134	12.5	84.1	282	15.9	176.9	159,414
	40-49	223	31.4	112.5	407	38.1	205.4	630	35.4	317.9	198,175
	50-59	147	20.7	71.1	346	32.4	167.2	493	27.7	238.3	206,885
	60+	59	8.3	20.3	133	12.5	45.7	192	10.8	66.0	290,981
Race/Ethnicity	White	383	53.9	31.4	562	52.6	43.0	945	53.1	74.4	1,254,577
	Black	192	27.0	233.2	293	27.4	399.0	485	27.3	632.2	91,620
	Hispanic	76	10.7	195.5	112	10.5	340.8	188	10.6	536.3	54,092
	Asian/PI	13	1.8	41.7	12	1.1	39.2	25	1.4	80.9	39,634
	Native Am	2	0.3	20.6	4	0.4	48.6	6	0.3	69.2	8,573
	Multi Race**	45	6.3	.	85	8.0	.	130	7.3	.	.
	Unk
Risk	MSM	313	44.0	.	430	40.3	.	743	41.8	.	.
	IDU	56	7.9	.	147	13.8	.	203	11.4	.	.
	MSM/IDU	14	2.0	.	54	5.1	.	68	3.8	.	.
	Heterosexual	177	24.9	.	246	23.0	.	423	23.8	.	.
	Fem. Presumed Het.	75	10.5	.	70	6.6	.	145	8.2	.	.
	Blood Prod.	1	0.1	.	10	0.9	.	11	0.6	.	.
	Pediatric Risk	14	2.0	.	12	1.1	.	26	1.5	.	.
	Unk	61	8.6	.	99	9.3	.	160	9.0	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)
HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		21	100.0	8	100.0	29	100.0	46	100.0	75	100.0	5.0	28.0	38.7
Gender	Male	15	71.4	8	100.0	23	79.3	30	65.2	53	70.7	6.9	28.3	43.4
	Female	6	28.6	.	.	6	20.7	16	34.8	22	29.3	3.0	27.3	27.3
Age at Diagnosis	12 & under	1	2.2	1	1.3	0.5	.	.
	13-19	5	10.9	5	6.7	3.3	.	.
	20-24	1	4.8	.	.	1	3.4	13	28.3	14	18.7	11.0	7.1	7.1
	25-29	2	9.5	1	12.5	3	10.3	7	15.2	10	13.3	10.8	20.0	30.0
	30-39	1	4.8	1	12.5	2	6.9	8	17.4	10	13.3	6.3	10.0	20.0
	40-49	9	42.9	4	50.0	13	44.8	9	19.6	22	29.3	11.1	40.9	59.1
	50-59	7	33.3	1	12.5	8	27.6	2	4.3	10	13.3	4.8	70.0	80.0
	60+	1	4.8	1	12.5	2	6.9	1	2.2	3	4.0	1.0	33.3	66.7
Race/Ethnicity	White	12	57.1	4	50.0	16	55.2	17	37.0	33	44.0	2.5	36.4	48.5
	Black	6	28.6	2	25.0	8	27.6	19	41.3	27	36.0	29.3	22.2	29.6
	Hispanic	2	9.5	1	12.5	3	10.3	8	17.4	11	14.7	24.0	18.2	27.3
	Asian/PI
	Native Am	1	2.2	1	1.3	8.1	.	.
	Multi Race***	1	4.8	1	12.5	2	6.9	1	2.2	3	4.0	.	33.3	66.7
	Unk
Risk	MSM	10	47.6	6	75.0	16	55.2	24	52.2	40	53.3	.	25.0	40.0
	IDU	.	.	2	25.0	2	6.9	1	2.2	3	4.0	.	.	66.7
	MSM/IDU	1	4.8	.	.	1	3.4	.	.	1	1.3	.	100.0	100.0
	Heterosexual	4	19.0	.	.	4	13.8	8	17.4	12	16.0	.	33.3	33.3
	Fem. Presumed Het.	3	14.3	.	.	3	10.3	7	15.2	10	13.3	.	30.0	30.0
	Blood Prod.
	Pediatric Risk	1	2.2	1	1.3	.	.	.
	Unk	3	14.3	.	.	3	10.3	5	10.9	8	10.7	.	37.5	37.5

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2011) and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		49	100.0	3.3	2,330	100.0
Gender	Male	32	65.3	4.2	1,760	75.5
	Female	17	34.7	2.4	570	24.5
Age at Diagnosis	12 & under	.	.	.	12	0.5
	13-19	.	.	.	31	1.3
	20-24	2	4.1	1.6	100	4.3
	25-29	7	14.3	7.6	275	11.8
	30-39	7	14.3	4.4	943	40.5
	40-49	19	38.8	9.6	675	29.0
	50-59	11	22.4	5.3	223	9.6
	60+	3	6.1	1.0	71	3.0
Race/Ethnicity	White	23	46.9	1.8	1,332	57.2
	Black	16	32.7	20.4	658	28.2
	Hispanic	4	8.2	13.0	211	9.1
	Asian/PI	1	2.0	3.6	15	0.6
	Native Am	.	.	.	8	0.3
	Multi Race***	5	10.2	.	106	4.5
	Unk
Risk	MSM	19	38.8	.	969	41.6
	IDU	3	6.1	.	479	20.6
	MSM/IDU	3	6.1	.	137	5.9
	Heterosexual	14	28.6	.	402	17.3
	Fem. Presumed Het.	5	10.2	.	104	4.5
	Blood Prod.	.	.	.	49	2.1
	Pediatric Risk	.	.	.	26	1.1
	Unk	5	10.2	.	164	7.0

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY: by Borough
Living HIV and AIDS Cases as of December 2011

Borough	Living HIV (not AIDS)	Living AIDS	Living HIV & AIDS
Bronx	8,822	14,706	23,528
Brooklyn	10,576	17,047	27,623
Manhattan	14,337	19,734	34,071
Queens	6,251	10,142	16,393
Staten Island	768	1,153	1,921
Total	<i>40,754</i>	<i>62,782</i>	<i>103,536</i>

**NEW YORK CITY: by Borough
Newly Diagnosed HIV and AIDS Cases, 2011
and Cumulative AIDS Diagnosed through December 2011**

Borough	HIV Diagnoses*	AIDS Diagnoses	Cumulative AIDS Diagnoses
Bronx	643	550	35,172
Brooklyn	919	651	43,175
Manhattan	785	498	54,618
Queens	483	326	22,968
Staten Island	37	34	3,273
Total	2,867	2,059	159,206

Data as of March 2013.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

NEW YORK CITY BOROUGH: BRONX
Living HIV and AIDS Cases as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		8,822	100.0	647.3	14,706	100.0	1078.3	23,528	100.0	1725.6	1,392,002
Gender	Male	5,049	57.2	799.8	9,020	61.3	1454.2	14,069	59.8	2253.9	655,357
	Female	3,772	42.8	518.4	5,686	38.7	773.5	9,458	40.2	1291.9	736,645
	Unk	1	0.0	1	0.0	.	.
Current Age	12 & under	82	0.9	30.9	6	0.0	2.3	88	0.4	33.2	264,997
	13-19	249	2.8	167.5	150	1.0	100.9	399	1.7	268.4	148,682
	20-24	516	5.8	441.1	323	2.2	276.1	839	3.6	717.2	116,982
	25-29	700	7.9	658.7	450	3.1	423.5	1,150	4.9	1082.2	106,267
	30-39	1,815	20.6	968.3	1,633	11.1	871.2	3,448	14.7	1839.4	187,450
	40-49	2,580	29.2	1346.8	4,881	33.2	2547.9	7,461	31.7	3894.7	191,566
	50-59	2,026	23.0	1237.3	4,985	33.9	3044.4	7,011	29.8	4281.7	163,744
	60+	854	9.7	402.2	2,276	15.5	1072.0	3,130	13.3	1474.2	212,314
	Unk	.	.	.	2	0.0	.	2	0.0	.	.
Race/Ethnicity	White	351	4.0	240.9	562	3.8	350.4	913	3.9	591.3	158,842
	Black	4,192	47.5	967.2	6,222	42.3	1403.5	10,414	44.3	2370.7	426,362
	Hispanic	4,094	46.4	574.9	7,646	52.0	1113.0	11,740	49.9	1687.9	748,438
	Asian/PI	37	0.4	66.3	49	0.3	87.2	86	0.4	153.5	53,668
	Native Am	7	0.1	148.5	9	0.1	214.4	16	0.1	362.9	4,692
	Multi Race**	104	1.2	.	211	1.4	.	315	1.3	.	.
	Unk	37	0.4	.	7	0.0	.	44	0.2	.	.
Risk	MSM	1,889	21.4	.	2,377	16.2	.	4,266	18.1	.	.
	IDU	1,033	11.7	.	3,806	25.9	.	4,839	20.6	.	.
	MSM/IDU	140	1.6	.	433	2.9	.	573	2.4	.	.
	Heterosexual	1,607	18.2	.	2,947	20.0	.	4,554	19.4	.	.
	Fem. Presumed Het.	1,984	22.5	.	2,154	14.6	.	4,138	17.6	.	.
	Blood Prod.	6	0.1	.	34	0.2	.	40	0.2	.	.
	Pediatric Risk	423	4.8	.	410	2.8	.	833	3.5	.	.
	Unk	1,740	19.7	.	2,545	17.3	.	4,285	18.2	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BRONX
HIV Cases, Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		160	100.0	39	100.0	199	100.0	444	100.0	643	100.0	45.9	24.9	30.9
Gender	Male	110	68.8	29	74.4	139	69.8	287	64.6	426	66.3	64.4	25.8	32.6
	Female	50	31.3	10	25.6	60	30.2	157	35.4	217	33.7	29.5	23.0	27.6
Age at Diagnosis	12 & under
	13-19	6	3.8	3	7.7	9	4.5	32	7.2	41	6.4	27.6	14.6	22.0
	20-24	10	6.3	6	15.4	16	8.0	82	18.5	98	15.2	83.8	10.2	16.3
	25-29	22	13.8	1	2.6	23	11.6	72	16.2	95	14.8	89.4	23.2	24.2
	30-39	39	24.4	7	17.9	46	23.1	117	26.4	163	25.3	87.0	23.9	28.2
	40-49	45	28.1	12	30.8	57	28.6	84	18.9	141	21.9	73.6	31.9	40.4
	50-59	24	15.0	8	20.5	32	16.1	41	9.2	73	11.4	44.6	32.9	43.8
	60+	14	8.8	2	5.1	16	8.0	16	3.6	32	5.0	15.1	43.8	50.0
Race/Ethnicity	White	8	5.0	2	5.1	10	5.0	13	2.9	23	3.6	16.7	34.8	43.5
	Black	77	48.1	18	46.2	95	47.7	207	46.6	302	47.0	69.8	25.5	31.5
	Hispanic	71	44.4	18	46.2	89	44.7	215	48.4	304	47.3	39.7	23.4	29.3
	Asian/PI	1	0.6	.	.	1	0.5	3	0.7	4	0.6	7.6	25.0	25.0
	Native Am	1	0.6	.	.	1	0.5	.	.	1	0.2	25.7	100.0	100.0
	Multi Race***	2	1.3	1	2.6	3	1.5	6	1.4	9	1.4	.	22.2	33.3
	Unk
Risk	MSM	47	29.4	12	30.8	59	29.6	162	36.5	221	34.4	.	21.3	26.7
	IDU	8	5.0	2	5.1	10	5.0	22	5.0	32	5.0	.	25.0	31.3
	MSM/IDU	.	.	2	5.1	2	1.0	5	1.1	7	1.1	.	.	28.6
	Heterosexual	36	22.5	7	17.9	43	21.6	78	17.6	121	18.8	.	29.8	35.5
	Fem. Presumed Het.	24	15.0	7	17.9	31	15.6	95	21.4	126	19.6	.	19.0	24.6
	Blood Prod.
	Pediatric Risk
	Unk	45	28.1	9	23.1	54	27.1	82	18.5	136	21.2	.	33.1	39.7

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BRONX
AIDS Cases, Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		550	100.0	40.6	35,172	100.0
Gender	Male	360	65.5	57.2	22,982	65.3
	Female	190	34.5	26.4	12,190	34.7
Age at Diagnosis	12 & under	.	.	.	609	1.7
	13-19	18	3.3	12.1	383	1.1
	20-24	35	6.4	29.9	1,120	3.2
	25-29	49	8.9	46.1	3,218	9.1
	30-39	116	21.1	61.9	13,210	37.6
	40-49	176	32.0	91.9	11,195	31.8
	50-59	106	19.3	64.7	4,155	11.8
	60+	50	9.1	23.6	1,282	3.6
Race/Ethnicity	White	22	4.0	15.2	1,834	5.2
	Black	250	45.5	57.8	14,475	41.2
	Hispanic	269	48.9	38.1	18,131	51.5
	Asian/PI	.	.	.	90	0.3
	Native Am	1	0.2	18.6	9	0.0
	Multi Race***	8	1.5	.	625	1.8
	Unk	.	.	.	8	0.0
Risk	MSM	127	23.1	.	5,425	15.4
	IDU	78	14.2	.	14,863	42.3
	MSM/IDU	14	2.5	.	1,164	3.3
	Heterosexual	108	19.6	.	5,432	15.4
	Fem. Presumed Het.	86	15.6	.	3,128	8.9
	Blood Prod.	.	.	.	132	0.4
	Pediatric Risk	12	2.2	.	810	2.3
	Unk	125	22.7	.	4,218	12.0

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BROOKLYN
Living HIV and AIDS Cases as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		10,576	100.0	419.0	17,047	100.0	678.6	27,623	100.0	1097.6	2,532,645
Gender	Male	6,679	63.2	559.6	11,058	64.9	953.2	17,737	64.2	1512.8	1,197,281
	Female	3,897	36.8	294.4	5,989	35.1	447.9	9,886	35.8	742.3	1,335,364
Current Age	12 & under	72	0.7	16.5	3	0.0	0.7	75	0.3	17.2	436,929
	13-19	260	2.5	116.5	138	0.8	61.8	398	1.4	178.3	223,233
	20-24	638	6.0	320.7	325	1.9	163.4	963	3.5	484.0	198,958
	25-29	998	9.4	437.8	524	3.1	229.8	1,522	5.5	667.6	227,980
	30-39	2,293	21.7	591.1	1,935	11.4	498.8	4,228	15.3	1089.9	387,922
	40-49	3,154	29.8	958.7	5,456	32.0	1658.4	8,610	31.2	2617.1	328,991
	50-59	2,188	20.7	714.6	5,811	34.1	1898.0	7,999	29.0	2612.6	306,171
	60+	973	9.2	230.3	2,852	16.7	675.1	3,825	13.8	905.4	422,461
	Unk	.	.	.	3	0.0	.	3	0.0	.	.
Race/Ethnicity	White	1,374	13.0	160.2	1,581	9.3	187.7	2,955	10.7	347.9	916,633
	Black	6,479	61.3	773.7	10,463	61.4	1208.2	16,942	61.3	1981.9	822,327
	Hispanic	2,331	22.0	477.9	4,494	26.4	968.7	6,825	24.7	1446.7	506,553
	Asian/PI	131	1.2	43.4	152	0.9	50.9	283	1.0	94.3	280,508
	Native Am	8	0.1	124.0	3	0.0	43.3	11	0.0	167.3	6,624
	Multi Race**	209	2.0	.	350	2.1	.	559	2.0	.	.
	Unk	44	0.4	.	4	0.0	.	48	0.2	.	.
Risk	MSM	3,386	32.0	.	3,975	23.3	.	7,361	26.6	.	.
	IDU	874	8.3	.	3,479	20.4	.	4,353	15.8	.	.
	MSM/IDU	134	1.3	.	399	2.3	.	533	1.9	.	.
	Heterosexual	1,846	17.5	.	3,194	18.7	.	5,040	18.2	.	.
	Fem. Presumed Het.	2,014	19.0	.	2,411	14.1	.	4,425	16.0	.	.
	Blood Prod.	6	0.1	.	50	0.3	.	56	0.2	.	.
	Pediatric Risk	393	3.7	.	374	2.2	.	767	2.8	.	.
	Unk	1,923	18.2	.	3,165	18.6	.	5,088	18.4	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BROOKLYN
HIV Cases, Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		217	100.0	66	100.0	283	100.0	636	100.0	919	100.0	34.9	23.6	30.8
Gender	Male	157	72.4	51	77.3	208	73.5	467	73.4	675	73.4	53.0	23.3	30.8
	Female	60	27.6	15	22.7	75	26.5	169	26.6	244	26.6	18.1	24.6	30.7
Age at Diagnosis	12 & under	1	0.2	1	0.1	0.2	.	.
	13-19	5	2.3	2	3.0	7	2.5	46	7.2	53	5.8	23.7	9.4	13.2
	20-24	16	7.4	11	16.7	27	9.5	127	20.0	154	16.8	77.4	10.4	17.5
	25-29	30	13.8	10	15.2	40	14.1	127	20.0	167	18.2	73.3	18.0	24.0
	30-39	40	18.4	14	21.2	54	19.1	146	23.0	200	21.8	51.6	20.0	27.0
	40-49	63	29.0	15	22.7	78	27.6	116	18.2	194	21.1	59.0	32.5	40.2
	50-59	43	19.8	9	13.6	52	18.4	56	8.8	108	11.8	35.3	39.8	48.1
	60+	20	9.2	5	7.6	25	8.8	17	2.7	42	4.6	9.9	47.6	59.5
Race/Ethnicity	White	20	9.2	7	10.6	27	9.5	86	13.5	113	12.3	11.6	17.7	23.9
	Black	148	68.2	39	59.1	187	66.1	403	63.4	590	64.2	69.5	25.1	31.7
	Hispanic	40	18.4	17	25.8	57	20.1	118	18.6	175	19.0	32.4	22.9	32.6
	Asian/PI	4	1.8	1	1.5	5	1.8	10	1.6	15	1.6	4.7	26.7	33.3
	Native Am	1	0.2	1	0.1	18.1	.	.
	Multi Race***	5	2.3	2	3.0	7	2.5	18	2.8	25	2.7	.	20.0	28.0
	Unk
Risk	MSM	64	29.5	29	43.9	93	32.9	311	48.9	404	44.0	.	15.8	23.0
	IDU	10	4.6	3	4.5	13	4.6	14	2.2	27	2.9	.	37.0	48.1
	MSM/IDU	2	0.9	.	.	2	0.7	6	0.9	8	0.9	.	25.0	25.0
	Heterosexual	30	13.8	4	6.1	34	12.0	69	10.8	103	11.2	.	29.1	33.0
	Fem. Presumed Het.	48	22.1	10	15.2	58	20.5	119	18.7	177	19.3	.	27.1	32.8
	Blood Prod.
	Pediatric Risk	1	0.2	1	0.1	.	.	.
	Unk	63	29.0	20	30.3	83	29.3	116	18.2	199	21.7	.	31.7	41.7

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BROOKLYN
AIDS Cases, Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		651	100.0	25.7	43,175	100.0
Gender	Male	450	69.1	37.8	29,388	68.1
	Female	201	30.9	15.0	13,787	31.9
Age at Diagnosis	12 & under	.	.	.	721	1.7
	13-19	14	2.2	6.3	388	0.9
	20-24	56	8.6	28.1	1,436	3.3
	25-29	68	10.4	29.8	4,262	9.9
	30-39	139	21.4	35.8	16,345	37.9
	40-49	195	30.0	59.3	13,269	30.7
	50-59	129	19.8	42.1	5,017	11.6
	60+	50	7.7	11.8	1,737	4.0
Race/Ethnicity	White	47	7.2	6.1	5,020	11.6
	Black	449	69.0	53.6	25,506	59.1
	Hispanic	128	19.7	24.9	11,531	26.7
	Asian/PI	9	1.4	2.9	228	0.5
	Native Am	.	.	.	5	0.0
	Multi Race***	18	2.8	.	880	2.0
	Unk	.	.	.	5	0.0
Risk	MSM	213	32.7	.	8,838	20.5
	IDU	56	8.6	.	15,841	36.7
	MSM/IDU	18	2.8	.	1,081	2.5
	Heterosexual	104	16.0	.	5,989	13.9
	Fem. Presumed Het.	112	17.2	.	4,073	9.4
	Blood Prod.	.	.	.	235	0.5
	Pediatric Risk	14	2.2	.	885	2.0
	Unk	134	20.6	.	6,233	14.4

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: MANHATTAN
Living HIV and AIDS Cases as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		14,337	100.0	866.8	19,734	100.0	1188.3	34,071	100.0	2055.1	1,601,948
Gender	Male	11,886	82.9	1463.8	15,863	80.4	1980.0	27,749	81.4	3443.8	754,592
	Female	2,451	17.1	298.7	3,871	19.6	464.3	6,322	18.6	762.9	847,356
Current Age	12 & under	50	0.3	28.2	3	0.0	1.7	53	0.2	29.9	177,363
	13-19	146	1.0	150.1	69	0.3	70.9	215	0.6	221.1	97,263
	20-24	454	3.2	340.9	224	1.1	168.2	678	2.0	509.1	133,175
	25-29	927	6.5	477.6	338	1.7	174.2	1,265	3.7	651.8	194,078
	30-39	2,878	20.1	1019.8	1,777	9.0	629.7	4,655	13.7	1649.5	282,212
	40-49	5,051	35.2	2325.6	6,272	31.8	2887.7	11,323	33.2	5213.3	217,195
	50-59	3,404	23.7	1762.6	7,047	35.7	3648.9	10,451	30.7	5411.4	193,128
	60+	1,422	9.9	462.4	4,003	20.3	1301.6	5,425	15.9	1764.0	307,534
	Unk	5	0.0	.	1	0.0	.	6	0.0	.	.
Race/Ethnicity	White	5,639	39.3	701.8	6,108	31.0	741.5	11,747	34.5	1443.2	779,638
	Black	4,216	29.4	1828.4	7,002	35.5	2901.7	11,218	32.9	4730.1	219,405
	Hispanic	3,723	26.0	920.5	5,908	29.9	1448.2	9,631	28.3	2368.7	410,681
	Asian/PI	301	2.1	150.5	281	1.4	153.0	582	1.7	303.6	188,900
	Native Am	14	0.1	372.9	14	0.1	429.0	28	0.1	801.9	3,324
	Multi Race**	229	1.6	.	402	2.0	.	631	1.9	.	.
	Unk	215	1.5	.	19	0.1	.	234	0.7	.	.
Risk	MSM	8,148	56.8	.	8,936	45.3	.	17,084	50.1	.	.
	IDU	795	5.5	.	3,561	18.0	.	4,356	12.8	.	.
	MSM/IDU	265	1.8	.	592	3.0	.	857	2.5	.	.
	Heterosexual	1,233	8.6	.	2,144	10.9	.	3,377	9.9	.	.
	Fem. Presumed Het.	1,190	8.3	.	1,281	6.5	.	2,471	7.3	.	.
	Blood Prod.	6	0.0	.	29	0.1	.	35	0.1	.	.
	Pediatric Risk	245	1.7	.	225	1.1	.	470	1.4	.	.
	Unk	2,455	17.1	.	2,966	15.0	.	5,421	15.9	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: MANHATTAN
HIV Cases, Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		138	100.0	44	100.0	182	100.0	603	100.0	785	100.0	43.6	17.6	23.2
Gender	Male	117	84.8	38	86.4	155	85.2	527	87.4	682	86.9	77.2	17.2	22.7
	Female	21	15.2	6	13.6	27	14.8	76	12.6	103	13.1	12.3	20.4	26.2
Age at Diagnosis	12 & under	2	0.3	2	0.3	1.1	.	.
	13-19	24	4.0	24	3.1	24.7	.	.
	20-24	17	12.3	6	13.6	23	12.6	88	14.6	111	14.1	83.3	15.3	20.7
	25-29	13	9.4	9	20.5	22	12.1	111	18.4	133	16.9	68.5	9.8	16.5
	30-39	43	31.2	11	25.0	54	29.7	165	27.4	219	27.9	77.6	19.6	24.7
	40-49	42	30.4	10	22.7	52	28.6	137	22.7	189	24.1	87.0	22.2	27.5
	50-59	15	10.9	5	11.4	20	11.0	57	9.5	77	9.8	39.9	19.5	26.0
	60+	8	5.8	3	6.8	11	6.0	19	3.2	30	3.8	9.8	26.7	36.7
Race/Ethnicity	White	31	22.5	14	31.8	45	24.7	219	36.3	264	33.6	28.5	11.7	17.0
	Black	55	39.9	19	43.2	74	40.7	166	27.5	240	30.6	101.7	22.9	30.8
	Hispanic	43	31.2	11	25.0	54	29.7	186	30.8	240	30.6	55.5	17.9	22.5
	Asian/PI	5	3.6	.	.	5	2.7	14	2.3	19	2.4	8.5	26.3	26.3
	Native Am
	Multi Race***	4	2.9	.	.	4	2.2	18	3.0	22	2.8	.	18.2	18.2
	Unk
Risk	MSM	76	55.1	27	61.4	103	56.6	415	68.8	518	66.0	.	14.7	19.9
	IDU	5	3.6	2	4.5	7	3.8	11	1.8	18	2.3	.	27.8	38.9
	MSM/IDU	2	1.4	1	2.3	3	1.6	16	2.7	19	2.4	.	10.5	15.8
	Heterosexual	14	10.1	5	11.4	19	10.4	41	6.8	60	7.6	.	23.3	31.7
	Fem. Presumed Het.	11	8.0	2	4.5	13	7.1	47	7.8	60	7.6	.	18.3	21.7
	Blood Prod.
	Pediatric Risk	2	0.3	2	0.3	.	.	.
	Unk	30	21.7	7	15.9	37	20.3	71	11.8	108	13.8	.	27.8	34.3

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: MANHATTAN
AIDS Cases, Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		498	100.0	28.9	54,618	100.0
Gender	Male	412	82.7	49.1	45,051	82.5
	Female	86	17.3	9.5	9,567	17.5
Age at Diagnosis	12 & under	.	.	.	413	0.8
	13-19	6	1.2	6.2	231	0.4
	20-24	44	8.8	33.0	1,152	2.1
	25-29	43	8.6	22.2	4,766	8.7
	30-39	132	26.5	46.8	21,354	39.1
	40-49	153	30.7	70.4	17,587	32.2
	50-59	88	17.7	45.6	6,781	12.4
	60+	32	6.4	10.4	2,334	4.3
Race/Ethnicity	White	103	20.7	12.0	18,722	34.3
	Black	224	45.0	96.4	18,986	34.8
	Hispanic	151	30.3	36.3	15,166	27.8
	Asian/PI	11	2.2	5.4	492	0.9
	Native Am	.	.	.	18	0.0
	Multi Race***	9	1.8	.	1,211	2.2
	Unk	.	.	.	23	0.0
Risk	MSM	245	49.2	.	25,055	45.9
	IDU	41	8.2	.	15,988	29.3
	MSM/IDU	13	2.6	.	1,925	3.5
	Heterosexual	49	9.8	.	4,040	7.4
	Fem. Presumed Het.	37	7.4	.	1,971	3.6
	Blood Prod.	.	.	.	170	0.3
	Pediatric Risk	8	1.6	.	507	0.9
	Unk	105	21.1	.	4,962	9.1

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: QUEENS
Living HIV and AIDS Cases as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		6,251	100.0	266.3	10,142	100.0	419.0	16,393	100.0	685.3	2,247,848
Gender	Male	4,425	70.8	384.1	7,235	71.3	618.7	11,660	71.1	1002.8	1,090,105
	Female	1,825	29.2	152.3	2,907	28.7	234.5	4,732	28.9	386.8	1,157,743
	Unk	1	0.0	1	0.0	.	.
Current Age	12 & under	35	0.6	10.5	1	0.0	0.3	36	0.2	10.8	334,373
	13-19	93	1.5	51.6	51	0.5	28.3	144	0.9	79.9	180,332
	20-24	318	5.1	196.1	157	1.5	96.8	475	2.9	292.9	162,199
	25-29	521	8.3	280.5	275	2.7	148.0	796	4.9	428.5	185,767
	30-39	1,374	22.0	400.8	1,221	12.0	356.2	2,595	15.8	757.0	342,815
	40-49	2,113	33.8	648.6	3,351	33.0	1028.7	5,464	33.3	1677.3	325,754
	50-59	1,331	21.3	439.4	3,547	35.0	1170.9	4,878	29.8	1610.3	302,932
	60+	464	7.4	112.2	1,538	15.2	371.8	2,002	12.2	484.0	413,676
	Unk	2	0.0	.	1	0.0	.	3	0.0	.	.
Race/Ethnicity	White	1,075	17.2	172.7	1,540	15.2	220.8	2,615	16.0	393.5	634,948
	Black	2,495	39.9	570.2	4,106	40.5	886.5	6,601	40.3	1456.7	421,731
	Hispanic	2,269	36.3	351.3	3,870	38.2	635.0	6,139	37.4	986.4	625,016
	Asian/PI	241	3.9	39.0	301	3.0	48.7	542	3.3	87.7	555,350
	Native Am	7	0.1	71.7	11	0.1	110.8	18	0.1	182.4	10,803
	Multi Race**	125	2.0	.	309	3.0	.	434	2.6	.	.
	Unk	39	0.6	.	5	0.0	.	44	0.3	.	.
Risk	MSM	2,548	40.8	.	3,127	30.8	.	5,675	34.6	.	.
	IDU	469	7.5	.	1,977	19.5	.	2,446	14.9	.	.
	MSM/IDU	83	1.3	.	246	2.4	.	329	2.0	.	.
	Heterosexual	1,127	18.0	.	1,890	18.6	.	3,017	18.4	.	.
	Fem. Presumed Het.	809	12.9	.	996	9.8	.	1,805	11.0	.	.
	Blood Prod.	8	0.1	.	32	0.3	.	40	0.2	.	.
	Pediatric Risk	159	2.5	.	173	1.7	.	332	2.0	.	.
	Unk	1,048	16.8	.	1,701	16.8	.	2,749	16.8	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: QUEENS
HIV Cases, Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		119	100.0	30	100.0	149	100.0	334	100.0	483	100.0	20.0	24.6	30.8
Gender	Male	90	75.6	24	80.0	114	76.5	277	82.9	391	81.0	32.7	23.0	29.2
	Female	29	24.4	6	20.0	35	23.5	57	17.1	92	19.0	7.3	31.5	38.0
Age at Diagnosis	12 & under	1	0.3	1	0.2	0.3	.	.
	13-19	1	0.8	2	6.7	3	2.0	14	4.2	17	3.5	9.4	5.9	17.6
	20-24	7	5.9	4	13.3	11	7.4	66	19.8	77	15.9	47.5	9.1	14.3
	25-29	13	10.9	7	23.3	20	13.4	64	19.2	84	17.4	45.2	15.5	23.8
	30-39	34	28.6	8	26.7	42	28.2	80	24.0	122	25.3	35.6	27.9	34.4
	40-49	32	26.9	5	16.7	37	24.8	65	19.5	102	21.1	31.3	31.4	36.3
	50-59	24	20.2	2	6.7	26	17.4	38	11.4	64	13.3	21.1	37.5	40.6
	60+	8	6.7	2	6.7	10	6.7	6	1.8	16	3.3	3.9	50.0	62.5
Race/Ethnicity	White	15	12.6	1	3.3	16	10.7	41	12.3	57	11.8	8.9	26.3	28.1
	Black	45	37.8	17	56.7	62	41.6	107	32.0	169	35.0	37.5	26.6	36.7
	Hispanic	45	37.8	9	30.0	54	36.2	154	46.1	208	43.1	29.3	21.6	26.0
	Asian/PI	9	7.6	2	6.7	11	7.4	26	7.8	37	7.7	6.0	24.3	29.7
	Native Am
	Multi Race***	5	4.2	1	3.3	6	4.0	6	1.8	12	2.5	.	41.7	50.0
	Unk
Risk	MSM	54	45.4	16	53.3	70	47.0	202	60.5	272	56.3	.	19.9	25.7
	IDU	7	5.9	.	.	7	4.7	3	0.9	10	2.1	.	70.0	70.0
	MSM/IDU	3	2.5	.	.	3	2.0	2	0.6	5	1.0	.	60.0	60.0
	Heterosexual	26	21.8	6	20.0	32	21.5	49	14.7	81	16.8	.	32.1	39.5
	Fem. Presumed Het.	14	11.8	1	3.3	15	10.1	30	9.0	45	9.3	.	31.1	33.3
	Blood Prod.
	Pediatric Risk	1	0.3	1	0.2	.	.	.
	Unk	15	12.6	7	23.3	22	14.8	47	14.1	69	14.3	.	21.7	31.9

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: QUEENS
AIDS Cases, Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		326	100.0	13.9	22,968	100.0
Gender	Male	242	74.2	20.9	17,090	74.4
	Female	84	25.8	6.9	5,878	25.6
Age at Diagnosis	12 & under	.	.	.	277	1.2
	13-19	7	2.1	3.9	194	0.8
	20-24	22	6.7	13.6	754	3.3
	25-29	42	12.9	22.6	2,256	9.8
	30-39	84	25.8	24.5	9,184	40.0
	40-49	96	29.4	29.5	7,095	30.9
	50-59	56	17.2	18.5	2,427	10.6
	60+	19	5.8	4.6	781	3.4
Race/Ethnicity	White	35	10.7	5.5	4,820	21.0
	Black	147	45.1	33.4	9,633	41.9
	Hispanic	115	35.3	17.3	7,395	32.2
	Asian/PI	15	4.6	2.4	445	1.9
	Native Am	.	.	.	13	0.1
	Multi Race***	14	4.3	.	656	2.9
	Unk	.	.	.	6	0.0
Risk	MSM	135	41.4	.	6,632	28.9
	IDU	25	7.7	.	7,512	32.7
	MSM/IDU	7	2.1	.	654	2.8
	Heterosexual	64	19.6	.	3,078	13.4
	Fem. Presumed Het.	36	11.0	.	1,566	6.8
	Blood Prod.	.	.	.	151	0.7
	Pediatric Risk	2	0.6	.	369	1.6
	Unk	57	17.5	.	3,006	13.1

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: STATEN ISLAND
Living HIV and AIDS Cases as of December 2011, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		768	100.0	155.9	1,153	100.0	221.1	1,921	100.0	377.0	470,467
Gender	Male	488	63.5	202.5	753	65.3	300.3	1,241	64.6	502.7	228,021
	Female	280	36.5	112.0	400	34.7	149.0	680	35.4	261.0	242,446
Current Age	12 & under	10	1.3	13.1	.	.	.	10	0.5	13.1	76,050
	13-19	15	2.0	34.3	7	0.6	16.0	22	1.1	50.3	43,738
	20-24	37	4.8	113.2	20	1.7	61.2	57	3.0	174.3	32,695
	25-29	47	6.1	154.5	34	2.9	111.7	81	4.2	266.2	30,429
	30-39	132	17.2	220.0	110	9.5	183.3	242	12.6	403.3	60,009
	40-49	235	30.6	337.7	370	32.1	531.7	605	31.5	869.5	69,583
	50-59	215	28.0	315.7	452	39.2	663.7	667	34.7	979.4	68,103
	60+	77	10.0	85.7	160	13.9	178.1	237	12.3	263.7	89,860
Race/Ethnicity	White	247	32.2	77.3	349	30.3	95.8	596	31.0	173.1	302,572
	Black	296	38.5	623.7	403	35.0	868.7	699	36.4	1492.5	47,255
	Hispanic	170	22.1	220.3	342	29.7	462.7	512	26.7	683.0	82,617
	Asian/PI	14	1.8	37.1	3	0.3	7.9	17	0.9	45.0	37,123
	Native Am	2	0.3	192.4	2	0.2	294.6	4	0.2	487.0	900
	Multi Race**	29	3.8	.	54	4.7	.	83	4.3	.	.
	Unk	10	1.3	10	0.5	.	.
Risk	MSM	218	28.4	.	229	19.9	.	447	23.3	.	.
	IDU	69	9.0	.	298	25.8	.	367	19.1	.	.
	MSM/IDU	10	1.3	.	34	2.9	.	44	2.3	.	.
	Heterosexual	122	15.9	.	219	19.0	.	341	17.8	.	.
	Fem. Presumed Het.	140	18.2	.	138	12.0	.	278	14.5	.	.
	Blood Prod.	2	0.3	.	6	0.5	.	8	0.4	.	.
	Pediatric Risk	34	4.4	.	27	2.3	.	61	3.2	.	.
	Unk	173	22.5	.	202	17.5	.	375	19.5	.	.

Data as of March 2013.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: STATEN ISLAND
HIV Cases, Newly Diagnosed (January-December 2011), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		14	100.0	5	100.0	19	100.0	18	100.0	37	100.0	8.0	37.8	51.4
Gender	Male	12	85.7	2	40.0	14	73.7	13	72.2	27	73.0	11.8	44.4	51.9
	Female	2	14.3	3	60.0	5	26.3	5	27.8	10	27.0	4.5	20.0	50.0
Age at Diagnosis	12 & under
	13-19	2	11.1	2	5.4	4.6	.	.
	20-24	1	7.1	1	20.0	2	10.5	3	16.7	5	13.5	15.3	20.0	40.0
	25-29	2	14.3	2	40.0	4	21.1	2	11.1	6	16.2	19.7	33.3	66.7
	30-39	2	14.3	1	20.0	3	15.8	6	33.3	9	24.3	15.0	22.2	33.3
	40-49	6	42.9	.	.	6	31.6	3	16.7	9	24.3	12.9	66.7	66.7
	50-59	1	5.6	1	2.7	1.5	.	.
	60+	3	21.4	1	20.0	4	21.1	1	5.6	5	13.5	5.6	60.0	80.0
Race/Ethnicity	White	6	42.9	.	.	6	31.6	7	38.9	13	35.1	4.3	46.2	46.2
	Black	5	35.7	4	80.0	9	47.4	5	27.8	14	37.8	30.5	35.7	64.3
	Hispanic	3	21.4	1	20.0	4	21.1	6	33.3	10	27.0	12.0	30.0	40.0
	Asian/PI
	Native Am
	Multi Race***
	Unk
Risk	MSM	3	21.4	.	.	3	15.8	6	33.3	9	24.3	.	33.3	33.3
	IDU	2	14.3	1	20.0	3	15.8	.	.	3	8.1	.	66.7	100.0
	MSM/IDU	1	7.1	.	.	1	5.3	1	5.6	2	5.4	.	50.0	50.0
	Heterosexual	2	14.3	.	.	2	10.5	1	5.6	3	8.1	.	66.7	66.7
	Fem. Presumed Het.	1	7.1	2	40.0	3	15.8	4	22.2	7	18.9	.	14.3	42.9
	Blood Prod.
	Pediatric Risk
	Unk	5	35.7	2	40.0	7	36.8	6	33.3	13	35.1	.	38.5	53.8

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: STATEN ISLAND
AIDS Cases, Newly Diagnosed (January-December 2011)
and Cumulative (through December 2011) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		34	100.0	7.5	3,273	100.0
Gender	Male	25	73.5	11.5	2,329	71.2
	Female	9	26.5	3.9	944	28.8
Age at Diagnosis	12 & under	.	.	.	43	1.3
	13-19	1	2.9	2.3	25	0.8
	20-24	3	8.8	9.2	102	3.1
	25-29	5	14.7	16.4	257	7.9
	30-39	7	20.6	11.7	1,301	39.7
	40-49	13	38.2	18.7	1,103	33.7
	50-59	2	5.9	2.9	347	10.6
	60+	3	8.8	3.3	95	2.9
Race/Ethnicity	White	11	32.4	3.3	1,312	40.1
	Black	13	38.2	29.5	1,061	32.4
	Hispanic	8	23.5	9.5	760	23.2
	Asian/PI	.	.	.	9	0.3
	Native Am	.	.	.	3	0.1
	Multi Race***	2	5.9	.	127	3.9
	Unk	.	.	.	1	0.0
Risk	MSM	8	23.5	.	658	20.1
	IDU	4	11.8	.	1,413	43.2
	MSM/IDU	3	8.8	.	95	2.9
	Heterosexual	5	14.7	.	413	12.6
	Fem. Presumed Het.	5	14.7	.	220	6.7
	Blood Prod.	.	.	.	44	1.3
	Pediatric Risk	1	2.9	.	57	1.7
	Unk	8	23.5	.	373	11.4

Data as of March 2013.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.