

## Northern Washington County Fishing Waters


NYS Department of Health Fish Advisories & Publicly Accessible Waters



## Northern Washington County Fishing Waters

Page 2






The Sensitive Population refers to people who can become pregnant (under age 50) and children under 15. The General Population refers to everyone else.

## Southern Washington County Fishing Waters

NYS Department of Health Fish Advisories & Publicly Accessible Waters



## Follow these specific advisories for waters in purple:

**Follow the Statewide Advisory** 

for waters in blue:

Waterbody	Fish	General Population	Sensitive Population
Carters Pond	Yellow perch	Greater than 10", up to 1 meal/ month; Less than 10", up to 4 meals/ month	Up to 1 meal/month
	All other fish	See Statewide Advice	
Hoosic River, from Schaghticoke Dam to Vermont state line (including Johnsonville and Schaghticoke Reservoirs)	Rainbow trout	Up to 1 meal/month	Up to 1 meal/month
	Carp	DON'T EAT	DON'T EAT
	Brown trout	Greater than 14", DON'T EAT; Less than 14", up to 1 meal/month	Greater than 14", DON'T EAT; Less than 14", up to 1 meal/month
	Bullhead	See Statewide Advice	
	Pumpkinseed/sunfish, white sucker	Up to 1 meal/month	Up to 1 meal/month
	All other fish	See Statewide Advice	
Hudson River, Corinth Dam (Palmer Falls Dam) to South Glens Dam at Route 9 Bridge	Carp, Channel catfish	DON'T EAT	DON'T EAT
	All other fish	Follow Adirondack Regional Advice (see pg 2)	

The Sensitive Population refers to people who can become pregnant (under age 50) and children under 15. The General Population refers to everyone else.