

OWNER	TABLE NAME	COLUMN NAME	DATA TYPE	DATA LENGTH	NULLABLE	COMMENTS
APP	ROLES	ROLE_ID	NUMBER	22	N	
APP	ROLES	DESCRIPTION	VARCHAR2	30	N	
APP	ROLES	DATE_CREATED	DATE	7	N	
APP	ROLES	CREATED_BY	VARCHAR2	32	N	
APP	ROLES	DATE_MODIFIED	DATE	7	Y	
APP	ROLES	MODIFIED_BY	VARCHAR2	32	Y	
APP	ROLES	SR_ROLE_ID	NUMBER	22	N	
APP	ROLES	SRU_USER_ID	VARCHAR2	8	N	
APP	ROLES	DATE_CREATED	DATE	7	N	
APP	ROLES	CREATED_BY	VARCHAR2	32	N	
APP	ROLES	DESCRIPTION	VARCHAR2	100	Y	
APP	ROLES	DATE_MODIFIED	DATE	7	Y	
APP	ROLES	MODIFIED_BY	VARCHAR2	32	Y	
APP	ROLES	USER_ID	VARCHAR2	32	N	The userid of the WIC user.
APP	ROLES	SM_STAFF_MEMBER_ID	NUMBER	22	N	The unique identifier for the staff position.
APP	ROLES	USER_NAME	VARCHAR2	150	N	The WIC User's last name (used if not a staff member).
APP	ROLES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
APP	ROLES	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
APP	ROLES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
APP	ROLES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
APP	ROLES	SECTION SOB FLAG	NUMBER	22	Y	Indicator if user is visually impaired (1).
APP	ROLES	PASSWORD_AGE	NUMBER	22	Y	The number of days since the password was last changed.
APP	ROLES	APPLICATION_NAME	VARCHAR2	32	N	Application name for which the role applies (such as CLINIC or ADMIN).
APP	ROLES	ROLE_ID	NUMBER	22	N	Base 2 Security taken which also identifies the role.
APP	ROLES	DESCRIPTION	VARCHAR2	32	N	Descriptive text for the privileges of the role.
APP	ROLES	DATE_CREATED	DATE	7	N	Audit field - date time stamp when the row was created
APP	ROLES	CREATED_BY	VARCHAR2	32	N	Audit field - user connected to the process which created the row
APP	ROLES	DATE_MODIFIED	DATE	7	Y	Audit field - date time stamp when the row was updated
APP	ROLES	MODIFIED_BY	VARCHAR2	32	Y	Audit field - user connected to the process which updated the row
APP	ROLES	LA_ROLE	NUMBER	22	Y	
APP	ROLES	STATE_APPROVAL_REQUIRED	NUMBER	22	Y	
APP	ROLES	APPLICATION_NAME	VARCHAR2	32	N	Foreign key to 5_ROLES identifying the application to which the role applies.
APP	ROLES	ROLE_ID	NUMBER	22	N	Foreign key to 5_ROLES identifying role applicable for user
APP	ROLES	USER_ID	VARCHAR2	32	N	Foreign key to 5_WIC_USERS identifying the user for which the role applies.
APP	ROLES	DATE_CREATED	DATE	7	N	Audit field - date time stamp when the row was created
APP	ROLES	CREATED_BY	VARCHAR2	32	N	Audit field - user connected to the process which created the row
APP	ROLES	DATE_MODIFIED	DATE	7	Y	Audit field - date time stamp when the row was updated
APP	ROLES	MODIFIED_BY	VARCHAR2	32	Y	Audit field - user connected to the process which updated the row
APP	ROLES	FOOD_STAMPS_FLAG	NUMBER	22	Y	
CPWIC	CP.CLIENTS	PID_PROOF_IDENTITY_CODE	VARCHAR2	1	Y	
CPWIC	CP.CLIENTS	DATE_CREATED	DATE	7	N	
CPWIC	CP.CLIENTS	CREATED_BY	VARCHAR2	32	N	
CPWIC	CP.CLIENTS	SRN	VARCHAR2	9	Y	
CPWIC	CP.CLIENTS	FIRST_NAME	VARCHAR2	100	Y	
CPWIC	CP.CLIENTS	MI	VARCHAR2	1	Y	
CPWIC	CP.CLIENTS	APPLICATION_DATE	DATE	7	Y	
CPWIC	CP.CLIENTS	YOC	VARCHAR2	10	Y	
CPWIC	CP.CLIENTS	PREV_REC_STATUS	VARCHAR2	1	Y	
CPWIC	CP.CLIENTS	INCOME	NUMBER	22	Y	
CPWIC	CP.CLIENTS	BENEFITS_WAIVER_FLAG	NUMBER	22	Y	
CPWIC	CP.CLIENTS	CC_CLIENT_ID	NUMBER	22	Y	
CPWIC	CP.CLIENTS	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
CPWIC	CP.CLIENTS	TERMINATION_DATE	DATE	7	Y	
CPWIC	CP.CLIENTS	CTI_TRANSFER_ID	NUMBER	22	Y	
CPWIC	CP.CLIENTS	LAST_DATE_CHECKS_ISSUED	DATE	7	Y	
CPWIC	CP.CLIENTS	PHYSICIAN_NAME	VARCHAR2	80	Y	
CPWIC	CP.CLIENTS	PHYSICAL_PHONE	VARCHAR2	10	Y	
CPWIC	CP.CLIENTS	CPF_PROOF_PREG_CODE	VARCHAR2	1	Y	
CPWIC	CP.CLIENTS	SEE_NOTES_FLAG	NUMBER	22	Y	
CPWIC	CP.CLIENTS	SEE_ALERTS_FLAG	NUMBER	22	Y	
CPWIC	CP.CLIENTS	SEE_HIGH_RISK_FLAG	NUMBER	22	Y	
CPWIC	CP.CLIENTS	APPT_WAIT_LIST_FLAG	NUMBER	22	Y	
CPWIC	CP.CLIENTS	CERT_START_DATE	DATE	7	Y	
CPWIC	CP.CLIENTS	CERT_END_DATE	DATE	7	Y	
CPWIC	CP.CLIENTS	SANCTIONS_FLAG	NUMBER	22	Y	
CPWIC	CP.CLIENTS	CNC_K_CLASSIFICATION	VARCHAR2	8	Y	
CPWIC	CP.CLIENTS	SCHED_SCHEDULE_DAY_CODE	NUMBER	22	Y	
CPWIC	CP.CLIENTS	FUI_PROOF_INTERNAL_CODE	NUMBER	22	Y	
CPWIC	CP.CLIENTS	TR_TERMINATION_CODE	VARCHAR2	1	Y	
CPWIC	CP.CLIENTS	DATE_MODIFIED	DATE	7	Y	
CPWIC	CP.CLIENTS	MODIFIED_BY	VARCHAR2	32	Y	
CPWIC	CP.CLIENTS	NOTE	VARCHAR2	2000	Y	
CPWIC	CP.CLIENTS	LAST_NAME_UPPER	VARCHAR2	50	Y	
CPWIC	CP.CLIENTS	FIRST_NAME_UPPER	VARCHAR2	100	Y	
CPWIC	CP.CLIENTS	ORG_CERT_START_DATE	DATE	7	Y	
CPWIC	CP.CLIENTS	NPR_NON_PARTICIPATION_CODE	VARCHAR2	1	Y	
CPWIC	CP.CLIENTS	MEDICAD_NUMBER	VARCHAR2	10	Y	
CPWIC	CP.CLIENTS	BVT_DATE	DATE	7	Y	
CPWIC	CP.CLIENTS	BELT_DATE	DATE	7	Y	
CPWIC	CP.CLIENTS	CEL_EDUCATION_CODE	NUMBER	22	Y	
CPWIC	CP.CLIENTS	RACE_ARABIC	NUMBER	22	Y	
CPWIC	CP.CLIENTS	OAS_MARITAL_STATUS_CODE	NUMBER	22	Y	
CPWIC	CP.CLIENTS	SR_NUMBER	VARCHAR2	10	Y	
CPWIC	CP.CLIENTS	TEST_CLIENT	NUMBER	22	Y	
CPWIC	CP.CLIENTS	MOTHER_NOT_IN_FAMILY	NUMBER	22	Y	
CPWIC	CP.CLIENTS	REC_PROCESSED	NUMBER	22	N	
CPWIC	CP.CLIENTS	CLIENT_ID	NUMBER	22	N	
CPWIC	CP.CLIENTS	LAST_NAME	VARCHAR2	50	N	
CPWIC	CP.CLIENTS	BIRTH_DATE	DATE	7	N	
CPWIC	CP.CLIENTS	GENDER	VARCHAR2	1	N	
CPWIC	CP.CLIENTS	REC_STATUS	VARCHAR2	1	N	
CPWIC	CP.CLIENTS	INCOME_ELIGIBLE_FLAG	NUMBER	22	N	
CPWIC	CP.CLIENTS	INSTITUTIONALIZED_FLAG	NUMBER	22	Y	
CPWIC	CP.CLIENTS	FOSTER_CARE_FLAG	NUMBER	22	N	
CPWIC	CP.CLIENTS	CIG_ETHNIC_GROUP_CODE	NUMBER	22	Y	
CPWIC	CP.CLIENTS	CFEU_FAMILY_ID	VARCHAR2	9	N	
CPWIC	CP.CLIENTS	COMPLIANCE_FLAG	NUMBER	22	Y	
CPWIC	CP.CLIENTS	CONFIDENTIAL_ID	NUMBER	22	Y	
CPWIC	CP.CLIENTS	RACE_ASAN	NUMBER	22	Y	
CPWIC	CP.CLIENTS	RACE_NATIVE_ISLANDER	NUMBER	22	Y	
CPWIC	CP.CLIENTS	RACE_INDIAN_ALASKAN	NUMBER	22	Y	
CPWIC	CP.CLIENTS	RACE_ARO	NUMBER	22	Y	
CPWIC	CP.CLIENTS	RACE_WHITE	NUMBER	22	Y	
CPWIC	CP.CLIENTS	RACE_HSP	NUMBER	22	Y	
CPWIC	CP.CLIENTS	RACE_OTHER	NUMBER	22	Y	
CPWIC	CP.CLIENTS	TGA_FLAG	NUMBER	22	Y	
CPWIC	CP.CLIENTS	MAI_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	FAMILY_ID	VARCHAR2	9	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_LAST_NAME	VARCHAR2	50	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	LANG_LANGUAGE_CODE	NUMBER	22	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	MAILING_ADDRESS1	VARCHAR2	60	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	STREET_ADDRESS1	VARCHAR2	60	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	FAMILY_SIZE	NUMBER	22	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	INCOME	NUMBER	22	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	INCOME_ELIGIBLE_FLAG	NUMBER	22	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	ADJ_ELIGIBLE_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	COMPLIANCE_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	REFUGEE_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	SEGO_GEO_LOCATION_ID_MAIL	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	SEGO_GEO_LOCATION_ID_STREET	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	TRANSFER_REQUIRED_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	MILITARY_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	MIGRANT_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HOMELSS_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_RR_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	OU_SIQ_ID	NUMBER	22	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	FUI_PROOF_INTERNAL_CODE	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	VR_VOTER_REG_CODE	VARCHAR2	2	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	DATE_CREATED	DATE	7	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	CREATED_BY	VARCHAR2	75	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_FIRST_NAME	VARCHAR2	30	N	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_MI	VARCHAR2	1	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_LAST_NAME	VARCHAR2	50	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_FIRST_NAME	VARCHAR2	30	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_MI	VARCHAR2	1	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_RR_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_LAST_NAME	VARCHAR2	50	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_FIRST_NAME	VARCHAR2	30	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_MI	VARCHAR2	1	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_RR_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	LANG_LANGUAGE_CODE_SECOND	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	MAILING_ADDRESS2	VARCHAR2	60	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	MAILING_ZIP4	VARCHAR2	4	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	STREET_ADDRESS2	VARCHAR2	60	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	STREET_ZIP4	VARCHAR2	4	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	MAIL_CONFIDENTIAL_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	PHONE_CONFIDENTIAL_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	CPOR_PROOF_ADDRESS_CODE	VARCHAR2	1	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	DISABLE_VOTER_REG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	DISABILITY_CODE	VARCHAR2	1	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	SEE_NOTES_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	INSTUTL_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	PROG_REFERRED_FROM	VARCHAR2	10	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	DATE_MODIFIED	DATE	7	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	MODIFIED_BY	VARCHAR2	32	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	NOTE	VARCHAR2	2000	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HOH1_LAST_NAME_UPPER	VARCHAR2	50	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HOH1_FIRST_NAME_UPPER	VARCHAR2	30	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	INTERNET_ACCESS_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	E_MAIL	VARCHAR2	255	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	HEAD_HOUSEHOLD1_BIRTH_DATE	DATE	7	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	EXPECTED_INFANTS	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	NO_PHONE_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	DECLINED_PROXY_FLAG	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	CLINIC_AP_PROOF_IDENTITY_CODE	NUMBER	22	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	VOTER_VERIFIED_DATE	DATE	7	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	PROOF_OF_RESIDENCY_VER_DATE	DATE	7	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	FOOD_STAMPS_NUMBER	VARCHAR2	10	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	BENEFIT_START_DATE	DATE	7	Y	
CPWIC	CP.FAMILY_ECONOMIC_UNITS	TEST_CLIENT	NUMBER	22	Y	

CPWIC	CP FAMILY ECONOMIC LIMITS	REC PROCESSED	NUMBER	22	N	
CPWIC	CP FAMILY PHONES	CEU FAMILY ID	VARCHAR2	9	N	
CPWIC	CP FAMILY PHONES	PHONE NUMBER	VARCHAR2	10	N	
CPWIC	CP FAMILY PHONES	PHONE COMMENT	VARCHAR2	20	Y	
CPWIC	CP FAMILY PHONES	DATE CREATED	DATE	7	N	
CPWIC	CP FAMILY PHONES	CREATED BY	VARCHAR2	32	N	
CPWIC	CP FAMILY PHONES	PHONE EXTENSION	VARCHAR2	5	Y	
CPWIC	CP FAMILY PHONES	NO CALLS FLAG	NUMBER	22	Y	
CPWIC	CP FAMILY PHONES	DATE MODIFIED	DATE	7	Y	
CPWIC	CP FAMILY PHONES	MODIFIED BY	VARCHAR2	32	Y	
CPWIC	CP FAMILY PHONES	NOTE	VARCHAR2	100	Y	
CPWIC	CP FAMILY PHONES	PREFERRED FLAG	NUMBER	22	Y	
CPWIC	CP FAMILY PHONES	PHONE TYPE ID	NUMBER	22	Y	
CPWIC	CP FAMILY PHONES	TEXT MSG FLAG	NUMBER	22	Y	
CPWIC	CP FAMILY PROXIES	PROXY ID	NUMBER	22	N	
CPWIC	CP FAMILY PROXIES	CEU FAMILY ID	VARCHAR2	9	N	
CPWIC	CP FAMILY PROXIES	LAST FULL NAME	VARCHAR2	50	Y	
CPWIC	CP FAMILY PROXIES	FIRST NAME	VARCHAR2	100	Y	
CPWIC	CP FAMILY PROXIES	MI	VARCHAR2	1	Y	
CPWIC	CP FAMILY PROXIES	DATE CREATED	DATE	7	N	
CPWIC	CP FAMILY PROXIES	CREATED BY	VARCHAR2	32	N	
CPWIC	CP FAMILY PROXIES	DATE MODIFIED	DATE	7	Y	
CPWIC	CP FAMILY PROXIES	MODIFIED BY	VARCHAR2	32	Y	
CPWIC	CP FAMILY PROXIES	DELETE PROXY	CHAR	1	Y	
CPWIC	CP LU INCOME TYPES	INCOME TYPE ID	NUMBER	22	N	Primary Key of the Table
CPWIC	CP LU INCOME TYPES	DESCRIPTION	NUMBER	4000	N	Description of the row
CPWIC	CP LU INCOME TYPES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
CPWIC	CP LU INCOME TYPES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
CPWIC	CP LU INCOME TYPES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
CPWIC	CP LU INCOME TYPES	WEEKS GESTATION UNKNOWN	NUMBER	22	Y	
SWIC	AUDIT C MEDICAL ADDL INFO	AUDIT_TIMESTAMP	DATE	22	Y	This is the date timestamp for updates to the main table, when before image is captured as audit.
SWIC	AUDIT C MEDICAL ADDL INFO	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS).
SWIC	AUDIT C MEDICAL ADDL INFO	BIRTH_WEIGHT	NUMBER	22	Y	Infant birth weight in ounces for infants/children.
SWIC	AUDIT C MEDICAL ADDL INFO	INFANT_PREMATURE_FLAG	NUMBER	22	Y	UNUSE FOR MI-WE.
SWIC	AUDIT C MEDICAL ADDL INFO	WEEKS_GESTATION	NUMBER	22	Y	Indicates the weeks gestation for the infant at birth for infants/children.
SWIC	AUDIT C MEDICAL ADDL INFO	LEAD_TEST_VALUE	NUMBER	22	Y	Lead test value.
SWIC	AUDIT C MEDICAL ADDL INFO	PRE_PREG_WEIGHT	NUMBER	22	Y	Pre-pregnancy weight in ounces for women.
SWIC	AUDIT C MEDICAL ADDL INFO	WEEKS_GESTATION	NUMBER	22	Y	Pregnancy weight gain in pounds for women.
SWIC	AUDIT C MEDICAL ADDL INFO	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	AUDIT C MEDICAL ADDL INFO	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	AUDIT C MEDICAL ADDL INFO	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	AUDIT C MEDICAL ADDL INFO	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	AUDIT C MEDICAL ADDL INFO	DELIVERY_WEIGHT	NUMBER	22	Y	Weight at delivery in ounces for women.
SWIC	AUDIT C MEDICAL ADDL INFO	WEIGHT_GAIN_UNKNOWN	NUMBER	22	Y	Indicates if the pregnancy weight gain is unknown for women (0=No, 1=Yes).
SWIC	AUDIT C MEDICAL ADDL INFO	PRE_PREG_WEIGHT_UNKNOWN	NUMBER	22	Y	Indicates if the pre-pregnancy weight is unknown for women (0=No, 1=Yes).
SWIC	AUDIT C MEDICAL ADDL INFO	BIRTH_WEIGHT_UNKNOWN	NUMBER	22	Y	Indicates if the birth weight is unknown for infants/children (0=No, 1=Yes).
SWIC	AUDIT C MEDICAL ADDL INFO	PRE_PREG_WEIGHT_CREATED	DATE	7	Y	Date on which pre pregnancy weight was entered (used for same day rule)
SWIC	AUDIT C MEDICAL ADDL INFO	BIRTH_WEIGHT_CREATED	DATE	7	Y	Date on which Birth weight was entered (used for same day rule)
SWIC	AUDIT C MEDICAL ADDL INFO	NO_OF_CARE_VISITS	NUMBER	22	Y	
SWIC	AUDIT C MEDICAL ADDL INFO	FIRST_Visit_MONTH	NUMBER	22	Y	
SWIC	AUDIT C MEDICAL ADDL INFO	FIRST_Visit_YEAR	NUMBER	22	Y	
SWIC	AUDIT C MEDICAL ADDL INFO	BIRTH_LENGTH_UNKNOWN	NUMBER	22	Y	Indicates if the birth length is unknown for infants/children (0=No, 1=Yes).
SWIC	AUDIT C MEDICAL ADDL INFO	BIRTH_LENGTH	NUMBER	22	Y	Infant birth length in inches for infants/children.
SWIC	AUDIT C MEDICAL ADDL INFO	IMMUNIZATION_REVIEWED	NUMBER	22	Y	
SWIC	AUDIT C MEDICAL ADDL INFO	IMMUNIZATION_REFERRED	NUMBER	22	Y	
SWIC	AUDIT C MEDICAL ADDL INFO	IMMUNIZATION_DECLINED	NUMBER	22	Y	
SWIC	AUDIT REPORT	REPORT ID	VARCHAR2	30	N	System generated unique identifier
SWIC	AUDIT REPORT	REPORT LINE NUMBER	NUMBER	22	N	Report line number
SWIC	AUDIT REPORT	TABLE_REFERENCE	VARCHAR2	30	Y	Table reference
SWIC	AUDIT REPORT	REPORT LINE CATEGORY	VARCHAR2	30	Y	Report line category
SWIC	AUDIT REPORT	REPORT LINE TEXT	VARCHAR2	1000	Y	Report line text
SWIC	AUDIT REPORT	CREATED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
SWIC	AUDIT REPORT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	AUDIT REPORT	MODIFIED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	AUDIT REPORT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_J	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_K	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_L	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_M	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_N	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_O	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_P	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_Q	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_R	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_S	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_T	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_U	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_V	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_W	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_X	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_Y	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_Z	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	NUMBER OF MONITORING VIS	VARCHAR2	2	Y	
SWIC	AUDIT V TP RPT DATA	COMPLIANCE INVESTIGATIONS	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	OTHER INVESTIGATIONS	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	NUMBER OF COMPLIANCE BUILDS	VARCHAR2	2	Y	
SWIC	AUDIT V TP RPT DATA	NUMBER OF INVENTORY AUDIT	VARCHAR2	2	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION T	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION A	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION I	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION O	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION R	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION F	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION C	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION J	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION U	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION D	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION E	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION H	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION G	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION W	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION V	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION X	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION Y	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REASON FOR SANCTION Z	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	DATE REFERRED TO PSP	VARCHAR2	8	Y	
SWIC	AUDIT V TP RPT DATA	STATE AGENCY VIOLATION	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	AUDIT DATE	DATE	7	Y	
SWIC	AUDIT V TP RPT DATA	AGENCY CODE	VARCHAR2	2	Y	
SWIC	AUDIT V TP RPT DATA	FISCAL YEAR	VARCHAR2	4	Y	
SWIC	AUDIT V TP RPT DATA	VENDOR ID	VARCHAR2	12	Y	
SWIC	AUDIT V TP RPT DATA	NEW VENDOR	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	TRAINING	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	TYPE OF VENDOR	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	RISK DESIGNATION	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	FIS NUMBER	VARCHAR2	7	Y	
SWIC	AUDIT V TP RPT DATA	VENDOR NAME	VARCHAR2	50	Y	
SWIC	AUDIT V TP RPT DATA	VENDOR STREET NUMBER	VARCHAR2	8	Y	
SWIC	AUDIT V TP RPT DATA	VENDOR STREET NAME	VARCHAR2	40	Y	
SWIC	AUDIT V TP RPT DATA	VENDOR ADDITIONAL ADDRESS	VARCHAR2	40	Y	
SWIC	AUDIT V TP RPT DATA	VENDOR CITY	VARCHAR2	30	Y	
SWIC	AUDIT V TP RPT DATA	VENDOR STATE	VARCHAR2	2	Y	
SWIC	AUDIT V TP RPT DATA	VENDOR ZIP	VARCHAR2	5	Y	
SWIC	AUDIT V TP RPT DATA	VENDOR ZIP PLUS 4	VARCHAR2	4	Y	
SWIC	AUDIT V TP RPT DATA	ANNUAL WHO REDEMPTIONS	VARCHAR2	15	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION MONTHS	VARCHAR2	2	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_A	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_B	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_C	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_D	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_E	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_F	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_G	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_H	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_I	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_J	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_K	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_L	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_M	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_N	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_O	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_P	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_Q	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_R	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_S	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_T	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_U	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_V	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_W	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_X	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_Y	VARCHAR2	1	Y	
SWIC	AUDIT V TP RPT DATA	REDEMPTION_INDICATORS_Z	VARCHAR2	1	Y	
SWIC	A ANNOUNCEMENTS	DATE MODIFIED	DATE	7	Y	
SWIC	A ANNOUNCEMENTS	ANNOUNCEMENTS	VARCHAR2	32	Y	
SWIC	A ANNOUNCEMENTS	ANNOUNCEMENT ID	NUMBER	22	N	
SWIC	A ANNOUNCEMENTS	ANNOUNCEMENT TEXT	VARCHAR2	1050	N	
SWIC	A ANNOUNCEMENTS	EFFECTIVE DATE	DATE	7	N	
SWIC	A ANNOUNCEMENTS	END DATE	DATE	7	N	
SWIC	A ANNOUNCEMENTS	DATE CREATED	DATE	7	N	
SWIC	A ANNOUNCEMENTS	CREATED BY	VARCHAR2	32	N	
SWIC	A ANNOUNCEMENT TYPE	ANNOUNCEMENT TYPE	NUMBER	22	N	
SWIC	A ANNOUNCEMENT TYPE	DESCRIPTION	VARCHAR2	20	Y	
SWIC	A ANNOUNCEMENT TYPE	DATE_CREATED	DATE	7	N	
SWIC	A ANNOUNCEMENT TYPE	CREATED BY	VARCHAR2	32	N	
SWIC	A ANNOUNCEMENT TYPE	DATE_MODIFIED	DATE	7	Y	
SWIC	A ANNOUNCEMENT TYPE	MODIFIED BY	VARCHAR2	32	Y	
SWIC	A APPOINTMENTS	SEQ ID	NUMBER	22	N	The system generated unique identifier for the appointment.
SWIC	A APPOINTMENTS	START TIME	DATE	7	N	The date/time the appointment starts.
SWIC	A APPOINTMENTS	END TIME	DATE	7	N	The date/time the appointment ends.
SWIC	A APPOINTMENTS	CLD_SEQ_ID	NUMBER	22	N	The unique identifier for the client (C_ORGANIZATIONAL_UNITS).
SWIC	A APPOINTMENTS	ROW TYPE	VARCHAR2	2	Y	The type of appointment record.
SWIC	A APPOINTMENTS	CLD_CLD_ID	NUMBER	22	Y	The unique numeric identifier for the clinic day.
SWIC	A APPOINTMENTS	ATS_ATTEND STATUS CODE	VARCHAR2	2	Y	The unique identifier for the attend status (A_ATTEND_STATUSES).
SWIC	A APPOINTMENTS	SM STAFF MEMBER ID	NUMBER	22	Y	The unique identifier for the staff member or pseudo staff member (O_STAFF_MEMBERS).
SWIC	A APPOINTMENTS	CEU_FAMILY_ID	VARCHAR2	9	N	The unique identifier for the family (C_FAMILY_ECONOMIC_UNITS).
SWIC	A APPOINTMENTS	C_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	A APPOINTMENTS	GRF_GROUP_ID	VARCHAR2	10	Y	The unique identifier for the group or class, if applicable (A_GROUPS).
SWIC	A APPOINTMENTS	Srv_Seq_Id	NUMBER	22	Y	The unique identifier for the clinic (A_SERVICES).
SWIC	A APPOINTMENTS	Srv_Seq_Srv_Code	VARCHAR2	6	Y	The identifier for the type of service to be performed at the appointment (A_SERVICES).
SWIC	A APPOINTMENTS	MEMBER COUNT	NUMBER	22	Y	The number of participants in the class, if applicable.
SWIC	A APPOINTMENTS	NET_NTR ED TOPIC CODE	NUMBER	22	Y	The unique identifier for the nutrition education topic, if applicable (C_LU_NUTR_ED_TOPICS).
SWIC	A APPOINTMENTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A APPOINTMENTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A APPOINTMENTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A APPOINTMENTS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A APPOINTMENTS	APP SORT	NUMBER	22	Y	The sequence number assigned to support appointment sorting.
SWIC	A APPOINTMENTS	MAX CLASS SIZE	NUMBER	22	Y	The maximum number of members allowed for this class, if applicable.
SWIC	A APPOINTMENTS	EARLY_APT_REQUIRED	NUMBER	22	Y	Indicates if an early appointment is required (0=No, 1=Yes).
SWIC	A APPOINTMENTS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	A APPOINTMENTS	CLNM_METHOD_ID	NUMBER	22	Y	The unique identifier for the nutrition education method (C_LU_NUTR_ED_METHODS).
SWIC	A APPOINTMENTS	CLNM_PROVIDER_ID	NUMBER	22	Y	The provider identification for the nutrition education method (CLNM_PROVIDER_ID).
SWIC	A APPOINTMENTS	PROVIDER INT	VARCHAR2	10	Y	The initials for the provider of the planned nutrition education.

SWIC	A APPT WAITLIST POTENTIAL	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	A APPT WAITLIST POTENTIAL	NOTES	VARCHAR2	2000	N	Common field for user notes or comments.
SWIC	A APPT WAITLIST POTENTIAL	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A APPT WAITLIST POTENTIAL	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A APPT WAITLIST POTENTIAL	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	A APPT WAITLIST POTENTIAL	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	A APPT WAITLIST POTENTIAL	CAT_CATEGORY_CODE	VARCHAR2	3	Y	Category of the client at the time the record was created.
SWIC	A APPT WAITLIST POTENTIAL	APPT_DATE	DATE	7	Y	Actual appointment date for the client.
SWIC	A APPT WAITLIST POTENTIAL	A_AWL_ID	NUMBER	22	N	The unique identifier set from awl_wait_list_seq.
SWIC	A APPT WAITLIST POTENTIAL	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	A APPT WAITLIST POTENTIAL	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A APPT WAITLIST POTENTIAL	DATE_MODIFIED	VARCHAR2	32	N	Common audit field for date time stamp when the row was last modified.
SWIC	A APPT WAITLIST POTENTIAL	CREATED_BY	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A APPT WAITLIST POTENTIAL	DATE_MODIFIED	VARCHAR2	32	N	Common audit field for date time stamp when the row was last modified.
SWIC	A APPT WAITLIST POTENTIAL	MODIFIED_BY	NUMBER	22	N	The unique identifier for the wait list group (A WAIT LIST GROUPS).
SWIC	A APPT WAITLIST POTENTIAL	AWL_GROUP_ID	NUMBER	22	N	Indicates if the client was removed from the wait list (0=No, 1=Yes).
SWIC	A APPT WAITLIST POTENTIAL	REMOVED	NUMBER	22	N	Indicates if the client was removed from the wait list (0=No, 1=Yes).
SWIC	A APPT WAITLIST POTENTIAL	DATE_NOTICE_SENT	DATE	7	Y	Date the wait list notice was sent to the client.
SWIC	A APPT_WAITLISTS	APPT_TIME	DATE	7	Y	The appointment date/time.
SWIC	A APPT_WAITLISTS	RTN_CODE	NUMBER	22	Y	The unique identifier for the response to notification (C LU_RESPONSE TO NOTICES).
SWIC	A APPT_WAITLISTS	OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	A APPT_WAITLISTS	ELIGIBLE_FOR_APPT	NUMBER	22	Y	Indicates if the client is now eligible for an appointment (0=No, 1=Yes).
SWIC	A APPT_WAITLISTS	APP_SEQ_ID	NUMBER	22	Y	The system generated unique identifier for the appointment.
SWIC	A APPT_WAITLISTS	APPT_KEY	VARCHAR2	1	Y	Indicates if the client appointment is on or not (0=No, 1=Yes).
SWIC	A APPT_WAITLISTS	SCHED_CAT_CODE	VARCHAR2	10	N	Scheduled Appointment Category Code (C CATEGORIES).
SWIC	A APPT_WAITLISTS	OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	A APPT_WAITLISTS	GROUP_ID	NUMBER	22	N	The system generated unique identifier for the wait list group.
SWIC	A APPT_WAITLISTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A APPT_WAITLISTS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A APPT_WAITLISTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A APPT_WAITLISTS	S_ACTIVE	NUMBER	22	Y	Indicates if the wait list group is active (0=No, 1=Yes).
SWIC	A APPT_WAITLISTS	A_AWL_ID	NUMBER	22	N	The system generated unique identifier when the wait list notification.
SWIC	A APPT_WAITLISTS	A_AWL_GROUP_ID	NUMBER	22	N	The unique identifier for the wait list group (A WAIT LIST GROUPS).
SWIC	A APPT_WAITLISTS	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C CLIENTS).
SWIC	A APPT_WAITLISTS	APPT_TYPE	VARCHAR2	32	N	Description of the appointment type.
SWIC	A APPT_WAITLISTS	APPT_TIME	DATE	7	Y	The appointment date/time.
SWIC	A APPT_WAITLISTS	DATE_NOTICE_SENT	DATE	7	Y	Date the wait list notice was sent to the client.
SWIC	A APPT_WAITLISTS	REMOVED	NUMBER	22	Y	Indicates if the client was removed from the wait list (0=No, 1=Yes).
SWIC	A APPT_WAITLISTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A APPT_WAITLISTS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A APPT_WAITLISTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A APPT_WAITLISTS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A APPT_WAITLISTS	OU_SEQ_ID	NUMBER	22	Y	The unique identifier for the clinic.
SWIC	A APPT_WAITLISTS	CANCELLED_APP_FLAG	NUMBER	22	Y	Indicates if the appointment should be cancelled (0=No, 1=Yes).
SWIC	A APPT_WAITLISTS	REMOVE_FROM_NOTIF_FLAG	NUMBER	22	Y	Indicates if the client should be removed from the notification process (0=No, 1=Yes).
SWIC	A APPT_WAITLISTS	APP_SEQ_ID	NUMBER	22	Y	The system generated unique identifier for the appointment.
SWIC	A APPT_WAITLISTS	CANCELLED_DATE	DATE	7	Y	The appointment cancelled date.
SWIC	A APPT_WAITLISTS	AWGS_OU_SEQ_ID	NUMBER	22	N	The unique identifier for the local agency (A WAIT LIST GROUPS).
SWIC	A ATTEND_STATUSES	ATTEND_STATUS_CODE	VARCHAR2	1	N	Unique code for appointment attendance status.
SWIC	A ATTEND_STATUSES	DESCRIPTION	NUMBER	20	N	Description of the appointment attendance status.
SWIC	A ATTEND_STATUSES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A ATTEND_STATUSES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A ATTEND_STATUSES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A ATTEND_STATUSES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A ATTEND_STATUSES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	A ATTEND_STATUSES	SORT_ORDER	NUMBER	22	Y	Common field for user notes or comments.
SWIC	A ATTEND_STATUSES	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	A CALENDAR_DAYS	CLD_CLD_ID	NUMBER	22	N	The unique numeric identifier for the clinic calendar day.
SWIC	A CALENDAR_DAYS	CALENDAR_DATE	DATE	7	N	The date for the clinic calendar day.
SWIC	A CALENDAR_DAYS	OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	A CALENDAR_DAYS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A CALENDAR_DAYS	DATE_MODIFIED	VARCHAR2	32	N	Common audit field for date time stamp when the row was last modified.
SWIC	A CALENDAR_DAYS	OC_OFFICE_CLOSED_CODE	NUMBER	22	Y	Numeric indicator for whether or not the office is closed this day.
SWIC	A CALENDAR_DAYS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A CALENDAR_DAYS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A CALENDAR_DAYS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	A CALENDAR_DAYS	STANDARD_HOLIDAY	NUMBER	22	Y	Flag to indicate whether or not the closed day is a standard holiday.
SWIC	A CALENDAR_DAYS	OFFICE_CLOSED_REASON	VARCHAR2	100	Y	Text describing the reason closed for a given calendar day.
SWIC	A DAILY_GRID_LIMITS	START_TIME	DATE	7	Y	Start time for appointment grid.
SWIC	A DAILY_GRID_LIMITS	END_TIME	DATE	7	Y	End time for appointment grid.
SWIC	A DAILY_GRID_LIMITS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A DAILY_GRID_LIMITS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A DAILY_GRID_LIMITS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A DAILY_GRID_LIMITS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A DATA_MDD_LOG	LOG_ID	NUMBER	22	N	The unique identifier for the log.
SWIC	A DATA_MDD_LOG	LOG_GROUP_ID	NUMBER	22	Y	Indicates if the log is for a group (0=No, 1=Yes).
SWIC	A DATA_MDD_LOG	USER_ID	VARCHAR2	50	N	The unique identifier for the user.
SWIC	A DATA_MDD_LOG	METHOD_NAME	VARCHAR2	200	N	The unique identifier for the method.
SWIC	A DATA_MDD_LOG	TABLE_NAME	VARCHAR2	200	N	The unique identifier for the table.
SWIC	A DATA_MDD_LOG	MOD_ACTION	VARCHAR2	3	N	The unique identifier for the modification action.
SWIC	A DATA_MDD_LOG	CLIENT_ID	NUMBER	22	Y	The unique identifier for the client.
SWIC	A DATA_MDD_LOG	FAMILY_ID	VARCHAR2	6	Y	The unique identifier for the family.
SWIC	A DATA_MDD_LOG	PARAMS	VARCHAR2	1000	Y	Common field for user notes or comments.
SWIC	A DATA_MDD_LOG	FIELD_NAME	VARCHAR2	100	Y	The unique identifier for the field.
SWIC	A DATA_MDD_LOG	OLD_VALUE	VARCHAR2	200	Y	The unique identifier for the old value.
SWIC	A DATA_MDD_LOG	NEW_VALUE	VARCHAR2	200	Y	The unique identifier for the new value.
SWIC	A DATA_MDD_LOG	NOTE	VARCHAR2	4000	Y	Common field for user notes or comments.
SWIC	A DATA_MDD_LOG	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A DATA_MDD_LOG	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A DATA_MDD_LOG	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A GROUPS	GROUP_ID	VARCHAR2	10	N	The system generated unique identifier for the nutrition education group/class.
SWIC	A GROUPS	DESCRIPTION	VARCHAR2	60	N	The description of the nutrition education group/class.
SWIC	A GROUPS	OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	A GROUPS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A GROUPS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A GROUPS	MAX_SIZE	NUMBER	22	Y	Indicates if the group is for a nutrition education topic (C LU_NUTR_ED TOPICS).
SWIC	A GROUPS	NET_NUTR_ED_TOPIC_CODE	NUMBER	22	Y	The unique identifier for a nutrition education topic (C LU_NUTR_ED TOPICS).
SWIC	A GROUPS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A GROUPS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A GROUPS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	A_GROUPS	SHOW_FLAG	NUMBER	22	Y	Flag to indicate whether or not the class name is displayed on Create Class screen.
SWIC	A LU APPT WAIT LIST GROUPS	CAT_CATEGORY_CODE	VARCHAR2	3	N	The category code to which the wait list group applies.
SWIC	A LU APPT WAIT LIST GROUPS	SRV_ACT_SERV_CODE	VARCHAR2	6	N	The identifier for the type of service to be performed at the appointment (A SERVICES).
SWIC	A LU APPT WAIT LIST GROUPS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A LU APPT WAIT LIST GROUPS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A LU APPT WAIT LIST GROUPS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A LU APPT WAIT LIST GROUPS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A LU APPT WAIT LIST GROUPS	MIN_AGE	NUMBER	22	Y	The minimum age in months for which the wait list group applies.
SWIC	A LU APPT WAIT LIST GROUPS	MAX_AGE	NUMBER	22	Y	The maximum age in months for which the wait list group applies.
SWIC	A LU APPT WAIT LIST GROUPS	ACTIVE	NUMBER	22	N	Indicates if the loop-up value is active in system.
SWIC	A LU APPT WAIT LIST GROUPS	GROUP_ID	NUMBER	22	N	The system generated unique identifier for the wait list group.
SWIC	A LU APPT WAIT LIST GROUPS	DESCRIPTION	VARCHAR2	60	N	The name of the wait list group.
SWIC	A ONSITE	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	A ONSITE	CFU_FAMILY_ID	VARCHAR2	9	N	The unique identifier for the family (C FAMILY ECONOMIC UNITS).
SWIC	A ONSITE	INTAKE_FLAG	NUMBER	22	N	Indicates if the client has completed intake documentation (0=No, 1=Yes).
SWIC	A ONSITE	START_TIME	DATE	7	Y	Appointment start date/time.
SWIC	A ONSITE	ARRIVAL_TIME	DATE	7	Y	Client arrival date/time.
SWIC	A ONSITE	SRV_OU_SEQ_ID	NUMBER	22	Y	The unique identifier for the clinic (A SERVICES).
SWIC	A ONSITE	SRV_ACT_SERV_CODE	VARCHAR2	6	N	The identifier for the type of service to be performed at the appointment (A SERVICES).
SWIC	A ONSITE	TIME_ONSITE	NUMBER	22	Y	Four digit number field for the number of minutes on-site.
SWIC	A ONSITE	MEDICAL_FLAG	NUMBER	22	Y	Indicates if the client has completed medical assessment (0=No, 1=Yes).
SWIC	A ONSITE	NUTR_ED_FLAG	NUMBER	22	Y	Indicates if the client has received nutrition education (0=No, 1=Yes).
SWIC	A ONSITE	CHECKS_FLAG	NUMBER	22	Y	Indicates if the client has received benefits (0=No, 1=Yes).
SWIC	A ONSITE	CONF_FLAG	NUMBER	22	Y	Indicates if the client has completed their appointment (0=No, 1=Yes).
SWIC	A ONSITE	SCRIPT_FLAGS	VARCHAR2	16	N	UNUSED FOR NOW.
SWIC	A ONSITE	CAT_CATEGORY_CODE	VARCHAR2	3	N	The alpha code for certification category (such as IFF for Infant Formula Fed or PG for Pregnant).
SWIC	A ONSITE	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	A ONSITE	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A ONSITE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A ONSITE	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A ONSITE	TIME_OF_LAST_ENTRY	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A RESCHEDULED APPTS	SEQ_ID	NUMBER	22	Y	The system generated unique identifier for the appointment.
SWIC	A RESCHEDULED APPTS	FROM_DATE	DATE	7	Y	Original appointment date/time.
SWIC	A RESCHEDULED APPTS	FROM_CLINIC	NUMBER	22	Y	Original appointment clinic identifier.
SWIC	A RESCHEDULED APPTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A RESCHEDULED APPTS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A RESCHEDULED APPTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A RESCHEDULED APPTS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A SERVICES	OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	A SERVICES	ACT_SERV_CODE	VARCHAR2	6	N	The unique identifier for the appointment service.
SWIC	A SERVICES	DESCRIPTION	VARCHAR2	60	N	The description of the service.
SWIC	A SERVICES	ACT_SERV_TYPE	VARCHAR2	1	N	The type of service.
SWIC	A SERVICES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A SERVICES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A SERVICES	TIME_ALLOCATION	NUMBER	22	Y	A two-digit numeric value including zero.
SWIC	A SERVICES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A SERVICES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A SERVICES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	A SERVICES	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	A SERVICE GUIDED SCRIPT	SRV_OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (A SERVICES).
SWIC	A SERVICE GUIDED SCRIPT	SRV_ACT_SERV_CODE	VARCHAR2	6	N	The identifier for the type of service to be performed at the appointment (A SERVICES).
SWIC	A SERVICE GUIDED SCRIPT	CLUG_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	A STANDARD HOLIDAYS	CALENDAR_DATE	DATE	7	N	Date for the holiday.
SWIC	A STANDARD HOLIDAYS	HOLIDAY_DESCRIPTION	VARCHAR2	100	Y	Name or description for holiday.
SWIC	A STANDARD HOLIDAYS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A STANDARD HOLIDAYS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A STANDARD HOLIDAYS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A STANDARD HOLIDAYS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
CPWC	CP LU INCOME TYPES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
CPWC	CP L V CHALLENGE QUESTIONS	QUESTION_ID	VARCHAR2	200	N	Stores ShortName or ID of choice.
CPWC	CP L V CHALLENGE QUESTIONS	DESCRIPTION	VARCHAR2	200	N	Stores Description of Challenge Question
CPWC	CP L V CHALLENGE QUESTIONS	CREATED_BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was created.
CPWC	CP L V CHALLENGE QUESTIONS	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
CPWC	CP L V CHALLENGE QUESTIONS	MODIFIED_BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
CPWC	CP L V CHALLENGE QUESTIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
CPWC	CP P LU SPECIAL NEEDS	SPECIAL_NEEDS_CODE	VARCHAR2	5	N	The unique identifier for the special needs code.
CPWC	CP P LU SPECIAL NEEDS	SPECIAL_NEEDS_DESCRIPTION	VARCHAR2	100	Y	The description of the special needs code.
CPWC	CP P LU SPECIAL NEEDS	CREATED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
CPWC	CP P LU SPECIAL NEEDS	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
CPWC	CP P LU SPECIAL NEEDS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
CPWC						

CPWIC	CP P USERS	USER ID	VARCHAR2	200	N	EMAIL
CPWIC	CP P USERS	PASSWORD	VARCHAR2	100	N	
CPWIC	CP P USERS	CHALLENGE QUESTION1	VARCHAR2	2000	N	
CPWIC	CP P USERS	CHALLENGE QUESTION2	VARCHAR2	2000	N	
CPWIC	CP P USERS	CHALLENGE QUESTIONS	VARCHAR2	2000	N	
CPWIC	CP P USERS	CHALLENGE ANSWER1	VARCHAR2	2000	N	
CPWIC	CP P USERS	CHALLENGE ANSWER2	VARCHAR2	2000	N	
CPWIC	CP P USERS	CHALLENGE ANSWERS	VARCHAR2	2000	N	
CPWIC	CP P USERS	ACTIVE FLAG	NUMBER	22	Y	
CPWIC	CP P USERS	WIC_FAMILY_ID	VARCHAR2	29	Y	
CPWIC	CP P USERS	DATE_CREATED	DATE	7	Y	
CPWIC	CP P USERS	CREATED BY	VARCHAR2	100	Y	
CPWIC	CP P USERS	DATE_MODIFIED	DATE	7	Y	
CPWIC	CP P USERS	MODIFIED BY	VARCHAR2	1000	Y	
CPWIC	CP P USERS	WIC_CLIENT_FLAG	NUMBER	22	N	WIC CLIENT MUST PROVIDE FAMILY ID OR EBT CARD NUMBER, OTHERWISE PROVIDE FIRST NAME AND LAST NAME, ALONG WITH DOB
CPWIC	CP P USERS	WIC_EBT_CARD	NUMBER	22	Y	
CPWIC	CP P USERS	DOB	DATE	7	Y	
CPWIC	CP_P_USERS	FIRST_NAME	VARCHAR2	200	Y	
CPWIC	CP P USERS	LAST_NAME	VARCHAR2	200	Y	
CPWIC	CP P USERS	GUID	VARCHAR2	200	Y	GUID used to activate the account
CPWIC	CP P USERS	EMAIL_ID	VARCHAR2	200	Y	Email Address of the User
CPWIC	CP S DEBUG	PROCESS_NAME	VARCHAR2	100	Y	
CPWIC	CP S DEBUG	DEBUG_MESSAGE	VARCHAR2	4000	Y	
CPWIC	CP S DEBUG	CREATED BY	VARCHAR2	30	N	
CPWIC	CP S DEBUG	DATE_CREATED	DATE	7	N	
CPWIC	CP S DEBUG	MODIFIED BY	VARCHAR2	30	Y	
CPWIC	CP S DEBUG	DATE_MODIFIED	DATE	7	Y	
CPWIC	CP S PARAMETERS	PARAMETER_NAME	VARCHAR2	30	Y	
CPWIC	CP S PARAMETERS	PARAMETER_VALUE	VARCHAR2	100	Y	
CPWIC	CP S PARAMETERS	PARAMETER_FORMAT	VARCHAR2	30	Y	
CPWIC	CP S PARAMETERS	PARAMETER_DESCRIPTION	VARCHAR2	100	Y	
CPWIC	CP S PARAMETERS	CREATED BY	VARCHAR2	30	N	
CPWIC	CP S PARAMETERS	DATE_CREATED	DATE	7	N	
CPWIC	CP S PARAMETERS	MODIFIED_BY	VARCHAR2	30	Y	
CPWIC	CP S PARAMETERS	DATE_MODIFIED	DATE	7	Y	
CPWIC	WCC_ACCOUNT_HISTORY	EMAIL_ID	VARCHAR2	200	N	
CPWIC	WCC_ACCOUNT_HISTORY	LOGIN_TIME	DATE	7	N	
CPWIC	WCC_ACCOUNT_HISTORY	LOGIN_TYPE	VARCHAR2	10	N	
CPWIC	WCC_ACCOUNT_HISTORY	DEVICE_TYPE	NUMBER	22	Y	
CPWIC	WCC_ACCOUNT_HISTORY	LOGIN_STATUS	NUMBER	22	Y	
CPWIC	WCC_ACCOUNT_HISTORY	APP_VERSION	VARCHAR2	10	Y	
CPWIC	WCC_ACCOUNT_HISTORY	OS_VERSION	VARCHAR2	50	Y	
CPWIC	WCC_ACCOUNT_HISTORY	DEVICE_MODEL	VARCHAR2	50	Y	
CPWIC	WCC_ACCOUNT_TYPE	EMAIL_ID	VARCHAR2	200	N	
CPWIC	WCC_ACCOUNT_TYPE	LOGIN_TYPE	VARCHAR2	10	Y	
CPWIC	WCC_ACCOUNT_TYPE	DEVICE_TOKEN	VARCHAR2	250	Y	
CPWIC	WCC_ACCOUNT_TYPE	DEVICE_TYPE	NUMBER	22	Y	
CPWIC	WCC_APP_USERS	ZIP_CODE	VARCHAR2	5	Y	
CPWIC	WCC_APP_USERS	FIRST_NAME	VARCHAR2	200	Y	
CPWIC	WCC_APP_USERS	LAST_NAME	VARCHAR2	200	Y	
CPWIC	WCC_APP_USERS	GUID	VARCHAR2	200	Y	GUID used to activate the account
CPWIC	WCC_APP_USERS	EMAIL_ID	VARCHAR2	200	Y	Email Address of the User
CPWIC	WCC_APP_USERS	GOOGLE_ID	VARCHAR2	200	Y	
CPWIC	WCC_APP_USERS	FACEBOOK_ID	VARCHAR2	200	Y	
CPWIC	WCC_APP_USERS	TWITTER_ID	VARCHAR2	200	Y	
CPWIC	WCC_APP_USERS	TOKEN	VARCHAR2	36	Y	
CPWIC	WCC_APP_USERS	DEVICE_TYPE	NUMBER	22	Y	
CPWIC	WCC_APP_USERS	DEVICE_TOKEN	VARCHAR2	250	Y	
CPWIC	WCC_APP_USERS	USER_ID	VARCHAR2	200	N	EMAIL
CPWIC	WCC_APP_USERS	PASSWORD	VARCHAR2	100	N	
CPWIC	WCC_APP_USERS	ACTIVE_FLAG	NUMBER	22	Y	
CPWIC	WCC_APP_USERS	WIC_FAMILY_ID	VARCHAR2	9	Y	
CPWIC	WCC_APP_USERS	DATE_CREATED	DATE	7	Y	
CPWIC	WCC_APP_USERS	CREATED BY	VARCHAR2	100	Y	
CPWIC	WCC_APP_USERS	DATE_MODIFIED	DATE	7	Y	
CPWIC	WCC_APP_USERS	MODIFIED BY	VARCHAR2	1000	Y	
CPWIC	WCC_APP_USERS	WIC_CLIENT_FLAG	NUMBER	22	Y	WIC CLIENT MUST PROVIDE FAMILY ID OR EBT CARD NUMBER, OTHERWISE PROVIDE FIRST NAME AND LAST NAME, ALONG WITH DOB
CPWIC	WCC_APP_USERS	WIC_EBT_CARD	NUMBER	22	Y	
CPWIC	WCC_APP_USERS	DOB	DATE	7	Y	
CPWIC	WCC_CAT_SUB_CONTENT	EFF_DATE_CODE	VARCHAR2	6	N	Effective Date Code (YYYYMM) (i.e. 201608)
CPWIC	WCC_CAT_SUB_CONTENT	VLUIC_CAT_CODE	VARCHAR2	2	N	The UPC sub-category of the food (V UPC SUBCAT).
CPWIC	WCC_CAT_SUB_CONTENT	VLUIS_CAT_CODE	VARCHAR2	3	N	The UPC category of the food (V UPC SUBCAT).
CPWIC	WCC_CAT_SUB_CONTENT	CON_IMAGE	VARCHAR2	200	N	Icon image filename as stored on device
CPWIC	WCC_CAT_SUB_CONTENT	CONTENT_FILE	VARCHAR2	1000	N	Content filename as stored on device OR web URL with arguments if applicable (web URL must include http://)
CPWIC	WCC_CAT_SUB_CONTENT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
CPWIC	WCC_CAT_SUB_CONTENT	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
CPWIC	WCC_CAT_SUB_CONTENT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
CPWIC	WCC_CAT_SUB_CONTENT	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
CPWIC	WCC_CLIENT_NOTIFICATIONS	NOTIFICATION_ID	NUMBER	22	N	
CPWIC	WCC_CLIENT_NOTIFICATIONS	CFEU_FAMILY_ID	VARCHAR2	7	Y	
CPWIC	WCC_CLIENT_NOTIFICATIONS	NOTIFICATION	VARCHAR2	2000	Y	
CPWIC	WCC_CLIENT_NOTIFICATIONS	READ	NUMBER	22	Y	
CPWIC	WCC_CLIENT_NOTIFICATIONS	SENT	NUMBER	22	Y	
CPWIC	WCC_CLIENT_NOTIFICATIONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
CPWIC	WCC_CLIENT_NOTIFICATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
CPWIC	WCC_CLIENT_NOTIFICATIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
CPWIC	WCC_CLIENT_NOTIFICATIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
CPWIC	WCC_DEVICE_MODELS	DEVICE_ID	VARCHAR2	50	N	
CPWIC	WCC_DEVICE_MODELS	DEVICE_MODEL	VARCHAR2	50	Y	
CPWIC	WCC_MAP_FILTER_PARAMETERS	FILTER_INDEX	NUMBER	22	N	Filter Position. Range: 0-19 (0 is used for vendors with no Vendor Type designated; 11-14 can be used to set Clinic Pin Colors; 10 and 15-19 are reserved for future expansion)
CPWIC	WCC_MAP_FILTER_PARAMETERS	FILTER_LABEL	VARCHAR2	100	N	Text for the Filter (in English)
CPWIC	WCC_MAP_FILTER_PARAMETERS	FILTER_PIN_COLOR	VARCHAR2	15	N	Pin Color to use for the Filter. Values: Red, Green, Blue, Purple, Pink
CPWIC	WCC_MAP_FILTER_PARAMETERS	CREATED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
CPWIC	WCC_MAP_FILTER_PARAMETERS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
CPWIC	WCC_MAP_FILTER_PARAMETERS	MODIFIED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
CPWIC	WCC_MAP_FILTER_PARAMETERS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
CPWIC	WCC_MAP_FILTER_PARAMETERS_TRANS	LANGUAGE_CODE	VARCHAR2	2	N	Language Code (e.g. fr...)
CPWIC	WCC_MAP_FILTER_PARAMETERS_TRANS	WMPF_FILTER_INDEX	NUMBER	22	N	Filter Position. (WCC_MAP_FILTER_PARAMETERS)
CPWIC	WCC_MAP_FILTER_PARAMETERS_TRANS	FILTER_LABEL	VARCHAR2	100	N	Text for the Filter in Language indicated by LANGUAGE_CODE
CPWIC	WCC_MAP_FILTER_PARAMETERS_TRANS	CREATED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
CPWIC	WCC_MAP_FILTER_PARAMETERS_TRANS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
CPWIC	WCC_MAP_FILTER_PARAMETERS_TRANS	MODIFIED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
CPWIC	WCC_MAP_FILTER_PARAMETERS_TRANS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
CPWIC	WCC_PUSH_NOTIFICATIONS	NOTIFICATION_ID	NUMBER	22	N	
CPWIC	WCC_PUSH_NOTIFICATIONS	CFEU_FAMILY_ID	VARCHAR2	10	Y	
CPWIC	WCC_PUSH_NOTIFICATIONS	NOTIFICATION	VARCHAR2	2000	Y	
CPWIC	WCC_PUSH_NOTIFICATIONS	READ	NUMBER	22	Y	
CPWIC	WCC_PUSH_NOTIFICATIONS	SENT	NUMBER	22	Y	
CPWIC	WCC_PUSH_NOTIFICATIONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
CPWIC	WCC_PUSH_NOTIFICATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
CPWIC	WCC_PUSH_NOTIFICATIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
CPWIC	WCC_PUSH_NOTIFICATIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A STANDARDD HOLIDAYS	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	A TEMPLATES	OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	A TEMPLATES	TEMPLATE_CODE	NUMBER	22	N	The system generated unique identifier.
SWIC	A TEMPLATES	DESCRIPTION	VARCHAR2	60	N	The description of the template.
SWIC	A TEMPLATES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A TEMPLATES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A TEMPLATES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A TEMPLATES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A TEMPLATES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	A TEMPLATES_EVENTS	TEM_OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	A TEMPLATES_EVENTS	TEM_TEMPLATE_CODE	NUMBER	22	N	The system generated unique identifier.
SWIC	A TEMPLATES_EVENTS	SM_STAFF_MEMBER_ID	NUMBER	22	N	The unique identifier for the staff position.
SWIC	A TEMPLATES_EVENTS	SRV_OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	A TEMPLATES_EVENTS	SRV_ACT_SERV_CODE	VARCHAR2	6	N	The system generated unique identifier.
SWIC	A TEMPLATES_EVENTS	START_TIME	DATE	7	N	The time of day that the template event starts.
SWIC	A TEMPLATES_EVENTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A TEMPLATES_EVENTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A TEMPLATES_EVENTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A TEMPLATES_EVENTS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A TEMPLATES_EVENTS	END_TIME	DATE	7	Y	The time of day that the template event ends.
SWIC	A TEMPLATES_EVENTS	APPY_DESC1	NUMBER	22	Y	Numeric value which can be used to sort the templates for display.
SWIC	A_WORK_DAILY_TAB	APPY_DESC2	VARCHAR2	500	Y	Column 2 appointment description.
SWIC	A_WORK_DAILY_TAB	APPY_DESC3	VARCHAR2	500	Y	Column 3 appointment description.
SWIC	A_WORK_DAILY_TAB	APPY_DESC4	VARCHAR2	500	Y	Column 4 appointment description.
SWIC	A_WORK_DAILY_TAB	APPY_DESC5	VARCHAR2	500	Y	Column 5 appointment description.
SWIC	A_WORK_DAILY_TAB	APPY_DESC6	VARCHAR2	500	Y	Column 6 appointment description.
SWIC	A_WORK_DAILY_TAB	APPY_DESC7	VARCHAR2	500	Y	Column 7 appointment description.
SWIC	A_WORK_DAILY_TAB	APPY_DESC8	VARCHAR2	500	Y	Column 8 appointment description.
SWIC	A_WORK_DAILY_TAB	APPY_DESC9	VARCHAR2	500	Y	Column 9 appointment description.
SWIC	A_WORK_DAILY_TAB	APPY_DESC10	VARCHAR2	500	Y	Column 10 appointment description.
SWIC	A_WORK_DAILY_TAB	APPY_DESC11	VARCHAR2	500	Y	Column 11 appointment type.
SWIC	A_WORK_DAILY_TAB	APPY_DESC12	VARCHAR2	500	Y	Column 12 appointment description.
SWIC	A_WORK_DAILY_TAB	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A_WORK_DAILY_TAB	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	A_WORK_DAILY_TAB	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	A_WORK_DAILY_TAB	CREATED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
SWIC	A_WORK_DAILY_TAB	OU_SEQ_ID	NUMBER	22	Y	The unique identifier for the clinic.
SWIC	A_WORK_DAILY_TAB	OU_NAME	VARCHAR2	60	Y	The name of the clinic.
SWIC	A_WORK_DAILY_TAB	START_TIME	DATE	7	Y	The appointment date/time.
SWIC	A_WORK_DAILY_TAB	APPY_DESC1	VARCHAR2	500	Y	Column 1 appointment description.
SWIC	A_WORK_DAILY_TAB	APPY_DESC2	VARCHAR2	500	Y	Column 2 appointment type.
SWIC	A_WORK_REMOVE_SLOT	USER_NAME	VARCHAR2	32	Y	Unique identifier for the system user.
SWIC	A_WORK_REMOVE_SLOT	CLINIC_DAY	NUMBER	22	Y	The unique numeric identifier for the clinic calendar day.
SWIC	A_WORK_REMOVE_SLOT	STAFF_ID	NUMBER	22	Y	The unique identifier for the staff member or pseudo staff member.
SWIC	A_WORK_REMOVE_SLOT	START_TIME	DATE	7	Y	The start date/time of the appointment.
SWIC	A_WORK_REMOVE_SLOT	END_TIME	DATE	7	Y	The end date/time of the appointment.
SWIC	A_WORK_REMOVE_SLOT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	A_WORK_REMOVE_SLOT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	A_WORK_REMOVE_SLOT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.

SWIC	A	WORK REMOVE SLOTT	MODIFIED BY	VARCHAR2	32 Y	
SWIC	A	WORK UNDO SCHEDULE	USER NAME	VARCHAR2	32 Y	Unique identifier for the system user.
SWIC	A	WORK UNDO SCHEDULE	SEQ ID	NUMBER	22 Y	The system generated unique identifier for the appointment.
SWIC	A	WORK UNDO SCHEDULE	OJ SEQ ID	NUMBER	22 Y	The unique identifier for the clinic.
SWIC	A	WORK UNDO SCHEDULE	STAFF ID	NUMBER	22 Y	The unique identifier for the staff member or pseudo staff member.
SWIC	A	WORK UNDO SCHEDULE	CLINIC DAY	NUMBER	22 Y	The unique numeric identifier for the clinic calendar day.
SWIC	A	WORK UNDO SCHEDULE	START TIME	DATE	7 Y	The start date/time of the appointment.
SWIC	A	WORK UNDO SCHEDULE	END TIME	DATE	7 Y	The end date/time of the appointment.
SWIC	A	WORK UNDO SCHEDULE	ROW TYPE	VARCHAR2	3 Y	The type of appointment record.
SWIC	A	WORK UNDO SCHEDULE	APPT TYPE	VARCHAR2	10 Y	The identifier for the type of service to be performed at the appointment.
SWIC	A	WORK UNDO SCHEDULE	ATTEND STATUS CODE	VARCHAR2	1 Y	The unique identifier for the attend status.
SWIC	A	WORK UNDO SCHEDULE	DATE CREATED	DATE	7 N	
SWIC	A	WORK UNDO SCHEDULE	DATE MODIFIED	DATE	7 Y	
SWIC	A	WORK UNDO SCHEDULE	MODIFIED BY	VARCHAR2	32 N	
SWIC	B	BF MATERNAL HISTORY	CC1_CC_CLIENT_ID	NUMBER	22 N	The unique identifier for participant
SWIC	B	BF MATERNAL HISTORY	MED STATUS ID	NUMBER	22 Y	The lookup code for med status
SWIC	B	BF MATERNAL HISTORY	BIRTH_HIST_ID	NUMBER	22 Y	The lookup code for birth history
SWIC	B	BF MATERNAL HISTORY	DELIVERY DATE	DATE	7 Y	The delivery date for new baby
SWIC	B	BF MATERNAL HISTORY	WEEKS GESTATION	NUMBER	22 Y	The actual weeks of gestation
SWIC	B	BF MATERNAL HISTORY	BF HISTORY	VARCHAR2	2000 Y	The breastfeeding history notes
SWIC	B	BF MATERNAL HISTORY	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF MATERNAL HISTORY	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF MATERNAL HISTORY	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF MATERNAL HISTORY	CFCR REFERRAL_ID	NUMBER	22 N	
SWIC	B	BF MATERNAL HISTORY	CFCR CERT_SEQ	NUMBER	22 N	
SWIC	B	BF MULTI CHOICE	CC_CLIENT_ID	NUMBER	22 N	The unique identifier for the participant or client (C CLIENTS).
SWIC	B	BF MULTI CHOICE	SLINK_ID	NUMBER	22 N	Foreign key to S LINK BF MULTI CHOICE
SWIC	B	BF MULTI CHOICE	NOTE	VARCHAR2	2000 Y	If value has a text option it will be stored here.
SWIC	B	BF MULTI CHOICE	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF MULTI CHOICE	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF MULTI CHOICE	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF POSTPARTUM CONTACT	CC1_CC_CLIENT_ID	NUMBER	22 N	The unique participant identifier.
SWIC	B	BF POSTPARTUM CONTACT	CC_SEQ_NO	NUMBER	22 N	System generated unique contact sequence number
SWIC	B	BF POSTPARTUM CONTACT	CLBCM_COMPL_MOM_ID	NUMBER	22 Y	
SWIC	B	BF POSTPARTUM CONTACT	CLBCM_COMPL_BABY_ID	NUMBER	22 Y	
SWIC	B	BF POSTPARTUM CONTACT	SUPPLEMENT AMOUNT	NUMBER	22 Y	The supplemental fluid in oz
SWIC	B	BF POSTPARTUM CONTACT	ASSESSMENT SUMMARY	VARCHAR2	2000 Y	The assessment summary
SWIC	B	BF POSTPARTUM CONTACT	ASSESSMENT NOTE	VARCHAR2	2000 Y	The assessment tab notes
SWIC	B	BF POSTPARTUM CONTACT	CLBAGR_RESPONSE_ID	NUMBER	22 Y	The aspect of gpr response lookup id
SWIC	B	BF POSTPARTUM CONTACT	CLBNP_NDSE_NIPLE_ID	NUMBER	22 Y	The nose to nipple position lookup id
SWIC	B	BF POSTPARTUM CONTACT	CLBNP_NDSE_CHIN_ID	NUMBER	22 Y	The nose and chin position to breast lookup id
SWIC	B	BF POSTPARTUM CONTACT	CLBLT_LP_TONGUE_ID	NUMBER	22 Y	The lip and tongue position to breast lookup id
SWIC	B	BF POSTPARTUM CONTACT	LATCH SUMMARY	VARCHAR2	2000 Y	The latch tab summary
SWIC	B	BF POSTPARTUM CONTACT	CLBLND_ANGLE_ID	NUMBER	22 Y	The angle of mouth opening lookup id
SWIC	B	BF POSTPARTUM CONTACT	CLBLT_LATCH_ID	NUMBER	22 Y	The latch type lookup id
SWIC	B	BF POSTPARTUM CONTACT	CLBRM_RHYTHM_ID	NUMBER	22 Y	The rhythm lookup id
SWIC	B	BF POSTPARTUM CONTACT	CLBRM_MOTION_ID	NUMBER	22 Y	The law motion lookup id
SWIC	B	BF POSTPARTUM CONTACT	CLBEF_END_FEED_ID	NUMBER	22 Y	The ending feed lookup id
SWIC	B	BF POSTPARTUM CONTACT	CLBNCL_CMPORT_ID	NUMBER	22 Y	The mother's comfort/hill lookup id
SWIC	B	BF POSTPARTUM CONTACT	CLBRM_NIPPLE_ID	NUMBER	22 Y	The mother's nipple lookup
SWIC	B	BF POSTPARTUM CONTACT	FEEDING SUMMARY	VARCHAR2	2000 Y	The feeding tab summary
SWIC	B	BF POSTPARTUM CONTACT	CLBNC_CONCERN_ID	NUMBER	22 Y	
SWIC	B	BF POSTPARTUM CONTACT	CLBNS_START_ID	NUMBER	22 Y	
SWIC	B	BF POSTPARTUM CONTACT	CLBFP_PROGRESS_ID	NUMBER	22 Y	
SWIC	B	BF POSTPARTUM CONTACT	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF POSTPARTUM CONTACT	CREATED_BY	VARCHAR2	32 N	Common audit field for logged in user id when the row was created.
SWIC	B	BF POSTPARTUM CONTACT	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF POSTPARTUM CONTACT	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF POSTPARTUM CONTACT	EDUCATION SUMMARY	VARCHAR2	2000 Y	The education summary
SWIC	B	BF POSTPARTUM CONTACT	FOLLOWUP_SUMMARY	VARCHAR2	2000 Y	The follow up tab comments
SWIC	B	BF POSTPARTUM CONTACT	CLNCS_DIAG_ID	NUMBER	22 Y	
SWIC	B	BF POSTPARTUM CONTACT	PRIMARY_DESC_TOPIC	NUMBER	22 Y	The primary decision topic lookup id
SWIC	B	BF POSTPARTUM CONTACT	BOTTLES_DAY	NUMBER	22 Y	
SWIC	B	BF POSTPARTUM CONTACT	SUPPLEMENT_YN	NUMBER	22 Y	
SWIC	B	BF_PP_CONTACT_COMPL_BABY	CC1_CC_CLIENT_ID	NUMBER	22 N	
SWIC	B	BF_PP_CONTACT_COMPL_BABY	CC_SEQ_NO	NUMBER	22 N	
SWIC	B	BF_PP_CONTACT_COMPL_BABY	CLBCM_COMPL_BABY_ID	NUMBER	22 N	
SWIC	B	BF_PP_CONTACT_COMPL_BABY	DATE CREATED	DATE	7 N	
SWIC	B	BF_PP_CONTACT_COMPL_BABY	CREATED BY	VARCHAR2	32 N	
SWIC	B	BF_PP_CONTACT_COMPL_BABY	DATE MODIFIED	DATE	7 Y	
SWIC	B	BF_PP_CONTACT_COMPL_BABY	MODIFIED BY	VARCHAR2	32 Y	
SWIC	B	BF_PP_CONTACT_COMPL_MOM	CC1_CC_CLIENT_ID	NUMBER	22 N	
SWIC	B	BF_PP_CONTACT_COMPL_MOM	CC_SEQ_NO	NUMBER	22 N	
SWIC	B	BF_PP_CONTACT_COMPL_MOM	CLBCM_COMPL_MOM_ID	NUMBER	22 N	
SWIC	B	BF_PP_CONTACT_COMPL_MOM	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF_PP_CONTACT_COMPL_MOM	CREATED BY	VARCHAR2	32 N	Common audit field for logged in user id when the row was created.
SWIC	B	BF_PP_CONTACT_COMPL_MOM	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF_PP_CONTACT_COMPL_MOM	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF_PP_CONTACT_CONCERN	CC1_CC_CLIENT_ID	NUMBER	22 N	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF_PP_CONTACT_CONCERN	CC_SEQ_NO	NUMBER	22 N	
SWIC	B	BF_PP_CONTACT_CONCERN	BLBFP_CONCERN_ID	NUMBER	22 N	LOOKUP KEY FROM B_LU_BF_NIPPLE_CONCERNS TABLE
SWIC	B	BF_PP_CONTACT_CONCERN	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF_PP_CONTACT_CONCERN	CREATED BY	VARCHAR2	32 N	Common audit field for logged in user id when the row was created.
SWIC	B	BF_PP_CONTACT_CONCERN	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF_PP_CONTACT_CONCERN	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF_PP_CONTACT_EXP_SUPPLIES	CC1_CC_CLIENT_ID	NUMBER	22 N	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF_PP_CONTACT_EXP_SUPPLIES	CC_SEQ_NO	NUMBER	22 N	
SWIC	B	BF_PP_CONTACT_EXP_SUPPLIES	BLBES_SUPPLY_ID	NUMBER	22 N	
SWIC	B	BF_PP_CONTACT_EXP_SUPPLIES	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF_PP_CONTACT_EXP_SUPPLIES	CREATED BY	VARCHAR2	32 N	Common audit field for logged in user id when the row was created.
SWIC	B	BF_PP_CONTACT_EXP_SUPPLIES	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF_PP_CONTACT_EXP_SUPPLIES	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF_PP_CONTACT_ILNESS	CC1_CC_CLIENT_ID	NUMBER	22 N	The unique identifier for participant
SWIC	B	BF_PP_CONTACT_ILNESS	CC_SEQ_NO	NUMBER	22 N	The unique sequence number for contact
SWIC	B	BF_PP_CONTACT_ILNESS	BLB_ILNESS_ID	NUMBER	22 N	The ILLNESS lookup id
SWIC	B	BF_PP_CONTACT_ILNESS	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF_PP_CONTACT_ILNESS	CREATED BY	VARCHAR2	32 N	Common audit field for logged in user id when the row was created.
SWIC	B	BF_PP_CONTACT_ILNESS	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF_PP_CONTACT_ILNESS	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF_PP_CONTACT_MED	CC1_CC_CLIENT_ID	NUMBER	22 N	The unique identifier for participant
SWIC	B	BF_PP_CONTACT_MED	CC_SEQ_NO	NUMBER	22 N	The unique sequence number for contact
SWIC	B	BF_PP_CONTACT_MED	BLBPT_MED_ID	NUMBER	22 N	The MEDICAL AND DRUGS lookup id
SWIC	B	BF_PP_CONTACT_MED	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF_PP_CONTACT_MED	CREATED BY	VARCHAR2	32 N	Common audit field for logged in user id when the row was created.
SWIC	B	BF_PP_CONTACT_MED	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF_PP_CONTACT_MED	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF_PP_CONTACT_PAG	CC1_CC_CLIENT_ID	NUMBER	22 N	The unique identifier for participant
SWIC	B	BF_PP_CONTACT_PAG	CC_SEQ_NO	NUMBER	22 N	The unique sequence number for contact
SWIC	B	BF_PP_CONTACT_PAG	BLBFP_PROGRESS_ID	NUMBER	22 N	The expression and supplies lookup id
SWIC	B	BF_PP_CONTACT_PAG	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF_PP_CONTACT_PAG	CREATED BY	VARCHAR2	32 N	Common audit field for logged in user id when the row was created.
SWIC	B	BF_PP_CONTACT_PAG	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF_PP_CONTACT_PAG	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF_PP_CONTACT_SEAL	CC1_CC_CLIENT_ID	NUMBER	22 N	The unique identifier for participant
SWIC	B	BF_PP_CONTACT_SEAL	CC_SEQ_NO	NUMBER	22 N	The unique sequence number for contact
SWIC	B	BF_PP_CONTACT_SEAL	BLBPS_SEAL_ID	NUMBER	22 N	The expression and supplies lookup id
SWIC	B	BF_PP_CONTACT_SEAL	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF_PP_CONTACT_SEAL	CREATED BY	VARCHAR2	32 N	Common audit field for logged in user id when the row was created.
SWIC	B	BF_PP_CONTACT_SEAL	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF_PP_CONTACT_SEAL	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF_PP_CONTACT_STBF	CC1_CC_CLIENT_ID	NUMBER	22 N	The unique identifier for participant
SWIC	B	BF_PP_CONTACT_STBF	CC_SEQ_NO	NUMBER	22 N	The unique sequence number for contact
SWIC	B	BF_PP_CONTACT_STBF	BLBFT_STBF_ID	NUMBER	22 N	The starting to breastfeed lookup id
SWIC	B	BF_PP_CONTACT_STBF	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF_PP_CONTACT_STBF	CREATED BY	VARCHAR2	32 N	Common audit field for logged in user id when the row was created.
SWIC	B	BF_PP_CONTACT_STBF	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF_PP_CONTACT_STBF	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	BF_PP_CONTACT_TONE	CC1_CC_CLIENT_ID	NUMBER	22 N	The unique identifier for participant
SWIC	B	BF_PP_CONTACT_TONE	CC_SEQ_NO	NUMBER	22 N	The unique sequence number for contact
SWIC	B	BF_PP_CONTACT_TONE	BLBTT_TONE_ID	NUMBER	22 N	The starting to breastfeed lookup id
SWIC	B	BF_PP_CONTACT_TONE	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	BF_PP_CONTACT_TONE	CREATED BY	VARCHAR2	32 N	Common audit field for logged in user id when the row was created.
SWIC	B	BF_PP_CONTACT_TONE	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	BF_PP_CONTACT_TONE	MODIFIED BY	VARCHAR2	32 Y	Common audit field for logged in user id when the row was last modified.
SWIC	B	CONTACTS	CC_CLIENT_ID	NUMBER	22 N	The unique identifier for the participant or client (C CLIENTS).
SWIC	B	CONTACTS	SEQ_NO	NUMBER	22 N	The sequence number for the client contact.
SWIC	B	CONTACTS	CONTACT DATE	DATE	7 N	The date of the client contact.
SWIC	B	CONTACTS	SCM_CM	NUMBER	22 N	The unique identifier of the contact method (B_LU_CONTACT_METHODS).
SWIC	B	CONTACTS	SUCCESS_FLAG	NUMBER	22 N	Indicates if the contact was successful (0-No, 1=Yes).
SWIC	B	CONTACTS	DATE_CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	B	CONTACTS	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	B	CONTACTS	CNCR_CONTACT_REASON_CODE	NUMBER	22 Y	The client indicates for no contact (C_NO_CONTACT REASONS).
SWIC	B	CONTACTS	SFLT_ID	NUMBER	22 Y	The unique identifier for time frame for contact of FC or DBE.
SWIC	B	CONTACTS	CALL_BACK_DATE	DATE	7 Y	The planned call back date.
SWIC	B	CONTACTS	COMPLETE_DATE	DATE	7 Y	The contact completion date.
SWIC	B	CONTACTS	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	CONTACTS	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	B	CONTACTS	NOTE_BLOB	BLOB	4000 Y	Notes from the Notes tab
SWIC	B	CONTACTS	SPCR_CERT_SEQ	NUMBER	22 Y	Cert sequence.
SWIC	B	CONTACTS	SPCR_REFERRAL_ID	NUMBER	22 Y	Referral id
SWIC	B	CONTACTS	IF_SUMMARY	BLOB	4000 Y	Latch and feeding Summary
SWIC	B	CONTACTS	SUPPLEMENTALFORMULAGIVEN	NUMBER	22 Y	Is any supplemental formula given to the infant
SWIC	B	CONTACTS	BOTTLESPERDAY	NUMBER	22 Y	How many bottles per day, if supplemental formula is given ?
SWIC	B	CONTACTS	OUNCESPERBOTTLE	NUMBER	22 Y	How many ounces per bottle, if supplemental formula is given ?
SWIC	B	CONTACTS	CONTACTTIME	NUMBER	22 Y	Contact Time in minutes from the Education full screen
SWIC	B	CONTACTS	TRAVELTIME	NUMBER	22 Y	Travel Time in minutes from the Education full screen
SWIC	B	CONTACTS	PREPTIME	NUMBER	22 Y	Prep Time in minutes from the Education full screen
SWIC	B	CONTACTS	EDUNOTE	VARCHAR2	2000 Y	Note for DBE from the Education full screen
SWIC	B	CONTACTS	TIME_DURATION	NUMBER	22 Y	UNUSED FOR MWC.
SWIC	B	CONTACTS	NEEDATTENTION	NUMBER	22 Y	Flag to indicate if Pz/DBE attention is required
SWIC	B	CONTACTS	FOLLOWUPDATE	DATE	7 Y	Followup Date
SWIC	B	CONTACT LOOKUPS	CONTACT_LOOKUP_ID	NUMBER	22 N	
SWIC	B	CONTACT LOOKUPS	SEQ_NO	NUMBER	22 Y	
SWIC	B	CONTACT LOOKUPS	LOOKUP_ID	NUMBER	22 Y	
SWIC	B	CONTACT LOOKUPS	LOOKUP_VALUE	NUMBER	22 Y	
SWIC	B	CONTACT LOOKUPS	ACTIVE	NUMBER	22 Y	
SWIC	B	CONTACT LOOKUPS	DATE_CREATED	DATE	7 Y	
SWIC	B	CONTACT LOOKUPS	CREATED BY	VARCHAR2	32 Y	
SWIC	B	CONTACT LOOKUPS	DATE MODIFIED	DATE	7 Y	





SWIC	B	FEER_COUNSELOR_REFERRALS	DATE_REFERRED	DATE	7	Y	Referral Date from the Create Referral screen from Clinic Module
SWIC	B	FEER_COUNSELOR_REFERRALS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	B	FEER_COUNSELOR_REFERRALS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	B	FEER_COUNSELOR_REFERRALS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	B	FEER_COUNSELOR_REFERRALS	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	B	FEER_COUNSELOR_REFERRALS	SM_STAFF_MEMBER_ID	NUMBER	22	N	The unique identifier for the staff member.
SWIC	B	FEER_COUNSELOR_REFERRALS	NOTE	VARCHAR2	200	Y	NOTE taken by the PC OR DBE
SWIC	B	FEER_COUNSELOR_REFERRALS	FOLLOWUP_COMPLETE	NUMBER	22	Y	Flag to indicate if the followup was complete
SWIC	B	FEER_COUNSELOR_REFERRALS	REFERRAL_ID	NUMBER	22	N	Referral ID
SWIC	B	FEER_COUNSELOR_REFERRALS	ILBRT_ID	NUMBER	22	Y	REFERRED TO LOOKUP VALUE FROM B LU BF REFERRED TO TABLE
SWIC	B	FEER_COUNSELOR_REFERRALS	START_ASSIGNMENT_DATE	DATE	7	Y	Date on which the staff was assigned
SWIC	B	FEER_COUNSELOR_REFERRALS	DOB	DATE	7	Y	Birth date of the infant
SWIC	B	FEER_COUNSELOR_REFERRALS	REASSIGNED	NUMBER	22	Y	Does referral need reassignment (Case when referral is closed at the time of cert end or transfer)
SWIC	B	FEER_COUNSELOR_REFERRALS	RLBRT_ID	NUMBER	22	N	Referral Status took on value from B LU BF referral status
SWIC	B	FEER_COUNSELOR_REFERRALS	FIRSTCONTACT	DATE	7	Y	The date on which the first contact was made
SWIC	B	FEER_COUNSELOR_REFERRALS	NEXT_FOLLOWUP_DATE	DATE	7	Y	Next followup date
SWIC	B	FEER_COUNSELOR_REFERRALS	REFERRAL_END_DATE	DATE	7	Y	Date on which the referral was either closed or opted out
SWIC	B	FEER_COUNSELOR_REFERRALS	NEEDATTENTION	NUMBER	22	Y	Flag to indicate if Pz/DBE attention is required
SWIC	B	FEER_COUNSELOR_REFERRALS	RLBOR_ID	NUMBER	22	Y	Referral Opt Out Reason
SWIC	B	FEER_COUNSELOR_REFERRALS	REMOVEDDATE	DATE	7	Y	Date on which the PC or DBE was removed from the agency/site
SWIC	B	FEER_COUNSELOR_REFERRALS	NEEDATTENTIONDATE	DATE	7	Y	Need attention date
SWIC	B	FEER_COUNSELOR_REFERRALS	PRIOR_SM_STAFF_ID	VARCHAR2	32	N	Prior PC or DBE assigned to the referral
SWIC	CB	DISPOSE_ACTIVITIES	ID	NUMBER	22	N	
SWIC	CB	DISPOSE_ACTIVITIES	CDRO_ID	NUMBER	22	N	
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSAL_REF_NAME	VARCHAR2	50	Y	
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSAL_REF_TITLE	VARCHAR2	20	Y	
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSAL_SIG_DOC_ID	NUMBER	22	Y	
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSAL_DATE	DATE	7	Y	
SWIC	CB	DISPOSE_ACTIVITIES	DATE_CREATED	DATE	7	N	
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	
SWIC	CB	DISPOSE_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	
SWIC	CB	DISPOSE_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	N	
SWIC	CB	DISPOSE_ACTIVITIES	PRICE_LOCATION	NUMBER	22	Y	The Price Location (V_PRICE_AUDIT_LOCATIONS).
SWIC	CB	DISPOSE_ACTIVITIES	CDRO_DISPOSE_ID	NUMBER	22	N	Unique numeric identification ID for dispose details.
SWIC	CB	DISPOSE_ACTIVITIES	CDRO_ID	NUMBER	22	N	The unique identifier for the organization.
SWIC	CB	DISPOSE_ACTIVITIES	VUJ_UJC_CODE	VARCHAR2	14	N	Universal product code.
SWIC	CB	DISPOSE_ACTIVITIES	BUY_ACT	NUMBER	22	N	The unique identifier for the INVESTIGATION ACTIVITY.
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSE_QTY	NUMBER	22	Y	The Quantity of dispose item.
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSAL_DATE	DATE	7	Y	The Date when item disposed.
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSE_NUMBER_OF_ITEMS	NUMBER	22	Y	The count of dispose item.
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSE_AMOUNT	NUMBER	22	Y	The amount/price of dispose item.
SWIC	CB	DISPOSE_ACTIVITIES	YULM_MANUFACTURER_CODE	VARCHAR2	7	Y	The manufacture code of dispose item.
SWIC	CB	DISPOSE_ACTIVITIES	LOWLIMT_OF_MEASURE_CODE	VARCHAR2	12	Y	The LOML of dispose item.
SWIC	CB	DISPOSE_ACTIVITIES	YULC_CATEGORY_CODE	VARCHAR2	2	Y	The UPC category (V_LU UPC CATEGORY/ V_LU UPC SUBCAT)
SWIC	CB	DISPOSE_ACTIVITIES	YULS_SUB_CAT_CODE	VARCHAR2	3	Y	The UPC sub-category (V_LU UPC SUBCAT).
SWIC	CB	DISPOSE_ACTIVITIES	YULPT_PACKAGE_CODE	VARCHAR2	2	Y	The package code of dispose item.
SWIC	CB	DISPOSE_ACTIVITIES	YULPS_PACKAGE_SIZE_CODE	VARCHAR2	5	Y	The unique identifier for the package(container) size
SWIC	CB	DISPOSE_ACTIVITIES	PACKAGE_SIZE	NUMBER	22	Y	The Package size of dispose item.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	DESCRIPTION	VARCHAR2	50	Y	The food description associated with the UPC.
SWIC	CB	DISPOSE_ACTIVITIES	NON_WVC	NUMBER	22	N	The Non WVC flag of dispose item.
SWIC	CB	DISPOSE_ACTIVITIES	NO_PRICE	NUMBER	22	N	The No Price flag of dispose item.
SWIC	CB	DISPOSE_ACTIVITIES	ID	NUMBER	22	N	Unique numeric identification ID for disposal recipient organization.
SWIC	CB	DISPOSE_ACTIVITIES	NAME	VARCHAR2	100	N	The Name of the disposal recipient organization.
SWIC	CB	DISPOSE_ACTIVITIES	STREET_ADDRESS1	VARCHAR2	60	Y	The first line of the disposal recipient organization's address.
SWIC	CB	DISPOSE_ACTIVITIES	STREET_ADDRESS2	VARCHAR2	60	Y	The second line of the disposal recipient organization's address.
SWIC	CB	DISPOSE_ACTIVITIES	STREET_ZIP	VARCHAR2	6	Y	The first 3 digits of the organization's 9 digit zip code.
SWIC	CB	DISPOSE_ACTIVITIES	STREET_ZIP_LOCATION_ID	NUMBER	22	Y	The area location of mailing address for disposal recipient organizational unit.
SWIC	CB	DISPOSE_ACTIVITIES	CITY	VARCHAR2	100	Y	The City of the disposal recipient organization.
SWIC	CB	DISPOSE_ACTIVITIES	STATE	VARCHAR2	2	Y	The State of the disposal recipient organization.
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSE_STATUS	CHAR	1	N	The status of the organization whether open/closed.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_CREATED	DATE	7	N	
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	
SWIC	CB	DISPOSE_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	
SWIC	CB	DISPOSE_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	N	Common audit field for date time stamp when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	ACTIVE	NUMBER	22	N	Identifies if the stop use value is active in system.
SWIC	CB	DISPOSE_ACTIVITIES	STAFF_MEMBER_ID	NUMBER	22	N	Foreign Key for the Investigator ID in the O_STAFF_MEMBERS table.
SWIC	CB	DISPOSE_ACTIVITIES	FAMILY_ID	VARCHAR2	9	N	The C Family Economic Units foreign Key used for transacting EBT Compliance buys
SWIC	CB	DISPOSE_ACTIVITIES	DATE_CREATED	DATE	7	N	Not used in NYWC.
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	Not used in NYWC.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Not used in NYWC.
SWIC	CB	DISPOSE_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	N	Not used in NYWC.
SWIC	CB	DISPOSE_ACTIVITIES	APPLICATION_NAME	VARCHAR2	32	N	Application name
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSAL_SIG_DOC_ID	NUMBER	22	Y	
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSAL_DATE	DATE	7	Y	
SWIC	CB	DISPOSE_ACTIVITIES	DISPOSAL_LOCATION	VARCHAR2	50	Y	
SWIC	CB	DISPOSE_ACTIVITIES	INVESTIGATION_ACTIVITY_ID	NUMBER	22	N	Not used in NYWC.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_BUY	DATE	7	Y	The date/time of the Compliance Buy
SWIC	CB	DISPOSE_ACTIVITIES	REGISTER_COUNT	NUMBER	22	Y	Number of registered available at the time of the Compliance Visit
SWIC	CB	DISPOSE_ACTIVITIES	IS_STORE_CLOSED	CHAR	1	Y	T/F denotes whether the store was open for business at the time of the Compliance Buy
SWIC	CB	DISPOSE_ACTIVITIES	IS_TRANSACTION_REFUSED	CHAR	1	Y	T/F denotes if the WVC EST purchase was rejected by the Vendor
SWIC	CB	DISPOSE_ACTIVITIES	STORE_REF_GENDER	CHAR	1	Y	M/F denotes the observed gender of the cashier.
SWIC	CB	DISPOSE_ACTIVITIES	STORE_REF_AGE	NUMBER	22	Y	Estimated age of the cashier
SWIC	CB	DISPOSE_ACTIVITIES	STORE_REF_HEIGHT	VARCHAR2	22	Y	Estimated height of the cashier
SWIC	CB	DISPOSE_ACTIVITIES	STORE_REF_ETHNICITY	VARCHAR2	20	Y	Estimated ethnicity of the cashier
SWIC	CB	DISPOSE_ACTIVITIES	STORE_REF_HAIR_COLOR	VARCHAR2	20	Y	Estimated hair color of the cashier
SWIC	CB	DISPOSE_ACTIVITIES	STORE_REF_BUILD	VARCHAR2	20	Y	Estimated build of the cashier
SWIC	CB	DISPOSE_ACTIVITIES	STORE_REF_NAME_TAG	VARCHAR2	20	Y	If applicable, the name tag worn by the cashier
SWIC	CB	DISPOSE_ACTIVITIES	STORE_REF_FEATURES	VARCHAR2	300	Y	Other descriptions for the cashier
SWIC	CB	DISPOSE_ACTIVITIES	COMMENTS	VARCHAR2	2000	Y	General notes field related to the Compliance Buy visit
SWIC	CB	DISPOSE_ACTIVITIES	DATE_CREATED	DATE	7	N	Not used in NYWC.
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	Not used in NYWC.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Not used in NYWC.
SWIC	CB	DISPOSE_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	N	Not used in NYWC.
SWIC	CB	DISPOSE_ACTIVITIES	CFAR_ID	NUMBER	22	N	The unique identifier for the CC_CLIENT_ID and CFU_FAMILY_ID combination.
SWIC	CB	DISPOSE_ACTIVITIES	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	CB	DISPOSE_ACTIVITIES	CFU_FAMILY_ID	VARCHAR2	9	N	The unique identifier for the family (C_FAMILY_ECONOMIC_UNITS).
SWIC	CB	DISPOSE_ACTIVITIES	CLU_SGL_ID	NUMBER	22	N	The unique identifier for the clinic (C_ORGANISATIONAL_UNITS).
SWIC	CB	DISPOSE_ACTIVITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	START_TIME	DATE	7	Y	The date the appointment starts.
SWIC	CB	DISPOSE_ACTIVITIES	END_TIME	DATE	7	Y	The date the appointment ends.
SWIC	CB	DISPOSE_ACTIVITIES	PREFERRED_TIME	NUMBER	22	Y	The preferred time of day for the appointment (0 Morning, 1 Afternoon, 2 After Time).
SWIC	CB	DISPOSE_ACTIVITIES	CONTACT_PHONE	VARCHAR2	10	Y	The phone number of the user creating the appointment request.
SWIC	CB	DISPOSE_ACTIVITIES	WVC_CLIENT_FLAG	NUMBER	22	Y	Indicates whether the user creating the appointment is a WVC Client or not.
SWIC	CB	DISPOSE_ACTIVITIES	APPT_STATUS	VARCHAR2	1	Y	The status of the appointment (R=Requested, S=Scheduled).
SWIC	CB	DISPOSE_ACTIVITIES	CAT_CATEGORY_CODE	VARCHAR2	3	Y	The alpha code for certification category for the client's latest certification record.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	CB	DISPOSE_ACTIVITIES	ID	VARCHAR2	1	N	Text code for overlay or watermark
SWIC	CB	DISPOSE_ACTIVITIES	DESCRIPTION	VARCHAR2	50	Y	Descriptive text for overlay code
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	RULE_ID	VARCHAR2	5	N	Common audit field for date time stamp when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	RULE_MESSAGE	VARCHAR2	2000	Y	
SWIC	CB	DISPOSE_ACTIVITIES	CONDITION	VARCHAR2	2000	Y	
SWIC	CB	DISPOSE_ACTIVITIES	CAT_CATEGORY_CODE	VARCHAR2	3	N	
SWIC	CB	DISPOSE_ACTIVITIES	BEGIN_AGE	NUMBER	22	N	
SWIC	CB	DISPOSE_ACTIVITIES	END_AGE	NUMBER	22	N	
SWIC	CB	DISPOSE_ACTIVITIES	CAT_CATEGORY_CODE_OUT	VARCHAR2	3	Y	
SWIC	CB	DISPOSE_ACTIVITIES	BEGIN_AGE_OUT	NUMBER	22	N	
SWIC	CB	DISPOSE_ACTIVITIES	END_AGE_OUT	NUMBER	22	N	
SWIC	CB	DISPOSE_ACTIVITIES	DATE_CREATED	DATE	7	Y	
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	
SWIC	CB	DISPOSE_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	
SWIC	CB	DISPOSE_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	N	
SWIC	CB	DISPOSE_ACTIVITIES	RULE_DESCRIPTION	VARCHAR2	200	Y	
SWIC	CB	DISPOSE_ACTIVITIES	ACTIVE_FLAG	NUMBER	22	Y	
SWIC	CB	DISPOSE_ACTIVITIES	PF_TYPE_CODE	NUMBER	22	N	The PC FILE FOOD PACKAGE TYPE CODE unique identifier.
SWIC	CB	DISPOSE_ACTIVITIES	PC_FPKG_GROUP	NUMBER	22	N	The PC FILE FOOD PACKAGE TYPE GROUP.
SWIC	CB	DISPOSE_ACTIVITIES	MIN_AGE_LIMIT	NUMBER	22	N	The PC FILE FOOD PACKAGE TYPE MIN AGE LIMIT.
SWIC	CB	DISPOSE_ACTIVITIES	MAX_AGE_LIMIT	NUMBER	22	N	The PC FILE FOOD PACKAGE TYPE MAX AGE LIMIT.
SWIC	CB	DISPOSE_ACTIVITIES	CATEGORY_CODE	VARCHAR2	3	N	The PC FILE FOOD PACKAGE TYPE CATEGORY.
SWIC	CB	DISPOSE_ACTIVITIES	FOOD_ID	NUMBER	22	Y	The PC FILE FOOD PACKAGE TYPE FOOD ID SHOULD EXIST.
SWIC	CB	DISPOSE_ACTIVITIES	FOOD_ID_NOT_IN	NUMBER	22	Y	The PC FILE FOOD PACKAGE TYPE FOOD ID SHOULD NOT EXIST.
SWIC	CB	DISPOSE_ACTIVITIES	MIN_WGUEST_LIMIT	NUMBER	22	N	The PC FILE FOOD PACKAGE TYPE MIN WGTES RESTRICTION.
SWIC	CB	DISPOSE_ACTIVITIES	MAX_WGUEST_LIMIT	NUMBER	22	N	The PC FILE FOOD PACKAGE TYPE MAX WGTES RESTRICTION.
SWIC	CB	DISPOSE_ACTIVITIES	BF_STATUS	VARCHAR2	1	Y	The PC FILE FOOD PACKAGE TYPE BF STATUS.
SWIC	CB	DISPOSE_ACTIVITIES	TWINS_OR_MORE	VARCHAR2	1	Y	The PC FILE FOOD PACKAGE TYPE WITH MULTIPLES OR NOT.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	NOTE	VARCHAR2	200	Y	Common field for user notes or comments.
SWIC	CB	DISPOSE_ACTIVITIES	PROMOTION_ID	NUMBER	22	N	Promotion id
SWIC	CB	DISPOSE_ACTIVITIES	DESCRIPTION	VARCHAR2	50	Y	Description of the promotion rule
SWIC	CB	DISPOSE_ACTIVITIES	PERCENTAGE	NUMBER	22	Y	Percentage level of the food items in the promotion package
SWIC	CB	DISPOSE_ACTIVITIES	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	FEEDING_FREQ_DAY_CODE	VARCHAR2	1	N	The code to represent feeding per day.
SWIC	CB	DISPOSE_ACTIVITIES	DESCRIPTION	VARCHAR2	120	N	The description for feedings per day.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	CB	DISPOSE_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	CB	DISPOSE_ACTIVITIES	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	CB	DISPOSE_ACTIVITIES	CCI_PC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	CB	DISPOSE_ACTIVITIES	CERT_SEQ	NUMBER	22	N	The unique identification number for org cert period.
SWIC	CB	DISPOSE_ACTIVITIES	ANSWER_DATE	DATE	7	N	Date on which answer was given.
SWIC	CB	DISPOSE_ACTIVITIES	ANSWER_ID	NUMBER	22	N	Unique identifier for the answer (will map to question/response)
SWIC	CB	DISPOSE_ACTIVITIES	ANSWER_FLAG	NUMBER	22	Y	Will indicate positive (1) or negative (0) response
SWIC	CB	DISPOSE_ACTIVITIES	ADDITIONAL_INFO	VARCHAR2	100	Y	Will provide additional information for some special options.
SWIC	CB	DISPOSE_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.



SWIC	C ANSWERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C ANSWERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C ANSWERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C ANSWERS ORIG	CC1 CC CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C ANSWERS ORIG	CC1 CERT START DATE	DATE	7	N	Cert Start Date
SWIC	C ANSWERS ORIG	ANSWER DATE	DATE	7	N	Date on which answer was given
SWIC	C ANSWERS ORIG	ANSWER ID	NUMBER	22	N	Unique identifier for the answer (will map to question/response)
SWIC	C ANSWERS ORIG	ANSWER FLAG	NUMBER	22	Y	Will indicate positive (1) or negative (0) response
SWIC	C ANSWERS ORIG	ADDITIONAL INFO	VARCHAR2	100	Y	Will provide additional information for some special options.
SWIC	C ANSWERS ORIG	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C ANSWERS ORIG	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C ANSWERS ORIG	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C ANSWERS ORIG	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C ANSWERS ORIG	CERT_SEQ	NUMBER	22	Y	
SWIC	C APPEAL FAIR HEARING	FAMILY ID	VARCHAR2	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	C APPEAL FAIR HEARING	DATE APPEAL REQUEST	DATE	7	N	Date an appeal or fair hearing was requested.
SWIC	C APPEAL FAIR HEARING	ACTIVE_IND	NUMBER	22	Y	Indicate if Fair Hearing is Active or no
SWIC	C APPEAL FAIR HEARING	APPEAL_REASON_CODE	VARCHAR2	2000	Y	Numeric reason code for an appeal or fair hearing as foreign key for lookup table.
SWIC	C APPEAL FAIR HEARING	DATE HEARING1	DATE	7	Y	Date of first or re-scheduled fair hearing if held.
SWIC	C APPEAL FAIR HEARING	DATE HEARING2	DATE	7	Y	Date of second fair hearing if held.
SWIC	C APPEAL FAIR HEARING	DATE CLOSED	DATE	7	Y	Date of hearing closed
SWIC	C APPEAL FAIR HEARING	APPEAL_RULING_CODE	NUMBER	22	Y	Numeric code for the ruling of an appeal or fair hearing.
SWIC	C APPEAL FAIR HEARING	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C APPEAL FAIR HEARING	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C APPEAL FAIR HEARING	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C APPEAL FAIR HEARING	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C APPEAL FAIR HEARING	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C APPEAL FAIR HEARING	C COMP CASE NO	NUMBER	22	Y	Hearing Case Number
SWIC	C AUTH PERSON HIST	CC11 FAMILY ID	VARCHAR2	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	C AUTH PERSON HIST	FIRST NAME	VARCHAR2	30	N	Authorized Person First Name
SWIC	C AUTH PERSON HIST	LAST NAME	VARCHAR2	50	N	Authorized Person Last Name
SWIC	C AUTH PERSON HIST	DATE BEGIN	DATE	7	N	Date the Authorized Person was created.
SWIC	C AUTH PERSON HIST	DATE END	DATE	7	Y	Date the Authorized Person was changed.
SWIC	C AUTH PERSON HIST	ADDRESS	VARCHAR2	300	N	Address of the authorized person.
SWIC	C AUTH PERSON HIST	PHONE	VARCHAR2	10	Y	Phone Number of the authorized Person.
SWIC	C AUTH PERSON HIST	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C AUTH PERSON HIST	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C AUTH PERSON HIST	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C AUTH PERSON HIST	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BAPT RESULTS	ID	NUMBER	22	N	Unique Sequence number or the record
SWIC	C BAPT RESULTS	CERT_SEQ_ID	NUMBER	22	Y	Certification sequence ID
SWIC	C BAPT RESULTS	CC_CLIENT_ID	NUMBER	22	Y	Mothers participant ID
SWIC	C BAPT_RESULTS	SURVY_DATE	DATE	7	Y	Date survey completed
SWIC	C BAPT_RESULTS	POS_BF_SENTIMENT	NUMBER	22	Y	Positive Breastfeeding Sentiment Score
SWIC	C BAPT_RESULTS	NEG_BF_SENTIMENT	NUMBER	22	Y	Negative Breastfeeding Sentiment Score
SWIC	C BAPT_RESULTS	SOC_PROF_SUPPORT	NUMBER	22	Y	Social Professional Support score
SWIC	C BAPT_RESULTS	ERIC_BEH_CONTROL	NUMBER	22	Y	Perceived Behavioral Control Score
SWIC	C BAPT_RESULTS	PRENATAL_BF_SURVEY	NUMBER	22	Y	Prenatal Breastfeeding Survey Score
SWIC	C BAPT_RESULTS	CONFERENCE_NEEDED	NUMBER	22	Y	Conference needed with mother
SWIC	C BAPT_RESULTS	NEED_BF_KNOW	NUMBER	22	Y	Needs breastfeeding knowledge
SWIC	C BAPT_RESULTS	NEED_SUPPORT	NUMBER	22	Y	Needs support
SWIC	C BAPT_RESULTS	NEED_CONFIDENCE	NUMBER	22	Y	Needs confidence
SWIC	C BAPT_RESULTS	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	C BAPT_RESULTS	CREATED BY	VARCHAR2	120	Y	Common audit field for user id connected when the row was created.
SWIC	C BAPT_RESULTS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C BAPT_RESULTS	MODIFIED BY	VARCHAR2	120	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BF AMOUNT GUIDE	FEEDINGS_PER_DAY_CODE	VARCHAR2	1	N	The code to represent feedings per day.
SWIC	C BF AMOUNT GUIDE	MIN_AGE	NUMBER	22	N	
SWIC	C BF AMOUNT GUIDE	MAX_AGE	NUMBER	22	N	
SWIC	C BF AMOUNT GUIDE	POWDERED_AMOUNT	VARCHAR2	50	Y	
SWIC	C BF AMOUNT GUIDE	CONCENTRATE_AMOUNT	VARCHAR2	50	Y	
SWIC	C BF AMOUNT GUIDE	RTU_AMOUNT	VARCHAR2	50	Y	
SWIC	C BF AMOUNT GUIDE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C BF AMOUNT GUIDE	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	C BF AMOUNT GUIDE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C BF AMOUNT GUIDE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BF ANSWERS	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C BF ANSWERS	CERT_SEQ	NUMBER	22	N	The unique identification number for org cert period.
SWIC	C BF ANSWERS	ANSWER DATE	DATE	7	N	Date on which answer was given
SWIC	C BF ANSWERS	ANSWER ID	NUMBER	22	N	Unique identifier for the answer (will map to question/response)
SWIC	C BF ANSWERS	ANSWER FLAG	NUMBER	22	Y	Will indicate positive (1) or negative (0) response
SWIC	C BF ANSWERS	ADDITIONAL_INFO	VARCHAR2	100	Y	Will provide additional information for some special options.
SWIC	C BF ANSWERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C BF ANSWERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C BF ANSWERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BF ANSWERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C BF_STATUS	CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C BF_STATUS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C BF_STATUS	CAD9_FEEDINGS_PER_DAY_CODE	VARCHAR2	32	N	Indicates the number of feedings per day.
SWIC	C BF_STATUS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C BF_STATUS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C BF_STATUS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BF_STATUS	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	C BF_STATUS12	CLIENT_ID	NUMBER	22	Y	
SWIC	C BF_STATUS12	DATE CREATED	DATE	7	Y	
SWIC	C BF_STATUS12	CAD9_FEEDINGS_PER_DAY_CODE	VARCHAR2	1	Y	
SWIC	C BF_STATUS12	CREATED BY	VARCHAR2	32	N	
SWIC	C BF_STATUS12	DATE MODIFIED	DATE	7	Y	
SWIC	C BF_STATUS12	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C BF_STATUS BP	CLIENT_ID	NUMBER	22	Y	
SWIC	C BF_STATUS BP	DATE CREATED	DATE	7	Y	
SWIC	C BF_STATUS BP	CAD9_FEEDINGS_PER_DAY_CODE	VARCHAR2	1	Y	
SWIC	C BF_STATUS BP	CREATED BY	VARCHAR2	32	N	
SWIC	C BF_STATUS BP	DATE MODIFIED	DATE	7	Y	
SWIC	C BF_STATUS BP	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C BF_STATUS BP	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	C BF_SUMMARY	REFERREDTOPC	NUMBER	22	Y	Is the participant referred to PC
SWIC	C BF_SUMMARY	REFERREDTOBE	NUMBER	22	Y	Is the participant referred to BE
SWIC	C BF_SUMMARY	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C BF_SUMMARY	BREASTFEEDING_NOW	NUMBER	22	Y	One digit number to indicate if this infant is currently breastfeeding (0-No/1-Yes).
SWIC	C BF_SUMMARY	EVER_BREASTFD	NUMBER	22	Y	One digit number to indicate if this infant was ever breast fed (0-No/1-Yes).
SWIC	C BF_SUMMARY	REASON_BF_ENDED_CODE	NUMBER	22	Y	The unique code for reason BF ended.
SWIC	C BF_SUMMARY	DATE BF ENDED	DATE	7	Y	Date breast feeding ended.
SWIC	C BF_SUMMARY	DATE FOOD INTRODUCED	DATE	7	Y	Date when food was first introduced.
SWIC	C BF_SUMMARY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C BF_SUMMARY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C BF_SUMMARY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C BF_SUMMARY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BF_SUMMARY	DATE VERIFIED	DATE	7	Y	Verified date
SWIC	C BF_SUMMARY	FORMULA_NOW	NUMBER	22	Y	One digit number to indicate if this infant is currently fed formula (0-No/1-Yes).
SWIC	C BF_SUMMARY	BF_PER_DAY	NUMBER	22	Y	Count of Breastfeeding in a day
SWIC	C BF_SUMMARY	BF_DESIRED	NUMBER	22	Y	Flag for the breastfeed as desired
SWIC	C BF_SUMMARY	WNB_FLAG	NUMBER	22	Y	Flag for using WNB status due to prenatatal loss or adoption
SWIC	C BF_SUMMARY	START_YEAR_UNKNOWN	NUMBER	22	Y	Flag for the food introduced date is unknown.
SWIC	C BF_SUMMARY	CONDITION	VARCHAR2	50	Y	holds for mother infant condition
SWIC	C BF_SUMMARY	END_YEAR_UNKNOWN	NUMBER	22	Y	Flag for the breastfeeding ended date is unknown.
SWIC	C BF_SUMMARY	FEEDPLAN	NUMBER	22	Y	Answer for baby's breastfeed plan
SWIC	C BF_SUMMARY	FEEDPLAN_NOTE	VARCHAR2	250	Y	Note for the baby's breastfeed plan 'other'
SWIC	C BF_SUMMARY	FEEDPLAN_EVER_BF_PUMP	NUMBER	22	Y	Flag for question 'Have you ever breastfeed/pumped'
SWIC	C BF_SUMMARY	FEEDPLAN_WHAT_HEARD_ABOUT_BF	NUMBER	22	Y	Note for the question 'Tell me about your breastfeeding experience or what you have heard about breastfeeding'
SWIC	C BF_SUMMARY_BACKUP	CC_CLIENT_ID	NUMBER	22	Y	
SWIC	C BF_SUMMARY_BACKUP	BREASTFEEDING_NOW	NUMBER	22	Y	
SWIC	C BF_SUMMARY_BACKUP	EVER_BREASTFD	NUMBER	22	Y	
SWIC	C BF_SUMMARY_BACKUP	REASON_BF_ENDED_CODE	NUMBER	22	Y	
SWIC	C BF_SUMMARY_BACKUP	DATE BF ENDED	DATE	7	Y	
SWIC	C BF_SUMMARY_BACKUP	DATE FOOD INTRODUCED	DATE	7	Y	
SWIC	C BF_SUMMARY_BACKUP	DATE CREATED	DATE	7	N	
SWIC	C BF_SUMMARY_BACKUP	CREATED BY	VARCHAR2	32	N	
SWIC	C BF_SUMMARY_BACKUP	DATE MODIFIED	DATE	7	Y	
SWIC	C BF_SUMMARY_BACKUP	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C BF_SUMMARY_BACKUP	DATE VERIFIED	DATE	7	Y	
SWIC	C BF_SUMMARY_BACKUP	FORMULA_NOW	NUMBER	22	Y	
SWIC	C BF_SUMMARY_BACKUP	BF_PER_DAY	NUMBER	22	Y	
SWIC	C BF_SUMMARY_BACKUP	BF_DESIRED	NUMBER	22	Y	
SWIC	C BF_SUMMARY_BACKUP	FEEDPLAN	NUMBER	22	Y	
SWIC	C BF_SUMMARY_BACKUP	FEEDPLAN_NOTE	VARCHAR2	250	Y	
SWIC	C BF_SUMMARY_BACKUP	FEEDPLAN_EVER_BF_PUMP	NUMBER	22	Y	
SWIC	C BF_SUMMARY_BACKUP	FEEDPLAN_WHAT_HEARD_ABOUT_BF	VARCHAR2	250	Y	
SWIC	C BF_SUMMARY_BACKUP	WNB_FLAG	NUMBER	22	Y	
SWIC	C BF_SUMMARY_BACKUP	START_YEAR_UNKNOWN	NUMBER	22	Y	
SWIC	C BF_SUMMARY_BACKUP	CONDITION	VARCHAR2	50	Y	
SWIC	C BF_SUMMARY_BACKUP	DIFFERENCE	VARCHAR2	80	Y	
SWIC	C BF_SUMMARY_BACKUP	HEALTH_ISSUE	VARCHAR2	50	Y	
SWIC	C BF_SUMMARY_BACKUP	OTHER	VARCHAR2	50	Y	
SWIC	C BF_SUMMARY_BACKUP	END_YEAR_UNKNOWN	NUMBER	22	Y	
SWIC	C BF_SUMMARY_HISTORY	CC_CLIENT_ID	NUMBER	22	N	Foreign Key reference to c_clients and contains the Client ID.
SWIC	C BF_SUMMARY_HISTORY	CLBSA_ANSWER_ID	NUMBER	22	N	Foreign Key reference to c_lb_bf_summary_answers and contains the Answer ID.
SWIC	C BF_SUMMARY_HISTORY	QUEST_QUESTION_ID	NUMBER	22	Y	Foreign Key reference to c_bf_summary_questions and contains the Question ID.
SWIC	C BF_SUMMARY_HISTORY	CERT_START_DATE	DATE	7	Y	Cert Start date that was present at the time the data was entered for the client.
SWIC	C BF_SUMMARY_HISTORY	ANSWER DATE	DATE	7	N	Date the Answer was entered in the system.
SWIC	C BF_SUMMARY_HISTORY	ANSWER_VALUE	VARCHAR2	3000	N	Value that was stored as the answer.
SWIC	C BF_SUMMARY_HISTORY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C BF_SUMMARY_HISTORY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C BF_SUMMARY_HISTORY	DATE MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BF_SUMMARY_HISTORY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BF_SUMMARY_HISTORY	NOTE	VARCHAR2	3000	Y	Additional Notes
SWIC	C BF_SUMMARY_HISTORY	NUMBER	NUMBER	22	N	Primary Key of the table (question_id)
SWIC	C BF_SUMMARY_HISTORY	QUESTION_TEXT	VARCHAR2	1000	N	Actual text that is display for the question.
SWIC	C BF_SUMMARY_HISTORY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C BF_SUMMARY_HISTORY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C BF_SUMMARY_HISTORY	DATE MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BF_SUMMARY_HISTORY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BF_SUM_BCP_0608	HOW_IS_BF_DONE	VARCHAR2	250	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C BF_SUM_BCP_0608	ANY_BF_CONCERN	VARCHAR2	250	Y	
SWIC	C BF_SUM_BCP_0608	BF_DESIRED	NUMBER	22	Y	
SWIC	C BF_SUM_BCP_0608	FEEDPLAN	NUMBER	22	Y	
SWIC	C BF_SUM_BCP_0608	FEEDPLAN_NOTE	VARCHAR2	250	Y	
SWIC	C BF_SUM_BCP_0608	FEEDPLAN_EVER_BF_PUMP	NUMBER	22	Y	
SWIC	C BF_SUM_BCP_0608	FEEDPLAN_EVER_BF_PUMP_NOTE	VARCHAR2	250	Y	
SWIC	C BF_SUM_BCP_0608	FEEDPLAN_WHAT_HEARD_ABOUT_BF	VARCHAR2	250	Y	
SWIC	C BF_SUM_BCP_0608	EXCLUSIVELY_BREASTED	NUMBER	22	Y	

SWIC	C	BF_SUM_BCP	0608	BF_STOP_DATE_UNKNOWN	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	OTHER_FOOD_UNKNOWN	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	OTHER_FOOD_MON	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	OTHER_FOOD_WEEK	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	OTHER_FOOD_DAY	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	BF_STOP_DATE	DATE	7	Y	
SWIC	C	BF_SUM_BCP	0608	BF_STOP_UNKNOWN	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	BF_DATES	VARCHAR2	32	Y	
SWIC	C	BF_SUM_BCP	0608	BF_MONS	VARCHAR2	32	Y	
SWIC	C	BF_SUM_BCP	0608	BF_WEEKS	VARCHAR2	32	Y	
SWIC	C	BF_SUM_BCP	0608	WNR_FLAG	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	START_YEAR_UNKNOWN	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	CONDTION	VARCHAR2	50	Y	
SWIC	C	BF_SUM_BCP	0608	EXPERIENCE	VARCHAR2	80	Y	
SWIC	C	BF_SUM_BCP	0608	HEALTH_ISSUE	VARCHAR2	50	Y	
SWIC	C	BF_SUM_BCP	0608	OTHER	VARCHAR2	50	Y	
SWIC	C	BF_SUM_BCP	0608	END_YEAR_UNKNOWN	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	BF_STOP_DAY	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	BF_STOP_MON	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	BF_STOP_WEEK	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	BF_START_AGE	VARCHAR2	80	Y	
SWIC	C	BF_SUM_BCP	0608	BF_STOP_AGE	VARCHAR2	80	Y	
SWIC	C	BF_SUM_BCP	0608	CC_CLIENT_ID	NUMBER	22	N	
SWIC	C	BF_SUM_BCP	0608	BREASTFEEDING_NOW	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	EVER_BREASTFD	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	BF_REASON_BF_ENDED_CODE	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	DATE_BF_ENDED	DATE	7	Y	
SWIC	C	BF_SUM_BCP	0608	DATE_FOOD_INTRODUCED	DATE	7	Y	
SWIC	C	BF_SUM_BCP	0608	DATE_CREATED	DATE	7	N	
SWIC	C	BF_SUM_BCP	0608	CREATED_BY	VARCHAR2	32	N	
SWIC	C	BF_SUM_BCP	0608	DATE_MODIFIED	DATE	7	Y	
SWIC	C	BF_SUM_BCP	0608	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	C	BF_SUM_BCP	0608	DATE_VERIFIED	DATE	7	Y	
SWIC	C	BF_SUM_BCP	0608	FORMULA_NOW	NUMBER	22	Y	
SWIC	C	BF_SUM_BCP	0608	BREAST_FEEDING_GOAL	VARCHAR2	250	Y	
SWIC	C	BF_SUM_BCP	0608	BF_PER_DAY	NUMBER	22	Y	
SWIC	C	BF_SUPPORT	0608	NURSING_BOTH_BREASTS_FLAG	NUMBER	22	N	Indicates whether the mother nursing with both breasts or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	REMOVES_SELF_FLAG	NUMBER	22	N	Indicates whether the baby self removing the bedding or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	SWALLOWING_HARD_FLAG	NUMBER	22	N	Indicates whether the baby swallowing heard while the infant is being breastfed or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	BABY_APPEARS_SATISFIED_FLAG	NUMBER	22	N	Indicates whether the baby appears satisfied with the feeding or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	HABERMAN_FLAG	NUMBER	22	N	Indicates whether the mother using the haberman equipment or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	FINGER_FEEDER_FLAG	NUMBER	22	N	Indicates whether the mother using the haberman equipment or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	OTHER_INTAKE_FLAG	NUMBER	22	N	Indicates whether the baby takes any other intake or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	PACIFIER_FLAG	NUMBER	22	N	Indicates a pacifier is used or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	SHIELD_FLAG	NUMBER	22	N	Indicates a shield is used or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	BREAST_PUMP_FLAG	NUMBER	22	N	Indicates that mother uses or used a breast pump or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	ASSESSMENT_DATE	DATE	7	N	The Assessment Date of the Client.
SWIC	C	BF_SUPPORT	0608	USER_ID	VARCHAR2	32	N	user id connected when the row was created.
SWIC	C	BF_SUPPORT	0608	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	BF_SUPPORT	0608	HOSPITAL	VARCHAR2	50	Y	The Name of the Hospital where the infant was born.
SWIC	C	BF_SUPPORT	0608	PEDIATRICIAN	VARCHAR2	32	N	The infants pediatrician.
SWIC	C	BF_SUPPORT	0608	LACTATION_CONSULTANT	VARCHAR2	32	Y	The Lactation Consultant for the mother.
SWIC	C	BF_SUPPORT	0608	CC_CLIENT_ID	NUMBER	22	N	The system generated unique identifier (C CLIENTS).
SWIC	C	BF_SUPPORT	0608	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	BF_SUPPORT	0608	MOM_TAKES_MEDS_FLAG	NUMBER	22	N	Indicates whether the mother takes medication or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	BABY_TAKES_MEDS_FLAG	NUMBER	22	N	Indicates whether the baby takes medication or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	ASSESSMENT_PROBLEM	VARCHAR2	255	Y	The user can enter text regarding Client Assessment or Problems.
SWIC	C	BF_SUPPORT	0608	FREY_BF_EXP_DESC	VARCHAR2	50	Y	The user can enter text regarding mother previous breastfeeding experience.
SWIC	C	BF_SUPPORT	0608	BM_APPEARANCE	VARCHAR2	40	Y	The infants B.M. appearance.
SWIC	C	BF_SUPPORT	0608	OTHER_BF_SUPPORT_DESC	VARCHAR2	40	Y	Other breastfeeding support description.
SWIC	C	BF_SUPPORT	0608	MEDS_MOM_DESC	VARCHAR2	40	Y	Indicates the mother is taking medication, the user can enter information regarding medication.
SWIC	C	BF_SUPPORT	0608	MEDS_BABY_DESC	VARCHAR2	40	Y	Indicates the baby is taking medication, the user can enter information regarding medication.
SWIC	C	BF_SUPPORT	0608	OTHER_INTAKE_DESC	VARCHAR2	40	Y	the user can enter information for other than equipment and medication.
SWIC	C	BF_SUPPORT	0608	PERCEIVED_PROBLEM_DESC	VARCHAR2	50	Y	The Perceived Problem description.
SWIC	C	BF_SUPPORT	0608	NUM_WET_DIAPERS	NUMBER	22	Y	The infants number of wet diapers in 24 hours.
SWIC	C	BF_SUPPORT	0608	INTERVENTION	VARCHAR2	100	Y	The user can enter text regarding Interventions.
SWIC	C	BF_SUPPORT	0608	FOLLOWUP_REFERRAL	VARCHAR2	100	N	The user can enter text regarding Follow Up/Referral information.
SWIC	C	BF_SUPPORT	0608	CC_MOTHERS_ID	NUMBER	22	Y	The system generated unique identifier (C CLIENTS).
SWIC	C	BF_SUPPORT	0608	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	BF_SUPPORT	0608	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C	BF_SUPPORT	0608	BABY_SICK_FLAG	NUMBER	22	N	Indicates the baby is sick or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	BABY_OTHER_FLAG	NUMBER	22	N	Indicates there were other feeding issues or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	INSI_FLAG	NUMBER	22	N	Indicates ISI equipment is used or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	CLIP_OR_SPOON_FLAG	NUMBER	22	N	Indicates the mother used a cup or spoon to feed (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	FEMALE_FAMILY	NUMBER	22	N	Indicates the clients Significant Other aids in Breastfeeding Support or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	MALE_FAMILY	NUMBER	22	N	Indicates the clients Mother aids in Breastfeeding Support or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	FRIEND	NUMBER	22	N	Indicates that grandmother support breastfeeding or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	HEALTH_CARE_PROVIDER	NUMBER	22	N	Indicates an H.C. Provider/Midwife provides Breastfeeding Support or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	PC_FLAG	NUMBER	22	N	Indicates a Peer Counselor provides Breastfeeding Support or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	MHP_FLAG	NUMBER	22	N	Indicates MHP provides Breastfeeding Support or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	OTHER_BF_SUPPORT_FLAG	NUMBER	22	N	Indicates any other breast feeding support or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	FEEDINGS_PER_DAY_FLAG	NUMBER	22	Y	Indicates the flag whether the feeding the baby or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	NUM_OF_FEEDINGS_PER_DAY	NUMBER	22	Y	The number of Feedings/24 hours.
SWIC	C	BF_SUPPORT	0608	BREASTMILK_FEED_PER_DAY_FLAG	NUMBER	22	Y	Indicates the flag whether the baby feeds breastmilk or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	NUM_OF_BREASTMILK_FEED_PER_D	NUMBER	22	Y	The number of Breastmilk Feeds/24 hours.
SWIC	C	BF_SUPPORT	0608	FORMULA_FEED_PER_DAY_FLAG	NUMBER	22	Y	Indicates the flag whether the baby feeds formula or not (0=NO, 1=YES).
SWIC	C	BF_SUPPORT	0608	NUM_OF_FORMULA_FEED_PER_DAY	NUMBER	22	Y	The number of Formula Feeds/24 hours.
SWIC	C	BF_SUPPORT	0608	NONVIC_EQUIP_MEDS	NUMBER	22	Y	Identifies for not selecting any Equipment and Meds.
SWIC	C	BF_SUPPORT	0608	NON_VIC_BREAST_PUMP_FLAG	NUMBER	22	Y	
SWIC	C	BF_SUPPORT	0608	CLNWBP_NON_VIC_BP_ID	NUMBER	22	Y	
SWIC	C	BF_SUPPORT_HISTORY	0608	CC_CLIENT_ID	NUMBER	22	N	The system generated unique identifier (C CLIENTS).
SWIC	C	BF_SUPPORT_HISTORY	0608	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	BF_SUPPORT_HISTORY	0608	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	BF_SUPPORT_HISTORY	0608	ASSESSMENT_DATE	DATE	7	N	The Assessment Date of the Client.
SWIC	C	BF_SUPPORT_HISTORY	0608	CERT_START_DATE	DATE	7	N	The Clients cert start date at the time history was created.
SWIC	C	BF_SUPPORT_HISTORY	0608	RESPONSE_NAME	VARCHAR2	50	N	The field name from C BF_SUPPORT.
SWIC	C	BF_SUPPORT_HISTORY	0608	RESPONSE_VALUE	VARCHAR2	255	Y	The field value C BF_SUPPORT.
SWIC	C	BF_SUPPORT_HISTORY	0608	RESPONSE_ADDITIONAL_INFO	VARCHAR2	40	Y	The second part of any two-part responses.
SWIC	C	BF_SUPPORT_HISTORY	0608	RESPONSE_ID	NUMBER	22	N	System generated identifier for the response.
SWIC	C	BF_SUPPORT_HISTORY	0608	DATE_MODIFIED	DATE	7	Y	
SWIC	C	BF_SUPPORT_HISTORY	0608	MODIFIED_BY	NVARCHAR2	64	Y	
SWIC	C	BF_S	0608	CLIENT_ID	NUMBER	22	Y	
SWIC	C	BF_S	0608	DATE_CREATED	DATE	7	Y	
SWIC	C	BF_S	0608	CADB_FEEDINGS_PER_DAY_CODE	VARCHAR2	1	Y	
SWIC	C	BF_S	0608	CREATED_BY	VARCHAR2	32	N	
SWIC	C	BF_S	0608	DATE_MODIFIED	DATE	7	Y	
SWIC	C	BF_S	0608	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	C	BF_S	0608	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	C	BLOODWORK_DATA	0608	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C CLIENTS/C CERTIFICATIONS).
SWIC	C	BLOODWORK_DATA	0608	CERT_SEQ	NUMBER	22	N	The certification start date (C CERTIFICATIONS).
SWIC	C	BLOODWORK_DATA	0608	BLOODWORK_DATA_DATE	DATE	7	N	The date of the blood work data.
SWIC	C	BLOODWORK_DATA	0608	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	BLOODWORK_DATA	0608	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	BLOODWORK_DATA	0608	HEMATOCRIT	NUMBER	22	Y	The value of the Hematocrit measurement.
SWIC	C	BLOODWORK_DATA	0608	HEMOGLOBIN	NUMBER	22	Y	The value of the Hemoglobin measurement.
SWIC	C	BLOODWORK_DATA	0608	WEEKS_GESTATION	NUMBER	22	Y	The weeks gestation at the time of blood work for pregnant women.
SWIC	C	BLOODWORK_DATA	0608	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	BLOODWORK_DATA	0608	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	BLOODWORK_DATA	0608	BLOODWORK_COMMENT_CODE	NUMBER	22	Y	The unique identifier for comment if applicable on blood work data (C LU BLOODWORK COMMENT).
SWIC	C	BLOODWORK_DATA	0608	BLOODWORK_ID	NUMBER	22	N	USED AS RUNNING NUMBER.
SWIC	C	BLOODWORK_DATA	0608	NO_BLOOD	NUMBER	22	Y	Indicates if no blood work (0=No, 1=YES).
SWIC	C	BLOODWORK_DATA	0608	BLOOD_EXCEPTION_REFERRAL	NUMBER	22	Y	The unique identifier for blood work exception referral (C LU BLOODWORK EXCEPTION REFERRAL).
SWIC	C	BLOODWORK_DATA	0608	BLOOD_REFERRAL	NUMBER	22	Y	Indicates if a blood work referral is applicable (0=No,1=YES).
SWIC	C	BLOODWORK_DATA	0608	RE_TEST	NUMBER	22	N	Indicates if retest is required (0=No, 1=YES).
SWIC	C	BLOODWORK_DATA	0608	NOTE	VARCHAR2	2000	Y	
SWIC	C	BLOODWORK_DATA	0608	LEAD_DATE	DATE	7	Y	
SWIC	C	BLOODWORK_DATA	0608	LEAD_VALUE	NUMBER	22	Y	
SWIC	C	BLOODWORK_DATA	0608	BLDWX_NON_VIC	NUMBER	22	Y	
SWIC	C	BLOODWORK_DATA_ORG	0608	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C CLIENTS/C CERTIFICATIONS).
SWIC	C	BLOODWORK_DATA_ORG	0608	CC1_CERT_START_DATE	DATE	7	N	The certification start date (C CERTIFICATIONS).
SWIC	C	BLOODWORK_DATA_ORG	0608	BLOODWORK_DATA_DATE	DATE	7	N	The date of the blood work data.
SWIC	C	BLOODWORK_DATA_ORG	0608	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	BLOODWORK_DATA_ORG	0608	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	BLOODWORK_DATA_ORG	0608	HEMATOCRIT	NUMBER	22	Y	The value of the Hematocrit measurement.
SWIC	C	BLOODWORK_DATA_ORG	0608	HEMOGLOBIN	NUMBER	22	Y	The value of the Hemoglobin measurement.
SWIC	C	BLOODWORK_DATA_ORG	0608	WEEKS_GESTATION	NUMBER	22	Y	The weeks gestation at the time of blood work for pregnant women.
SWIC	C	BLOODWORK_DATA_ORG	0608	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	BLOODWORK_DATA_ORG	0608	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	BLOODWORK_DATA_ORG	0608	BLOODWORK_COMMENT_CODE	NUMBER	22	Y	The unique identifier for comment if applicable on blood work data (C LU BLOODWORK COMMENT).
SWIC	C	BLOODWORK_DATA_ORG	0608	BLOODWORK_ID	NUMBER	22	Y	USED AS RUNNING NUMBER.
SWIC	C	BLOODWORK_DATA_ORG	0608	NO_BLOOD	NUMBER	22	Y	Indicates if no blood work (0=No, 1=YES).
SWIC	C	BLOODWORK_DATA_ORG	0608	BLOOD_EXCEPTION_REFERRAL	NUMBER	22	Y	The unique identifier for blood work exception referral (C LU BLOODWORK EXCEPTION REFERRAL).
SWIC	C	BLOODWORK_DATA_ORG	0608	BLOOD_REFERRAL	NUMBER	22	Y	Indicates if a blood work referral is applicable (0=No,1=YES).
SWIC	C	BLOODWORK_DATA_ORG	0608	RE_TEST	NUMBER	22	N	Indicates if retest is required (0=No, 1=YES).
SWIC	C	BLOODWORK_DATA_ORG	0608	NOTE	VARCHAR2	2000	Y	
SWIC	C	BLOODWORK_DATA_ORG	0608	LEAD_DATE	DATE	7	Y	
SWIC	C	BLOODWORK_DATA_ORG	0608	LEAD_VALUE	NUMBER	22	Y	
SWIC	C	BLOODWORK_DATA_ORG	0608	CERT_SEQ	NUMBER	22	Y	
SWIC	C	BP_BATCH	0608	BATCH_NO	NUMBER	22	N	Unique Batch number for breast pump
SWIC	C	BP_BATCH	0608	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	BP_BATCH	0608	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	BP_BATCH	0608	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	C	BP_BATCH	0608	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	BP_BATCH	0608	NOTE	VARCHAR2	2000	Y	Note field for breast pump with batch number
SWIC	C	BP_BATCH	0608	BATCH_NO	NUMBER	22	N	Unique Batch number for breast pump
SWIC	C	BP_BATCH	0608	NOTE	VARCHAR2	2000	Y	Note field for breast pump with batch number
SWIC	C	BP_BATCH	0608	OU_SEQ_ID	NUMBER	22	N	The system generated unique identifier(O ORGANIZATIONAL UNITS).
SWIC	C	BP_BATCH	0608	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	BP_BATCH	0608	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	BP_BATCH	0608	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	C	BP_BATCH	0608	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	BP_BATCH	0608	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	BP_HISTORY	0608	CBTR_CLRT_TYPE_ID	NUMBER	22	Y	Numeric identifier of type of breast pump (C BP TYPE ISSUANCE REASONS).
SWIC	C	BP_HISTORY	0608	ISSUED_BY	VARCHAR2	100	Y	
SWIC	C	BP_HISTORY	0608	CLBF_FOLLOWUP_ID	NUMBER	22	Y	
SWIC	C	BP_HISTORY	0608	ACTUAL_RETURN_DATE	DATE	7	Y	
SWIC								

SWIC	C BP HISTORY	CC_CLIENT_ID	NUMBER	22	Y	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C BP HISTORY	DATE_ENTERED	DATE	7	Y	The date breastfeeding/aid was entered.
SWIC	C BP HISTORY	DATE_EXP_RETURNED	DATE	7	Y	The returned date of the breastfeeding/aid was issued.
SWIC	C BP HISTORY	NOTE	VARCHAR2	2000	Y	Description of the history.
SWIC	C BP HISTORY	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C BP HISTORY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BP HISTORY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C BP ORDER	ORDER_ID	NUMBER	22	N	The unique identifier for the breast pump order.
SWIC	C BP ORDER	CLM_MODEL_ID	NUMBER	22	N	Unique numeric identifier of the breast pump model.
SWIC	C BP ORDER	OJU_SEQ_ID	NUMBER	22	N	The system generated unique identifier(O_ORGANIZATIONAL_UNITS).
SWIC	C BP ORDER	NEEDED	NUMBER	22	N	The number of breast pumps needed.
SWIC	C BP ORDER	DATE_ORDERED	DATE	7	Y	The breast pump ordered date.
SWIC	C BP ORDER	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C BP ORDER	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BP ORDER	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C BP ORDER	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C BP TYPE ISSUANCE REASONS	REASON_ID	NUMBER	22	N	The unique numeric identifier of the breast pump type.
SWIC	C BP TYPE ISSUANCE REASONS	REASON_ID	NUMBER	22	N	The unique breast pump issuance reason id.
SWIC	C BP TYPE ISSUANCE REASONS	DESCRIPTION	VARCHAR2	100	Y	The breast pump issuance description.
SWIC	C BP TYPE ISSUANCE REASONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C BP TYPE ISSUANCE REASONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C BP TYPE ISSUANCE REASONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C BP TYPE ISSUANCE REASONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BREAST PUMPS	BP_ID	NUMBER	22	N	Unique ID of the Breast Pump
SWIC	C BREAST PUMPS	CLM_MODEL_ID	NUMBER	22	N	Unique numeric identifier of the breast pump model.
SWIC	C BREAST PUMPS	OJU_SEQ_ID	NUMBER	22	N	The system generated unique identifier(O_ORGANIZATIONAL_UNITS).
SWIC	C BREAST PUMPS	CLBS_STATUS_ID	NUMBER	22	N	Unique numeric identifier of the breast pump status.
SWIC	C BREAST PUMPS	CLBRP_PURCHASED_BY_ID	NUMBER	22	Y	Unique numeric identifier of the purchaser.
SWIC	C BREAST PUMPS	SERIAL_NUMBER	NUMBER	100	Y	Serial number of the Breast Pump
SWIC	C BREAST PUMPS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C BREAST PUMPS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C BREAST PUMPS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C BREAST PUMPS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C BREAST PUMPS	RETURN_OJU_SEQ_ID	NUMBER	22	N	The system generated unique identifier(O_ORGANIZATIONAL_UNITS).
SWIC	C BREAST PUMPS	BATCH_NO	NUMBER	22	Y	Unique numeric identifier of the batch number for breast pump.
SWIC	C CARE NOTES	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for client (C_CLIENTS).
SWIC	C CARE NOTES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CARE NOTES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CARE NOTES	NO_SHOW_FLAG	NUMBER	22	Y	Indicates whether the entry should be displayed (0=No, 1=Yes).
SWIC	C CARE NOTES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CARE NOTES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CARE NOTES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C CARE PLANS	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS).
SWIC	C CARE PLANS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CARE PLANS	USER_ID	VARCHAR2	32	N	The system user assigned to the care plan.
SWIC	C CARE PLANS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CARE PLANS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CARE PLANS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CARE PLANS	SUBJECTIVE_NOTE	VARCHAR2	2000	Y	Long field to record Subjective Notes.
SWIC	C CARE PLANS	ASSESSMENT_NOTE	VARCHAR2	2000	Y	Long field to record Assessment Notes.
SWIC	C CARE PLANS	CLOSED	NUMBER	22	Y	Indicates if the care plan was completed (0=No, 1=Yes).
SWIC	C CARE PLANS	CLOSED BY	VARCHAR2	32	Y	Staff Member who closed the Care Plan
SWIC	C CARE PLANS	DATE_CLOSED	DATE	7	Y	Date the care plan was completed.
SWIC	C CARE PLANS	NEEDED	NUMBER	22	Y	Indicates if no care plan is needed (0=No, 1=Yes).
SWIC	C CARE PLANS	DATE_NEEDED	DATE	7	Y	Date it was determined that no care plan is needed.
SWIC	C CARE PLANS	READ_ONLY	NUMBER	22	N	Has the Care Plan been marked as read-only
SWIC	C CARE PLANS	READ_ONLY_BY	VARCHAR2	32	Y	Staff Member who marked the Care Plan as Read-Only
SWIC	C CARE PLANS	DATE_READ_ONLY	DATE	7	Y	Date of which the Care Plan was marked as Read-Only
SWIC	C CARE PLANS	NOTE_TYPE_CODE	VARCHAR2	1	Y	The unique ID for the record.
SWIC	C CARE PLANS	NOTES_ID	NUMBER	22	N	One-digit number field.
SWIC	C CARE PLANS	NO_SHOW_FLAG	NUMBER	22	N	
SWIC	C CARE PLANS FOLLOWUP	CCP_NOTES_ID	NUMBER	22	N	
SWIC	C CARE PLANS FOLLOWUP	FOLLOWUP_NOTE	VARCHAR2	2000	N	
SWIC	C CARE PLANS FOLLOWUP	DATE_CREATED	DATE	7	N	
SWIC	C CARE PLANS FOLLOWUP	CREATED BY	VARCHAR2	32	N	
SWIC	C CARE PLANS FOLLOWUP	DATE_MODIFIED	DATE	7	Y	
SWIC	C CARE PLANS FOLLOWUP	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C CARE PLANS_HIST	ORIG_DATE_CREATED	DATE	7	N	Original Date Created before it was moved to history.
SWIC	C CARE PLANS_HIST	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS).
SWIC	C CARE PLANS_HIST	USER_ID	VARCHAR2	32	N	The system user assigned to the care plan.
SWIC	C CARE PLANS_HIST	SUBJECTIVE_NOTE	VARCHAR2	2000	Y	Long field to record Subjective Notes.
SWIC	C CARE PLANS_HIST	ASSESSMENT_NOTE	VARCHAR2	2000	Y	Long field to record Assessment Notes.
SWIC	C CARE PLANS_HIST	CLOSED	NUMBER	22	Y	Indicates if the care plan was completed (0=No, 1=Yes).
SWIC	C CARE PLANS_HIST	CLOSED BY	VARCHAR2	32	Y	Staff Member who closed the Care Plan
SWIC	C CARE PLANS_HIST	DATE_CLOSED	DATE	7	Y	Date the care plan was completed.
SWIC	C CARE PLANS_HIST	NEEDED	NUMBER	22	Y	Indicates if no care plan is needed (0=No, 1=Yes).
SWIC	C CARE PLANS_HIST	DATE_NEEDED	DATE	7	Y	Date it was determined that no care plan is needed.
SWIC	C CARE PLANS_HIST	READ_ONLY	NUMBER	22	Y	Has the Care Plan been marked as read-only
SWIC	C CARE PLANS_HIST	READ_ONLY_BY	VARCHAR2	32	Y	Staff Member who marked the Care Plan as Read-Only
SWIC	C CARE PLANS_HIST	DATE_READ_ONLY	DATE	7	Y	Date of which the Care Plan was marked as Read-Only
SWIC	C CARE PLANS_HIST	ORIG_CREATED BY	VARCHAR2	32	N	Original person who created the record.
SWIC	C CARE PLANS_HIST	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	C CARE PLANS_HIST	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CARE PLANS_HIST	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CARE PLANS_HIST	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CATEGORIES	SUBCATEGORY_CODE	VARCHAR2	1	Y	Sub category code for reports
SWIC	C CATEGORIES	DISPLAY_ORDER	NUMBER	22	Y	display order for reports
SWIC	C CATEGORIES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CATEGORIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CATEGORIES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CATEGORIES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C CATEGORIES	DEFAULT_CP2_ID	NUMBER	22	Y	Default priority for the category.
SWIC	C CATEGORIES	CATEGORY_ID	NUMBER	22	Y	Numeric identifier for category code.
SWIC	C CATEGORIES	CATEGORY_ALIAS	VARCHAR2	3	Y	The unique category code alias.
SWIC	C CATEGORIES	ACTIVE	NUMBER	22	N	1 Means It is Active/Inactive if the Data is Active.
SWIC	C CATEGORIES	CATEGORY_CODE	VARCHAR2	5	N	The unique category code.
SWIC	C CATEGORIES	DESCRIPTION	VARCHAR2	40	N	The description of the category.
SWIC	C CATEGORIES	CDON_VALUE	NUMBER	22	N	The CDC - PMSIS value for the category.
SWIC	C CATEGORIES	PC_VALUE	NUMBER	22	N	The PCIS value for the category.
SWIC	C CATEGORIES	WVC_VALUE	VARCHAR2	1	N	Indicates category Weapons, Infrared, Cuckid.
SWIC	C CATEGORIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CATEGORIES	MT_MEASUREMENT_TYPE	VARCHAR2	6	N	Measurement type code.
SWIC	C C202000_DATA_PARAM	GENER	NUMBER	1	N	Gender (M/F).
SWIC	C C202000_DATA_PARAM	X	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	L	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	M	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	S	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	P5	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	P10	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	P25	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	P50	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	P75	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	P85	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	P90	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	P95	NUMBER	22	N	
SWIC	C C202000_DATA_PARAM	NOTE	VARCHAR2	100	Y	Common field for user notes or comments.
SWIC	C C202000_DATA_PARAM	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C C202000_DATA_PARAM	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C C202000_DATA_PARAM	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C C202000_DATA_PARAM	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CERTIFICATIONS	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C CERTIFICATIONS	CERT_START_DATE	DATE	7	N	The starting date of the certification.
SWIC	C CERTIFICATIONS	CP2_ID	NUMBER	22	N	The unique priority level identifier.
SWIC	C CERTIFICATIONS	CAT_CATEGORY_CODE	VARCHAR2	3	N	The alpha code for certification category (such as IFF for Infant Formula Fed or PG for Pregnant).
SWIC	C CERTIFICATIONS	CERT_END_DATE	DATE	7	N	The end date of the certification.
SWIC	C CERTIFICATIONS	DURATION	NUMBER	22	N	The duration of the certification.
SWIC	C CERTIFICATIONS	HIGH_RISK_FLAG	NUMBER	22	N	Indicates whether the client is considered to be high risk.
SWIC	C CERTIFICATIONS	WAIT_LIST_FLAG	NUMBER	22	N	Indicates whether the client is on a waiting list.
SWIC	C CERTIFICATIONS	TRANSFER_FLAG	NUMBER	22	N	Indicates if the client has been transferred from Out of state
SWIC	C CERTIFICATIONS	CCR_REASON_CODE	VARCHAR2	1	N	The certification reason for the cert period (i.e. Certification, Recertification, Category Change etc)
SWIC	C CERTIFICATIONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CERTIFICATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CERTIFICATIONS	CC1_CC_CLIENT_ID	NUMBER	22	Y	The client's unique identification number.
SWIC	C CERTIFICATIONS	CC1_CERT_START_DATE	DATE	7	Y	The starting date of the certification.
SWIC	C CERTIFICATIONS	ACTUAL_DELIVERY_DATE	DATE	7	Y	The actual delivery date of the infant.
SWIC	C CERTIFICATIONS	TERMINATION_DATE	DATE	7	Y	The date the certification is terminated.
SWIC	C CERTIFICATIONS	EXPECTED_DELIVERY_DATE	DATE	7	Y	The client's expected delivery date.
SWIC	C CERTIFICATIONS	EXTENDED_FLAG	NUMBER	22	Y	Indicates if the cert period of the client has been extended.
SWIC	C CERTIFICATIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CERTIFICATIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CERTIFICATIONS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C CERTIFICATIONS	MMU_STATUS	NUMBER	22	Y	Immunization status selected by user based on MCR status returned.
SWIC	C CERTIFICATIONS	TR_TERMINATION_CODE	VARCHAR2	2	Y	The termination code for the cert period
SWIC	C CERTIFICATIONS	PROOF_OF_CERTIFICATION	NUMBER	22	Y	Proof of certification captured when client is transferred from Out of state.
SWIC	C CERTIFICATIONS	PRESENT_FOR_CERT_FLAG	NUMBER	22	Y	Indicates if client was present during certification.
SWIC	C CERTIFICATIONS	CLIENT_NOT_PRESENT_ID	NUMBER	22	Y	The reason client was not present during certification.
SWIC	C CERTIFICATIONS	MCR_STATUS	VARCHAR2	100	Y	The immunization status returned from the MCR interface
SWIC	C CERTIFICATIONS	MMU_ACTION	NUMBER	22	Y	The Immunization Action based on the immunization status selected.
SWIC	C CERTIFICATIONS	CERT_COMPLETE_FLAG	NUMBER	22	Y	Certification complete flag.
SWIC	C CERTIFICATIONS	CERT_COMPLETED BY	VARCHAR2	32	Y	The user ID of user who completed the certification.
SWIC	C CERTIFICATIONS	CLVR_REASON_ID	NUMBER	22	Y	The VOC replacement reason.
SWIC	C CERTIFICATIONS	LMP_DATE	DATE	7	Y	LMP Date
SWIC	C CERTIFICATIONS	CERT_SEX	NUMBER	22	Y	
SWIC	C CERTIFICATIONS	HOSPITAL_CLINIC_SEQ_ID	DATE	7	Y	
SWIC	C CERTIFICATIONS	TRANSFER_STATE	VARCHAR2	2	Y	State code captured when client is transferred from out of state.
SWIC	C CERTIFICATIONS	ORIG_END_DATE	DATE	7	Y	
SWIC	C CERTIFICATIONS BP	HOSPITAL_CLINIC_SEQ_ID	NUMBER	22	Y	
SWIC	C CERTIFICATIONS BP	CC_CLIENT_ID	NUMBER	22	N	
SWIC	C CERTIFICATIONS BP	CERT_START_DATE	DATE	7	N	
SWIC	C CERTIFICATIONS BP	CP2_ID	NUMBER	22	N	
SWIC	C CERTIFICATIONS BP	CERT_CATEGORY_CODE	VARCHAR2	3	N	
SWIC	C CERTIFICATIONS BP	CERT_END_DATE	DATE	7	N	
SWIC	C CERTIFICATIONS BP	DURATION	NUMBER	22	N	
SWIC	C CERTIFICATIONS BP	HIGH_RISK_FLAG	NUMBER	22	N	
SWIC	C CERTIFICATIONS BP	WAIT_LIST_FLAG	NUMBER	22	N	
SWIC	C CERTIFICATIONS BP	TRANSFER_FLAG	NUMBER	22	N	
SWIC	C CERTIFICATIONS BP	CCR_REASON_CODE	VARCHAR2	1	N	
SWIC	C CERTIFICATIONS BP	DATE_CREATED	DATE	7	N	
SWIC	C CERTIFICATIONS BP	CREATED BY	VARCHAR2	32	N	
SWIC	C CERTIFICATIONS BP	CC1_CC_CLIENT_ID	NUMBER	22	Y	
SWIC	C CERTIFICATIONS BP	CC1_CERT_START_DATE	DATE	7	Y	
SWIC	C CERTIFICATIONS BP	ACTUAL_DELIVERY_DATE	DATE	7	Y	

SWIC	C CERTIFICATIONS BP	TERMINATION DATE	DATE	7 Y	
SWIC	C CERTIFICATIONS BP	EXPECTED DELIVERY DATE	DATE	7 Y	
SWIC	C CERTIFICATIONS BP	EXTENDED FLAG	NUMBER	22 Y	
SWIC	C CERTIFICATIONS BP	DATE MODIFIED	DATE	7 Y	
SWIC	C CERTIFICATIONS BP	MODIFIED BY	VARCHAR2	32 Y	
SWIC	C CERTIFICATIONS BP	NOTE	VARCHAR2	2000 Y	
SWIC	C CERTIFICATIONS BP	MMJL STATUS	NUMBER	22 Y	
SWIC	C CERTIFICATIONS BP	TR_TERMINATION_CODE	VARCHAR2	1 Y	
SWIC	C CERTIFICATIONS BP	PROOF OF CERTIFICATION	NUMBER	22 Y	
SWIC	C CERTIFICATIONS BP	PRESENT FOR CERT FLAG	NUMBER	22 Y	
SWIC	C CERTIFICATIONS BP	CLNRP NOT PRESENT ID	NUMBER	22 Y	
SWIC	C CERTIFICATIONS BP	MMJL STATUS	VARCHAR2	100 Y	
SWIC	C CERTIFICATIONS BP	MMJL ACTION	NUMBER	22 Y	
SWIC	C CERTIFICATIONS BP	CERT COMPLETE FLAG	NUMBER	22 Y	
SWIC	C CERTIFICATIONS BP	CERT COMPLETED BY	VARCHAR2	32 Y	
SWIC	C CERTIFICATIONS BP	CLVR_REASON_ID	NUMBER	22 Y	
SWIC	C CERTIFICATIONS BP	LMP_DATE	DATE	7 Y	
SWIC	C CERTIFICATIONS_BP	CERT_SEG	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	MMJL ACTION	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	CERT COMPLETE FLAG	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	CERT COMPLETED BY	VARCHAR2	32 Y	
SWIC	C CERTIFICATIONS_C	CLVR_REASON_ID	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	LMP_DATE	DATE	7 Y	
SWIC	C CERTIFICATIONS_C	CERT_SEG	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	HOSPITAL_CLINIC_SEQ_ID	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	CC_CLIENT_ID	NUMBER	22 N	
SWIC	C CERTIFICATIONS_C	CERT_START_DATE	DATE	7 N	
SWIC	C CERTIFICATIONS_C	CP2_ID	NUMBER	22 N	
SWIC	C CERTIFICATIONS_C	CAT_CATEGORY_CODE	VARCHAR2	3 N	
SWIC	C CERTIFICATIONS_C	CERT_END_DATE	DATE	7 N	
SWIC	C CERTIFICATIONS_C	DURATION	NUMBER	22 N	
SWIC	C CERTIFICATIONS_C	HIGH_RISK_FLAG	NUMBER	22 N	
SWIC	C CERTIFICATIONS_C	WAIT_LIST_FLAG	NUMBER	22 N	
SWIC	C CERTIFICATIONS_C	TRANSFER_FLAG	NUMBER	22 N	
SWIC	C CERTIFICATIONS_C	CCR_REASON_CODE	VARCHAR2	1 N	
SWIC	C CERTIFICATIONS_C	DATE_CREATED	DATE	7 N	
SWIC	C CERTIFICATIONS_C	CREATED BY	VARCHAR2	32 Y	
SWIC	C CERTIFICATIONS_C	CC1_CLIENT_ID	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	CC1_CERT_START_DATE	DATE	7 Y	
SWIC	C CERTIFICATIONS_C	ACTUAL_DELIVERY_DATE	DATE	7 Y	
SWIC	C CERTIFICATIONS_C	TERMINATION_DATE	DATE	7 Y	
SWIC	C CERTIFICATIONS_C	EXPECTED_DELIVERY_DATE	DATE	7 Y	
SWIC	C CERTIFICATIONS_C	EXTENDED_FLAG	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	DATE_MODIFIED	DATE	7 Y	
SWIC	C CERTIFICATIONS_C	MODIFIED BY	VARCHAR2	32 Y	
SWIC	C CERTIFICATIONS_C	NOTE	VARCHAR2	2000 Y	
SWIC	C CERTIFICATIONS_C	MMJL STATUS	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	TR_TERMINATION_CODE	VARCHAR2	1 Y	
SWIC	C CERTIFICATIONS_C	PROOF OF CERTIFICATION	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	PRESENT FOR CERT FLAG	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	CLNRP NOT PRESENT ID	NUMBER	22 Y	
SWIC	C CERTIFICATIONS_C	MMJL STATUS	VARCHAR2	100 Y	
SWIC	C CERT REASONS	REASON_CODE	VARCHAR2	1 N	Domain to store 3-digit code.
SWIC	C CERT REASONS	DESCRIPTION	VARCHAR2	40 N	Domain to store description.
SWIC	C CERT REASONS	DATE_CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	C CERT REASONS	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	C CERT REASONS	DATE_MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CERT REASONS	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENTS	CLIENT_ID	NUMBER	22 N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C CLIENTS	LAST_NAME	VARCHAR2	50 N	The client's last name.
SWIC	C CLIENTS	BIRTH_DATE	DATE	7 N	The client's birth date.
SWIC	C CLIENTS	GENDER	NUMBER	1 N	The client's gender (M=male, F=female).
SWIC	C CLIENTS	REC_STATUS	VARCHAR2	1 N	The current status of the client.
SWIC	C CLIENTS	INCOME_ELIGIBLE_FLAG	NUMBER	22 N	Indicates whether the client is eligible for WIC due to income.
SWIC	C CLIENTS	INSTITUTIONALIZED_FLAG	NUMBER	22 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	FOSTER_CARE_FLAG	NUMBER	22 N	Indicates if the child is in foster care.
SWIC	C CLIENTS	ETHNIC_GROUP_CODE	VARCHAR2	9 N	The system generated unique identifier.
SWIC	C CLIENTS	CEFL_FAMILY_ID	VARCHAR2	9 N	The unique identifier for the family (C_FAMILY_ECONOMIC_UNITS).
SWIC	C CLIENTS	COMPLIANCE_FLAG	NUMBER	22 Y	Flag to determine if the Client is a Compliance client for Vendor.
SWIC	C CLIENTS	CONFIDENTIAL_ID	NUMBER	22 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	RACE_ASIAN	NUMBER	22 Y	One-digit number field.
SWIC	C CLIENTS	RACE_NATIVE_ISLANDER	NUMBER	22 Y	One-digit number field.
SWIC	C CLIENTS	RACE_INDIAN_ALASKAN	NUMBER	22 Y	One-digit number field.
SWIC	C CLIENTS	RACE_AFRO	NUMBER	22 Y	One-digit number field.
SWIC	C CLIENTS	RACE_WHITE	NUMBER	22 Y	One-digit number field.
SWIC	C CLIENTS	RACE_HISP	NUMBER	22 Y	One-digit number field.
SWIC	C CLIENTS	RACE_OTHER	NUMBER	22 Y	One-digit number field.
SWIC	C CLIENTS	TCA_FLAG	NUMBER	22 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	SAI_FLAG	NUMBER	22 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	FOOD_STAMPS_FLAG	NUMBER	22 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	PROOF_IDENTITY_CODE	VARCHAR2	2 Y	The unique code for proof identity.
SWIC	C CLIENTS	DATE_CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENTS	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	C CLIENTS	SSN	VARCHAR2	9 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	FIRST_NAME	VARCHAR2	100 Y	The client's first name.
SWIC	C CLIENTS	MI	VARCHAR2	1 Y	The client's (first) middle initial.
SWIC	C CLIENTS	APPLICATION_DATE	DATE	7 Y	The date the client first applied for entry into the WIC program.
SWIC	C CLIENTS	WIC	VARCHAR2	10 Y	The client's verification of certification number.
SWIC	C CLIENTS	PREV_REC_STATUS	VARCHAR2	1 Y	The current status of the client.
SWIC	C CLIENTS	INCOME	NUMBER	22 Y	The client's total income.
SWIC	C CLIENTS	BENEFITS_WAITLIST_FLAG	NUMBER	22 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	CC_CLIENT_ID	NUMBER	22 Y	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C CLIENTS	CAT_CATEGORY_CODE	VARCHAR2	3 Y	The alpha code for certification category for the client's latest certification record.
SWIC	C CLIENTS	TERMINATION_DATE	DATE	7 Y	The date the client was terminated.
SWIC	C CLIENTS	CTI_TRANSFER_ID	NUMBER	22 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	LAST_DATE_CHECKS_ISSUED	DATE	7 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	PHYSICIAN_NAME	VARCHAR2	80 Y	The name of the client's physician.
SWIC	C CLIENTS	PHYSICIAN_PHONE	VARCHAR2	10 Y	The area code and phone number of an entity. Entities can be clients, organizations, vendors, manufacturers, etc.
SWIC	C CLIENTS	OPP_PROOF_PREG_CODE	VARCHAR2	2 Y	The code for the proof of pregnancy.
SWIC	C CLIENTS	SEE_NOTES_FLAG	NUMBER	22 Y	Flag used to indicate if client has notes.
SWIC	C CLIENTS	SEE_ALERTS_FLAG	NUMBER	22 Y	Flag used to indicate if client has active alerts.
SWIC	C CLIENTS	SEE_HIGH_RISK_FLAG	NUMBER	22 Y	Flag used to indicate if client is high risk.
SWIC	C CLIENTS	APPT_WAIT_LIST_FLAG	NUMBER	22 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	CERT_START_DATE	DATE	7 Y	Certification Start Date for the latest client certification record.
SWIC	C CLIENTS	CERT_END_DATE	DATE	7 Y	Certification End Date for the latest client certification record.
SWIC	C CLIENTS	SANCTIONS_FLAG	NUMBER	22 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	CNC_IC_CLASSIFICATION	VARCHAR2	8 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	SCHED_SCHENKLE_DAY_CODE	NUMBER	22 Y	UNUSED in Mi-WIC.
SWIC	C CLIENTS	FUI_FPOI_INTERVAL_CODE	NUMBER	22 Y	The system generated unique identifier.
SWIC	C CLIENTS	TR_TERMINATION_CODE	VARCHAR2	2 Y	The system generated unique identifier.
SWIC	C CLIENTS	DATE_MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CLIENTS	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENTS	NOTE	VARCHAR2	2000 Y	Common field for user notes or comments.
SWIC	C CLIENTS	LAST_NAME_UPPER	VARCHAR2	50 Y	Client's last name in upper case.
SWIC	C CLIENTS	FIRST_NAME_UPPER	VARCHAR2	100 Y	Client's first name in upper case.
SWIC	C CLIENTS	NPR_NON_PARTICIPATION_CODE	VARCHAR2	1 Y	The unique identifier for no longer eligible (C_LU_NON_PART_REASON).
SWIC	C CLIENTS	MEDICAID_NUMBER	VARCHAR2	12 Y	Client's medicaid number.
SWIC	C CLIENTS	BVT_DATE	DATE	7 Y	Benefits Valid Through Date for the client.
SWIC	C CLIENTS	BLT_DATE	DATE	7 Y	Benefits Loaded Through Date for the client.
SWIC	C CLIENTS	CEL_EDUCATION_CODE	NUMBER	22 Y	UNUSED NOT USED.
SWIC	C CLIENTS	RACE_ARABIC	NUMBER	22 Y	One-digit number field.
SWIC	C CLIENTS	OMS_MARITAL_STATUS_CODE	NUMBER	22 Y	UNUSED NOT USED.
SWIC	C CLIENTS	FIP_NUMBER	VARCHAR2	12 Y	UNUSED NOT USED.
SWIC	C CLIENTS	TEST_CLIENT	NUMBER	22 Y	Flag to determine if the client is a test client.
SWIC	C CLIENTS	MOTHER_NOT_IN_FAMILY	NUMBER	22 Y	Flag to determine if the mother is in another family.
SWIC	C CLIENTS	NOTES_VERIFIED_DATE	DATE	7 Y	The date of other registration verification.
SWIC	C CLIENTS	VR_VOTER_REC_CODE	VARCHAR2	2 Y	The unique code for voter registration.
SWIC	C CLIENTS	LEGAL_GUARDIANSHIP_FLAG	NUMBER	22 Y	Flag to determine Legal Guardianship / Custody
SWIC	C CLIENTS	CARETAKER_FLAG	NUMBER	22 Y	Flag to determine Caretaker Financial / Daily Support
SWIC	C CLIENTS	CERT_SEG	NUMBER	22 Y	
SWIC	C CLIENTS	SEE_HIGH_RISK_FLAG_OVERRIDE	NUMBER	22 Y	
SWIC	C CLIENTS	DISABILITY	NUMBER	22 Y	Flag to determine the client is Physically Disabled.
SWIC	C CLIENTS ADJUNCT ELIG_HIST	SEQ_ID	NUMBER	22 N	The system generated unique identifier.
SWIC	C CLIENTS ADJUNCT ELIG_HIST	CC_CLIENT_ID	NUMBER	22 N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C CLIENTS ADJUNCT ELIG_HIST	ADI_ELIGIBLE_FLAG	NUMBER	22 Y	Indicates if client is adjunctively eligible for WIC due to being in another program, such as food stamps (D-No, 1=Yes).
SWIC	C CLIENTS ADJUNCT ELIG_HIST	ADI_ELIGIBILITY_DATE	DATE	7 Y	The date adjunctive eligibility was determined.
SWIC	C CLIENTS ADJUNCT ELIG_HIST	MEDICAID_REPORTED_FLAG	NUMBER	22 Y	Indicates if client reports Medicaid participation (D-No, 1=Yes).
SWIC	C CLIENTS ADJUNCT ELIG_HIST	MEDICAID_VERIFIED_FLAG	NUMBER	22 Y	Indicates if client Medicaid participation is verified (D-No, 1=Yes).
SWIC	C CLIENTS ADJUNCT ELIG_HIST	FOOD_STAMP_REPORTED_FLAG	NUMBER	22 Y	Indicates if client reports food stamp participation (D-No, 1=Yes).
SWIC	C CLIENTS ADJUNCT ELIG_HIST	FOOD_STAMP_VERIFIED_FLAG	NUMBER	22 Y	Indicates if client food stamp participation is verified (D-No, 1=Yes).
SWIC	C CLIENTS ADJUNCT ELIG_HIST	FIP_REPORTED_FLAG	NUMBER	22 Y	Indicates if client reports FIP participation (D-No, 1=Yes).
SWIC	C CLIENTS ADJUNCT ELIG_HIST	FIP_VERIFIED_FLAG	NUMBER	22 Y	Indicates if client FIP participation is verified (D-No, 1=Yes).
SWIC	C CLIENTS ADJUNCT ELIG_HIST	DATE_CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENTS ADJUNCT ELIG_HIST	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	C CLIENTS ADJUNCT ELIG_HIST	DATE_MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CLIENTS ADJUNCT ELIG_HIST	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENTS ADJUNCT ELIG_HIST	INCLUDE_H_VERIFICATION	NUMBER	22 Y	Indicates if client included in verification or not (D-No, 1=Yes).
SWIC	C CLIENTS ADJUNCT ELIG_HIST	MEDICAID_NUMBER	VARCHAR2	12 Y	Medicaid Verification
SWIC	C CLIENTS ADJUNCT ELIG_HIST	FIP_NUMBER	VARCHAR2	12 Y	UNUSED NOT USED.
SWIC	C CLIENTS ADJUNCT ELIG_HIST	FOOD_STAMPS_NUMBER	VARCHAR2	12 Y	UNUSED NOT USED.
SWIC	C CLIENTS ADJUNCT ELIG_HIST	CATEGORY_ALIAS	VARCHAR2	3 Y	Medicaid Verification
SWIC	C CLIENTS ADJUNCT ELIG_HIST	BRIDGE_CARD	VARCHAR2	10 Y	Medicaid Verification
SWIC	C CLIENTS ADJUNCT ELIG_HIST	CLUAVF_MEDICAID_TYPE_ID	NUMBER	22 Y	Verification Type from C_LU_ADJUNCT_VERIFICATION_TYPE
SWIC	C CLIENTS ADJUNCT ELIG_HIST	CLUAVF_FS_TYPE_ID	NUMBER	22 Y	Verification Type from C_LU_ADJUNCT_VERIFICATION_TYPE
SWIC	C CLIENTS ADJUNCT ELIG_HIST	CLUAVF_FIP_TYPE_ID	NUMBER	22 Y	Verification Type from C_LU_ADJUNCT_VERIFICATION_TYPE
SWIC	C CLIENTS ADJUNCT ELIG_HIST	CONVER_NAME	VARCHAR2	1000 Y	
SWIC	C CLIENTS ADJUNCT ELIG_HIST	WIC_ID	NUMBER	22 Y	
SWIC	C CLIENTS ADJUNCT ELIG_HIST	PROGRAM	VARCHAR2	100 Y	
SWIC	C CLIENTS ADJUNCT ELIG_HIST	STATUS	VARCHAR2	100 Y	
SWIC	C CLIENTS ADJUNCT ELIG_HIST	BIRTHDATE	DATE	7 Y	
SWIC	C CLIENTS ADJUNCT ELIG_HIST	GENDER	VARCHAR2	30 Y	
SWIC	C CLIENT 1020RLE NOTES	CC_CLIENT_ID	NUMBER	22 N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C CLIENT 1020RLE NOTES	NOTE	VARCHAR2	2000 N	Common field for user notes or comments.
SWIC	C CLIENT 1020RLE NOTES	DATE_CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT 1020RLE NOTES	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT 1020RLE NOTES	DATE_MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CLIENT 1020RLE NOTES	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT 1020RLE NOTES	CAT_CATEGORY_CODE	VARCHAR2	3 Y	The unique category code.
SWIC	C CLIENT 1020RLE NOTES	APPT_DATE	DATE	7 Y	The client appointment date.
SWIC	C CLIENT 1020RLE NOTES	CLIENT_ORG_OPTION	NUMBER	22 Y	Indicates client option yes or no (D-No, 1=Yes).
SWIC	C CLIENT 1020RLE NOTES	NO_OF_DAYS	NUMBER	22 Y	The number of days for 10/20 option.
SWIC	C CLIENT 1020RLE NOTES	OU_SEQ_ID	NUMBER	22 Y	The unique identifier for the clinic (O_ORGANIZATIONAL_UNITS)

SWIC	C CLIENT ADDITIONAL INFO	CLIENT ID	NUMBER	22	N	The unique identifier for the client (C CLIENTS).
SWIC	C CLIENT ADDITIONAL INFO	REFUSED NE	NUMBER	22	Y	Indicates if the client refused nutrition education (D-No, 1=Yes).
SWIC	C CLIENT ADDITIONAL INFO	ELIGIBILITY EXPLANATION	TEXT	22	Y	Indicates if eligibility explanation was provided to client (D-No, 1=Yes)
SWIC	C CLIENT ADDITIONAL INFO	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT ADDITIONAL INFO	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT ADDITIONAL INFO	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CLIENT ADDITIONAL INFO	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT ADDITIONAL INFO	NON WIC DATE	DATE	7	Y	Date the client refused nutrition education.
SWIC	C CLIENT ADDITIONAL INFO	ELIGIBILITY EXPLANATION DATE	DATE	7	Y	Date eligibility explanation provided to client.
SWIC	C CLIENT ADDITIONAL INFO	NON WIC COUNSELLING	NUMBER	22	Y	Indicates if the client participated in non-WIC counseling (D-No, 1=Yes).
SWIC	C CLIENT ADDITIONAL INFO	NON WIC COUNSELLING DATE	DATE	7	Y	Date user participated in non-WIC counseling.
SWIC	C CLIENT ADDITIONAL INFO	REFUSED RD COUNSELLING	NUMBER	22	Y	Indicates if the client refused registered dietitian counseling (D-No, 1=Yes).
SWIC	C CLIENT ADDITIONAL INFO	REFUSED RD COUNSELLING DATE	DATE	7	Y	Date the client refused registered dietitian counseling.
SWIC	C CLIENT ADDITIONAL INFO	DOT DATA SHARING	NUMBER	22	Y	Indicates if DOT Data Sharing is enabled for this client (D-No, 1=Yes).
SWIC	C CLIENT ADDITIONAL INFO	DOT DATA SHARING DATE	DATE	7	Y	Date DOT Data Sharing was set.
SWIC	C CLIENT ADJUNCT ELIGIBILITY	CLUAVT MEDICAID TYPE ID	NUMBER	22	Y	Verification Type from C_LU_ADJUNCT_VERIFICATION_TYPE
SWIC	C CLIENT ADJUNCT ELIGIBILITY	CLUAVT_FTYPE ID	NUMBER	22	Y	Verification Type from C_LU_ADJUNCT_VERIFICATION_TYPE
SWIC	C_CLIENT_ADJUNCT_ELIGIBILITY	CLUAVT_FPR_TYPE_ID	NUMBER	22	Y	Verification Type from C_LU_ADJUNCT_VERIFICATION_TYPE
SWIC	C CLIENT ADJUNCT ELIGIBILITY	CONFER NAME	VARCHAR2	1000	Y	
SWIC	C CLIENT ADJUNCT ELIGIBILITY	WIC IDENT	NUMBER	22	Y	
SWIC	C CLIENT ADJUNCT ELIGIBILITY	PROGRAM	VARCHAR2	100	Y	
SWIC	C CLIENT ADJUNCT ELIGIBILITY	STATUS	VARCHAR2	100	Y	
SWIC	C CLIENT ADJUNCT ELIGIBILITY	BIRTHDATE	DATE	7	Y	
SWIC	C CLIENT ADJUNCT ELIGIBILITY	GENDER	VARCHAR2	30	Y	
SWIC	C CLIENT ADJUNCT ELIGIBILITY	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the client (C CLIENTS).
SWIC	C CLIENT ADJUNCT ELIGIBILITY	ADI ELIGIBLE FLAG	NUMBER	22	Y	Indicates if client is adjunctively eligible for WIC due to being in another program, such as food stamps (D-No, 1=Yes).
SWIC	C CLIENT ADJUNCT ELIGIBILITY	ADI ELIGIBILITY DATE	DATE	7	Y	Date adjunctive eligibility was determined.
SWIC	C CLIENT ADJUNCT ELIGIBILITY	MEDICAID REPORTS FLAG	NUMBER	22	Y	Indicates if client reports Medicaid participation (D-No, 1=Yes).
SWIC	C CLIENT ADJUNCT ELIGIBILITY	MEDICAID VERIFIED FLAG	NUMBER	22	Y	Indicates if client Medicaid participation is verified (D-No, 1=Yes).
SWIC	C CLIENT ADJUNCT ELIGIBILITY	FOOD STAMP REPORTED FLAG	NUMBER	22	Y	Indicates if client reports food stamp participation (D-No, 1=Yes).
SWIC	C CLIENT ADJUNCT ELIGIBILITY	FOOD STAMP VERIFIED FLAG	NUMBER	22	Y	Indicates if client food stamp participation is verified (D-No, 1=Yes).
SWIC	C CLIENT ADJUNCT ELIGIBILITY	FIP REPORTED FLAG	NUMBER	22	Y	Indicates if client reports FIP participation (D-No, 1=Yes).
SWIC	C CLIENT ADJUNCT ELIGIBILITY	FIP VERIFIED FLAG	NUMBER	22	Y	Indicates if client FIP participation is verified (D-No, 1=Yes).
SWIC	C_CLIENT_ADJUNCT_ELIGIBILITY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C_CLIENT_ADJUNCT_ELIGIBILITY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT ADJUNCT ELIGIBILITY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT ADJUNCT ELIGIBILITY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	C CLIENT ADJUNCT ELIGIBILITY	INCLUDE IN VERIFICATION	NUMBER	22	Y	Indicates client is included for adjunct eligibility verification
SWIC	C CLIENT ADJUNCT ELIGIBILITY	MEDICAID NUMBER	VARCHAR2	12	Y	Medical Verification
SWIC	C CLIENT ADJUNCT ELIGIBILITY	FIP NUMBER	VARCHAR2	12	Y	The unique identifier for the Family Independence Program.
SWIC	C CLIENT ADJUNCT ELIGIBILITY	FOOD STAMPS NUMBER	VARCHAR2	12	Y	Medical Verification
SWIC	C_CLIENT_ADJUNCT_ELIGIBILITY	CATEGORY ALIAS	VARCHAR2	3	Y	Medical Verification
SWIC	C_CLIENT_ADJUNCT_ELIGIBILITY	BRIDGE_CARD	VARCHAR2	10	Y	Clients Bridge card.
SWIC	C CLIENT ALERTS	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the client (C CLIENTS).
SWIC	C CLIENT ALERTS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT ALERTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT ALERTS	ALERT FLAG	NUMBER	22	Y	Indicates if alert is active (D-No, 1=Yes).
SWIC	C CLIENT ALERTS	NO SHOW FLAG	NUMBER	22	Y	Indicates if alert pop-up should be suppressed (D-No, 1=Yes).
SWIC	C CLIENT ALERTS	ALERT TYPE CODE	VARCHAR2	3	Y	The type of alert that is being created.
SWIC	C CLIENT ALERTS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CLIENT ALERTS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C_CLIENT_ALERTS	NOTE	VARCHAR2	2000	Y	Alert text to be displayed.
SWIC	C CLIENT ALERTS	NOTES ID	NUMBER	22	N	The unique ID for the record.
SWIC	C CLIENT ASSESSMENTS	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C CLIENT ASSESSMENTS	GLNA ASSESSMENT ID	NUMBER	22	N	The unique identifier for the Assessment (C_LU_RSK_ASSESSMENTS).
SWIC	C CLIENT ASSESSMENTS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT ASSESSMENTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT ASSESSMENTS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT ASSESSMENTS HIST	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C CLIENT ASSESSMENTS HIST	GLNA ASSESSMENT ID	NUMBER	22	N	The unique identifier for the Assessment (C_LU_RSK_ASSESSMENTS).
SWIC	C CLIENT ASSESSMENTS HIST	PLAN DATE CREATED	DATE	7	N	Original Date Created before it was moved to history.
SWIC	C CLIENT ASSESSMENTS HIST	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT ASSESSMENTS HIST	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT ASSESSMENTS HIST	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CLIENT ASSESSMENTS HIST	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT AUTH REP2	CC_CLIENT ID	NUMBER	22	N	
SWIC	C_CLIENT_AUTH_REP2	AUTH_REP2_LAST_NAME	VARCHAR2	50	Y	
SWIC	C CLIENT AUTH REP2	AUTH_REP2_FIRST_NAME	VARCHAR2	50	Y	
SWIC	C CLIENT AUTH REP2	AUTH_REP2	VARCHAR2	1	Y	
SWIC	C CLIENT AUTH REP2	DECLINED AUTH REP2	NUMBER	22	Y	
SWIC	C CLIENT AUTH REP2	DATE CREATED	DATE	7	N	
SWIC	C CLIENT AUTH REP2	CREATED BY	VARCHAR2	32	N	
SWIC	C CLIENT AUTH REP2	DATE MODIFIED	DATE	7	Y	
SWIC	C CLIENT AUTH REP2	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C CLIENT DOCUMENTS	SIGNATURE NAME	VARCHAR2	100	Y	
SWIC	C_CLIENT_DOCUMENTS	AGREEMENT_INFO_ID	NUMBER	22	Y	
SWIC	C CLIENT DOCUMENTS	DOCUMENT ID	NUMBER	22	N	Unique numeric identifier for client document.
SWIC	C CLIENT DOCUMENTS	NOTE	VARCHAR2	3000	Y	Common field for user note or comment.
SWIC	C CLIENT DOCUMENTS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT DOCUMENTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT DOCUMENTS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_CLIENT_DOCUMENTS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C_CLIENT_DOCUMENTS	IMAGE_TYPE	VARCHAR2	20	Y	Descriptive text for type of the image.
SWIC	C CLIENT DOCUMENTS	CC_CLIENT ID	NUMBER	22	N	Unique identifier for client (C CLIENTS).
SWIC	C CLIENT DOCUMENTS	CFEU FAMILY ID	VARCHAR2	9	Y	Unique identifier for family (C_FAMILY ECONOMIC UNITS).
SWIC	C CLIENT DOCUMENTS	CLD_DOC ID	NUMBER	22	N	Numeric identifier for document id (C_LU_DOCUMENTS).
SWIC	C CLIENT DOCUMENTS B	DOCUMENT ID	NUMBER	22	N	
SWIC	C CLIENT DOCUMENTS B	FILE NAME	VARCHAR2	100	N	
SWIC	C CLIENT DOCUMENTS B	FILE TYPE	VARCHAR2	50	N	
SWIC	C CLIENT DOCUMENTS B	FILE LENGTH	NUMBER	22	N	
SWIC	C CLIENT DOCUMENTS B	NOTE	VARCHAR2	3000	Y	
SWIC	C CLIENT DOCUMENTS B	DATE_CREATED	DATE	7	N	
SWIC	C CLIENT DOCUMENTS B	CREATED BY	VARCHAR2	32	N	
SWIC	C CLIENT DOCUMENTS B	DATE MODIFIED	DATE	7	Y	
SWIC	C CLIENT DOCUMENTS B	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C CLIENT DOCUMENTS B	DOCUMENT B	NUMBER	4000	N	
SWIC	C CLIENT DOCUMENTS B	IMAGE_TYPE	VARCHAR2	20	Y	
SWIC	C_CLIENT_DOCUMENTS_B	CC_CLIENT ID	NUMBER	22	Y	
SWIC	C_CLIENT_DOCUMENTS_B	CFEU_FAMILY_ID	VARCHAR2	9	Y	
SWIC	C_CLIENT_DOCUMENTS_B	CLD_DOC_ID	NUMBER	22	N	
SWIC	C_CLIENT_DOCUMENTS_B	CL_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C CLIENT GOALS	TOPIC ID	NUMBER	22	N	The unique identifier for the nutrition education topic (C_LU_NUTR_ED TOPIC).
SWIC	C CLIENT GOALS	GOAL ID	NUMBER	22	N	The unique identifier for a particular nutrition goal.
SWIC	C CLIENT GOALS	DESCRIPTION	VARCHAR2	100	Y	Description of the goal.
SWIC	C CLIENT GOALS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT GOALS	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	C CLIENT GOALS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_CLIENT_GOALS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT GOALS SELECTED	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C CLIENT GOALS SELECTED	TOPIC ID	NUMBER	22	N	The unique identifier for the nutrition education topic (C_LU_NUTR_ED TOPIC).
SWIC	C CLIENT GOALS SELECTED	GOAL ID	NUMBER	22	N	The unique identifier for a particular nutrition goal.
SWIC	C CLIENT GOALS SELECTED	CREATED BY	VARCHAR2	32	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT GOALS SELECTED	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT GOALS SELECTED	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_CLIENT_GOALS_SELECTED	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT GOALS SELECTED	ACTIVE FLAG	NUMBER	22	N	Indicates if the client topic goal is active or not (D-No, 1=Yes).
SWIC	C_CLIENT_GOALS_SELECTED	CLUGS_GS_ID	NUMBER	22	N	Unique numeric identifier for guided script.
SWIC	C_CLIENT_GUIDED_SCRIPT	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C CLIENT GUIDED SCRIPT	CHECKED FLAG	NUMBER	22	Y	Indicates if the guided script checked or not (D-No, 1=Yes).
SWIC	C CLIENT GUIDED SCRIPT	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT GUIDED SCRIPT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT GUIDED SCRIPT	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_CLIENT_GUIDED_SCRIPT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT GUIDED SCRIPT DETAILS	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C_CLIENT_GUIDED_SCRIPT_DETAILS	CLUGS_GS_ID	NUMBER	22	N	The numeric identifier of a screen for guided script screen id.
SWIC	C_CLIENT_GUIDED_SCRIPT_DETAILS	CHECKED FLAG	NUMBER	22	Y	Indicates if the guided script checked or not (D-No, 1=Yes).
SWIC	C CLIENT GUIDED SCRIPT DETAILS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT GUIDED SCRIPT DETAILS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT GUIDED SCRIPT DETAILS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_CLIENT_GUIDED_SCRIPT_DETAILS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT NE FUTURE VISITS	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C_CLIENT_NE_FUTURE_VISITS	CURRENT_DATE	DATE	7	Y	Date the future visit was planned.
SWIC	C CLIENT NE FUTURE VISITS	TOPIC ID	NUMBER	22	Y	The unique identifier for the nutrition education topic (C_LU_NUTR_ED TOPIC).
SWIC	C CLIENT NE FUTURE VISITS	METHOD	VARCHAR2	50	Y	The unique identifier for the nutrition education method (C_LU_NEPLAN METHOD).
SWIC	C_CLIENT_NE_FUTURE_VISITS	PLANNED DATE	DATE	7	Y	Date for the future visit.
SWIC	C CLIENT NE FUTURE VISITS	VISIT ID	NUMBER	22	N	The system generated unique identifier for the visit.
SWIC	C CLIENT NE FUTURE VISITS	CREATED BY	VARCHAR2	32	Y	Common audit field for date time stamp when the row was created.
SWIC	C_CLIENT_NE_FUTURE_VISITS	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	C_CLIENT_NE_FUTURE_VISITS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C_CLIENT_NE_FUTURE_VISITS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_CLIENT_NOTES	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C CLIENT NOTES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT NOTES	NO SHOW FLAG	NUMBER	22	N	One-digit number field.
SWIC	C CLIENT NOTES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT NOTES	NOTE	VARCHAR2	4000	N	Common field for user note or comment.
SWIC	C CLIENT NOTES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_CLIENT_NOTES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT NOTES	NOTES ID	NUMBER	22	N	The unique ID for the record.
SWIC	C CLIENT NOTES	NOTE TYPE CODE	VARCHAR2	1	Y	
SWIC	C_CLIENT_NUTRED_PLANS	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C_CLIENT_NUTRED_PLANS	TOPIC ID	NUMBER	22	N	The unique identifier for the nutrition education topic (C_LU_NUTR_ED TOPIC).
SWIC	C_CLIENT_NUTRED_PLANS	NEPLAN DATE	DATE	7	Y	IHE DATE NE Plan Scheduled.
SWIC	C_CLIENT_NUTRED_PLANS	CLNM_BEHAVIOUR_ID	NUMBER	22	Y	The unique identifier for the nutrition education behaviour method (C_LU_NEPLAN_BEHAVIOUR).
SWIC	C_CLIENT_NUTRED_PLANS	CLNM_METHOD ID	NUMBER	22	Y	The unique identifier for the nutrition education method (C_LU_NEPLAN_METHOD).
SWIC	C_CLIENT_NUTRED_PLANS	CLNM_STAGE ID	NUMBER	22	Y	The unique identifier for the nutrition education stage (C_LU_NEPLAN_STAGE).
SWIC	C_CLIENT_NUTRED_PLANS	NOTE	VARCHAR2	1000	Y	Descriptive note related to the nutrition education plan.
SWIC	C_CLIENT_NUTRED_PLANS	ACHIEVED	NUMBER	22	Y	Indicates if the plan has been achieved (D-No, 1=Yes).
SWIC	C_CLIENT_NUTRED_PLANS	DATE ACHIEVED	DATE	7	Y	The date the plan was achieved.
SWIC	C_CLIENT_NUTRED_PLANS	CLNM_DOCUMENT ID	NUMBER	22	Y	The unique identifier for the nutrition education movement (C_LU_NEPLAN MOVEMENT).
SWIC	C_CLIENT_NUTRED_PLANS	PLAN ID	NUMBER	22	Y	The unique identifier of the nutrition education plan.
SWIC	C_CLIENT_NUTRED_PLANS	CLNM_PROVIDER ID	NUMBER	22	Y	The unique identifier for the nutrition education provider (C_LU_NEPLAN PROVIDER).
SWIC	C_CLIENT_NUTRED_PLANS	PROVIDER INT	VARCHAR2	22	Y	The initials for the provider of the planned nutrition education.
SWIC	C_CLIENT_NUTRED_PLANS	CLNM_EVAL ID	NUMBER	22	Y	The unique identifier for the nutrition education eval (C_LU_NEPLAN EVAL).
SWIC	C_CLIENT_NUTRED_PLANS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_CLIENT_NUTRED_PLANS	DATE_MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was last modified.
SWIC	C_CLIENT_NUTRED_PLANS	CREATED BY	VARCHAR2	32	Y	Common audit field for date time stamp when the row was created.
SWIC	C_CLIENT_NUTRED_PLANS	DATE_CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	C_CLIENT_NUTRED_PLANS	CCS ID	NUMBER	22	Y	The unique identifier of an appointment.
SWIC	C_CLIENT_NUTRED_PLANS	DATE MET	DATE	7	Y	This is the date that the plan objectives were met
SWIC	C_CLIENT_NUTRED_PLANS	GOALS	VARCHAR2	1000	Y	Any behavior modifications or other goals that the client hopes to achieve

SWIC	C CLIENT ONSITE SERVICE	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C CLIENT ONSITE SERVICE	OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	C CLIENT ONSITE SERVICE	VISIT_DATE	DATE	7	N	The unique identifier for the C CLIENT ONSITE SERVICE.
SWIC	C CLIENT ONSITE SERVICE	SRV_OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (A SERVICES).
SWIC	C CLIENT ONSITE SERVICE	SRV_ACT_SERV_CODE	VARCHAR2	6	N	The identifier for the type of service to be performed at the appointment (A SERVICES).
SWIC	C CLIENT ONSITE SERVICE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT ONSITE SERVICE	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT ONSITE SERVICE	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	C CLIENT ONSITE SERVICE	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT QUEUES	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C CLIENT QUEUES	CFU_FAMILY_ID	NUMBER	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	C CLIENT QUEUES	QO_QUEUE_ID	NUMBER	22	N	The unique identifier for the queue (S QUEUES).
SWIC	C CLIENT QUEUES	SQP_PROCESS_ID	NUMBER	22	N	The unique identifier for the queue processes (QUEUES PROCESSES).
SWIC	C CLIENT QUEUES	OU_SEQ_ID	NUMBER	22	N	The system generated unique identifier (O ORGANIZATIONAL UNITS).
SWIC	C CLIENT QUEUES	WORKFLOW_COMPLETE	NUMBER	22	Y	This flag will indicate if the workflow complete or not.
SWIC	C CLIENT QUEUES	QUEUE_COMPLETE	NUMBER	22	Y	This will indicate if the queue complete or not.
SWIC	C CLIENT QUEUES	COMPLETED_BY	VARCHAR2	32	N	The user id connected when the record either workflow or queue was complete.
SWIC	C_CLIENT_QUEUES	START_TIME	DATE	7	Y	The queue started time.
SWIC	C CLIENT QUEUES	END_TIME	DATE	7	Y	The queue end time.
SWIC	C CLIENT QUEUES	SRV_SEQ_SERV_CODE	VARCHAR2	6	N	The unique identifier for the appointment service.
SWIC	C CLIENT QUEUES	ARRIVAL_TIME	DATE	7	Y	The client actual arrival time at clinic.
SWIC	C CLIENT QUEUES	TIME_ONSITE	NUMBER	22	Y	The client waiting time at the clinic.
SWIC	C CLIENT QUEUES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT QUEUES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT QUEUES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CLIENT QUEUES	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT QUEUES	QUEUE_STARTED	NUMBER	22	Y	This will indicate if the queue started or not.
SWIC	C CLIENT QUEUES	WALK_IN_FLAG	NUMBER	22	Y	Indicate the walkin value
SWIC	C CLIENT REFERRALS	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C CLIENT REFERRALS	PRG_PROGRAM_ID	VARCHAR2	5	N	The system generated unique identifier (O PROGRAMS).
SWIC	C CLIENT REFERRALS	REFERRAL_DATE	DATE	7	N	The date client was referred.
SWIC	C CLIENT REFERRALS	TO_FROM_FLAG	NUMBER	1	Y	NOT USED FOR INWIC.
SWIC	C CLIENT REFERRALS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C_CLIENT_REFERRALS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT REFERRALS	OU_OUTREACH_ORG_ID	NUMBER	22	N	The system generated unique identifier (O OUTREACH ORGANIZATIONS).
SWIC	C CLIENT REFERRALS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CLIENT REFERRALS	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT REFERRALS	DISCLOSED	NUMBER	22	Y	NOT USED FOR INWIC.
SWIC	C CLIENT REFERRALS	CURRENTLY_ENROLLED	NUMBER	22	Y	This flag will indicate if the client is currently participating/enrolled.
SWIC	C CLIENT REFERRALS	REFERRER	NUMBER	22	Y	NOT USED FOR INWIC.
SWIC	C CLIENT REFERRALS	ESIC_MODIFIED	DATE	7	Y	NOT USED FOR INWIC.
SWIC	C CLIENT REFERRALS	REF_MODIFIED	DATE	7	Y	NOT USED FOR INWIC.
SWIC	C_CLIENT_REFERRALS	RECENT	NUMBER	22	Y	NOT USED FOR INWIC.
SWIC	C CLIENT REFERRALS	CURRENTLY_NOT_ENROLLED	NUMBER	22	Y	This flag will indicate if the client is NOT currently participating/enrolled.
SWIC	C CLIENT REFERRALS	ENROLL_DATE	DATE	7	Y	Tracks Date that client was enrolled
SWIC	C CLIENT REFERRALS	NET_ENROLL_DATE	DATE	7	Y	Tracks Date that client was enrolled
SWIC	C CLIENT REFERRALS	CLIENT_SEQ	NUMBER	22	N	The unique identifier of the client (C CLIENTS).
SWIC	C CLIENT REFERRALS	OU_SEQ_ID	NUMBER	22	N	The unique identifier of the organizational unit (O ORGANIZATIONAL UNITS).
SWIC	C CLIENT REFERRALS	DECLINED	NUMBER	22	Y	The unique identifier of the client (C CLIENTS).
SWIC	C CLIENT REFERRALS	CC_FAMILY_ID	NUMBER	22	Y	The system generated unique identifier.
SWIC	C CLIENT SERVICES	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C_CLIENT_SERVICES	CLS_ID	NUMBER	22	N	The system generated unique identifier.
SWIC	C CLIENT SERVICES	ATS_ATTEND_STATUS_CODE	VARCHAR2	1	N	Domain to store 1-digit code.
SWIC	C CLIENT SERVICES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CLIENT SERVICES	START_TIME	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CLIENT SERVICES	END_TIME	DATE	7	Y	The client appointment service start time.
SWIC	C CLIENT SERVICES	NDW_TYPE	VARCHAR2	2	Y	The client appointment service end time.
SWIC	C_CLIENT_SERVICES	SRV_OU_SEQ_ID	NUMBER	22	Y	Domain to store codes of length 2 with no allowable values specified.
SWIC	C CLIENT SERVICES	SRV_ACT_SERV_CODE	VARCHAR2	6	Y	The unique identifier for the clinic (O_ORGANIZATIONAL UNITS).
SWIC	C CLIENT SERVICES	CAT_CATEGORY_CODE	VARCHAR2	3	Y	The system generated unique identifier.
SWIC	C CLIENT SERVICES	HE_NEEDLED_FLAG	NUMBER	22	Y	The alpha code for certification category (such as Inf for Infant Formula Fed or PG for Pregnant).
SWIC	C CLIENT SERVICES	MEMBER_COUNT	NUMBER	22	Y	One-digit number field.
SWIC	C CLIENT SERVICES	CFU_FAMILY_ID	VARCHAR2	9	N	A two-digit numeric value including zero.
SWIC	C CLIENT SERVICES	SM_STAFF_MEMBER_ID	NUMBER	22	Y	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	C CLIENT SERVICES	GRD_GROUP_ID	VARCHAR2	10	Y	The unique identifier for the staff position.
SWIC	C_CLIENT_SERVICES	APP_SEQ_ID	NUMBER	22	Y	The system generated unique identifier.
SWIC	C_CLIENT_SERVICES	NET_NUTR_ED_TOPIC_CODE	NUMBER	22	Y	The system generated unique identifier.
SWIC	C CLIENT SERVICES	OU_SEQ_ID	NUMBER	22	Y	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	C CLIENT SERVICES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CLIENT SERVICES	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C CLIENT SERVICES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C CLIENT SERVICES	SCHED_CAT_CODE	VARCHAR2	3	Y	The alpha code for certification category for future.
SWIC	C CLIENT SERVICES	WALK_IN_SERV_CODE	VARCHAR2	6	Y	The alpha code for certification category for future.
SWIC	C COMMUNICATION	CC_CLIENT_ID	NUMBER	22	Y	The unique identifier for the participant or client (C CLIENTS).
SWIC	C COMMUNICATION	COMMUNICATION_ID	NUMBER	22	N	The unique identifier for the communication.
SWIC	C_COMMUNICATION	DATE_SENT_CALLED	DATE	7	N	The communication date sent.
SWIC	C COMMUNICATION	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C COMMUNICATION	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C COMMUNICATION	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C COMMUNICATION	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C COMMUNICATION	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C COMMUNICATION	COMM_TYPE_CODE	VARCHAR2	3	N	The unique identifier for communication type (C COMMUNICATION TYPES).
SWIC	C_COMMUNICATION	FAMILY_ID	VARCHAR2	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	C COMMUNICATION TYPES	COMM_TYPE_CODE	VARCHAR2	3	N	The unique identifier for communication type.
SWIC	C COMMUNICATION TYPES	DESCRIPTION	VARCHAR2	80	N	The description of the communication type.
SWIC	C COMMUNICATION TYPES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C COMMUNICATION TYPES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C COMMUNICATION TYPES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C COMMUNICATION TYPES	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C COMMUNICATION TYPES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C COMMUNICATION TYPES	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	C COMPLAINTS	CASE_NO	NUMBER	22	N	system generated unique numeric identifier for complaints.
SWIC	C COMPLAINTS	RECIPIENT_FIRST_NAME	VARCHAR2	100	Y	The complainant's First Name.
SWIC	C COMPLAINTS	RECIPIENT_LAST_NAME	VARCHAR2	50	Y	The complainant's Last Name.
SWIC	C COMPLAINTS	RECIPIENT_PHONE_NUMBER	VARCHAR2	10	Y	The complainant's phone number.
SWIC	C COMPLAINTS	CLERK_REPORT_BY_ID	NUMBER	22	Y	Unique numeric identifier of the complainant report by (C LU COMPLAINT REPORT BY).
SWIC	C COMPLAINTS	OU_SEQ_ID_LA	NUMBER	22	Y	The system generated unique identifier (O ORGANIZATIONAL UNITS).
SWIC	C COMPLAINTS	OU_SEQ_ID_CLINIC	NUMBER	22	Y	The system generated unique identifier (O ORGANIZATIONAL UNITS).
SWIC	C COMPLAINTS	CLERK_REPORT_ABOUT_ID	NUMBER	22	Y	Unique numeric identifier for Complaint report (C LU COMPLAINT REPORT ABOUT).
SWIC	C COMPLAINTS	IRST_NAME	VARCHAR2	100	Y	The complainant's id.
SWIC	C COMPLAINTS	LAST_NAME	VARCHAR2	50	Y	The complainant's First Name.
SWIC	C COMPLAINTS	OST_STAFF_TITLE_CODE	VARCHAR2	3	Y	The complainant's Last Name.
SWIC	C COMPLAINTS	NOTES	VARCHAR2	3500	Y	The unique code for staff title.
SWIC	C COMPLAINTS	COMPLAINT_RECEIVED_DATE	DATE	7	Y	The notes regarding the complaint.
SWIC	C COMPLAINTS	DATE_CREATED	DATE	7	N	The Complaint Received Date.
SWIC	C COMPLAINTS	CREATED_BY	VARCHAR2	32	N	Common audit field for date time stamp when the row was created.
SWIC	C COMPLAINTS	DATE_MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was created.
SWIC	C COMPLAINTS	MODIFIED_BY	VARCHAR2	32	N	Common audit field for date time stamp when the row was last modified.
SWIC	C COMPLAINTS	RECIPIENT_ADDRESS	VARCHAR2	300	Y	Common audit field for user id connected when the row was last modified.
SWIC	C COMPLAINTS	RECIPIENT_MAIL	VARCHAR2	100	Y	The complainant's address.
SWIC	C COMPLAINTS	CLF_ID	NUMBER	22	Y	The complainant's email address.
SWIC	C COMPLAINTS	OSM_STAFF_MEMBER_ID	NUMBER	22	Y	Unique numeric identifier for type of complaint form (C LU COMPLAINT FORM).
SWIC	C CONTACTS	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the staff position (O STAFF MEMBERS).
SWIC	C CONTACTS	SEQ_NO	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C CONTACTS	CONTACT_DATE	DATE	7	N	The sequence number for the client contact.
SWIC	C_CONTACTS	SCM_CM_ID	NUMBER	22	N	The date of the client contact.
SWIC	C CONTACTS	SUCCESS_FLAG	NUMBER	22	N	The unique identifier of the contact method (S_CONTACT_METHODS).
SWIC	C CONTACTS	DATE_CREATED	DATE	7	N	Indicates if the contact was successful (B-No, 1=Yes).
SWIC	C CONTACTS	CREATED_BY	VARCHAR2	32	N	Common audit field for date time stamp when the row was created.
SWIC	C CONTACTS	CNCR_CONTACT_REASON_CODE	NUMBER	22	Y	Common audit field for user id connected when the row was created.
SWIC	C CONTACTS	CTIC_CONTACT_REASON_CODE	NUMBER	22	Y	The client indicates for no contact (C NO CONTACT REASONS).
SWIC	C CONTACTS	CALL_BACK_DATE	DATE	7	Y	The topic of discussion for the contact (C TOPICS).
SWIC	C CONTACTS	COMPLETE_DATE	DATE	7	Y	The planned call back date.
SWIC	C CONTACTS	DATE_MODIFIED	DATE	7	Y	The contact completion date.
SWIC	C_CONTACTS	MODIFIED_BY	VARCHAR2	32	N	Common audit field for date time stamp when the row was last modified.
SWIC	C CONTACTS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C CONTACTS	CLERK_EVAL_ID	NUMBER	22	Y	UNUSED FOR INWIC.
SWIC	C CONTACTS	CLERK_ROLE_ID	NUMBER	22	Y	Role ID from c lu bf contact role
SWIC	C CONTACTS	TIME_DURATION	NUMBER	22	Y	This will store time / duration in seconds.
SWIC	C CONTACTS	CHILD_NAME	VARCHAR2	80	Y	Store child name
SWIC	C CONTACTS BKUP	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C_CONTACTS_BKUP	SEQ_NO	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	C CONTACTS BKUP	CONTACT_DATE	DATE	7	N	The date of the client contact.
SWIC	C CONTACTS BKUP	SCM_CM_ID	NUMBER	22	N	The unique identifier of the contact method (S_CONTACT_METHODS).
SWIC	C CONTACTS BKUP	SUCCESS_FLAG	NUMBER	22	N	Indicates if the contact was successful (B-No, 1=Yes).
SWIC	C CONTACTS BKUP	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CONTACTS BKUP	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C CONTACTS BKUP	CNCR_CONTACT_REASON_CODE	NUMBER	22	Y	Common audit field for date time stamp when the row was created.
SWIC	C CONTACTS BKUP	CTIC_CONTACT_REASON_CODE	NUMBER	22	Y	Common audit field for user id connected when the row was last modified.
SWIC	C CONTACTS BKUP	CALL_BACK_DATE	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_CONTACTS_BKUP	COMPLETE_DATE	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CONTACTS BKUP	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CONTACTS BKUP	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C CONTACTS BKUP	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C CONTACTS BKUP	CLERK_EVAL_ID	NUMBER	22	Y	UNUSED FOR INWIC.
SWIC	C CONTACTS BKUP	CLERK_ROLE_ID	NUMBER	22	Y	Role ID from c lu bf contact role
SWIC	C CONTACTS BKUP	TIME_DURATION	NUMBER	22	Y	This will store time / duration in seconds.
SWIC	C CONTACTS BKUP	CHILD_NAME	VARCHAR2	80	Y	Store child name
SWIC	C CSP PARTICIPATION	DATE_CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	C CSP PARTICIPATION	DAYS_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C CSP PARTICIPATION	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C CSP PARTICIPATION	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C CSP PARTICIPATION	CSP_IDENTIFICATION_ID	NUMBER	22	Y	The system generated CSP identification.
SWIC	C CSP PARTICIPATION	CSP_PARTICIPANT_ID	VARCHAR2	20	N	The CSP participant identification.
SWIC	C CSP PARTICIPATION	CSP_PARTICIPANT_LAST_NAME	VARCHAR2	20	Y	The CSP participant's last name.
SWIC	C CSP PARTICIPATION	CSP_PARTICIPANT_FIRST_NAME	VARCHAR2	15	Y	The CSP participant's first name.
SWIC	C CSP PARTICIPATION	CSP_PARTICIPANT_BIRTH_DATE	DATE	7	Y	The CSP participant's date of birth.
SWIC	C CSP PARTICIPATION	CSP_ENROLLMENT_DATE	DATE	7	Y	The CSP participant's date of enrollment.
SWIC	C CSP PARTICIPATION	CSP_PARTICIPANT_ADDRESS	VARCHAR2	20	Y	The CSP participant's address.
SWIC	C CSP PARTICIPATION	CSP_PARTICIPANT_CITY	VARCHAR2	20	Y	The CSP participant's city.
SWIC	C CSP PARTICIPATION	CSP_PARTICIPANT_ZIP	NUMBER	22	Y	The CSP participant's zip.
SWIC	C CSP PARTICIPATION	CSP_AUTH_PERSON_LAST_NAME	VARCHAR2	20	Y	The CSP participant's authorized person's last name.
SWIC	C CSP PARTICIPATION	CSP_AUTH_PERSON_FIRST_NAME	VARCHAR2	15	Y	The CSP participant's authorized person's first name.
SWIC	C CSP PARTICIPATION	CSP_ENROLLMENT_STATUS	NUMBER	22	Y	Indicates the CSP enrollment status (B-No, 1=Yes).
SWIC	C DISABILITIES	DISABILITY_CODE	NUMBER	22	N	The unique code for disability.
SWIC	C DISABILITIES	DESCRIPTION	VARCHAR2	80	N	The description of the disability.
SWIC	C DISABILITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C DISABILITIES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C DISABILITIES	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	C DISABILITIES	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.

SWIC	C	DISABILITIES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	DISABILITIES	ACTIVE	NUMBER	22	N	1 Means: It is Active Indicates if the Data is Active.
SWIC	C	DUAL PARTICIPATION	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C	DUAL PARTICIPATION	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	DUAL PARTICIPATION	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	C	DUAL PARTICIPATION	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	DUAL PARTICIPATION	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	DUAL PARTICIPATION	CLDS_DUAL_STATUS_ID	NUMBER	22	Y	The identifier for the dual status id (C_DUAL_STATUS).
SWIC	C	DUAL PARTICIPATION	LETTER_SENT_DATE	DATE	7	Y	Letter Sent Date
SWIC	C	DUAL PARTICIPATION	CSPF_TERM_INDICATOR	NUMBER	22	Y	Indicates the CSPF Term
SWIC	C	DUAL PARTICIPATION	MIMWC_OU_SKL_ID	NUMBER	22	Y	The Agency Identifier
SWIC	C	DUAL PARTICIPATION	DATE_OF_MIMWC_CERTIFICATION	DATE	7	Y	Indicates the MIMWC Certification Date
SWIC	C	DUAL PARTICIPATION	MIMWC_ENROLLMENT_STATUS	NUMBER	22	Y	Indicates the MIMWC enrollment status (D-No, 1=Yes).
SWIC	C	DUAL PARTICIPATION	CCD_CSPF_ENROLLMENT_DATE	DATE	7	Y	Indicates the CSPF enrollment Date
SWIC	C	DUAL PARTICIPATION	CCD_CSPF_ENROLLMENT_STATUS	NUMBER	22	Y	Indicates the CSPF enrollment status (D-No, 1=Yes).
SWIC	C	DUAL PARTICIPATION	CCD_CSPF_AGENCY_ID	NUMBER	22	Y	Indicates the CSPF Agency ID
SWIC	C	DUAL PARTICIPATION	CCD_CSPF_PARTICIPANT_ID	NUMBER	20	N	Indicates the CSPF Participant ID
SWIC	C	DUAL PARTICIPATION_WIC	CC_CLIENT_ID_PRIMARY	NUMBER	22	N	
SWIC	C	DUAL PARTICIPATION_WIC	CC_CLIENT_ID_DUAL	NUMBER	22	N	
SWIC	C	DUAL PARTICIPATION_WIC	CREATED BY	NUMBER	32	N	
SWIC	C	DUAL PARTICIPATION_WIC	DATE_CREATED	DATE	7	N	
SWIC	C	DUAL PARTICIPATION_WIC	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C	DUAL PARTICIPATION_WIC	DATE_MODIFIED	DATE	7	Y	
SWIC	C	DUAL PARTICIPATION_WIC	CLOS_DUAL_STATUS_ID_PRIMARY	NUMBER	22	Y	
SWIC	C	DUAL PARTICIPATION_WIC	CLOS_DUAL_STATUS_ID_DUAL	NUMBER	22	Y	
SWIC	C	DUAL PARTICIPATION_WIC	LETTER_SENT_DATE	DATE	7	Y	
SWIC	C	DUAL PARTICIPATION_WIC	NOTES	VARCHAR2	2000	Y	
SWIC	C	DUAL PARTICIPATION_WIC	DATE_RESOLVED	DATE	7	Y	
SWIC	C	EFT ACCOUNT	CFEU_FAMILY_ID	NUMBER	9	N	The unique identifier for the family (C_FAMILY_ECONOMIC_UNITS).
SWIC	C	EFT ACCOUNT	CARD_NO	NUMBER	22	N	The unique identifier for the EFT card.
SWIC	C	EFT ACCOUNT	CARD HOLDER TYPE	VARCHAR2	50	N	The cardholder type (PROXY/AUTHORIZED PERSON).
SWIC	C	EFT ACCOUNT	CSPF_PROXY_ID	NUMBER	22	N	The unique identifier for the proxy (C_FAMILY_PROXYES).
SWIC	C	EFT ACCOUNT	CARD STATUS	NUMBER	22	N	The unique identifier for the card status (C_LU_EFT_CARD_STATUS).
SWIC	C	EFT ACCOUNT	CLU_STOP_REASON	NUMBER	22	Y	The unique identifier for the reason card usage was stopped (C_LU_EFT_STOP_REASON).
SWIC	C	EFT ACCOUNT	CCD_CSPF_REPLACEMENT_REASON	NUMBER	22	N	The unique identifier for the card replacement reason (C_LU_EFT_REPLACEMENT_REASON).
SWIC	C	EFT ACCOUNT	CREATED BY	NUMBER	32	N	Common audit field for user id connected when the row was created.
SWIC	C	EFT ACCOUNT	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	C	EFT ACCOUNT	MODIFIED BY	NUMBER	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	EFT ACCOUNT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	EFT ACCOUNT	CARD HOLDER NAME	VARCHAR2	200	N	The full name of the EFT card holder.
SWIC	C	EFT ACCOUNT	CARD DESCRIPTION	VARCHAR2	50	Y	Card description
SWIC	C	EFT ACCOUNT	COMP_HH_ID	NUMBER	9	Y	Issued benefits compliance HH ID
SWIC	C	EFT ACCOUNT_B	CFEU_FAMILY_ID	NUMBER	9	N	
SWIC	C	EFT ACCOUNT_B	CARD_NO	NUMBER	22	N	
SWIC	C	EFT ACCOUNT_B	CARD HOLDER TYPE	VARCHAR2	50	N	
SWIC	C	EFT ACCOUNT_B	CSPF_PROXY_ID	NUMBER	22	Y	
SWIC	C	EFT ACCOUNT_B	CARD STATUS	NUMBER	22	N	
SWIC	C	EFT ACCOUNT_B	CLU_STOP_REASON	NUMBER	22	Y	
SWIC	C	EFT ACCOUNT_B	CCD_CSPF_REPLACEMENT_REASON	NUMBER	22	Y	
SWIC	C	EFT ACCOUNT_B	CREATED BY	NUMBER	32	N	
SWIC	C	EFT ACCOUNT_B	DATE_CREATED	DATE	7	N	
SWIC	C	EFT ACCOUNT_B	MODIFIED BY	NUMBER	32	Y	
SWIC	C	EFT ACCOUNT_B	DATE_MODIFIED	DATE	7	Y	
SWIC	C	EFT ACCOUNT_B	CARD HOLDER NAME	VARCHAR2	200	N	
SWIC	C	EFT ACCOUNT_B	AUTHORIZED INITIALS	NUMBER	3	N	The initials to authorize EFT card stock inventory transaction.
SWIC	C	EFT CARD INVENTORY	OU_SKL_ID	NUMBER	22	N	The unique identifier for the clinic (C_ORGANIZATIONAL_UNITS).
SWIC	C	EFT CARD INVENTORY	BEGINNING NUMBER	NUMBER	22	Y	The beginning number for a range of EFT cards assigned to the clinic.
SWIC	C	EFT CARD INVENTORY	ENDING NUMBER	NUMBER	22	Y	The ending number for a range of EFT cards assigned to the clinic.
SWIC	C	EFT CARD INVENTORY	RESTOCKING_ALERT	NUMBER	22	Y	The minimum card stock which would trigger an alert.
SWIC	C	EFT CARD INVENTORY	SHOW RESTOCKING ALERT	NUMBER	22	Y	Indicates if the restocking alert should be shown (D-No, 1=Yes).
SWIC	C	EFT CARD INVENTORY	TRANSACTION DATE	DATE	7	Y	The EFT card stock inventory transaction date.
SWIC	C	EFT CARD INVENTORY	STATUS	NUMBER	1	N	The status of the EFT card stock inventory.
SWIC	C	EFT CARD INVENTORY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	EFT CARD INVENTORY	CREATED BY	NUMBER	32	N	Common audit field for user id connected when the row was created.
SWIC	C	EFT CARD INVENTORY	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	EFT CARD INVENTORY	MODIFIED BY	NUMBER	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	EFT CARD INVENTORY	CARD_INVENTORY_ID	NUMBER	22	N	The unique identifier for the EFT card stock inventory message.
SWIC	C	EFT_TRANSACTIONS	MESSAGE_TYPE	NUMBER	50	N	EFT message type.
SWIC	C	EFT_TRANSACTIONS	MESSAGE_ID	NUMBER	50	N	The unique identifier of the EFT message.
SWIC	C	EFT_TRANSACTIONS	MESSAGES_SENT	NUMBER	4000	N	The Actual messages sent.
SWIC	C	EFT_TRANSACTIONS	MESSAGE RECEIVED	NUMBER	4000	Y	The Actual response was received.
SWIC	C	EFT_TRANSACTIONS	CREATED BY	NUMBER	32	N	Common audit field for user id connected when the row was created.
SWIC	C	EFT_TRANSACTIONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was last created.
SWIC	C	EFT_TRANSACTIONS	MODIFIED BY	NUMBER	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	EFT_TRANSACTIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	EFT_TRANSACTIONS	EPFIC_CODE	NUMBER	10	Y	EPFIC Code
SWIC	C	EFT_TRANSACTIONS	EPFIC_MESSAGE	NUMBER	2000	Y	EPFIC Message
SWIC	C	EFT_TRANSACTIONS	ERROR_MESSAGE_RECEIVED	NUMBER	4000	Y	The Actual Error Message received
SWIC	C	EFT_TRANSACTIONS	RESOLVED	NUMBER	22	Y	Updated when manually resolved the record with EPFIC
SWIC	C	EDUCATION LEVELS	EDUCATION_CODE	NUMBER	22	N	The unique ID for the education level.
SWIC	C	EDUCATION LEVELS	DESCRIPTION	NUMBER	120	N	The description of the education level.
SWIC	C	EDUCATION LEVELS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	EDUCATION LEVELS	CREATED BY	NUMBER	32	N	Common audit field for user id connected when the row was created.
SWIC	C	EDUCATION LEVELS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	EDUCATION LEVELS	MODIFIED BY	NUMBER	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	EDUCATION LEVELS	NOTE	NUMBER	2000	Y	Common field for user notes or comments.
SWIC	C	EDUCATION LEVELS	ACTIVE	NUMBER	22	N	
SWIC	C	EOD CONTROL NUMBERS	FILE_NAME	NUMBER	50	N	Name of the interface batch file.
SWIC	C	EOD CONTROL NUMBERS	CONTROL NUMBER	NUMBER	50	N	Control Number contained in the batch file.
SWIC	C	EOD CONTROL NUMBERS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	EOD CONTROL NUMBERS	CREATED BY	NUMBER	32	N	Common audit field for user id connected when the row was created.
SWIC	C	EOD CONTROL NUMBERS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	C	EOD CONTROL NUMBERS	MODIFIED BY	NUMBER	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	EOD CONTROL NUMBERS	NOTE	NUMBER	2000	Y	Common field for user notes or comments.
SWIC	C	ETHNIC GROUPS	ETHNIC_GROUP_CODE	NUMBER	22	N	The system generated unique identifier.
SWIC	C	ETHNIC GROUPS	RACE_RACE_CODE	NUMBER	22	N	The system generated unique identifier.
SWIC	C	ETHNIC GROUPS	DESCRIPTION	NUMBER	60	N	The description of the ethnic group.
SWIC	C	ETHNIC GROUPS	CDN_VALUE	NUMBER	22	N	The CDC - PMSIS value for the ethnic group.
SWIC	C	ETHNIC GROUPS	CDP_VALUE	NUMBER	22	N	The CDC - PMSIS value for the ethnic group.
SWIC	C	ETHNIC GROUPS	PCN_VALUE	NUMBER	22	N	The PCSIS value for the ethnic group.
SWIC	C	ETHNIC GROUPS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	ETHNIC GROUPS	CREATED BY	NUMBER	32	N	Common audit field for user id connected when the row was created.
SWIC	C	ETHNIC GROUPS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	ETHNIC GROUPS	MODIFIED BY	NUMBER	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	ETHNIC GROUPS	NOTE	NUMBER	2000	Y	Common field for user notes or comments.
SWIC	C	ETHNIC GROUPS	SHORT ORDER	NUMBER	22	N	1 Means: It is Active Indicates if the Data is Active.
SWIC	C	ETHNIC GROUPS	ACTIVE	NUMBER	22	N	Common field for user notes or comments.
SWIC	C	FAMILY ECONOMIC UNITS	SEGO_GEO_LOCATION_ID_STREET	NUMBER	22	N	The system generated unique identifier for street city/county/state/zip.
SWIC	C	FAMILY ECONOMIC UNITS	TRANSLATOR_REQUIRED_FLAG	NUMBER	22	Y	-PMSIS- Used to determine Zip Code. -PMSIS- Used to determine Zip Code.
SWIC	C	FAMILY ECONOMIC UNITS	MILITARY_FLAG	NUMBER	22	Y	Indicates whether the client is in the military. N/A for MI-WIC.
SWIC	C	FAMILY ECONOMIC UNITS	MIGRANT_FLAG	NUMBER	22	Y	Indicates whether the client is a migrant worker. -PMSIS- Migrant Status - translated on extract.
SWIC	C	FAMILY ECONOMIC UNITS	HOMELESS_FLAG	NUMBER	22	Y	Indicates whether the client is homeless.
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD_IR_FLAG	NUMBER	22	Y	Indicates whether head of household 1 received Rights & Responsibility Notice
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD_BR_FLAG	NUMBER	22	Y	Birth date for the primary authorized representative
SWIC	C	FAMILY ECONOMIC UNITS	EXPECTED_INFANTS	NUMBER	22	Y	Indicates the number of expected infants in the family
SWIC	C	FAMILY ECONOMIC UNITS	NO_PHONE_FLAG	NUMBER	22	Y	Indicates whether or not to use phone.
SWIC	C	FAMILY ECONOMIC UNITS	DECLINED_PROXY_FLAG	NUMBER	22	Y	Indicates whether the family declined a proxy
SWIC	C	FAMILY ECONOMIC UNITS	CLPA_APPROF_IDENTITY_CODE	NUMBER	22	Y	The code for the number person proof of identity
SWIC	C	FAMILY ECONOMIC UNITS	PROOF_OF_RESIDENCY_VER_DATE	DATE	7	Y	The date of proof of residency verification
SWIC	C	FAMILY ECONOMIC UNITS	GOOD_START_NUMBER	NUMBER	10	N	TO DO
SWIC	C	FAMILY ECONOMIC UNITS	DATE	DATE	7	Y	The date for the benefits start date for the family
SWIC	C	FAMILY ECONOMIC UNITS	TEST_CLIENT	NUMBER	22	Y	Flag to determine if the client is a test client.
SWIC	C	FAMILY ECONOMIC UNITS	CASE_HOUSEHOLD_STATUS_CODE	NUMBER	22	Y	The unique identifier for the marital status. -PMSIS- Marital Status.
SWIC	C	FAMILY ECONOMIC UNITS	CEL_EDUCATION_CODE	NUMBER	22	Y	The unique identifier for education level (C_EDUCATION_LEVELS).
SWIC	C	FAMILY ECONOMIC UNITS	FAMILY_SIZE_DATE	DATE	7	Y	The latest date in which the Family Size was modified.
SWIC	C	FAMILY ECONOMIC UNITS	MAIL_OUT_OF_STATE_FLAG	NUMBER	22	Y	Indicates out of state mailing address.
SWIC	C	FAMILY ECONOMIC UNITS	MAIL_OUT_OF_STATE_CITY	NUMBER	60	Y	The city line of out of state mailing address.
SWIC	C	FAMILY ECONOMIC UNITS	MAIL_OUT_OF_STATE_STATE	NUMBER	60	Y	The state line of out of state mailing address.
SWIC	C	FAMILY ECONOMIC UNITS	MAIL_OUT_OF_STATE_ZIP	NUMBER	22	Y	Out of state zip code for mailing address.
SWIC	C	FAMILY ECONOMIC UNITS	AUTH_REF_VOTER_FLAG	NUMBER	22	Y	Indicates if the Authorized Representative has confirmed they registered to vote during the certification process
SWIC	C	FAMILY ECONOMIC UNITS	FAMILY_ID	NUMBER	9	N	The unique identifier for the family (C_FAMILY_ECONOMIC_UNITS).
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD1_LAST_NAME	NUMBER	50	N	The primary authorized representative's last name.
SWIC	C	FAMILY ECONOMIC UNITS	LANG_LANGUAGE_CODE	NUMBER	22	N	The unique identifier for the primary language
SWIC	C	FAMILY ECONOMIC UNITS	MAILING_ADDRESS1	NUMBER	60	N	The first line of the unit's mailing address.
SWIC	C	FAMILY ECONOMIC UNITS	STREET_ADDRESS1	NUMBER	60	N	The first line of the unit's street address.
SWIC	C	FAMILY ECONOMIC UNITS	FAMILY_SIZE	NUMBER	22	N	The number of individuals in the family economic unit. -PMSIS- Household Size - prenatal visit. -PMSIS- Household Size.
SWIC	C	FAMILY ECONOMIC UNITS	INCOME	NUMBER	22	N	The total annual income for the family economic unit.
SWIC	C	FAMILY ECONOMIC UNITS	INCOME_ELIGIBLE_FLAG	NUMBER	22	N	Indicates whether the unit is eligible due to income.
SWIC	C	FAMILY ECONOMIC UNITS	ADJ_ELIGIBLE_FLAG	NUMBER	22	Y	Indicates whether the unit is adjustively eligible.
SWIC	C	FAMILY ECONOMIC UNITS	COMPLIANCE_FLAG	NUMBER	22	Y	Indicates if this unit was created to check compliance.
SWIC	C	FAMILY ECONOMIC UNITS	REFUSAL_FLAG	NUMBER	22	Y	Indicates whether the client is a refusal. N/A for MI-WIC
SWIC	C	FAMILY ECONOMIC UNITS	SEGO_GEO_LOCATION_ID_MAIL	NUMBER	22	Y	The system generated unique identifier for mailing city/county/state/zip.
SWIC	C	FAMILY ECONOMIC UNITS	OU_SKL_ID	NUMBER	22	Y	The unique identifier for the clinic (C_ORGANIZATIONAL_UNITS).
SWIC	C	FAMILY ECONOMIC UNITS	PLU_PROXY_INTERNAL_CODE	NUMBER	22	Y	-PMSIS- Clinic. -PMSIS- Clinic.
SWIC	C	FAMILY ECONOMIC UNITS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	FAMILY ECONOMIC UNITS	CREATED BY	NUMBER	32	N	Common audit field for user id connected when the row was created.
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD1_FIRST_NAME	NUMBER	30	N	The primary authorized representative's first name.
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD1_MI	NUMBER	22	N	The primary authorized representative's first middle initial.
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD1_LAST_NAME	NUMBER	50	Y	The primary authorized representative's first last name.
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD1_FIRST_NAME	NUMBER	30	Y	The secondary authorized representative's first name.
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD1_MI	NUMBER	22	Y	The secondary authorized representative's first middle initial.
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD1_LAST_NAME	NUMBER	50	Y	The secondary authorized representative's first last name.
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD1_BR_FLAG	NUMBER	22	Y	Indicates whether the secondary authorized representative received Rights & Responsibility Notice
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD1_IR_FLAG	NUMBER	22	Y	Indicates whether the secondary authorized representative received Rights & Responsibility Notice
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD1_MR_FLAG	NUMBER	22	Y	Indicates whether the secondary authorized representative received Rights & Responsibility Notice
SWIC	C	FAMILY ECONOMIC UNITS	HEAD_HOUSEHOLD1_SR_FLAG	NUMBER	22	Y	Indicates whether the secondary authorized representative received Rights & Responsibility Notice
SWIC	C	FAMILY ECONOMIC UNITS	LANG_LANGUAGE_CODE_SECOND	NUMBER	22	Y	The unique identifier for the family second language
SWIC	C	FAMILY ECONOMIC UNITS	MAILING_ADDRESS2	NUMBER	60	Y	The second line of the unit's mailing address.
SWIC	C	FAMILY ECONOMIC UNITS	MAILING_ZIP4	NUMBER	4	Y	The zip code extension for the unit's mailing address.
SWIC	C	FAMILY ECONOMIC UNITS	STREET_ADDRESS2	NUMBER	60	Y	The second line of the unit's street address.
SWIC	C	FAMILY ECONOMIC UNITS	STREET_ZIP4	NUMBER	4	Y	The zip code extension for the unit's street address.
SWIC	C	FAMILY ECONOMIC UNITS	MAIL_CONFIDENTIAL_FLAG	NUMBER	22	Y	Indicates whether the address is to be kept confidential.
SWIC	C	FAMILY ECONOMIC UNITS	PHONE_CONFIDENTIAL_FLAG	NUMBER	22	Y	Indicates whether the phone data is to be kept confidential.
SWIC	C	FAMILY ECONOMIC UNITS	CDON_PROXY_ADDRESS_CODE	NUMBER	22	Y	The code for the proxy's residency.
SWIC	C	FAMILY ECONOMIC UNITS	DISABLE_VOTER_REG	NUMBER	22	Y	Indicates whether to disable voter registration
SWIC	C	FAMILY ECONOMIC UNITS	DISABILITY_CODE	NUMBER	22	Y	The unique code for disability.
SWIC	C	FAMILY ECONOMIC UNITS	SEE_NOTES_FLAG	NUMBER	22	Y	Indicates whether notes exist for the family
SWIC	C	FAMILY ECONOMIC UNITS	INSTITUT_FLAG	NUMBER	22	Y	Indicates whether institutionalized. N/A for MI-WIC
SWIC	C	FAMILY ECONOMIC UNITS	PROG_REFERRED_FROM	NUMBER	10	Y	The identifier of the program referred from.
SWIC	C	FAMILY ECONOMIC UNITS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	FAMILY ECONOMIC UNITS	MODIFIED BY	NUMBER	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	FAMILY ECONOMIC UNITS	NOTE	NUMBER	2000	Y	Common field for user notes or comments.





SWIC	C	FOOD PACKAGE PRENS BCKUP	LA RD APPROVAL	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BCKUP	STATE RD APPROVAL	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BCKUP	APPROVED FLAG	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BCKUP	NOT APPROVED FLAG	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BCKUP	CUSTOM FLAG	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BCKUP	APPR EXPIRATION DATE	DATE	7	Y	
SWIC	C	FOOD PACKAGE PRENS BCKUP	CFPP IFF STD PACKAGE ID	VARCHAR2	8	Y	
SWIC	C	FOOD PACKAGE PRENS BCKUP	ALLOW NPP	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BCKUP	ELIGIBLE CATEGORY	VARCHAR2	3	Y	
SWIC	C	FOOD PACKAGE PRENS ORG	CC CLIENT ID	NUMBER	22	N	UNUSED FOR MI-WIC (redundant with CCI_CC_CLIENT_ID)
SWIC	C	FOOD PACKAGE PRENS ORG	IPF FOOD PACKAGE ID	VARCHAR2	8	N	The unique identifier of the food package (I FOOD PACKAGES).
SWIC	C	FOOD PACKAGE PRENS ORG	EFFECTIVE DATE	DATE	7	N	The effective date for benefits related to the food package.
SWIC	C	FOOD PACKAGE PRENS ORG	CCI_CC_CLIENT_ID	NUMBER	22	N	The unique identifier of the client (C CLIENTS/ CERTIFICATIONS).
SWIC	C	FOOD PACKAGE PRENS ORG	CCI_CERT_START_DATE	DATE	7	N	The certification start date (C CERTIFICATIONS).
SWIC	C	FOOD PACKAGE PRENS ORG	DATE CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	C	FOOD PACKAGE PRENS ORG	END DATE	DATE	7	N	The end date for benefits related to the food package.
SWIC	C	FOOD PACKAGE PRENS ORG	DISABLE_FLAG	NUMBER	22	Y	Indicates if the package assignment has been disabled and no further benefits will be issued (D-No, 1=Yes)
SWIC	C	FOOD PACKAGE PRENS ORG	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	FOOD PACKAGE PRENS ORG	MODIFIED BY	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	FOOD PACKAGE PRENS ORG	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	FOOD PACKAGE PRENS ORG	LA RD APPROVAL	NUMBER	22	Y	Indicates whether food package require LA RD approval (D-No, 1=Yes).
SWIC	C	FOOD PACKAGE PRENS ORG	STATE RD APPROVAL	NUMBER	22	Y	Indicates whether food package require STATE RD approval (D-No, 1=Yes).
SWIC	C	FOOD PACKAGE PRENS ORG	APPROVED FLAG	NUMBER	22	Y	Indicates whether food package approved (D-No, 1=Yes).
SWIC	C	FOOD PACKAGE PRENS ORG	NOT APPROVED FLAG	NUMBER	22	Y	Indicates whether food package not approved (D-No, 1=Yes).
SWIC	C	FOOD PACKAGE PRENS ORG	CUSTOM FLAG	NUMBER	22	Y	Indicates whether the food package contents have been customized (D-No, 1=Yes).
SWIC	C	FOOD PACKAGE PRENS ORG	APPR EXPIRATION DATE	DATE	7	Y	Food package approval expiration date
SWIC	C	FOOD PACKAGE PRENS ORG	CFPP IFF STD PACKAGE ID	VARCHAR2	8	Y	Standard food package id used for customized packages.
SWIC	C	FOOD PACKAGE PRENS ORG	ALLOW NPP	NUMBER	22	Y	Allows NPP packages for IP clients. Applicable only for IP clients having NPP packages (D- No, 1=Yes)
SWIC	C	FOOD PACKAGE PRENS ORG	ELIGIBLE CATEGORY	VARCHAR2	3	Y	Describes clients eligible category to receive food package
SWIC	C	FOOD PACKAGE PRENS ORG	CERT_SEQ	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS ORG	CC_CLIENT_ID	NUMBER	22	N	
SWIC	C	FOOD PACKAGE PRENS BACKUP	IPF FOOD PACKAGE ID	VARCHAR2	8	N	
SWIC	C	FOOD PACKAGE PRENS BACKUP	EFFECTIVE DATE	DATE	7	N	
SWIC	C	FOOD PACKAGE PRENS BACKUP	CCI_CC_CLIENT_ID	NUMBER	22	N	
SWIC	C	FOOD PACKAGE PRENS BACKUP	CERT_SEQ	NUMBER	22	N	
SWIC	C	FOOD PACKAGE PRENS BACKUP	DATE CREATED	DATE	7	N	
SWIC	C	FOOD PACKAGE PRENS BACKUP	CREATE_BY	VARCHAR2	32	N	
SWIC	C	FOOD PACKAGE PRENS BACKUP	END DATE	DATE	7	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	DISABLE_FLAG	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	DATE MODIFIED	DATE	7	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	MODIFIED BY	VARCHAR2	2000	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	NOTE	VARCHAR2	2000	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	LA RD APPROVAL	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	STATE RD APPROVAL	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	APPROVED FLAG	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	NOT APPROVED FLAG	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	CUSTOM FLAG	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	APPR EXPIRATION DATE	DATE	7	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	CFPP IFF STD PACKAGE ID	VARCHAR2	8	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	ALLOW NPP	NUMBER	22	Y	
SWIC	C	FOOD PACKAGE PRENS BACKUP	ELIGIBLE CATEGORY	VARCHAR2	3	Y	
SWIC	C	HEALTH CONCERNS	RISK FACTOR TYPE ID	NUMBER	22	N	The unique identifier for a nutrition risk factor.
SWIC	C	HEALTH CONCERNS	HEALTH CONCERN DESC	VARCHAR2	500	N	The description of the related health concern.
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	CCI_CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_ORG_CERTIFICATIONS).
SWIC	C	HEALTH CONCERNS	CERT_SEQ	NUMBER	22	N	The Unique Identification number of the certification period (C_ORG_CERTIFICATIONS).
SWIC	C	HEALTH CONCERNS	CRF_CAT_CATEGORY_CODE	VARCHAR2	3	N	The Unique code for certification category (C_RISK_FACTORS).
SWIC	C	HEALTH CONCERNS	CRF_RISK_FACTOR_ID	NUMBER	22	N	The unique identifier of the nutrition risk factor (C_RISK_FACTORS).
SWIC	C	HEALTH CONCERNS	CRF_RISK_FACTORS_TYPE	NUMBER	22	N	UNUSED FOR MI-WIC.
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	CRF_HIGH_RISK_FLAG	NUMBER	22	Y	One-digit number field.
SWIC	C	HEALTH CONCERNS	CRF_REGRESSION_RISK_FLAG	NUMBER	22	Y	One-digit number field.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	RISK_SOURCE	VARCHAR2	3	Y	The source of the risk (MANUAL/SYSTEM).
SWIC	C	HEALTH CONCERNS	RULE_SEQ_ID	NUMBER	22	Y	The identifier for the auto-assign risk reason (C_RISK_REASONS).
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Descriptive note related to the risk factor assessment.
SWIC	C	HEALTH CONCERNS	CP3	NUMBER	22	Y	The priority level of this risk when assigned to participants in this category.
SWIC	C	HEALTH CONCERNS	CCI_CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C CERTIFICATIONS).
SWIC	C	HEALTH CONCERNS	CCI_CERT_START_DATE	DATE	7	N	The start date of the certification period (C CERTIFICATIONS).
SWIC	C	HEALTH CONCERNS	CRF_CATEGORY_CODE	VARCHAR2	3	Y	The unique code for certification category (C_RISK_FACTORS).
SWIC	C	HEALTH CONCERNS	CRF_RISK_FACTOR_ID	NUMBER	22	N	The unique identifier of the nutrition risk factor (C_RISK_FACTORS).
SWIC	C	HEALTH CONCERNS	CRF_RISK_FACTORS_TYPE	NUMBER	22	N	UNUSED FOR MI-WIC.
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	CRF_HIGH_RISK_FLAG	NUMBER	22	Y	One-digit number field.
SWIC	C	HEALTH CONCERNS	CRF_REGRESSION_RISK_FLAG	NUMBER	22	Y	One-digit number field.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	RISK_SOURCE	VARCHAR2	3	Y	The source of the risk (MANUAL/SYSTEM).
SWIC	C	HEALTH CONCERNS	RULE_SEQ_ID	NUMBER	22	Y	The identifier for the auto-assign risk reason (C_RISK_REASONS).
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Descriptive note related to the risk factor assessment.
SWIC	C	HEALTH CONCERNS	CERT_SEQ	NUMBER	22	Y	
SWIC	C	HEALTH CONCERNS	ID	NUMBER	22	N	Identify column
SWIC	C	HEALTH CONCERNS	CCI_CLIENT_ID	NUMBER	9	Y	client id column references to c_clients table
SWIC	C	HEALTH CONCERNS	IDENTITY_PROOF	VARCHAR2	2	Y	IDENTITY Proof code references to c_proof_identifiable table
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	NACCURATE MEASURE CODE	NUMBER	22	N	The unique code for an inaccurate measure reason.
SWIC	C	HEALTH CONCERNS	DESCRIPTION	VARCHAR2	100	N	The description of the inaccurate measure reason.
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	HEALTH CONCERNS	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	C	HEALTH CONCERNS	INCOME CODE	NUMBER	22	N	System generated Income Code Unique Identifier
SWIC	C	HEALTH CONCERNS	CI_INCOME_INTERNAL_CODE	VARCHAR2	2	N	Internal Code (C_INCOME_INTERVALS)
SWIC	C	HEALTH CONCERNS	INCOME AMOUNT	NUMBER	22	N	Income Amount during the interval
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	IN_VIC_VERIF_CODE	NUMBER	22	Y	Verification Code for the Income (C_INCOME_VERIFICATIONS)
SWIC	C	HEALTH CONCERNS	NO OF HOURS	NUMBER	22	Y	Number of hours per week
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	HEALTH CONCERNS	CIUSA_FAMILY_ID	NUMBER	9	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C	HEALTH CONCERNS	CCI_CLIENT_ID	NUMBER	22	Y	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C	HEALTH CONCERNS	HI_SIZE	NUMBER	22	Y	
SWIC	C	HEALTH CONCERNS	NAME	VARCHAR2	100	Y	
SWIC	C	HEALTH CONCERNS	INCOME_INTERVAL_CODE	VARCHAR2	2	N	The unique code for income interval.
SWIC	C	HEALTH CONCERNS	DESCRIPTION	VARCHAR2	60	N	Type in Income Interval Description.
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	HEALTH CONCERNS	SORT ORDER	NUMBER	22	Y	Order in which the intervals gets populated.
SWIC	C	HEALTH CONCERNS	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	C	HEALTH CONCERNS	SEMI_MONTHLY_INCOME	NUMBER	22	Y	The Semi-Monthly income value for this income level
SWIC	C	HEALTH CONCERNS	EFFECTIVE DATE	DATE	7	N	The date the income levels become valid.
SWIC	C	HEALTH CONCERNS	FAMILY_SIZE	NUMBER	22	N	The number of people in the FFL for this income level.
SWIC	C	HEALTH CONCERNS	ANNUAL_INCOME	NUMBER	22	N	The high income value for this income level.
SWIC	C	HEALTH CONCERNS	MONTHLY_INCOME	NUMBER	22	N	The low income value for this income level.
SWIC	C	HEALTH CONCERNS	BI_WEEKLY_INCOME	NUMBER	22	N	The bi-weekly income value for this income level.
SWIC	C	HEALTH CONCERNS	WEEKLY_INCOME	NUMBER	22	N	The weekly income value for this income level
SWIC	C	HEALTH CONCERNS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	HEALTH CONCERNS	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	C	HEALTH CONCERNS	INCOME_VERIFICATION	NUMBER	22	N	The unique code for income verification.
SWIC	C	HEALTH CONCERNS	DESCRIPTION	VARCHAR2	80	N	The description of the income verification method.
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	HEALTH CONCERNS	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	C	HEALTH CONCERNS	CCI_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	HEALTH CONCERNS	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	C	HEALTH CONCERNS	CCI_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	HEALTH CONCERNS	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	C	HEALTH CONCERNS	CCI_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	HEALTH CONCERNS	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	C	HEALTH CONCERNS	CCI_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	HEALTH CONCERNS	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	C	HEALTH CONCERNS	CCI_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C	HEALTH CONCERNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	HEALTH CONCERNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	HEALTH CONCERNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	HEALTH CONCERNS	MODIFIED BY	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	HEALTH CONCERNS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	HEALTH CONCERNS					

SWIC	C	INDIVIDUAL NE TOPICS	CERT_SEQ	NUMBER	22	N	
SWIC	C	INFANT CHILD MEDICALS	CC1_CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C CLIENTS/ CERTIFICATIONS).
SWIC	C	INFANT CHILD MEDICALS	CERT_SEQ	NUMBER	22	N	The unique identifier for the client (C CERTIFICATIONS).
SWIC	C	INFANT CHILD MEDICALS	MEDICAL_DATA_DATE	DATE	7	N	The date the medical data was taken.
SWIC	C	INFANT CHILD MEDICALS	WEIGHT	NUMBER	22	Y	Weight in ounces.
SWIC	C	INFANT CHILD MEDICALS	HEIGHT	NUMBER	22	Y	Height in 1/16th inches.
SWIC	C	INFANT CHILD MEDICALS	AGE	NUMBER	22	Y	The age in months of the infant/child.
SWIC	C	INFANT CHILD MEDICALS	RECURRENT_STANDING_FLAG	VARCHAR2	1	Y	Indicates if the client was recumbent or standing for data collection.
SWIC	C	INFANT CHILD MEDICALS	WEIGHT_PERCENT	NUMBER	22	Y	The percentile of normal weight for age.
SWIC	C	INFANT CHILD MEDICALS	HEIGHT_PERCENT	NUMBER	22	Y	The percentile of normal height (for age).
SWIC	C	INFANT CHILD MEDICALS	WEIGHT_HEIGHT_PERCENT	NUMBER	22	Y	The weight to height percentile (for age).
SWIC	C	INFANT CHILD MEDICALS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	INFANT CHILD MEDICALS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	INFANT CHILD MEDICALS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	INFANT CHILD MEDICALS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	INFANT CHILD MEDICALS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	INFANT CHILD MEDICALS	CM_INACCURATE_MEASURE_CODE	NUMBER	22	Y	The unique identifier for why the measurement may be inaccurate (C INACCURATE MEASURES).
SWIC	C	INFANT_CHILD_MEDICALS	BMI	NUMBER	22	Y	The body mass index for the associated height and weight.
SWIC	C	INFANT CHILD MEDICALS	BMIAGE_PERCENT	NUMBER	22	Y	The BMI percentile (for age), applicable only for standing measurements.
SWIC	C	INFANT CHILD MEDICALS	FALLURE_ID_THRIVE_FLAG	NUMBER	22	Y	UNUSED FOR MI WIC. See C MEDICAL_ADDL_INFO
SWIC	C	INFANT CHILD MEDICALS	PREMATURITY_FLAG	NUMBER	22	Y	UNUSED FOR MI WIC. See C MEDICAL_ADDL_INFO
SWIC	C	INFANT CHILD MEDICALS	LEAD_POISON_FLAG	NUMBER	22	Y	UNUSED FOR MI WIC. See C MEDICAL_ADDL_INFO
SWIC	C	INFANT CHILD MEDICALS	PREMATURE_WEST	NUMBER	22	Y	UNUSED FOR MI WIC. See C MEDICAL_ADDL_INFO
SWIC	C	INFANT CHILD MEDICALS	LEAD_BLOODTEST_PERFORMED	NUMBER	22	Y	UNUSED FOR MI WIC. See C MEDICAL_ADDL_INFO
SWIC	C	INFANT CHILD MEDICALS	HEAD_CIRCUMFERENCE	NUMBER	22	Y	Head circumference in 1/16th inches.
SWIC	C	INFANT CHILD MEDICALS	HEAD_CIRCUMFERENCE_PERCENT	NUMBER	22	Y	The head circumference percentile (for age).
SWIC	C	INFANT CHILD MEDICALS	UNKNOWN_HEIGHT	NUMBER	22	Y	Indicates if the height measurement is unknown (0-No, 1-Yes).
SWIC	C	INFANT CHILD MEDICALS	INCORRECT_HEIGHT	NUMBER	22	Y	Indicates if the height measurement is incorrect or inaccurate (0-No, 1-Yes).
SWIC	C	INFANT CHILD MEDICALS	INCORRECT_WEIGHT	NUMBER	22	Y	Indicates if the weight measurement is incorrect or inaccurate (0-No, 1-Yes).
SWIC	C	INFANT CHILD MEDICALS	UNKNOWN_HC	NUMBER	22	Y	Indicates if the head circumference measurement is unknown (0-No, 1-Yes).
SWIC	C	INFANT CHILD MEDICALS	RISKHEIGHT_FLAG	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS	RISKWEIGHT_FLAG	NUMBER	22	Y	
SWIC	C	INFANT_CHILD_MEDICALS	RISKHC_FLAG	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS	CLAUS_ID	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS	NON_WIC	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS	COMMENTS	VARCHAR2	2000	Y	
SWIC	C	INFANT CHILD MEDICALS B	CERT_SEQ	NUMBER	22	N	
SWIC	C	INFANT CHILD MEDICALS B	MEDICAL_DATA_DATE	DATE	7	N	
SWIC	C	INFANT CHILD MEDICALS B	WEIGHT	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	HEIGHT	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	AGE	NUMBER	22	Y	
SWIC	C	INFANT_CHILD_MEDICALS_B	RECURRENT_STANDING_FLAG	VARCHAR2	1	Y	
SWIC	C	INFANT CHILD MEDICALS B	WEIGHT_PERCENT	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	HEIGHT_PERCENT	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	WEIGHT_HEIGHT_PERCENT	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	DATE_CREATED	DATE	7	N	
SWIC	C	INFANT CHILD MEDICALS B	CREATED_BY	VARCHAR2	32	N	
SWIC	C	INFANT CHILD MEDICALS B	DATE_MODIFIED	DATE	7	Y	
SWIC	C	INFANT CHILD MEDICALS B	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	C	INFANT CHILD MEDICALS B	NOTE	VARCHAR2	2000	Y	
SWIC	C	INFANT_CHILD_MEDICALS_B	CM_INACCURATE_MEASURE_CODE	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	BMI	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	BMIAGE_PERCENT	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	FALLURE_ID_THRIVE_FLAG	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	PREMATURITY_FLAG	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	LEAD_POISON_FLAG	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	PREMATURE_WEST	NUMBER	22	Y	
SWIC	C	INFANT_CHILD_MEDICALS_B	LEAD_BLOODTEST_PERFORMED	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	HEAD_CIRCUMFERENCE	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	HEAD_CIRC_PERCENT	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	UNKNOWN_H	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	INCORRECT_HEIGHT	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	UNKNOWN_WEIGHT	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	INCORRECT_WEIGHT	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	UNKNOWN_HC	NUMBER	22	Y	
SWIC	C	INFANT_CHILD_MEDICALS_B	RISKHEIGHT_FLAG	NUMBER	22	Y	
SWIC	C	INFANT_CHILD_MEDICALS_B	RISKWEIGHT_FLAG	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	RISKHC_FLAG	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	CLAUS_ID	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS B	CC1_CC_CLIENT_ID	NUMBER	22	N	
SWIC	C	INFANT CHILD MEDICALS ORIG	CC1_CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C CLIENTS/ CERTIFICATIONS).
SWIC	C	INFANT CHILD MEDICALS ORIG	CERT_SEQ	NUMBER	22	N	The unique identifier for the client (C CERTIFICATIONS).
SWIC	C	INFANT CHILD MEDICALS ORIG	MEDICAL_DATA_DATE	DATE	7	N	The date the medical data was taken.
SWIC	C	INFANT CHILD MEDICALS ORIG	WEIGHT	NUMBER	22	Y	Weight in ounces.
SWIC	C	INFANT CHILD MEDICALS ORIG	HEIGHT	NUMBER	22	Y	Height in 1/16th inches.
SWIC	C	INFANT_CHILD_MEDICALS_ORIG	AGE	NUMBER	22	Y	The age in months of the infant/child.
SWIC	C	INFANT CHILD MEDICALS ORIG	RECURRENT_STANDING_FLAG	VARCHAR2	1	Y	Indicates if the client was recumbent or standing for data collection.
SWIC	C	INFANT CHILD MEDICALS ORIG	WEIGHT_PERCENT	NUMBER	22	Y	The percentile of normal weight for age.
SWIC	C	INFANT CHILD MEDICALS ORIG	HEIGHT_PERCENT	NUMBER	22	Y	The percentile of normal height (for age).
SWIC	C	INFANT CHILD MEDICALS ORIG	WEIGHT_HEIGHT_PERCENT	NUMBER	22	Y	The weight to height percentile (for age).
SWIC	C	INFANT CHILD MEDICALS ORIG	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	INFANT_CHILD_MEDICALS_ORIG	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	INFANT_CHILD_MEDICALS_ORIG	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	INFANT CHILD MEDICALS ORIG	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	INFANT CHILD MEDICALS ORIG	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	INFANT CHILD MEDICALS ORIG	CM_INACCURATE_MEASURE_CODE	NUMBER	22	Y	The unique identifier for why the measurement may be inaccurate (C INACCURATE MEASURES).
SWIC	C	INFANT CHILD MEDICALS ORIG	BMI	NUMBER	22	Y	The body mass index for the associated height and weight.
SWIC	C	INFANT CHILD MEDICALS ORIG	BMIAGE_PERCENT	NUMBER	22	Y	The BMI percentile (for age), applicable only for standing measurements.
SWIC	C	INFANT CHILD MEDICALS ORIG	FALLURE_ID_THRIVE_FLAG	NUMBER	22	Y	UNUSED FOR MI WIC. See C MEDICAL_ADDL_INFO
SWIC	C	INFANT CHILD MEDICALS ORIG	PREMATURITY_FLAG	NUMBER	22	Y	UNUSED FOR MI WIC. See C MEDICAL_ADDL_INFO
SWIC	C	INFANT CHILD MEDICALS ORIG	LEAD_POISON_FLAG	NUMBER	22	Y	UNUSED FOR MI WIC. See C MEDICAL_ADDL_INFO
SWIC	C	INFANT CHILD MEDICALS ORIG	PREMATURE_WEST	NUMBER	22	Y	UNUSED FOR MI WIC. See C MEDICAL_ADDL_INFO
SWIC	C	INFANT CHILD MEDICALS ORIG	LEAD_BLOODTEST_PERFORMED	NUMBER	22	Y	UNUSED FOR MI WIC. See C MEDICAL_ADDL_INFO
SWIC	C	INFANT CHILD MEDICALS ORIG	HEAD_CIRCUMFERENCE	NUMBER	22	Y	Head circumference in 1/16th inches.
SWIC	C	INFANT CHILD MEDICALS ORIG	HEAD_CIRC_PERCENT	NUMBER	22	Y	The head circumference percentile (for age).
SWIC	C	INFANT CHILD MEDICALS ORIG	UNKNOWN_HEIGHT	NUMBER	22	Y	Indicates if the height measurement is unknown (0-No, 1-Yes).
SWIC	C	INFANT CHILD MEDICALS ORIG	INCORRECT_HEIGHT	NUMBER	22	Y	Indicates if the height measurement is incorrect or inaccurate (0-No, 1-Yes).
SWIC	C	INFANT CHILD MEDICALS ORIG	UNKNOWN_HC	NUMBER	22	Y	Indicates if the head circumference measurement is unknown (0-No, 1-Yes).
SWIC	C	INFANT_CHILD_MEDICALS_ORIG	RISKHEIGHT_FLAG	NUMBER	22	Y	
SWIC	C	INFANT_CHILD_MEDICALS_ORIG	RISKWEIGHT_FLAG	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS ORIG	RISKHC_FLAG	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS ORIG	CLAUS_ID	NUMBER	22	Y	
SWIC	C	INFANT CHILD MEDICALS ORIG	CERT_SEQ	NUMBER	22	Y	
SWIC	C	INVESTIGATIONS	INVESTIGATION_ID	NUMBER	22	N	System generated Investigation ID Unique Identifier
SWIC	C	INVESTIGATIONS	C_COMP_CASE_NO	NUMBER	22	N	Complaints Case Number(COMP/PLAINTS)
SWIC	C	INVESTIGATION	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	INVESTIGATIONS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last created.
SWIC	C	INVESTIGATIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	C	INVESTIGATIONS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	INVESTIGATIONS	CLUS_STATUS_ID	NUMBER	22	Y	Indicates Investigation Status number (C LU INV STATUS)
SWIC	C	INVESTIGATIONS	CLAIM_AMOUNT	NUMBER	22	Y	Claim Amount
SWIC	C	INVESTIGATION DETAILS	C_INV_INVESTIGATION_ID	NUMBER	22	N	Investigation ID (C INVESTIGATIONS)
SWIC	C	INVESTIGATION DETAILS	INVESTIGATION_DATE	DATE	7	Y	Investigation Notes Date
SWIC	C	INVESTIGATION DETAILS	USER_ID	VARCHAR2	32	Y	Logged In Users ID
SWIC	C	INVESTIGATION DETAILS	CLUICK_COMMENT_TYPE	NUMBER	22	Y	Type of Comment(CLUICK_COMMENT_TYPE)
SWIC	C	INVESTIGATION DETAILS	NOTES	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	INVESTIGATION DETAILS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	INVESTIGATION DETAILS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	INVESTIGATION DETAILS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	INVESTIGATION DETAILS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	INVESTIGATION DETAILS	DETAIL_ID	NUMBER	22	N	System generated Details ID Unique Identifier
SWIC	C	INVESTIGATION VIOLATIONS	C_INV_INVESTIGATION_ID	NUMBER	22	N	Investigation ID (C INVESTIGATIONS)
SWIC	C	INVESTIGATION VIOLATIONS	CLUV_VIOLATION_ID	NUMBER	22	N	Violation Type Alias(CLUV_VIOLATION_ID)
SWIC	C	INVESTIGATION VIOLATIONS	SUBSTANTIATED_FLAG	NUMBER	22	Y	Yes/No/Pending flag (C_LU_YES_NO_PENDING)
SWIC	C	INVESTIGATION VIOLATIONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	INVESTIGATION VIOLATIONS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	INVESTIGATION VIOLATIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	INVESTIGATION VIOLATIONS	LANGUAGES_CODE	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	LANGUAGES	LANGUAGES_CODE	NUMBER	22	Y	The system generated unique identifier.
SWIC	C	LANGUAGES	DESCRIPTION	VARCHAR2	60	N	The description (name) of the language.
SWIC	C	LANGUAGES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	LANGUAGES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	LANGUAGES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	LANGUAGES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	LANGUAGES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C	LANGUAGES	ACTIVE	NUMBER	22	Y	
SWIC	C	LEAD DATA	C_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C CLIENTS).
SWIC	C	LEAD DATA	LEAD_CODE	NUMBER	22	N	UNUSED FOR MI WIC.
SWIC	C	LEAD DATA	LEAD_VALUE	NUMBER	22	Y	Value for the lead test.
SWIC	C	LEAD_DATA	COLLECTED_BY_WIC	NUMBER	22	Y	Indicates if the lead test was performed by a WIC clinic (0-No, 1-Yes).
SWIC	C	LEAD DATA	CLUV_METHOD_ID	NUMBER	22	Y	The unique identifier for the lead test method (C LU LEAD METHOD).
SWIC	C	LEAD DATA	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	LEAD DATA	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	LEAD DATA	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	LEAD DATA	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	LEAD DATA	LEAD_DATE	DATE	7	Y	The date of the lead test.
SWIC	C	LEAD DATA	LEAD_SIGN_ID	NUMBER	22	Y	
SWIC	C	LEAD DATA	LEAD_NUMBER	NUMBER	22	Y	
SWIC	C	LU_ABUSE_RESOLUTION	RESOLUTION_ID	NUMBER	22	N	Unique numeric identifier of a resolution.
SWIC	C	LU_ABUSE_RESOLUTION	DESCRIPTION	VARCHAR2	100	Y	Descriptive text of the resolution.
SWIC	C	LU_ABUSE_RESOLUTION	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	LU_ABUSE_RESOLUTION	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	LU_ABUSE_RESOLUTION	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	LU_ABUSE_RESOLUTION	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	LU_ABUSE_RESOLUTION	ACTIVE	NUMBER	22	Y	Identifies if the Loop-up value is active in system.
SWIC	C	LU_ADJUNCT_VERIFICATION_TYPE	VERIFICATION_ID	NUMBER	22	N	Verification Type code.
SWIC	C	LU_ADJUNCT_VERIFICATION_TYPE	DESCRIPTION	VARCHAR2	50	Y	Verification Description.
SWIC	C	LU_ADJUNCT_VERIFICATION_TYPE	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C	LU_ADJUNCT_VERIFICATION_TYPE	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	LU_ADJUNCT_VERIFICATION_TYPE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C	LU_ADJUNCT_VERIFICATION_TYPE	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C	LU_ADJUNCT_VERIFICATION_TYPE	VERIFIED_TYPE	VARCHAR2	5	Y	Common audit field for user id connected when the row was last modified.
SWIC	C	LU_ADJUNCT_VERIFICATION_TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system.
SWIC	C	LU_ADMIN_NUTR_TOPICS	NUTR_ED_TOPIC_CODE	NUMBER	22	N	The unique identifier for the nutrition education topic.
SWIC	C	LU_ADMIN_NUTR_TOPICS	DESCRIPTION	VARCHAR2	200	N	The description of the nutrition education topic.
SWIC	C	LU_ADMIN_NUTR_TOPICS	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	C	LU_ADMIN_NUTR_TOPICS	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	C	LU_ADMIN_NUTR_TOPICS	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	C	LU_ADMIN_NUTR_TOPICS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.

SWIC	C LU ADMIN NUTR TOPICS	ENABLED	NUMBER	22	Y	
SWIC	C LU ADMIN NUTR TOPICS	SHORT ORDER	NUMBER	22	Y	
SWIC	C LU ADMIN NUTR TOPICS	ACTIVE	NUMBER	22	N	Used as an additional sort with description. 0 or 1,2,3 etc.
SWIC	C LU ANTHRO UNKNOWN REASON	ID	NUMBER	22	N	Identifies if the Loop-up value is active in system.
SWIC	C LU ANTHRO UNKNOWN REASON	DESCRIPTION	VARCHAR2	60	N	
SWIC	C LU ANTHRO UNKNOWN REASON	DATE CREATED	DATE	7	N	
SWIC	C LU ANTHRO UNKNOWN REASON	CREATED BY	VARCHAR2	32	N	
SWIC	C LU ANTHRO UNKNOWN REASON	DATE MODIFIED	DATE	7	Y	
SWIC	C LU ANTHRO UNKNOWN REASON	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU ANTHRO UNKNOWN REASON	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU APPEAL RULING	APPEAL RULING CODE	NUMBER	22	N	Unique numeric identifier for the ruling of an appeal or fair hearing.
SWIC	C LU APPEAL RULING	APPEAL RULING DESCRIPTION	TEXT	100	Y	Descriptive text for the reason of an appeal or fair hearing.
SWIC	C LU APPEAL RULING	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU APPEAL RULING	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU APPEAL RULING	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU APPEAL RULING	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU APPEAL RULING	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BF CONTACT_ROLE	ROLE_ID	NUMBER	22	N	role id
SWIC	C LU BF CONTACT_ROLE	DESCRIPTION	VARCHAR2	40	N	role description
SWIC	C LU BF CONTACT_ROLE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BF CONTACT_ROLE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BF CONTACT_ROLE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BF CONTACT_ROLE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BF CONTACT_ROLE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BF EXP HEARD	SORT ORDER	NUMBER	22	Y	
SWIC	C LU BF EXP HEARD	ID	NUMBER	22	N	The unique ID of experience.
SWIC	C LU BF EXP HEARD	DESCRIPTION	VARCHAR2	60	N	The description of the bf experience.
SWIC	C LU BF EXP HEARD	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BF EXP HEARD	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BF EXP HEARD	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BF EXP HEARD	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BF EXP HEARD	ACTIVE	NUMBER	22	N	1 Means it is Active indicates if the Data is Active.
SWIC	C LU BF REFERRED TO	ID	NUMBER	22	N	
SWIC	C LU BF REFERRED TO	DESCRIPTION	VARCHAR2	50	Y	
SWIC	C LU BF REFERRED TO	DATE CREATED	DATE	7	Y	
SWIC	C LU BF REFERRED TO	CREATED BY	VARCHAR2	32	Y	
SWIC	C LU BF REFERRED TO	DATE MODIFIED	DATE	7	Y	
SWIC	C LU BF REFERRED TO	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU BF REFERRED TO	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BF SUMMARY ANSWERS	ID	NUMBER	22	N	Primary Key of the table (answer id)
SWIC	C LU BF SUMMARY ANSWERS	QUEST QUESTION ID	NUMBER	22	N	Primary Key to the Question Table (cf. summary questions)
SWIC	C LU BF SUMMARY ANSWERS	ANSWER FIELD	VARCHAR2	100	N	Description of the field this answer pertains to.
SWIC	C LU BF SUMMARY ANSWERS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BF SUMMARY ANSWERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BF SUMMARY ANSWERS	DATE MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BF SUMMARY ANSWERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BF SUMMARY ANSWERS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BF SUPPORT HS GROUP	GROUP CODE	NVARCHAR2	4	N	Code identifying the group of questions
SWIC	C LU BF SUPPORT HS GROUP	DESCRIPTION	NVARCHAR2	4000	N	Description of the Group
SWIC	C LU BF SUPPORT HS GROUP	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BF SUPPORT HS GROUP	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BF SUPPORT HS GROUP	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BF SUPPORT HS GROUP	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BF SUPPORT HS GROUP	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BF SUPPORT RESPONSES	RESPONSE ID	NUMBER	22	N	System generated identifier for the record.
SWIC	C LU BF SUPPORT RESPONSES	RESPONSE GROUP CODE	NVARCHAR2	4	N	The internal system code to identify question groupings. (H1, H2, H3, H4, H5)
SWIC	C LU BF SUPPORT RESPONSES	RESPONSE TEXT	NVARCHAR2	100	N	Clear text used for labeling
SWIC	C LU BF SUPPORT RESPONSES	BF_SUPPORT_CD1 MAP	NVARCHAR2	200	Y	Column mapping for BF_Support
SWIC	C LU BF SUPPORT RESPONSES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BF SUPPORT RESPONSES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BF SUPPORT RESPONSES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BF SUPPORT RESPONSES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BF SUPPORT RESPONSES	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BLOODDECEPTION REFERRAL	BLOODDECEPTION REFERRAL CODE	NUMBER	22	N	Unique numeric identifier for the blood work comment
SWIC	C LU BLOODDECEPTION REFERRAL	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for the blood work comment (such as Not needed this visit per pacs)
SWIC	C LU BLOODDECEPTION REFERRAL	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BLOODDECEPTION REFERRAL	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BLOODDECEPTION REFERRAL	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BLOODDECEPTION REFERRAL	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BLOODDECEPTION REFERRAL	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BLOODWORK COMMENT	BLOODWORK COMMENT CODE	NUMBER	22	N	Unique numeric identifier for the blood work comment
SWIC	C LU BLOODWORK COMMENT	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for the blood work comment (such as Not needed this visit per pacs)
SWIC	C LU BLOODWORK COMMENT	DEFAULT VALUE	TEXT	100	N	Default value which triggers a particular comment.
SWIC	C LU BLOODWORK COMMENT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BLOODWORK COMMENT	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BLOODWORK COMMENT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BLOODWORK COMMENT	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BLOODWORK COMMENT	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BF FOLLOWUP	FOLLOWUP ID	VARCHAR2	100	N	Unique numeric identifier of the breast pump follow up.
SWIC	C LU BF FOLLOWUP	DESCRIPTION	VARCHAR2	100	N	Descriptive text of the breast pump status.
SWIC	C LU BF FOLLOWUP	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BF FOLLOWUP	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BF FOLLOWUP	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BF FOLLOWUP	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BF FOLLOWUP	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BF MANUFACTURER	MAN ID	NUMBER	22	N	Unique numeric identifier of the breast pump manufacturer.
SWIC	C LU BF MANUFACTURER	DESCRIPTION	VARCHAR2	100	N	Descriptive text of the name of the manufacturer.
SWIC	C LU BF MANUFACTURER	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BF MANUFACTURER	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BF MANUFACTURER	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BF MANUFACTURER	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BF MANUFACTURER	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BF MODELS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BF MODELS	SERIAL NO REQ	NUMBER	22	Y	Common audit field for user id connected when the row was created.
SWIC	C LU BF MODELS	BULK FLAG	NUMBER	22	Y	Indicates whether the breast pump is issued in bulk(0-No, 1=Yes).
SWIC	C LU BF MODELS	DISCONTINUED FLAG	NUMBER	22	Y	Indicates whether the breast pump has been discontinued(0-No, 1=Yes).
SWIC	C LU BF MODELS	SYSTEM GENERATED	NUMBER	22	Y	Indicates whether the breast pump has been generated by the system(0-No, 1=Yes).
SWIC	C LU BF MODELS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BF MODELS	SINGLE USE FLAG	NUMBER	22	N	Indicates whether the breast pump is a single use pump or not (0-No, 1=Yes).
SWIC	C LU BF MODELS	MODEL ID	NUMBER	22	N	Unique numeric identifier of the breast pump model.
SWIC	C LU BF MODELS	DESCRIPTION	VARCHAR2	100	N	Descriptive text of the breast pump model.
SWIC	C LU BF MODELS	CLM MAN ID	NUMBER	22	N	Numeric identifier of manufacturer of the breast pump.
SWIC	C LU BF MODELS	CLBT TYPE ID	NUMBER	22	N	Numeric identifier of type of breast pump.
SWIC	C LU BF MODELS	NOTE	VARCHAR2	2000	Y	Description of the Model.
SWIC	C LU BF MODELS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BF MODELS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BF PURCHASED BY	PURCHASED BY ID	NUMBER	22	N	Unique numeric identifier of the purchaser.
SWIC	C LU BF PURCHASED BY	DESCRIPTION	VARCHAR2	100	N	Descriptive text of the purchaser.
SWIC	C LU BF PURCHASED BY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BF PURCHASED BY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BF PURCHASED BY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BF PURCHASED BY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BF PURCHASED BY	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BF STATUS	FLAG	NUMBER	22	Y	Numeric identifier of the breast pump flag.
SWIC	C LU BF STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU BF STATUS	STATUS ID	NUMBER	22	N	Unique numeric identifier of the breast pump status.
SWIC	C LU BF STATUS	DESCRIPTION	VARCHAR2	100	N	Descriptive text of the breast pump status.
SWIC	C LU BF STATUS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BF STATUS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BF STATUS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BF STATUS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BF TYPES	TYPE ID	NUMBER	22	N	Unique numeric identifier of the Breast Pump Type.
SWIC	C LU BF TYPES	DESCRIPTION	VARCHAR2	100	N	Descriptive text of Breast Pump Type.
SWIC	C LU BF TYPES	SERIAL NO REQ	NUMBER	22	N	Indicates whether the breast pump requires serial number(0-No, 1=Yes).
SWIC	C LU BF TYPES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU BF TYPES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU BF TYPES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU BF TYPES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU BF TYPES	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU CHART INFO	PIXEL HEIGHT BUFFER	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU CHART INFO	CHART CODE	NVARCHAR2	20	N	Code used to extract the chart
SWIC	C LU CHART INFO	CHART GENDER	NVARCHAR2	20	N	Gender used to extract the chart
SWIC	C LU CHART INFO	CHART NAME	NVARCHAR2	100	N	Name of the image used for the chart
SWIC	C LU CHART INFO	CHART_DESC	NVARCHAR2	200	N	DESCRIPTION OF the chart
SWIC	C LU CHART INFO	MIN X	NUMBER	22	N	Minimum X position Number of the chart
SWIC	C LU CHART INFO	MIN Y	NUMBER	22	N	Minimum Y position Number of the chart
SWIC	C LU CHART INFO	MAX X	NUMBER	22	N	Maximum X position Number of the chart
SWIC	C LU CHART INFO	PIXEL LEFT BUFFER	NUMBER	22	N	Maximum Y position Number of the chart
SWIC	C LU CHART INFO	PIXEL HEIGHT	NUMBER	22	N	Height in pixels of the actual chart in pixels.
SWIC	C LU CHART INFO	PIXEL LEFT BUFFER	NUMBER	22	N	Buffer from the left point of the image to the starting point of the chart in pixels.
SWIC	C LU CHART INFO	PIXEL WIDTH	NUMBER	22	N	Width (x axis) of the actual chart in pixels.
SWIC	C LU CHART INFO	DATE_CREATED	DATE	7	N	Date the record was created.
SWIC	C LU CHART INFO	CREATED BY	NVARCHAR2	50	N	Who created the record.
SWIC	C LU CHART INFO	DATE MODIFIED	DATE	7	Y	Date the record was modified.
SWIC	C LU CHART INFO	MODIFIED BY	NVARCHAR2	50	Y	Who modified the record.
SWIC	C LU CHART INFO	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU CLAIMS DISPOSITION	DISPOSITION ID	NUMBER	22	N	Unique numeric identifier for claims disposition.
SWIC	C LU CLAIMS DISPOSITION	DESCRIPTION	VARCHAR2	100	Y	Descriptive text of the claim disposition
SWIC	C LU CLAIMS DISPOSITION	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU CLAIMS DISPOSITION	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU CLAIMS DISPOSITION	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU CLAIMS DISPOSITION	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU CLAIMS DISPOSITION	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU CLIENT STATUS	STATUS ID	NUMBER	1	N	Unique text identifier for client status.
SWIC	C LU CLIENT STATUS	DESCRIPTION	VARCHAR2	200	N	Descriptive text for client status.
SWIC	C LU CLIENT STATUS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU CLIENT STATUS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU CLIENT STATUS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU CLIENT STATUS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU CLIENT STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU COMPLAINT FORM	ID	NUMBER	22	N	Unique numeric identifier for type of complaint form.
SWIC	C LU COMPLAINT FORM	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for complaint form.
SWIC	C LU COMPLAINT FORM	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU COMPLAINT FORM	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU COMPLAINT FORM	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU COMPLAINT FORM	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU COMPLAINT FORM	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	C LU COMPLAINT REPORT ABOUT	REPORT ABOUT ID	NUMBER	22	N	Unique numeric identifier for Complaint report about table.
SWIC	C LU COMPLAINT REPORT ABOUT	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for complaint report about
SWIC	C LU COMPLAINT REPORT ABOUT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU COMPLAINT REPORT ABOUT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.

SWIC	C LU COMPLAINT REPORT ABOUT	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU COMPLAINT REPORT ABOUT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU COMPLAINT REPORT ABOUT	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.
SWIC	C LU COMPLAINT REPORT BY	REPORT BY ID	NUMBER	22	N	Unique numeric identifier of the complaint report by.
SWIC	C LU COMPLAINT REPORT BY	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for complaint report by.
SWIC	C LU COMPLAINT REPORT BY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU COMPLAINT REPORT BY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU COMPLAINT REPORT BY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU COMPLAINT REPORT BY	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C LU CSFP INFO	C CSFP ID	NUMBER	22	N	Identifies the Loop up value is active in system.
SWIC	C LU CSFP INFO	C CSFP NAME	VARCHAR2	100	N	The unique identifier for the CSFP Agency.
SWIC	C LU CSFP INFO	C CSFP PHNO	VARCHAR2	10	Y	CSFP Phone No
SWIC	C LU CSFP INFO	CREATED BY	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU CSFP INFO	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU CSFP INFO	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU CSFP INFO	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU CSFP_INFO	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.
SWIC	C LU DOCUMENTS	DESCRIPTION	VARCHAR2	100	N	Descriptive text for the name of the document.
SWIC	C LU DOCUMENTS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU DOCUMENTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU DOCUMENTS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU DOCUMENTS	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C LU DOCUMENTS	GROUP ID	NUMBER	22	Y	Numeric identifier for group the document belongs to.
SWIC	C LU DOCUMENTS	REPORT NAME	VARCHAR2	100	Y	Descriptive text for the name of the report file.
SWIC	C LU DOCUMENTS	CREATED BY	NUMBER	22	N	Unique numeric identifier for a document.
SWIC	C LU DOCUMENTS	DISPLAY FLAG	NUMBER	22	Y	Indicates whether the document should be displayed.
SWIC	C LU DOCUMENTS	FAMILY FLAG	NUMBER	22	Y	Indicates if report is based on family (0=No, 1=Yes).
SWIC	C LU DOCUMENTS	SIGNATURE FLAG	NUMBER	22	Y	Indicates if report has a signature associated with it(0=No, 1=Yes).
SWIC	C LU DOCUMENTS	CLDT ID	NUMBER	22	N	Numeric identifier for a document type( LU_DDC TYPE).
SWIC	C LU DOCUMENTS	DOCUMENT NAME	VARCHAR2	100	N	Descriptive text for the name of the document.
SWIC	C LU DOCUMENTS	SORT ORDER	NUMBER	22	Y	Numeric identifier for sorting the report on screen for display.
SWIC	C LU DOCUMENTS	CLIENT PORTAL FLAG	NUMBER	22	Y	Flag to indicate whether the record is used for Client portal application
SWIC	C LU DOCUMENTS	SIRS_FLAG	NUMBER	22	Y	Numeric identifier for the Report Run Flag
SWIC	C LU DOCUMENTS	POSITION X	NUMBER	22	Y	geographical X axis for the image on the document
SWIC	C LU DOCUMENTS	POSITION Y	NUMBER	22	Y	geographical Y axis for the image on the document
SWIC	C LU DOCUMENTS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU DDC TYPE	ID	NUMBER	22	N	The unique identifier for the Document Type.
SWIC	C LU DDC TYPE	DESCRIPTION	VARCHAR2	100	N	Description of the Document type
SWIC	C LU DDC TYPE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU DDC TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU DDC TYPE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU DDC TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU DDC TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.
SWIC	C LU DUAL STATUS	DUAL STATUS ID	NUMBER	22	N	Unique numeric identifier for dual status type.
SWIC	C LU DUAL STATUS	DESCRIPTION	VARCHAR2	100	N	Descriptive text for dual status type.
SWIC	C LU DUAL STATUS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU DUAL STATUS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU DUAL STATUS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU DUAL STATUS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU DUAL STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU_DUAL_STATUS_WIC	DUAL STATUS ID	NUMBER	22	N	
SWIC	C LU_DUAL_STATUS_WIC	DESCRIPTION	VARCHAR2	100	N	
SWIC	C LU_DUAL_STATUS_WIC	DATE MODIFIED	DATE	7	Y	
SWIC	C LU_DUAL_STATUS_WIC	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU_DUAL_STATUS_WIC	DATE CREATED	DATE	7	N	
SWIC	C LU_DUAL_STATUS_WIC	CREATED BY	VARCHAR2	32	N	
SWIC	C LU_DUAL_STATUS_WIC	SHORT DESCRIPTION	VARCHAR2	1	Y	
SWIC	C LU_DUAL_STATUS_WIC	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU EBT CARD INVENTORY STATUS	STATUS CODE	VARCHAR2	1	N	The unique identifier for the card inventory status.
SWIC	C LU EBT CARD INVENTORY STATUS	DESCRIPTION	VARCHAR2	50	N	The description of the status.
SWIC	C LU EBT CARD INVENTORY STATUS	SORT ORDER	NUMBER	22	N	The sort order for the status.
SWIC	C LU EBT CARD INVENTORY STATUS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU EBT CARD INVENTORY STATUS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU EBT CARD INVENTORY STATUS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU EBT CARD INVENTORY STATUS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU EBT CARD INVENTORY STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU EBT_CARD_STATUS	STATUS_CODE	NUMBER	22	N	The unique identifier for the EBT card status.
SWIC	C LU EBT_CARD_STATUS	STATUS DESCRIPTION	VARCHAR2	100	Y	The description of the EBT card status.
SWIC	C LU EBT_CARD_STATUS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU EBT_CARD_STATUS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU EBT_CARD_STATUS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU EBT_CARD_STATUS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU EBT_CARD_STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU EBT_CARD_STATUS	REASON CODE	NUMBER	22	N	The unique identifier for EBT card replacement reason.
SWIC	C LU EBT_REPLACEMENT_REASONS	REASON DESCRIPTION	VARCHAR2	100	N	The description of the EBT replacement reason.
SWIC	C LU EBT_REPLACEMENT_REASONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU EBT_REPLACEMENT_REASONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU EBT_REPLACEMENT_REASONS	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C LU EBT_REPLACEMENT_REASONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU EBT_REPLACEMENT_REASONS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU EBT_STOP_REASONS	REASON CODE	NUMBER	22	N	The unique identifier for the reason usage of the EBT card was stopped.
SWIC	C LU EBT_STOP_REASONS	REASON DESCRIPTION	VARCHAR2	100	Y	Description of the reason usage of the EBT card was stopped.
SWIC	C LU EBT_STOP_REASONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU EBT_STOP_REASONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU EBT_STOP_REASONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU EBT_STOP_REASONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU EBT_STOP_REASONS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU FOOD TYPE	FOOD TYPE CODE	NUMBER	22	N	Unique numeric identifier for the food type
SWIC	C LU FOOD TYPE	FOOD TYPE DESCRIPTION	VARCHAR2	100	Y	Descriptive text for the food type code (such as cereal, juice, fruit)
SWIC	C LU FOOD TYPE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU FOOD TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU FOOD TYPE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU FOOD TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU GAIN PER DAY	FROM MONTH	NUMBER	22	N	Lowest age in months for which gain applies (months completed).
SWIC	C LU GAIN PER DAY	TO MONTH	NUMBER	22	N	Highest age in months for which gain applies (months completed).
SWIC	C LU GAIN PER DAY	GAIN PER DAY	NUMBER	22	Y	Expected gain per day in grams.
SWIC	C LU GAIN PER DAY	MIN MONTHS BETWEEN MEAS	NUMBER	22	Y	Minimum number of months between measurements.
SWIC	C LU GAIN PER DAY	MAX MONTHS BETWEEN MEAS	NUMBER	22	Y	Maximum number of months between measurements.
SWIC	C LU_GAIN_PER_DAY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU_GAIN_PER_DAY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU_GAIN_PER_DAY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU_GAIN_PER_DAY	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU GROWTH DATA PARAM	NAME	NUMBER	22	N	
SWIC	C LU GROWTH DATA PARAM	L	NUMBER	22	N	
SWIC	C LU GROWTH DATA PARAM	S	NUMBER	22	N	
SWIC	C LU GROWTH DATA PARAM	I	NUMBER	22	N	
SWIC	C LU GROWTH DATA PARAM	NOTE	VARCHAR2	100	Y	
SWIC	C LU GROWTH DATA PARAM	DATE CREATED	DATE	7	N	
SWIC	C LU GROWTH DATA PARAM	CREATED BY	VARCHAR2	32	N	
SWIC	C LU GROWTH DATA PARAM	DATE MODIFIED	DATE	7	Y	
SWIC	C LU GROWTH DATA PARAM	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU GROWTH DATA PARAM	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU GROWTH DATA PARAM	MT MEASUREMENT TYPE	VARCHAR2	6	N	
SWIC	C LU GROWTH DATA PARAM	ORGANIZATION	VARCHAR2	6	N	
SWIC	C LU GROWTH_DATA_PARAM	GENDER	VARCHAR2	1	N	
SWIC	C LU GROWTH DATA PARAM	UNIT OF MEASURE	VARCHAR2	15	N	
SWIC	C LU GUIDED SCRIPT	GS ID	NUMBER	22	N	Unique numeric identifier for guided script.
SWIC	C LU GUIDED SCRIPT	DESCRIPTION	VARCHAR2	100	N	Descriptive text for the guided script.
SWIC	C LU GUIDED SCRIPT	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU GUIDED SCRIPT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU GUIDED SCRIPT	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU GUIDED SCRIPT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU GUIDED SCRIPT	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU_GUIDED_SCRIPT_SCREEN	CLUGS_GS_ID	NUMBER	22	N	Numeric identifier of guided script for guided script screen(CLU_GUIDED_SCRIPT).
SWIC	C LU GUIDED SCRIPT SCREENS	SCREEN ID	NUMBER	22	N	Numeric identifier of a screen for guided script screen id.
SWIC	C LU GUIDED SCRIPT SCREENS	DESCRIPTION	VARCHAR2	100	N	Descriptive text for name of the file for screen.
SWIC	C LU GUIDED SCRIPT SCREENS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU GUIDED SCRIPT SCREENS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU GUIDED SCRIPT SCREENS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU GUIDED SCRIPT SCREENS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU_GUIDED_SCRIPT_SCREEN	APPLICABLE_CATEGORIES	VARCHAR2	15	Y	Indicates the categories that can be accessed from the screen.
SWIC	C LU GUIDED SCRIPT SCREENS	GROUP FLAG	NUMBER	22	Y	Indicates the group of applicable categories for screen.
SWIC	C LU GUIDED SCRIPT SCREENS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU IMMU ACTION	ACTION ID	NUMBER	22	N	The unique identifier for the immunization action.
SWIC	C LU IMMU ACTION	DESCRIPTION	VARCHAR2	100	N	Description of the immunization action.
SWIC	C LU IMMU ACTION	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU IMMU ACTION	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU IMMU ACTION	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU IMMU ACTION	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU_IMMU_ACTION	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU IMMU STATUS	STATUS ID	NUMBER	22	N	Text code for immunization status.
SWIC	C LU IMMU STATUS	DESCRIPTION	VARCHAR2	300	N	Descriptive text message to be displayed for a given immunization status.
SWIC	C LU IMMU STATUS	DATE CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	C LU IMMU STATUS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU IMMU STATUS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU IMMU STATUS	MODIFIED BY	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU_INV_COMMENT_TYPE	COMMENT TYPE ID	NUMBER	22	N	Unique numeric identifier for Comment Type.
SWIC	C LU_INV_COMMENT_TYPE	DESCRIPTION	VARCHAR2	100	N	Descriptive text for Comment Type.
SWIC	C LU_INV_COMMENT_TYPE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU_INV_COMMENT_TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU_INV_COMMENT_TYPE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU_INV_COMMENT_TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU_INV_COMMENT_TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU_INV_STATUS	STATUS ID	NUMBER	22	N	Unique numeric identifier for investigation status id.
SWIC	C LU_INV_STATUS	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for investigation status.
SWIC	C LU_INV_STATUS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU_INV_STATUS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU_INV_STATUS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU_INV_STATUS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU_INV_STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU_INV_VIOLATIONS	VIOLATION ID	NUMBER	22	N	Unique numeric identifier for investigation violation id.
SWIC	C LU_INV_VIOLATIONS	DESCRIPTION	VARCHAR2	100	Y	Descriptive text of violation for investigation Violation.
SWIC	C LU_INV_VIOLATIONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU_INV_VIOLATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU_INV_VIOLATIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU_INV_VIOLATIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU_INV_VIOLATIONS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU LEAD METHOD	METHOD ID	NUMBER	22	N	Lead Method id.

SWIC	C LU LEAD METHOD	DESCRIPTION	VARCHAR2	100	Y	Lead method description.
SWIC	C LU LEAD METHOD	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU LEAD METHOD	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU LEAD METHOD	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU LEAD METHOD	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU LEAD METHOD	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.
SWIC	C LU LEAD SIGN	LEAD SIGN ID	NUMBER	22	N	
SWIC	C LU LEAD SIGN	DESCRIPTION	VARCHAR2	1000	Y	
SWIC	C LU LEAD SIGN	CREATED BY	VARCHAR2	32	N	
SWIC	C LU LEAD SIGN	DATE CREATED	DATE	7	N	
SWIC	C LU LEAD SIGN	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU LEAD SIGN	DATE MODIFIED	DATE	7	Y	
SWIC	C LU LEAD SIGN	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU NEPLAN EVAL	EVAL_ID	NUMBER	22	N	Unique numeric identifier for Nutrition Education plan ID.
SWIC	C LU NEPLAN EVAL	DESCRIPTION	VARCHAR2	200	Y	Descriptive text for NE Plan Evaluation.
SWIC	C LU NEPLAN EVAL	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU NEPLAN EVAL	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU NEPLAN EVAL	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU NEPLAN EVAL	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU NEPLAN EVAL	METHOD ID	NUMBER	22	N	The unique identifier for the method of providing nutrition education (clinic, online, etc.).
SWIC	C LU NEPLAN METHOD	DESCRIPTION	VARCHAR2	255	Y	Descriptive text for the method of providing nutrition education.
SWIC	C LU NEPLAN METHOD	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU NEPLAN METHOD	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU NEPLAN METHOD	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU NEPLAN METHOD	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU NEPLAN METHOD	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU NEPLAN MOVEMENT	MOVEMENT_ID	NUMBER	22	N	The unique identifier for the movement of a nutrition education plan.
SWIC	C LU NEPLAN MOVEMENT	DESCRIPTION	VARCHAR2	255	Y	The description of the provider of nutrition education.
SWIC	C LU NEPLAN MOVEMENT	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU NEPLAN MOVEMENT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU NEPLAN MOVEMENT	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU NEPLAN MOVEMENT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU NEPLAN MOVEMENT	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU NEPLAN PROVIDER	PROVIDER_ID	NUMBER	22	N	Unique numeric identifier of Provider ID for NE Plan provider.
SWIC	C LU NEPLAN PROVIDER	DESCRIPTION	VARCHAR2	200	Y	Descriptive text for NE Plan Provider.
SWIC	C LU NEPLAN PROVIDER	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU NEPLAN PROVIDER	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU NEPLAN PROVIDER	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU NEPLAN PROVIDER	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU NEPLAN PROVIDER	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU NEPLAN STAGE	STAGE_ID	NUMBER	22	N	The unique identifier for the stage of the nutrition education plan.
SWIC	C LU NEPLAN STAGE	DESCRIPTION	VARCHAR2	255	Y	The description of the Stage.
SWIC	C LU NEPLAN STAGE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU NEPLAN STAGE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU NEPLAN STAGE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU NEPLAN STAGE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU NEPLAN STAGE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU NON DISCRIMINATION	NOTICE_ID	NUMBER	22	N	Unique numeric identifier of the Discrimination ID.
SWIC	C LU NON DISCRIMINATION	DESCRIPTION	VARCHAR2	2000	N	Descriptive text of the Discrimination Statement.
SWIC	C LU NON DISCRIMINATION	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU NON DISCRIMINATION	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU NON DISCRIMINATION	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU NON DISCRIMINATION	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU NON DISCRIMINATION	SHORT DESCRIPTION	VARCHAR2	2000	Y	
SWIC	C LU NON DISCRIMINATION	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU NON PART REASON	NON PARTICIPATION CODE	VARCHAR2	2	N	Unique numeric field for non participant reason code.
SWIC	C LU NON PART REASON	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for non participant reason.
SWIC	C LU NON PART REASON	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU NON PART REASON	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU NON PART REASON	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU NON PART REASON	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU NON PART REASON	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU NON WVC BREAST PUMP	NON WVC BP ID	NUMBER	22	N	System generated identifier for record.
SWIC	C LU NON WVC BREAST PUMP	DESCRIPTION	VARCHAR2	100	N	The non-wvc breast pump assignee
SWIC	C LU NON WVC BREAST PUMP	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU NON WVC BREAST PUMP	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU NON WVC BREAST PUMP	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU NON WVC BREAST PUMP	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU NON WVC BREAST PUMP	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU NUTR ED TOPICS	NUTR ED TOPIC CODE	NUMBER	22	N	The unique identifier for the nutrition education topic.
SWIC	C LU NUTR ED TOPICS	DESCRIPTION	VARCHAR2	200	N	The description of the nutrition education topic.
SWIC	C LU NUTR ED TOPICS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU NUTR ED TOPICS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU NUTR ED TOPICS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU NUTR ED TOPICS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU NUTR ED TOPICS	ENABLED	NUMBER	22	Y	Used as an additional sort with description. 0 or 1,2,3 etc..
SWIC	C LU NUTR ED TOPICS	SORT ORDER	NUMBER	22	Y	Identifies if the Loop up value is active in system
SWIC	C LU NUTR ED TOPICS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU NUTR ED TOPICS	REC TYPE	VARCHAR2	10	Y	
SWIC	C LU PEER COUNSELORS	PEER COUNSELOR ID	NUMBER	22	N	Unique numeric identifier for Peer Counselor.
SWIC	C LU PEER COUNSELORS	DESCRIPTION	VARCHAR2	200	Y	Descriptive text for Peer Counselor.
SWIC	C LU PEER COUNSELORS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU PEER COUNSELORS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU PEER COUNSELORS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU PEER COUNSELORS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU PEER COUNSELORS	OU SEQ ID	NUMBER	22	Y	Unique numeric identifier for organizational sequence ID (ORGANIZATIONAL UNITS).
SWIC	C LU PEER COUNSELORS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU PF FAMILY MAX BENEFIT	OU SEQ ID	NUMBER	22	N	
SWIC	C LU PF FAMILY MAX BENEFIT	MAX FAMILY AMOUNT	NUMBER	22	N	
SWIC	C LU PF FAMILY MAX BENEFIT	CREATED BY	VARCHAR2	32	N	
SWIC	C LU PF FAMILY MAX BENEFIT	DATE CREATED	DATE	7	N	
SWIC	C LU PF FAMILY MAX BENEFIT	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU PF FAMILY MAX BENEFIT	DATE MODIFIED	DATE	7	Y	
SWIC	C LU PF FAMILY MAX BENEFIT	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU PHONE TYPES	PHONE TYPE ID	NUMBER	22	N	
SWIC	C LU PHONE TYPES	PHONE TYPE DESC	VARCHAR2	100	N	
SWIC	C LU PHONE TYPES	DATE MODIFIED	DATE	7	Y	
SWIC	C LU PHONE TYPES	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU PHONE TYPES	DATE CREATED	DATE	7	N	
SWIC	C LU PHONE TYPES	CREATED BY	VARCHAR2	32	N	
SWIC	C LU PROOF AP IDENTITY	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU PROOF AP IDENTITY	AP PROOF IDENTITY CODE	NUMBER	22	N	The unique code for authorized person proof identity.
SWIC	C LU PROOF AP IDENTITY	DESCRIPTION	VARCHAR2	100	N	The description of the authorized person proof of identity item.
SWIC	C LU PROOF AP IDENTITY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU PROOF AP IDENTITY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU PROOF AP IDENTITY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU PROOF AP IDENTITY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU PROOF AP IDENTITY	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C LU PROOF AP IDENTITY	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU PROOF OF CERT	PROOF ID	NUMBER	22	N	Unique ID of the Proof of Certification.
SWIC	C LU PROOF OF CERT	DESCRIPTION	VARCHAR2	100	N	Description of the Proof of Certification.
SWIC	C LU PROOF OF CERT	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU PROOF OF CERT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU PROOF OF CERT	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU PROOF OF CERT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU PROOF OF CERT	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU REASON_NOT_PRESENT	NOT_PRESENT_ID	NUMBER	22	N	Unique numeric identifier of the reason for not present.
SWIC	C LU REASON NOT PRESENT	NOT PRESENT DESCRIPTION	VARCHAR2	100	Y	Descriptive text of the reason for not present.
SWIC	C LU REASON NOT PRESENT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU REASON NOT PRESENT	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU REASON NOT PRESENT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU REASON NOT PRESENT	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU REASON NOT PRESENT	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU REFERRAL TYPES	TYPE CODE	VARCHAR2	10	N	The system generated unique identifier.
SWIC	C LU REFERRAL TYPES	DESCRIPTION	VARCHAR2	60	N	The description (name) of the language.
SWIC	C LU REFERRAL TYPES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU REFERRAL TYPES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU REFERRAL TYPES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU REFERRAL TYPES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU REFERRAL TYPES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C LU REFERRAL TYPES	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU RESPONSE TO NOTICE	RTN_CODE	NUMBER	22	N	Unique numeric identifier for response to notice code.
SWIC	C LU RESPONSE TO NOTICE	RTN_DESCRIPTION	VARCHAR2	100	Y	Descriptive text for response to notice code.
SWIC	C LU RESPONSE TO NOTICE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU RESPONSE TO NOTICE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU RESPONSE TO NOTICE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU RESPONSE TO NOTICE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU RESPONSE TO NOTICE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU RISKMI CATEGORYCODE	RISKMI_CATEGORY_CODE	NUMBER	22	N	
SWIC	C LU RISKMI CATEGORYCODE	DESCRIPTION	VARCHAR2	100	Y	
SWIC	C LU RISKMI CATEGORYCODE	DEFAULT VALUE	NUMBER	22	Y	
SWIC	C LU RISKMI CATEGORYCODE	CREATED BY	VARCHAR2	32	N	
SWIC	C LU RISKMI CATEGORYCODE	DATE CREATED	DATE	7	N	
SWIC	C LU RISKMI CATEGORYCODE	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU RISKMI CATEGORYCODE	DATE MODIFIED	DATE	7	Y	
SWIC	C LU RISKMI CATEGORYCODE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU RISKMI DURATION	RISKMI_DURATION_CODE	NUMBER	22	N	
SWIC	C LU RISKMI DURATION	DESCRIPTION	VARCHAR2	100	Y	
SWIC	C LU RISKMI DURATION	CREATED BY	VARCHAR2	32	N	
SWIC	C LU RISKMI DURATION	DATE CREATED	DATE	7	N	
SWIC	C LU RISKMI DURATION	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU RISKMI DURATION	DATE MODIFIED	DATE	7	Y	
SWIC	C LU RISKMI DURATION	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU RISKMI WTUSED	RISKMI_WTUSED_CODE	NUMBER	22	N	
SWIC	C LU RISKMI WTUSED	DESCRIPTION	VARCHAR2	100	Y	
SWIC	C LU RISKMI WTUSED	CREATED BY	VARCHAR2	32	N	
SWIC	C LU RISKMI WTUSED	DATE CREATED	DATE	7	N	
SWIC	C LU RISKMI WTUSED	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU RISKMI WTUSED	DATE MODIFIED	DATE	7	Y	
SWIC	C LU RISKMI WTUSED	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU RISKFACTORS_HELPFLES	CRF_RISK_FACTOR_ID	NUMBER	22	N	
SWIC	C LU RISKFACTORS_HELPFLES	DESCRIPTION	VARCHAR2	1000	Y	
SWIC	C LU RISKFACTORS_HELPFLES	FILENAME	VARCHAR2	1000	Y	
SWIC	C LU RISKFACTORS_HELPFLES	CREATED BY	VARCHAR2	32	N	
SWIC	C LU RISKFACTORS_HELPFLES	DATE CREATED	DATE	7	N	
SWIC	C LU RISKFACTORS_HELPFLES	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU RISKFACTORS_HELPFLES	DATE MODIFIED	DATE	7	Y	
SWIC	C LU RISKFACTORS_HELPFLES	CRF_CAT_CATEGORY	NUMBER	3	N	Identifies if the Loop up value is active in system
SWIC	C LU RISKFACTORS_HELPFLES	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU RISK ASSESSMENTS	ASSESSMENT_ID	NUMBER	22	N	Unique numeric identifier for Risk Assessment.
SWIC	C LU RISK ASSESSMENTS	DESCRIPTION	VARCHAR2	200	Y	Descriptive text for Risk Assessment.

SWIC	C LU RISK ASSESSMENTS	CRF RISK FACTOR ID	NUMBER	22	Y	Numeric identity of a Risk Factor id (C_RISK_FACTORS).
SWIC	C LU RISK ASSESSMENTS	CRF CATEGORY CODE	VARCHAR2	3	Y	Var/Char identity of a Category Code (C_RISK_FACTORS).
SWIC	C LU RISK ASSESSMENTS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU RISK ASSESSMENTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU RISK ASSESSMENTS	DATE MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	C LU RISK ASSESSMENTS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU RISK ASSESSMENTS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU RISK FACTOR CATEGORIES	RISK FACTOR CATEGORY CODE	NUMBER	22	Y	The unique numeric identifier for the risk factor category used for display hierarchy.
SWIC	C LU RISK FACTOR CATEGORIES	RISK FACTOR CATEGORY DESC	VARCHAR2	200	Y	Description text for the risk factor category used for display hierarchy.
SWIC	C LU RISK FACTOR CATEGORIES	PARTICIPANT CATEGORY CODE	VARCHAR2	3	Y	Category code for which the risk factor category group is applicable.
SWIC	C LU RISK FACTOR CATEGORIES	CREATED BY	VARCHAR2	32	N	Common audit field documenting date time stamp when the row was created.
SWIC	C LU RISK FACTOR CATEGORIES	DATE CREATED	DATE	7	N	Common audit field documenting user id connected when the row was created.
SWIC	C LU RISK FACTOR CATEGORIES	MODIFIED BY	VARCHAR2	32	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	C LU RISK FACTOR CATEGORIES	DATE MODIFIED	DATE	7	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	C LU RISK FACTOR CATEGORIES	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU RISK FACTOR SETS	RISK FACTOR SET ID	NUMBER	22	N	The unique numeric identifier for the risk factor set within the category of the display hierarchy.
SWIC	C LU RISK FACTOR SETS	RISK FACTOR SET DESC	VARCHAR2	200	Y	The description text for the risk factor set with the category of the display hierarchy.
SWIC	C LU_RISK_FACTOR_SETS	RISK_FACTOR_CATEGORY_CODE	NUMBER	22	Y	The unique numeric identifier for the risk factor category used for display hierarchy (C_RISK_FACTOR_CATEGORIES).
SWIC	C LU RISK FACTOR SETS	CREATED BY	VARCHAR2	32	N	Common audit field documenting date time stamp when the row was created.
SWIC	C LU RISK FACTOR SETS	DATE CREATED	DATE	7	N	Common audit field documenting user id connected when the row was created.
SWIC	C LU RISK FACTOR SETS	MODIFIED BY	VARCHAR2	32	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	C LU RISK FACTOR SETS	DATE MODIFIED	DATE	7	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	C LU RISK FACTOR SETS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU SEARCH DISTANCE	DESCRIPTION	VARCHAR2	10	Y	
SWIC	C LU SEARCH DISTANCE	DATE CREATED	VARCHAR2	32	Y	
SWIC	C LU SEARCH DISTANCE	DATE MODIFIED	DATE	7	Y	
SWIC	C LU SEARCH DISTANCE	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C LU SEARCH DISTANCE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU SURVEY	USES ID	NUMBER	22	N	Primary Key for survey answer type.
SWIC	C LU SURVEY	DESCRIPTION	VARCHAR2	100	N	Descriptive text for survey answer type.
SWIC	C LU SURVEY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU SURVEY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU SURVEY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU SURVEY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU SURVEY	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU TOPIC BEHAVIOUR	TOPIC ID	NUMBER	22	N	Unique identifier for the specified description. Foreign key to C_LU_NUTR_ED_TOPICS.
SWIC	C LU TOPIC BEHAVIOUR	BEHAVIOUR ID	NUMBER	22	N	Unique numeric identifier for the specified description(TOPIC ID)/BEHAVIOUR_ID makes Primary Key).
SWIC	C LU TOPIC BEHAVIOUR	DESCRIPTION	VARCHAR2	150	N	Descriptive text for Topic Behaviour.
SWIC	C LU TOPIC BEHAVIOUR	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU TOPIC BEHAVIOUR	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU TOPIC BEHAVIOUR	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU TOPIC BEHAVIOUR	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU TOPIC BEHAVIOUR	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU TOPIC GOALS	TOPIC ID	NUMBER	22	N	Unique identifier for the specified description. Foreign key to c_lu_nutr_ed_topics.
SWIC	C LU TOPIC GOALS	GOAL ID	NUMBER	22	N	Identifies the goal pertaining to the topic.
SWIC	C LU TOPIC GOALS	DESCRIPTION	VARCHAR2	200	Y	Identifies the description to the goal.
SWIC	C LU TOPIC GOALS	DATE CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	C LU TOPIC GOALS	CREATED BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	C LU TOPIC GOALS	DATE MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	C LU TOPIC GOALS	MODIFIED BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	C LU TOPIC GOALS	SYSTEM GOAL	NUMBER	22	N	Identifies if the goal is created by the system admin or the user.
SWIC	C LU TOPIC GOALS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU TOPIC INTERVENTIONS	TOPIC ID	NUMBER	22	N	Unique identifier for the specified description. Foreign key to c_lu_nutr_ed_topics.
SWIC	C LU TOPIC INTERVENTIONS	INTERVENTION ID	NUMBER	22	N	Identifies the BEHAVIOUR pertaining to the topic.
SWIC	C LU TOPIC INTERVENTIONS	DESCRIPTION	VARCHAR2	150	N	Identifies the description to the BEHAVIOUR.
SWIC	C LU TOPIC INTERVENTIONS	DATE CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	C LU TOPIC INTERVENTIONS	CREATED BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	C LU TOPIC INTERVENTIONS	DATE MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	C LU TOPIC INTERVENTIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	C LU TOPIC INTERVENTIONS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU VOC REPLACE REASONS	REASON ID	NUMBER	22	N	Unique numeric identification for 'Voc Replace Reason.
SWIC	C LU VOC REPLACE REASONS	DESCRIPTION	VARCHAR2	100	N	Descriptive text for 'Voc Replace Reason.
SWIC	C LU VOC REPLACE REASONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU VOC REPLACE REASONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU VOC REPLACE REASONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU VOC REPLACE REASONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU VOC REPLACE REASONS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU YES	ID	NUMBER	22	N	Unique numeric identification of ID for YES NO OPTIONS.
SWIC	C LU YES	DESCRIPTION	VARCHAR2	100	N	Descriptive text of the YES NO OPTIONS.
SWIC	C LU YES NO	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU YES NO	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	C LU YES NO	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C LU YES NO	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C LU YES NO_PENDING	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C LU_YES_NO_PENDING	ID	NUMBER	22	N	Unique numeric identification of ID for Yes No Pending.
SWIC	C LU YES NO_PENDING	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for Yes No Pending.
SWIC	C LU YES NO_PENDING	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C LU YES NO_PENDING	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C LU YES NO_PENDING	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	C LU YES NO_PENDING	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	C LU YES NO_PENDING	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C_MARRIATL_STATUSES	MARRIATL_STATUS_CODE	NUMBER	22	N	The unique identifier for the marital status.
SWIC	C_MARRIATL_STATUSES	DESCRIPTION	VARCHAR2	30	N	The description of the marital status.
SWIC	C_MARRIATL_STATUSES	CDON VALUE	NUMBER	22	N	The CDC - PMS5 value for the marital status.
SWIC	C_MARRIATL_STATUSES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C_MARRIATL_STATUSES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C_MARRIATL_STATUSES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_MARRIATL_STATUSES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C_MARRIATL_STATUSES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C_MARRIATL_STATUSES	ACTIVE	NUMBER	22	N	
SWIC	C_MEDICAL_ADDL_INFO	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS).
SWIC	C_MEDICAL_ADDL_INFO	BIRTH WEIGHT	NUMBER	22	Y	Infant birth weight in ounces for infants/children.
SWIC	C_MEDICAL_ADDL_INFO	INFANT PREMATURE FLAG	NUMBER	22	Y	UNUSUE FOR MI-WVC
SWIC	C_MEDICAL_ADDL_INFO	WEEKS GESTATION	NUMBER	22	Y	Indicates the weeks gestation for the infant at birth for infants/children.
SWIC	C_MEDICAL_ADDL_INFO	LEAD TEST VALUE	NUMBER	22	Y	Lead test value.
SWIC	C_MEDICAL_ADDL_INFO	PRE PREG WEIGHT	NUMBER	22	Y	Pre-pregnancy weight in ounces for women.
SWIC	C_MEDICAL_ADDL_INFO	WEIGHT GAIN	NUMBER	22	Y	Pregnancy weight gain in pounds for women.
SWIC	C_MEDICAL_ADDL_INFO	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C_MEDICAL_ADDL_INFO	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C_MEDICAL_ADDL_INFO	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C_MEDICAL_ADDL_INFO	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_MEDICAL_ADDL_INFO	DELIVERY WEIGHT	NUMBER	22	Y	Weight at delivery in ounces for women.
SWIC	C_MEDICAL_ADDL_INFO	PRE PREG WEIGHT UNKNOWN	NUMBER	22	Y	Indicates if the pregnancy weight gain is unknown for women (D=No, 1=Yes).
SWIC	C_MEDICAL_ADDL_INFO	PRE PREG WEIGHT UNKNOWN	NUMBER	22	Y	Indicates if the pre-pregnancy weight is unknown for women (D=No, 1=Yes)
SWIC	C_MEDICAL_ADDL_INFO	BIRTH WEIGHT UNKNOWN	NUMBER	22	Y	Indicates if the birth weight is unknown for infants/children (D=No, 1=Yes).
SWIC	C_MEDICAL_ADDL_INFO	PRE PREG WEIGHT CREATED	DATE	7	Y	Date on which pre-pregnancy weight was entered (Used for Same Day Rule)
SWIC	C_MEDICAL_ADDL_INFO	BIRTH WEIGHT CREATED	DATE	7	Y	Date on which birth weight was entered (Used for Same Day Rule)
SWIC	C_MEDICAL_ADDL_INFO	NO OF CARE VISITS	NUMBER	22	Y	
SWIC	C_MEDICAL_ADDL_INFO	FIRST VISIT MONTH	NUMBER	22	Y	
SWIC	C_MEDICAL_ADDL_INFO	FIRST VISIT YEAR	NUMBER	22	Y	
SWIC	C_MEDICAL_ADDL_INFO	BIRTH LENGTH UNKNOWN	NUMBER	22	Y	Indicates if the birth length is unknown for infants/children (D=No, 1=Yes).
SWIC	C_MEDICAL_ADDL_INFO	BIRTH LENGTH	NUMBER	22	Y	Infant birth length in inches for infants/children.
SWIC	C_MEDICAL_ADDL_INFO	IMMUNIZATION REFERRED	NUMBER	22	Y	
SWIC	C_MEDICAL_ADDL_INFO	IMMUNIZATION DECLINED	NUMBER	22	Y	
SWIC	C_MEDICAL_ADDL_INFO	WEEKS_GESTATION_UNKNOWN	NUMBER	22	Y	
SWIC	C_MEDICAL_ADDL_INFO	POST PARTUM WEIGHT CREATED	DATE	7	Y	
SWIC	C_MEDICAL_ADDL_INFO	PREG PROOF DATE	DATE	7	Y	
SWIC	C_MEDICAL_ADDL_INFO	NO OF FETUSES	NUMBER	22	Y	
SWIC	C_MEDICAL_ADDL_INFO	MONTH MED CARE	NUMBER	22	Y	
SWIC	C_MEDICAL_ADDL_INFO	LEAD VAL	NUMBER	22	Y	
SWIC	C_MEDICAL_ADDL_INFO	IMMUN STATUS	NUMBER	22	Y	
SWIC	C_MEDICAL_ADDL_INFO	BIRTH DATE	DATE	7	Y	
SWIC	C_MEDICAL_ADDL_INFO	PREMATURITY FLAG	NUMBER	22	Y	
SWIC	C_MEDICAL_ADDL_INFO	PREMATURITY_WKS_GEST	NUMBER	22	Y	
SWIC	C_MED ANSWERS	CC1 CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C_MED ANSWERS	CERT SEQ	NUMBER	22	N	The unique identification number for org cert period.
SWIC	C_MED ANSWERS	ANSWER DATE	DATE	7	N	Date on which answer was given
SWIC	C_MED ANSWERS	ANSWER ID	NUMBER	22	N	Unique identifier for the answer (will map to question/response)
SWIC	C_MED ANSWERS	ANSWER FLAG	NUMBER	22	Y	Will indicate positive (1) or negative (0) response
SWIC	C_MED ANSWERS	ADDITIONAL_INFO	VARCHAR2	2000	Y	Will provide additional information for some special options.
SWIC	C_MED ANSWERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C_MED ANSWERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C_MED ANSWERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C_MED ANSWERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_MED ANSWERS ORIG	CC1 CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS) (C_CERTIFICATIONS).
SWIC	C_MED ANSWERS ORIG	CC1 CERT START DATE	DATE	7	N	The certification start date
SWIC	C_MED ANSWERS ORIG	ANSWER DATE	DATE	7	N	Date on which answer was given
SWIC	C_MED ANSWERS ORIG	ANSWER ID	NUMBER	22	N	Unique identifier for the answer (will map to question/response)
SWIC	C_MED ANSWERS ORIG	ANSWER FLAG	NUMBER	22	Y	Indicate positive (1) or negative (0) response
SWIC	C_MED ANSWERS ORIG	ADDITIONAL_INFO	VARCHAR2	2000	Y	Where applicable this is the additional information (date/description/number) which is provided to further clarify and answer - for example if positive answer to takes vitamins descriptive text of supplements taken may be provided.
SWIC	C_MED ANSWERS ORIG	CREATED BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	C_MED ANSWERS ORIG	DATE CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	C_MED ANSWERS ORIG	DATE MODIFIED	DATE	7	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	C_MED ANSWERS ORIG	MODIFIED BY	VARCHAR2	32	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	C_MED ANSWERS ORIG	CERT SEQ	NUMBER	22	Y	
SWIC	C_NO CONTACT REASONS	CONTACT REASON CODE	NUMBER	22	N	The unique code for contact reason.
SWIC	C_NO CONTACT REASONS	DESCRIPTION	VARCHAR2	60	N	The description of the contact topic/no-contact reason.
SWIC	C_NO CONTACT REASONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C_NO CONTACT REASONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C_NO CONTACT REASONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C_NO CONTACT REASONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C_NO CONTACT REASONS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C_NO CONTACT REASONS	ACTIVE	NUMBER	22	N	1 Means it is Active indicates if the Data is Active.
SWIC	C_NUTRED CAT TOPICS	NUTR_ED_TOPIC	NUMBER	22	N	The unique identifier for the nutrition education topic (C_LU_NUTR_ED_TOPIC).
SWIC	C_NUTRED CAT TOPICS	CAT GROUP	NUMBER	3	N	Documents the broad participant category related to the description (C_Client/Child)
SWIC	C_NUTRED CAT TOPICS	CAT_SUB_GROUP	VARCHAR2	3	N	Applicable sub group of the category group. GEN(General), PR (Pregnary), INF (Infant/Child), HI (Health Issues), WPF (postpartum)
SWIC	C_NUTRED CAT TOPICS	LOGICAL SEQ	NUMBER	22	N	The logical sequence of each category sub group
SWIC	C_NUTRED CAT TOPICS	OLD_TOPIC_CODE	NUMBER	22	Y	If revised, this would be the previously used topic code.
SWIC	C_NUTRED CAT TOPICS	DATE CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	C_NUTRED CAT TOPICS	CREATED BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	C_NUTRED CAT TOPICS	DATE MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	C_NUTRED CAT TOPICS	MODIFIED BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	C_NUTRED CAT TOPICS	CLAIM_METHOD ID	NUMBER	22	N	FK to the c_lu_nutred_method table.
SWIC	C_ONLINE_NUTR_ED_OFFERED	DATE MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	C_ONLINE_NUTR_ED_OFFERED	MODIFIED BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	C_ONLINE_NUTR_ED_OFFERED	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	C_ONLINE_NUTR_ED_OFFERED	CREATED BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	C_ONLINE_NUTR_ED_OFFERED	HH ID	VARCHAR2	9	N	The household id of the online nutrition education offered.
SWIC	C_ONLINE_NUTR_ED_OFFERED	ACCEPTED				

SWIC	C ONLINE NUTR ED OFFERED	DATE	DATE	7	Y	
SWIC	C ONLINE NUTR ED OFFERED	NOTE	VARCHAR2	2000	Y	Will be an optional comment field.
SWIC	C ONLINE NUTR ED OFFERED	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	C ONLINE NUTR ED OFFERED	ID	NUMBER	22	N	The identifier for the online nutrition education offered.
SWIC	C ORIG CERTIFICATIONS	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C ORIG CERTIFICATIONS	CERT_SEQ	NUMBER	22	Y	The unique identifier for the true cert period of client.
SWIC	C ORIG CERTIFICATIONS	CERT_START_DATE	DATE	7	Y	The original starting date of the certification.
SWIC	C ORIG CERTIFICATIONS	CERT_END_DATE	DATE	7	Y	The original end date of the certification.
SWIC	C ORIG CERTIFICATIONS	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	C ORIG CERTIFICATIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C ORIG CERTIFICATIONS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	C ORIG CERTIFICATIONS	CERT_COMPLETE_FLAG	NUMBER	22	Y	Common audit field for user id connected when the row was last modified.
SWIC	C ORIG CERTIFICATIONS	CERT_COMPLETED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C ORIG CERTIFICATIONS BP	CC_CLIENT_ID	NUMBER	22	N	
SWIC	C ORIG CERTIFICATIONS BP	CERT_SEQ	NUMBER	22	Y	
SWIC	C ORIG CERTIFICATIONS BP	CERT_START_DATE	DATE	7	Y	
SWIC	C_ORIG_CERTIFICATIONS_BP	CERT_END_DATE	DATE	7	Y	
SWIC	C ORIG CERTIFICATIONS BP	DATE_CREATED	DATE	7	Y	
SWIC	C ORIG CERTIFICATIONS BP	DATE_MODIFIED	DATE	7	Y	
SWIC	C ORIG CERTIFICATIONS BP	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	C ORIG CERTIFICATIONS BP	CERT_COMPLETE_FLAG	NUMBER	22	Y	
SWIC	C ORIG CERTIFICATIONS BP	CERT_COMPLETED_BY	VARCHAR2	32	Y	
SWIC	C PACKAGE PRESCRIPTION FOODS	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS/C_FOOD_PACKAGE_PRESCRIPTIONS).
SWIC	C PACKAGE PRESCRIPTION FOODS	FF_FOOD_ID	NUMBER	22	N	The unique identifier for the food item (I_FOODS).
SWIC	C PACKAGE PRESCRIPTION FOODS	CFPP_FOOD_PACKAGE_ID	VARCHAR2	8	N	The unique identifier for the food package being modified (C_FOOD_PACKAGE_PRESCRIPTIONS).
SWIC	C PACKAGE PRESCRIPTION FOODS	QUANTITY	NUMBER	22	Y	The quantity of the food item allowed by the food package.
SWIC	C PACKAGE PRESCRIPTION FOODS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C PACKAGE PRESCRIPTION FOODS	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C PACKAGE PRESCRIPTION FOODS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C PACKAGE PRESCRIPTION FOODS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C_PACKAGE_PRESCRIPTION_FOODS	EFFECTIVE_DATE	DATE	7	N	The effective date for the food package being modified (C_FOOD_PACKAGE_PRESCRIPTIONS).
SWIC	C PACKAGE PRESCRIPTION FOODS	CERT_SEQ	NUMBER	22	N	
SWIC	C PACKAGE PRESCRIPTION FS BP	CC_CLIENT_ID	NUMBER	22	N	
SWIC	C PACKAGE PRESCRIPTION FS BP	FF_FOOD_ID	NUMBER	22	N	
SWIC	C PACKAGE PRESCRIPTION FS BP	CFPP_FOOD_PACKAGE_ID	VARCHAR2	8	N	
SWIC	C PACKAGE PRESCRIPTION FS BP	QUANTITY	NUMBER	22	Y	
SWIC	C PACKAGE PRESCRIPTION FS BP	DATE_CREATED	DATE	7	N	
SWIC	C PACKAGE PRESCRIPTION FS BP	DATE_MODIFIED	DATE	7	N	
SWIC	C_PACKAGE_PRESCRIPTION_FS_BP	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	C PACKAGE PRESCRIPTION FS BP	NOTE	VARCHAR2	2000	Y	
SWIC	C PACKAGE PRESCRIPTION FS BP	EFFECTIVE_DATE	DATE	7	N	
SWIC	C PACKAGE PRESCRIPTION FS BP	CERT_SEQ	NUMBER	22	N	
SWIC	C PACKAGE PRTON FOODS BCKP	CC_CLIENT_ID	NUMBER	22	N	
SWIC	C PACKAGE PRTON FOODS BCKP	FF_FOOD_ID	NUMBER	22	N	
SWIC	C PACKAGE PRTON FOODS BCKP	CFPP_FOOD_PACKAGE_ID	VARCHAR2	8	N	
SWIC	C PACKAGE PRTON FOODS BCKP	QUANTITY	NUMBER	22	Y	
SWIC	C_PACKAGE_PRTON_FOODS_BCKP	DATE_CREATED	DATE	7	N	
SWIC	C PACKAGE PRTON FOODS BCKP	DATE_MODIFIED	DATE	7	N	
SWIC	C PACKAGE PRTON FOODS BCKP	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	C PACKAGE PRTON FOODS BCKP	NOTE	VARCHAR2	2000	Y	
SWIC	C PACKAGE PRTON FOODS BCKP	EFFECTIVE_DATE	DATE	7	N	
SWIC	C PACKAGE PRTON FOODS BCKP	CERT_SEQ	NUMBER	22	N	
SWIC	C PACKAGE PR FOODS BACUQ2	CC_CLIENT_ID	NUMBER	22	N	
SWIC	C_PACKAGE_PR_FOODS_BACUQ2	FF_FOOD_ID	NUMBER	22	N	
SWIC	C PACKAGE PR FOODS BACUQ2	CFPP_FOOD_PACKAGE_ID	VARCHAR2	8	N	
SWIC	C PACKAGE PR FOODS BACUQ2	QUANTITY	NUMBER	22	Y	
SWIC	C PACKAGE PR FOODS BACUQ2	DATE_CREATED	DATE	7	N	
SWIC	C PACKAGE PR FOODS BACUQ2	DATE_MODIFIED	DATE	7	N	
SWIC	C PACKAGE PR FOODS BACUQ2	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	C PACKAGE PR FOODS BACUQ2	NOTE	VARCHAR2	2000	Y	
SWIC	C PACKAGE PR FOODS BACUQ2	EFFECTIVE_DATE	DATE	7	N	
SWIC	C_PACKAGE_PR_FOODS_BACUQ2	CERT_SEQ	NUMBER	22	N	
SWIC	C_PEER_COUNSELOR_REFERRALS	CC_CLIENT_ID	NUMBER	22	Y	
SWIC	C_PEER_COUNSELOR_REFERRALS	CERT_SEQ	NUMBER	22	N	
SWIC	C_PEER_COUNSELOR_REFERRALS	CLBRT_ID	NUMBER	22	Y	
SWIC	C_PEER_COUNSELOR_REFERRALS	DATE_REFERRED	DATE	7	Y	
SWIC	C_PEER_COUNSELOR_REFERRALS	CLBRR_REASON_ID	NUMBER	22	N	
SWIC	C_PEER_COUNSELOR_REFERRALS	CLBRR_REASON_ID	NUMBER	22	Y	
SWIC	C_PEER_COUNSELOR_REFERRALS	FOLLOW_UP_DATE	DATE	7	Y	
SWIC	C_PEER_COUNSELOR_REFERRALS	DATE_CREATED	DATE	7	N	
SWIC	C_PEER_COUNSELOR_REFERRALS	CREATED_BY	VARCHAR2	32	N	
SWIC	C_PEER_COUNSELOR_REFERRALS	DATE_MODIFIED	DATE	7	Y	
SWIC	C_PEER_COUNSELOR_REFERRALS	MODIFIED_BY	VARCHAR2	32	N	
SWIC	C_PEER_COUNSELOR_REFERRALS	OUI_SEQ_ID	NUMBER	22	Y	Clinic Seq ID
SWIC	C_PEER_COUNSELOR_REFERRALS	SM_STAFF_MEMBER_ID	NUMBER	22	Y	The unique identifier for the staff member
SWIC	C_PEER_COUNSELOR_REF_BKUP	CC_CLIENT_ID	NUMBER	22	N	
SWIC	C_PEER_COUNSELOR_REF_BKUP	CERT_SEQ	NUMBER	22	N	
SWIC	C_PEER_COUNSELOR_REF_BKUP	CLBRT_ID	NUMBER	22	Y	
SWIC	C_PEER_COUNSELOR_REF_BKUP	DATE_REFERRED	DATE	7	Y	
SWIC	C_PEER_COUNSELOR_REF_BKUP	CLBRR_REASON_ID	NUMBER	22	Y	
SWIC	C_PEER_COUNSELOR_REF_BKUP	CLBRR_REASON_ID	NUMBER	22	Y	
SWIC	C_PEER_COUNSELOR_REF_BKUP	FOLLOW_UP_DATE	DATE	7	Y	
SWIC	C_PEER_COUNSELOR_REF_BKUP	DATE_CREATED	DATE	7	N	
SWIC	C_PEER_COUNSELOR_REF_BKUP	DATE_MODIFIED	DATE	7	N	
SWIC	C_PEER_COUNSELOR_REF_BKUP	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	C_PEER_COUNSELOR_REF_BKUP	OUI_SEQ_ID	NUMBER	22	Y	
SWIC	C_PEER_COUNSELOR_REF_BKUP	SM_STAFF_MEMBER_ID	NUMBER	22	Y	
SWIC	C_PEER_COUNSELOR_REF_ORIG	CC_CLIENT_ID	NUMBER	22	N	
SWIC	C_PEER_COUNSELOR_REF_ORIG	CLBRT_ID	NUMBER	22	Y	
SWIC	C_PEER_COUNSELOR_REF_ORIG	DATE_REFERRED	DATE	7	N	
SWIC	C_PEER_COUNSELOR_REF_ORIG	CLBRR_REASON_ID	NUMBER	22	Y	
SWIC	C_PEER_COUNSELOR_REF_ORIG	CLBRR_REASON_ID	NUMBER	22	Y	
SWIC	C_PEER_COUNSELOR_REF_ORIG	FOLLOW_UP_DATE	DATE	7	N	
SWIC	C_PEER_COUNSELOR_REF_ORIG	DATE_CREATED	DATE	7	N	
SWIC	C_PEER_COUNSELOR_REF_ORIG	DATE_MODIFIED	DATE	7	N	
SWIC	C_PEER_COUNSELOR_REF_ORIG	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	C_PEER_COUNSELOR_REF_ORIG	CEL_CERT_START_DATE	DATE	7	N	
SWIC	C_PEER_COUNSELOR_REF_ORIG	CERT_SEQ	NUMBER	22	Y	
SWIC	C PICKUP INTERVALS	PICKUP_INTERVAL_CODE	NUMBER	22	N	The system generated unique identifier.
SWIC	C PICKUP INTERVALS	DESCRIPTION	VARCHAR2	20	N	The description of the pickup interval.
SWIC	C PICKUP INTERVALS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C PICKUP INTERVALS	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C PICKUP INTERVALS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C PICKUP INTERVALS	NOTE	VARCHAR2	2000	Y	Common audit field for user id connected when the row was last modified.
SWIC	C PICKUP INTERVALS	ACTIVE	NUMBER	22	N	Common field for user notes or comments.
SWIC	C PNSS BIRTH EVENT	CLIENT_ID	NUMBER	22	Y	
SWIC	C PNSS BIRTH EVENT	INITIAL_VISIT_DATE	DATE	7	Y	
SWIC	C PNSS BIRTH EVENT	POSTPARTUM_VISIT_DATE	DATE	7	Y	
SWIC	C_PNSS_BIRTH_EVENT	MEDICAD_POSTPARTUM	VARCHAR2	1	Y	
SWIC	C PNSS BIRTH EVENT	FOOD_STAMPS_PRENATAL	VARCHAR2	1	Y	
SWIC	C PNSS BIRTH EVENT	FOOD_STAMPS_POSTPARTUM	VARCHAR2	1	Y	
SWIC	C PNSS BIRTH EVENT	TANF_PRENATAL	VARCHAR2	1	Y	
SWIC	C PNSS BIRTH EVENT	TANF_POSTPARTUM	VARCHAR2	1	Y	
SWIC	C PNSS BIRTH EVENT	DATE_LMP	DATE	7	Y	
SWIC	C PNSS BIRTH EVENT	DATE_EDD	DATE	7	Y	
SWIC	C PNSS BIRTH EVENT	DATE_ADD	DATE	7	Y	
SWIC	C_PNSS_BIRTH_EVENT	INFANT_CLIENT_ID	NUMBER	22	Y	
SWIC	C PNSS BIRTH EVENT	DATE_CREATED	DATE	7	N	
SWIC	C PNSS BIRTH EVENT	DATE_MODIFIED	DATE	7	Y	
SWIC	C PNSS BIRTH EVENT	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	C PRIORITIES	DESCRIPTION	VARCHAR2	20	N	The description of the priority.
SWIC	C PRIORITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C_PRIORITIES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C PRIORITIES	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	C PRIORITIES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C PRIORITIES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C PRIORITIES	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	C PRIORITIES	ID	NUMBER	22	N	The unique priority level identifier.
SWIC	C PROBLEM LIST NOTES	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS).
SWIC	C PROBLEM LIST NOTES	NOTE	VARCHAR2	2000	Y	Note describing the nutrition or nutrition education problem.
SWIC	C PROBLEM LIST NOTES	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	C_PROBLEM_LIST_NOTES	DATE_MODIFIED	DATE	7	N	Common audit field documenting user id connected when the row was created.
SWIC	C PROBLEM LIST NOTES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	C PROBLEM LIST NOTES	PROGRAM_ID	NUMBER	22	N	Common audit field documenting user id connected when the row was last modified.
SWIC	C PROGRAM TYPES	DESCRIPTION	VARCHAR2	60	N	
SWIC	C PROGRAM TYPES	DATE_CREATED	DATE	7	N	
SWIC	C PROGRAM TYPES	DATE_MODIFIED	DATE	7	N	
SWIC	C_PROGRAM_TYPES	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	C PROGRAM TYPES	NOTE	VARCHAR2	22	Y	
SWIC	C_PROGRAM_TYPES	SHORT_ORDER	NUMBER	22	Y	
SWIC	C PROOF IDENTITIES	PROOF_IDENTITY_CODE	VARCHAR2	2	N	The unique code for proof identity.
SWIC	C PROOF IDENTITIES	DESCRIPTION	VARCHAR2	120	N	The description of the proof of identity item.
SWIC	C PROOF IDENTITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C PROOF IDENTITIES	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C PROOF IDENTITIES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C PROOF IDENTITIES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C PROOF IDENTITIES	FLAG	NUMBER	22	Y	1 Means It is Active Indicates if the Data is Active.
SWIC	C PROOF OF RESIDENCES	PROOF_ADDRESS_CODE	VARCHAR2	1	N	The code for the proof of residency.
SWIC	C PROOF OF RESIDENCES	DESCRIPTION	VARCHAR2	60	N	The description for the proof of residency.
SWIC	C PROOF OF RESIDENCES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C PROOF OF RESIDENCES	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	C_PROOF_OF_RESIDENCES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C_PROOF_OF_RESIDENCES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C PROOF OF RESIDENCES	ACTIVE	NUMBER	22	Y	1 Means It is Active Indicates if the Data is Active.
SWIC	C PROOF PREG	PROOF_PREG_CODE	VARCHAR2	1	N	The code for the proof of pregnancy.
SWIC	C PROOF PREG	DESCRIPTION	VARCHAR2	60	N	The description for the proof of pregnancy.
SWIC	C PROOF PREG	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.





SWIC	C SANCTION REASONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C SANCTION REASONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C SANCTION REASONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C SANCTION REASONS	LETTER COMMENT	VARCHAR2	500	Y	Stores note to be inserted into the sanctions report.
SWIC	C SANCTION REASONS	CORRECTIVE ACTION PROCEDURE	VARCHAR2	2000	Y	Optional text to document the corrective action for a particular violation.
SWIC	C SANCTION REASONS	ACTIVE	NUMBER	22	N	1 Means it is Active indicates if the Data is Active.
SWIC	C SIGN AGREEMENT INFO	ID	NUMBER	22	N	
SWIC	C SIGN AGREEMENT INFO	ATTTESTATION TEXT	VARCHAR2	2000	N	
SWIC	C SIGN AGREEMENT INFO	SIGNATURE TEXT	VARCHAR2	2000	Y	
SWIC	C SIGN AGREEMENT INFO	DOCUMENT ID	NUMBER	22	Y	
SWIC	C SIGN AGREEMENT INFO	DATE MODIFIED	DATE	7	Y	
SWIC	C SIGN AGREEMENT INFO	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C SIGN AGREEMENT INFO	DATE CREATED	DATE	7	N	
SWIC	C SIGN AGREEMENT INFO	CREATED BY	VARCHAR2	32	N	
SWIC	C SIGN AGREEMENT INFO	ACTIVE	NUMBER	22	N	
SWIC	C SIGN AGREEMENT INFO	INSTRUCTION TEXT	VARCHAR2	600	Y	
SWIC	C SURVEY QST ANSWERS	ANSWER	NUMBER	22	N	Nine-digit number field.
SWIC	C SURVEY QST ANSWERS	SL_SURVEY_ID	NUMBER	22	N	The unique identifier for the SURVEY ID (S_SURVEY).
SWIC	C SURVEY QST ANSWERS	CSQ_QUESTION_ID	NUMBER	22	N	Nine-digit number field.
SWIC	C SURVEY QST ANSWERS	ANDNOV_DESCRIPTION	VARCHAR2	2000	Y	Long field to answer description.
SWIC	C SURVEY QST ANSWERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C SURVEY QST ANSWERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C SURVEY QST ANSWERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C SURVEY QST ANSWERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C SURVEY QUESTIONS	QUESTION ID	NUMBER	22	N	Nine-digit number field.
SWIC	C SURVEY QUESTIONS	SL_SURVEY_ID	NUMBER	22	N	Unique identifier representing the Survey (S_SURVEYS).
SWIC	C SURVEY QUESTIONS	QUESTION TYPE	NUMBER	22	N	The question type id of the survey (C_LU_SURVEY).
SWIC	C SURVEY QUESTIONS	QUESTION DESCRIPTION	VARCHAR2	2000	N	The question description of the survey. (If the question type is text.
SWIC	C SURVEY QUESTIONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C SURVEY QUESTIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C SURVEY QUESTIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C SURVEY QUESTIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C SURVEY QUESTIONS	OU_SEQ_ID	NUMBER	22	N	The system generated unique identifier (O_ORGANIZATIONAL_UNITS).
SWIC	C SURVEY RESPONSES	SL_SURVEY_ID	NUMBER	22	N	The system generated numeric identifier for the survey (S_SURVEYS).
SWIC	C SURVEY RESPONSES	CSQA_QUESTION_ID	NUMBER	22	N	Nine-digit number field (C_SURVEY_QUESTIONS).
SWIC	C SURVEY RESPONSES	CSQA_ANSWER_ID	NUMBER	22	N	Nine-digit number field C_SURVEY_QST_ANSWERS.
SWIC	C SURVEY RESPONSES	RESPONSE	CHAR	2	Y	The user response for the survey question Y/N.
SWIC	C SURVEY RESPONSES	RESPONSE TEXT	VARCHAR2	2000	Y	The user response for the survey text question.
SWIC	C SURVEY RESPONSES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C SURVEY RESPONSES	CREATED BY	VARCHAR2	32	N	Created by server side audit field and a user ID in this case.
SWIC	C SURVEY RESPONSES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C SURVEY RESPONSES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C TERM REASONS	TERMINATION_CODE	VARCHAR2	2	N	The system generated unique identifier.
SWIC	C TERM REASONS	DESCRIPTION	VARCHAR2	164	N	The description of the termination reason.
SWIC	C TERM REASONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C TERM REASONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C TERM REASONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C TERM REASONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C TERM REASONS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C TERM REASONS	ACTIVE	NUMBER	22	N	1 Means it is Active indicates if the Data is Active.
SWIC	C TIME STUDY ENTRY	USER ID	VARCHAR2	32	N	User id for the staff member.
SWIC	C TIME STUDY ENTRY	TIMESTUDY_ID	NUMBER	22	N	Time study id of the staff member.
SWIC	C TIME STUDY ENTRY	ACTIVITY_ID	NUMBER	22	N	activities related to the staff member.
SWIC	C TIME STUDY ENTRY	TIME SPENT	NUMBER	22	Y	no of minutes spent on activities
SWIC	C TIME STUDY ENTRY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C TIME STUDY ENTRY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C TIME STUDY ENTRY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C TIME STUDY ENTRY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C TIME STUDY ENTRY	ENTER DATE	DATE	7	N	Date of the Time Sheet entry
SWIC	C TIME STUDY REVIEW	TIMESTUDY_ID	NUMBER	22	N	Time study id for the user
SWIC	C TIME STUDY REVIEW	USER ID	VARCHAR2	32	N	User who entered the time study
SWIC	C TIME STUDY REVIEW	APPROVE WEEK START DATE	DATE	7	N	The time study's APPROVED WEEK START DATE
SWIC	C TIME STUDY REVIEW	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C TIME STUDY REVIEW	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C TIME STUDY REVIEW	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C TIME STUDY REVIEW	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C TIME STUDY REVIEW	APPROVE WEEK FLAG	NUMBER	22	N	Determines whether the Time Study week is approved or not.
SWIC	C TOPICS	CONTACT_REASON_CODE	NUMBER	22	N	The unique code for contact reason.
SWIC	C TOPICS	REFERRAL_FLAG	VARCHAR2	1	N	Indicates whether the contact resulted in a referral to another party.
SWIC	C TOPICS	DESCRIPTION	VARCHAR2	60	N	The description of the contact topic/contact reason.
SWIC	C TOPICS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C TOPICS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C TOPICS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C TOPICS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C TOPICS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C TRANSFER HISTORIES	ACTIVE	NUMBER	22	N	1 Means it is Active indicates if the Data is Active.
SWIC	C TRANSFER HISTORIES	OU_SEQ_ID_FROM	NUMBER	22	N	The system generated unique identifier.
SWIC	C TRANSFER HISTORIES	C_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C TRANSFER HISTORIES	TRANSFER DATE	DATE	7	N	The date the transfer took place.
SWIC	C TRANSFER HISTORIES	OU_SEQ_ID_TO	NUMBER	22	N	The system generated unique identifier.
SWIC	C TRANSFER HISTORIES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C TRANSFER HISTORIES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C TRANSFER HISTORIES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C TRANSFER HISTORIES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C VOTER REGISTRATIONS	VOTER REG CODE	VARCHAR2	60	N	The unique code for voter registration.
SWIC	C VOTER REGISTRATIONS	DESCRIPTION	VARCHAR2	60	N	The description of the voter registration category.
SWIC	C VOTER REGISTRATIONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C VOTER REGISTRATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C VOTER REGISTRATIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C VOTER REGISTRATIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C VOTER REGISTRATIONS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C VOTER REGISTRATIONS	ACTIVE	NUMBER	22	N	1 Means it is Active indicates if the Data is Active.
SWIC	C WOMAN MEDICALS	INCORRECT_HEIGHT	NUMBER	22	Y	Indicates if the height measurement is incorrect or inaccurate (0-No, 1-Yes).
SWIC	C WOMAN MEDICALS	INCORRECT_WEIGHT	NUMBER	22	Y	Indicates if the weight measurement is incorrect or inaccurate (0-No, 1-Yes).
SWIC	C WOMAN MEDICALS	UNKNOWN_PREPREG_WEIGHT	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	UNKNOWN_WEIGHT_GAIN	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	CWM_RICATCODE	NUMBER	22	Y	
SWIC	C WOMAN MEDICALS	CWM_REBUCODE	NUMBER	22	Y	
SWIC	C WOMAN MEDICALS	CWM_RBVLUSECODE	NUMBER	22	Y	
SWIC	C WOMAN MEDICALS	CWM_RBBM	NUMBER	22	Y	
SWIC	C WOMAN MEDICALS	NON_WVC	NUMBER	22	Y	
SWIC	C WOMAN MEDICALS	COMMENTS	VARCHAR2	2000	Y	
SWIC	C WOMAN MEDICALS	C11_C_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS/ C_CERTIFICATIONS).
SWIC	C WOMAN MEDICALS	CERT_SEQ	NUMBER	22	N	The unique identifier for the client (C_CERTIFICATIONS).
SWIC	C WOMAN MEDICALS	MEDICAL DATA DATE	DATE	7	N	The date the medical data was taken.
SWIC	C WOMAN MEDICALS	WEIGHT	NUMBER	22	Y	Weight in ounces.
SWIC	C WOMAN MEDICALS	HEIGHT	NUMBER	22	Y	Height in 1/16th inches.
SWIC	C WOMAN MEDICALS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C WOMAN MEDICALS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C WOMAN MEDICALS	PREPREG_WEIGHT	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	WEEKS_GESTATION	NUMBER	22	Y	Weeks gestation on the date the medical data was taken.
SWIC	C WOMAN MEDICALS	WEIGHT_GAIN	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	WEIGHT_GAIN_LOST_GEST	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	DELIVERED_WEIGHT	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	AVG_WGT_GL_WK	NUMBER	22	Y	The average weight gain/loss per week of gestation.
SWIC	C WOMAN MEDICALS	BMI_VALUE	NUMBER	22	Y	The body mass index for the associated height and weight.
SWIC	C WOMAN MEDICALS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C WOMAN MEDICALS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C WOMAN MEDICALS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C WOMAN MEDICALS	CIM_INACCURATE_MEASURE_CODE	NUMBER	22	Y	The unique identifier for why the measurement may be inaccurate (C_INACCURATE_MEASURES).
SWIC	C WOMAN MEDICALS	WEIGHT DURING PREGNANCY	NUMBER	22	Y	UNUSED FOR MI-WVC.
SWIC	C WOMAN MEDICALS	UNKNOWN_HEIGHT	NUMBER	22	Y	Indicates if the height measurement is unknown (0-No, 1-Yes).
SWIC	C WOMAN MEDICALS	UNKNOWN_WEIGHT	NUMBER	22	Y	Indicates if the weight measurement is unknown (0-No, 1-Yes).
SWIC	C WOMAN MEDICALS	C11_C_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS/ C_CERTIFICATIONS).
SWIC	C WOMAN MEDICALS	C11_CERT_START DATE	DATE	7	N	The certification start date (C_CERTIFICATIONS).
SWIC	C WOMAN MEDICALS	MEDICAL DATA DATE	DATE	7	N	The date the medical data was taken.
SWIC	C WOMAN MEDICALS	WEIGHT	NUMBER	22	Y	Weight in ounces.
SWIC	C WOMAN MEDICALS	HEIGHT	NUMBER	22	Y	Height in 1/16th inches.
SWIC	C WOMAN MEDICALS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C WOMAN MEDICALS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C WOMAN MEDICALS	PREPREG_WEIGHT	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	WEEKS_GESTATION	NUMBER	22	Y	Weeks gestation on the date the medical data was taken.
SWIC	C WOMAN MEDICALS	WEIGHT_GAIN	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	WEIGHT_GAIN_LOST_GEST	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	DELIVERY_WEIGHT	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	AVG_WGT_GL_WK	NUMBER	22	Y	The average weight gain/loss per week of gestation.
SWIC	C WOMAN MEDICALS	BMI_VALUE	NUMBER	22	Y	The body mass index for the associated height and weight.
SWIC	C WOMAN MEDICALS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	C WOMAN MEDICALS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	C WOMAN MEDICALS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	C WOMAN MEDICALS	CIM_INACCURATE_MEASURE_CODE	NUMBER	22	Y	The unique identifier for why the measurement may be inaccurate (C_INACCURATE_MEASURES).
SWIC	C WOMAN MEDICALS	WEIGHT DURING PREGNANCY	NUMBER	22	Y	UNUSED FOR MI-WVC.
SWIC	C WOMAN MEDICALS	UNKNOWN_HEIGHT	NUMBER	22	Y	Indicates if the height measurement is unknown (0-No, 1-Yes).
SWIC	C WOMAN MEDICALS	UNKNOWN_WEIGHT	NUMBER	22	Y	Indicates if the weight measurement is unknown (0-No, 1-Yes).
SWIC	C WOMAN MEDICALS	INCORRECT_HEIGHT	NUMBER	22	Y	Indicates if the height measurement is incorrect or inaccurate (0-No, 1-Yes).
SWIC	C WOMAN MEDICALS	INCORRECT_WEIGHT	NUMBER	22	Y	Indicates if the weight measurement is incorrect or inaccurate (0-No, 1-Yes).
SWIC	C WOMAN MEDICALS	UNKNOWN_PREPREG_WEIGHT	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	UNKNOWN_WEIGHT_GAIN	NUMBER	22	Y	UNUSED FOR MI-WVC. See C_MEDICAL_ADDL_INFO
SWIC	C WOMAN MEDICALS	CWM_RICATCODE	NUMBER	22	Y	
SWIC	C WOMAN MEDICALS	CWM_REBUCODE	NUMBER	22	Y	
SWIC	C WOMAN MEDICALS	CWM_RBVLUSECODE	NUMBER	22	Y	
SWIC	C WOMAN MEDICALS	CWM_RBBM	NUMBER	22	Y	
SWIC	C WOMAN MEDICALS	CERT_SEQ	NUMBER	22	Y	
SWIC	C WORK APPTS	CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client.
SWIC	C WORK APPTS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C WORK APPTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last created.
SWIC	C WORK APPTS	DATE MODIFIED	DATE	7	Y	
SWIC	C WORK APPTS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C WORK RF	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C WORK RF	REFERENCE TYPE CODE	VARCHAR2	4	N	The type of metric gathered for automated assessment.
SWIC	C WORK RF	REFERENCE ID	NUMBER	22	N	The identifier of a specific metric used for automated assessment.
SWIC	C WORK RF	VALUE	NUMBER	22	N	The value of the metric.
SWIC	C WORK RF	ADDITIONAL_INFO	NUMBER	22	Y	The value of additional information associated with a nutrition/medical history answer.
SWIC	C WORK RF	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C WORK RF	DATE MODIFIED	DATE	7	Y	
SWIC	C WORK RF	MODIFIED BY	VARCHAR2	32	Y	
SWIC	C WORK RF	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	C WORK_SEARCH_RESULTS	CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).
SWIC	C WORK_SEARCH_RESULTS	FAMILY_ID	VARCHAR2	9	Y	The unique identifier for the family (C_FAMILY ECONOMIC_UNITS).
SWIC	C WORK_SEARCH_RESULTS	LAST NAME	VARCHAR2	60	Y	The client's last name.
SWIC	C WORK_SEARCH_RESULTS	FIRST NAME	VARCHAR2	60	Y	The client's first name.
SWIC	C WORK_SEARCH_RESULTS	MI	VARCHAR2	1	Y	The client's (first) middle initial.

SWIC	C WORK SEARCH RESULTS	BIRTH DATE	DATE	7	Y	The client's birth date.
SWIC	C WORK SEARCH RESULTS	CAT_GATESTRY_CODE	VARCHAR2	3	Y	The alpha code for certification category (such as IF for Infant Formula Fed or PG for Pregnant).
SWIC	C WORK SEARCH RESULTS	GENEX	VARCHAR2	1	Y	The client's gender M/F.
SWIC	C WORK SEARCH RESULTS	AGE	NUMBER	22	Y	The client's age.
SWIC	C WORK SEARCH RESULTS	CERT_START_DATE	DATE	7	Y	Certification Start Date for the latest client certification record.
SWIC	C WORK SEARCH RESULTS	CERT_END_DATE	DATE	7	Y	Certification End Date for the latest client certification record.
SWIC	C WORK SEARCH RESULTS	TERMINATION_DATE	DATE	7	Y	Certification termination date for the client.
SWIC	C WORK SEARCH RESULTS	CLINIC	VARCHAR2	100	Y	The client's clinic.
SWIC	C WORK SEARCH RESULTS	MAILING_ADDRESS1	VARCHAR2	60	Y	The first line of the unit's mailing address.
SWIC	C WORK SEARCH RESULTS	MAILING_ADDRESS2	VARCHAR2	60	Y	The second line of the unit's mailing address.
SWIC	C WORK SEARCH RESULTS	CITY_STATE_ZIP	VARCHAR2	60	Y	The name of the city, state and zip.
SWIC	C WORK SEARCH RESULTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	C WORK SEARCH RESULTS	HEAD_HOUSEHOLD1_LAST_NAME	VARCHAR2	50	Y	The primary authorized representative's last name.
SWIC	C WORK SEARCH RESULTS	HEAD_HOUSEHOLD1_FIRST_NAME	VARCHAR2	30	Y	The primary authorized representative's first name.
SWIC	C WORK SEARCH RESULTS	BLT_DATE	DATE	7	Y	Benefits Loaded Through Date for the client.
SWIC	C WORK SEARCH RESULTS	DATE_MODIFIED	DATE	7	Y	
SWIC	C WORK SEARCH RESULTS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	DAY_JOBS_LOG	MODULE	VARCHAR2	50	N	Name of the Day job module
SWIC	DAY_JOBS_LOG	SUB_MODULE	VARCHAR2	100	N	Name of the Day job Sub Module
SWIC	DAY_JOBS_LOG	LOG_TYPE	VARCHAR2	10	N	Type of log message (ERROR or INFO)
SWIC	DAY_JOBS_LOG	LOG_MESSAGE	VARCHAR2	2000	N	Text of the logged message
SWIC	DAY_JOBS_LOG	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	DAY_JOBS_LOG	PROCESS_EXECUTED	VARCHAR2	200	Y	Name of the process executed.
SWIC	DAY_JOBS_LOG	CREATED_BY	VARCHAR2	32	N	
SWIC	DAY_JOBS_LOG	DATE_MODIFIED	DATE	7	Y	
SWIC	DAY_JOBS_LOG	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	DAY_FINAL_TABLES_TEMP	TABLE_NAME	VARCHAR2	100	Y	
SWIC	DW_FINAL_TABLES_TEMP	REASON TO EXCLUDE	VARCHAR2	1000	Y	
SWIC	DW_PCFILE_DATA	BIRTH_WEIGHT_OUNCES	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	BIRTH_WEIGHT_GRAMS	CHAR	4	Y	
SWIC	DW_PCFILE_DATA	BIRTH_LENGTH_INCHES	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	BIRTH_LENGTH_EIGHTH_INCHES	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	BIRTH_LENGTH_CM	CHAR	3	Y	
SWIC	DW_PCFILE_DATA	PARTICIPANT_INDIV_PGM	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	SSN	NUMBER	22	Y	
SWIC	DW_PCFILE_DATA	ACTUAL_DD	CHAR	8	Y	
SWIC	DW_PCFILE_DATA	RUN_DATE	DATE	7	Y	
SWIC	DW_PCFILE_DATA	PC_DATE	DATE	7	Y	
SWIC	DW_PCFILE_DATA	CLIENT_ID	NUMBER	22	Y	
SWIC	DW_PCFILE_DATA	STAGE_AGENCY_ID	CHAR	7	Y	
SWIC	DW_PCFILE_DATA	LOCAL_AGENCY_ID	CHAR	3	Y	
SWIC	DW_PCFILE_DATA	SERVICE_SITE_ID	CHAR	3	Y	
SWIC	DW_PCFILE_DATA	CSQ_ID	CHAR	11	Y	
SWIC	DW_PCFILE_DATA	DOB	CHAR	8	Y	
SWIC	DW_PCFILE_DATA	RACE_ETHNICITY_HISP	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	RACE_ETHNICITY_INDAL	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	RACE_ETHNICITY_ASIAN	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	RACE_ETHNICITY_AFRO	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	RACE_ETHNICITY_NWSL	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	RACE_ETHNICITY_WHITE	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	CERTIFICATION_CATEGORY	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	SDO	CHAR	8	Y	
SWIC	DW_PCFILE_DATA	WEEKS_GESTATION	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	DATE_OF_CERTIFICATION	CHAR	8	Y	
SWIC	DW_PCFILE_DATA	SEX	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	RISK_PRIORITY_CODE	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	TANF	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	FOOD_STAMPS	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	MEDICAID	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	MIGRANT_STATUS	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	FAMILY_SIZE	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	INCOME	CHAR	5	Y	
SWIC	DW_PCFILE_DATA	INCOME_PERIOD	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	INCOME_RANGES	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	RISK_1	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	RISK_2	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	RISK_3	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	RISK_4	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	RISK_5	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	RISK_6	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	RISK_7	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	RISK_8	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	RISK_9	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	RISK_10	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	HEMOGLOBIN	CHAR	3	Y	
SWIC	DW_PCFILE_DATA	HEMATOCRIT	CHAR	3	Y	
SWIC	DW_PCFILE_DATA	DATE_OF_BLOODWORK	CHAR	8	Y	
SWIC	DW_PCFILE_DATA	WEIGHT_POUNDS	CHAR	3	Y	
SWIC	DW_PCFILE_DATA	WEIGHT_QUARTER_POUNDS	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	WEIGHT_GRAMS	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	HEIGHT_INCHES	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	HEIGHT_EIGHTH_INCHES	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	HEIGHT_CM	CHAR	4	Y	
SWIC	DW_PCFILE_DATA	DATE_HERSH_WEIGHT	CHAR	8	Y	
SWIC	DW_PCFILE_DATA	CURRENTLY_BREASTFED	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	EVER_BREASTFED	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	LENGTH_OF_TIME_SF	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	DATE_SF_DATA_COLLECTED	CHAR	8	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_1	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_2	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_3	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_4	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_5	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_6	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_7	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_8	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_9	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_10	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_11	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_12	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_13	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_CODE_14	CHAR	10	Y	
SWIC	DW_PCFILE_DATA	FOOD_PACKAGE_TYPE	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	DATE_OF_FIRST_CERTIFICATION	CHAR	8	Y	
SWIC	DW_PCFILE_DATA	EDUCATION_LEVEL	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	NUMBER_IN_WIC	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	DATE_PREVIOUS_PREG_ENDED	CHAR	8	Y	
SWIC	DW_PCFILE_DATA	TOTAL_NUMBER_OF_PREGNANCIES	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	TOTAL_NUMBER_OF_LIVE_BIRTHS	CHAR	2	Y	
SWIC	DW_PCFILE_DATA	PREPREG_WEIGHT_POUNDS	CHAR	3	Y	
SWIC	DW_PCFILE_DATA	PREPREG_WEIGHT_QUARTER_POUNDS	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	PREPREG_WEIGHT_GRAMS	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	WEIGHT_GAIN_POUNDS	CHAR	3	Y	
SWIC	DW_PCFILE_DATA	WEIGHT_GAIN_QUARTER_POUNDS	CHAR	1	Y	
SWIC	DW_PCFILE_DATA	WEIGHT_GAIN_GRAMS	CHAR	6	Y	
SWIC	DW_PCFILE_DATA	BIRTH_WEIGHT_POUNDS	CHAR	2	Y	
SWIC	DW_PHASE_TABLES_TEMP	TABLE_NAME	VARCHAR2	100	Y	
SWIC	EBS_LU_ERROR_CODES	ERROR_TYPE_CODE	NUMBER	22	N	This Column has foreign key relation with the EBS_LU_ERROR_TYPES_ERROR_TYPE_CODE.
SWIC	EBS_LU_ERROR_CODES	ERROR_CODE	NUMBER	22	N	This Column is Unique Code for each Error.
SWIC	EBS_LU_ERROR_CODES	DESCRIPTION	VARCHAR2	1000	Y	This Column is the details error description of each error scenario.
SWIC	EBS_LU_ERROR_CODES	ALERT_CREATED_LIST	VARCHAR2	500	Y	This Column is about list of column(s) (separate with comma for multiple), which are to be alerted with red background
SWIC	EBS_LU_ERROR_CODES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	EBS_LU_ERROR_CODES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	EBS_LU_ERROR_CODES	MODIFIED_BY	VARCHAR2	200	Y	Common audit field for user id connected when the row was last modified.
SWIC	EBS_LU_ERROR_CODES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	EBS_LU_ERROR_CODES	ACTIVE	NUMBER	22	Y	The flag to indicate the code is active or not
SWIC	EBS_LU_ERROR_TYPES	ERROR_TYPE_CODE	NUMBER	22	N	
SWIC	EBS_LU_ERROR_TYPES	DESCRIPTION	VARCHAR2	400	Y	
SWIC	EBS_LU_ERROR_TYPES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	EBS_LU_ERROR_TYPES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	EBS_LU_ERROR_TYPES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	EBS_LU_ERROR_TYPES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	EBS_LU_ERROR_TYPES	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	EBS_MERGE_AUDIT	OU_SEQ_ID	NUMBER	22	N	
SWIC	EBS_MERGE_AUDIT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	EBS_MERGE_AUDIT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	EBS_MERGE_AUDIT	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	EBS_MERGE_ERRORS	SEQ_ID	NUMBER	22	N	The unique identifier
SWIC	EBS_MERGE_ERRORS	ERROR_TYPE_CODE	NUMBER	22	Y	
SWIC	EBS_MERGE_ERRORS	ERROR_DESC	VARCHAR2	1000	Y	
SWIC	EBS_MERGE_ERRORS	FAMILY_SEQ_ID	VARCHAR2	20	Y	The unique identifier for the EBS Family (C FAMILY ECONOMIC UNITS B).
SWIC	EBS_MERGE_ERRORS	CLIENT_SEQ_ID	VARCHAR2	20	Y	The unique identifier for the EBS Clients (C_CLIENTS_B).
SWIC	EBS_MERGE_ERRORS	FAMILY_CODE	VARCHAR2	9	Y	The unique identifier for the WIC Family (C_FAMILY ECONOMIC UNITS).
SWIC	EBS_MERGE_ERRORS	CLIENT_ID	NUMBER	22	Y	The unique identifier for the WIC Clients (C_CLIENTS).
SWIC	EBS_MERGE_ERRORS	DATE_CREATED	DATE	7	N	
SWIC	EBS_MERGE_ERRORS	CREATED_BY	VARCHAR2	32	N	
SWIC	EBS_MERGE_ERRORS	DATE_MODIFIED	DATE	7	Y	
SWIC	EBS_MERGE_ERRORS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	EBS_MERGE_ERRORS	ERROR_RESOLVED	NUMBER	22	Y	
SWIC	EBS_MERGE_ERRORS	OU_SEQ_ID	NUMBER	22	Y	
SWIC	EBS_MERGE_ERRORS	SHOW_ERROR	NUMBER	22	Y	
SWIC	EBS_MERGE_ERRORS	ERROR_CODE	NUMBER	22	Y	
SWIC	ENV_VARIABLES	CODE	VARCHAR2	32	N	
SWIC	ENV_VARIABLES	ENV_VALUE	VARCHAR2	100	N	
SWIC	ENV_VARIABLES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	ENV_VARIABLES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	ENV_VARIABLES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	ENV_VARIABLES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	ENV_VARIABLES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	EOD_CASELOAD_LOAD	LOG_TYPE	VARCHAR2	10	N	
SWIC	EOD_CASELOAD_LOAD	LOG_MESSAGE	VARCHAR2	2000	N	
SWIC	EOD_CASELOAD_LOAD	DATE_CREATED	DATE	7	N	
SWIC	EOD_CASELOAD_LOAD	CLIENT_ID	NUMBER	22	Y	
SWIC	EOD_CASELOAD_LOAD	FISCAL_YEAR	NUMBER	22	Y	
SWIC	EOD_CASELOAD_LOAD	FISCAL_MONTH	NUMBER	22	Y	
SWIC	EOD_CASELOAD_LOAD	AS_OF_DATE	DATE	7	Y	
SWIC	EOD_CASELOAD_LOAD	PROCESSED	NUMBER	22	Y	
SWIC	EOD_CASELOAD_LOAD	CREATED_BY	VARCHAR2	32	N	
SWIC	EOD_CASELOAD_LOAD	DATE_MODIFIED	DATE	7	Y	
SWIC	EOD_CASELOAD_LOAD	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	EOD_CONTROLS	TD_DATE	DATE	7	N	Domain for storing 10-character standard date.

SWIC	EOD_CONTROLS	FROM DATE	DATE	7	N	Domain for storing 10-character standard date.
SWIC	EOD_CONTROLS	GOOD PROC DATE	DATE	7	N	Domain for storing 10-character standard date.
SWIC	EOD_CONTROLS	MONTH SW	VARCHAR2	1	Y	Flag to indicate if monthly processes need to be run
SWIC	EOD_CONTROLS	QUARTERLY SW	VARCHAR2	1	Y	UNUSED FOR MI WIC
SWIC	EOD_CONTROLS	LAST QTR DATE	DATE	7	Y	Domain for storing 10-character standard date.
SWIC	EOD_CONTROLS	PL DATE	DATE	7	Y	UNUSED FOR MI WIC
SWIC	EOD_CONTROLS	PGA RUN DATE	DATE	7	Y	Date the last PGA calculation was made.
SWIC	EOD_CONTROLS	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	EOD_CONTROLS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	EOD_CONTROLS	CREATED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last created.
SWIC	EOD_CONTROLS	MODIFIED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last modified.
SWIC	EOD_CONTROLS	TERM PROC DATE	DATE	7	Y	Date the last Client Terminations Processed.
SWIC	EOD_CONTROLS	LAST COMPLETED DATE	DATE	7	N	Domain for storing 10-character standard date.
SWIC	EOD_CONTROLS_HISTORY	TO DATE	DATE	7	N	Domain for storing 10-character standard date.
SWIC	EOD_CONTROLS_HISTORY	FROM DATE	DATE	7	N	Domain for storing 10-character standard date.
SWIC	EOD_CONTROLS_HISTORY	GOOD PROC DATE	DATE	7	N	Domain for storing 10-character standard date.
SWIC	EOD_CONTROLS_HISTORY	MONTH SW	VARCHAR2	1	Y	Flag to indicate if monthly processes need to be run
SWIC	EOD_CONTROLS_HISTORY	QUARTERLY SW	VARCHAR2	1	Y	UNUSED FOR MI WIC
SWIC	EOD_CONTROLS_HISTORY	LAST QTR DATE	DATE	7	Y	Domain for storing 10-character standard date.
SWIC	EOD_CONTROLS_HISTORY	PL DATE	DATE	7	Y	UNUSED FOR MI WIC
SWIC	EOD_CONTROLS_HISTORY	PGA RUN DATE	DATE	7	Y	Date the last PGA calculation was made.
SWIC	EOD_CONTROLS_HISTORY	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	EOD_CONTROLS_HISTORY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	EOD_CONTROLS_HISTORY	CREATED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last created.
SWIC	EOD_CONTROLS_HISTORY	MODIFIED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last modified.
SWIC	EOD_CONTROLS_HISTORY	TERM PROC DATE	DATE	7	Y	Date the last Client Terminations Processed.
SWIC	EOD_CONTROLS_HISTORY	LAST COMPLETED DATE	DATE	7	N	Domain for storing 10-character standard date.
SWIC	EOD_LOG	MODULE	VARCHAR2	50	N	Name of the EOD module
SWIC	EOD_LOG	SUB MODULE	VARCHAR2	100	N	name of the EOD sub module
SWIC	EOD_LOG	LOG TYPE	VARCHAR2	10	N	Type of log message (ERROR or INFO)
SWIC	EOD_LOG	LOG MESSAGE	VARCHAR2	2000	N	Text of the tagged message
SWIC	EOD_LOG	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	EOD_LOG	PROCESS EXECUTED	VARCHAR2	200	Y	Name of the process executed.
SWIC	EOD_LOG	CREATED_BY	VARCHAR2	32	N	
SWIC	EOD_LOG	DATE MODIFIED	DATE	7	Y	
SWIC	EOD_LOG	MODIFIED BY	VARCHAR2	32	Y	
SWIC	EOD_NOTIFICATIONS	TO EMAIL	VARCHAR2	1000	Y	
SWIC	EOD_NOTIFICATIONS	SUBJECT	VARCHAR2	1000	N	
SWIC	EOD_NOTIFICATIONS	MESSAGE	VARCHAR2	4000	N	
SWIC	EOD_NOTIFICATIONS	DATE CREATED	DATE	7	N	
SWIC	EOD_NOTIFICATIONS	CREATED BY	VARCHAR2	50	N	
SWIC	EOD_NOTIFICATIONS	DATE MODIFIED	DATE	7	Y	
SWIC	EOD_NOTIFICATIONS	MODIFIED BY	VARCHAR2	50	Y	
SWIC	EOD_NOTIFICATIONS	SENT	NUMBER	22	Y	
SWIC	EOD_NOTIFICATIONS	MESSAGE ID	NUMBER	22	N	
SWIC	EOD_TERM_CLIENTS	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	EOD_TERM_CLIENTS	CU_SEQ_ID	NUMBER	22	N	The unique identifier for the client (C_ORGANIZATIONAL_UNITS).
SWIC	EOD_TERM_CLIENTS	TR_TERMINATION CODE	VARCHAR2	1	N	Termination code assigned to client (C_TERM_REASONS).
SWIC	EOD_TERM_CLIENTS	WAIT LIST FLAG	NUMBER	22	N	UNUSED FOR MI WIC.
SWIC	EOD_TERM_CLIENTS	TERMINATION DATE	DATE	7	N	The termination date assigned to the client.
SWIC	EOD_TERM_CLIENTS	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	EOD_TERM_CLIENTS	CREATED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was created.
SWIC	EOD_TERM_CLIENTS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	EOD_TERM_CLIENTS	MODIFIED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last modified.
SWIC	EXCEPTIONS	ROW ID	ROWID	10	Y	
SWIC	EXCEPTIONS	OWNER	VARCHAR2	30	Y	
SWIC	EXCEPTIONS	TABLE NAME	VARCHAR2	30	Y	
SWIC	EXCEPTIONS	CONSTRAINT	VARCHAR2	30	Y	
SWIC	EXCEPTIONS	DATE_CREATED	DATE	7	N	
SWIC	EXCEPTIONS	CREATED BY	VARCHAR2	32	N	
SWIC	EXCEPTIONS	DATE MODIFIED	DATE	7	Y	
SWIC	EXCEPTIONS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	E_FM_EXCEPTIONS	BATCH NO	NUMBER	22	Y	The batch number of the coupon.
SWIC	E_FM_EXCEPTIONS	CURUPON NO	NUMBER	22	N	The number of the coupon.
SWIC	E_FM_EXCEPTIONS	ISS MM	NUMBER	22	Y	The coupon issued month.
SWIC	E_FM_EXCEPTIONS	ISS DD	NUMBER	22	Y	The coupon issued day.
SWIC	E_FM_EXCEPTIONS	ISS YY	NUMBER	22	Y	The coupon issued year.
SWIC	E_FM_EXCEPTIONS	RED_MM	NUMBER	22	Y	The coupon redeem month.
SWIC	E_FM_EXCEPTIONS	RED_DD	NUMBER	22	Y	The coupon redeem day.
SWIC	E_FM_EXCEPTIONS	RED_YY	NUMBER	22	Y	The coupon redeem year.
SWIC	E_FM_EXCEPTIONS	REDEEM AMOUNT	NUMBER	22	Y	Redeem dollar amount of the coupon.
SWIC	E_FM_EXCEPTIONS	STATUS CODE	NUMBER	22	Y	The status code of project fresh coupon.
SWIC	E_FM_EXCEPTIONS	TRANSACTION NO	NUMBER	22	Y	The transaction number of project fresh coupon.
SWIC	E_FM_EXCEPTIONS	FILE BATCH NO	NUMBER	22	Y	The batch file number of the coupon.
SWIC	E_FM_EXCEPTIONS	ERROR_REASON	VARCHAR2	2000	Y	The description of the error.
SWIC	E_FM_EXCEPTIONS	CREATED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last created.
SWIC	E_FM_EXCEPTIONS	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	E_FM_EXCEPTIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	E_FM_EXCEPTIONS	MODIFIED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last modified.
SWIC	E_FM_EXCEPTIONS	VO_CHAIN_SUFFIX	VARCHAR2	10	Y	The vendor owner chain suffix.
SWIC	E_FF_ITEM_AGE	BATCH NO	NUMBER	22	Y	The batch number of the coupon.
SWIC	E_FF_ITEM_AGE	CURUPON NO	NUMBER	22	N	The number of the coupon.
SWIC	E_FF_ITEM_AGE	ISS MM	NUMBER	22	Y	The coupon issued month.
SWIC	E_FF_ITEM_AGE	ISS_DD	NUMBER	22	Y	The coupon issued day.
SWIC	E_FF_ITEM_AGE	ISS_YY	NUMBER	22	Y	The coupon issued year.
SWIC	E_FF_ITEM_AGE	RED_MM	NUMBER	22	Y	The coupon redeem month.
SWIC	E_FF_ITEM_AGE	RED_DD	NUMBER	22	Y	The coupon redeem day.
SWIC	E_FF_ITEM_AGE	RED_YY	NUMBER	22	Y	The coupon redeem year.
SWIC	E_FF_ITEM_AGE	REDEEM AMOUNT	NUMBER	22	Y	Redeem dollar amount of the coupon.
SWIC	E_FF_ITEM_AGE	STATUS CODE	NUMBER	22	Y	The status code of project fresh coupon.
SWIC	E_FF_ITEM_AGE	TRANSACTION NO	NUMBER	22	Y	The transaction number of project fresh coupon.
SWIC	E_FF_ITEM_AGE	FILE BATCH NO	NUMBER	22	Y	The batch file number of the coupon.
SWIC	E_FF_ITEM_AGE	ERROR_REASON	VARCHAR2	2000	Y	The description of the error.
SWIC	E_FF_ITEM_AGE	CREATED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last created.
SWIC	E_FF_ITEM_AGE	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	E_FF_ITEM_AGE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	E_FF_ITEM_AGE	MODIFIED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last modified.
SWIC	E_FF_ITEM_AGE	VO_CHAIN_SUFFIX	VARCHAR2	10	Y	The vendor owner chain suffix.
SWIC	E_FF_ITEM_AGE_HOLD	BATCH NO	NUMBER	22	N	The batch number of the coupon.
SWIC	E_FF_ITEM_AGE_HOLD	CURUPON NO	NUMBER	22	N	The coupon number of the project item.
SWIC	E_FF_ITEM_AGE_HOLD	ISS MM	NUMBER	22	Y	The coupon issued month.
SWIC	E_FF_ITEM_AGE_HOLD	ISS_DD	NUMBER	22	Y	The coupon issued day.
SWIC	E_FF_ITEM_AGE_HOLD	ISS_YY	NUMBER	22	Y	The coupon issued year.
SWIC	E_FF_ITEM_AGE_HOLD	RED_MM	NUMBER	22	Y	The coupon redeem month.
SWIC	E_FF_ITEM_AGE_HOLD	RED_DD	NUMBER	22	Y	The coupon redeem day.
SWIC	E_FF_ITEM_AGE_HOLD	RED_YY	NUMBER	22	Y	The coupon redeem year.
SWIC	E_FF_ITEM_AGE_HOLD	REDEEM AMOUNT	NUMBER	22	Y	Redeem dollar amount of the coupon.
SWIC	E_FF_ITEM_AGE_HOLD	STATUS CODE	NUMBER	22	Y	The status code of project fresh coupon.
SWIC	E_FF_ITEM_AGE_HOLD	TRANSACTION NO	NUMBER	22	Y	The transaction number of project fresh coupon.
SWIC	E_FF_ITEM_AGE_HOLD	FILE BATCH NO	NUMBER	22	Y	The batch file number of the coupon.
SWIC	E_FF_ITEM_AGE_HOLD	ERROR_REASON	VARCHAR2	2000	Y	The description of the error.
SWIC	E_FF_ITEM_AGE_HOLD	DATE PROCESSED	DATE	7	Y	The date coupon processed.
SWIC	E_FF_ITEM_AGE_HOLD	RECORD DELETE	NUMBER	22	N	The project fresh record delete status.
SWIC	E_FF_ITEM_AGE_HOLD	CREATED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last created.
SWIC	E_FF_ITEM_AGE_HOLD	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	E_FF_ITEM_AGE_HOLD	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	E_FF_ITEM_AGE_HOLD	MODIFIED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last modified.
SWIC	E_FF_ITEM_AGE_HOLD	VO_CHAIN_SUFFIX	VARCHAR2	10	Y	The vendor owner chain suffix.
SWIC	E_FF_ITEM_AGE_HOLD	ID	NUMBER	22	N	The unique identifier for the table.
SWIC	E_RPT_MAX_PRICE	CATEGORY CODE	VARCHAR2	2	Y	
SWIC	E_RPT_MAX_PRICE	SUB CAT CODE	VARCHAR2	3	Y	
SWIC	E_RPT_MAX_PRICE	FEER GROUP ID	NUMBER	22	Y	
SWIC	E_RPT_MAX_PRICE	LPC CODE	VARCHAR2	15	Y	
SWIC	E_RPT_MAX_PRICE	MAX SETTLED PRICE	NUMBER	22	Y	
SWIC	E_RPT_MAX_PRICE	SUM SETTLED PRICE	NUMBER	22	Y	
SWIC	E_RPT_MAX_PRICE	AVG SETTLED PRICE	NUMBER	22	Y	
SWIC	E_RPT_MAX_PRICE	PREVIOUS PRICE	NUMBER	22	Y	
SWIC	E_RPT_MAX_PRICE	CURRENT PRICE	NUMBER	22	Y	
SWIC	E_RPT_MAX_PRICE	FUTURE PRICE	NUMBER	22	Y	
SWIC	E_RPT_MAX_PRICE	PERCENT DIFF	NUMBER	22	Y	
SWIC	E_RPT_MAX_PRICE	TEN PERCENT IND	VARCHAR2	1	Y	
SWIC	E_RPT_MAX_PRICE	CAT SUB CAT AVG	NUMBER	22	Y	
SWIC	E_RPT_MAX_PRICE	DATE_CREATED	DATE	7	N	
SWIC	E_RPT_MAX_PRICE	CREATED BY	VARCHAR2	32	N	
SWIC	E_RPT_MAX_PRICE	SUM REQUESTED PRICE	NUMBER	22	Y	
SWIC	E_RPT_MAX_PRICE	DATE MODIFIED	DATE	7	Y	
SWIC	E_RPT_MAX_PRICE	MODIFIED BY	VARCHAR2	32	Y	
SWIC	E_STAGING_WICHEATH	SURVEY RESULTS USERID	VARCHAR2	4000	Y	UNUSED IN MI WIC
SWIC	E_STAGING_WICHEATH	FRST ID	VARCHAR2	4000	Y	UNUSED IN MI WIC
SWIC	E_STAGING_WICHEATH	NUT EDUC MOD	VARCHAR2	4000	Y	Mi WIC Family of EBT Card no entered on Wic Health.org site.
SWIC	E_STAGING_WICHEATH	START_STAGE	VARCHAR2	4000	Y	Nutrition education topic taken by client on Wic Health.Org site.
SWIC	E_STAGING_WICHEATH	START_STAGE ID	VARCHAR2	4000	Y	Description of starting stage.
SWIC	E_STAGING_WICHEATH	END_STAGE	VARCHAR2	4000	Y	ID of starting stage.
SWIC	E_STAGING_WICHEATH	END_STAGE ID	VARCHAR2	4000	Y	Description of ending stage.
SWIC	E_STAGING_WICHEATH	COMMENTS	VARCHAR2	4000	Y	ID of ending stage.
SWIC	E_STAGING_WICHEATH	COMMENT ENCODED	VARCHAR2	4000	Y	Comment field as entered on Wic Health.Org site.
SWIC	E_STAGING_WICHEATH	BIRTH DATE	DATE	7	Y	Birth date of client.
SWIC	E_STAGING_WICHEATH	START DATE	DATE	7	Y	Start date when client took the nutrition education topic on the Wic Health.org site
SWIC	E_STAGING_WICHEATH	END DATE	DATE	7	Y	End date when client took the nutrition education topic on the Wic Health.org site
SWIC	E_STAGING_WICHEATH	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	E_STAGING_WICHEATH	CREATED BY	VARCHAR2	4000	Y	Common audit field for user id connected when the row was last created.
SWIC	E_STAGING_WICHEATH	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	E_STAGING_WICHEATH	MODIFIED BY	VARCHAR2	4000	Y	Common audit field for user id connected when the row was last modified.
SWIC	E_STAGING_WICHEATH	PROCESS RESULT	VARCHAR2	4000	Y	Processing result of record.
SWIC	E_STAGING_WICHEATH	RECORD PROCESSED	NUMBER	22	Y	Boolean value indicating if record was processed successfully.
SWIC	E_STAGING_WICHEATH	NUT EDUC MOD NAME	VARCHAR2	4000	Y	Nutrition education topic Name taken by client on Wic Health.Org site.
SWIC	E_STAGING_WICHEATH	AGENCY NAME	VARCHAR2	500	Y	
SWIC	E_STAGING_WICHEATH	CLINIC NAME	VARCHAR2	500	Y	
SWIC	E_WICHEALTH_TOPIC_MAPPINGS	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	E_WICHEALTH_TOPIC_MAPPINGS	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	E_WICHEALTH_TOPIC_MAPPINGS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	E_WICHEALTH_TOPIC_MAPPINGS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was modified.
SWIC	E_WICHEALTH_TOPIC_MAPPINGS	CLINET_NUTR_ED_TOPIC CODE	NUMBER	22	N	Nutrition Education Topic ID in Mi-WIC (References c lu nutr ed topics)
SWIC	E_WICHEALTH_TOPIC_MAPPINGS	WIC_HEALTH_ORG_TOPIC CODE	NUMBER	22	Y	Topic ID received from Wic Health.Org
SWIC	FMPM_CONFIGURATION	CALENDAR YEAR	NUMBER	22	Y	The year that this configuration pertains to
SWIC	FMPM_CONFIGURATION	SEASON_START_DATE	DATE	7	N	Start of Farmers Market season
SWIC	FMPM_CONFIGURATION	SEASON_END DATE	DATE	7	N	End of Farmers Market season
SWIC	FMPM_CONFIGURATION	COUPONS IN BOOKLET	NUMBER	22	N	Number of coupons in a booklet
SWIC	FMPM_CONFIGURATION	INDIVIDUAL COUPON VALUE	NUMBER	22	N	Value of each coupon in a booklet
SWIC	FMPM_CONFIGURATION	SERIAL NUMBER START	NUMBER	22	N	Beginning coupon serial number for the state

SWIC	FMPM_CONFIGURATION	SERIAL_NUMBER_END	NUMBER	22	N	Ending coupon serial number for the state
SWIC	FMPM_CONFIGURATION	ACTIVE	NUMBER	22	Y	
SWIC	FMPM_CONFIGURATION	DATE_CREATED	DATE	7	Y	
SWIC	FMPM_CONFIGURATION	CREATED_BY	VARCHAR2	32	Y	
SWIC	FMPM_CONFIGURATION	DATE_MODIFIED	DATE	7	Y	
SWIC	FMPM_CONFIGURATION	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	F_CASELOADS	CASELOAD_ID	NUMBER	22	N	The system generated unique identifier.
SWIC	F_CASELOADS	FBU_FFY_MONTH	NUMBER	22	N	Fiscal Month the caseload is calculated for.
SWIC	F_CASELOADS	FBU_FFY_FY	NUMBER	22	N	Fiscal Month the caseload is calculated for.
SWIC	F_CASELOADS	FC_CASELOAD_TYPE_CODE	NUMBER	22	N	Identifies the type of caseload record (F_CASELOAD_TYPS).
SWIC	F_CASELOADS	OU_SEQ_ID	NUMBER	22	N	Clinic the client belongs to (ID_ORGANIZATIONAL_UNITS).
SWIC	F_CASELOADS	LANG_LANGUAGE_CODE	NUMBER	22	Y	Language assigned to family (C_LANGUAGES).
SWIC	F_CASELOADS	CP2_ID	NUMBER	22	Y	Priority of the client determined based on risk factors assigned.
SWIC	F_CASELOADS	CAT_CATEGORY_CODE	VARCHAR2	3	N	Category code for the client (C_CATEGORIES).
SWIC	F_CASELOADS	CEG_ETHNIC_GROUP_CODE	NUMBER	22	Y	Ethnic group for the client (C_ETHNIC_GROUPS).
SWIC	F_CASELOADS	FPL_ID	NUMBER	22	Y	Poverty ID for the client
SWIC	F_CASELOADS	CLIENT_COUNT	NUMBER	22	N	Caseload count.
SWIC	F_CASELOADS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	F_CASELOADS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	F_CASELOADS	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	F_CASELOADS	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	F_CASELOADS_INITIAL	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	F_CASELOADS_INITIAL	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last created.
SWIC	F_CASELOADS_INITIAL	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was modified.
SWIC	F_CASELOADS_INITIAL	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	F_CASELOADS_INITIAL	CASELOAD_ID	NUMBER	22	Y	System generated unique identifier.
SWIC	F_CASELOADS_INITIAL	FBU_FFY_MONTH	NUMBER	22	N	Fiscal Month the caseload is calculated for.
SWIC	F_CASELOADS_INITIAL	FBU_FFY_FY	NUMBER	22	N	Fiscal Year the caseload is calculated for.
SWIC	F_CASELOADS_INITIAL	FC_CASELOAD_TYPE_CODE	NUMBER	22	N	Identifies the type of caseload record (ENROLLMENT, PARTICIPATION, MIGRANT).
SWIC	F_CASELOADS_INITIAL	OU_SEQ_ID	NUMBER	22	N	Clinic the client belongs to (ID_ORGANIZATIONAL_UNITS).
SWIC	F_CASELOADS_INITIAL	LANG_LANGUAGE_CODE	NUMBER	22	Y	Language assigned to family (C_LANGUAGES).
SWIC	F_CASELOADS_INITIAL	CP2_ID	NUMBER	22	Y	Priority of the client determined based on risk factors assigned.
SWIC	F_CASELOADS_INITIAL	CAT_CATEGORY_CODE	VARCHAR2	3	N	Category code for the client (C_CATEGORIES).
SWIC	F_CASELOADS_INITIAL	CEG_ETHNIC_GROUP_CODE	NUMBER	22	Y	Ethnic group for the client (C_ETHNIC_GROUPS).
SWIC	F_CASELOADS_INITIAL	FPL_ID	NUMBER	22	Y	Poverty ID for the client
SWIC	F_CASELOADS_INITIAL	CLIENT_COUNT	NUMBER	22	N	Caseload count.
SWIC	F_CASELOADS_TEST	CASELOAD_ID	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	FBU_FFY_MONTH	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	FBU_FFY_FY	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	FC_CASELOAD_TYPE_CODE	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	OU_SEQ_ID	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	LANG_LANGUAGE_CODE	NUMBER	22	Y	
SWIC	F_CASELOADS_TEST	CP2_ID	NUMBER	22	Y	
SWIC	F_CASELOADS_TEST	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	F_CASELOADS_TEST	CEG_ETHNIC_GROUP_CODE	NUMBER	22	Y	
SWIC	F_CASELOADS_TEST	FPL_ID	NUMBER	22	Y	
SWIC	F_CASELOADS_TEST	CLIENT_COUNT	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	CASELOAD_ID	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	FBU_FFY_MONTH	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	FBU_FFY_FY	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	FC_CASELOAD_TYPE_CODE	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	OU_SEQ_ID	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	LANG_LANGUAGE_CODE	NUMBER	22	Y	
SWIC	F_CASELOADS_TEST	CP2_ID	NUMBER	22	Y	
SWIC	F_CASELOADS_TEST	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	F_CASELOADS_TEST	CEG_ETHNIC_GROUP_CODE	NUMBER	22	Y	
SWIC	F_CASELOADS_TEST	FPL_ID	NUMBER	22	Y	
SWIC	F_CASELOADS_TEST	CLIENT_COUNT	NUMBER	22	N	
SWIC	F_CASELOADS_TEST	DATE_CREATED	DATE	7	N	
SWIC	F_CASELOADS_TEST	CREATED_BY	VARCHAR2	32	N	
SWIC	F_CASELOADS_TEST	DATE_MODIFIED	DATE	7	N	
SWIC	F_CASELOADS_TEST	MODIFIED_BY	VARCHAR2	32	N	
SWIC	F_CASELOADS_TEST	CC_CLIENT_ID	NUMBER	22	N	
SWIC	F_CASELOADS_ERRORS	FBU_FFY_FY	NUMBER	22	N	
SWIC	F_CASELOAD_ERRORS	FBU_FFY_MONTH	NUMBER	22	N	
SWIC	F_CASELOAD_ERRORS	ERRORS_CODE	VARCHAR2	4000	N	
SWIC	F_CASELOAD_ERRORS	DATE_CREATED	DATE	7	N	
SWIC	F_CASELOAD_ERRORS	ERRORS_TYPE	VARCHAR2	32	N	
SWIC	F_CASELOAD_ERRORS	ERRORS_DATE	VARCHAR2	100	Y	
SWIC	F_CASELOAD_ERRORS	DATE_MODIFIED	DATE	7	Y	
SWIC	F_CASELOAD_ERRORS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	F_CASELOAD_ERRORS	FBU_FFY_FY	NUMBER	22	N	
SWIC	F_CASELOAD_ERRORS	FBU_FFY_MONTH	NUMBER	22	N	
SWIC	F_CASELOAD_ERRORS	ERRORS_CODE	VARCHAR2	4000	N	
SWIC	F_CASELOAD_ERRORS	DATE_CREATED	DATE	7	N	
SWIC	F_CASELOAD_ERRORS	ERRORS_TYPE	VARCHAR2	32	N	
SWIC	F_CASELOAD_ERRORS	ERRORS_DATE	VARCHAR2	100	Y	
SWIC	F_CASELOAD_ERRORS	DATE_MODIFIED	DATE	7	Y	
SWIC	F_CASELOAD_ERRORS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	F_CASELOAD_JOURNAL_ENTRY	FBU_FFY_FY	NUMBER	22	N	
SWIC	F_CASELOAD_JOURNAL_ENTRY	FBU_FFY_MONTH	NUMBER	22	N	
SWIC	F_CASELOAD_JOURNAL_ENTRY	CC_CLIENT_ID	NUMBER	22	N	
SWIC	F_CASELOAD_JOURNAL_ENTRY	OU_SEQ_ID	NUMBER	22	N	
SWIC	F_CASELOAD_JOURNAL_ENTRY	CERT_FLAG	VARCHAR2	1	Y	
SWIC	F_CASELOAD_JOURNAL_ENTRY	PART_FLAG	VARCHAR2	1	Y	
SWIC	F_CASELOAD_JOURNAL_ENTRY	NEW_CERT_FLAG	VARCHAR2	1	Y	
SWIC	F_CASELOAD_JOURNAL_ENTRY	NEW_PART_FLAG	VARCHAR2	1	Y	
SWIC	F_CASELOAD_JOURNAL_ENTRY	DATE_CREATED	DATE	7	N	
SWIC	F_CASELOAD_JOURNAL_ENTRY	CREATED_BY	VARCHAR2	32	N	
SWIC	F_CASELOAD_JOURNAL_ENTRY	DATE_MODIFIED	DATE	7	Y	
SWIC	F_CASELOAD_JOURNAL_ENTRY	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	FBU_FFY_MONTH	NUMBER	22	N	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	FBU_FYSCAL_DATE_BEGIN	DATE	7	Y	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	FBU_ISM_MONTH_BEGIN	DATE	7	Y	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	LOCKDOWN_FLAG	NUMBER	22	Y	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	LOCKDOWN_DATE	DATE	7	Y	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	LOCKDOWN_BY	VARCHAR2	60	Y	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	DATE_CREATED	DATE	7	Y	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	CREATED_BY	VARCHAR2	60	Y	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	DATE_MODIFIED	DATE	7	Y	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	MODIFIED_BY	VARCHAR2	60	Y	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	FBU_FFY_FY	NUMBER	22	N	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	FBU_FFY_MONTH	NUMBER	22	N	
SWIC	F_CASELOAD_LOCKDOWN_HEADER	REBULD_DATE	DATE	7	N	
SWIC	F_CASELOAD_REBULD_LOG	TYPE_CODE	VARCHAR2	10	N	
SWIC	F_CASELOAD_REBULD_LOG	CC_CLIENT_ID	NUMBER	22	N	
SWIC	F_CASELOAD_REBULD_LOG	FBU_FFY_FY	NUMBER	22	N	
SWIC	F_CASELOAD_REBULD_LOG	FBU_FFY_MONTH	NUMBER	22	N	
SWIC	F_CASELOAD_REBULD_LOG	O_OU_SEQ_ID	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_CAT_CATEGORY_CODE	VARCHAR2	4000	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_CP2_ID	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_LANG_LANGUAGE_CODE	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_CEG_ETHNIC_GROUP_CODE	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_DATE_CREATED	DATE	7	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_CREATED_BY	VARCHAR2	100	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_CERTIFIED_FLAG	CHAR	1	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_PARTICIPANT_FLAG	CHAR	1	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_MIGRANT_FLAG	VARCHAR2	1	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_INCOME	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_FAMILY_SIZE	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_DATE_MODIFIED	DATE	7	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_DATE_CREATED	DATE	7	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_FC_CASELOAD_TYPE_CODE	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_BIRTH_DATE	DATE	7	Y	
SWIC	F_CASELOAD_REBULD_LOG	O_OU_AGENCY_CODE	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_OU_SEQ_ID	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_CAT_CATEGORY_CODE	VARCHAR2	4000	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_CP2_ID	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_LANG_LANGUAGE_CODE	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_CEG_ETHNIC_GROUP_CODE	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_DATE_CREATED	DATE	7	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_CREATED_BY	VARCHAR2	100	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_CERTIFIED_FLAG	CHAR	1	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_PARTICIPANT_FLAG	CHAR	1	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_MIGRANT_FLAG	VARCHAR2	1	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_INCOME	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_FAMILY_SIZE	NUMBER	22	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_DATE_MODIFIED	DATE	7	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_DATE_CREATED	DATE	7	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_FC_CASELOAD_TYPE_CODE	VARCHAR2	100	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_BIRTH_DATE	DATE	7	Y	
SWIC	F_CASELOAD_REBULD_LOG	R_OU_AGENCY_CODE	NUMBER	22	Y	
SWIC	F_CASELOAD_TYPS	CASELOAD_TYPE_CODE	NUMBER	22	N	The system generated unique identifier.
SWIC	F_CASELOAD_TYPS	DESCRIPTION	VARCHAR2	60	N	The description of the caseload type.
SWIC	F_CASELOAD_TYPS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	F_CASELOAD_TYPS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	F_CASELOAD_TYPS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	F_CASELOAD_TYPS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	F_CASELOAD_TYPS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	F_CASELOAD_TYPS	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	F_CASELOAD_TYPE_DETAILS	CC_CLIENT_ID	NUMBER	22	N	Identifies the participant or client (C_CLIENTS).
SWIC	F_CASELOAD_TYPE_DETAILS	FBU_FFY_FY	NUMBER	22	N	Fiscal Month the caseload is calculated for.
SWIC	F_CASELOAD_TYPE_DETAILS	FBU_FFY_MONTH	NUMBER	22	N	Fiscal Month the caseload is calculated for.
SWIC	F_CASELOAD_TYPE_DETAILS	OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (ID_ORGANIZATIONAL_UNITS).
SWIC	F_CASELOAD_TYPE_DETAILS	CAT_CATEGORY_CODE	VARCHAR2	3	N	Category code for the client (C_CATEGORIES).
SWIC	F_CASELOAD_TYPE_DETAILS	CP2_ID	NUMBER	22	Y	Priority of the client determined based on risk factors assigned.
SWIC	F_CASELOAD_TYPE_DETAILS	LANG_LANGUAGE_CODE	NUMBER	22	Y	Language assigned to family (C_LANGUAGES).
SWIC	F_CASELOAD_TYPE_DETAILS	CEG_ETHNIC_GROUP_CODE	NUMBER	22	Y	Ethnic group for the client (C_ETHNIC_GROUPS).
SWIC	F_CASELOAD_TYPE_DETAILS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	F_CASELOAD_TYPE_DETAILS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	F_CASELOAD_TYPE_DETAILS	PARTICIPANT_FLAG	VARCHAR2	1	Y	Flag indicating if the client is enrolled for the fiscal month and year.
SWIC	F_CASELOAD_TYPE_DETAILS	MIGRANT_FLAG	VARCHAR2	1	Y	Flag indicating if the client is a migrant for the fiscal month and year.
SWIC	F_CASELOAD_TYPE_DETAILS	INCOME	NUMBER	22	Y	Income for the family economic unit.
SWIC	F_CASELOAD_TYPE_DETAILS	FAMILY_SIZE	NUMBER	22	Y	Size of the family economic unit.
SWIC	F_CASELOAD_TYPE_DETAILS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	F_CASELOAD_TYPE_DETAILS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	F_CASELOAD_TYPE_DETAILS	FC_CASELOAD_TYPE_CODE	NUMBER	22	Y	UNUSERS FOR MI-WVC
SWIC	F_CASELOAD_TYPE_DETAILS	BIRTH_DATE	DATE	7	Y	UNUSERS FOR MI-WVC
SWIC	F_CASELOAD_TYPE_DETAILS	OU_AGENCY_CODE	NUMBER	22	Y	UNUSERS FOR MI-WVC
SWIC	F_CASE_ASSIGNMENTS	FBU_FFY_FY	NUMBER	22	N	The federal fiscal year of the financial factor.
SWIC	F_CASE_ASSIGNMENTS	OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (ID_ORGANIZATIONAL_UNITS).
SWIC	F_CASE_ASSIGNMENTS	ASSIGNED	NUMBER	22	N	The assigned participant allocation for this period.
SWIC	F_CASE_ASSIGNMENTS	ALLOC_FACTOR	NUMBER	22	N	The percentage of estimated participation assigned.
SWIC	F_CASE_ASSIGNMENTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	F_CASE_ASSIGNMENTS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	F_CASE_ASSIGNMENTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	F_CASE_ASSIGNMENTS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	F_CASE_ASSIGNMENTS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	F_CASE_ASSIGNMENTS	PERFORMANCE_BASED_FUNDS	NUMBER	22	Y	Stores performance based funds assigned to a Local Agency
SWIC	F_CASE_ASSIGNMENTS	OTHER_SPECIAL_FUNDS	NUMBER	22	Y	Stores Other Special Funds assigned to a Local Agency
SWIC	F_CASE_CATEGORIES_VIEW	CATEGORY_CODE	VARCHAR2	5	Y	
SWIC	F_CASE_CATEGORIES_VIEW	DESCRIPTION	VARCHAR2	40	Y	
SWIC	F_MANUFACTURERS	MFR_ID	NUMBER	22	N	The manufacturer's federal identification number.
SWIC	F_MANUFACTURERS	MFR_NAME	VARCHAR2	35	N	The manufacturer's name.
SWIC	F_MANUFACTURERS	ADDRESS1	VARCHAR2	60	N	The first line of the manufacturer's address.
SWIC	F_MANUFACTURERS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	F_MANUFACTURERS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	F_MANUFACTURERS	FAX_NUMBER	NUMBER	22	Y	The manufacturer's fax number.





SWIC	INVESTIG LU SOURCE	ID	NUMBER	22	N	Unique numeric identifier for investigation status id.
SWIC	INVESTIG LU SOURCE	SORT ORDER	NUMBER	22	Y	Determines the order that items are displayed.
SWIC	INVESTIG LU SOURCE	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for investigation status.
SWIC	INVESTIG LU SOURCE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	INVESTIG LU SOURCE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	INVESTIG LU SOURCE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	INVESTIG LU SOURCE	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	INVESTIG LU SOURCE	ACTIVE	NUMBER	22	N	Indicates if the loop-up value is active in system
SWIC	INVESTIG REDEM COMPLIANCE BUY	EBTTRANSACTIONID	VARCHAR2	50	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	ACTIVITY ID	NUMBER	22	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	BEGIN MONTH	NUMBER	22	N	The beginning month of the age range.
SWIC	INVESTIG REDEM COMPLIANCE BUY	END MONTH	NUMBER	22	N	The ending month of the age range.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	INVESTIG REDEM COMPLIANCE BUY	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	INVESTIG REDEM COMPLIANCE BUY	EGS EFFECTIVE DATE	DATE	7	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	EGS CAT CATEGORY CODE	VARCHAR2	3	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	EGS AR2 BEGIN MONTH	NUMBER	22	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	EGS AR2 END MONTH	NUMBER	22	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	IPRO PRODUCT CODE	NUMBER	22	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	FEDERAL MAX	NUMBER	22	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	FULL NUTRITION BENEFIT	NUMBER	22	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	CAT_CATEGORY_CODE	VARCHAR2	3	N	The verification category code (I_CATEGORIES).
SWIC	INVESTIG REDEM COMPLIANCE BUY	AR2 BEGIN MONTH	NUMBER	22	N	The beginning month of the age range (I_AGE_RANGES).
SWIC	INVESTIG REDEM COMPLIANCE BUY	AR2 END MONTH	NUMBER	22	N	The ending month of the age range (I_AGE_RANGES).
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	INVESTIG REDEM COMPLIANCE BUY	EFFECTIVE DATE	DATE	7	N	The date from which the new category age ranges will be effective.
SWIC	INVESTIG REDEM COMPLIANCE BUY	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	INVESTIG REDEM COMPLIANCE BUY	EGS CAT CATEGORY CODE	VARCHAR2	3	N	The verification category code (I_CATEGORY_GROUPS).
SWIC	INVESTIG REDEM COMPLIANCE BUY	EGS AR2 BEGIN MONTH	NUMBER	22	N	The beginning month of the age range (I_CATEGORY_GROUPS).
SWIC	INVESTIG REDEM COMPLIANCE BUY	EGS AR2 END MONTH	NUMBER	22	N	The ending month of the age range (I_CATEGORY_GROUPS).
SWIC	INVESTIG REDEM COMPLIANCE BUY	IFP FOOD PACKAGE ID	VARCHAR2	22	N	The unique identifier of the food package (I_FOOD_PACKAGES).
SWIC	INVESTIG REDEM COMPLIANCE BUY	PREFERRED FLAG	VARCHAR2	1	N	Indicates whether this is the preferred standard food package.
SWIC	INVESTIG REDEM COMPLIANCE BUY	PKG_PREF_ORDER	NUMBER	22	N	The sort sequence in which the packages are displayed when searching.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CG CLIENT ID	DATE	7	N	The date from which the new category age ranges will be effective.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CG CLIENT ID	NUMBER	22	N	The unique identifier of the client (I_CLIENTS).
SWIC	INVESTIG REDEM COMPLIANCE BUY	ORR ORR ISSUE REASON CODE	VARCHAR2	22	N	The unique identifier of the over issue reason (I_CLIENT_OVER_ISSUE_REASONS).
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	BENEFIT ISSUE NUMBER	VARCHAR2	50	Y	The unique identifier for the benefits issuance.
SWIC	INVESTIG REDEM COMPLIANCE BUY	ISSUE MONTH	NUMBER	22	Y	The issue month for which the benefits are applicable.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CONTAINER CODE	NUMBER	22	N	The unique identifier for the container type.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DESCRIPTION	VARCHAR2	80	N	The description of the container type.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	INVESTIG REDEM COMPLIANCE BUY	IFP UPC PACKAGE SIZE CODE	VARCHAR2	3	N	TO DO
SWIC	INVESTIG REDEM COMPLIANCE BUY	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	INVESTIG REDEM COMPLIANCE BUY	IF FOOD ID	NUMBER	22	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	QUANTITY	NUMBER	22	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	REBATABLE	NUMBER	22	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	RECORD STATUS	NUMBER	22	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	RECORD MODIFIED	NUMBER	22	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	STD PACKAGE ID	VARCHAR2	8	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	MATCHING PACKAGE ID	VARCHAR2	8	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	DISPOSITION CODE	VARCHAR2	1	N	The system generated unique identifier.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DESCRIPTION	VARCHAR2	60	N	The description of the disposition.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	INVESTIG REDEM COMPLIANCE BUY	PRIMARY ALT PNO	NUMBER	22	N	Flag indicating if the purchase was made by a card belonging to both Authorized Person or the Proxy.
SWIC	INVESTIG REDEM COMPLIANCE BUY	TRANSACTION CODE	NUMBER	22	N	The transaction code for the EBT redemption transaction.
SWIC	INVESTIG REDEM COMPLIANCE BUY	TRANSACTION LOG DATE	DATE	7	N	The date of the EBT redemption transaction.
SWIC	INVESTIG REDEM COMPLIANCE BUY	TRANSACTION_LOG_TIME	NUMBER	22	N	The time of the EBT redemption transaction.
SWIC	INVESTIG REDEM COMPLIANCE BUY	TRANSACTION RESPONSE CODE	NUMBER	22	N	Response code for the transaction.
SWIC	INVESTIG REDEM COMPLIANCE BUY	BENEFIT TYPE	VARCHAR2	6	N	Benefit Type - hard coded to WIC for this interface
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREDIT DEBIT CODE	VARCHAR2	2	N	Indicates if the transaction was a credit (C) transaction or a debit (DB) transaction.
SWIC	INVESTIG REDEM COMPLIANCE BUY	REQUIRED PRICE	NUMBER	22	N	Price the vendor requested for the purchase.
SWIC	INVESTIG REDEM COMPLIANCE BUY	SETTLED PRICE	NUMBER	22	N	The settled price for the redemption.
SWIC	INVESTIG REDEM COMPLIANCE BUY	SETTLED DATE	DATE	7	N	The Settled date for the transaction comes from account activity file
SWIC	INVESTIG REDEM COMPLIANCE BUY	BUSINESS DATE	DATE	7	N	The calendar date on which the transaction occurred.
SWIC	INVESTIG REDEM COMPLIANCE BUY	POS ID	VARCHAR2	15	Y	The unique identifier of the terminal used to make the purchase.
SWIC	INVESTIG REDEM COMPLIANCE BUY	VENDOR_NAME	VARCHAR2	15	Y	The name of the vendor at which the purchase was made.
SWIC	INVESTIG REDEM COMPLIANCE BUY	VENDOR_LOCATION	VARCHAR2	40	Y	The address of the vendor at which the purchase was made.
SWIC	INVESTIG REDEM COMPLIANCE BUY	ENTRY TYPE	CHAR	1	Y	Indicates how card was used (Keyed or Swiped) while purchasing benefit.
SWIC	INVESTIG REDEM COMPLIANCE BUY	AUTHORIZATION NUMBER	VARCHAR2	8	Y	The authorization identifier for the EBT redemption transaction.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CFU FAMILY ID	VARCHAR2	15	N	The unique identifier for the family (I_FAMILY_ECONOMIC_UNITS).
SWIC	INVESTIG REDEM COMPLIANCE BUY	CFU CARD NO	NUMBER	22	N	The card number for the EBT account.
SWIC	INVESTIG REDEM COMPLIANCE BUY	VV VENDOR NUMBER	VARCHAR2	8	Y	The unique identifier of the vendor where the benefits were redeemed (V_VENDORS).
SWIC	INVESTIG REDEM COMPLIANCE BUY	FEE FEER GROUP ID	NUMBER	22	Y	The vendor zero approval identifier.
SWIC	INVESTIG REDEM COMPLIANCE BUY	OU SEQ ID	NUMBER	22	N	The unique identifier for the clinic issuing the benefits (O_ORGANIZATIONAL_UNITS).
SWIC	INVESTIG REDEM COMPLIANCE BUY	CONTROL NUMBER	NUMBER	22	N	The unique identifier for the batch file the redemption record was contained in.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	PAN	VARCHAR2	16	Y	Card number impacted by transaction.
SWIC	INVESTIG REDEM COMPLIANCE BUY	PROGRAM TYPE	VARCHAR2	2	Y	hard coded to "W" for WIC for this interface.
SWIC	INVESTIG REDEM COMPLIANCE BUY	ADJUSTMENT_TRACKING_NUMBER	VARCHAR2	20	Y	Tracking number assigned to adjustment transaction.
SWIC	INVESTIG REDEM COMPLIANCE BUY	TRANSACTION DATE	DATE	7	Y	Date the transaction took place
SWIC	INVESTIG REDEM COMPLIANCE BUY	TRANSACTION TIME	NUMBER	22	Y	Time the transaction took place
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREDIT DEBIT CODE	VARCHAR2	1	Y	Indicates if it was a credit or a debit transaction
SWIC	INVESTIG REDEM COMPLIANCE BUY	TRANSACTION AMOUNT	NUMBER	22	Y	Amount of the transaction
SWIC	INVESTIG REDEM COMPLIANCE BUY	REQUESTED DISPUTE AMOUNT	NUMBER	22	Y	Requested amount of Dispute
SWIC	INVESTIG REDEM COMPLIANCE BUY	REASON TYPE	VARCHAR2	2	Y	Reason for Dispute (RC-Retailer requested Debit to Client, CR-Client Requested Debit to retailer)
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE OF DISPUTE	DATE	7	Y	Date of dispute
SWIC	INVESTIG REDEM COMPLIANCE BUY	DISPUTE STATUS	VARCHAR2	1	Y	Status of Dispute (NLS,LCR)
SWIC	INVESTIG REDEM COMPLIANCE BUY	DISPUTE_STATUS_CHANGE	DATE	7	Y	Date of dispute status change
SWIC	INVESTIG REDEM COMPLIANCE BUY	APPROVED CAT	NUMBER	22	Y	Approved category impacted by dispute
SWIC	INVESTIG REDEM COMPLIANCE BUY	APPROVED SUBCAT	NUMBER	22	Y	Approved sub-cat impacted by dispute
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	APPROVED QUANTITY	NUMBER	22	Y	Approved quantity
SWIC	INVESTIG REDEM COMPLIANCE BUY	APPROVED DISPUTE AMOUNT	NUMBER	22	Y	Approved dispute amount
SWIC	INVESTIG REDEM COMPLIANCE BUY	AUTHORIZATION NUMBER	VARCHAR2	8	Y	The authorization identifier for the EBT redemption transaction.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CFU FAMILY ID	VARCHAR2	15	N	The unique identifier for the family (I_FAMILY_ECONOMIC_UNITS).
SWIC	INVESTIG REDEM COMPLIANCE BUY	VULC CAT CODE	VARCHAR2	2	Y	The UPC category of the food (V_LU UPC CATEGORY).
SWIC	INVESTIG REDEM COMPLIANCE BUY	VULC SUB CAT CODE	VARCHAR2	3	Y	The UPC sub-category of the food (V_LU UPC SUBCAT).
SWIC	INVESTIG REDEM COMPLIANCE BUY	QUANTITY	NUMBER	22	Y	The quantity of the food redeemed.
SWIC	INVESTIG REDEM COMPLIANCE BUY	VV VENDOR NUMBER	VARCHAR2	7	Y	The unique identifier of the vendor where the benefits were redeemed (V_VENDORS).
SWIC	INVESTIG REDEM COMPLIANCE BUY	OU SEQ ID	NUMBER	22	Y	The unique identifier for the clinic issuing the benefits (O_ORGANIZATIONAL_UNITS).
SWIC	INVESTIG REDEM COMPLIANCE BUY	CONTROL NUMBER	NUMBER	22	Y	The unique identifier for the batch file the redemption record was contained in.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	BENEFIT ISSUE NUMBER	VARCHAR2	50	Y	Benefit issue number for the expired benefits
SWIC	INVESTIG REDEM COMPLIANCE BUY	CFU FAMILY ID	VARCHAR2	9	N	Family ID number for the expired benefits (C_FAMILY_ECONOMIC_UNITS)
SWIC	INVESTIG REDEM COMPLIANCE BUY	EXPIRED QUANTITY	NUMBER	22	N	Expired quantity
SWIC	INVESTIG REDEM COMPLIANCE BUY	VULC CAT CODE	VARCHAR2	2	N	Category code (V_LU UPC CATEGORY CODE)
SWIC	INVESTIG REDEM COMPLIANCE BUY	VULC SUB CAT CODE	VARCHAR2	3	N	Sub cat (V_LU UPC SUB CAT)
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	INVESTIG REDEM COMPLIANCE BUY	EXPIRE DATE	DATE	7	N	Expiry date for the benefits.
SWIC	INVESTIG REDEM COMPLIANCE BUY	BENEFIT START DATE	DATE	7	N	Start Date for the Expired Benefits
SWIC	INVESTIG REDEM COMPLIANCE BUY	SN_NSI	NUMBER	22	Y	System generated unique identifier.
SWIC	INVESTIG REDEM COMPLIANCE BUY	CONTROL NUMBER	NUMBER	22	Y	Unique identifier for the batch file containing the expired benefits.
SWIC	INVESTIG REDEM COMPLIANCE BUY	BENEFIT START DATE	DATE	7	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	BENEFIT_END_DATE	DATE	7	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	VULC CAT CODE	VARCHAR2	2	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	VULC SUB CAT CODE	VARCHAR2	3	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	ACTIVITY TYPE	VARCHAR2	50	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	ACTIVITY DATE	DATE	7	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	INITIAL QUANTITY	NUMBER	22	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	REMAINING QUANTITY	NUMBER	22	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	TRANSACTION QUANTITY	NUMBER	22	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	APPROX QUANTITY	NUMBER	22	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	TRANSACTION_TYPE	VARCHAR2	15	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE CREATED	DATE	7	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	CREATED BY	VARCHAR2	32	N	
SWIC	INVESTIG REDEM COMPLIANCE BUY	DATE MODIFIED	DATE	7	Y	
SWIC	INVESTIG REDEM COMPLIANCE BUY	MODIFIED BY	VARCHAR2	32	Y	

SWIC	I	EBT BENEFITS FROM EBT	BENEFIT TYPE	VARCHAR2	30	Y	
SWIC	I	EBT BENEFITS FROM EBT	BENEFIT ISSUE NUMBER	NUMBER	50	Y	
SWIC	I	EBT BENEFITS ISSUED	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT BENEFITS ISSUED	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT BENEFITS ISSUED	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT BENEFITS ISSUED	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT BENEFITS ISSUED	BENEFIT ISSUE NUMBER	NUMBER	50	N	The unique identifier for the benefits issuance.
SWIC	I	EBT BENEFITS ISSUED	CFU FAMILY ID	NUMBER	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	I	EBT BENEFITS ISSUED	OU SEQ ID	NUMBER	22	N	The unique identifier for the clinic issuing the benefits (O_ORGANIZATIONAL UNITS).
SWIC	I	EBT BENEFITS ISSUED	BENEFIT END DATE	DATE	7	N	The expiration date of the benefits.
SWIC	I	EBT BENEFITS ISSUED	F FOOD ID	NUMBER	22	N	The unique identifier of the food (I_FOODS).
SWIC	I	EBT BENEFITS ISSUED	QUANTITY	NUMBER	22	N	The quantity of the food item allowed by the food package.
SWIC	I	EBT BENEFITS ISSUED	VLUC CAT CODE	VARCHAR2	2	N	The UPC category of the food (V_LU UPC CATEGORY).
SWIC	I	EBT BENEFITS ISSUED	VLUS SUB CAT CODE	VARCHAR2	3	N	The UPC sub-category of the food (V_LU UPC SUBCAT).
SWIC	I	EBT BENEFITS ISSUED	ISSUE MONTH	NUMBER	22	N	The issue month for which the benefits are applicable.
SWIC	I	EBT BENEFITS ISSUED	BENEFIT START DATE	DATE	7	N	The first date on which the benefits can be redeemed.
SWIC	I	EBT BENEFITS ISSUED	ISSUE YEAR	NUMBER	32	N	The issue year for which the benefits are applicable.
SWIC	I	EBT BENEFITS ISSUED	SL_NO	NUMBER	22	N	Serial number
SWIC	I	EBT BENEFITS ISSUED	SENT TO EBT	NUMBER	22	Y	Sent to EPPIC flag will be used for void
SWIC	I	EBT BENEFITS ISSUED PF	SL_NO MODIFIED	NUMBER	22	N	Serial number
SWIC	I	EBT BENEFITS ISSUED PF	OU SEQ ID	NUMBER	22	N	The unique identifier for the clinic issuing the benefits (O_ORGANIZATIONAL UNITS).
SWIC	I	EBT BENEFITS ISSUED PF	CFU FAMILY ID	NUMBER	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	I	EBT BENEFITS ISSUED PF	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS).
SWIC	I	EBT BENEFITS ISSUED PF	ISSUE YEAR	NUMBER	22	N	The issue year for which the benefits are applicable.
SWIC	I	EBT BENEFITS ISSUED PF	VLUC CAT CODE	VARCHAR2	2	N	The category code of the food issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	VLUS SUB CAT CODE	VARCHAR2	3	N	The sub cat of the food issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	AMOUNT	NUMBER	22	N	The amount issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	BENEFIT ISSUE NUMBER	NUMBER	50	N	The unique identifier for the benefits issuance (I_EBT BENEFITS ISSUED).
SWIC	I	EBT BENEFITS ISSUED PF	BENEFIT START DATE	DATE	7	N	The first date on which the benefits can be redeemed.
SWIC	I	EBT BENEFITS ISSUED PF	BENEFIT END DATE	DATE	7	N	The expiration date of the benefits.
SWIC	I	EBT BENEFITS ISSUED PF	SENT TO EPPIC	NUMBER	22	Y	Sent to EPPIC flag will be used for void
SWIC	I	EBT BENEFITS ISSUED PF	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT BENEFITS ISSUED PF	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT BENEFITS ISSUED PF	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT BENEFITS ISSUED PF	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT BENEFITS ISSUED PF	FS_SEQ ID	NUMBER	22	Y	The Funding Source code's FUNDING SOURCES).
SWIC	I	EBT BENEFITS ISSUED PF	F FOOD ID	NUMBER	22	Y	The UPC food id issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	QUANTITY	NUMBER	22	N	Tel quantity of food issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	VLUC CAT CODE	VARCHAR2	2	Y	The category code of the food issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	VLUS SUB CAT CODE	VARCHAR2	3	Y	The sub cat of the food issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	VOIDED	NUMBER	22	N	Flag set to true if the entire benefit issue number is voided by user.
SWIC	I	EBT BENEFITS ISSUED PF	CC_CLIENT START DATE	DATE	7	Y	Cert Start Date for the food prescription record that the issuance is based on.
SWIC	I	EBT BENEFITS ISSUED PF	BENEFIT_ISSUE_NUMBER	NUMBER	50	N	The unique identifier for the benefits issuance (I_EBT BENEFITS ISSUED).
SWIC	I	EBT BENEFITS ISSUED PF	CFU_FAMILY_ID	NUMBER	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	I	EBT BENEFITS ISSUED PF	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS).
SWIC	I	EBT BENEFITS ISSUED PF	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT BENEFITS ISSUED PF	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT BENEFITS ISSUED PF	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT BENEFITS ISSUED PF	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT BENEFITS ISSUED PF	ISSUE MONTH	NUMBER	22	N	The issue month for which the benefits are applicable.
SWIC	I	EBT BENEFITS ISSUED PF	FP_FOOD_PACKAGE_ID	NUMBER	8	Y	The effective date for benefits related to the food package.
SWIC	I	EBT BENEFITS ISSUED PF	CFPP_EFFECTIVE DATE	DATE	7	Y	The effective date for benefits related to the food package.
SWIC	I	EBT BENEFITS ISSUED PF	BENEFIT ISSUE NUMBER	NUMBER	50	N	The unique identifier for the benefits issuance (I_EBT BENEFITS ISSUED).
SWIC	I	EBT BENEFITS ISSUED PF	CFU_FAMILY_ID	NUMBER	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	I	EBT BENEFITS ISSUED PF	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS).
SWIC	I	EBT BENEFITS ISSUED PF	ISSUE MONTH	NUMBER	22	N	The issue month for which the benefits are applicable.
SWIC	I	EBT BENEFITS ISSUED PF	ISSUE YEAR	NUMBER	22	N	The issue year for which the benefits are applicable.
SWIC	I	EBT BENEFITS ISSUED PF	F FOOD ID	NUMBER	22	N	The UPC food id issued to the client.
SWIC	I	EBT BENEFITS ISSUED PF	QUANTITY	NUMBER	22	N	The CVV updated quantity of food issued to the client.
SWIC	I	EBT BENEFITS ISSUED PF	BEFORE QUANTITY	NUMBER	22	N	The quantity of food issued to the client before CVV changes.
SWIC	I	EBT BENEFITS ISSUED PF	VLUC CAT CODE	VARCHAR2	2	Y	The category code of the food issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	VLUS SUB CAT CODE	VARCHAR2	3	Y	The sub cat of the food issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT BENEFITS ISSUED PF	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT BENEFITS ISSUED PF	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT BENEFITS ISSUED PF	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT BENEFITS ISSUED PF	ISSUE MONTH	NUMBER	22	N	The issue month for which the benefits are applicable.
SWIC	I	EBT BENEFITS ISSUED PF	ISSUE YEAR	NUMBER	22	N	The issue year for which the benefits are applicable.
SWIC	I	EBT BENEFITS ISSUED PF	FP_FOOD_PACKAGE_ID	NUMBER	8	Y	The effective date for benefits related to the food package.
SWIC	I	EBT BENEFITS ISSUED PF	CFPP_EFFECTIVE DATE	DATE	7	Y	The effective date for benefits related to the food package.
SWIC	I	EBT BENEFITS ISSUED PF	F FOOD ID	NUMBER	22	N	The UPC food id issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	QUANTITY	NUMBER	22	N	Tel quantity of food issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	VLUC CAT CODE	VARCHAR2	2	Y	The category code of the food issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	VLUS SUB CAT CODE	VARCHAR2	3	Y	The sub cat of the food issued to the client
SWIC	I	EBT BENEFITS ISSUED PF	VOIDED	NUMBER	22	N	Flag set to true if the entire benefit issue number is voided by user.
SWIC	I	EBT BENEFITS ISSUED PF	CC_CLIENT_START_DATE	DATE	7	Y	Cert Start Date for the food prescription record that the issuance is based on.
SWIC	I	EBT BENEFITS REDEM	EBT_TRANSACTION_ID	NUMBER	22	N	The transaction code for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	TRANSACTION TYPE ID	NUMBER	3	Y	The transaction code for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	EBT_TRANSACTION_DATE	DATE	7	Y	The date the transaction was registered within the EBT system (can be different than the vendor's transaction date/time). This is the best column for understanding the sequence of events.
SWIC	I	EBT BENEFITS REDEM	EBT_TRANSACTION_TIME	DATE	7	Y	The date the transaction was registered within the EBT system (can be different than the vendor's transaction date/time). This is the best column for understanding the sequence of events.
SWIC	I	EBT BENEFITS REDEM	V_VENDOR_NUMBER	NUMBER	8	Y	The unique identifier of the vendor where the benefits were redeemed (V_VENDORS).
SWIC	I	EBT BENEFITS REDEM	TRANSACTION LOG DATE	DATE	7	N	The date of the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	TRANSACTION LOG TIME	NUMBER	22	N	The time of the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	PEE_PEER_GROUP ID	NUMBER	22	Y	The vendor peer group identifier.
SWIC	I	EBT BENEFITS REDEM	SETTLED_DATE	DATE	7	Y	The settled date for the transaction comes from account activity file
SWIC	I	EBT BENEFITS REDEM	SEQ ID	NUMBER	22	N	The unique identifier number
SWIC	I	EBT BENEFITS REDEM	CFU_FAMILY_ID	NUMBER	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	I	EBT BENEFITS REDEM	OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic issuing the benefits (O_ORGANIZATIONAL UNITS).
SWIC	I	EBT BENEFITS REDEM	CEA_CARD_NO	NUMBER	22	Y	The card number for the EBT account.
SWIC	I	EBT BENEFITS REDEM	BENEFIT START DATE	DATE	7	N	The first date on which the benefits can be redeemed.
SWIC	I	EBT BENEFITS REDEM	REQUESTED AMOUNT	NUMBER	22	Y	The amount requested for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	SETTLED AMOUNT	NUMBER	22	Y	The amount settled for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	TOTAL ADJUSTMENTS	NUMBER	22	Y	The total adjustments for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	DISCOUNT AMOUNT	NUMBER	22	Y	The discount amount for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	TRANSACTION TYPE	NUMBER	2	Y	The transaction type for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	FILE_SEQ_NUMBER	NUMBER	22	Y	The transaction type for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT BENEFITS REDEM	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT BENEFITS REDEM	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT BENEFITS REDEM	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT BENEFITS REDEM	VLUC CAT CODE	VARCHAR2	2	N	The UPC category of the food (V_LU UPC CATEGORY).
SWIC	I	EBT BENEFITS REDEM	VLUS SUB CAT CODE	VARCHAR2	3	N	The UPC sub-category of the food (V_LU UPC SUBCAT).
SWIC	I	EBT BENEFITS REDEM	TRANSACTION TYPE	NUMBER	2	Y	The transaction type for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	TRANSACTION CODE	NUMBER	2	Y	The transaction code for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	CEA_CARD_NO	NUMBER	22	Y	The card number for the EBT account.
SWIC	I	EBT BENEFITS REDEM	TRANSACTION LOG DATE	DATE	7	N	The date of the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	TRANSACTION LOG TIME	NUMBER	22	N	The time of the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	UPC_PLU_INDICATOR	NUMBER	8	N	Indicates if the UPC is a PLU.
SWIC	I	EBT BENEFITS REDEM	V_LU UPC CODE	NUMBER	14	N	The UPC or PLU code for the food
SWIC	I	EBT BENEFITS REDEM	SETTLED PRICE	NUMBER	22	N	The settled price for the redemption.
SWIC	I	EBT BENEFITS REDEM	AUTHORIZATION NUMBER	NUMBER	10	Y	The authorization identifier for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	PEE_PEER_GROUP ID	NUMBER	22	Y	The vendor peer group identifier.
SWIC	I	EBT BENEFITS REDEM	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT BENEFITS REDEM	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT BENEFITS REDEM	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT BENEFITS REDEM	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT BENEFITS REDEM	BENEFIT START DATE	DATE	7	N	The first date on which the benefits can be redeemed.
SWIC	I	EBT BENEFITS REDEM	SETTLED VLUC CAT CODE	NUMBER	2	N	The settled UPC category of the food (V_LU UPC CATEGORY).
SWIC	I	EBT BENEFITS REDEM	SETTLED VLUS SUB CAT CODE	NUMBER	3	N	The settled UPC sub-category of the food (V_LU UPC SUBCAT).
SWIC	I	EBT BENEFITS REDEM	SETTLED DATE	DATE	7	Y	The settled date for the transaction comes from account activity file
SWIC	I	EBT BENEFITS REDEM	V_VENDOR_NUMBER	NUMBER	22	Y	The unique identifier of the vendor where the benefits were redeemed (V_VENDORS).
SWIC	I	EBT BENEFITS REDEM	NUMBER OF ITEMS	NUMBER	22	Y	The quantity of the food redeemed in terms of the UPC.
SWIC	I	EBT BENEFITS REDEM	CONTROL NUMBER	NUMBER	22	Y	The identifier for the batch file the redemption record was contained in.
SWIC	I	EBT BENEFITS REDEM	REQUESTED PRICE	NUMBER	22	Y	The price the vendor wanted to be paid.
SWIC	I	EBT BENEFITS REDEM	UNIQUE BENEFIT ID	NUMBER	20	Y	The unique identifier for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	EBT_TRANSACTION_ID	NUMBER	22	Y	The unique identifier for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	LINE_ITEM ID	NUMBER	22	N	The unique identifier for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM	UPC_PLU_INDICATOR	NUMBER	8	N	Indicates if the UPC is a PLU.
SWIC	I	EBT BENEFITS REDEM	V_LU UPC CODE	NUMBER	14	N	The UPC or PLU code for the food
SWIC	I	EBT BENEFITS REDEM	REQUESTED PRICE	NUMBER	22	Y	The price the vendor wanted to be paid.



SWIC	I	EBT BENEFITS REDEM DETAL	SETTLED VLUC CAT CODE	VARCHAR2	2	N	The settled UPC category of the food (V LU UPC CATEGORY).
SWIC	I	EBT BENEFITS REDEM DETAL	SETTLED VLUS SUB CAT CODE	VARCHAR2	3	N	The settled UPC sub-category of the food (V LU UPC SUBCAT).
SWIC	I	EBT BENEFITS REDEM DETAL	REQUESTED QUANTITY	NUMBER	22	Y	
SWIC	I	EBT BENEFITS REDEM DETAL	NUMBER OF ITEMS	NUMBER	22	N	The settled price for the redemption.
SWIC	I	EBT BENEFITS REDEM DETAL	SETTLED PRICE	NUMBER	22	N	The UPC category of the food (V LU UPC CATEGORY).
SWIC	I	EBT BENEFITS REDEM DETAL	VLUC CAT CODE	VARCHAR2	2	N	The UPC sub-category of the food (V LU UPC SUBCAT).
SWIC	I	EBT BENEFITS REDEM DETAL	VLUS SUB CAT CODE	VARCHAR2	3	N	The UPC category of the food (V LU UPC CATEGORY).
SWIC	I	EBT BENEFITS REDEM DETAL	QUANTITY	NUMBER	22	N	The quantity of the food redeemed.
SWIC	I	EBT BENEFITS REDEM DETAL	AUTHORIZATION NUMBER	VARCHAR2	8	N	The authorization identifier for the EBT redemption transaction.
SWIC	I	EBT BENEFITS REDEM ORGS TXN	DISCOUNT AMOUNT	NUMBER	22	N	The original discount amount.
SWIC	I	EBT BENEFITS VOID	# FOOD ID	NUMBER	22	Y	The unique identifier of the food (I FOODS).
SWIC	I	EBT BENEFITS VOID	QUANTITY	NUMBER	22	N	The quantity of the food item allowed by the food package.
SWIC	I	EBT BENEFITS VOID	VLUC CAT CODE	VARCHAR2	2	N	The UPC category of the food (V LU UPC CATEGORY).
SWIC	I	EBT BENEFITS VOID	VLUS SUB CAT CODE	VARCHAR2	3	N	The UPC sub-category of the food (V LU UPC SUBCAT).
SWIC	I	EBT BENEFITS VOID	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT BENEFITS VOID	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT BENEFITS VOID	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT BENEFITS VOID	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT BENEFITS VOID	VOID DATE	DATE	7	Y	The date benefits were voided.
SWIC	I	EBT BENEFITS VOID	BENEFIT START DATE	DATE	7	N	The first date on which the benefits can be redeemed.
SWIC	I	EBT BENEFITS VOID	ISSUE MONTH	NUMBER	22	N	The issue month for which the benefits are applicable.
SWIC	I	EBT BENEFITS VOID	ISSUE YEAR	NUMBER	22	N	The issue year for which the benefits are applicable.
SWIC	I	EBT BENEFITS VOID	SL_NO	NUMBER	22	N	Serial number.
SWIC	I	EBT BENEFITS VOID	TRAN ID	NUMBER	22	Y	Transactionid to use for EBT message to ACS
SWIC	I	EBT BENEFITS VOID	BENEFIT VOID NUMBER	VARCHAR2	50	Y	The unique identifier for the benefit issuance (I EBT BENEFITS ISSUED).
SWIC	I	EBT BENEFITS VOID	CEFU FAMILY ID	VARCHAR2	9	N	The unique identifier for the family (C FAMILY ECONOMIC UNITS).
SWIC	I	EBT BENEFITS VOID	OUI SEQ ID	NUMBER	22	N	The unique identifier for the client issuing the benefits (O ORGANIZATIONAL UNITS).
SWIC	I	EBT BENEFITS VOID	BENEFIT END DATE	DATE	7	N	The expiration date of the benefits.
SWIC	I	EBT BENEFITS VOID	SL_NO	NUMBER	22	N	Serial number.
SWIC	I	EBT BENEFITS VOID	OUI SEQ ID	NUMBER	22	N	The unique identifier for the client issuing the benefits (O ORGANIZATIONAL UNITS).
SWIC	I	EBT BENEFITS VOID	CEFU FAMILY ID	VARCHAR2	9	N	The unique identifier for the family (C FAMILY ECONOMIC UNITS).
SWIC	I	EBT BENEFITS VOID	CC CLIENT ID	NUMBER	22	N	The unique identifier for the client (C CLIENTS).
SWIC	I	EBT BENEFITS VOID	ISSUE_YEAR	NUMBER	22	N	The issue year for which the benefits are applicable.
SWIC	I	EBT BENEFITS VOID	VLUC CAT CODE	VARCHAR2	2	N	The category code of the food issued to the client.
SWIC	I	EBT BENEFITS VOID	VLUS SUB CAT CODE	VARCHAR2	3	N	The sub cat of the food issued to the client.
SWIC	I	EBT BENEFITS VOID	AMOUNT	NUMBER	22	N	The pf amount voided.
SWIC	I	EBT BENEFITS VOID	BENEFIT ISSUE NUMBER	VARCHAR2	50	N	The unique identifier for the benefit issuance (I EBT BENEFITS ISSUED).
SWIC	I	EBT BENEFITS VOID	BENEFIT START DATE	DATE	7	N	The first date on which the benefits can be redeemed.
SWIC	I	EBT BENEFITS VOID	BENEFIT END DATE	DATE	7	N	The expiration date of the benefits.
SWIC	I	EBT BENEFITS VOID	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT BENEFITS VOID	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT BENEFITS VOID	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT BENEFITS VOID	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT BENEFITS VOID	VOID DATE	DATE	7	Y	The date benefits were voided.
SWIC	I	EBT BENEFITS VOID	TRAN ID	NUMBER	22	Y	Transactionid to use for EBT message to ACS
SWIC	I	EBT CENTS OFF ARCHIVED	CEFU FAMILY ID	VARCHAR2	9	N	
SWIC	I	EBT CENTS OFF ARCHIVED	CEA CARD NO	NUMBER	22	N	
SWIC	I	EBT CENTS OFF ARCHIVED	VLUC CAT CODE	VARCHAR2	2	N	
SWIC	I	EBT CENTS OFF ARCHIVED	VLUS SUB CAT CODE	VARCHAR2	3	N	
SWIC	I	EBT CENTS OFF ARCHIVED	YUI UPC CODE	VARCHAR2	50	N	
SWIC	I	EBT CENTS OFF ARCHIVED	FREE FEER GROUP ID	NUMBER	22	N	
SWIC	I	EBT CENTS OFF ARCHIVED	SETTLED DATE	DATE	7	Y	
SWIC	I	EBT CENTS OFF ARCHIVED	PROCESS PROCESSED	NUMBER	22	Y	
SWIC	I	EBT CENTS OFF ARCHIVED	PROCESS RESULT	VARCHAR2	4000	Y	
SWIC	I	EBT CENTS OFF ARCHIVED	CONTROL NUMBER	NUMBER	22	Y	
SWIC	I	EBT CENTS OFF ARCHIVED	DATE_MODIFIED	DATE	7	Y	
SWIC	I	EBT CENTS OFF ARCHIVED	MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	EBT CENTS OFF ARCHIVED	TRANSACTION TYPE	VARCHAR2	2	N	
SWIC	I	EBT CENTS OFF ARCHIVED	TRANSACTION CODE	VARCHAR2	3	N	
SWIC	I	EBT CENTS OFF ARCHIVED	VV VENDOR NUMBER	VARCHAR2	7	N	
SWIC	I	EBT CENTS OFF ARCHIVED	QUANTITY	NUMBER	22	N	
SWIC	I	EBT CENTS OFF ARCHIVED	TRANSACTION LOG DATE	DATE	7	N	
SWIC	I	EBT CENTS OFF ARCHIVED	TRANSACTION LOG TIME	NUMBER	22	N	
SWIC	I	EBT CENTS OFF ARCHIVED	LUFC PLU INDICATOR	VARCHAR2	1	N	
SWIC	I	EBT CENTS OFF ARCHIVED	NUMBER OF ITEMS	NUMBER	22	N	
SWIC	I	EBT CENTS OFF ARCHIVED	REQUESTED_PRICE	NUMBER	22	N	
SWIC	I	EBT CENTS OFF ARCHIVED	SETTLED PRICE	NUMBER	22	N	
SWIC	I	EBT CENTS OFF ARCHIVED	AUTHORIZATION NUMBER	VARCHAR2	8	N	
SWIC	I	EBT CENTS OFF ARCHIVED	BENEFIT ISSUE NUMBER	VARCHAR2	15	N	
SWIC	I	EBT CENTS OFF ARCHIVED	APPLIED CAT CODE	NUMBER	22	N	
SWIC	I	EBT CENTS OFF ARCHIVED	APPLIED SUB CAT CODE	NUMBER	22	N	
SWIC	I	EBT CENTS OFF ARCHIVED	BENEFIT START DATE	DATE	7	N	
SWIC	I	EBT CENTS OFF ARCHIVED	OUI SEQ ID	NUMBER	22	N	
SWIC	I	EBT CENTS OFF ARCHIVED	ADJUSTMENT TRACKING NUMBER	VARCHAR2	20	Y	
SWIC	I	EBT CENTS OFF ARCHIVED	DATE_CREATED	DATE	7	Y	
SWIC	I	EBT FM BEN ISSU CLIENT	BENEFIT ISSUE NUMBER	VARCHAR2	50	N	
SWIC	I	EBT FM BEN ISSU CLIENT	CEFU FAMILY ID	VARCHAR2	9	N	
SWIC	I	EBT FM BEN ISSU CLIENT	CREATED BY	VARCHAR2	32	N	
SWIC	I	EBT FM BEN ISSU CLIENT	DATE_CREATED	DATE	7	N	
SWIC	I	EBT FM BEN ISSU CLIENT	MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	EBT FM BEN ISSU CLIENT	DATE_MODIFIED	DATE	7	Y	
SWIC	I	EBT FM BEN ISSU CLIENT	ISSUE_MONTH	NUMBER	22	N	
SWIC	I	EBT FM BEN ISSU CLIENT	ISSUE_YEAR	NUMBER	22	N	
SWIC	I	EBT FM BEN ISSU CLIENT	BENEFIT START DATE	DATE	7	Y	
SWIC	I	EBT FM BEN ISSU CLIENT	# FOOD ID	NUMBER	22	Y	
SWIC	I	EBT FM BEN ISSU CLIENT	QUANTITY	NUMBER	22	N	
SWIC	I	EBT FM BEN ISSU CLIENT	VLUC CAT CODE	VARCHAR2	2	Y	
SWIC	I	EBT FM BEN ISSU CLIENT	VLUS SUB CAT CODE	VARCHAR2	3	Y	
SWIC	I	EBT FM BEN ISSU CLIENT	VOIDED	NUMBER	22	Y	
SWIC	I	EBT FM BEN ISSU CLIENT	OUI SEQ ID	NUMBER	22	N	
SWIC	I	EBT ITEM NOS	SL_NO	NUMBER	22	Y	
SWIC	I	EBT ITEM NOS	DATE_CREATED	DATE	7	N	
SWIC	I	EBT ITEM NOS	CREATED BY	VARCHAR2	32	N	
SWIC	I	EBT ITEM NOS	DATE_MODIFIED	DATE	7	Y	
SWIC	I	EBT ITEM NOS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	EBT LU MESSAGE TYPE	ID	NUMBER	22	N	Unique numeric identification of ID for EBT Message Type option.
SWIC	I	EBT LU MESSAGE TYPE	DESCRIPTION	VARCHAR2	250	N	Descriptive text for EBT Message Type option.
SWIC	I	EBT LU MESSAGE TYPE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT LU MESSAGE TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT LU MESSAGE TYPE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT LU MESSAGE TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT LU MESSAGE TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	I	EBT MESSAGE QUEUE	FAMILY ID	VARCHAR2	9	N	Unique identifier of the table
SWIC	I	EBT MESSAGE QUEUE	MESSAGE TYPE ID	NUMBER	22	N	Family id
SWIC	I	EBT MESSAGE QUEUE	WIC_ID	NUMBER	22	N	EBT queue message type id
SWIC	I	EBT MESSAGE QUEUE	WIC_ID	VARCHAR2	50	N	WIC ID of EBT queue data.
SWIC	I	EBT MESSAGE QUEUE	DATE REQUEST SENT	TIMESTAMP(9)	11	Y	Date the REQUEST was sent
SWIC	I	EBT MESSAGE QUEUE	REQUEST EXCLUDED FLAG	NUMBER	22	N	REQUEST EXCLUDED FLAG
SWIC	I	EBT MESSAGE QUEUE	RESULT	VARCHAR2	1	Y	Result of request (P=Pass/F=Fail)
SWIC	I	EBT MESSAGE QUEUE	RESPONSE RECEIVED	CLOB	4000	Y	Response Received
SWIC	I	EBT MESSAGE QUEUE	DATE RESPONSE RECEIVED	TIMESTAMP(9)	11	Y	Date the Response was received
SWIC	I	EBT MESSAGE QUEUE	DATE_CREATED	DATE	7	N	Date Created
SWIC	I	EBT MESSAGE QUEUE	DATE_MODIFIED	DATE	7	Y	Date Modified
SWIC	I	EBT MESSAGE QUEUE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT MESSAGE QUEUE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT MESSAGE QUEUE	NUMBER OF ATTEMPTS	NUMBER	22	N	Number of Attempts of a request to execute.
SWIC	I	EBT MQ CEA AUDIT	CEFU FAMILY ID	VARCHAR2	9	N	The unique identifier for the family (C FAMILY ECONOMIC UNITS).
SWIC	I	EBT MQ CEA AUDIT	CARD NO	NUMBER	22	N	The unique identifier for the EBT card.
SWIC	I	EBT MQ CEA AUDIT	CARD HOLDER TYPE	VARCHAR2	50	N	The cardholder type (PROXY/AUTHORIZED PERSON).
SWIC	I	EBT MQ CEA AUDIT	CPF PROXY ID	NUMBER	22	N	The unique identifier for the proxy (C FAMILY PROXIES).
SWIC	I	EBT MQ CEA AUDIT	CARD STATUS	NUMBER	22	N	The unique identifier for the card status (C LU EBT CARD STATUS).
SWIC	I	EBT MQ CEA AUDIT	CLU STOP REASON	NUMBER	22	Y	The unique identifier for the reason card usage was stopped (C LU EBT STOP REASON).
SWIC	I	EBT MQ CEA AUDIT	QUO REPLACEMENT REASON	NUMBER	22	Y	The unique identifier for the card replacement reason (C LU EBT REPLACEMENT REASON).
SWIC	I	EBT MQ CEA AUDIT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT MQ CEA AUDIT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT MQ CEA AUDIT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT MQ CEA AUDIT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT MQ CEA AUDIT	CARD HOLDER NAME	VARCHAR2	200	N	The full name of the EBT card holder.
SWIC	I	EBT MQ CEA AUDIT	CARD DESCRIPTION	VARCHAR2	20	Y	Card description
SWIC	I	EBT MQ CEA AUDIT	COMP_HH_ID	VARCHAR2	9	Y	Issued benefits compliance HH ID
SWIC	I	EBT MQ CEA AUDIT	MQ_ID	NUMBER	22	Y	Message queue ID
SWIC	I	EBT MQ CEA AUDIT	CEA_CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created in C_EBT_ACCOUNT table.
SWIC	I	EBT MQ CEA AUDIT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created in C_EBT_ACCOUNT table.
SWIC	I	EBT MQ CEA AUDIT	CEA_MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified in C_EBT_ACCOUNT table.
SWIC	I	EBT MQ CEA AUDIT	CEA DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified in C_EBT_ACCOUNT table.
SWIC	I	EBT MQ CEA AUDIT	MESSAGE TYPE ID	NUMBER	22	N	EBT queue message type id
SWIC	I	EBT MQ CEFU AUDIT	E_MAIL	VARCHAR2	255	Y	E-mail address
SWIC	I	EBT MQ CEFU AUDIT	HEAD HOUSEHOLD BIRTH DATE	DATE	7	Y	Birth date for the primary authorized representative
SWIC	I	EBT MQ CEFU AUDIT	MAIL_OUT_OF_STATE_FLAG	NUMBER	22	Y	Indicates out of state mailing address
SWIC	I	EBT MQ CEFU AUDIT	MAIL_OUT_OF_STATE_CITY	VARCHAR2	60	Y	The city line of out of state mailing address.
SWIC	I	EBT MQ CEFU AUDIT	MAIL_OUT_OF_STATE_STATE	VARCHAR2	60	Y	The state line of out of state mailing address.
SWIC	I	EBT MQ CEFU AUDIT	MAIL_OUT_OF_STATE_ZIP	NUMBER	22	Y	Out of state zip code for mailing address.
SWIC	I	EBT MQ CEFU AUDIT	OUI SEQ ID	NUMBER	22	N	The unique identifier for the client (O ORGANIZATIONAL UNITS).
SWIC	I	EBT MQ CEFU AUDIT	CEFU DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified in C_FAMILY ECONOMIC UNITS table.
SWIC	I	EBT MQ CEFU AUDIT	CEFU MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified in C_FAMILY ECONOMIC UNITS table.
SWIC	I	EBT MQ CEFU AUDIT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT MQ CEFU AUDIT	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	I	EBT MQ CEFU AUDIT	FAMILY ID	VARCHAR2	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	I	EBT MQ CEFU AUDIT	HEAD HOUSEHOLD LAST NAME	VARCHAR2	50	N	The primary authorized representative's last name.
SWIC	I	EBT MQ CEFU AUDIT	MARRIAGE_ADDRESS	VARCHAR2	80	N	The first line of the unit's mailing address.
SWIC	I	EBT MQ CEFU AUDIT	SECD GEO LOCATION ID MAIL	NUMBER	22	N	The system generated unique identifier for mailing city/county/state/zip.
SWIC	I	EBT MQ CEFU AUDIT	HEAD HOUSEHOLD FIRST NAME	VARCHAR2	30	N	The primary authorized representative's first name.
SWIC	I	EBT MQ CEFU AUDIT	HEAD HOUSEHOLD MI	VARCHAR2	1	Y	The first middle initial of the unit's mailing address.
SWIC	I	EBT MQ CEFU AUDIT	MARRIAGE_ADDRESS	VARCHAR2	80	Y	The second line of the unit's mailing address.
SWIC	I	EBT MQ CEFU AUDIT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT MQ CEFU AUDIT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT MQ CEFU AUDIT	HOH1_LAST_NAME_UPPER	VARCHAR2	50	Y	Upper case head of household last name (for search/reporting)
SWIC	I	EBT MQ CEFU AUDIT	HOH1_FIRST_NAME_UPPER	VARCHAR2	30	Y	Upper case head of household first name (for search/reporting)
SWIC	I	EBT MQ CONFG	CONFG NAME	VARCHAR2	30	N	Name and unique identifier for config. Text is used for clarity in code
SWIC	I	EBT MQ CONFG	CONFG VALUE	VARCHAR2	100	Y	Value as a text field (can be interpreted as number or date depending on format)
SWIC	I	EBT MQ CONFG	CONFG FORMAT	VARCHAR2	30	Y	Format (char, number, date)
SWIC	I	EBT MQ CONFG	CONFG DESCRIPTION	VARCHAR2	100	Y	Text description of config (sample values if applicable)
SWIC	I	EBT MQ CONFG	CREATED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT MQ CONFG	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT MQ CONFG	MODIFIED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT MQ CONFG	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT REDEEMED ARCHIVED	CEFU FAMILY ID	VARCHAR2	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).
SWIC	I	EBT REDEEMED ARCHIVED	OUI SEQ ID	NUMBER	22	N	The unique identifier for the client issuing the benefits (O ORGANIZATIONAL UNITS).
SWIC	I	EBT REDEEMED ARCHIVED	QUANTITY	NUMBER	22	N	The quantity of the food redeemed.
SWIC	I	EBT REDEEMED ARCHIVED	VLUC CAT CODE	VARCHAR2	2	N	The UPC category of the food (V LU UPC CATEGORY).

SWIC	I	EBT	REDEEMED	ARCHIVED	VULS SUB CAT CODE	VARCHAR2	3	N	The UPC sub-category of the food (V LU UPC SUBCAT).
SWIC	I	EBT	REDEEMED	ARCHIVED	TRANSACTION TYPE	VARCHAR2	2	Y	The transaction type for the EBT redemption transaction.
SWIC	I	EBT	REDEEMED	ARCHIVED	TRANSACTION CODE	VARCHAR2	3	Y	The transaction code for the EBT redemption transaction.
SWIC	I	EBT	REDEEMED	ARCHIVED	CEA CARD NO	NUMBER	22	Y	The card number for the EBT account.
SWIC	I	EBT	REDEEMED	ARCHIVED	TRANSACTION LOG DATE	DATE	7	N	The date of the EBT redemption transaction.
SWIC	I	EBT	REDEEMED	ARCHIVED	TRANSACTION LOG TIME	NUMBER	8	N	The time of the EBT redemption transaction.
SWIC	I	EBT	REDEEMED	ARCHIVED	UPC FLU INDICATOR	VARCHAR2	1	N	Indicates if the UPC is a PLU.
SWIC	I	EBT	REDEEMED	ARCHIVED	VUI UPI CODE	VARCHAR2	14	N	The UPC or PLU code for the food.
SWIC	I	EBT	REDEEMED	ARCHIVED	SETTLED PRICE	NUMBER	22	N	The settled price for the redemption.
SWIC	I	EBT	REDEEMED	ARCHIVED	AUTHORIZATION NUMBER	VARCHAR2	10	Y	The authorization identifier for the EBT redemption transaction.
SWIC	I	EBT	REDEEMED	ARCHIVED	PEE PEER GROUP ID	NUMBER	22	Y	The vendor peer group identifier.
SWIC	I	EBT	REDEEMED	ARCHIVED	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT	REDEEMED	ARCHIVED	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT	REDEEMED	ARCHIVED	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT	REDEEMED	ARCHIVED	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT	REDEEMED	ARCHIVED	BENEFIT START DATE	DATE	7	Y	The first date on which the benefits can be redeemed.
SWIC	I	EBT	REDEEMED	ARCHIVED	SETTLED VULS CAT CODE	VARCHAR2	2	N	The settled UPC category of the food (V LU UPC CATEGORY).
SWIC	I	EBT	REDEEMED	ARCHIVED	SETTLED VULS SUB_CAT_CODE	VARCHAR2	3	N	The settled UPC sub-category of the food (V LU UPC SUBCAT).
SWIC	I	EBT	REDEEMED	ARCHIVED	SETTLED DATE	DATE	7	Y	The Settled date for the transaction comes from account activity file
SWIC	I	EBT	REDEEMED	ARCHIVED	V# VENDOR NUMBER	VARCHAR2	7	Y	The unique identifier of the vendor where the benefits were redeemed (V VENDORS).
SWIC	I	EBT	REDEEMED	ARCHIVED	NUMBER OF ITEMS	NUMBER	22	Y	The quantity of the food redeemed in terms of the UPC.
SWIC	I	EBT	REDEEMED	ARCHIVED	CONTROL NUMBER	NUMBER	22	Y	The identifier for the batch file the redemption record was contained in.
SWIC	I	EBT	REDEEMED	ARCHIVED	REQUESTED PRICE	NUMBER	22	Y	
SWIC	I	EBT	REDEEMED	ARCHIVED	EBTRANSACTIONID	VARCHAR2	50	Y	The Unique EBT Transaction ID
SWIC	I	EBT	REDEEMED	ARCHIVED	SEQ ID	NUMBER	22	N	The Unique Identifier number
SWIC	I	EBT	REDEEMED	ARCHIVED	EBT TRANSACTION DATE	DATE	7	N	The date the transaction was requested within the EBT system (can be different than the vendor's transaction date/time). This is the best column for understanding the sequence of events.
SWIC	I	EBT	REDEEMED	SUMMARY	PEE PEER GROUP ID	NUMBER	22	N	The vendor peer group identifier.
SWIC	I	EBT	REDEEMED	SUMMARY	SETTLED VULS CAT CODE	VARCHAR2	2	N	The settled UPC category of the food (V LU UPC CATEGORY).
SWIC	I	EBT	REDEEMED	SUMMARY	SETTLED VULS SUB CAT CODE	VARCHAR2	3	N	The settled UPC sub-category of the food (V LU UPC SUBCAT).
SWIC	I	EBT	REDEEMED	SUMMARY	VUI UPI CODE	VARCHAR2	14	N	The UPC or PLU code for the food.
SWIC	I	EBT	REDEEMED	SUMMARY	QUANTITY	NUMBER	22	N	The quantity of the food redeemed.
SWIC	I	EBT	REDEEMED	SUMMARY	NO OF ITEMS	NUMBER	22	N	The no of items of non-UPC bought in the transaction.
SWIC	I	EBT	REDEEMED	SUMMARY	UPC FLU INDICATOR	VARCHAR2	1	N	Indicates if the UPC is a PLU.
SWIC	I	EBT	REDEEMED	SUMMARY	SETTLED PRICE	NUMBER	22	N	The settled price for the redemptions.
SWIC	I	EBT	REDEEMED	SUMMARY	MAX PRIC	NUMBER	22	N	The max settled price for the redemptions.
SWIC	I	EBT	REDEEMED	SUMMARY	SETTLED DATE	DATE	7	Y	The Settled date for the transaction comes from account activity file
SWIC	I	EBT	REDEEMED	SUMMARY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EBT	REDEEMED	SUMMARY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EBT	REDEEMED	SUMMARY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EBT	REDEEMED	SUMMARY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	EBT	REDEEMED	SUMMARY	TRANSACTION LOG DATE	DATE	7	Y	The Transaction Log Date for the redemptions.
SWIC	I	EBT	REDEEMED	SUMMARY	REQUESTED PRICE	NUMBER	22	Y	The requested price for the redemptions.
SWIC	I	EBT	REDEEMED	SUMMARY	ID	NUMBER	22	N	Unique Identifier of the table
SWIC	I	EBT	REDEEMED	SUMMARY	SERVICE METHOD CALLED	VARCHAR2	1000	Y	Service Method Being Called
SWIC	I	EBT	REDEEMED	SUMMARY	MESSAGE SENT	CLOB	4000	N	Message Sent
SWIC	I	EBT	REDEEMED	SUMMARY	DATE MESSAGE SENT	TIMESTAMP(9)	11	N	Date the Message was sent
SWIC	I	EBT	REDEEMED	SUMMARY	RESPONSE RECEIVED	CLOB	4000	Y	Message Received
SWIC	I	EBT	REDEEMED	SUMMARY	DATE RESPONSE RECEIVED	TIMESTAMP(9)	11	Y	Date the Response was received
SWIC	I	EBT	REDEEMED	SUMMARY	DATE CREATED	DATE	7	N	Date Created
SWIC	I	EBT	REDEEMED	SUMMARY	DATE MODIFIED	DATE	7	Y	Date Modified
SWIC	I	EBT	REDEEMED	SUMMARY	SERVER NAME	VARCHAR2	100	Y	Server making the request
SWIC	I	EH	GENERATE	PROC CALL	CFU FAMILY ID	VARCHAR2	9	N	
SWIC	I	EH	GENERATE	PROC CALL	CLIENT DATA	VARCHAR2	2000	Y	
SWIC	I	EH	GENERATE	PROC CALL	ISSUE STARTING DATE	DATE	7	Y	
SWIC	I	EH	GENERATE	PROC CALL	OU SEQ ID	NUMBER	22	Y	
SWIC	I	EH	GENERATE	PROC CALL	ISSUE BENEFITS FLAG	NUMBER	22	Y	
SWIC	I	EH	GENERATE	PROC CALL	OVER ISSUANCE REASON	VARCHAR2	2	Y	
SWIC	I	EH	GENERATE	PROC CALL	CREATED BY	VARCHAR2	50	Y	
SWIC	I	EH	GENERATE	PROC CALL	DATE_CREATED	DATE	7	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	CREATED BY	VARCHAR2	32	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	DATE_CREATED	DATE	7	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	DATE_MODIFIED	DATE	7	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	ISSUE NUMBER	VARCHAR2	50	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	CFU FAMILY ID	VARCHAR2	9	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	OU SEQ ID	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	SENT TO EBT	DATE	7	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	F_FOOD_ID	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	QUANTITY	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	VULS CAT CODE	VARCHAR2	2	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	VULS SUB CAT CODE	VARCHAR2	3	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	ISSUE MONTH	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	BENEFIT START DATE	DATE	7	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	ISSUE YEAR	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	SL NO	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	SENT TO EBT	NUMBER	22	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSUED	BENEFIT_ISSUE_NUMBER	VARCHAR2	50	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	CFU FAMILY ID	VARCHAR2	9	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	CC CLIENT ID	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	CREATED BY	VARCHAR2	32	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	DATE_CREATED	DATE	7	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	DATE_MODIFIED	DATE	7	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	ISSUE_MONTH	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	ISSUE_YEAR	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	IFP FOOD PACKAGE ID	VARCHAR2	8	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	CFPP EFFECTIVE DATE	DATE	7	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	IF FOOD ID	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	QUANTITY	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	VULS CAT CODE	VARCHAR2	2	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	VULS SUB CAT CODE	VARCHAR2	3	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	VOIDID	NUMBER	22	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	CCI_CLRT_START_DATE	DATE	7	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	BENEFIT START DATE	DATE	7	N	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	BENEFIT END DATE	DATE	7	Y	
SWIC	I	EH	TMP	EBT BENEFITS ISSU CLT	SENT TO EBT	NUMBER	22	Y	
SWIC	I	EH	TMP	EBT BS FAMILY ISSU	CFU FAMILY ID	VARCHAR2	9	N	
SWIC	I	EH	TMP	EBT BS FAMILY ISSU	ISSUANCE DATE	DATE	7	N	
SWIC	I	EH	TMP	EBT BS FAMILY ISSU	BENEFIT START DATE	DATE	7	N	
SWIC	I	EH	TMP	EBT BS FAMILY ISSU	BENEFIT END DATE	DATE	7	N	
SWIC	I	EH	TMP	EBT BS FAMILY ISSU	SENT TO EBT	NUMBER	22	N	
SWIC	I	EH	TMP	EBT BS FAMILY ISSU	BENEFIT_ISSUE_NUMBER	VARCHAR2	50	Y	
SWIC	I	EH	TMP	EBT BS FAMILY ISSU	CAT CATEGORY CODE	VARCHAR2	5	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	IFP FOOD PACKAGE ID	VARCHAR2	10	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	SUBSEQ FOOD PACKAGE ID	VARCHAR2	10	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	BEGIN MONTH	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	END MONTH	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	DATE_CREATED	DATE	7	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	CREATED BY	VARCHAR2	32	N	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	DATE_MODIFIED	DATE	7	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	EXPIRATION DATE FLAG	NUMBER	22	Y	Determines if the food items expiration date is required in validation of Food Package.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	FOOD ID	NUMBER	22	N	The unique identifier for the food item.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	IF TYPE	VARCHAR2	3	Y	Indicates if the food is standard or special.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	DESCRIPTION1	VARCHAR2	50	N	First line of description of a WIC approved food.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	UNIT SIZE	NUMBER	5	N	The unit size for the food item.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	MAN MFR ID	NUMBER	22	Y	The manufacturer's federal identification number.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	IF FOOD ID OR	NUMBER	22	Y	Used in flag 2 for prescription pack
SWIC	I	EH	TMP	SUB FOOD PACKAGES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user note or comments.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	NOTE	NUMBER	2000	Y	Common field for user note or comments.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	IFN FORMULA ID	NUMBER	22	Y	Used in FoodItems/FoodItems.aspx
SWIC	I	EH	TMP	SUB FOOD PACKAGES	VULS CAT CODE	VARCHAR2	2	N	The UPC category of the food (V LU UPC SUBCAT).
SWIC	I	EH	TMP	SUB FOOD PACKAGES	VULS SUB CAT CODE	VARCHAR2	3	N	The UPC sub-category of the food (V LU UPC SUBCAT).
SWIC	I	EH	TMP	SUB FOOD PACKAGES	CONTRACT_ITEM	NUMBER	22	N	Indicates if this food is covered by a rebate contract (0=No, 1=Yes)
SWIC	I	EH	TMP	SUB FOOD PACKAGES	EBT RECEIPT DESC	VARCHAR2	20	N	Receipt/Short Description of the UPC sub-category to send to the EBT Vendor.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	SHOPPING LIST DESC	VARCHAR2	100	N	Shopping List Description for report use.
SWIC	I	EH	TMP	SUB FOOD PACKAGES	SOY FORMULA	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	EXEMPT FORMULA	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	MILK FORMULA	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	CLUO ID	VARCHAR2	1	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	MINIMUM_QUANTITY	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	MAX QTY PER CHK	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	DEFAULT UNIT PRICE	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	MFR RECONST W	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	MFR RECONST I	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	MFR RECONST C	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	CUSTOMIZABLE FLAG	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	FOOD PRESCRIPTION NOTE	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	CAP PRODUCT ID	VARCHAR2	10	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	VULS_CAT_CODE_OLD	VARCHAR2	2	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	SUB CAT CODE OLD	VARCHAR2	3	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	USE ROUNDING LOGIC FLAG	NUMBER	22	Y	Determines if the Formula Product will round up and front-load the excess of cans
SWIC	I	EH	TMP	SUB FOOD PACKAGES	IF FOOD ID	NUMBER	22	N	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	CAT CATEGORY CODE	VARCHAR2	3	N	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	FOOD ID	NUMBER	22	N	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	IF TYPE	VARCHAR2	3	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	CON_CONTAINER CODE	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	DESCRIPTION1	VARCHAR2	80	N	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	UNIT_SIZE	VARCHAR2	5	N	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	DATE_CREATED	DATE	7	N	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	CREATED BY	VARCHAR2	32	N	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	IFP PACKAGE CODE	VARCHAR2	10	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	MAN MFR ID	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	IF FOOD ID OR	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	CASE#	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	DATE_MODIFIED	DATE	7	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	NOTE	VARCHAR2	2000	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	IFN FORMULA ID	NUMBER	22	Y	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	VULS CAT CODE	VARCHAR2	2	N	
SWIC	I	EH	TMP	SUB FOOD PACKAGES	VULS SUB CAT CODE	VARCHAR2	3	N	
SWIC	I	EH							



SWIC	I	FORMULA NUTRITIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	FORMULA NUTRITIONS	FRN	NUMBER	22	N	The unique identifier of the formula nutrition type.
SWIC	I	FORMULA NUTRITIONS	FNTR_CATEGORY_ID	NUMBER	22	N	Formula nutrition category id for display (I FORMULA_NUTR_CATEGORY).
SWIC	I	FORMULA NUTRITIONS	DESCRIPTION	VARCHAR2	100	N	The description of the formula nutrition type.
SWIC	I	FORMULA NUTRITIONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	FORMULA NUTRITIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	FORMULA NUTRITIONS RESULTS	IFN_FOOD_ID	NUMBER	22	N	The unique identifier of the formula food (I FOODS).
SWIC	I	FORMULA NUTRITIONS RESULTS	IFNU_FOOD_ID	NUMBER	22	N	The unique identifier of the formula nutrition type (I FORMULA_NUTRITIONS).
SWIC	I	FORMULA NUTRITIONS RESULTS	CREATED BY	VARCHAR2	2000	N	The value for the nutrition type specific to this formula.
SWIC	I	FORMULA NUTRITIONS RESULTS	DATE	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	FORMULA NUTRITIONS RESULTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	FORMULA NUTRITIONS RESULTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	FORMULA NUTRITIONS RESULTS	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	I	FORMULA NUTR_CATEGORY	CATEGORY_ID	NUMBER	22	N	The unique identifier of the formula nutrition category for display.
SWIC	I	FORMULA NUTR_CATEGORY	DESCRIPTION	VARCHAR2	100	N	The description of the formula nutrition category for display.
SWIC	I	FORMULA NUTR_CATEGORY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	FORMULA NUTR_CATEGORY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	FORMULA_NUTR_CATEGORY	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	FORMULA_NUTR_CATEGORY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	FP DATA CHANGE TABLES	TABLE NAME	VARCHAR2	100	N	
SWIC	I	FP DATA CHANGE TABLES	DATE_MODIFIED	DATE	7	N	
SWIC	I	FP DATA CHANGE TABLES	DATE_CREATED	DATE	7	Y	
SWIC	I	FP DATA CHANGE TABLES	CREATED BY	VARCHAR2	32	N	
SWIC	I	FP DATA CHANGE TABLES	NOTES	VARCHAR2	2000	Y	
SWIC	I	FP MIGRATION STATUS	DATE_CREATED	DATE	7	Y	
SWIC	I	FP MIGRATION STATUS	CREATED BY	VARCHAR2	32	N	
SWIC	I	FP MIGRATION STATUS	DATE_MODIFIED	DATE	7	Y	
SWIC	I	FP MIGRATION STATUS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	FP RULES	RULE_ID	VARCHAR2	5	N	
SWIC	I	FP RULES	CAT_CATEGORY_CODE	VARCHAR2	3	N	
SWIC	I	FP RULES	BEGRN_AGE	NUMBER	22	N	
SWIC	I	FP RULES	END_AGE	NUMBER	22	N	
SWIC	I	FP RULES	CAT_CATEGORY_CODE_OUT	VARCHAR2	3	N	
SWIC	I	FP RULES	BEGRN_AGE_OUT	NUMBER	22	Y	
SWIC	I	FP RULES	END_AGE_OUT	NUMBER	22	Y	
SWIC	I	FP RULES	SELECT_BY_OUTPUT_CAT_GROUP	NUMBER	22	Y	
SWIC	I	FP RULES	DATE_CREATED	DATE	7	Y	
SWIC	I	FP RULES	CREATED BY	VARCHAR2	50	Y	
SWIC	I	FP RULES	DATE_MODIFIED	DATE	7	Y	
SWIC	I	FP RULES	MODIFIED BY	VARCHAR2	50	Y	
SWIC	I	FP RULES	CONDITION	VARCHAR2	2000	Y	
SWIC	I	FP RULES	RULE MESSAGE	VARCHAR2	2000	Y	
SWIC	I	FP RULES	ORDER_OF_PRIORITY	NUMBER	22	Y	
SWIC	I	FP RULE MAXIMUM FOODS	FRN_RULE_ID	VARCHAR2	5	N	The unique identifier for the food package rule (I FP_RULES).
SWIC	I	FP RULE MAXIMUM FOODS	IF_FOOD_ID	NUMBER	22	N	The unique identifier for the food (I FOODS).
SWIC	I	FP RULE MAXIMUM FOODS	QUANTITY	NUMBER	22	Y	The maximum quantity allowed for the food within the category and age range.
SWIC	I	FP RULE MAXIMUM FOODS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	FP RULE MAXIMUM FOODS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	FP RULE MAXIMUM FOODS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	FP RULE MAXIMUM FOODS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	FP RULE MAXIMUM FOODS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	I	FP RULE MAXIMUM FOOD GROUP	FRN_RULE_ID	VARCHAR2	5	N	The unique identifier for the food package rule (I FP_RULES).
SWIC	I	FP RULE MAXIMUM FOOD GROUP	IFR_FOOD_GROUP_ID	NUMBER	22	N	The unique identifier for the food group.
SWIC	I	FP RULE MAXIMUM FOOD GROUP	QUANTITY	NUMBER	22	Y	The maximum quantity allowed for the food within the category and age range.
SWIC	I	FP RULE MAXIMUM FOOD GROUP	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	FP RULE MAXIMUM FOOD GROUP	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	FP RULE MAXIMUM FOOD GROUP	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	FP RULE MAXIMUM FOOD GROUP	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	FP RULE MAXIMUM FOOD GROUP	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	I	LU EST ERROR CODES	TRANS_TYPE	VARCHAR2	100	N	EBT transaction type.
SWIC	I	LU EST ERROR CODES	ERROR_CODE	VARCHAR2	10	N	EBT error code.
SWIC	I	LU EST ERROR CODES	DESCRIPTION	VARCHAR2	500	Y	EBT error description.
SWIC	I	LU EST ERROR CODES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	LU EST ERROR CODES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	LU EST ERROR CODES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	LU EST ERROR CODES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	LU EST ERROR CODES	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	I	LU EST SERVICE MESSAGES	ENABLE MESSAGE	VARCHAR2	100	N	EBT service message.
SWIC	I	LU EST SERVICE MESSAGES	ENABLE LOGGING FLAG	NUMBER	22	N	Flag to indicate if logging is enabled
SWIC	I	LU EST SERVICE MESSAGES	ENABLE MESSAGE QUEUING FLAG	VARCHAR2	22	N	Flag to indicate if messaging queuing should happen for this method - FUTURE ENHANCEMENT
SWIC	I	LU EST SERVICE MESSAGES	NOTES	VARCHAR2	500	Y	Notes - if needed.
SWIC	I	LU EST SERVICE MESSAGES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	LU EST SERVICE MESSAGES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	LU EST SERVICE MESSAGES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	LU EST SERVICE MESSAGES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	LU EST SUCCESS CODE	CODE	NUMBER	40	N	Unique numeric identification of EBT success code.
SWIC	I	LU EST SUCCESS CODE	DESCRIPTION	VARCHAR2	100	N	Descriptive text for EBT success code.
SWIC	I	LU EST SUCCESS CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	LU EST SUCCESS CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	LU EST SUCCESS CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	LU EST SUCCESS CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	LU EST SUCCESS CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	I	LU FORMULA CATEGORIES	CATEGORY_ID	NUMBER	22	N	The unique identifier of the formula category.
SWIC	I	LU FORMULA CATEGORIES	DESCRIPTION	VARCHAR2	100	Y	The description of the formula category.
SWIC	I	LU FORMULA CATEGORIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	LU FORMULA CATEGORIES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	LU FORMULA CATEGORIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	LU FORMULA CATEGORIES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	LU FORMULA CATEGORIES	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	I	LU FORMULA CLASS	ACTIVE	VARCHAR2	32	Y	Identifies if the Loop up value is active in system
SWIC	I	LU FORMULA CLASS	FORMULA_CLASS_ID	NUMBER	22	N	The unique identifier of the formula class.
SWIC	I	LU FORMULA CLASS	DESCRIPTION	VARCHAR2	100	Y	The description of the formula class.
SWIC	I	LU FORMULA CLASS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	LU FORMULA CLASS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	LU FORMULA CLASS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	LU FP CONVERSION ACTIVITY	ID	VARCHAR2	5	N	The identifier for the conversion activity
SWIC	I	LU FP CONVERSION ACTIVITY	DESCRIPTION	VARCHAR2	50	N	The description for the conversion activity - Change Quantity/Add Food Item/Remove Food Item
SWIC	I	LU FP CONVERSION ACTIVITY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	LU FP CONVERSION ACTIVITY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	LU FP CONVERSION ACTIVITY	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	LU FP CONVERSION ACTIVITY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	LU FP CONVERSION ACTIVITY	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	I	LU FP CONVERSION STATUS	ID	VARCHAR2	5	N	The identifier for the conversion status
SWIC	I	LU FP CONVERSION STATUS	DESCRIPTION	VARCHAR2	50	N	The description for the conversion status - Saved/Deployed
SWIC	I	LU FP CONVERSION STATUS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	LU FP CONVERSION STATUS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	LU FP CONVERSION STATUS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	LU FP CONVERSION STATUS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	LU FP CONVERSION STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	I	LU FP CONVERSION TYPE	ID	VARCHAR2	5	N	The identifier for the conversion type
SWIC	I	LU FP CONVERSION TYPE	DESCRIPTION	VARCHAR2	50	N	The description for the conversion type
SWIC	I	LU FP CONVERSION TYPE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	LU FP CONVERSION TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	LU FP CONVERSION TYPE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	LU FP CONVERSION TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	LU FP CONVERSION TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	I	LU MKL GALLON TRANSLATION	VLUS_CAT_CODE	VARCHAR2	2	N	
SWIC	I	LU MKL GALLON TRANSLATION	VLUS_SUB_CAT_CODE	VARCHAR2	3	N	
SWIC	I	LU MKL GALLON TRANSLATION	HALF_GALLON_VLUS_SUB_CAT_CODE	VARCHAR2	3	N	
SWIC	I	LU MKL GALLON TRANSLATION	QUART_VLUS_SUB_CAT_CODE	VARCHAR2	3	Y	
SWIC	I	LU NOTE TYPE	ID	NUMBER	22	N	The system generated unique identifier for the vendor price audit locations.
SWIC	I	LU NOTE TYPE	DESCRIPTION	VARCHAR2	50	N	The Investigation Activity Note Type description.
SWIC	I	LU NOTE TYPE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	LU NOTE TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	I	LU NOTE TYPE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	LU NOTE TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	LU NOTE TYPE	ACTIVE	NUMBER	22	Y	
SWIC	I	LU PACKAGE SIZE	PACKAGE_SIZE_CODE	VARCHAR2	5	N	The unique identifier for the package(container) size
SWIC	I	LU PACKAGE SIZE	DESCRIPTION	VARCHAR2	50	N	The description of the package size.
SWIC	I	LU PACKAGE SIZE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	LU PACKAGE SIZE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	LU PACKAGE SIZE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	LU PACKAGE SIZE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	LU PACKAGE SIZE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	I	LU REBATABLE CATEGORIES	VLUS_CAT_CODE	VARCHAR2	2	N	Category code (V LU UPC CATEGORIES)
SWIC	I	LU REBATABLE CATEGORIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	LU REBATABLE CATEGORIES	CREATED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was created.
SWIC	I	LU REBATABLE CATEGORIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	LU REBATABLE CATEGORIES	MODIFIED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	LU_REBATABLE_CATEGORIES	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	I	MAXIMUM FOODS	IF_FOOD_ID	NUMBER	22	N	The unique identifier for the food (I FOODS).
SWIC	I	MAXIMUM FOODS	ICG_AR2_BEGIN_MONTH	NUMBER	22	N	The beginning month of the category age range (I CATEGORY_GROUPS).
SWIC	I	MAXIMUM FOODS	ICG_AR2_END_MONTH	NUMBER	22	N	The ending month of the category age range (I CATEGORY_GROUPS).
SWIC	I	MAXIMUM FOODS	ICG_CAT_CATEGORY_CODE	VARCHAR2	3	N	The certification category (I CATEGORY_GROUPS).
SWIC	I	MAXIMUM FOODS	QUANTITY	NUMBER	22	N	The maximum quantity allowed for the food within the category and age range.
SWIC	I	MAXIMUM FOODS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	MAXIMUM FOODS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	MAXIMUM FOODS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	MAXIMUM FOODS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	MAXIMUM FOODS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	I	MAXIMUM FOOD GROUPS	IFG_FOOD_GROUP_ID	NUMBER	22	N	The unique identifier for the UPC category.
SWIC	I	MAXIMUM FOOD GROUPS	EFFECTIVE DATE	DATE	7	N	Indicates the date from which new food group maximums will be effective.
SWIC	I	MAXIMUM FOOD GROUPS	TEST_EFFECTIVE DATE	DATE	7	Y	Test date for the food maximums
SWIC	I	MAXIMUM FOOD GROUPS	ICG_AR2_BEGIN_MONTH	NUMBER	22	N	The beginning month of the category age range (I CATEGORY_GROUPS).
SWIC	I	MAXIMUM FOOD GROUPS	ICG_AR2_END_MONTH	NUMBER	22	N	The ending month of the category age range (I CATEGORY_GROUPS).
SWIC	I	MAXIMUM FOOD GROUPS	ICG_CAT_CATEGORY_CODE	VARCHAR2	3	N	The certification category (I CATEGORY_GROUPS).
SWIC	I	MAXIMUM FOOD GROUPS	FOOD_GROUP_MAX	NUMBER	22	N	The maximum quantity allowed for the food group within the category and age range.
SWIC	I	MAXIMUM FOOD GROUPS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	MAXIMUM FOOD GROUPS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	MAXIMUM FOOD GROUPS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	MAXIMUM FOOD GROUPS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	MAXIMUM FOOD GROUPS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	I	MAXIMUM FOOD GROUPS	IFG_FOOD_GROUP_ID	NUMBER	22	N	The unique identifier for the UPC category.
SWIC	I	MAXIMUM FOOD GROUPS	EFFECTIVE DATE	DATE	7	N	Indicates the date from which new food group maximums will be effective.
SWIC	I	MAXIMUM FOOD GROUPS	ICG_EFFECTIVE_DATE	DATE	7	N	
SWIC	I	MAXIMUM FOOD GROUPS	CONVERSION	NUMBER	22	Y	
SWIC	I	MAXIMUM FOOD GROUPS 0008	ICG_AR2_BEGIN_MONTH	NUMBER	22	N	
SWIC	I	MAXIMUM FOOD GROUPS 0008	ICG_AR2_END_MONTH	NUMBER	22	N	
SWIC	I	MAXIMUM FOOD GROUPS 0008	ICG_CAT_CATEGORY_CODE	VARCHAR2	3	N	

SWIC	I	MAXIMUM FOOD GROUPS	0608	FOOD GROUP MAX	NUMBER	22	N	
SWIC	I	MAXIMUM FOOD GROUPS	0608	DATE CREATED	DATE	7	N	
SWIC	I	MAXIMUM FOOD GROUPS	0608	CREATED BY	VARCHAR2	32	N	
SWIC	I	MAXIMUM FOOD GROUPS	0608	DATE MODIFIED	DATE	7	Y	
SWIC	I	MAXIMUM FOOD GROUPS	0608	MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	MAXIMUM FOOD GROUPS	0608	NOTE	VARCHAR2	2000	Y	
SWIC	I	MAXIMUM FOOD GROUPS	0608	IFG FOOD GROUP ID	NUMBER	22	N	
SWIC	I	MAXIMUM FOOD GROUPS	0608	EFFECTIVE DATE	DATE	7	N	
SWIC	I	MAXIMUM FOOD GROUPS	0608	ECG EFFECTIVE DATE	DATE	7	N	
SWIC	I	OVER ISSUE REASONS		OVER ISSUE REASON CODE	VARCHAR2	2	N	The over issuance reason code.
SWIC	I	OVER ISSUE REASONS		DESCRIPTION	VARCHAR2	60	N	The description of the over issuance reason
SWIC	I	OVER ISSUE REASONS		DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	OVER ISSUE REASONS		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	OVER ISSUE REASONS		DATE MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	I	OVER ISSUE REASONS		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	OVER ISSUE REASONS		NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	I	OVER ISSUE REASONS		ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	I	PACKAGE DISTRIBUTIONS		FL SEQ	NUMBER	22	N	The system generated unique identifier.
SWIC	I	PACKAGE DISTRIBUTIONS		IFF FFO FOOD PACKAGE ID	VARCHAR2	8	N	The system generated unique identifier.
SWIC	I	PACKAGE DISTRIBUTIONS		IFF FFOO ID	NUMBER	22	N	The unique identifier for the food item.
SWIC	I	PACKAGE DISTRIBUTIONS		PERCENTAGE	NUMBER	22	Y	
SWIC	I	PACKAGE DISTRIBUTIONS		QUANTITY	NUMBER	22	Y	The maximum quantity allowed for the food.
SWIC	I	PACKAGE DISTRIBUTIONS		DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	PACKAGE DISTRIBUTIONS		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	PACKAGE DISTRIBUTIONS		DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	PACKAGE DISTRIBUTIONS		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	PACKAGE DISTRIBUTIONS		TOTAL ROWS	NUMBER	22	Y	
SWIC	I	PACKAGE MAPPING		OLD PACKAGE ID	VARCHAR2	10	Y	
SWIC	I	PACKAGE MAPPING		NEW PACKAGE ID	VARCHAR2	10	Y	
SWIC	I	PACKAGE MAPPING		OLD PACKAGE DESC	VARCHAR2	500	Y	
SWIC	I	PACKAGE MAPPING		NEW PACKAGE DESC	VARCHAR2	500	Y	
SWIC	I	PACKAGE MAPPING		MONTH LOW	NUMBER	22	Y	
SWIC	I	PACKAGE MAPPING		MONTH HIGH	NUMBER	22	Y	
SWIC	I	PACKAGE MAPPING		DATE_CREATED	DATE	7	N	
SWIC	I	PACKAGE MAPPING		CREATED BY	VARCHAR2	32	N	
SWIC	I	PACKAGE MAPPING		DATE MODIFIED	DATE	7	Y	
SWIC	I	PACKAGE MAPPING		MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	PACKAGE WORKSPACE		FL SEQ	NUMBER	22	N	System generated unique identifier
SWIC	I	PACKAGE WORKSPACE		IFF FFO FOOD PACKAGE ID	VARCHAR2	8	N	Food package id (I FOOD PACKAGES)
SWIC	I	PACKAGE WORKSPACE		IFF FFOO ID	NUMBER	22	N	WC Food ID (I FOODS)
SWIC	I	PACKAGE WORKSPACE		PERCENTAGE	NUMBER	22	Y	UNUSED FOR M. WIC
SWIC	I	PACKAGE WORKSPACE		QUANTITY	NUMBER	22	Y	The quantity of the food item
SWIC	I	PACKAGE WORKSPACE		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	I	PACKAGE WORKSPACE		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	PACKAGE WORKSPACE		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	PACKAGE WORKSPACE		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last created.
SWIC	I	PACKAGE WORKSPACE		RELEASABLE	NUMBER	22	Y	Flag to indicate if the item is releasable
SWIC	I	PACKAGE WORKSPACE		PRORATION ID	NUMBER	22	Y	
SWIC	I	PACKAGE WORKSPACE		TOTAL ROWS	NUMBER	22	Y	
SWIC	I	PACKAGE WORKSPACE		CUSTOMER SEQ	NUMBER	22	Y	Sequence that is created every time a package is customized
SWIC	I	PACKAGE WORKSPACE		F FOOD ID OR	NUMBER	22	Y	
SWIC	I	PACKAGE WORKSPACE		CUSTOM FOOD FLAG	NUMBER	22	Y	Flag to indicate if the food item has been customized
SWIC	I	PACKAGE WORKSPACE		ADDITIONAL QUANTITY	NUMBER	22	Y	
SWIC	I	PRODUCTS		PRODUCT CODE	NUMBER	22	N	The unique identifier of the formula product type.
SWIC	I	PRODUCTS		DESCRIPTION	VARCHAR2	60	N	The description of the formula product type.
SWIC	I	PRODUCTS		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	PRODUCTS		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	PRODUCTS		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	PRODUCTS		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	PRODUCTS		NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	I	PRODUCTS		ACTIVE	NUMBER	22	Y	1 Means it is Active Indicates if the Data is Active.
SWIC	I	PROKATED PACKAGES		MASTER PACKAGE ID	VARCHAR2	8	N	
SWIC	I	PROKATED PACKAGES		PROKATED PACKAGE ID	VARCHAR2	8	N	
SWIC	I	PROKATED PACKAGES		PROKATED ID	NUMBER	22	N	
SWIC	I	PROKATED PACKAGES		DATE_CREATED	DATE	7	N	
SWIC	I	PROKATED PACKAGES		CREATED BY	VARCHAR2	32	N	
SWIC	I	PROKATED PACKAGES		DATE_MODIFIED	DATE	7	Y	
SWIC	I	PROKATED PACKAGES		MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	SUBSEQUENT FOOD PACKAGES		CAT CATEGORY CODE	VARCHAR2	3	N	The certification category (C CATEGORIES).
SWIC	I	SUBSEQUENT FOOD PACKAGES		FP FOOD PACKAGE ID	VARCHAR2	8	N	The unique identifier for the selected food package (I FOOD PACKAGES)
SWIC	I	SUBSEQUENT FOOD PACKAGES		SUBSEQ FOOD PACKAGE ID	VARCHAR2	8	Y	The unique identifier for the subsequent food package (I FOOD PACKAGES).
SWIC	I	SUBSEQUENT FOOD PACKAGES		BEGIN MONTH	NUMBER	22	N	The first month of age when the subsequent food package is applicable.
SWIC	I	SUBSEQUENT FOOD PACKAGES		END MONTH	NUMBER	22	N	The last month of age when the subsequent food package is applicable.
SWIC	I	SUBSEQUENT FOOD PACKAGES		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	SUBSEQUENT FOOD PACKAGES		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	SUBSEQUENT FOOD PACKAGES		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	SUBSEQUENT FOOD PACKAGES		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	TEMP CLIENT OVER ISSUE REA		CC CLIENT ID	NUMBER	22	N	
SWIC	I	TEMP CLIENT OVER ISSUE REA		CON OVER ISSUE REASON CODE	VARCHAR2	2	N	
SWIC	I	TEMP CLIENT OVER ISSUE REA		DATE_CREATED	DATE	7	N	
SWIC	I	TEMP CLIENT OVER ISSUE REA		CREATED BY	VARCHAR2	32	N	
SWIC	I	TEMP CLIENT OVER ISSUE REA		DATE_MODIFIED	DATE	7	Y	
SWIC	I	TEMP CLIENT OVER ISSUE REA		MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	TEMP_CLIENT_OVER_ISSUE_REA		BENEFIT_ISSUE NUMBER	VARCHAR2	50	Y	
SWIC	I	TEMP CLIENT OVER ISSUE REA		ISSUE MONTH	NUMBER	22	Y	
SWIC	I	TEMP EBT BENEFITS ISSUED		CREATED BY	VARCHAR2	32	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		DATE_CREATED	DATE	7	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	TEMP EBT BENEFITS ISSUED		DATE_MODIFIED	DATE	7	Y	
SWIC	I	TEMP EBT BENEFITS ISSUED		BENEFIT_ISSUE NUMBER	VARCHAR2	50	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		CFEU FAMILY ID	VARCHAR2	8	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		OJ SEQ ID	NUMBER	22	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		BENEFIT_END_DATE	DATE	7	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		IF FOOD ID	NUMBER	22	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		QUANTITY	NUMBER	22	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		VULC CAT CODE	VARCHAR2	2	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		VULC SUB CAT CODE	VARCHAR2	3	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		ISSUE MONTH	NUMBER	22	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		BENEFIT START DATE	DATE	7	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		ISSUE YEAR	NUMBER	22	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		SL NO	NUMBER	22	N	
SWIC	I	TEMP EBT BENEFITS ISSUED		SENT_ID_EBT	NUMBER	22	Y	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		DATE_MODIFIED	DATE	7	Y	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		ISSUE MONTH	NUMBER	22	N	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		ISSUE YEAR	NUMBER	22	N	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		FP FOOD PACKAGE ID	VARCHAR2	8	N	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		GPV EFFECTIVE DATE	DATE	7	Y	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		IF FOOD ID	NUMBER	22	Y	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		QUANTITY	NUMBER	22	N	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		VULC CAT CODE	VARCHAR2	2	Y	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		VULC SUB CAT CODE	VARCHAR2	3	Y	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		VOIDID	NUMBER	22	Y	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		CC CLIENT START DATE	DATE	7	Y	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		BENEFIT_ISSUE NUMBER	VARCHAR2	50	N	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		CFEU FAMILY ID	VARCHAR2	8	N	
SWIC	I	TEMP EBT BENEFITS ISSU CNT		CC CLIENT ID	NUMBER	22	N	
SWIC	I	TEMP EBT BENEFITS ISSU_CNT		CREATED BY	VARCHAR2	32	N	
SWIC	I	TEMP EBT BENEFITS ISSU_CNT		DATE_CREATED	DATE	7	N	
SWIC	I	UNIQUE PRESCRIPTIONS		FP FOOD PACKAGE ID	VARCHAR2	8	N	THE UNIQUE IDENTIFIER FOR THE CUSTOM FOOD PACKAGE.
SWIC	I	UNIQUE PRESCRIPTIONS		FOOD ITEMS	VARCHAR2	4000	N	FOOD PACKAGE AGGREGATED LIST OF ITEMS AND THEIR QUANTITY
SWIC	I	UNIQUE PRESCRIPTIONS		FP COUNT	NUMBER	22	Y	NUMBER OF FOOD PACKAGES WITH THE SAME ID.
SWIC	I	UNIQUE PRESCRIPTIONS		STD FOOD PACKAGE ID	VARCHAR2	8	N	THE UNIQUE IDENTIFIER FOR THE STANDARD FOOD PACKAGE.
SWIC	I	UNIQUE PRESCRIPTIONS		DATE_CREATED	DATE	7	Y	COMMON AUDIT FIELD FOR DATE TIME STAMP WHEN THE ROW WAS CREATED.
SWIC	I	UNIQUE PRESCRIPTIONS		COMMON AUDIT FIELD FOR LOGGED IN USER ID WHEN THE ROW WAS CREATED.				
SWIC	I	UNITS OF MEASURE		UNIT OF MEASURE CODE	VARCHAR2	5	N	The unique identifier for the unit of measure.
SWIC	I	UNITS OF MEASURE		DESCRIPTION	VARCHAR2	20	N	The description of the unit of measure.
SWIC	I	UNITS OF MEASURE		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	UNITS OF MEASURE		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	UNITS OF MEASURE		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	UNITS OF MEASURE		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	UNITS OF MEASURE		NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	I	UNITS OF MEASURE		LPC FLAG	NUMBER	22	Y	1 Means it is Active Indicates if the Data is Active.
SWIC	I	UNITS OF MEASURE TRANSLATE		ACTIVE	NUMBER	22	Y	
SWIC	I	UNITS OF MEASURE TRANSLATE		LANGUAGE CODE	VARCHAR2	2	N	Language Code (ie, fr, ...)
SWIC	I	UNITS OF MEASURE TRANSLATE		NUM UNIT OF MEASURE CODE	VARCHAR2	5	N	The unique identifier for the unit of measure. (I UNIT OF MEASURE)
SWIC	I	UNITS OF MEASURE TRANSLATE		UNIT OF MEASURE CODE	VARCHAR2	5	N	The translated unit of measure.
SWIC	I	UNITS OF MEASURE TRANSLATE		UNIT OF MEASURE DESC	VARCHAR2	20	N	The translated description of the unit of measure.
SWIC	I	UNITS OF MEASURE TRANSLATE		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	I	UNITS OF MEASURE TRANSLATE		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	I	UNITS OF MEASURE TRANSLATE		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	UNITS OF MEASURE TRANSLATE		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	UNITS OF MEASURE TRANSLATE		ACT_SERV_CODE	VARCHAR2	6	N	Code for the appointment service.
SWIC	I	UNITS OF MEASURE TRANSLATE		ACT_SERV_DESCRIPTION	VARCHAR2	100	N	Descriptive text of the appointment service.
SWIC	I	UNITS OF MEASURE TRANSLATE		ACT_SERV_PRIORITY	NUMBER	22	Y	Numeric priority used for autoalar selection of service when multiple occur on the same day.
SWIC	I	UNITS OF MEASURE TRANSLATE		CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	I	UNITS OF MEASURE TRANSLATE		DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	I	UNITS OF MEASURE TRANSLATE		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	UNITS OF MEASURE TRANSLATE		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	UNITS OF MEASURE TRANSLATE		ID	VARCHAR2	1	N	
SWIC	I	UNITS OF MEASURE TRANSLATE		DESCRIPTION	VARCHAR2	60	N	
SWIC	I	UNITS OF MEASURE TRANSLATE		DATE_CREATED	DATE	7	N	
SWIC	I	UNITS OF MEASURE TRANSLATE		CREATED BY	VARCHAR2	32	N	
SWIC	I	UNITS OF MEASURE TRANSLATE		DATE_MODIFIED	DATE	7	Y	
SWIC	I	UNITS OF MEASURE TRANSLATE		MODIFIED BY	VARCHAR2	32	Y	
SWIC	I	UNITS OF MEASURE TRANSLATE		CATEGORY CODES	VARCHAR2	100	Y	The alpha code for certification category (such as IF for Infant Formula Fed or PG for Pregnant).
SWIC	I	CERT DOCUMENTS		SORT ORDER	NUMBER	22	N	
SWIC	I	CERT DOCUMENTS		DOC CODE	VARCHAR2	10	N	Document short abbreviation
SWIC	I	CERT DOCUMENTS		DESCRIPTION	VARCHAR2	100	Y	
SWIC	I	CERT DOCUMENTS		DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	I	CERT DOCUMENTS		CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	I	CERT DOCUMENTS		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	I	CERT DOCUMENTS		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	I	CERT DOCUMENTS		ID	VARCHAR2	1	N	
SWIC	I	CERT DOCUMENTS		DESCRIPTION	VARCHAR2	60	N	
SWIC	I	CERT DOCUMENTS		DATE_CREATED	DATE	7	N	

SWIC	L C NOTE TYPE	CREATED BY	VARCHAR2	32 N	
SWIC	L C NOTE TYPE	DATE MODIFIED	DATE	7 Y	
SWIC	L C NOTE TYPE	MODIFIED BY	VARCHAR2	32 Y	
SWIC	L V ACTION TAKEN	ID	NUMBER	22 N	
SWIC	L V ACTION TAKEN	DESCRIPTION	VARCHAR2	120 N	
SWIC	L V ACTION TAKEN	DATE CREATED	DATE	7 N	
SWIC	L V ACTION TAKEN	DATE MODIFIED	VARCHAR2	32 N	
SWIC	L V ACTION TAKEN	MODIFIED BY	VARCHAR2	32 Y	
SWIC	L V APL TYPES	APL TYPES CODE	VARCHAR2	4 N	All Types Code associated with the UPC ITEM
SWIC	L V APL TYPES	APL TYPES DESCRIPTION	VARCHAR2	50 N	Description of the APL TYPES CODE for the UPC Item
SWIC	L V APL TYPES	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	L V APL TYPES	CREATED BY	VARCHAR2	32 N	Common audit field documenting user id connected when the row was created.
SWIC	L V APL TYPES	DATE MODIFIED	DATE	7 Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	L V APL TYPES	MODIFIED BY	VARCHAR2	32 Y	Common audit field documenting user id connected when the row was last modified.
SWIC	L V APL TYPES	ACTIVE	NUMBER	22 Y	
SWIC	L V APP STATUSES	STATUS CODE	NUMBER	22 N	
SWIC	L V APP_STATUSES	DESCRIPTION	VARCHAR2	60 N	
SWIC	L V APP_STATUSES	DATE CREATED	DATE	7 N	
SWIC	L V APP_STATUSES	CREATED BY	VARCHAR2	32 N	
SWIC	L V APP_STATUSES	DATE MODIFIED	DATE	7 Y	
SWIC	L V APP_STATUSES	MODIFIED BY	VARCHAR2	32 Y	
SWIC	L V APP_STATUSES	NOTE	VARCHAR2	2000 Y	
SWIC	L V DENIAL REASON CODE	DENIAL REASON CODE	NUMBER	22 N	Alphanumeric code identifying denial reason.
SWIC	L V DENIAL REASON CODE	DESCRIPTION	VARCHAR2	120 N	Descriptive text for denial reason.
SWIC	L V DENIAL REASON CODE	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	L V DENIAL REASON CODE	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	L V DENIAL REASON CODE	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	L V DENIAL REASON CODE	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	L V DENIAL REASON CODE	NOTE	VARCHAR2	2000 Y	Common field for user notes or comments.
SWIC	L V DENIAL REASON CODE	LETTER_INSERT	VARCHAR2	250 Y	Descriptive text for denial reason which appears on vendor letters.
SWIC	L V FFF PERIOD PARAMETERS	FFY PERIOD CODE	NUMBER	22 N	Fiscal period code a unique identifier (ie 09 for Fiscal Year)
SWIC	L V FFF PERIOD PARAMETERS	DESCRIPTION	VARCHAR2	100 Y	Fiscal period description (ie Fiscal Year)
SWIC	L V FFF PERIOD PARAMETERS	CALENDAR_START_MM	NUMBER	22 Y	Calendar Month the fiscal period ends (ie 09 for Fiscal year)
SWIC	L V FFF PERIOD PARAMETERS	CALENDAR_START_YR_OFFSET	NUMBER	22 Y	Year offset for the fiscal period end (generally 0)
SWIC	L V FFF PERIOD PARAMETERS	CALENDAR_END_MM	NUMBER	22 Y	
SWIC	L V FFF PERIOD PARAMETERS	CALENDAR_END_YR_OFFSET	NUMBER	22 Y	
SWIC	L V FFF PERIOD PARAMETERS	FFY START MM	NUMBER	22 Y	Calendar Month the fiscal year starts (generally 10)
SWIC	L V FFF PERIOD PARAMETERS	FFY START YR_OFFSET	NUMBER	22 Y	Year offset for the fiscal year start (generally -1 since the year begins in October)
SWIC	L V FFF PERIOD PARAMETERS	DATE CREATED	DATE	7 Y	
SWIC	L V FFF PERIOD PARAMETERS	CREATED BY	VARCHAR2	100 Y	
SWIC	L V FFF PERIOD PARAMETERS	DATE MODIFIED	DATE	7 Y	
SWIC	L V FFF PERIOD PARAMETERS	MODIFIED BY	VARCHAR2	100 Y	
SWIC	L V FFF PERIOD PARAMETERS	NOTE	VARCHAR2	2000 Y	
SWIC	L V FFF PERIOD PARAMETERS	FFY YEAR	NUMBER	22 N	Fiscal year for reporting.
SWIC	L V FFF PERIOD PARAMETERS	FFY PERIOD	NUMBER	22 N	Numeric identifier for a reporting period such as year, half or quarter.
SWIC	L V FFF PERIOD PARAMETERS	PERIOD DESCRIPTION	VARCHAR2	100 Y	Text description for a reporting period such as fiscal year, first quarter, second half, etc.
SWIC	L V FFF PERIOD PARAMETERS	CALENDAR DATE START	DATE	7 N	Calendar date which is the start of the fiscal reporting period.
SWIC	L V FFF PERIOD PARAMETERS	CALENDAR DATE END	DATE	7 N	Calendar date on which the fiscal reporting period ends, use less-than criteria.
SWIC	L V FFF PERIOD PARAMETERS	FFY DATE START	DATE	7 N	Calendar date for the fiscal year start
SWIC	L V FFF PERIOD PARAMETERS	DATE CREATED	DATE	7 N	
SWIC	L V FFF PERIOD PARAMETERS	DATE MODIFIED	DATE	7 Y	
SWIC	L V FFF PERIOD PARAMETERS	MODIFIED BY	VARCHAR2	32 Y	
SWIC	L V FFF PERIOD PARAMETERS	NOTE	VARCHAR2	2000 Y	
SWIC	L V MILESTONE CODE	MILESTONE CODE	VARCHAR2	2 N	The alphanumeric code identifier of an authorization milestone.
SWIC	L V MILESTONE CODE	DESCRIPTION	VARCHAR2	60 N	The text description of an authorization milestone.
SWIC	L V MILESTONE CODE	ALTN_SEQ	NUMBER	22 Y	The sequence number for a milestone during the authorization process.
SWIC	L V MILESTONE CODE	REAUTH_SEQ	NUMBER	22 Y	The text description of an authorization milestone.
SWIC	L V MILESTONE CODE	SCHED TIME FRAME	NUMBER	22 N	The number of days allowed for a milestone.
SWIC	L V MILESTONE CODE	NOTE	VARCHAR2	2000 Y	Common field for user notes or comments.
SWIC	L V MILESTONE CODE	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	L V MILESTONE CODE	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	L V MILESTONE CODE	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	L V MILESTONE CODE	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	L V RISK LEVELS	RISK LEVEL ID	VARCHAR2	8 N	The system generated unique identifier.
SWIC	L V RISK LEVELS	DESCRIPTION	VARCHAR2	60 N	The description of the risk level.
SWIC	L V RISK LEVELS	DATE_CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	L V RISK LEVELS	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	L V RISK LEVELS	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	L V RISK LEVELS	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	L V RISK LEVELS	NOTE	VARCHAR2	2000 Y	Common field for user notes or comments.
SWIC	L V STATUSES	STATUS CODE	NUMBER	22 N	The system generated unique identifier.
SWIC	L V STATUSES	DESCRIPTION	VARCHAR2	60 N	The description of the vendor status.
SWIC	L V STATUSES	FI_REDEMPTION_FLAG	VARCHAR2	1 N	Indicates whether the vendor status allows food instrument redemp
SWIC	L V STATUSES	APPLICANT_FLAG	VARCHAR2	1 N	
SWIC	L V STATUSES	VENDOR_FLAG	VARCHAR2	1 N	
SWIC	L V STATUSES	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	L V STATUSES	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	L V STATUSES	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	L V STATUSES	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	L V STATUSES	NOTE	VARCHAR2	2000 Y	Common field for user notes or comments.
SWIC	MEDICAID ARCHIVE	MEDICAID ARCHIVE	VARCHAR2	12 N	
SWIC	MEDICAID ARCHIVE	ARCHIVE DATE	DATE	7 Y	
SWIC	MEDICAID CATEGORY REFR	CATEGORY_CD	VARCHAR2	4 N	The category code from the Medicaid System.
SWIC	MEDICAID CATEGORY REFR	DESCRIPTION	VARCHAR2	255 N	The description of the category.
SWIC	MEDICAID CATEGORY REFR	OVN_RL_FLG	VARCHAR2	1 N	The date/time the appointment ends.
SWIC	MEDICAID CATEGORY REFR	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	MEDICAID CATEGORY REFR	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	MEDICAID CATEGORY REFR	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	MEDICAID CATEGORY REFR	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	MEDICAID COUNTY AGENCY	SC_COUNTY_CODE	VARCHAR2	2 N	
SWIC	MEDICAID COUNTY AGENCY	OU_SEQ_ID	NUMBER	22 N	
SWIC	MEDICAID COUNTY AGENCY	DATE CREATED	DATE	7 N	
SWIC	MEDICAID COUNTY AGENCY	CREATED BY	VARCHAR2	32 N	
SWIC	MEDICAID COUNTY AGENCY	DATE MODIFIED	DATE	7 Y	
SWIC	MEDICAID COUNTY AGENCY	MODIFIED BY	VARCHAR2	32 Y	
SWIC	MEDICAID FILE CURRENT	COUNTY	VARCHAR2	3 Y	
SWIC	MEDICAID FILE CURRENT	CATEGORY CODE	VARCHAR2	4 Y	
SWIC	MEDICAID FILE CURRENT	RELEASIBLE END DATE	VARCHAR2	32 N	
SWIC	MEDICAID FILE CURRENT	DATE OF BIRTH	DATE	7 Y	
SWIC	MEDICAID FILE CURRENT	MARITAL STATUS	VARCHAR2	7 Y	
SWIC	MEDICAID FILE CURRENT	SWIC_RACE_ETHNICITY	VARCHAR2	1 Y	
SWIC	MEDICAID FILE CURRENT	GENDER	VARCHAR2	1 Y	
SWIC	MEDICAID FILE CURRENT	LAST NAME	VARCHAR2	15 Y	
SWIC	MEDICAID FILE CURRENT	FIRST NAME	VARCHAR2	12 Y	
SWIC	MEDICAID FILE CURRENT	MIDDLE INITIAL	VARCHAR2	1 Y	
SWIC	MEDICAID FILE CURRENT	ADDRESS LINE1	VARCHAR2	32 Y	
SWIC	MEDICAID FILE CURRENT	CITY	VARCHAR2	15 Y	
SWIC	MEDICAID FILE CURRENT	STATE CODE	VARCHAR2	2 Y	
SWIC	MEDICAID FILE CURRENT	ZIP_CODE	VARCHAR2	9 Y	
SWIC	MEDICAID FILE CURRENT	STATE_MID_ID	VARCHAR2	12 N	
SWIC	MEDICAID FILE CURRENT	AG STATUS	VARCHAR2	1 Y	
SWIC	MEDICAID FILE CURRENT	FILLER_1	VARCHAR2	1 Y	
SWIC	MEDICAID FILE CURRENT	GUARDIAN FIRST NAME	VARCHAR2	15 Y	
SWIC	MEDICAID FILE CURRENT	FILLER_2	VARCHAR2	1 Y	
SWIC	MEDICAID FILE CURRENT	GUARDIAN LAST NAME	VARCHAR2	15 Y	
SWIC	MEDICAID FILE CURRENT	FILLER_3	VARCHAR2	1 Y	
SWIC	MEDICAID FILE CURRENT	GUARDIAN MID INIT	VARCHAR2	1 Y	
SWIC	MEDICAID FILE CURRENT	FILLER_4	VARCHAR2	2 Y	
SWIC	MEDICAID FILE CURRENT	ADOL STREET ADDRESS	VARCHAR2	30 Y	
SWIC	MEDICAID FILE CURRENT	PHONE_NBR	VARCHAR2	15 Y	
SWIC	MEDICAID FILE CURRENT	PRG_CODE	VARCHAR2	1 Y	
SWIC	MEDICAID FILE CURRENT	FILE ME DATE	DATE	7 Y	
SWIC	MEDICAID FILE CURRENT	UPD CODE	VARCHAR2	3 Y	
SWIC	MOBILE CARA TOKEN	USER ID	VARCHAR2	20 N	
SWIC	MOBILE CARA TOKEN	TOKEN_NUMBER	VARCHAR2	50 N	
SWIC	MOBILE CARA TOKEN	DATE CREATED	DATE	7 N	
SWIC	MOBILE CARA TOKEN	CREATED BY	VARCHAR2	32 N	
SWIC	MOBILE CARA TOKEN	DATE MODIFIED	DATE	7 Y	
SWIC	MOBILE CARA TOKEN	MODIFIED BY	VARCHAR2	32 Y	
SWIC	MOBILE VMON TOKEN	USER ID	VARCHAR2	20 N	
SWIC	MOBILE VMON TOKEN	TOKEN_NUMBER	VARCHAR2	50 N	
SWIC	MOBILE VMON TOKEN	DATE_CREATED	DATE	7 N	
SWIC	MOBILE VMON TOKEN	CREATED BY	VARCHAR2	32 N	
SWIC	MOBILE VMON TOKEN	DATE MODIFIED	DATE	7 Y	
SWIC	MOBILE VMON TOKEN	MODIFIED BY	VARCHAR2	32 Y	
SWIC	MTRACK CAT SUBCAT	CAT_CODE	VARCHAR2	2 Y	
SWIC	MTRACK CAT SUBCAT	SUB CAT CODE	VARCHAR2	3 Y	
SWIC	MTRACK CAT SUBCAT	FOOD CODE	VARCHAR2	50 Y	
SWIC	MTRACK CAT SUBCAT	CONTRACT FORM	VARCHAR2	1 Y	
SWIC	MTRACK CAT SUBCAT	EFFECTIVE DATE	DATE	7 Y	
SWIC	MTRACK CAT SUBCAT	AVG_AMT	NUMBER	22 Y	
SWIC	MTRACK CAT SUBCAT	SHOPPING LIST DESC	VARCHAR2	250 Y	
SWIC	MTRACK CAT SUBCAT	CAT SUB STATUS	VARCHAR2	1 Y	
SWIC	MTRACK CAT SUBCAT	UNIT OF MEASURE	VARCHAR2	10 Y	
SWIC	MTRACK CAT SUBCAT	DATE CREATED	DATE	7 N	
SWIC	MTRACK CAT SUBCAT	CREATED BY	VARCHAR2	32 N	
SWIC	MTRACK CAT SUBCAT	DATE MODIFIED	DATE	7 Y	
SWIC	MTRACK CAT SUBCAT	MODIFIED BY	VARCHAR2	32 Y	
SWIC	O JOB DESCRIPTIONS	ST_STAFF_TITLE_CODE	VARCHAR2	3 N	The unique code for staff title.
SWIC	O JOB DESCRIPTIONS	SM_STAFF_MEMBER_ID	NUMBER	22 N	The unique identifier for the staff position.
SWIC	O JOB DESCRIPTIONS	OU_SEQ_ID	NUMBER	22 N	The unique identifier for the org (ie ORGANIZATIONAL UNITS).
SWIC	O JOB DESCRIPTIONS	OP PRG PROGRAM ID	VARCHAR2	5 N	Unused for WOV
SWIC	O JOB DESCRIPTIONS	START DATE	DATE	7 N	The start date of the position.
SWIC	O JOB DESCRIPTIONS	WEEKLY HOURS	NUMBER	22 N	The number of hours per week the job requires.
SWIC	O JOB DESCRIPTIONS	FTE BASE	NUMBER	22 N	The Full Time Equivalent base number.
SWIC	O JOB DESCRIPTIONS	HOMER_ORG_FLAG	NUMBER	22 N	Indicates whether this is the staff member's home organization.
SWIC	O JOB DESCRIPTIONS	DATE_CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	O JOB DESCRIPTIONS	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	O JOB DESCRIPTIONS	END DATE	DATE	7 Y	The end date of the position.
SWIC	O JOB DESCRIPTIONS	DATE MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	O JOB DESCRIPTIONS	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	O JOB DESCRIPTIONS	NOTE	VARCHAR2	2000 Y	Common field for user notes or comments.
SWIC	O LU NY GED FPS	COUNTY CODE	VARCHAR2	3 N	
SWIC	O LU NY GED FPS	STATE FPS CODE	VARCHAR2	2 Y	
SWIC	O LU NY GED FPS	COUNTY FPS CODE	VARCHAR2	3 Y	
SWIC	O LU NY GED FPS	ACTIVE	NUMBER	22 Y	
SWIC	O LU NY GED FPS	DATE CREATED	DATE	7 Y	
SWIC	O LU NY GED FPS	CREATED BY	VARCHAR2	32 Y	
SWIC	O LU NY GED FPS	DATE MODIFIED	DATE	7 Y	
SWIC	O LU NY GED FPS	MODIFIED BY	VARCHAR2	32 Y	

SWIC	O LU ORG AGENCYCLASSIFICATIONS	CLASSIFICATIONID	NUMBER	22	N	
SWIC	O LU ORG AGENCYCLASSIFICATIONS	DESCRIPTION	VARCHAR2	255	Y	
SWIC	O LU ORG AGENCYCLASSIFICATIONS	ACTIVE	NUMBER	22	Y	
SWIC	O LU ORG AGENCYCLASSIFICATIONS	DATE_CREATED	DATE	7	Y	
SWIC	O LU ORG AGENCYCLASSIFICATIONS	CREATED_BY	VARCHAR2	32	Y	
SWIC	O LU ORG AGENCYCLASSIFICATIONS	DATE_MODIFIED	DATE	7	Y	
SWIC	O LU ORG AGENCYCLASSIFICATIONS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	O LU ORG CONVERTED	CLINIC_ID	VARCHAR2	4	N	M TRAC Clinic id
SWIC	O LU ORG CONVERTED	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O LU ORG CONVERTED	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last created.
SWIC	O LU ORG CONVERTED	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	O LU ORG CONVERTED	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O LU ORG CONVERTED	OU_SEQ_ID	NUMBER	22	N	M: WIC organization id (D: ORGANIZATIONAL_UNITS).
SWIC	O LU ORG CONVERTED	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	O LU ORG OFFICERTYPES	ACTIVE	NUMBER	22	Y	
SWIC	O LU ORG OFFICERTYPES	DATE_CREATED	DATE	7	Y	
SWIC	O LU ORG OFFICERTYPES	CREATED_BY	VARCHAR2	32	Y	
SWIC	O LU ORG OFFICERTYPES	DATE_MODIFIED	DATE	7	Y	
SWIC	O LU ORG OFFICERTYPES	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	O LU ORG OFFICERTYPES	OFFICERTYPE	NUMBER	22	N	
SWIC	O LU ORG OFFICERTYPES	DESCRIPTION	VARCHAR2	100	Y	
SWIC	O LU ORG OFFICERTYPES	AGENCY_TYPER	NUMBER	22	Y	
SWIC	O LU ORG OFFICERTYPES	EXCLUDESDROMESPORT_FLAG	NUMBER	22	Y	
SWIC	O LU ORG OFFICE PRIORITY	ID	NUMBER	22	N	The unique identifier for the referred
SWIC	O LU ORG OFFICE PRIORITY	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for the referred lookup entries
SWIC	O LU ORG OFFICE PRIORITY	ACTIVE	NUMBER	22	N	Flag that identifies if the lookup entry is active
SWIC	O LU ORG OFFICE PRIORITY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O LU ORG OFFICE PRIORITY	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O LU ORG OFFICE PRIORITY	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O LU ORG OFFICE PRIORITY	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O LU ORG ORGANIZATION TYPE	ID	NUMBER	22	N	
SWIC	O LU ORG ORGANIZATION TYPE	DESCRIPTION	VARCHAR2	255	Y	
SWIC	O LU ORG ORGANIZATION TYPE	ACTIVE	NUMBER	22	Y	
SWIC	O LU ORG ORGANIZATION TYPE	DATE_CREATED	DATE	7	Y	
SWIC	O LU ORG ORGANIZATION TYPE	CREATED_BY	VARCHAR2	32	Y	
SWIC	O LU ORG ORGANIZATION TYPE	DATE_MODIFIED	DATE	7	Y	
SWIC	O LU ORG ORGANIZATION TYPE	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	O LU ORG PLANNING AREAS	PLANNINGAREANUMBER	NUMBER	22	N	
SWIC	O LU ORG PLANNING AREAS	DESCRIPTION	VARCHAR2	100	Y	
SWIC	O LU ORG SITE TYPES	ACTIVE	NUMBER	22	Y	
SWIC	O LU ORG SITE TYPES	DATE_CREATED	DATE	7	Y	
SWIC	O LU ORG SITE TYPES	CREATED_BY	VARCHAR2	32	Y	
SWIC	O LU ORG SITE TYPES	DATE_MODIFIED	DATE	7	Y	
SWIC	O LU ORG SITE TYPES	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	O LU ORG SITE TYPES	SITETYPED	NUMBER	22	N	
SWIC	O LU ORG SITE TYPES	DESCRIPTION	VARCHAR2	100	Y	
SWIC	O LU ORG TITLES	ORG_TITLE_ID	NUMBER	22	N	The unique identifier for organizational title.
SWIC	O LU ORG TITLES	DESCRIPTION	VARCHAR2	100	Y	The description about organization.
SWIC	O LU ORG TITLES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O LU ORG TITLES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O LU ORG TITLES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O LU ORG TITLES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O LU ORG TITLES	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	O LU OUTREACH ACTIVITY	ACTIVITY_CODE	NUMBER	22	N	The unique numeric identifier for outreach activity.
SWIC	O LU OUTREACH ACTIVITY	ACTIVITY_DESCRIPTION	VARCHAR2	200	Y	The outreach activity description.
SWIC	O LU OUTREACH ACTIVITY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O LU OUTREACH ACTIVITY	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O LU OUTREACH ACTIVITY	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O LU OUTREACH ACTIVITY	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O LU OUTREACH ACTIVITY	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	O LU OUTREACH EVAL	EVAL_CODE	NUMBER	22	N	The unique numeric identifier for outreach evaluation.
SWIC	O LU OUTREACH EVAL	EVAL_DESCRIPTION	VARCHAR2	200	N	The outreach evaluation description.
SWIC	O LU OUTREACH EVAL	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O LU OUTREACH EVAL	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O LU OUTREACH EVAL	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O LU OUTREACH EVAL	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O LU OUTREACH EVAL	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	O LU OUTREACH EVAL	LOCATION_CODE	NUMBER	22	N	The unique numeric identifier for outreach LOCATION.
SWIC	O LU OUTREACH EVAL	LOCATION_DESCRIPTION	VARCHAR2	200	Y	The outreach LOCATION description.
SWIC	O LU OUTREACH LOCATION	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O LU OUTREACH LOCATION	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O LU OUTREACH LOCATION	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O LU OUTREACH LOCATION	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O LU OUTREACH LOCATION	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	O LU STAFF TRAINING TYPES	ID	NUMBER	22	N	The unique numeric identifier for staff training types.
SWIC	O LU STAFF TRAINING TYPES	DESCRIPTION	VARCHAR2	200	Y	The staff training type description.
SWIC	O LU STAFF TRAINING TYPES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O LU STAFF TRAINING TYPES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O LU STAFF TRAINING TYPES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O LU STAFF TRAINING TYPES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O LU STAFF TRAINING TYPES	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	O LU STAFF TYPES	ID	NUMBER	22	N	The unique numeric identifier for staff types.
SWIC	O LU STAFF TYPES	DESCRIPTION	VARCHAR2	200	Y	The staff type description.
SWIC	O LU STAFF TYPES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O LU STAFF TYPES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O LU STAFF TYPES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O LU STAFF TYPES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O ORGANIZATIONAL UNITS	MP4	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	O ORGANIZATIONAL UNITS	MP4	VARCHAR2	4	Y	The last 4 digits of the organizational unit's 9-digit mailing address zip code
SWIC	O ORGANIZATIONAL UNITS	Y2P4	VARCHAR2	4	Y	The last 4 digits of the organizational unit's 9-digit vendor address zip code
SWIC	O ORGANIZATIONAL UNITS	EDPA	VARCHAR2	22	Y	The last 4 digits of the organizational unit's 9-digit DUNS address zip code
SWIC	O ORGANIZATIONAL UNITS	WIC2GO_HOURS	VARCHAR2	1000	Y	
SWIC	O ORGANIZATIONAL UNITS	SITE_TYPER	VARCHAR2	100	Y	This will indicate if the site is Permanent or Temporary
SWIC	O ORGANIZATIONAL UNITS	SITE_MANAGER	VARCHAR2	100	Y	The name of the manager
SWIC	O ORGANIZATIONAL UNITS	SITE_ACCESSIBILITY	NUMBER	22	Y	This is YES/NO ADA compliance
SWIC	O ORGANIZATIONAL UNITS	FNS_CODE	NUMBER	22	Y	FNS assigned number of the WIC Vendor.
SWIC	O ORGANIZATIONAL UNITS	FEN	VARCHAR2	9	Y	The Federal employer identification number of the vendor owner.
SWIC	O ORGANIZATIONAL UNITS	ORGANIZATION_TYPE	VARCHAR2	25	Y	The type of the Organization
SWIC	O ORGANIZATIONAL UNITS	SFS_FYFIVE_NAME	VARCHAR2	255	Y	The State Financial System(SFS) name of the organization.
SWIC	O ORGANIZATIONAL UNITS	SUPPLIER_LOCATION	VARCHAR2	30	Y	The location of the supplier
SWIC	O ORGANIZATIONAL UNITS	VEN_ADDRESS_LINE_1	VARCHAR2	30	Y	The first line of the organizational unit's vendor address.
SWIC	O ORGANIZATIONAL UNITS	VEN_ADDRESS_LINE_2	VARCHAR2	30	Y	The second line of the organizational unit's vendor address.
SWIC	O ORGANIZATIONAL UNITS	DUNS_NUMBER	VARCHAR2	9	Y	The system generated unique identifier.
SWIC	O ORGANIZATIONAL UNITS	DUNS_NAME	VARCHAR2	200	Y	Name of the DUNS
SWIC	O ORGANIZATIONAL UNITS	ADVANCE_ELIGIBILITY	VARCHAR2	25	Y	This is 'Yes/No' field (Advance Eligible or Not Advance Eligible).
SWIC	O ORGANIZATIONAL UNITS	DATE_CHARGE_OPTION	VARCHAR2	25	Y	This is 'Yes/No' field(Not Applicable or Chargeable).
SWIC	O ORGANIZATIONAL UNITS	CHARITIES_REG_NUM	VARCHAR2	15	Y	The registration number of the charitable organization.
SWIC	O ORGANIZATIONAL UNITS	CLDSE_DATE	DATE	7	Y	Indicates the Closed date of the organization i.e., Clinic/County/Local Agency
SWIC	O ORGANIZATIONAL UNITS	AGENCY_CLASSIFICATION	NUMBER	22	Y	This indicates type of agency classification i.e., Community Action Project/County Health Center/Hospital/Other
SWIC	O ORGANIZATIONAL UNITS	AGENCY_URL	VARCHAR2	200	Y	The agency website url.
SWIC	O ORGANIZATIONAL UNITS	OFFICIAL_NYS_CONTACT	VARCHAR2	100	Y	This is the official contact in the local agency that will receive notices from New York State.
SWIC	O ORGANIZATIONAL UNITS	FMS_CONTACT_MANAGER	VARCHAR2	100	Y	The name of the Fiscal Management Section(FMS) Manager
SWIC	O ORGANIZATIONAL UNITS	REG_FISCAL_CONTRACT_MANAGER	VARCHAR2	100	Y	The name of the Regional Fiscal Contract Manager
SWIC	O ORGANIZATIONAL UNITS	REG_REGISTRATION_CONTRACT_MGR	VARCHAR2	100	Y	The named of the Registration Contract Manager
SWIC	O ORGANIZATIONAL UNITS	SEGO_GEO_LOCATION_ID_VENDOR	NUMBER	22	Y	The system generated unique identifier for city/state/zip (5 GEO LOCATIONS) for vendor address.
SWIC	O ORGANIZATIONAL UNITS	SEGO_GEO_LOCATION_ID_DUNS	NUMBER	22	Y	The system generated unique identifier for city/state/zip (5 GEO LOCATIONS) for Duns address.
SWIC	O ORGANIZATIONAL UNITS	FACEBOOK_URL	VARCHAR2	200	Y	The url of the facebook
SWIC	O ORGANIZATIONAL UNITS	INSTAGRAM_URL	VARCHAR2	200	Y	The url of the Instagram
SWIC	O ORGANIZATIONAL UNITS	TWITTER_URL	VARCHAR2	200	Y	The url of the Twitter
SWIC	O ORGANIZATIONAL UNITS	REFERRAL_EMAIL	VARCHAR2	200	Y	The email address of the referral
SWIC	O ORGANIZATIONAL UNITS	NYS_VENDOR_ID	VARCHAR2	25	Y	The Vendor WIC-assigned ID code.
SWIC	O ORGANIZATIONAL UNITS	NVRA_NUMBER	VARCHAR2	30	Y	This is a National Voter Registration Number
SWIC	O ORGANIZATIONAL UNITS	EXCLUDES WIC2GO_FLAG	NUMBER	22	Y	Indicates if the wic2go is included or not (0=Included, 1= Excluded).
SWIC	O ORGANIZATIONAL UNITS	REGION_ID	NUMBER	22	Y	The region of the organization.
SWIC	O ORGANIZATIONAL UNITS	HOURS_OF_OPERATION	VARCHAR2	1000	Y	This is a textual description of the dates/times for which the clinic extended operation - such as M-F
SWIC	O ORGANIZATIONAL UNITS	ORG_CODE_AGENCY	VARCHAR2	8	N	Same as the first 2 characters of org_code_id will be the same for local agency and related clinics.
SWIC	O ORGANIZATIONAL UNITS	DEFAULT_MAX_CLASS_SIZE	NUMBER	22	Y	The default maximum size for classes held at this location.
SWIC	O ORGANIZATIONAL UNITS	ADD_SCHEDULAR_COLUMNS_FLAG	NUMBER	22	Y	This will indicate if the staff member list should include the default scheduler columns.
SWIC	O ORGANIZATIONAL UNITS	EXCLUDES_CARELOAD_FLAG	NUMBER	22	Y	Indicates the calendar excluded or not (0=Included, 1= excluded).
SWIC	O ORGANIZATIONAL UNITS	MINI_MICR_FLAG	NUMBER	22	Y	Indicates whether the organization has a mini-MICR printer.
SWIC	O ORGANIZATIONAL UNITS	PHONE_AREA_CODE	VARCHAR2	3	Y	The Area Code for the organization.
SWIC	O ORGANIZATIONAL UNITS	CLINIC_CARELOAD_ASSIGNED	NUMBER	22	Y	This is the assigned careload for a clinic for the purposes of staff planning.
SWIC	O ORGANIZATIONAL UNITS	NOTIF_MON_FLAG	NUMBER	22	Y	Indicates the week of notify monday flag will be true or not (1=Yes, 0=No).
SWIC	O ORGANIZATIONAL UNITS	NOTIF_TUE_FLAG	NUMBER	22	Y	Indicates the week of notify tuesday flag will be true or not (1=Yes, 0=No).
SWIC	O ORGANIZATIONAL UNITS	NOTIF_WED_FLAG	NUMBER	22	Y	Indicates the week of notify wednesday flag will be true or not (1=Yes, 0=No).
SWIC	O ORGANIZATIONAL UNITS	NOTIF_THU_FLAG	NUMBER	22	Y	Indicates the week of notify thursday flag will be true or not (1=Yes, 0=No).
SWIC	O ORGANIZATIONAL UNITS	NOTIF_FRI_FLAG	NUMBER	22	Y	Indicates the week of notify friday flag will be true or not (1=Yes, 0=No).
SWIC	O ORGANIZATIONAL UNITS	NOTIF_SAT_FLAG	NUMBER	22	Y	Indicates the week of notify saturday flag will be true or not (1=Yes, 0=No).
SWIC	O ORGANIZATIONAL UNITS	NOTIF_SUN_FLAG	NUMBER	22	Y	Indicates the week of notify sunday flag will be true or not (1=Yes, 0=No).
SWIC	O ORGANIZATIONAL UNITS	MAILING_ADDRESS1	VARCHAR2	60	Y	First line of organizational unit mailing address
SWIC	O ORGANIZATIONAL UNITS	MAILING_ADDRESS2	VARCHAR2	60	Y	Second line of organizational unit mailing address
SWIC	O ORGANIZATIONAL UNITS	SEGO_GEO_LOCATION_ID_MAIL	NUMBER	22	Y	The geo location id of mailing address for organizational unit
SWIC	O ORGANIZATIONAL UNITS	INDEX_NO	VARCHAR2	32	Y	Index number for local agency
SWIC	O ORGANIZATIONAL UNITS	HOSPITAL_CLINIC_FLAG	NUMBER	22	Y	Indicates the site is organized as hospital clinic or not.
SWIC	O ORGANIZATIONAL UNITS	TS_MONTH_IN_CODE	NUMBER	22	Y	
SWIC	O ORGANIZATIONAL UNITS	SEQ_ID	NUMBER	22	Y	The system generated unique identifier for organizational unit.
SWIC	O ORGANIZATIONAL UNITS	OU_TYPE	VARCHAR2	8	N	Indicates the type of the organization i.e., Clinic/County/Local Agency/State Agency.
SWIC	O ORGANIZATIONAL UNITS	ORG_CODE	VARCHAR2	3	N	The organizational unit's unique code.
SWIC	O ORGANIZATIONAL UNITS	ORG_CODE_VB	VARCHAR2	7	N	Domain to store vb digit code
SWIC	O ORGANIZATIONAL UNITS	NAME	VARCHAR2	60	N	The name of the organizational unit.
SWIC	O ORGANIZATIONAL UNITS	ADDRESS	VARCHAR2	60	N	The first line of the organizational unit's address.
SWIC	O ORGANIZATIONAL UNITS	SEGO_GEO_LOCATION_ID	NUMBER	22	N	The system generated unique identifier.
SWIC	O ORGANIZATIONAL UNITS	FCS_CODE	NUMBER	22	Y	The FCS code.
SWIC	O ORGANIZATIONAL UNITS	PP_PREFR	VARCHAR2	1	N	The value to be used as the prefix for the food pattern
SWIC	O ORGANIZATIONAL UNITS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O ORGANIZATIONAL UNITS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O ORGANIZATIONAL UNITS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O ORGANIZATIONAL UNITS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O ORGANIZATIONAL UNITS	ZIP4	VARCHAR2	4	Y	The last 4 digits of the organizational unit's 9-digit address.
SWIC	O ORGANIZATIONAL UNITS	OFFICE_SPACE	NUMBER	22	Y	The last 4 digits of the organizational unit's 9-digit zip code.
SWIC	O ORGANIZATIONAL UNITS	OFFICE_SPACE	NUMBER	22	Y	The office space (in square feet) used for WIC.
SWIC	O ORGANIZATIONAL UNITS	E_MAIL	VARCHAR2	255	Y	The organizational unit's e-mail address.
SWIC	O ORGANIZATIONAL UNITS	CHECK_OUT_FLAG	VARCHAR2	1	Y	Indicates whether the organizational unit data has been checked a
SWIC	O ORGANIZATIONAL UNITS	MEASURING_UNIT	VARCHAR2	1	Y	Indicates the measurement system normally used by the organization
SWIC	O ORGANIZATIONAL UNITS	SM_STAFF_MEMBER_ID	NUMBER	22	Y	The unique identifier for the staff position.
SWIC	O ORGANIZATIONAL UNITS	OU_SEQ_ID	NUMBER	22	Y	The system generated unique identifier.
SWIC	O ORGANIZATIONAL UNITS	FUI_PICKUP_INTERVAL_CODE	NUMBER	22	Y	The system generated unique identifier.
SWIC	O ORGANIZATIONAL UNITS	LANG_LANGUAGE_CODE	NUMBER	22	Y	The system generated unique identifier.
SWIC	O ORGANIZATIONAL UNITS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O ORGANIZATIONAL UNITS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O ORGANIZATIONAL UNITS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	O ORGANIZATIONAL UNITS	STATUS	VARCHAR2	30	Y	The status of the organization whether open/closed.
SWIC	O ORGANIZATIONAL UNITS	APPT_NOTICE_FLAG	NUMBER	22	Y	UNUSED FOR M: WIC.
SWIC	O ORGANIZATIONAL UNITS	US_STATE_FIPS_CODE	VARCHAR2	3	Y	

SWIC	O	ORGANIZATIONAL UNITS	GIS	COUNTY FIPS CODE	VARCHAR2	5	Y	
SWIC	O	ORGANIZATIONAL UNITS	GIS	STATE LOWER HOUSE DIST NUM	NUMBER	22	Y	
SWIC	O	ORGANIZATIONAL UNITS	GIS	STATE UPPER HOUSE DIST NUM	NUMBER	22	Y	
SWIC	O	ORGANIZATIONAL UNITS	GIS	US CONGRESSIONAL DIST NUM	NUMBER	22	Y	
SWIC	O	ORGANIZATIONAL UNITS	GIS	US CONGRESSIONAL SESSION NUM	NUMBER	22	Y	
SWIC	O	ORGANIZATIONAL UNITS	GIS	ZCTA	VARCHAR2	5	Y	
SWIC	O	ORGANIZATIONAL UNITS	GIS	PLANNINGAREANUMBER	NUMBER	22	Y	
SWIC	O	ORGANIZATIONAL UNITS	GIS	SEQ	NUMBER	22	Y	The unique identifier for the Organization code
SWIC	O	ORGANIZATIONAL UNITS	GIS	LATITUDE	NUMBER	22	Y	The Latitude of the Address
SWIC	O	ORGANIZATIONAL UNITS	GIS	LONGITUDE	NUMBER	22	Y	The Longitude of the Address
SWIC	O	ORGANIZATIONAL UNITS	GIS	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	O	ORGANIZATIONAL UNITS	GIS	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	O	ORGANIZATIONAL UNITS	GIS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	ORGANIZATIONAL UNITS	GIS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	ORG AGENCY TYPE		AGENCY TYPE	NUMBER	22	N	
SWIC	O	ORG AGENCY TYPE		DESCRIPTION	VARCHAR2	100	Y	
SWIC	O	ORG CONTACT INFO		USERID	VARCHAR2	50	Y	
SWIC	O	ORG CONTACT INFO		PREFIX	VARCHAR2	10	Y	
SWIC	O	ORG CONTACT INFO		SUFFIX	VARCHAR2	40	Y	
SWIC	O	ORG CONTACT INFO		FREETEXT	VARCHAR2	50	Y	
SWIC	O	ORG CONTACT INFO		LASTNAME	VARCHAR2	50	Y	
SWIC	O	ORG CONTACT INFO		OFFICER/PRIORITY	NUMBER	22	Y	
SWIC	O	ORG CONTACT INFO		OFFICERTYPE	NUMBER	22	Y	
SWIC	O	ORG CONTACT INFO		TITLE	VARCHAR2	100	Y	
SWIC	O	ORG CONTACT INFO		OU_SEQ_ID	NUMBER	22	N	The unique identifier for the organization contact.
SWIC	O	ORG CONTACT INFO		ORG_TITLE_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	O	ORG CONTACT INFO		NAME	VARCHAR2	100	Y	The unique identifier for organizational title.
SWIC	O	ORG CONTACT INFO		PHONE NUMBER	NUMBER	22	Y	The phone number of the organization.
SWIC	O	ORG CONTACT INFO		PHONE EXTENSION	NUMBER	22	Y	The phone extension of the organization.
SWIC	O	ORG CONTACT INFO		FAX NUMBER	NUMBER	22	Y	The fax number of the organization.
SWIC	O	ORG CONTACT INFO		EMAIL	VARCHAR2	100	Y	The email address of the organization.
SWIC	O	ORG CONTACT INFO		ADDRESS	VARCHAR2	100	Y	The address of the organization.
SWIC	O	ORG CONTACT INFO		INCLUDE_IN_DIRECTORY	NUMBER	22	Y	Indicates whether the clinic included in directory or not (0=No, 1=Yes).
SWIC	O	ORG CONTACT INFO		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	ORG CONTACT INFO		DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	O	ORG CONTACT INFO		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	ORG OUTREACH		OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	O	ORG OUTREACH		OU_OUTREACH_ORG_ID	NUMBER	22	N	The unique identifier for the outreach organization (O OUTREACH ORGANIZATIONS)
SWIC	O	ORG OUTREACH		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	ORG OUTREACH		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	ORG OUTREACH		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	ORG OUTREACH		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	ORG OUTREACH		NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	O	ORG STAFFING PLAN		OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	O	ORG STAFFING PLAN		STAFF_ID	NUMBER	22	N	The unique numeric identifier for staff types (O LU STAFF TYPES).
SWIC	O	ORG STAFFING PLAN		FTE	NUMBER	22	Y	The Staff (FTE) Full time equivalence
SWIC	O	ORG STAFFING PLAN		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	ORG STAFFING PLAN		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	ORG STAFFING PLAN		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	ORG STAFFING PLAN		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	ORG STAFFING PLAN		STAFFING_PLAN_ID	NUMBER	22	N	The unique identifier for the staff plan
SWIC	O	ORG UNIT PHONES		SPT_PHONE_TYPE_ID	VARCHAR2	3	N	Unique phone type identifier.
SWIC	O	ORG UNIT PHONES		OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL UNITS).
SWIC	O	ORG UNIT PHONES		PHONE NUMBER	NUMBER	10	N	The organizational unit's telephone number.
SWIC	O	ORG UNIT PHONES		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	ORG UNIT PHONES		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	ORG UNIT PHONES		PHONE EXTENSION	VARCHAR2	5	Y	The organizational unit's telephone extension
SWIC	O	ORG UNIT PHONES		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	ORG UNIT PHONES		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	OUTREACH ACTIVITY		ACTIVITY_ID	NUMBER	22	N	The system generated unique numeric identifier for the outreach activity.
SWIC	O	OUTREACH ACTIVITY		OBJECTIVE_ID	NUMBER	22	N	The system generated unique numeric identifier for the outreach objective (O OUTREACH OBJECTIVES).
SWIC	O	OUTREACH ACTIVITY		ACTIVITY_CODE	NUMBER	22	N	The unique numeric identifier for outreach activity (O LU OUTREACH ACTIVITY).
SWIC	O	OUTREACH ACTIVITY		WHERE_REFERRAL	VARCHAR2	32	Y	The Referral associated with the selected Objective.
SWIC	O	OUTREACH ACTIVITY		PLANNED ACTIVITY DATE	DATE	7	Y	The planned outreach activity date.
SWIC	O	OUTREACH ACTIVITY		ACTUAL ACTIVITY DATE	DATE	7	Y	The actual outreach activity date.
SWIC	O	OUTREACH ACTIVITY		WHO_PROVIDED	VARCHAR2	200	Y	The person or party who provided the referral.
SWIC	O	OUTREACH ACTIVITY		POST ACTIVITY NOTES	VARCHAR2	2000	Y	The note associated with the activity.
SWIC	O	OUTREACH ACTIVITY		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	OUTREACH ACTIVITY		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	OUTREACH ACTIVITY		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	OUTREACH ACTIVITY		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	OUTREACH MAIN		SEQ_ID	NUMBER	22	N	The system generated unique numeric identifier.
SWIC	O	OUTREACH MAIN		OU_SEQ_ID	NUMBER	22	N	The system generated unique identifier for organizational units.
SWIC	O	OUTREACH MAIN		FISCAL_YEAR	NUMBER	22	Y	The fiscal year of the outreach management.
SWIC	O	OUTREACH MAIN		GOAL	VARCHAR2	2000	Y	The goal of the outreach management.
SWIC	O	OUTREACH MAIN		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	OUTREACH MAIN		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	OUTREACH MAIN		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	OUTREACH MAIN		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	OUTREACH OBJECTIVES		OBJECTIVE_ID	NUMBER	22	N	The system generated unique numeric identifier for the outreach objective.
SWIC	O	OUTREACH OBJECTIVES		SEQ_ID	NUMBER	22	N	The system generated unique numeric identifier (O OUTREACH MAIN).
SWIC	O	OUTREACH OBJECTIVES		OBJECTIVE_TEXT	VARCHAR2	200	Y	The description for outreach objective.
SWIC	O	OUTREACH OBJECTIVES		PERSON_RESPONSIBLE	VARCHAR2	200	Y	The person responsible for outreach objective.
SWIC	O	OUTREACH OBJECTIVES		COMPLETION DATE	DATE	7	Y	The completion date for the outreach objective.
SWIC	O	OUTREACH OBJECTIVES		EVAL METHOD	VARCHAR2	200	Y	The evaluation for the outreach objective.
SWIC	O	OUTREACH OBJECTIVES		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	OUTREACH OBJECTIVES		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	OUTREACH OBJECTIVES		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	OUTREACH OBJECTIVES		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	OUTREACH ORGANIZATIONS		OUTREACH_ORG_ID	NUMBER	22	N	The system generated unique identifier.
SWIC	O	OUTREACH ORGANIZATIONS		OUT_OUTREACH_ORG_TYPE_CODE	VARCHAR2	4	Y	The unique code for outreach org type.
SWIC	O	OUTREACH ORGANIZATIONS		SECT GEO LOCATION ID	NUMBER	22	N	The system generated unique identifier.
SWIC	O	OUTREACH ORGANIZATIONS		SCP CONTACT TITLE CODE	VARCHAR2	2	Y	The unique code for contact title.
SWIC	O	OUTREACH ORGANIZATIONS		NAME	VARCHAR2	60	N	The name of the outreach organization.
SWIC	O	OUTREACH ORGANIZATIONS		ADDRESS	VARCHAR2	60	Y	The first line of the outreach organization's address.
SWIC	O	OUTREACH ORGANIZATIONS		CONTACT LAST NAME	VARCHAR2	50	Y	The last name of the outreach organization contact person.
SWIC	O	OUTREACH ORGANIZATIONS		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	OUTREACH ORGANIZATIONS		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	OUTREACH ORGANIZATIONS		ADDRESS2	VARCHAR2	60	Y	The second line of the outreach organization's address.
SWIC	O	OUTREACH ORGANIZATIONS		ZIP	VARCHAR2	4	Y	The last 4 digits of the outreach organization's 9-digit zip code
SWIC	O	OUTREACH ORGANIZATIONS		CONTACT FIRST NAME	VARCHAR2	100	Y	The first name of the outreach organization contact p
SWIC	O	OUTREACH ORGANIZATIONS		CONTACT MI	VARCHAR2	1	Y	The (first) middle initial of the outreach organization contact p
SWIC	O	OUTREACH ORGANIZATIONS		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	OUTREACH ORGANIZATIONS		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	OUTREACH ORGANIZATIONS		NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	O	OUTREACH ORGANIZATIONS		STATUS	NUMBER	22	Y	The status of the Active/Inactive of Community.
SWIC	O	OUTREACH ORG PHONES		OU_OUTREACH_ORG_ID	NUMBER	22	N	The system generated unique identifier.
SWIC	O	OUTREACH ORG PHONES		SPT_PHONE_TYPE_ID	VARCHAR2	3	N	Unique phone type identifier.
SWIC	O	OUTREACH ORG PHONES		PHONE NUMBER	NUMBER	10	N	The outreach organization's telephone number.
SWIC	O	OUTREACH ORG PHONES		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	OUTREACH ORG PHONES		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	OUTREACH ORG PHONES		PHONE EXTENSION	VARCHAR2	5	Y	The outreach organization's telephone extension
SWIC	O	OUTREACH ORG PHONES		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	OUTREACH ORG PHONES		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	OUTREACH ORG TYPES		OUTREACH_ORG_TYPE_CODE	VARCHAR2	4	N	The unique code for outreach type
SWIC	O	OUTREACH ORG TYPES		DESCRIPTION	VARCHAR2	60	N	The description of the outreach organization type.
SWIC	O	OUTREACH ORG TYPES		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	OUTREACH ORG TYPES		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	OUTREACH ORG TYPES		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	OUTREACH ORG TYPES		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	OUTREACH ORG TYPES		NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	O	OUTREACH ORG TYPES		ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	O	OUTREACH PROGRAMS		OU_OUTREACH_ORG_ID	NUMBER	22	N	The system generated unique identifier.
SWIC	O	OUTREACH PROGRAMS		PRG_PROGRAM_ID	VARCHAR2	5	N	The system generated unique identifier.
SWIC	O	OUTREACH PROGRAMS		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	OUTREACH PROGRAMS		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	OUTREACH PROGRAMS		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	OUTREACH PROGRAMS		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	OUTREACH PROGRAMS		NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	O	PROGRAMS		STATUS	NUMBER	22	Y	
SWIC	O	PROGRAMS		OU_SEQ_ID	NUMBER	22	Y	
SWIC	O	PROGRAMS		RISK_FACTOR	VARCHAR2	700	Y	
SWIC	O	PROGRAMS		REFERRAL_LEVEL	VARCHAR2	8	Y	
SWIC	O	PROGRAMS		ACTIVE	NUMBER	22	Y	
SWIC	O	PROGRAMS		PROGRAM_ID	VARCHAR2	5	N	The system generated unique identifier.
SWIC	O	PROGRAMS		DESCRIPTION	VARCHAR2	61	N	The description of the program.
SWIC	O	PROGRAMS		ADJ ELIGIBLE FLAG	NUMBER	22	N	Indicates if program makes clients adjudicatively eligible.
SWIC	O	PROGRAMS		FAMILY ELIGIBLE FLAG	NUMBER	22	N	Indicates if program makes the whole family adjudicatively eligi
SWIC	O	PROGRAMS		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	PROGRAMS		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	PROGRAMS		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	PROGRAMS		MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	PROGRAMS		NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	O	PROGRAMS		TO FROM FLAG	VARCHAR2	1	Y	Determines the type of referral as '1' To referral or '0' from referral or 'B' Both.
SWIC	O	PROGRAMS		REFERRAL_TYPE	VARCHAR2	3	Y	The outreach management referral category type either 'Family' or 'Individual'.
SWIC	O	PROGRAMS		REFERRAL_FLAG	NUMBER	22	N	Indicates if the referral category type is Referral (0=No, 1=Yes).
SWIC	O	PROGRAMS		OUTREACH_FLAG	NUMBER	22	N	Indicates if the referral category type is Outreach (0=No, 1=Yes).
SWIC	O	PROGRAMS		SORT_ORDER	NUMBER	22	Y	
SWIC	O	SCHEDULE NOTE		OU_SEQ_ID	NUMBER	22	N	Unique identifier for notes
SWIC	O	SCHEDULE NOTE		TEXT	VARCHAR2	2048	Y	Descriptive text of a message.
SWIC	O	SCHEDULE NOTE		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	SCHEDULE NOTE		CREATED BY	VARCHAR2	20	N	Common audit field for user id connected when the row was created.
SWIC	O	SCHEDULE NOTE		DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O	SCHEDULE NOTE		MODIFIED BY	VARCHAR2	20	Y	Common audit field for user id connected when the row was last modified.
SWIC	O	SCHEDULE NOTE		TARGET DATE	DATE	7	Y	Target date when the pop up should occur.
SWIC	O	SM STATUS HISTORY		SM_STAT_MEMBER_ID	NUMBER	22	N	Foreign Key reference to s_staff_members and contains the STAFF MEMBER ID.
SWIC	O	SM STATUS HISTORY		ACTIVE TYPE	NUMBER	22	N	Foreign Key reference to s_staff_members and contains the ACTIVE TYPE.
SWIC	O	SM STATUS HISTORY		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O	SM STATUS HISTORY		CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O	STAFF MEMBERS		STAFF_MEMBER_ID	NUMBER	22	N	The unique identifier for the staff position.
SWIC	O	STAFF MEMBERS		LAST_NAME	VARCHAR2	50	N	The last name of the staff member.
SWIC	O	STAFF MEMBERS		ADDRESS1	VARCHAR2	60	Y	The first line of the staff member's address.
SWIC	O	STAFF MEMBERS		SECT GEO LOCATION ID	NUMBER	22	Y	The system generated unique identifier.
SWIC	O	STAFF MEMBERS		WIC_MEMBER_FLAG	NUMBER	22	Y	Indicates whether this is a wic staff member position.
SWIC	O	STAFF MEMBERS		NON_WIC_FLAG	NUMBER	22	Y	Indicates whether the staff member is WIC or non-WIC personnel.
SWIC	O	STAFF MEMBERS		LA_WIC_COORD_FLAG	NUMBER	22	Y	Indicates whether the staff member is a local agency WIC coordina
SWIC	O	STAFF MEMBERS		PSYCH_CD_FLAG	NUMBER	22	N	Indicates if this is a "staff" staff member used for workshopping
SWIC	O	STAFF MEMBERS		NEXT_AVAILABLE_FLAG	NUMBER	22	N	Indicates whether the staff available in appointment search or not (0=No, 1=Yes).
SWIC	O	STAFF MEMBERS		DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.



SWIC	O STAFF MEMBERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O STAFF MEMBERS	FIRST NAME	VARCHAR2	100	Y	The first name of the staff member.
SWIC	O STAFF MEMBERS	MI	VARCHAR2	1	Y	UNIQUE FOR MI WIC
SWIC	O STAFF MEMBERS	ADDRESS2	VARCHAR2	60	Y	The second line of the staff member's address.
SWIC	O STAFF MEMBERS	ZIP4	VARCHAR2	4	Y	The last 4 digits of the staff member's 9-digit zip code
SWIC	O STAFF MEMBERS	E_MAIL	VARCHAR2	255	Y	The e-mail address of the staff member.
SWIC	O STAFF MEMBERS	ED_PROF_TITLES	VARCHAR2	60	Y	The staff member's educational/professional titles.
SWIC	O STAFF MEMBERS	POSITION NUMBER	NUMBER	22	Y	The staff member's position number.
SWIC	O STAFF MEMBERS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O STAFF MEMBERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O STAFF MEMBERS	NOTES	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	O STAFF MEMBERS	ACTIVE TYPE	NUMBER	22	Y	Indicates if staff member is active(1) or inactive(0).
SWIC	O STAFF MEMBERS	EXEMPT_FLAG	NUMBER	22	Y	Indicates if staff member is Exempt from time study or not
SWIC	O STAFF MEMBERS	ACTIVITY TYPE	VARCHAR2	4	Y	Indicates if staff member is 100 % NE or BF
SWIC	O STAFF MEMBERS	STAFF_INITIAL	VARCHAR2	10	Y	
SWIC	O STAFF MEMBERS	SLUT_USER_TYPE_ID	NUMBER	22	Y	Unique identifier from the S_LU_USER_TYPE table.
SWIC	O STAFF PHONES	SM_STAFFMEMBER_ID	NUMBER	22	N	The unique identifier for the staff position.
SWIC	O_STAFF_PHONES	SPT_PHONE_TYPE_ID	VARCHAR2	3	N	Unique phone type identifier.
SWIC	O STAFF PHONES	PHONE NUMBER	VARCHAR2	10	N	The staff member's telephone number.
SWIC	O STAFF PHONES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O STAFF PHONES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O STAFF PHONES	PHONE EXTENSION	VARCHAR2	5	Y	The staff member's telephone extension
SWIC	O STAFF PHONES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O STAFF PHONES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O STAFF SALARIES	SM_STAFFMEMBER_ID	NUMBER	22	N	The unique identifier for the staff position.
SWIC	O STAFF SALARIES	EFFECTIVE DATE	DATE	7	N	The effective Date for the salary rates.
SWIC	O STAFF SALARIES	SEQ_ID	NUMBER	22	N	The unique sequence identifier for the entry
SWIC	O STAFF SALARIES	HOURLY RATE	FLOAT	22	Y	The staff member's hourly rate from effective date
SWIC	O STAFF SALARIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O STAFF SALARIES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O STAFF SALARIES	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	O STAFF SALARIES	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	O STAFF SALARIES	FTE	FLOAT	22	Y	The staff members FTE from effective date
SWIC	O_STAFF_SALARIES	MI_STATUS	NVARCHAR2	12	Y	Indicates if staff member is 100 % NE.
SWIC	O STAFF SALARIES	BF_STATUS	NVARCHAR2	12	Y	Indicates if staff member is 100 % BF.
SWIC	O STAFF TITLES	STAFF_TITLE_CODE	VARCHAR2	3	N	The unique code for staff title.
SWIC	O STAFF TITLES	TC_TITLE_CATEGORY_CODE	VARCHAR2	1	N	The alpha code for certification category (such as IF for Infant Formula FE or PG for Pregnant).
SWIC	O STAFF TITLES	DESCRIPTION	VARCHAR2	60	N	The description of the staff title.
SWIC	O STAFF TITLES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O STAFF TITLES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O STAFF TITLES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O STAFF TITLES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O_STAFF_TITLES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	O STAFF TITLES	SCAP_NOTES_FLAG	VARCHAR2	1	N	UNIQUE FOR MI WIC
SWIC	O STAFF TITLES	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	O STAFF TRAINING	STAFF_TRAINING_ID	NUMBER	22	N	The system generated unique numeric identifier for staff training.
SWIC	O STAFF TRAINING	COAM_STAFFMEMBER_ID	NUMBER	22	Y	The unique numeric identifier for staff training types (O_LU_STAFF_TRAINING_TYPES).
SWIC	O STAFF TRAINING	TRAINING DATE	DATE	7	Y	The staff training date.
SWIC	O STAFF TRAINING	CLST_ID	NUMBER	22	Y	The unique numeric identifier for staff types(O_LU_STAFF_TYPES).
SWIC	O STAFF TRAINING	NOTE	VARCHAR2	2000	Y	The staff training notes.
SWIC	O STAFF TRAINING	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O_STAFF_TRAINING	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O STAFF TRAINING	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O STAFF TRAINING	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	O STAFF TRAINING	TITLE_CATEGORY_CODE	VARCHAR2	1	N	The alpha code for certification category (such as IF for Infant Formula FE or PG for Pregnant).
SWIC	O TITLE CATEGORIES	DESCRIPTION	VARCHAR2	60	N	The description of the staff title category.
SWIC	O TITLE CATEGORIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	O TITLE CATEGORIES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	O TITLE CATEGORIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	O TITLE CATEGORIES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	O TITLE CATEGORIES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	O TITLE CATEGORIES	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	PC FILE DATA	QUANTITY CODE 11	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_12	CHAR	10	Y	
SWIC	PC FILE DATA	QUANTITY CODE 12	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_13	CHAR	10	Y	
SWIC	PC FILE DATA	QUANTITY CODE 13	CHAR	6	Y	
SWIC	PC_FILE_DATA	FOOD_CODE_14	CHAR	10	Y	
SWIC	PC FILE DATA	QUANTITY CODE 14	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD PACKAGE TYPE	CHAR	2	Y	
SWIC	PC FILE DATA	DATE OF FIRST CERTIFICATION	CHAR	8	Y	
SWIC	PC FILE DATA	EDUCATION LEVEL	CHAR	2	Y	
SWIC	PC FILE DATA	NUMBER IN WIC	CHAR	2	Y	
SWIC	PC FILE DATA	DATE PREVIOUS PREG ENDED	CHAR	8	Y	
SWIC	PC FILE DATA	TOTAL NUMBER OF PREGNANCIES	CHAR	2	Y	
SWIC	PC FILE DATA	TOTAL NUMBER OF LIVE BIRTHS	CHAR	2	Y	
SWIC	PC_FILE_DATA	PREPREG_WEIGHT_POUNDS	CHAR	3	Y	
SWIC	PC FILE DATA	PREPREG WEIGHT QUARTER POUNDS	CHAR	1	Y	
SWIC	PC FILE DATA	PREPREG WEIGHT GRAMS	CHAR	6	Y	
SWIC	PC FILE DATA	WEIGHT GAIN POUNDS	CHAR	3	Y	
SWIC	PC FILE DATA	WEIGHT GAIN QUARTER POUNDS	CHAR	1	Y	
SWIC	PC FILE DATA	WEIGHT GAIN GRAMS	CHAR	6	Y	
SWIC	PC_FILE_DATA	BIRTH_WEIGHT_POUNDS	CHAR	2	Y	
SWIC	PC_FILE_DATA	BIRTH_WEIGHT_OUNCES	CHAR	2	Y	
SWIC	PC FILE DATA	BIRTH_WEIGHT GRAMS	CHAR	4	Y	
SWIC	PC FILE DATA	BIRTH LENGTH INCHES	CHAR	2	Y	
SWIC	PC FILE DATA	BIRTH LENGTH EIGHTH INCHES	CHAR	1	Y	
SWIC	PC FILE DATA	BIRTH LENGTH CM	CHAR	3	Y	
SWIC	PC FILE DATA	PARTICIPANT INDIAN PGM	CHAR	1	Y	
SWIC	PC FILE DATA	PC_DATE	DATE	7	Y	
SWIC	PC FILE DATA	CLIENT ID	NUMBER	22	Y	
SWIC	PC FILE DATA	STAGE AGENCY ID	CHAR	7	Y	
SWIC	PC FILE DATA	LOCAL_AGENCY_ID	CHAR	3	Y	
SWIC	PC FILE DATA	SERVICE SITE ID	CHAR	3	Y	
SWIC	PC FILE DATA	CASE ID	CHAR	11	Y	
SWIC	PC FILE DATA	DOB	CHAR	8	Y	
SWIC	PC FILE DATA	RACE ETHNICITY HISP	CHAR	1	Y	
SWIC	PC FILE DATA	RACE ETHNICITY INDAL	CHAR	1	Y	
SWIC	PC FILE DATA	RACE ETHNICITY ASIAN	CHAR	1	Y	
SWIC	PC FILE DATA	RACE ETHNICITY ARBO	CHAR	1	Y	
SWIC	PC FILE DATA	RACE ETHNICITY NVSL	CHAR	1	Y	
SWIC	PC_FILE_DATA	RACE_ETHNICITY_WHITE	CHAR	1	Y	
SWIC	PC FILE DATA	CERTIFICATION CATEGORY	CHAR	1	Y	
SWIC	PC FILE DATA	EDD	CHAR	8	Y	
SWIC	PC FILE DATA	WEELS GESTATION	CHAR	2	Y	
SWIC	PC FILE DATA	DATE OF CERTIFICATION	CHAR	8	Y	
SWIC	PC FILE DATA	SEX	CHAR	1	Y	
SWIC	PC FILE DATA	RISK PRIORITY CODE	CHAR	1	Y	
SWIC	PC FILE DATA	TANF	CHAR	1	Y	
SWIC	PC FILE DATA	FOOD STAMPS	CHAR	1	Y	
SWIC	PC FILE DATA	MEDICAD	CHAR	1	Y	
SWIC	PC FILE DATA	MIGRANT STATUS	CHAR	1	Y	
SWIC	PC FILE DATA	FAMILY SIZE	CHAR	2	Y	
SWIC	PC FILE DATA	INCOME	CHAR	5	Y	
SWIC	PC FILE DATA	INCOME PERIOD	CHAR	1	Y	
SWIC	PC FILE DATA	INCOME RANGES	CHAR	2	Y	
SWIC	PC FILE DATA	RISK 1	CHAR	6	Y	
SWIC	PC_FILE_DATA	RISK_2	CHAR	6	Y	
SWIC	PC FILE DATA	RISK 3	CHAR	6	Y	
SWIC	PC FILE DATA	RISK 4	CHAR	6	Y	
SWIC	PC FILE DATA	RISK 5	CHAR	6	Y	
SWIC	PC FILE DATA	RISK 6	CHAR	6	Y	
SWIC	PC FILE DATA	RISK 7	CHAR	6	Y	
SWIC	PC FILE DATA	RISK 8	CHAR	6	Y	
SWIC	PC FILE DATA	RISK 9	CHAR	6	Y	
SWIC	PC FILE DATA	RISK 10	CHAR	6	Y	
SWIC	PC_FILE_DATA	HEMOGLOBIN	CHAR	3	Y	
SWIC	PC FILE DATA	HEMATOCRIT	CHAR	3	Y	
SWIC	PC FILE DATA	DATE OF BLOODWORK	CHAR	8	Y	
SWIC	PC FILE DATA	WEIGHT POUNDS	CHAR	3	Y	
SWIC	PC FILE DATA	WEIGHT QUARTER POUNDS	CHAR	1	Y	
SWIC	PC FILE DATA	WEIGHT GRAMS	CHAR	6	Y	
SWIC	PC FILE DATA	HEIGHT POUNDS	CHAR	2	Y	
SWIC	PC_FILE_DATA	HEIGHT_EIGHTH_INCHES	CHAR	1	Y	
SWIC	PC FILE DATA	HEIGHT CM	CHAR	4	Y	
SWIC	PC FILE DATA	DATE HEIGHT WEIGHT	CHAR	8	Y	
SWIC	PC FILE DATA	CURRENTLY BREASTFED	CHAR	1	Y	
SWIC	PC FILE DATA	EVER BREASTED	CHAR	1	Y	
SWIC	PC FILE DATA	LENGTH OF TIME BF	CHAR	2	Y	
SWIC	PC FILE DATA	DATE BF DATA COLLECTED	CHAR	8	Y	
SWIC	PC FILE DATA	FOOD_CODE_1	CHAR	10	Y	
SWIC	PC_FILE_DATA	QUANTITY CODE 1	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_2	CHAR	10	Y	
SWIC	PC FILE DATA	QUANTITY CODE 2	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_3	CHAR	10	Y	
SWIC	PC FILE DATA	QUANTITY CODE 3	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_4	CHAR	10	Y	
SWIC	PC FILE DATA	QUANTITY CODE 4	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_5	CHAR	10	Y	
SWIC	PC FILE DATA	QUANTITY CODE 5	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_6	CHAR	10	Y	
SWIC	PC_FILE_DATA	QUANTITY_CODE_6	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_7	CHAR	10	Y	
SWIC	PC FILE DATA	QUANTITY CODE 7	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_8	CHAR	10	Y	
SWIC	PC FILE DATA	QUANTITY CODE 8	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_9	CHAR	10	Y	
SWIC	PC_FILE_DATA	QUANTITY_CODE_9	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_10	CHAR	10	Y	
SWIC	PC FILE DATA	QUANTITY CODE 10	CHAR	6	Y	
SWIC	PC FILE DATA	FOOD_CODE_11	CHAR	10	Y	
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 11	CHAR	6	Y	
SWIC	PC FILE DATA CLIENT	FOOD_CODE_14	CHAR	10	Y	
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 14	CHAR	6	Y	
SWIC	PC FILE DATA CLIENT	FOOD PACKAGE TYPE	CHAR	2	Y	
SWIC	PC FILE DATA CLIENT	DATE OF FIRST CERTIFICATION	CHAR	8	Y	
SWIC	PC FILE DATA CLIENT	EDUCATIONAL LEVEL	CHAR	2	Y	
SWIC	PC_FILE_DATA_CLIENT	NUMBER_IN_WIC	CHAR	2	Y	
SWIC	PC FILE DATA CLIENT	DATE PREVIOUS PREG ENDED	CHAR	8	Y	
SWIC	PC FILE DATA CLIENT	TOTAL NUMBER OF PREGNANCIES	CHAR	2	Y	
SWIC	PC FILE DATA CLIENT	TOTAL NUMBER OF LIVE BIRTHS	CHAR	2	Y	
SWIC	PC FILE DATA CLIENT	PREPREG WEIGHT POUNDS	CHAR	3	Y	

SWIC	PC FILE DATA CLIENT	PREPREG WEIGHT QUARTER POUNDS	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	PREPREG WEIGHT GRAMS	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	WEIGHT GAIN POUNDS	CHAR	3	Y
SWIC	PC FILE DATA CLIENT	WEIGHT GAIN QUARTER POUNDS	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	WEIGHT GAIN GRAMS	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	BIRTH WEIGHT POUNDS	CHAR	2	Y
SWIC	PC FILE DATA CLIENT	BIRTH WEIGHT OUNCES	CHAR	2	Y
SWIC	PC FILE DATA CLIENT	BIRTH WEIGHT GRAMS	CHAR	4	Y
SWIC	PC FILE DATA CLIENT	BIRTH LENGTH INCHES	CHAR	2	Y
SWIC	PC FILE DATA CLIENT	BIRTH LEIGHT EIGHTH INCHES	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	BIRTH LENGTH CM	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	PARTICIPANT INDIAN PGM	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 4	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	FOOD CODE 5	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 5	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	FOOD CODE 6	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 6	CHAR	6	Y
SWIC	PC_FILE_DATA_CLIENT	FOOD_CODE_7	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 7	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	FOOD CODE 8	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 8	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	FOOD CODE 9	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 9	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	FOOD CODE 10	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 10	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	FOOD CODE 11	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 11	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	FOOD CODE 12	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 12	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	FOOD CODE 13	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	PC DATE	DATE	7	Y
SWIC	PC FILE DATA CLIENT	CLIENT ID	NUMBER	22	Y
SWIC	PC FILE DATA CLIENT	STAGE AGENCY ID	CHAR	7	Y
SWIC	PC_FILE_DATA_CLIENT	LOCAL_AGENCY_ID	CHAR	3	Y
SWIC	PC FILE DATA CLIENT	SERVICE SITE ID	CHAR	3	Y
SWIC	PC FILE DATA CLIENT	CASE ID	CHAR	11	Y
SWIC	PC FILE DATA CLIENT	SOB	CHAR	8	Y
SWIC	PC FILE DATA CLIENT	RACE ETHNICITY HSP	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	RACE ETHNICITY INDAL	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	RACE ETHNICITY ASIAN	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	RACE ETHNICITY AROD	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	RACE ETHNICITY NVSL	CHAR	1	Y
SWIC	PC_FILE_DATA_CLIENT	RACE_ETHNICITY_WHITE	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	CERTIFICATION CATEGORY	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	EDD	CHAR	8	Y
SWIC	PC FILE DATA CLIENT	WEEKS GESTATION	CHAR	2	Y
SWIC	PC FILE DATA CLIENT	DATE OF CERTIFICATION	CHAR	8	Y
SWIC	PC FILE DATA CLIENT	SEX	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	RISK PRIORITY CODE	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	TAMR	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	FOOD STAMPS	CHAR	1	Y
SWIC	PC_FILE_DATA_CLIENT	MEDICAD	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	MIGRANT STATUS	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	FAMILY SIZE	CHAR	2	Y
SWIC	PC FILE DATA CLIENT	INCOME	CHAR	5	Y
SWIC	PC FILE DATA CLIENT	INCOME PERIOD	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	INCOME RANGES	CHAR	2	Y
SWIC	PC FILE DATA CLIENT	RISK 1	CHAR	6	Y
SWIC	PC_FILE_DATA_CLIENT	RISK_2	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	RISK 3	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	RISK 4	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	RISK 5	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	RISK 6	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	RISK 7	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	RISK 8	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	RISK 9	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	RISK 10	CHAR	6	Y
SWIC	PC_FILE_DATA_CLIENT	HEMOGLOBIN	CHAR	3	Y
SWIC	PC FILE DATA CLIENT	HEMATOCRIT	CHAR	3	Y
SWIC	PC FILE DATA CLIENT	DATE OF BLOODWORK	CHAR	8	Y
SWIC	PC FILE DATA CLIENT	WEIGHT POUNDS	CHAR	3	Y
SWIC	PC FILE DATA CLIENT	WEIGHT QUARTER POUNDS	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	WEIGHT GRAMS	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	HEIGHT INCHES	CHAR	2	Y
SWIC	PC FILE DATA CLIENT	HEIGHT EIGHTH INCHES	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	HEIGHT CM	CHAR	4	Y
SWIC	PC_FILE_DATA_CLIENT	DATE_HEIGHT_WEIGHT	CHAR	8	Y
SWIC	PC FILE DATA CLIENT	CURRENTLY BREASTFED	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	EVER BREASTFED	CHAR	1	Y
SWIC	PC FILE DATA CLIENT	LENGTH OF TIME BF	CHAR	2	Y
SWIC	PC FILE DATA CLIENT	DATE BF DATA COLLECTED	CHAR	8	Y
SWIC	PC FILE DATA CLIENT	FOOD CODE 1	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 1	CHAR	6	Y
SWIC	PC_FILE_DATA_CLIENT	FOOD_CODE_2	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 2	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	FOOD CODE 3	CHAR	10	Y
SWIC	PC FILE DATA CLIENT	QUANTITY CODE 3	CHAR	6	Y
SWIC	PC FILE DATA CLIENT	FOOD CODE 4	CHAR	10	Y
SWIC	PC FILE FOOD	PC DATE	DATE	7	Y
SWIC	PC FILE FOOD	RF FOOD PACKAGE ID	VARCHAR2	20	Y
SWIC	PC FILE FOOD	FOOD COUNT	NUMBER	22	Y
SWIC	PC FILE FOOD	FOOD STRING	VARCHAR2	2000	Y
SWIC	PC FILE LOG	CLIENT_ID	NUMBER	22	Y
SWIC	PC FILE LOG	FOODPKG ID	VARCHAR2	8	Y
SWIC	PC FILE LOG	EFFECTIVE DATE	DATE	7	Y
SWIC	PC FILE LOG	CERT SEQ	NUMBER	22	Y
SWIC	PC FILE LOG	SQL NOTE	VARCHAR2	500	Y
SWIC	PC FILE LOG	CATEGORY CODE	VARCHAR2	3	Y
SWIC	PC FILE LOG	RF CODE	NUMBER	22	Y
SWIC	PC FILE LOG	PC CODE	NUMBER	22	Y
SWIC	PC FILE LOG	DATE MODIFIED	DATE	7	Y
SWIC	PC_FILE_LOG	DEFAULT_BF_PACKAGE	NUMBER	22	Y
SWIC	PLAN TABLE	PARTITION STOP	VARCHAR2	255	Y
SWIC	PLAN TABLE	PARTITION ID	NUMBER	22	Y
SWIC	PLAN TABLE	OTHER	LONG	0	Y
SWIC	PLAN TABLE	DISTRIBUTION	VARCHAR2	30	Y
SWIC	PLAN TABLE	CPU COST	NUMBER	22	Y
SWIC	PLAN TABLE	IO COST	NUMBER	22	Y
SWIC	PLAN TABLE	TEMP SPACE	NUMBER	22	Y
SWIC	PLAN TABLE	DATE CREATED	DATE	7	N
SWIC	PLAN TABLE	CREATED BY	VARCHAR2	32	N
SWIC	PLAN TABLE	DATE MODIFIED	DATE	7	Y
SWIC	PLAN TABLE	MODIFIED BY	VARCHAR2	32	Y
SWIC	PLAN TABLE	STATEMENT ID	VARCHAR2	30	Y
SWIC	PLAN TABLE	TIMESTAMP	DATE	7	Y
SWIC	PLAN TABLE	REMARKS	VARCHAR2	80	Y
SWIC	PLAN TABLE	OPERATION	VARCHAR2	30	Y
SWIC	PLAN_TABLE	OPTIONS	VARCHAR2	30	Y
SWIC	PLAN TABLE	OBJECT NODE	VARCHAR2	128	Y
SWIC	PLAN TABLE	OBJECT OWNER	VARCHAR2	30	Y
SWIC	PLAN TABLE	OBJECT NAME	VARCHAR2	30	Y
SWIC	PLAN TABLE	OBJECT INSTANCE	NUMBER	22	Y
SWIC	PLAN TABLE	OBJECT TYPE	VARCHAR2	30	Y
SWIC	PLAN TABLE	OPTIMIZER	VARCHAR2	255	Y
SWIC	PLAN TABLE	SEARCH COLUMNS	NUMBER	22	Y
SWIC	PLAN TABLE	ID	NUMBER	22	Y
SWIC	PLAN_TABLE	PARENT_ID	NUMBER	22	Y
SWIC	PLAN TABLE	POSITION	NUMBER	22	Y
SWIC	PLAN TABLE	COST	NUMBER	22	Y
SWIC	PLAN TABLE	CARDINALITY	NUMBER	22	Y
SWIC	PLAN TABLE	BYTES	NUMBER	22	Y
SWIC	PLAN TABLE	OTHER TAG	VARCHAR2	255	Y
SWIC	PLAN TABLE	PARTITION START	VARCHAR2	255	Y
SWIC	PSQL_PROFILER_RUNS	RUNNO	NUMBER	22	N
SWIC	PSQL_PROFILER_RUNS	RELATED RUN	NUMBER	22	Y
SWIC	PSQL_PROFILER_RUNS	RUN OWNER	VARCHAR2	32	Y
SWIC	PSQL_PROFILER_RUNS	RUN DATE	DATE	7	Y
SWIC	PSQL_PROFILER_RUNS	RUN COMMENT	VARCHAR2	2047	Y
SWIC	PSQL_PROFILER_RUNS	RUN TOTAL TIME	NUMBER	22	Y
SWIC	PSQL_PROFILER_RUNS	RUN SYSTEM INFO	VARCHAR2	2047	Y
SWIC	PSQL_PROFILER_RUNS	RUN COMMENTS	VARCHAR2	2047	Y
SWIC	PSQL_PROFILER_RUNS	SPARE1	VARCHAR2	256	Y
SWIC	PSQL_PROFILER_RUNS	DATE_CREATED	DATE	7	N
SWIC	PSQL_PROFILER_RUNS	CREATED BY	VARCHAR2	32	N
SWIC	PSQL_PROFILER_RUNS	DATE MODIFIED	DATE	7	Y
SWIC	PSQL_PROFILER_RUNS	MODIFIED BY	VARCHAR2	32	Y
SWIC	PSQL_PROFILER_UNITS	CREATED BY	VARCHAR2	32	N
SWIC	PSQL_PROFILER_UNITS	DATE MODIFIED	DATE	7	Y
SWIC	PSQL_PROFILER_UNITS	MODIFIED BY	VARCHAR2	32	Y
SWIC	PSQL_PROFILER_UNITS	RUNNO	NUMBER	22	N
SWIC	PSQL_PROFILER_UNITS	UNIT NUMBER	NUMBER	22	N
SWIC	PSQL_PROFILER_UNITS	UNIT TYPE	VARCHAR2	32	Y
SWIC	PSQL_PROFILER_UNITS	UNIT OWNER	VARCHAR2	32	Y
SWIC	PSQL_PROFILER_UNITS	UNIT NAME	VARCHAR2	32	Y
SWIC	PSQL_PROFILER_UNITS	UNIT_TIMESTAMP	DATE	7	Y
SWIC	PSQL_PROFILER_UNITS	TOTAL TIME	NUMBER	22	N
SWIC	PSQL_PROFILER_UNITS	SPARE1	NUMBER	22	Y
SWIC	PSQL_PROFILER_UNITS	SPARE2	NUMBER	22	Y
SWIC	PSQL_PROFILER_UNITS	DATE_CREATED	DATE	7	N
SWIC	QUEST_S1_TEMP_EXPLAIN1	STATEMENT ID	VARCHAR2	30	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	PLAN ID	NUMBER	22	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	TIMESTAMP	DATE	7	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	REMARKS	VARCHAR2	80	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	OPERATION	VARCHAR2	30	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	OPTIONS	VARCHAR2	255	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	OBJECT NODE	VARCHAR2	128	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	OBJECT OWNER	VARCHAR2	30	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	OBJECT NAME	VARCHAR2	30	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	OBJECT ALIAS	VARCHAR2	65	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	OBJECT INSTANCE	NUMBER	22	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	OBJECT TYPE	VARCHAR2	30	Y
SWIC	QUEST_S1_TEMP_EXPLAIN1	OPTIMIZER	VARCHAR2	255	Y

SWIC	QUEST_SL_TEMP_EXPLAIN1	SEARCH COLUMNS	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	ID	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	PARENT ID	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	DEPTH	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	POSITION	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	COST	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	CARDINALITY	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	BYTES	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	OTHER TAG	VARCHAR2	255	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	PARTITION START	VARCHAR2	255	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	PARTITION STOP	VARCHAR2	255	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	PARTITION ID	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	OTHER	LONG	0	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	DISTRIBUTION	VARCHAR2	30	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	CPU COST	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	ID COST	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	TEMP SPACE	NUMBER	22	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	ACCESS_PREDICATES	VARCHAR2	4000	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	FILTER PREDICATES	VARCHAR2	4000	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	DATE CREATED	DATE	7	N
SWIC	QUEST_SL_TEMP_EXPLAIN1	CREATED BY	VARCHAR2	32	N
SWIC	QUEST_SL_TEMP_EXPLAIN1	DATE MODIFIED	DATE	7	Y
SWIC	QUEST_SL_TEMP_EXPLAIN1	MODIFIED BY	VARCHAR2	32	Y
SWIC	RR 1	RECORD TYPE	VARCHAR2	2	Y
SWIC	RR 1	TRANSACTION TYPE	VARCHAR2	2	Y
SWIC	RR 1	TRANSACTION CODE	VARCHAR2	3	Y
SWIC	RR 1	VENDOR NUMBER	VARCHAR2	7	Y
SWIC	RR 1	FAMILY ID	VARCHAR2	15	Y
SWIC	RR 1	CARDHOLDER NUMBER	VARCHAR2	16	Y
SWIC	RR 1	CAT CODE	VARCHAR2	2	Y
SWIC	RR 1	SUB CAT CODE	VARCHAR2	3	Y
SWIC	RR 1	QUANTITY	VARCHAR2	5	Y
SWIC	RR 1	TRANSACTION LOG DATE	VARCHAR2	8	Y
SWIC	RR_1	TRANSACTION_LOG_TIME	VARCHAR2	8	Y
SWIC	RR 1	LPC FLU INDICATOR	VARCHAR2	1	Y
SWIC	RR 1	LPC FLU CODE	VARCHAR2	17	Y
SWIC	RR 1	NUMBER OF ITEMS	VARCHAR2	3	Y
SWIC	RR 1	REQUESTED PRICE	VARCHAR2	6	Y
SWIC	RR 1	SETTLED PRICE	VARCHAR2	6	Y
SWIC	RR 1	AUTHORIZATION NUMBER	VARCHAR2	8	Y
SWIC	RR 1	BENEFIT ISSUE NUMBER	VARCHAR2	15	Y
SWIC	RR 1	APPLIED CAT CODE	VARCHAR2	2	Y
SWIC	RR_1	APPLD_SUB_CAT_CODE	VARCHAR2	3	Y
SWIC	RR 1	BENEFIT START DATE	VARCHAR2	8	Y
SWIC	RR 1	PEER GROUP ID	VARCHAR2	2	Y
SWIC	RR 1	CLINIC ID	VARCHAR2	4	Y
SWIC	RR 1	ADJUSTMENT TRACKING NUMBER	VARCHAR2	20	Y
SWIC	RR 1	DATE CREATED	DATE	7	Y
SWIC	RR 1	CREATED BY	VARCHAR2	32	Y
SWIC	RR 1	RECORD PROCESSED	NUMBER	22	Y
SWIC	RR 1	PROCESS RESULT	VARCHAR2	4000	Y
SWIC	RR_1	DATE MODIFIED	DATE	7	Y
SWIC	RR 1	MODIFIED BY	VARCHAR2	50	Y
SWIC	RR 1	CONTROL NUMBER	NUMBER	22	Y
SWIC	SAVE CFU TABLES	TABLE NAME	VARCHAR2	30	N
SWIC	SAVE CFU TABLES	COLUMN NAME	VARCHAR2	30	N
SWIC	SAVE CFU TABLES	DATE CREATED	DATE	7	N
SWIC	SAVE CFU TABLES	CREATED BY	VARCHAR2	32	N
SWIC	SAVE CFU TABLES	DATE MODIFIED	DATE	7	Y
SWIC	SAVE CFU TABLES	MODIFIED BY	VARCHAR2	32	Y
SWIC	SAVE PC	RACE ETHNICITY AMRD	CHAR	1	Y
SWIC	SAVE PC	RACE ETHNICITY NVNLSL	CHAR	1	Y
SWIC	SAVE PC	RACE ETHNICITY WHITE	CHAR	1	Y
SWIC	SAVE PC	CERTIFICATION CATEGORY	CHAR	1	Y
SWIC	SAVE PC	EDD	CHAR	8	Y
SWIC	SAVE PC	WEEKS GESTATION	CHAR	2	Y
SWIC	SAVE PC	DATE OF FIRST CERTIFICATION	CHAR	8	Y
SWIC	SAVE PC	SEX	CHAR	1	Y
SWIC	SAVE PC	RISK PRIORITY CODE	CHAR	1	Y
SWIC	SAVE PC	TAMP	CHAR	1	Y
SWIC	SAVE PC	FOOD STAMPS	CHAR	1	Y
SWIC	SAVE PC	MEDICAID	CHAR	1	Y
SWIC	SAVE PC	MIGRANT STATUS	CHAR	1	Y
SWIC	SAVE PC	FAMILY SIZE	CHAR	2	Y
SWIC	SAVE PC	INCOME	CHAR	5	Y
SWIC	SAVE PC	INCOME PERIOD	CHAR	1	Y
SWIC	SAVE PC	INCOME_RANGES	CHAR	2	Y
SWIC	SAVE PC	RISK 1	CHAR	6	Y
SWIC	SAVE PC	RISK 2	CHAR	6	Y
SWIC	SAVE PC	RISK 3	CHAR	6	Y
SWIC	SAVE PC	RISK 4	CHAR	6	Y
SWIC	SAVE PC	RISK 5	CHAR	6	Y
SWIC	SAVE PC	RISK 6	CHAR	6	Y
SWIC	SAVE PC	RISK_7	CHAR	6	Y
SWIC	SAVE PC	RISK 8	CHAR	6	Y
SWIC	SAVE PC	RISK 9	CHAR	6	Y
SWIC	SAVE PC	RISK 10	CHAR	6	Y
SWIC	SAVE PC	HEMATOCRIBIN	CHAR	3	Y
SWIC	SAVE PC	HEMATOCRIT	CHAR	3	Y
SWIC	SAVE PC	DATE OF BLOODWORK	CHAR	8	Y
SWIC	SAVE PC	WEIGHT POUNDS	CHAR	3	Y
SWIC	SAVE PC	WEIGHT QUARTER POUNDS	CHAR	1	Y
SWIC	SAVE PC	WEIGHT_GRAMS	CHAR	6	Y
SWIC	SAVE PC	HEIGHT INCHES	CHAR	2	Y
SWIC	SAVE PC	HEIGHT EIGHTH INCHES	CHAR	1	Y
SWIC	SAVE PC	HEIGHT CM	CHAR	4	Y
SWIC	SAVE PC	DATE HEIGHT WEIGHT	CHAR	8	Y
SWIC	SAVE PC	CURRENTLY BREASTFED	CHAR	1	Y
SWIC	SAVE PC	EVER BREASTFED	CHAR	1	Y
SWIC	SAVE PC	LENGTH OF TIME BF	CHAR	1	Y
SWIC	SAVE PC	DATE BF DATA COLLECTED	CHAR	8	Y
SWIC	SAVE PC	FOOD_CODE_1	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 2	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 3	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 4	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 5	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 6	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 7	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 8	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 9	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 10	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 11	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 12	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 13	CHAR	10	Y
SWIC	SAVE PC	FOOD_CODE 14	CHAR	10	Y
SWIC	SAVE PC	FOOD PACKAGE TYPE	CHAR	2	Y
SWIC	SAVE PC	DATE OF FIRST CERTIFICATION	CHAR	8	Y
SWIC	SAVE PC	EDUCATION_LEVEL	CHAR	2	Y
SWIC	SAVE PC	NUMBER RW WIC	CHAR	2	Y
SWIC	SAVE PC	DATE PREVIOUS PREG ENDED	CHAR	8	Y
SWIC	SAVE PC	TOTAL NUMBER OF PREGNANCIES	CHAR	2	Y
SWIC	SAVE PC	TOTAL NUMBER OF LIVE BIRTHS	CHAR	2	Y
SWIC	SAVE PC	PREPREG WEIGHT POUNDS	CHAR	3	Y
SWIC	SAVE PC	PREPREG WEIGHT QUARTER POUNDS	CHAR	1	Y
SWIC	SAVE PC	PREPREG WEIGHT GRAMS	CHAR	6	Y
SWIC	SAVE PC	STATE AGENCY ID	CHAR	7	Y
SWIC	SAVE PC	LOCAL_AGENCY_ID	CHAR	3	Y
SWIC	SAVE PC	SERVICE SITE ID	CHAR	3	Y
SWIC	SAVE PC	CASE ID	CHAR	11	Y
SWIC	SAVE PC	DOB	CHAR	8	Y
SWIC	SAVE PC	RACE ETHNICITY HISP	CHAR	1	Y
SWIC	SAVE PC	RACE ETHNICITY INDM	CHAR	1	Y
SWIC	SAVE PC	RACE ETHNICITY ASIAN	CHAR	1	Y
SWIC	SAVE PC	WEIGHT_GAIN_POUNDS	CHAR	3	Y
SWIC	SAVE PC	WEIGHT_GAIN_QUARTER_POUNDS	CHAR	1	Y
SWIC	SAVE PC	WEIGHT_GAIN_GRAMS	CHAR	6	Y
SWIC	SAVE PC	BIRTH WEIGHT POUNDS	CHAR	2	Y
SWIC	SAVE PC	BIRTH WEIGHT OUNCES	CHAR	2	Y
SWIC	SAVE PC	BIRTH WEIGHT GRAMS	CHAR	4	Y
SWIC	SAVE PC	BIRTH LENGTH INCHES	CHAR	2	Y
SWIC	SAVE PC	BIRTH LENGTH EIGHTH INCHES	CHAR	1	Y
SWIC	SAVE PC	BIRTH LENGTH CM	CHAR	3	Y
SWIC	SAVE PC	PARTICIPANT_INDM_PGM	CHAR	1	Y
SWIC	SAVE PC	DATE MODIFIED	DATE	7	Y
SWIC	SAVE PC	CAT CATEGORY CODE	VARCHAR2	3	Y
SWIC	SAVE PC	CC_CLIENT_ID	NUMBER	22	Y
SWIC	SAVE PC	CFU_FAMILY_ID	VARCHAR2	9	Y
SWIC	SAVE PC	DATE CREATED	DATE	7	N
SWIC	SAVE PC	CREATED BY	VARCHAR2	32	N
SWIC	SAVE PC	MODIFIED BY	VARCHAR2	32	Y
SWIC	SAVE PC_PFT	CASE ID	VARCHAR2	100	Y
SWIC	SAVE PC_PFT	DOB	VARCHAR2	100	Y
SWIC	SAVE PC_PFT	DATE OF CERTIFICATION	VARCHAR2	100	Y
SWIC	SAVE PC_PFT	FOOD PACKAGE TYPE	CHAR	2	Y
SWIC	SAVE PC_PFT	CAT_CATEGORY_CODE	VARCHAR2	3	Y
SWIC	SAVE PC_PFT	CC_CLIENT_ID	NUMBER	22	Y
SWIC	SAVE PC_PFT	CFU_FAMILY_ID	VARCHAR2	9	Y
SWIC	SAVE PC_PFT	DATE CREATED	DATE	7	N
SWIC	SAVE PC_PFT	CREATED BY	VARCHAR2	32	N
SWIC	SAVE PC_PFT	DATE MODIFIED	DATE	7	Y
SWIC	SAVE PC_PFT	MODIFIED BY	VARCHAR2	32	Y
SWIC	SAVE PEDNDS	CHILD'S ALPHANUMERIC ID	CHAR	60	Y
SWIC	SAVE PEDNDS	DATE OF BIRTH	CHAR	8	Y
SWIC	SAVE PEDNDS	SEX	CHAR	1	Y
SWIC	SAVE PEDNDS	RACE ETHNICITY	CHAR	6	Y
SWIC	SAVE PEDNDS	WIC RACE ETHNICITY	CHAR	3	Y
SWIC	SAVE PEDNDS	CONTRIBUTION SPECIFIC RACE	CHAR	2	Y
SWIC	SAVE PEDNDS	HOUSEHOLD_SIZE	CHAR	2	Y
SWIC	SAVE PEDNDS	MONTHLY HOUSEHOLD INCOME	CHAR	4	Y
SWIC	SAVE PEDNDS	MIGRANT STATUS	CHAR	1	Y
SWIC	SAVE PEDNDS	WIC	CHAR	1	Y
SWIC	SAVE PEDNDS	FOOD STAMPS	CHAR	1	Y

SWIC	SAVE PEDNS	MEDICAD	CHAR	1	Y
SWIC	SAVE PEDNS	TANF	CHAR	1	Y
SWIC	SAVE PEDNS	BIRTHWEIGHT ENGLISH	CHAR	4	Y
SWIC	SAVE PEDNS	BIRTHWEIGHT METRIC	CHAR	4	Y
SWIC	SAVE PEDNS	HEIGHT ENGLISH	CHAR	3	Y
SWIC	SAVE PEDNS	HEIGHT METRIC	CHAR	4	Y
SWIC	SAVE PEDNS	WEIGHT ENGLISH	CHAR	4	Y
SWIC	SAVE PEDNS	WEIGHT METRIC	CHAR	4	Y
SWIC	SAVE PEDNS	DATE HEIGHT WEIGHT MEASURE	CHAR	8	Y
SWIC	SAVE PEDNS	HEMOGLOBIN	CHAR	3	Y
SWIC	SAVE PEDNS	HEMATOCRIT	CHAR	3	Y
SWIC	SAVE PEDNS	DATE OF HEMOGLOBIN HEMATOCRIT	CHAR	8	Y
SWIC	SAVE PEDNS	CURRENTLY BREASTFED	CHAR	1	Y
SWIC	SAVE PEDNS	EVER BREASTFED	CHAR	1	Y
SWIC	SAVE PEDNS	LENGTH OF TIME BREASTFED	CHAR	2	Y
SWIC	SAVE PEDNS	DATE BREASTFEEDING RESPONSE	CHAR	8	Y
SWIC	SAVE PEDNS	WIKING TO SUPPLEMENTARY FDS	CHAR	2	Y
SWIC	SAVE PEDNS	TV_VIEWING	CHAR	1	Y
SWIC	SAVE PEDNS	HOUSEHOLD SMOKING	CHAR	1	Y
SWIC	SAVE PEDNS	FUTURE EXPANSION	CHAR	30	Y
SWIC	SAVE PEDNS	CONTRIBUTOR USE 1	CHAR	1	Y
SWIC	SAVE PEDNS	CONTRIBUTOR USE 2	CHAR	11	Y
SWIC	SAVE PEDNS	DATE MODIFIED	DATE	7	Y
SWIC	SAVE PEDNS	DATE CREATED	DATE	7	Y
SWIC	SAVE PEDNS	CREATED BY	VARCHAR2	100	Y
SWIC	SAVE PEDNS	MODIFIED BY	VARCHAR2	32	Y
SWIC	SAVE PEDNS	STATE	CHAR	2	Y
SWIC	SAVE PEDNS	SUBSTATE	CHAR	1	Y
SWIC	SAVE PEDNS	CLINIC	CHAR	9	Y
SWIC	SAVE PEDNS	ZIP CODE	CHAR	5	Y
SWIC	SAVE PEDNS	SOURCE OF DATA	CHAR	1	Y
SWIC	SAVE PEDNS	RECORD TYPE	CHAR	1	Y
SWIC	SAVE PEDNS	DATE OF VISIT	CHAR	8	Y
SWIC	SAVE PNSS	SUBSTATE	CHAR	1	Y
SWIC	SAVE PNSS	CLINIC	CHAR	9	Y
SWIC	SAVE PNSS	ZIP CODE	CHAR	5	Y
SWIC	SAVE PNSS	SOURCE OF DATA	CHAR	1	Y
SWIC	SAVE PNSS	COMPLETION CODE	CHAR	1	Y
SWIC	SAVE PNSS	POSTPARTUM VISIT DATE	CHAR	8	Y
SWIC	SAVE PNSS	WOMANS ALPHANUMERIC ID	CHAR	60	Y
SWIC	SAVE PNSS	DATE OF BIRTH	CHAR	8	Y
SWIC	SAVE PNSS	RACE_ETHNICITY	CHAR	6	Y
SWIC	SAVE PNSS	WIC RACE ETHNICITY	CHAR	3	Y
SWIC	SAVE PNSS	CONTRIBUTOR SPECIFIC RACE	CHAR	2	Y
SWIC	SAVE PNSS	EDUCATION	CHAR	2	Y
SWIC	SAVE PNSS	HOUSEHOLD SIZE	CHAR	2	Y
SWIC	SAVE PNSS	MONTHLY HOUSEHOLD INCOME	CHAR	4	Y
SWIC	SAVE PNSS	MIGRANT STATUS	CHAR	1	Y
SWIC	SAVE PNSS	WIC PRENATAL VISIT	CHAR	1	Y
SWIC	SAVE PNSS	WIC POSTPARTUM VISIT	CHAR	1	Y
SWIC	SAVE PNSS	FOOD STAMPS PRENATAL	CHAR	1	Y
SWIC	SAVE PNSS	FOOD STAMPS POSTPARTUM	CHAR	1	Y
SWIC	SAVE PNSS	MEDICAD PRENATAL	CHAR	1	Y
SWIC	SAVE PNSS	MEDICAD POSTPARTUM	CHAR	1	Y
SWIC	SAVE PNSS	TANF PRENATAL	CHAR	1	Y
SWIC	SAVE PNSS	TANF POSTPARTUM	CHAR	1	Y
SWIC	SAVE PNSS	DATE LMP	CHAR	8	Y
SWIC	SAVE PNSS	DATE EDD	CHAR	8	Y
SWIC	SAVE PNSS	HEIGHT ENGLISH	CHAR	3	Y
SWIC	SAVE PNSS	HEIGHT METRIC	CHAR	4	Y
SWIC	SAVE PNSS	PREPREG WEIGHT	CHAR	3	Y
SWIC	SAVE PNSS	WEIGHT ENGLISH PRENATAL	CHAR	4	Y
SWIC	SAVE PNSS	WEIGHT METRIC PRENATAL	CHAR	4	Y
SWIC	SAVE PNSS	WEIGHT ENGLISH POSTPARTUM	CHAR	4	Y
SWIC	SAVE PNSS	WEIGHT METRIC POSTPARTUM	CHAR	4	Y
SWIC	SAVE PNSS	POB OR SEG WEIGHT GAIN	CHAR	1	Y
SWIC	SAVE PNSS	TOTAL WEIGHT_GAIN	CHAR	2	Y
SWIC	SAVE PNSS	HEMOGLOBIN PRENATAL	CHAR	3	Y
SWIC	SAVE PNSS	HEMATOCRIT PRENATAL	CHAR	3	Y
SWIC	SAVE PNSS	DATE OF BLOOD PRENATAL	CHAR	8	Y
SWIC	SAVE PNSS	HEMOGLOBIN POSTPARTUM	CHAR	3	Y
SWIC	SAVE PNSS	HEMATOCRIT POSTPARTUM	CHAR	3	Y
SWIC	SAVE PNSS	DATE OF BLOOD POSTPARTUM	CHAR	8	Y
SWIC	SAVE PNSS	PARTY	CHAR	2	Y
SWIC	SAVE PNSS	DATE LAST PREGNANCY ENDED	CHAR	6	Y
SWIC	SAVE PNSS	GESTATIONAL_DIABETES	CHAR	1	Y
SWIC	SAVE PNSS	HYPERTENSION	CHAR	1	Y
SWIC	SAVE PNSS	MEDICAL CARE BEGAN	CHAR	1	Y
SWIC	SAVE PNSS	DATE ENROLLED IN WIC	CHAR	8	Y
SWIC	SAVE PNSS	MULTIVITAMIN PRIOR TO PREG	CHAR	1	Y
SWIC	SAVE PNSS	MULTIVITAMIN DURING PREG	CHAR	1	Y
SWIC	SAVE PNSS	CIGARETTES PRIOR TO PREG	CHAR	2	Y
SWIC	SAVE PNSS	CIGARETTES_PRENATAL	CHAR	2	Y
SWIC	SAVE PNSS	CIGARETTES_LAST_TRIMESTER	CHAR	2	Y
SWIC	SAVE PNSS	CIGARETTES_POSTPARTUM	CHAR	2	Y
SWIC	SAVE PNSS	HOUSEHOLD SMOKING PRENATAL	CHAR	1	Y
SWIC	SAVE PNSS	HOUSEHOLD SMOKING POSTPARTUM	CHAR	1	Y
SWIC	SAVE PNSS	DRINKS PRIOR TO PREG	CHAR	2	Y
SWIC	SAVE PNSS	DRINKS_LAST_TRIMESTER	CHAR	2	Y
SWIC	SAVE PNSS	BRANT ALPHANUMERIC ID	CHAR	60	Y
SWIC	SAVE PNSS	INFANT DATE OF BIRTH	CHAR	8	Y
SWIC	SAVE PNSS	NUMBER_OF_INFANTS	CHAR	1	Y
SWIC	SAVE PNSS	ISOM_ALIVE_OR_DEAD	CHAR	1	Y
SWIC	SAVE PNSS	BIRTHWEIGHT ENGLISH	CHAR	4	Y
SWIC	SAVE PNSS	BIRTHWEIGHT METRIC	CHAR	4	Y
SWIC	SAVE PNSS	CURRENTLY BREASTFED	CHAR	1	Y
SWIC	SAVE PNSS	EVER BREASTFED	CHAR	1	Y
SWIC	SAVE PNSS	FUTURE EXPANSION	CHAR	30	Y
SWIC	SAVE PNSS	CONTRIBUTOR USE 1	CHAR	1	Y
SWIC	SAVE PNSS	CONTRIBUTOR USE 2	CHAR	1	Y
SWIC	SAVE PNSS	CONTRIBUTOR USE_3	CHAR	11	Y
SWIC	SAVE PNSS	DATE CREATED	DATE	7	Y
SWIC	SAVE PNSS	DATE MODIFIED	DATE	7	Y
SWIC	SAVE PNSS	CREATED BY	VARCHAR2	32	Y
SWIC	SAVE PNSS	MODIFIED BY	VARCHAR2	32	Y
SWIC	SAVE PNSS	STATE	CHAR	2	Y
SWIC	SAVE PNSS BIRTH EVENT	FOOD STAMPS POSTPARTUM	CHAR	1	Y
SWIC	SAVE PNSS BIRTH EVENT	TANF PRENATAL	VARCHAR2	1	Y
SWIC	SAVE PNSS BIRTH EVENT	TANF POSTPARTUM	VARCHAR2	1	Y
SWIC	SAVE PNSS BIRTH EVENT	DATE LMP	DATE	7	Y
SWIC	SAVE PNSS BIRTH EVENT	DATE EDD	DATE	7	Y
SWIC	SAVE PNSS BIRTH EVENT	DATE ADD	DATE	7	Y
SWIC	SAVE PNSS BIRTH EVENT	INFANT CLIENT ID	NUMBER	22	Y
SWIC	SAVE PNSS BIRTH EVENT	DATE CREATED	DATE	7	Y
SWIC	SAVE PNSS BIRTH EVENT	CREATED BY	VARCHAR2	32	Y
SWIC	SAVE PNSS BIRTH EVENT	DATE MODIFIED	DATE	7	Y
SWIC	SAVE PNSS BIRTH EVENT	MODIFIED_BY	VARCHAR2	32	Y
SWIC	SAVE PNSS BIRTH EVENT	CLIENT ID	NUMBER	22	Y
SWIC	SAVE PNSS BIRTH EVENT	INITIAL VISIT DATE	DATE	7	Y
SWIC	SAVE PNSS BIRTH EVENT	POSTPARTUM VISIT DATE	DATE	7	Y
SWIC	SAVE PNSS BIRTH EVENT	MEDICAD PRENATAL	VARCHAR2	1	Y
SWIC	SAVE PNSS BIRTH EVENT	MEDICAD POSTPARTUM	VARCHAR2	1	Y
SWIC	SAVE PNSS BIRTH EVENT	FOOD STAMPS PRENATAL	VARCHAR2	1	Y
SWIC	SAVE TP	FISCAL YEAR	CHAR	4	Y
SWIC	SAVE TP	VENDOR ID	CHAR	12	Y
SWIC	SAVE TP	NEW_VENDOR	CHAR	1	Y
SWIC	SAVE TP	TRAINING	CHAR	1	Y
SWIC	SAVE TP	TYPE OF VENDOR	CHAR	1	Y
SWIC	SAVE TP	HIGH RISK VENDOR	CHAR	1	Y
SWIC	SAVE TP	FNS NUMBER	CHAR	7	Y
SWIC	SAVE TP	VENDOR NAME	CHAR	50	Y
SWIC	SAVE TP	VENDOR STREET NUMBER	CHAR	8	Y
SWIC	SAVE TP	VENDOR STREET_NAME	CHAR	40	Y
SWIC	SAVE TP	VENDOR ADDITIONAL ADDRESS	CHAR	40	Y
SWIC	SAVE TP	VENDOR CITY	CHAR	30	Y
SWIC	SAVE TP	VENDOR STATE	CHAR	2	Y
SWIC	SAVE TP	VENDOR ZIP	CHAR	5	Y
SWIC	SAVE TP	VENDOR ZIP PLUS 4	CHAR	4	Y
SWIC	SAVE TP	ANNUAL WIC REDEMPTIONS	CHAR	15	Y
SWIC	SAVE TP	REDEMPTION MONTHS	CHAR	2	Y
SWIC	SAVE TP	REDEMPTION INDICATOR A	CHAR	1	Y
SWIC	SAVE TP	REDEMPTION_INDICATOR_B	CHAR	1	Y
SWIC	SAVE TP	REDEMPTION_INDICATOR_C	CHAR	1	Y
SWIC	SAVE TP	REDEMPTION_INDICATOR_D	CHAR	1	Y
SWIC	SAVE TP	VOLUME INDICATOR E	CHAR	1	Y
SWIC	SAVE TP	VOLUME INDICATOR F	CHAR	1	Y
SWIC	SAVE TP	VOLUME INDICATOR G	CHAR	1	Y
SWIC	SAVE TP	VOLUME INDICATOR H	CHAR	1	Y
SWIC	SAVE TP	VOLUME INDICATOR I	CHAR	1	Y
SWIC	SAVE TP	VOLUME INDICATOR J	CHAR	1	Y
SWIC	SAVE TP	VOLUME_INDICATOR_K	CHAR	1	Y
SWIC	SAVE TP	PARTICIPANT INDICATOR L	CHAR	1	Y
SWIC	SAVE TP	PARTICIPANT INDICATOR M	CHAR	1	Y
SWIC	SAVE TP	PARTICIPANT INDICATOR N	CHAR	1	Y
SWIC	SAVE TP	PARTICIPANT INDICATOR O	CHAR	1	Y
SWIC	SAVE TP	PARTICIPANT INDICATOR P	CHAR	1	Y
SWIC	SAVE TP	OTHER INDICATOR Q	CHAR	1	Y
SWIC	SAVE TP	OTHER_INDICATOR_R	CHAR	1	Y
SWIC	SAVE TP	OTHER INDICATOR S	CHAR	1	Y
SWIC	SAVE TP	OTHER INDICATOR T	CHAR	1	Y
SWIC	SAVE TP	OTHER INDICATOR U	CHAR	1	Y
SWIC	SAVE TP	OTHER INDICATOR V	CHAR	1	Y
SWIC	SAVE TP	OTHER INDICATOR W	CHAR	1	Y
SWIC	SAVE TP	OTHER INDICATOR X	CHAR	1	Y
SWIC	SAVE TP	NUMBER OF MONITORING VIS	CHAR	2	Y
SWIC	SAVE TP	COMPLIANCE INVESTIGATIONS	CHAR	1	Y
SWIC	SAVE TP	OTHER INVESTIGATIONS	CHAR	1	Y
SWIC	SAVE TP	NUMBER OF COMPLIANCE BUYS	CHAR	2	Y
SWIC	SAVE TP	NUMBER OF INVENTORY AUDIT	CHAR	2	Y
SWIC	SAVE TP	REASON FOR SANCTION T	CHAR	1	Y
SWIC	SAVE TP	REASON FOR SANCTION A	CHAR	1	Y

SWIC	SAVE TP	REASON FOR SANCTION I	CHAR	1	Y	
SWIC	SAVE TP	REASON FOR SANCTION D	CHAR	1	Y	
SWIC	SAVE TP	REASON FOR SANCTION R	CHAR	1	Y	
SWIC	SAVE TP	REASON FOR SANCTION F	CHAR	1	Y	
SWIC	SAVE TP	REASON FOR SANCTION C	CHAR	1	Y	
SWIC	SAVE TP	REASON FOR SANCTION U	CHAR	1	Y	
SWIC	SAVE TP	REASON FOR SANCTION FSP	CHAR	1	Y	
SWIC	SAVE TP	TYPE OF SANCTION D	CHAR	1	Y	
SWIC	SAVE TP	TYPE OF SANCTION C	CHAR	1	Y	
SWIC	SAVE TP	TYPE OF SANCTION F	CHAR	1	Y	
SWIC	SAVE TP	TYPE OF SANCTION S	CHAR	1	Y	
SWIC	SAVE TP	TYPE OF SANCTION N W	CHAR	1	Y	
SWIC	SAVE TP	ADMINISTRATIVE REVIEWS	CHAR	1	Y	
SWIC	SAVE TP	VENDOR AGREEMENT	CHAR	1	Y	
SWIC	SAVE TP	DATE REFERRED TO FSP	CHAR	8	Y	
SWIC	SAVE TP	CREATED BY	VARCHAR2	100	Y	
SWIC	SAVE TP	DATE CREATED	DATE	7	Y	
SWIC	SAVE TP	DATE_MODIFIED	DATE	7	Y	
SWIC	SAVE TP	MODIFIED BY	VARCHAR2	100	Y	
SWIC	SAVE TP	REASON FOR SANCTION V	CHAR	1	Y	
SWIC	SAVE TP	AGENCY CODE	CHAR	2	Y	
SWIC	SAVE TP BACKUP	AGENCY CODE	CHAR	2	Y	
SWIC	SAVE TP BACKUP	FISCAL YEAR	CHAR	4	Y	
SWIC	SAVE TP BACKUP	VENDOR ID	CHAR	12	Y	
SWIC	SAVE TP BACKUP	NEW VENDOR	CHAR	1	Y	
SWIC	SAVE TP BACKUP	TRAINING	CHAR	1	Y	
SWIC	SAVE TP BACKUP	TYPE OF VENDOR	CHAR	1	Y	
SWIC	SAVE TP BACKUP	HIGH RISK VENDOR	CHAR	1	Y	
SWIC	SAVE TP BACKUP	FIS NUMBER	CHAR	7	Y	
SWIC	SAVE TP BACKUP	VENDOR NAME	CHAR	50	Y	
SWIC	SAVE TP BACKUP	VENDOR STREET NUMBER	CHAR	8	Y	
SWIC	SAVE TP BACKUP	VENDOR STREET NAME	CHAR	40	Y	
SWIC	SAVE TP BACKUP	VENDOR ADDITIONAL ADDRESS	CHAR	40	Y	
SWIC	SAVE TP_BACKUP	VENDOR_CITY	CHAR	30	Y	
SWIC	SAVE TP_BACKUP	VENDOR_STATE	CHAR	2	Y	
SWIC	SAVE TP_BACKUP	VENDOR_ZIP	CHAR	5	Y	
SWIC	SAVE TP_BACKUP	VENDOR_ZIP_PLUS_4	CHAR	4	Y	
SWIC	SAVE TP_BACKUP	ANNUAL_SWIC_REDEMPTIONS	CHAR	15	Y	
SWIC	SAVE TP_BACKUP	REDEMPTION_MONTHS	CHAR	2	Y	
SWIC	SAVE TP_BACKUP	REDEMPTION_INDICATOR_A	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	REDEMPTION_INDICATOR_B	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	REDEMPTION_INDICATOR_C	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	REDEMPTION_INDICATOR_D	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	VOLUME_INDICATOR_E	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	VOLUME_INDICATOR_F	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	VOLUME_INDICATOR_G	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	VOLUME_INDICATOR_H	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	VOLUME_INDICATOR_I	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	VOLUME_INDICATOR_J	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	VOLUME_INDICATOR_K	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	PARTICIPANT_INDICATOR_L	CHAR	1	Y	
SWIC	SAVE_TP_BACKUP	PARTICIPANT_INDICATOR_M	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	PARTICIPANT_INDICATOR_N	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	PARTICIPANT_INDICATOR_O	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	PARTICIPANT_INDICATOR_P	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	OTHER_INDICATOR_Q	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	OTHER_INDICATOR_R	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	OTHER_INDICATOR_S	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	OTHER_INDICATOR_T	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	OTHER_INDICATOR_U	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	OTHER_INDICATOR_V	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	OTHER_INDICATOR_W	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	OTHER_INDICATOR_X	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	NUMBER OF MONITORING VIS	CHAR	2	Y	
SWIC	SAVE TP_BACKUP	COMPLIANCE INVESTIGATIONS	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	OTHER INVESTIGATIONS	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	NUMBER OF COMPLIANCE SUITS	CHAR	2	Y	
SWIC	SAVE_TP_BACKUP	NUMBER_OF_INVENTORY_AUDIT	CHAR	2	Y	
SWIC	SAVE TP_BACKUP	REASON FOR SANCTION T	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	REASON FOR SANCTION A	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	REASON FOR SANCTION I	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	REASON FOR SANCTION D	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	REASON FOR SANCTION R	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	REASON FOR SANCTION F	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	REASON FOR SANCTION C	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	REASON FOR SANCTION U	CHAR	1	Y	
SWIC	SAVE_TP_BACKUP	REASON_FOR_SANCTION_FSP	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	TYPE OF SANCTION D	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	TYPE OF SANCTION C	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	TYPE OF SANCTION F	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	TYPE OF SANCTION S	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	TYPE OF SANCTION N W	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	ADMINISTRATIVE REVIEWS	CHAR	1	Y	
SWIC	SAVE_TP_BACKUP	VENDOR_AGREEMENT	CHAR	1	Y	
SWIC	SAVE TP_BACKUP	DATE REFERRED TO FSP	CHAR	8	Y	
SWIC	SAVE TP_BACKUP	CREATED BY	VARCHAR2	100	Y	
SWIC	SAVE TP_BACKUP	DATE_CREATED	DATE	7	Y	
SWIC	SAVE TP_BACKUP	DATE_MODIFIED	DATE	7	Y	
SWIC	SAVE TP_BACKUP	MODIFIED BY	VARCHAR2	100	Y	
SWIC	SAVE TP_BACKUP	REASON FOR SANCTION V	CHAR	1	Y	
SWIC	S AGREEMENT	AGREEMENT ID	NUMBER	22	N	Unique Identifier for the Agreement
SWIC	S AGREEMENT	DATE EFFECTIVE	DATE	7	N	Date the Agreement becomes effective to the users
SWIC	S AGREEMENT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S AGREEMENT	CREATED BY	VARCHAR2	64	N	Common audit field for user id connected when the row was created.
SWIC	S AGREEMENT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S AGREEMENT	MODIFIED BY	VARCHAR2	64	Y	Common field for user notes or comments.
SWIC	S AGREEMENT	AGREEMENT	NCLOB	4000	Y	
SWIC	S AGREEMENT	AGREEMENTB	NVARCHAR2	4000	Y	
SWIC	S ANSWER PENSS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S ANSWER PENSS	PENSS FIELD	NUMBER	10	Y	Name of the PNSS field in the extract.
SWIC	S ANSWER PENSS	ANSWER ID	NUMBER	22	Y	Answer ID value.
SWIC	S_ANSWER_PENSS	PENSS_VALUE	NUMBER	22	Y	Value of PNSS field.
SWIC	S ANSWER PENSS	DATE_CREATED	DATE	7	N	
SWIC	S ANSWER PENSS	CREATED BY	VARCHAR2	32	N	
SWIC	S ANSWER PENSS	DATE_MODIFIED	DATE	7	Y	
SWIC	S ANSWER PENSS	PENSS FIELD	VARCHAR2	30	Y	
SWIC	S ANSWER PENSS	ANSWER ID	NUMBER	22	Y	
SWIC	S ANSWER PENSS	PENSS VALUE	VARCHAR2	8	Y	
SWIC	S ANSWER PENSS	ADDITIONAL INFO LPAD	NUMBER	22	Y	
SWIC	S ANSWER PENSS	QUESTION ID	NUMBER	22	Y	
SWIC	S ANSWER PENSS	DATE_CREATED	DATE	7	N	
SWIC	S ANSWER PENSS	CREATED BY	VARCHAR2	32	N	
SWIC	S ANSWER PENSS	DATE_MODIFIED	DATE	7	Y	
SWIC	S ANSWER PENSS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S APPLICATION ROLES	FUNCTION NAME	VARCHAR2	32	N	The name of the function that can be performed.
SWIC	S APPLICATION ROLES	ROLE NAME	VARCHAR2	30	N	The name of the role allowed to perform the function.
SWIC	S APPLICATION ROLES	DATE_CREATED	DATE	7	N	
SWIC	S_APPLICATION_ROLES	CREATED BY	VARCHAR2	32	N	
SWIC	S APPLICATION ROLES	DATE_MODIFIED	DATE	7	Y	
SWIC	S APPLICATION ROLES	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S APPLICATION SECURITY	APPLICATION NAME	VARCHAR2	32	N	Text Name for the application for which the function applies (such as ADMIN/CLINIC).
SWIC	S APPLICATION SECURITY	FUNCTION NAME	VARCHAR2	60	N	Text Name for the function (screen, button, menu, etc.).
SWIC	S APPLICATION SECURITY	FUNCTION_TYPE_CODE	NUMBER	22	N	Foreign key to look-up for function types (screen, button, menu, etc.).
SWIC	S APPLICATION SECURITY	SECURITY_CODE_UPDATE	NUMBER	22	Y	Base 2 value - when set within the value of a role will indicate the user has update access for the function.
SWIC	S APPLICATION SECURITY	SECURITY_CODE_READONLY	NUMBER	22	Y	Base 2 value - when set within the value of a role will indicate the user has read access for the function.
SWIC	S APPLICATION SECURITY	EXTERNAL NAME	VARCHAR2	200	Y	Descriptive text for function displayed externally - such as on Admin screens.
SWIC	S_APPLICATION_SECURITY	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S APPLICATION SECURITY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S APPLICATION SECURITY	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S APPLICATION SECURITY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S APPLICATION SECURITY	CONTAINER_SCREEN	VARCHAR2	60	Y	The name of the screen that contains the button that is controlled by application security.
SWIC	S APPLICATION SECURITY	TARGET_SCREEN	VARCHAR2	60	Y	The name of the screen that the button controlled by application security opens.
SWIC	S AUTODIAL CALL RESULT	PHONE NUMBER	VARCHAR2	20	Y	Phone number of the client or participant.
SWIC	S_AUTODIAL_CALL_RESULT	PATIENT_NAME	VARCHAR2	4000	Y	Full name of the patient.
SWIC	S AUTODIAL CALL RESULT	ATTEMPTS	NUMBER	22	Y	Numeric identifier for number of attempts made via phone to contact.
SWIC	S AUTODIAL CALL RESULT	DURATION IN SECONDS	NUMBER	22	Y	Duration of the call in seconds.
SWIC	S AUTODIAL CALL RESULT	RESPONSE FROM CALLED PARTY	VARCHAR2	100	Y	Descriptive text for response from called party.
SWIC	S AUTODIAL CALL RESULT	SLACK_LAST_RESULT_CODE	NUMBER	22	Y	Unique numeric identifier for result codes(S U AUTODIAL RESULT CODES)
SWIC	S AUTODIAL CALL RESULT	SLACK_LAST_DELIVERY_CODE	NUMBER	22	Y	Unique numeric identifier for delivery codes(S LU AUTODIAL DELIVERY CODES)
SWIC	S AUTODIAL CALL RESULT	LAST ATTEMPT ON	DATE	7	Y	Date/Time last call was attempted.
SWIC	S_AUTODIAL_CALL_RESULT	USER ID	VARCHAR2	50	Y	Unique user name of the caller.
SWIC	S_AUTODIAL_CALL_RESULT	CLINIC ID	VARCHAR2	50	Y	Domain to store six digit code.
SWIC	S_AUTODIAL_CALL_RESULT	APPT_DATE	VARCHAR2	200	Y	Date/Time of the appointment.
SWIC	S_AUTODIAL_CALL_RESULT	APPT_TIME	VARCHAR2	50	Y	Time of the appointment.
SWIC	S AUTODIAL CALL RESULT	APPT TYPE	VARCHAR2	50	Y	The type of appointment record.
SWIC	S AUTODIAL CALL RESULT	CLIENT NAMES	VARCHAR2	4000	Y	Full name of the client.
SWIC	S AUTODIAL CALL RESULT	LANGUAGE CODE	NUMBER	22	Y	Unique identifier for the language(EN LANGUAGE).
SWIC	S AUTODIAL CALL RESULT	CATEGORY	VARCHAR2	10	Y	Unique category of the client.
SWIC	S AUTODIAL CALL RESULT	CREATED BY	VARCHAR2	50	N	Common audit field for user id connected when the row was created.
SWIC	S AUTODIAL CALL RESULT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S AUTODIAL CALL RESULT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_AUTODIAL_CALL_RESULT	MODIFIED BY	VARCHAR2	50	N	Common audit field for user id connected when the row was last modified.
SWIC	S AUTODIAL FILES	ID	NUMBER	22	N	Autodial File system generated ID and primary key.
SWIC	S AUTODIAL FILES	OU SEQ ID	NUMBER	22	Y	Local Agency Seq ID
SWIC	S AUTODIAL FILES	AUTODIAL DATE	DATE	7	N	Reference date of the Autodial File
SWIC	S AUTODIAL FILES	CREATED BY	VARCHAR2	32	N	user created
SWIC	S AUTODIAL FILES	DATE_CREATED	DATE	7	N	created date
SWIC	S AUTODIAL FILES	MODIFIED BY	VARCHAR2	32	Y	user modified
SWIC	S AUTODIAL FILES	DATE_MODIFIED	DATE	7	Y	modified date
SWIC	S AUTODIAL FILES	S DELETED	NUMBER	22	Y	Flag for soft delete
SWIC	S AUTODIORS	AGENCY	VARCHAR2	255	N	Agency code
SWIC	S AUTODIORS	APPT TYPES	VARCHAR2	2000	N	Appointment types
SWIC	S AUTODIORS	DAYS	VARCHAR2	2000	N	Days
SWIC	S AUTODIORS	MODIFIED BY	VARCHAR2	32	Y	user modified
SWIC	S AUTODIORS	LAST RUN	DATE	7	Y	date and time of the last run
SWIC	S AUTODIORS	LAST RUN RECORDS	NUMBER	22	Y	number of records effected by last job
SWIC	S AUTODIORS	LAST RUN MESSAGE	VARCHAR2	2000	Y	message by last job
SWIC	S_AUTODIORS	RUNTIME	VARCHAR2	7	Y	amount of time taken to finish the job
SWIC	S AUTODIORS	CREATED BY	VARCHAR2	32	N	user created
SWIC	S AUTODIORS	DATE_CREATED	DATE	7	N	created date
SWIC	S AUTODIORS	ID	NUMBER	22	N	Unique system generated ID for the job
SWIC	S AUTODIORS	DATE_MODIFIED	DATE	7	Y	

SWIC	S	AUTODIRS	FILE TYPE	NUMBER	22	Y	Auto dialer file type
SWIC	S	AUTODIRS	DAYS AFTER BVT	NUMBER	22	Y	Reminder Days After BVT
SWIC	S	AUTODIRS	BENEFITS NOT PICKED RMDR	NUMBER	22	Y	Flag for Send Benefits Not Picked Up Reminder
SWIC	S	AUTODIRS	MISSED APPT RMDR	NUMBER	22	Y	Flag for Send Missed Appointment Reminder
SWIC	S	AUTODIRS	IS DELETED	NUMBER	22	Y	Flag for soft delete
SWIC	S	BF_QUESTIONS	QUESTION ID	NUMBER	22	N	The unique question identifier
SWIC	S	BF_QUESTIONS	QUESTION CATEGORY	VARCHAR2	3	Y	Broad Category Code for the question (such as I(Infant), C(Child), WPF(Woman Post partum))
SWIC	S	BF_QUESTIONS	DISPLAY PAGE NUMBER	NUMBER	22	Y	The page number on which the question will appear during BF history/survey
SWIC	S	BF_QUESTIONS	DISPLAY SEQ ON PAGE	NUMBER	22	Y	The sequence number which determines the order in which the questions appear on a page
SWIC	S	BF_QUESTIONS	QUESTION TEXT	VARCHAR2	200	Y	The question text to be displayed (including numbering such as 1. if applicable)
SWIC	S	BF_QUESTIONS	PRECEDING ANSWER ID	NUMBER	22	Y	The id of a preceding answer on which this question is dependent, if applicable; otherwise NULL
SWIC	S	BF_QUESTIONS	PRECEDING RESPONSE	NUMBER	22	Y	The response to the preceding question on which this question is dependent (D,I,1, if applicable, otherwise NULL
SWIC	S	BF_QUESTIONS	X_HORIZONTAL_POSITION	NUMBER	22	Y	Optional horizontal offset value for display of question on the page
SWIC	S	BF_QUESTIONS	Y_VERTICAL_POSITION	NUMBER	22	Y	Optional vertical offset value for display of question on the page
SWIC	S	BF_QUESTIONS	ERROR TEXT	VARCHAR2	200	Y	Error text to be displayed if question fails validation.
SWIC	S	BF_QUESTIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	BF_QUESTIONS	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S	BF_QUESTIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	BF_QUESTIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	BF_QUESTIONS	QUESTION NUMBER	NUMBER	22	Y	External question number, if displayed.
SWIC	S	BF_QUESTIONS	BOLD	NUMBER	22	Y	Indicates if the question should appear in bold font (0=No, 1=Yes).
SWIC	S	BF_QUESTIONS	VALIDATE QUESTION	NUMBER	22	Y	Indicates if a response to the question is required (0=No, 1=Yes).
SWIC	S	BF_QUESTIONS	QUESTION ID	NUMBER	22	N	Unique identifier for the BF history question (S BF_QUESTIONS).
SWIC	S	BF_QUESTION_RESPONSE	RESPONSE SEQ ON PAGE	NUMBER	22	N	The sequence in which the response will be displayed on the page after the question
SWIC	S	BF_QUESTION_RESPONSE	RESPONSE TYPE CODE	VARCHAR2	4	Y	Category Code for the question (such as I(Infant), C(Child), WPF(Woman Post partum))
SWIC	S	BF_QUESTION_RESPONSE	RESPONSE TEXT	VARCHAR2	200	Y	The label text which will be displayed to identify the response or prompt for optional information
SWIC	S	BF_QUESTION_RESPONSE	ANSWER ID	NUMBER	22	Y	Unique identifier which will be used to store the response
SWIC	S	BF_QUESTION_RESPONSE	ADDITIONAL_INFO_DATATYPE	VARCHAR2	8	Y	Datatype for optional field - NULL (no field), DATE, NUMBER, CHAR
SWIC	S	BF_QUESTION_RESPONSE	ADDITIONAL_INFO_REQUIRED	NUMBER	22	Y	Indicates if optional info is required - NULL (no required), 0 (required if response is N/A/False), 1 (required if response is Yes/True)
SWIC	S	BF_QUESTION_RESPONSE	ADDITIONAL_INFO_MIN	NUMBER	22	Y	Minimum value for additional info field, if applicable
SWIC	S	BF_QUESTION_RESPONSE	ADDITIONAL_INFO_MAX	NUMBER	22	Y	Maximum value for additional info field, if applicable
SWIC	S	BF_QUESTION_RESPONSE	POST_SCRIPT_TEXT	VARCHAR2	100	Y	Optional label to appear after the response/optional info prompt - such as (sources)
SWIC	S	BF_QUESTION_RESPONSE	X_HORIZONTAL_POSITION	NUMBER	22	Y	Category Code for the question (such as I(Infant), C(Child), WPF(Woman Post partum))
SWIC	S	BF_QUESTION_RESPONSE	Y_VERTICAL_POSITION	NUMBER	22	Y	Category Code for the question (such as I(Infant), C(Child), WPF(Woman Post partum))
SWIC	S	BF_QUESTION_RESPONSE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	BF_QUESTION_RESPONSE	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S	BF_QUESTION_RESPONSE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	BF_QUESTION_RESPONSE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	BF_QUESTION_RESPONSE	PRE_X_POSITION	NUMBER	22	Y	Positioning for post script text.
SWIC	S	BF_QUESTION_RESPONSE	POST_X_POSITION	NUMBER	22	Y	Positioning for post script text.
SWIC	S	BF_QUESTION_RESPONSE	QUESTION NUMBER	NUMBER	22	Y	UNUSED FOR MI-WVC.
SWIC	S	BF_QUESTION_RESPONSE	ADDITIONAL_INFO_CONTROL_WIDTH	NUMBER	22	Y	Maximum length allowed for the additional info field which will set the width of the control which accepts the value, if applicable
SWIC	S	BF_QUESTION_RESPONSE	DEFAULT FLAG	NUMBER	22	Y	UNUSED FOR MI-WVC.
SWIC	S	BF_QUESTION_RESPONSE	LOOKUP SOURCE	NUMBER	22	Y	UNUSED FOR MI-WVC.
SWIC	S	BF_QUESTION_RESPONSE	ANSWER FLAG	NUMBER	22	Y	UNUSED FOR MI-WVC.
SWIC	S	CITIES	DESCRIPTION	VARCHAR2	40	N	The name of the city.
SWIC	S	CITIES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	CITIES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	CITIES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	CITIES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CITIES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	S	CLOSING CLINIC TRANSFERS	NEW OU SEQ ID	NUMBER	22	Y	The unique identifier for the family.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	CRU_FAMILY_ID	NUMBER	22	Y	The unique identifier for the family.
SWIC	S	CLOSING CLINIC TRANSFERS	OLD_OU_SEQ_ID	NUMBER	22	Y	The unique identifier for the family.
SWIC	S	CLOSING CLINIC TRANSFERS	CM ID	NUMBER	22	N	The unique identifier of the contact method.
SWIC	S	CLOSING CLINIC TRANSFERS	DESCRIPTION	VARCHAR2	30	N	The description of the contact method.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	S	CLOSING CLINIC TRANSFERS	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the data is Active.
SWIC	S	CLOSING CLINIC TRANSFERS	CONTACT_TITLE_CODE	VARCHAR2	2	N	The unique code for contact title.
SWIC	S	CLOSING CLINIC TRANSFERS	DESCRIPTION	VARCHAR2	40	N	The description of the contact position.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	S	CLOSING CLINIC TRANSFERS	VENDOR EXT FLAG	NUMBER	22	Y	1 Means it is Active Indicates if the Data is Active.
SWIC	S	CLOSING CLINIC TRANSFERS	ACTIVE	NUMBER	22	N	Application the Help file belongs to.
SWIC	S	CLOSING CLINIC TRANSFERS	APPLICATION_NAME	VARCHAR2	50	N	ASPI File location within the system that the help is for.
SWIC	S	CLOSING CLINIC TRANSFERS	SCREEN NAME	VARCHAR2	200	N	Name of the file as it is saved inside the system.
SWIC	S	CLOSING CLINIC TRANSFERS	HELP_FILE_NAME	VARCHAR2	50	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	DESCRIPTION	VARCHAR2	2000	Y	Description of the ASPX screen this help file is for.
SWIC	S	CLOSING CLINIC TRANSFERS	UPLOADED FILE NAME	VARCHAR2	200	Y	The last file name used when uploading the document.
SWIC	S	CLOSING CLINIC TRANSFERS	SCHF_FOLDER_ID	NUMBER	22	Y	Folder ID the help file is inside of null means it is in the root.
SWIC	S	CLOSING CLINIC TRANSFERS	PARENT ID	NUMBER	22	Y	Parent ID for the help file.
SWIC	S	CLOSING CLINIC TRANSFERS	STATE ID	VARCHAR2	2	N	The system generated unique identifier.
SWIC	S	CLOSING CLINIC TRANSFERS	COUNTY CODE	VARCHAR2	3	N	The unique identifier for the county.
SWIC	S	CLOSING CLINIC TRANSFERS	DESCRIPTION	VARCHAR2	60	N	The description of the county.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	CDC_COUNTY_CODE	VARCHAR2	3	Y	UNUSED FOR MI-WVC.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	S	CLOSING CLINIC TRANSFERS	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	S	CLOSING CLINIC TRANSFERS	FS_YEAR	NUMBER	22	N	The Funding Source Year
SWIC	S	CLOSING CLINIC TRANSFERS	FS_YEAR	NUMBER	22	N	The Funding Source code's FUNDING SOURCES.
SWIC	S	CLOSING CLINIC TRANSFERS	FS_SEQ_ID	NUMBER	22	N	The organizational unique sequence coded( ORGANIZATIONAL UNITS).
SWIC	S	CLOSING CLINIC TRANSFERS	OU_SEQ_ID	NUMBER	22	N	Coupon Number
SWIC	S	CLOSING CLINIC TRANSFERS	COUPON NO	NUMBER	22	N	Coupon Number
SWIC	S	CLOSING CLINIC TRANSFERS	BOOKLET_NO	NUMBER	22	Y	Booklet Number
SWIC	S	CLOSING CLINIC TRANSFERS	BATCH NO	NUMBER	22	Y	Batch Number
SWIC	S	CLOSING CLINIC TRANSFERS	REDEM DATE	DATE	7	Y	Coupon Redemmed Date
SWIC	S	CLOSING CLINIC TRANSFERS	REDEM AMOUNT	NUMBER	22	Y	Coupon Redemmed Amount
SWIC	S	CLOSING CLINIC TRANSFERS	RESTOCK DATE	DATE	7	Y	Date on which the coupons are in Stock
SWIC	S	CLOSING CLINIC TRANSFERS	SHIP DATE	DATE	7	Y	Date on which the Coupons were shipped
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	BOOKLET STATUS	NUMBER	22	Y	Indicates Status of the Booklets: LU COUPON STATUS
SWIC	S	CLOSING CLINIC TRANSFERS	COUPON STATUS	NUMBER	22	Y	Indicates Status of the Coupons: LU COUPON STATUS
SWIC	S	CLOSING CLINIC TRANSFERS	CLIENT ID	NUMBER	22	N	Indicates Client ID
SWIC	S	CLOSING CLINIC TRANSFERS	PARTICIPANT NAME	VARCHAR2	100	Y	Participant Name
SWIC	S	CLOSING CLINIC TRANSFERS	DATE ASSIGNED	DATE	7	Y	Date on which the coupons are issued
SWIC	S	CLOSING CLINIC TRANSFERS	IS_WVC	NUMBER	22	N	Indicates if WVC (1=Yes, 0=No)
SWIC	S	CLOSING CLINIC TRANSFERS	DATE_SENT	DATE	7	Y	UNUSED FOR MI-WVC.
SWIC	S	CLOSING CLINIC TRANSFERS	VO_CHAIN_SUFFIX	VARCHAR2	10	Y	Voucher Chain Suffix (S_FF_MAAN)
SWIC	S	CLOSING CLINIC TRANSFERS	FS_YEAR	NUMBER	22	N	The Funding Source Year
SWIC	S	CLOSING CLINIC TRANSFERS	CLIENT ID	NUMBER	22	Y	The Client ID
SWIC	S	CLOSING CLINIC TRANSFERS	OU_SEQ_ID	NUMBER	22	Y	The organizational unit's unique id.
SWIC	S	CLOSING CLINIC TRANSFERS	PARTICIPANT NAME	VARCHAR2	32	Y	Participant's Name
SWIC	S	CLOSING CLINIC TRANSFERS	SCI COUPON NO	NUMBER	22	N	Issued Coupon Number
SWIC	S	CLOSING CLINIC TRANSFERS	DATE ASSIGNED	DATE	7	Y	Indicates the Date on which the coupon was assigned
SWIC	S	CLOSING CLINIC TRANSFERS	IS_WVC	NUMBER	22	N	Indicates if WVC (1=Yes, 0=No)
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	SCI BOOKLET NO	NUMBER	22	Y	Issued Booklet Number
SWIC	S	CLOSING CLINIC TRANSFERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	FS_YEAR	NUMBER	22	N	the year of the funding resource.
SWIC	S	CLOSING CLINIC TRANSFERS	FS_TYPE ID	NUMBER	22	N	The Funding source for specific user
SWIC	S	CLOSING CLINIC TRANSFERS	QUANTITY	NUMBER	22	Y	The quantity of the Funding source type
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	FOLDER ID	NUMBER	22	N	Unique Identifier for the record.
SWIC	S	CLOSING CLINIC TRANSFERS	PARENT ID	NUMBER	22	N	Parent Folder ID for this record (null means it is at the root)
SWIC	S	CLOSING CLINIC TRANSFERS	APPLICATION NAME	VARCHAR2	50	N	Application the Help folder belongs to
SWIC	S	CLOSING CLINIC TRANSFERS	DESCRIPTION	VARCHAR2	200	N	Description of the Folder
SWIC	S	CLOSING CLINIC TRANSFERS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	PACKAGE NAME	VARCHAR2	100	Y	Package or procedure which created the entry
SWIC	S	CLOSING CLINIC TRANSFERS	DEBUG MESSAGE	VARCHAR2	4000	Y	Message with text/values to support debug.
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	DEE_MAILBOX	VARCHAR2	25	Y	DEE Mailbox
SWIC	S	CLOSING CLINIC TRANSFERS	PASSWORD	VARCHAR2	25	Y	DEE Mailbox Password
SWIC	S	CLOSING CLINIC TRANSFERS	SEQ ID	NUMBER	22	Y	DEE Mailbox Pro User's Seq ID
SWIC	S	CLOSING CLINIC TRANSFERS	NAME	VARCHAR2	100	Y	DEE Mailbox Pro User's Name
SWIC	S	CLOSING CLINIC TRANSFERS	ADDRESS	VARCHAR2	100	Y	DEE Mailbox Pro User's Address
SWIC	S	CLOSING CLINIC TRANSFERS	ADDRESS2	VARCHAR2	100	Y	DEE Mailbox Pro User's Address2
SWIC	S	CLOSING CLINIC TRANSFERS	CITY	VARCHAR2	25	Y	DEE Mailbox Pro User's City
SWIC	S	CLOSING CLINIC TRANSFERS	STATE	VARCHAR2	5	Y	DEE Mailbox Pro User's State
SWIC	S	CLOSING CLINIC TRANSFERS	ZIP5	NUMBER	22	Y	DEE Mailbox Pro User's ZIP5
SWIC	S	CLOSING CLINIC TRANSFERS	ZIP4	NUMBER	22	Y	DEE Mailbox Pro User's ZIP4
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	PHONE TYPE ID	VARCHAR2	3	N	Unique phone type identifier.
SWIC	S	CLOSING CLINIC TRANSFERS	DESCRIPTION	VARCHAR2	60	N	The description of the phone type.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	CLOSING CLINIC TRANSFERS	DATE MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	S	CLOSING CLINIC TRANSFERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.

SWIC	S	DEMO PHONE TYPES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	S	DOCUMENT CHARACTERISTICS	DOCUMENT ID	NUMBER	22	N	
SWIC	S	DOCUMENT CHARACTERISTICS	DOCUMENT TYPE ID	NUMBER	22	N	
SWIC	S	DOCUMENT CHARACTERISTICS	WIC ID	NUMBER	22	N	
SWIC	S	DOCUMENT CHARACTERISTICS	DOC NAME	VARCHAR2	100	N	
SWIC	S	DOCUMENT CHARACTERISTICS	DOC_EXTENSION	VARCHAR2	5	Y	
SWIC	S	DOCUMENT CHARACTERISTICS	DOC_SIZE	NUMBER	22	Y	
SWIC	S	DOCUMENT CHARACTERISTICS	LANGUAGE CODE	NUMBER	22	Y	foreign key to the c_languages table, it represents the language the document is created in
SWIC	S	DOCUMENT CHARACTERISTICS	DATE CREATED	DATE	7	Y	
SWIC	S	DOCUMENT CHARACTERISTICS	CREATED BY	VARCHAR2	32	Y	
SWIC	S	DOCUMENT CHARACTERISTICS	DATE MODIFIED	DATE	7	Y	
SWIC	S	DOCUMENT CHARACTERISTICS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S	DOCUMENT TEMPLATES	DOC_TEMP_ID	NUMBER	22	N	Document Templates Unique ID.
SWIC	S	DOCUMENT TEMPLATES	DOC_ID	NUMBER	22	N	Document ID from the table t_documents
SWIC	S	DOCUMENT TEMPLATES	TEMPLATE_FILENAME	VARCHAR2	100	N	Template file name to be used at run time
SWIC	S	DOCUMENT TEMPLATES	EFFECTIVE DATE	DATE	7	N	Effective Date from which the document needs to be active
SWIC	S	DOCUMENT TEMPLATES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	DOCUMENT TEMPLATES	CREATED_BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
SWIC	S	DOCUMENT TEMPLATES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	DOCUMENT TEMPLATES	MODIFIED_BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	DOCUMENT TEMPLATES	POSITION X	NUMBER	22	Y	X-axis value for the image on the document
SWIC	S	DOCUMENT TEMPLATES	POSITION Y	NUMBER	22	Y	Y-axis value for the image on the document
SWIC	S	FUNDING SOURCES	FS_SEQ_ID	NUMBER	22	N	Unique Identifier for the Funding Source
SWIC	S	FUNDING SOURCES	FS_DESCRIPTION	VARCHAR2	1000	N	Description of the funding resource description
SWIC	S	FUNDING SOURCES	FS_TYPE_ID	NUMBER	22	N	Funding Resource ID
SWIC	S	FUNDING SOURCES	CLASS_TYPE	VARCHAR2	1000	Y	applies whether the funding resource is wis,special or senior type
SWIC	S	FUNDING SOURCES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	FUNDING SOURCES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	FUNDING SOURCES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	FUNDING SOURCES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	FUNDING SOURCES	INDEX NO	VARCHAR2	32	Y	Index number for local agency
SWIC	S	GEO LOCATIONS	GEO_LOCATION_ID	NUMBER	22	N	The system generated unique identifier.
SWIC	S	GEO LOCATIONS	SC_DESCRIPTION	VARCHAR2	60	N	The name of the city.
SWIC	S	GEO LOCATIONS	SC_STATE_ID	VARCHAR2	2	N	The system generated unique identifier.
SWIC	S	GEO LOCATIONS	SC_COUNTRY_CODE	VARCHAR2	3	N	The unique identifier for the country.
SWIC	S	GEO LOCATIONS	SZ_ZIPS	VARCHAR2	5	N	The 5 digit zip code.
SWIC	S	GEO LOCATIONS	SS_STATE_ID	VARCHAR2	2	N	The system generated unique identifier.
SWIC	S	GEO LOCATIONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	GEO LOCATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	GEO LOCATIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	GEO LOCATIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	GEO LOCATIONS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	S	GRAPH_INFO	CHART_CODE	NVARCHAR2	40	N	Code used to extract the chart
SWIC	S	GRAPH_INFO	FILE_NAME	NVARCHAR2	100	N	Name of the image used for the chart
SWIC	S	GRAPH_INFO	MIN_X	NUMBER	22	N	Minimum X position Number of the chart
SWIC	S	GRAPH_INFO	MAX_X	NUMBER	22	N	Maximum X position Number of the chart
SWIC	S	GRAPH_INFO	MIN_Y	NUMBER	22	N	Minimum Y position Number of the chart
SWIC	S	GRAPH_INFO	MAX_Y	NUMBER	22	N	Maximum Y position Number of the chart
SWIC	S	GRAPH_INFO	PIXEL_HEIGHT_BUFFER	NUMBER	22	N	Buffer from the top point of the image to the actual starting point of the chart.
SWIC	S	GRAPH_INFO	PIXEL_HEIGHT	NUMBER	22	N	Height of the actual chart in pixels.
SWIC	S	GRAPH_INFO	PIXEL_LEFT_BUFFER	NUMBER	22	N	Buffer from the left point of the image to the starting point of the chart.
SWIC	S	GRAPH_INFO	PIXEL_WIDTH	NUMBER	22	N	Width of the actual chart in pixels.
SWIC	S	GRAPH_INFO	DATE CREATED	DATE	7	N	Date the record was created.
SWIC	S	GRAPH_INFO	CREATED BY	NVARCHAR2	50	N	Who created the record.
SWIC	S	GRAPH_INFO	DATE MODIFIED	DATE	7	Y	Date the record was modified.
SWIC	S	GRAPH_INFO	MODIFIED BY	NVARCHAR2	50	Y	Who modified the record.
SWIC	S	INTERFACE FILES	INTERFACE ID	NUMBER	22	N	Interface ID derived from s_lu interfaces
SWIC	S	INTERFACE FILES	FILE_NAME	VARCHAR2	50	N	Description of File Name to be processed
SWIC	S	INTERFACE FILES	FREQUENCY	VARCHAR2	10	N	Indicates how often this file has to be processed like Daily/Monthly/Yearly
SWIC	S	INTERFACE FILES	CREATED BY	VARCHAR2	32	N	Is the name of the person created the record
SWIC	S	INTERFACE FILES	DATE CREATED	DATE	7	N	Date the Record was created
SWIC	S	INTERFACE FILES	SCHEDULE_DAY_NUM	NUMBER	22	Y	Indicates the day number for the process to run, this will be used along with the frequency column
SWIC	S	INTERFACE FILES	DATA_FILE_NAME	VARCHAR2	100	N	Actual name of the file to be processed
SWIC	S	INTERFACE FILES	CONTROL_FILE_NAME	VARCHAR2	50	N	log file name to be generated with all process information of the interface
SWIC	S	INTERFACE FILES	LOG_FILE_NAME	VARCHAR2	50	Y	log file name to be generated with all process information of the interface
SWIC	S	INTERFACE FILES	IMPORT_OR_EXPORT	VARCHAR2	10	N	indicates whether it is Import or Export file into/from MWWC
SWIC	S	INTERFACE FILES	LOCATION	VARCHAR2	100	Y	FTP location where the data file will be placed
SWIC	S	INTERFACE FILES	FTP_USER	VARCHAR2	50	Y	FTP user information to connect to FTP server
SWIC	S	INTERFACE FILES	FTP_PASSWORD	VARCHAR2	50	Y	FTP Password information to connect to FTP server
SWIC	S	INTERFACE FILES	DATE MODIFIED	DATE	7	Y	Date the Record was modified
SWIC	S	INTERFACE FILES	ACTIVATE	NUMBER	22	Y	indicates whether this interface file has to be processed or not
SWIC	S	INTERFACE FILES	ATTACH DATE	NUMBER	22	Y	indicates whether DataFileName will have date in the name of the file
SWIC	S	INTERFACE FILES	DATE FORMAT	VARCHAR2	14	Y	indicates format of the Date in DataFileName
SWIC	S	INTERFACE FILES	FILE DIRECTORY	VARCHAR2	2000	Y	Location of the file to be imported from or exported to
SWIC	S	INTERFACE FILES	ID	NUMBER	22	N	Unique Identifier which is Auto Generated
SWIC	S	INTERFACE FILES	CONTROL_NUMBER	NUMBER	22	N	Control number used for EBT file tracking purpose
SWIC	S	INTERFACE FILES	GOOD_PROC_DATE	DATE	7	Y	indicates the date of the last Process executed successfully
SWIC	S	INTERFACE FILES	FILE REC COUNT	NUMBER	22	Y	number of the records in the Data File
SWIC	S	INTERFACE FILES	DB REC COUNT	NUMBER	22	Y	number of the records imported into Database
SWIC	S	INTERFACE FILES	EMAIL_TO	VARCHAR2	2000	Y	Email information that log file needs to be sent
SWIC	S	INTERFACE FILES	IMPORT_LOG_FILE_NAME	VARCHAR2	50	Y	name of the file name used in Import process
SWIC	S	INTERFACE FILES	IMPORT_BAD_FILE_NAME	VARCHAR2	50	Y	name of the file name used in Import process for Bad Records
SWIC	S	INTERFACE FILES	FTP_UPLOAD_LOG_FILE_NAME	VARCHAR2	50	Y	name of the file name used in FTP upload process
SWIC	S	INTERFACE FILES	PARAM1	VARCHAR2	100	Y	parameter value 1 used in SQL spooling
SWIC	S	INTERFACE FILES	PARAM2	VARCHAR2	100	Y	parameter value 2 used in SQL spooling
SWIC	S	INTERFACE FILES	IMPLEMENTED	NUMBER	22	Y	used in data maintenance screen for Admin Module
SWIC	S	INTERFACE FILES	FTP_DIRECTORY	VARCHAR2	2000	Y	Location of the file to be FTP upload/download
SWIC	S	INTERFACE FILES	RUN_ON_MON	NUMBER	22	Y	indicates to run the process on Monday
SWIC	S	INTERFACE FILES	RUN_ON_TUE	NUMBER	22	Y	indicates to run the process on Tuesday
SWIC	S	INTERFACE FILES	RUN_ON_WED	NUMBER	22	Y	indicates to run the process on Wednesday
SWIC	S	INTERFACE FILES	RUN_ON_THUR	NUMBER	22	Y	indicates to run the process on Thursday
SWIC	S	INTERFACE FILES	RUN_ON_FRI	NUMBER	22	Y	indicates to run the process on Friday
SWIC	S	INTERFACE FILES	RUN_ON_SAT	NUMBER	22	Y	indicates to run the process on Saturday
SWIC	S	INTERFACE FILES	RUN_ON_SUN	NUMBER	22	Y	indicates to run the process on Sunday
SWIC	S	INTERFACE FILES	MODIFIED BY	VARCHAR2	50	Y	name of the person modified the record last time
SWIC	S	INTERFACE FILES	RUN_ON_DEMAND	NUMBER	22	Y	indicates the interface process to be run on demand used in Schedule Interface Screen
SWIC	S	INTERFACE FILES	SCHEDULED DATE	DATE	7	Y	Scheduled date for ON DEMAND interfaces
SWIC	S	INTERFACE FILES	RSP_DATAFILENAME	VARCHAR2	100	Y	Response Data File Name
SWIC	S	INTERFACE FILES	EXECUTION ORDER	NUMBER	22	Y	Order of Execution
SWIC	S	INTERFACE FILES	SINGLESTEP_DOWNLOAD	NUMBER	22	Y	This flag indicate to process the file single day continue until the current date
SWIC	S	INTERFACE FILES	RSP_ID	NUMBER	22	Y	This id refers to the Response File record id
SWIC	S	INTERFACE FILES	WAIT_AFTER_EXECUTE	NUMBER	22	Y	Time in milliseconds to wait/sleep after this step executes
SWIC	S	INTERFACE FILES	NUMBER OF THREADS	NUMBER	22	Y	
SWIC	S	INTERFACE FILES	REJECTED COUNT	NUMBER	22	Y	This applies only to Response Files. It stores the count of rejected records from the CDP response file
SWIC	S	INTERFACE FILES	HEADER FORMAT	VARCHAR2	10	Y	
SWIC	S	INTERFACE FILES	ROOT NOISE	VARCHAR2	30	Y	
SWIC	S	INTERFACE FILES	REPORT SUMMARY	VARCHAR2	2000	Y	This applies only to EBT - RECOMPMENT FTP FILES - Vendor EBT Corporate Summary Report Notifications Email
SWIC	S	INTERFACE FILES	MESSAGE TYPE	VARCHAR2	10	Y	
SWIC	S	INTERFACE FILES HISTORY	INTERFACE ID	NUMBER	22	N	Interface ID derived from s_lu interfaces
SWIC	S	INTERFACE FILES HISTORY	FILE_NAME	VARCHAR2	50	N	Description of File Name to be processed
SWIC	S	INTERFACE FILES HISTORY	FREQUENCY	VARCHAR2	10	N	Indicates how often this file has to be processed like Daily/Monthly/Yearly
SWIC	S	INTERFACE FILES HISTORY	CREATED BY	VARCHAR2	32	N	Is the name of the person created the record
SWIC	S	INTERFACE FILES HISTORY	DATE CREATED	DATE	7	N	Date the Record was created
SWIC	S	INTERFACE FILES HISTORY	SCHEDULE_DAY_NUM	NUMBER	22	Y	Indicates the day number for the process to run, this will be used along with the frequency column
SWIC	S	INTERFACE FILES HISTORY	DATA_FILE_NAME	VARCHAR2	50	N	Actual name of the file to be processed
SWIC	S	INTERFACE FILES HISTORY	CONTROL_FILE_NAME	VARCHAR2	50	N	Control File name, goes along with Import or export column, contains either control file for SQL loader or File name for SQL Spool
SWIC	S	INTERFACE FILES HISTORY	LOG_FILE_NAME	VARCHAR2	50	N	log file name to be generated with all process information of the interface
SWIC	S	INTERFACE FILES HISTORY	IMPORT_OR_EXPORT	VARCHAR2	10	N	indicates whether it is Import or Export file into/from MWWC
SWIC	S	INTERFACE FILES HISTORY	LOCATION	VARCHAR2	100	Y	FTP location where the data file will be placed
SWIC	S	INTERFACE FILES HISTORY	FTP_USER	VARCHAR2	50	Y	FTP user information to connect to FTP server
SWIC	S	INTERFACE FILES HISTORY	FTP_PASSWORD	VARCHAR2	50	Y	FTP Password information to connect to FTP server
SWIC	S	INTERFACE FILES HISTORY	DATE MODIFIED	DATE	7	Y	Date the Record was modified
SWIC	S	INTERFACE FILES HISTORY	ACTIVATE	NUMBER	22	Y	indicates whether this interface file has to be processed or not
SWIC	S	INTERFACE FILES HISTORY	ATTACH DATE	NUMBER	22	Y	indicates whether DataFileName will have date in the name of the file
SWIC	S	INTERFACE FILES HISTORY	DATE FORMAT	VARCHAR2	14	Y	indicates format of the Date in DataFileName
SWIC	S	INTERFACE FILES HISTORY	FILE DIRECTORY	VARCHAR2	2000	Y	Location of the file to be imported from or exported to
SWIC	S	INTERFACE FILES HISTORY	ID	NUMBER	22	N	Unique Identifier which is Auto Generated
SWIC	S	INTERFACE FILES HISTORY	CONTROL_NUMBER	NUMBER	22	N	Control number used for EBT files for tracking purpose
SWIC	S	INTERFACE FILES HISTORY	GOOD_PROC_DATE	DATE	7	Y	indicates the date of the last Process executed successfully
SWIC	S	INTERFACE FILES HISTORY	FILE REC COUNT	NUMBER	22	Y	number of the records in the Data File
SWIC	S	INTERFACE FILES HISTORY	DB REC COUNT	NUMBER	22	Y	number of the records imported into Database
SWIC	S	INTERFACE FILES HISTORY	EMAIL_TO	VARCHAR2	2000	Y	Email information that log file needs to be sent
SWIC	S	INTERFACE FILES HISTORY	IMPORT_LOG_FILE_NAME	VARCHAR2	50	Y	name of the file name used in Import process
SWIC	S	INTERFACE FILES HISTORY	IMPORT_BAD_FILE_NAME	VARCHAR2	50	Y	name of the file name used in Import process for Bad Records
SWIC	S	INTERFACE FILES HISTORY	FTP_UPLOAD_LOG_FILE_NAME	VARCHAR2	50	Y	name of the file name used in FTP upload process
SWIC	S	INTERFACE FILES HISTORY	PARAM1	VARCHAR2	100	Y	parameter value 1 used in SQL spooling
SWIC	S	INTERFACE FILES HISTORY	PARAM2	VARCHAR2	100	Y	parameter value 2 used in SQL spooling
SWIC	S	INTERFACE FILES HISTORY	IMPLEMENTED	NUMBER	22	Y	used in data maintenance screen for Admin Module
SWIC	S	INTERFACE FILES HISTORY	FTP_DIRECTORY	VARCHAR2	2000	Y	Location of the file to be FTP upload/download
SWIC	S	INTERFACE FILES HISTORY	RUN_ON_MON	NUMBER	22	Y	indicates to run the process on Monday
SWIC	S	INTERFACE FILES HISTORY	RUN_ON_TUE	NUMBER	22	Y	indicates to run the process on Tuesday
SWIC	S	INTERFACE FILES HISTORY	RUN_ON_WED	NUMBER	22	Y	indicates to run the process on Wednesday
SWIC	S	INTERFACE FILES HISTORY	RUN_ON_THUR	NUMBER	22	Y	indicates to run the process on Thursday
SWIC	S	INTERFACE FILES HISTORY	RUN_ON_FRI	NUMBER	22	Y	indicates to run the process on Friday
SWIC	S	INTERFACE FILES HISTORY	RUN_ON_SAT	NUMBER	22	Y	indicates to run the process on Saturday
SWIC	S	INTERFACE FILES HISTORY	RUN_ON_SUN	NUMBER	22	Y	indicates to run the process on Sunday
SWIC	S	INTERFACE FILES HISTORY	MODIFIED BY	VARCHAR2	50	Y	name of the person modified the record last time
SWIC	S	INTERFACE FILES HISTORY	RUN_ON_DEMAND	NUMBER	22	Y	indicates the interface process to be run on demand used in Schedule Interface Screen
SWIC	S	INTERFACE FILES HISTORY	SCHEDULED DATE	DATE	7	Y	Scheduled date for ON DEMAND interfaces
SWIC	S	INTERFACE FILES HISTORY	RSP_DATAFILENAME	VARCHAR2	100	Y	Response Data File Name
SWIC	S	INTERFACE FILES HISTORY	EXECUTION ORDER	NUMBER	22	Y	Order of Execution
SWIC	S	INTERFACE FILES HISTORY	SINGLESTEP_DOWNLOAD	NUMBER	22	Y	This flag indicate to process the file single day continue until the current date
SWIC	S	INTERFACE FILES HISTORY	RSP_ID	NUMBER	22	Y	This id refers to the Response File record id
SWIC	S	INTERFACE FILES HISTORY	WAIT_AFTER_EXECUTE	NUMBER	22	Y	Time in milliseconds to wait/sleep after this step executes
SWIC	S	INTERFACE FILES HISTORY	NUMBER OF THREADS	NUMBER	22	Y	
SWIC	S	INTERFACE FILES HISTORY	REJECTED COUNT	NUMBER	22	Y	This applies only to Response Files. It stores the count of rejected records from the CDP response file
SWIC	S	INTERFACE FILES HISTORY	HEADER FORMAT	VARCHAR2	10	Y	
SWIC	S	INTERFACE FILES HISTORY	ROOT NOISE	VARCHAR2	30	Y	
SWIC	S	INTERFACE FILES HISTORY	REPORT SUMMARY	VARCHAR2	2000	Y	This applies only to EBT - RECOMPMENT FTP FILES - Vendor EBT Corporate Summary Report Notifications Email
SWIC	S	INTERFACE FILE RESPONSE	SEQ ID	NUMBER	22	N	
SWIC	S	INTERFACE FILE RESPONSE	FILE_SEQ_NUMBER	NUMBER	22	N	
SWIC	S	INTERFACE FILE RESPONSE	MESSAGE TYPE	VARCHAR2	5	N	
SWIC	S	INTERFACE FILE RESPONSE	MESSAGE DATE TIME	TIMESTAMP(9)	11	N	
SWIC	S	INTERFACE FILE RESPONSE	MESSAGE VERSION	NUMBER	22	N	
SWIC	S	INTERFACE FILE RESPONSE	RECORD COUNT	NUMBER	22	N	
SWIC	S	INTERFACE FILE RESPONSE	WICSYSTEMID	NUMBER			

SWIC	S	INTERFACE FILE RESPONSE	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S	INTERFACE FILE RESPONSE	SELECTED COUNT	NUMBER	22	Y	
SWIC	S	INTERFACE FILE RESPONSE	RFI FILE NAME	VARCHAR2	250	Y	
SWIC	S	LA	FISCAL YEAR	NUMBER	22	Y	Fiscal year
SWIC	S	LA	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA	DUE DATE	DATE	7	Y	Due date
SWIC	S	LA	LA ID	NUMBER	22	N	LA Identifier
SWIC	S	LA	ACTIVE FLAG	NUMBER	22	Y	Indicates if LA is active
SWIC	S	LA	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA AGENCY	SLA ID	NUMBER	22	N	Record identifier
SWIC	S	LA AGENCY	FISCAL YEAR	NUMBER	22	N	Fiscal year
SWIC	S	LA AGENCY	OU SEQ ID	NUMBER	22	N	FK to the organization units table
SWIC	S	LA AGENCY	STATUS	NUMBER	22	N	Survey status
SWIC	S	LA AGENCY	DUE DATE	DATE	7	Y	Due date
SWIC	S	LA AGENCY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA AGENCY	CREATED_BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA AGENCY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA AGENCY	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA AGENCY	SITE VISIT	DATE	7	Y	Site visit date
SWIC	S	LA AGENCY COMMENTS	AC ID	NUMBER	22	N	Record identifier
SWIC	S	LA AGENCY COMMENTS	FISCAL YEAR	NUMBER	22	N	Fiscal year
SWIC	S	LA AGENCY COMMENTS	OU SEQ ID	NUMBER	22	N	FK to the organization units table
SWIC	S	LA AGENCY COMMENTS	COMMENTS	VARCHAR2	2000	Y	comment
SWIC	S	LA AGENCY COMMENTS	DATE CREATED	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA AGENCY COMMENTS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S	LA AGENCY COMMENTS	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA AGENCY COMMENTS	AG ID	NUMBER	22	N	Record identifier.
SWIC	S	LA AGENCY GOALS	OU SEQ ID	NUMBER	22	N	FK to the organization units table.
SWIC	S	LA AGENCY GOALS	REGION ID	NUMBER	22	Y	
SWIC	S	LA AGENCY GOALS	FISCAL YEAR	NUMBER	22	Y	
SWIC	S	LA AGENCY GOALS	GOAL	VARCHAR2	2000	Y	Name given to the goal; is a link to edit the goal via the Goal Pop-Up.
SWIC	S	LA AGENCY GOALS	PROGRAM AREA	NUMBER	22	Y	Selected Program Area
SWIC	S	LA AGENCY GOALS	PERCENT COMPLETE	VARCHAR2	10	Y	Percentage complete; calculated field that will be the completed action steps divided by the total number of action steps.
SWIC	S	LA AGENCY GOALS	MIDPOINT STATUS	NUMBER	22	Y	The mid-point status.
SWIC	S	LA AGENCY GOALS	RESULT	NUMBER	22	Y	The result of the goal.
SWIC	S	LA AGENCY GOALS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA AGENCY GOALS	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA AGENCY GOALS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA AGENCY GOALS	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA AGENCY GOALS	OPIN_ID_AGENCY	NUMBER	22	Y	
SWIC	S	LA AGENCY SURVEY	SLA_SEQ ID	NUMBER	22	Y	FK to survey level table(S LA SURVEY LEVELS)
SWIC	S	LA AGENCY SURVEY	SURVEY START	DATE	7	Y	Survey start date
SWIC	S	LA AGENCY SURVEY	SURVEY COMPLETE	DATE	7	Y	Survey complete date
SWIC	S	LA AGENCY SURVEY	DUE DATE	DATE	7	Y	Survey due date
SWIC	S	LA AGENCY SURVEY	SURVEY NAME	VARCHAR2	500	Y	Survey customized name
SWIC	S	LA AGENCY SURVEY	AG ID	NUMBER	22	N	Record identifier
SWIC	S	LA AGENCY SURVEY	FISCAL YEAR	NUMBER	22	N	Fiscal year
SWIC	S	LA AGENCY SURVEY	OU SEQ ID	NUMBER	22	N	FK to the organization units table
SWIC	S	LA AGENCY SURVEY	SLAT TEMPLATE ID	NUMBER	22	N	FK to Template identifier
SWIC	S	LA AGENCY SURVEY	STATUS	NUMBER	22	N	Survey status
SWIC	S	LA AGENCY SURVEY	USER ID	VARCHAR2	500	Y	User who is required to complete the survey
SWIC	S	LA AGENCY SURVEY	CC_CLIENT ID	NUMBER	22	Y	Client id required by survey
SWIC	S	LA AGENCY SURVEY	SITE VISIT	DATE	7	Y	Site visit date
SWIC	S	LA AGENCY SURVEY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA AGENCY SURVEY	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA AGENCY SURVEY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA AGENCY SURVEY	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA AG ACTION STEPS	AGAS ID	NUMBER	22	N	Record identifier.
SWIC	S	LA AG ACTION STEPS	AG ID	NUMBER	22	N	FK to the S LA AGENCY GOALS table.
SWIC	S	LA AG ACTION STEPS	OU SEQ ID	NUMBER	22	N	FK to the organization units table.
SWIC	S	LA AG ACTION STEPS	FISCAL YEAR	NUMBER	22	Y	
SWIC	S	LA AG ACTION STEPS	ACTION STEP	VARCHAR2	1000	Y	Text of the action step. Clicking this text will open a Notes field as there is limited space in the grid.
SWIC	S	LA AG ACTION STEPS	ESTIMA COMPLE DATE	DATE	7	Y	Estimated Date of completion.
SWIC	S	LA AG ACTION STEPS	ACTUAL COMPLE DATE	DATE	7	Y	
SWIC	S	LA AG ACTION STEPS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA AG ACTION STEPS	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA AG ACTION STEPS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA AG ACTION STEPS	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA AG COMMENTS	FISCAL YEAR	NUMBER	22	Y	
SWIC	S	LA AG COMMENTS	COMMENTS TYPE	NUMBER	22	Y	The type of comments.
SWIC	S	LA AG COMMENTS	COMMENTS	VARCHAR2	1000	Y	Comment Text, this will open a Notes field when clicked.
SWIC	S	LA AG COMMENTS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA AG COMMENTS	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA AG COMMENTS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA AG COMMENTS	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA AG COMMENTS	OU SEQ ID	NUMBER	22	N	FK to the organization units table.
SWIC	S	LA AG COMMENTS	AGC ID	NUMBER	22	N	Record identifier.
SWIC	S	LA AG COMMENTS	AG ID	NUMBER	22	N	FK to the S LA AGENCY GOALS table.
SWIC	S	LA ANSWERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA ANSWERS	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA ANSWERS	ANSWER ID	NUMBER	22	Y	Unique answer id
SWIC	S	LA ANSWERS	SLAQ AS ID	NUMBER	22	N	LACASA agency survey identifier
SWIC	S	LA ANSWERS	SLAQ QUESTION ID	NUMBER	22	N	The unique question identifier
SWIC	S	LA ANSWERS	SLAR RESPONSE ID	NUMBER	22	N	Response identifier
SWIC	S	LA ANSWERS	ANSWER	VARCHAR2	2000	Y	Answer field
SWIC	S	LA ANSWERS	COMMENDATION	VARCHAR2	2000	Y	Commendation field
SWIC	S	LA ANSWERS	RECOMMENDATION	VARCHAR2	2000	Y	Recommendation field
SWIC	S	LA ANSWERS	FINDING	VARCHAR2	2000	Y	Finding field
SWIC	S	LA ANSWERS	CORRECTIVE ACTION	VARCHAR2	2000	Y	Corrective action
SWIC	S	LA ANSWERS	STAT_FOLLOW_UP	VARCHAR2	2000	Y	State follow-up field
SWIC	S	LA ANSWERS	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S	LA ANSWERS	CREATED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was created.
SWIC	S	LA CAP SUBMISSION	NO STATUS	NUMBER	22	Y	AKC Denied OR Approved.
SWIC	S	LA CAP SUBMISSION	NO ACTION DATE	DATE	7	Y	Date of the action.
SWIC	S	LA CAP SUBMISSION	NO NOTE	VARCHAR2	1000	Y	Optional note field (Note zoom).
SWIC	S	LA CAP SUBMISSION	LA CAP COMPLETIONDATE	DATE	7	Y	Date that the LA CAP is completed/closed.
SWIC	S	LA CAP SUBMISSION	LA CAP PROGRESS	VARCHAR2	1000	Y	Text field for progress of the action.
SWIC	S	LA CAP SUBMISSION	NO ASSESSMENT PP	VARCHAR2	1000	Y	
SWIC	S	LA CAP SUBMISSION	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA CAP SUBMISSION	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA CAP SUBMISSION	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA CAP SUBMISSION	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA CAP SUBMISSION	AGENCY NOTES	VARCHAR2	1000	Y	Optional note field. Note zoom with same day rule.
SWIC	S	LA CAP SUBMISSION	CAPS ID	NUMBER	22	N	Record identifier.
SWIC	S	LA CAP SUBMISSION	CAS ID	NUMBER	22	N	
SWIC	S	LA CAP SUBMISSION	OU SEQ ID	NUMBER	22	N	FK to the organization units table.
SWIC	S	LA CAP SUBMISSION	SUBMISSION DATE	DATE	7	Y	Date submitted.
SWIC	S	LA CA PROGRAM COMPLIANCE	CAPC ID	NUMBER	22	N	Record identifier.
SWIC	S	LA CA PROGRAM COMPLIANCE	CAS ID	NUMBER	22	N	FK to the S LA CORRECTIVE ACTION table.
SWIC	S	LA CA PROGRAM COMPLIANCE	OU SEQ ID	NUMBER	22	N	FK to the organization units table.
SWIC	S	LA CA PROGRAM COMPLIANCE	NOTE_DESC	VARCHAR2	1000	Y	Text to describe the evaluation.
SWIC	S	LA CA PROGRAM COMPLIANCE	NOTE CREATED	DATE	7	Y	Date Entered.
SWIC	S	LA CA PROGRAM COMPLIANCE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA CA PROGRAM COMPLIANCE	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA CA PROGRAM COMPLIANCE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA CA PROGRAM COMPLIANCE	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA CLIENTS	SLA ID	NUMBER	22	N	LACASA type identifier
SWIC	S	LA CLIENTS	SLT LA TYPE ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	S	LA CLIENTS	CC_CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	S	LA CLIENTS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA CLIENTS	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA CLIENTS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA CLIENTS	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA CLIENTS	CAS ID	NUMBER	22	N	Record identifier.
SWIC	S	LA CORRECTIVE ACTION	OU SEQ ID	NUMBER	22	N	FK to the organization units table.
SWIC	S	LA CORRECTIVE ACTION	REGION ID	NUMBER	22	Y	
SWIC	S	LA CORRECTIVE ACTION	FINDING	VARCHAR2	1000	Y	Finding Text.
SWIC	S	LA CORRECTIVE ACTION	DATE SENT	DATE	7	Y	Date the finding was sent to the agency.
SWIC	S	LA CORRECTIVE ACTION	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA CORRECTIVE ACTION	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA CORRECTIVE ACTION	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA CORRECTIVE ACTION	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA CORRECTIVE ACTION INFO	WPM_SECTION	VARCHAR2	25	Y	
SWIC	S	LA CORRECTIVE ACTION INFO	CAP ID	NUMBER	22	N	Record identifier.
SWIC	S	LA CORRECTIVE ACTION INFO	CAS ID	NUMBER	22	N	FK to the S LA CORRECTIVE ACTION table.
SWIC	S	LA CORRECTIVE ACTION INFO	OU SEQ ID	NUMBER	22	N	FK to the organization units table.
SWIC	S	LA CORRECTIVE ACTION INFO	FINDINGDESC	VARCHAR2	1000	Y	Quick description of the finding.
SWIC	S	LA CORRECTIVE ACTION INFO	FINDING DATE	DATE	7	Y	Date of the finding.
SWIC	S	LA CORRECTIVE ACTION INFO	PROGRAM OBJECTIVE	NUMBER	22	Y	Dropdown with the following selections.
SWIC	S	LA CORRECTIVE ACTION INFO	FINDING_SEVERITY	NUMBER	22	Y	Standard (default) or Significant or Systemic.
SWIC	S	LA CORRECTIVE ACTION INFO	FINDING NOTES	VARCHAR2	1000	Y	Long description of the finding.
SWIC	S	LA CORRECTIVE ACTION INFO	SUGGESTED CAP	VARCHAR2	1000	Y	Regional office enters this before issuing the CAP to provide some suggested corrective actions.
SWIC	S	LA CORRECTIVE ACTION INFO	CASSEDUATE	DATE	7	Y	The date the CAP was issued; a local agency should not be able to see a CAP until this date is entered.
SWIC	S	LA CORRECTIVE ACTION INFO	LACTACTIONINBUDDATE	DATE	7	Y	This is when the agency must respond and enter in the CAP Action Plan.
SWIC	S	LA CORRECTIVE ACTION INFO	LACTACTIONPLAN	VARCHAR2	1000	Y	Text of the agency's action plan.
SWIC	S	LA CORRECTIVE ACTION INFO	ESTCOMPLETIONDATE	DATE	7	Y	This is the date the agency expects to complete and resolve the CAP.
SWIC	S	LA CORRECTIVE ACTION INFO	IMPLEMENTATIONDATE	DATE	7	Y	Date of the implementation date.
SWIC	S	LA CORRECTIVE ACTION INFO	LA CAP COMPLETIONDATE	DATE	7	Y	
SWIC	S	LA CORRECTIVE ACTION INFO	LA CAP PROGRESS	VARCHAR2	1000	Y	
SWIC	S	LA CORRECTIVE ACTION INFO	NO ASSESSMENT PP	VARCHAR2	1000	Y	
SWIC	S	LA CORRECTIVE ACTION INFO	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA CORRECTIVE ACTION INFO	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA CORRECTIVE ACTION INFO	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA CORRECTIVE ACTION INFO	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA GROUP	GROUP ID	NUMBER	22	N	LA group identifier
SWIC	S	LA GROUP	GROUP_DESC	VARCHAR2	200	N	Group description
SWIC	S	LA GROUP	GROUP TITLE	VARCHAR2	200	N	LA group title
SWIC	S	LA GROUP	GROUP HEADER	VARCHAR2	2000	Y	Group header
SWIC	S	LA GROUP	GROUP FOOTER	VARCHAR2	2000	Y	Group footer
SWIC	S	LA GROUP	GROUP COMMENTS	VARCHAR2	2000	Y	Group comments
SWIC	S	LA GROUP	COMMENT TITLE	VARCHAR2	200	N	Comment title field
SWIC	S	LA GROUP	SHOW HEADER	NUMBER	22	Y	Indicates show header
SWIC	S	LA GROUP	SHOW FOOTER	NUMBER	22	Y	Indicates show footer
SWIC	S	LA GROUP	SHOW COMMENTS	NUMBER	22	Y	Indicates show comments
SWIC	S	LA GROUP	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LA GROUP	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S	LA GROUP	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LA GROUP	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LA GROUP ANSWERS	SLA LA ID	NUMBER	22	Y	



SWIC	S LA GROUP ANSWERS	SLAG GROUP ID	NUMBER	22	Y	
SWIC	S LA GROUP ANSWERS	OSM STAFF MEMBER ID	NUMBER	22	Y	
SWIC	S LA GROUP ANSWERS	OU SEC ID	NUMBER	22	Y	
SWIC	S LA GROUP ANSWERS	COMMENTATION	VARCHAR2	2000	Y	The unique identifier for the clinic (O ORGANISATIONAL UNITS).
SWIC	S LA GROUP ANSWERS	RECOMMENDATION	VARCHAR2	2000	Y	
SWIC	S LA GROUP ANSWERS	FINDING	VARCHAR2	2000	Y	
SWIC	S LA GROUP ANSWERS	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S LA GROUP ANSWERS	CREATED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was created.
SWIC	S LA GROUP ANSWERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LA GROUP ANSWERS	MODIFIED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LA GROUP ANSWERS	SLUAT LA TYPE ID	NUMBER	22	Y	
SWIC	S LA GROUP ANSWERS	CORRECTIVE ACTION	VARCHAR2	2000	Y	
SWIC	S LA GROUP ANSWERS	COMMENTS FROM	VARCHAR2	2000	Y	
SWIC	S LA GROUP ANSWERS	COMMENTS SEQ	NUMBER	22	Y	
SWIC	S LA GROUP ANSWERS	STATE FOLLOW UP	VARCHAR2	2000	Y	
SWIC	S LA LINK	OSM STAFF MEMBER ID	NUMBER	22	N	Staff member identifier
SWIC	S LA LINK	LINK LA ID	NUMBER	22	N	LACASA entry identifier
SWIC	S LA LINK	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S LA LINK	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LA LINK	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LA LINK	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LA LINK	SLA LA ID	NUMBER	22	N	LACASA link identifier
SWIC	S LA LINK	OU SEQ ID	NUMBER	22	N	Organization unit id
SWIC	S LA LU ACTIONSCREEN STATUS	ID	NUMBER	22	N	
SWIC	S LA LU ACTIONSCREEN STATUS	DESCRIPTION	VARCHAR2	100	N	
SWIC	S LA LU ACTIONSCREEN STATUS	DATE MODIFIED	DATE	7	Y	
SWIC	S LA LU ACTIONSCREEN STATUS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LA LU ACTIONSCREEN STATUS	DATE CREATED	DATE	7	N	
SWIC	S LA LU ACTIONSCREEN STATUS	CREATED BY	VARCHAR2	32	N	
SWIC	S LA LU ACTIONSCREEN STATUS	ACTIVE	NUMBER	22	N	
SWIC	S LA QUESTIONS	QUESTION ID	NUMBER	22	N	The unique question identifier
SWIC	S LA QUESTIONS	SLAT TEMPLATE ID	NUMBER	22	N	Template identifier
SWIC	S LA QUESTIONS	SLAG GROUP ID	NUMBER	22	N	Group identifier
SWIC	S LA QUESTIONS	LINK_QUESTION_ID	NUMBER	22	Y	The unique question identifier
SWIC	S LA QUESTIONS	PAGE	NUMBER	22	Y	Page
SWIC	S LA QUESTIONS	DISPLAY ORDER	NUMBER	22	Y	Display order
SWIC	S LA QUESTIONS	QUESTION LEVEL	NUMBER	22	N	Question level
SWIC	S LA QUESTIONS	QUESTION TEXT	VARCHAR2	2000	N	Question text
SWIC	S LA QUESTIONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LA QUESTIONS	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S LA QUESTIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LA QUESTIONS	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LA RESPONSES	RESPONSE_ID	NUMBER	22	N	Response identifier
SWIC	S LA RESPONSES	SLAQ_QUESTION_ID	NUMBER	22	N	The unique question identifier
SWIC	S LA RESPONSES	RESPONSE TYPE	VARCHAR2	5	Y	Response type
SWIC	S LA RESPONSES	RESPONSE TEXT	VARCHAR2	40	Y	Response text
SWIC	S LA RESPONSES	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S LA RESPONSES	CREATED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was created.
SWIC	S LA RESPONSES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LA RESPONSES	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LA SECTION	SECTION ID	NUMBER	22	N	Section identifier
SWIC	S LA SECTION	SLUAT TYPE ID	NUMBER	22	N	FK to the LACASA Types Lookup Table(S LA LU TYPES)
SWIC	S LA SECTION	SECTION DESC	VARCHAR2	200	N	Section description
SWIC	S LA SECTION	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LA SECTION	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S LA SECTION	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LA SECTION	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LA SIGNATURES	SLAG AS ID	NUMBER	22	N	FK to a agency survey
SWIC	S LA SIGNATURES	OR_COMP_SIGN	NUMBER	22	N	Organization Compliance Signature
SWIC	S LA SIGNATURES	OR_COMP_DATE	DATE	7	Y	Organization Compliance Date
SWIC	S LA SIGNATURES	OR_ISSUED_SIGN	VARCHAR2	100	Y	Organizational Signature
SWIC	S LA SIGNATURES	OR_ISSUED_DATE	DATE	7	Y	Organizational Issue Date
SWIC	S LA SIGNATURES	SR_DATE	DATE	7	Y	SR date
SWIC	S LA SIGNATURES	RMA_SIGN	VARCHAR2	100	Y	Regional Manager Approval Signature
SWIC	S LA SIGNATURES	RMA_DATE	DATE	7	Y	RMA date
SWIC	S LA SIGNATURES	QASA_SIGN	VARCHAR2	100	Y	QASA Signed
SWIC	S LA SIGNATURES	QASA_DATE	DATE	7	Y	QASA date
SWIC	S LA SIGNATURES	STAFF_SIGN	VARCHAR2	100	Y	Staff signature
SWIC	S LA SIGNATURES	STAFF_SIGN_DATE	DATE	7	Y	Staff sign date
SWIC	S LA SIGNATURES	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S LA SIGNATURES	CREATED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was created.
SWIC	S LA SIGNATURES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LA SIGNATURES	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LA SIGNATURES WO STAFF	SLA ID	NUMBER	22	N	
SWIC	S LA SIGNATURES WO STAFF	SLUAT ID	NUMBER	22	N	
SWIC	S LA SIGNATURES WO STAFF	OR_COMP_SIGN	VARCHAR2	100	Y	
SWIC	S LA SIGNATURES WO STAFF	OR_COMP_DATE	DATE	7	Y	
SWIC	S LA SIGNATURES WO STAFF	OR_ISSUED_SIGN	VARCHAR2	100	Y	
SWIC	S LA SIGNATURES WO STAFF	OR_ISSUED_DATE	DATE	7	Y	
SWIC	S LA SIGNATURES WO STAFF	SR_DATE	DATE	7	Y	
SWIC	S LA SIGNATURES WO STAFF	RMA_SIGN	VARCHAR2	100	Y	
SWIC	S LA SIGNATURES WO STAFF	RMA_DATE	DATE	7	Y	
SWIC	S LA SIGNATURES WO STAFF	QASA_SIGN	VARCHAR2	100	Y	
SWIC	S LA SIGNATURES WO STAFF	QASA_DATE	DATE	7	Y	
SWIC	S LA SIGNATURES WO STAFF	STAFF_SIGN	VARCHAR2	100	Y	
SWIC	S LA SIGNATURES WO STAFF	STAFF_SIGN_DATE	DATE	7	Y	
SWIC	S LA SIGNATURES WO STAFF	DATE CREATED	DATE	7	Y	
SWIC	S LA SIGNATURES WO STAFF	CREATED BY	VARCHAR2	100	Y	
SWIC	S LA SIGNATURES WO STAFF	DATE MODIFIED	DATE	7	Y	
SWIC	S LA SIGNATURES WO STAFF	MODIFIED BY	VARCHAR2	100	Y	
SWIC	S LA TECHNICAL ASSISTANCE LOG	TOPIC	VARCHAR2	2000	Y	Short text field (link to the Pop-Up)
SWIC	S LA TECHNICAL ASSISTANCE LOG	DATE CONTACT	DATE	7	Y	Contact Date.
SWIC	S LA TECHNICAL ASSISTANCE LOG	CONTACT_TYPE	NUMBER	22	Y	Contact Type.
SWIC	S LA TECHNICAL ASSISTANCE LOG	FOLLOW_UP_NEEDED	VARCHAR2	7	Y	Yes/No field to determine if follow up should be done.
SWIC	S LA TECHNICAL ASSISTANCE LOG	FOLLOW_UP_DATE	DATE	7	Y	Date the region plans on following up.
SWIC	S LA TECHNICAL ASSISTANCE LOG	STATE_STAFF	VARCHAR2	1000	Y	List of state staff who were on the call or sent the email.
SWIC	S LA TECHNICAL ASSISTANCE LOG	LA_STAFF	VARCHAR2	1000	Y	Agency staff who were on the call or received the email.
SWIC	S LA TECHNICAL ASSISTANCE LOG	DISCUSSION	VARCHAR2	1000	Y	Summary of the communication.
SWIC	S LA TECHNICAL ASSISTANCE LOG	ACTION STEPS	VARCHAR2	1000	Y	Action items that were decided on the call/email.
SWIC	S LA TECHNICAL ASSISTANCE LOG	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LA TECHNICAL ASSISTANCE LOG	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S LA TECHNICAL ASSISTANCE LOG	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LA TECHNICAL ASSISTANCE LOG	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LA TECHNICAL ASSISTANCE LOG	TAL ID	NUMBER	22	N	Record identifier.
SWIC	S LA TECHNICAL ASSISTANCE LOG	OU SEC ID	NUMBER	22	Y	FK to the o organization units table.
SWIC	S LA TECHNICAL ASSISTANCE LOG	FISCAL_YEAR	NUMBER	22	Y	
SWIC	S LA TEMPLATE	TEMPLATE ID	NUMBER	22	N	Template identifier
SWIC	S LA TEMPLATE	SLUAT ID	NUMBER	22	Y	FK to the LA Type Table (S LU LA TYPES)
SWIC	S LA TEMPLATE	TEMPLATE_DESC	VARCHAR2	500	Y	Template description
SWIC	S LA TEMPLATE	FISCAL_YEAR	NUMBER	22	Y	Fiscal year
SWIC	S LA TEMPLATE	SLUATL ID	NUMBER	22	Y	FK to survey-level tables (S LU LA SURVEY LEVELS)
SWIC	S LA TEMPLATE	STAFF_PARTICIPANT	NUMBER	22	Y	Indicate survey requirement: 0 - none, 1, staff, 2, participant
SWIC	S LA TEMPLATE	AGENCY_SIGNATURE	NUMBER	22	Y	Require agency signature
SWIC	S LA TEMPLATE	RD_SIGNATURE	NUMBER	22	Y	Require RD signature
SWIC	S LA TEMPLATE	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S LA TEMPLATE	CREATED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was created.
SWIC	S LA TEMPLATE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LA TEMPLATE	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LA TEMPLATE	DUPLICATE	DATE	7	Y	Survey Due date
SWIC	S LA TEMPLATE MAP	MAP ID	NUMBER	22	N	Map identifier
SWIC	S LA TEMPLATE MAP	SLA ID	NUMBER	22	N	FK to the LACASA Table (S la)
SWIC	S LA TEMPLATE MAP	SLAT_TEMPLATE_ID	NUMBER	22	N	FK to Template identifier
SWIC	S LA TEMPLATE MAP	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LA TEMPLATE MAP	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S LA TEMPLATE MAP	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LA TEMPLATE MAP	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_LDAP_USER_ACTION_DETAILS	ID	NUMBER	22	N	The system generated unique identifier.
SWIC	S_LDAP_USER_ACTION_DETAILS	DESCRIPTION	NVARCHAR2	64	Y	
SWIC	S_LDAP_USER_AUDIT	ID	NUMBER	22	N	The system generated unique identifier.
SWIC	S_LDAP_USER_AUDIT	CREATED BY	NVARCHAR2	64	Y	Common audit field for logged in user id when the row was created.
SWIC	S_LDAP_USER_AUDIT	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S_LDAP_USER_AUDIT	TARGET_USER_ID	NVARCHAR2	64	Y	
SWIC	S_LDAP_USER_AUDIT	ACTION_ID	NUMBER	22	N	
SWIC	S_LOOKUP	LOOKUP_ID	NUMBER	22	Y	
SWIC	S_LOOKUP	LOOKUP_NAME	VARCHAR2	500	N	
SWIC	S_LOOKUP	DATE CREATED	DATE	7	N	
SWIC	S_LOOKUP	CREATED BY	VARCHAR2	32	N	
SWIC	S_LOOKUP	DATE MODIFIED	DATE	7	Y	
SWIC	S_LOOKUP	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU AD BVT	ID	NUMBER	22	N	Unique numeric identification of ID for Auto dialer BVT options.
SWIC	S LU AD BVT	DESCRIPTION	VARCHAR2	100	N	Descriptive text for Auto dialer BVT options.
SWIC	S LU AD BVT	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU AD BVT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU AD BVT	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU AD BVT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU AD BVT	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU AD FILE TYPE	ID	NUMBER	22	N	Unique numeric identification of ID for Auto dialer file type option.
SWIC	S LU AD FILE TYPE	DESCRIPTION	VARCHAR2	100	N	Descriptive text for Auto dialer file type option.
SWIC	S LU AD FILE TYPE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU AD FILE TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU AD FILE TYPE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU AD FILE TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU AD FILE TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU AGE RANGE	ID	NUMBER	22	N	Unique numeric identification of ID for age ranges option.
SWIC	S LU AGE RANGE	DESCRIPTION	VARCHAR2	100	N	Descriptive text for age ranges option.
SWIC	S LU AGE RANGE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU AGE RANGE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU AGE RANGE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU AGE RANGE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU AGE RANGE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU AUTODIAL DELIVERY CODE	DELIVERY_CODE	NUMBER	22	N	Unique numeric identifier for delivery code.
SWIC	S LU AUTODIAL DELIVERY CODE	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for delivery code.
SWIC	S LU AUTODIAL DELIVERY CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU AUTODIAL DELIVERY CODE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU AUTODIAL DELIVERY CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU AUTODIAL DELIVERY CODE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU AUTODIAL DELIVERY CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU AUTODIAL RESULT CODE	RESULT_CODE	NUMBER	22	N	Unique numeric identifier for result code.
SWIC	S LU AUTODIAL RESULT CODE	DESCRIPTION	VARCHAR2	100	Y	Descriptive text of call result for auto dialer.
SWIC	S LU AUTODIAL RESULT CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last created.
SWIC	S LU AUTODIAL RESULT CODE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU AUTODIAL RESULT CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.

SWIC	S LU AUTODIAL RESULT CODE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU AUTODIAL RESULT CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU BF MULTI CHOICE	ID	NUMBER	22	N	The unique identifier
SWIC	S LU BF MULTI CHOICE	DESCRIPTION	VARCHAR2	200	N	Description of the record
SWIC	S LU BF MULTI CHOICE	CAT CATEGORY CODE	VARCHAR2	3	N	Category code of the questions (C_CATEGORIES)
SWIC	S LU BF MULTI CHOICE	QUESTION ID	NUMBER	22	N	Question ID on bracketing the choice belongs to
SWIC	S LU BF MULTI CHOICE	NOTE FLAG	NUMBER	22	N	Flag indicating if answer selected have a note field.
SWIC	S LU BF MULTI CHOICE	ACTIVE	NUMBER	22	N	is this answer still visible (active)
SWIC	S LU BF MULTI CHOICE	ORDER BY	NUMBER	22	N	Order to display the items.
SWIC	S LU BF MULTI CHOICE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU BF MULTI CHOICE	CREATED BY	VARCHAR2	32	N	Common audit field for logged in user id when the row was created.
SWIC	S LU BF MULTI CHOICE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU BF MULTI CHOICE	MODIFIED BY	VARCHAR2	32	N	Common audit field for logged in user id when the row was last modified.
SWIC	S LU BF MULTI CHOICE	UNCHECK ALL FLAG	NUMBER	22	N	Flag indicating if this option is selected all other options in the group are un-checked.
SWIC	S LU BUILD	ID	NUMBER	22	N	Unique numeric identification of ID for build option.
SWIC	S LU BUILD	DESCRIPTION	VARCHAR2	100	N	Descriptive text for build option.
SWIC	S LU BUILD	DATE MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	S LU BUILD	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU BUILD	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU BUILD	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU CONFER STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU CONFER STATUS	ID	NUMBER	22	N	Unique numeric identification of ID for confer status
SWIC	S LU CONFER STATUS	DESCRIPTION	VARCHAR2	1000	N	Description of the confer status
SWIC	S LU CONFER STATUS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU CONFER STATUS	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU CONFER STATUS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU CONFER STATUS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU CONFER STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU CONTACT TIMEFRAME	ID	NUMBER	22	N	time frame identifier
SWIC	S LU CONTACT TIMEFRAME	DESCRIPTION	VARCHAR2	200	N	time frame description
SWIC	S LU CONTACT TIMEFRAME	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU CONTACT TIMEFRAME	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU CONTACT TIMEFRAME	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU CONTACT TIMEFRAME	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU CONTACT TIMEFRAME	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU COUPON STATUS	STATUS ID	NUMBER	22	N	Coupon Status Identifier
SWIC	S LU COUPON STATUS	DESCRIPTION	VARCHAR2	1000	N	Coupon Status description
SWIC	S LU COUPON STATUS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU COUPON STATUS	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU COUPON STATUS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU COUPON STATUS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU COUPON STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU DATAWARE_FINAL_TABLES	MIDDLE_NAME	VARCHAR2	100	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	SECTION NAME	VARCHAR2	100	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	TABLE NAME	VARCHAR2	100	N	
SWIC	S LU DATAWARE_FINAL_TABLES	SQM ADMINISTRATOR ROLE	VARCHAR2	10	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	SQM USER	VARCHAR2	10	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	NOTES	VARCHAR2	1000	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	DATA WRITE METHOD	VARCHAR2	50	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	OWNER SCHEMA	VARCHAR2	50	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	EXCLUDE REASON FOR DW MODEL	VARCHAR2	1000	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	EXCLUDED FROM DW MODEL	VARCHAR2	1	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	EXCLUDE REASON FOR DW LOAD	VARCHAR2	1000	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	EXCLUDED FROM DW LOAD	VARCHAR2	1	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	PROJECT PHASE	VARCHAR2	50	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	DW LOAD METHOD	VARCHAR2	50	Y	
SWIC	S LU DATAWARE_FINAL_TABLES	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU DEPENDENT CONDITION	ID	NUMBER	22	N	Unique numeric identification of ID for dependent conditions options for child parent questions.
SWIC	S LU DEPENDENT CONDITION	DESCRIPTION	VARCHAR2	100	N	Descriptive text of the for dependent conditions options for child parent questions.
SWIC	S LU DEPENDENT CONDITION	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU DEPENDENT CONDITION	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU DEPENDENT CONDITION	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU DEPENDENT CONDITION	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU DISABILITY YN	ID	NUMBER	22	N	Unique numeric identification of ID for disability yes no options.
SWIC	S LU DISABILITY YN	DESCRIPTION	VARCHAR2	100	N	Descriptive text of the for disability yes no options.
SWIC	S LU DISABILITY YN	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU DISABILITY YN	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU DISABILITY YN	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU DISABILITY YN	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU DISABILITY YN	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU EATING PROBLEM	PAIN ID	NUMBER	22	N	
SWIC	S LU EATING PROBLEM	DESCRIPTION	VARCHAR2	1000	N	
SWIC	S LU EATING PROBLEM	DATE MODIFIED	DATE	7	Y	
SWIC	S LU EATING PROBLEM	MODIFIED BY	VARCHAR2	32	N	
SWIC	S LU EATING PROBLEM	DATE CREATED	DATE	7	N	
SWIC	S LU EATING PROBLEM	CREATED BY	VARCHAR2	32	N	
SWIC	S LU EATING PROBLEM	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU ETHNICITY	ID	NUMBER	22	N	Unique numeric identification of ID for Ethnicity option.
SWIC	S LU ETHNICITY	DESCRIPTION	VARCHAR2	100	N	Descriptive text for ethnicity option.
SWIC	S LU ETHNICITY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU ETHNICITY	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU ETHNICITY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU ETHNICITY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU ETHNICITY	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU FILTER ANSWER	SLT ID	NUMBER	22	N	
SWIC	S LU FILTER ANSWER	SQR ANSWER ID	NUMBER	22	N	
SWIC	S LU FILTER ANSWER	DATE CREATED	DATE	7	N	
SWIC	S LU FILTER ANSWER	CREATED BY	VARCHAR2	32	N	
SWIC	S LU FILTER ANSWER	DATE MODIFIED	DATE	7	Y	
SWIC	S LU FILTER ANSWER	MODIFIED BY	VARCHAR2	32	N	
SWIC	S LU FILTER ANSWER	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU FILTER ANSWER MED	SLT ID	NUMBER	22	N	
SWIC	S LU FILTER ANSWER MED	SQR_ANSWER_ID	NUMBER	22	N	
SWIC	S LU FILTER ANSWER MED	DATE CREATED	DATE	7	N	
SWIC	S LU FILTER ANSWER MED	CREATED BY	VARCHAR2	32	N	
SWIC	S LU FILTER ANSWER MED	DATE MODIFIED	DATE	7	Y	
SWIC	S LU FILTER ANSWER MED	MODIFIED BY	VARCHAR2	32	N	
SWIC	S LU FILTER ANSWER MED	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU FILTER TYPE	SLT ID	NUMBER	22	N	
SWIC	S LU FILTER TYPE	DESCRIPTION	VARCHAR2	50	N	
SWIC	S LU FILTER TYPE	REVERSE	NUMBER	22	N	
SWIC	S LU FILTER TYPE	DATE_CREATED	DATE	7	Y	
SWIC	S LU FILTER TYPE	CREATED BY	VARCHAR2	32	N	
SWIC	S LU FILTER TYPE	DATE MODIFIED	DATE	7	Y	
SWIC	S LU FILTER TYPE	MODIFIED BY	VARCHAR2	32	N	
SWIC	S LU FILTER TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU FISCAL YEARS	FISCAL_YEAR	NUMBER	22	N	Fiscal year.
SWIC	S LU FISCAL YEARS	DATE_CREATED	DATE	7	Y	Common audit field for when the row was created.
SWIC	S LU FISCAL YEARS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU FISCAL YEARS	DATE MODIFIED	DATE	7	Y	Common audit field for when the row was modified.
SWIC	S LU FISCAL YEARS	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was modified.
SWIC	S LU FISCAL YEARS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU FS TYPES	FS_TYPE_ID	NUMBER	22	N	Funding source identifier
SWIC	S LU FS TYPES	DESCRIPTION	VARCHAR2	1000	N	Funding source description
SWIC	S LU FS TYPES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU FS TYPES	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU FS TYPES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU FS TYPES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU FS TYPES	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU FUNCTION TYPE	FUNCTION_TYPE_CODE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU FUNCTION TYPE	FUNCTION_TYPE_DESCRIPTION	VARCHAR2	100	Y	Type Code for the function (Screen, 2(Button), 3(Menu))
SWIC	S LU FUNCTION TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU FUNCTION TYPE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU FUNCTION TYPE	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU FUNCTION TYPE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU FUNCTION TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU HAIR_COLOR	ID	NUMBER	22	N	Unique numeric identification of ID for Hair Color option.
SWIC	S LU HAIR_COLOR	DESCRIPTION	VARCHAR2	100	N	Descriptive text for Hair Color option.
SWIC	S LU HAIR_COLOR	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU HAIR_COLOR	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU HAIR_COLOR	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU HAIR_COLOR	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU HAIR_COLOR	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU HEIGHT_RANGE	ID	NUMBER	22	N	Unique numeric identification of ID for height ranges option.
SWIC	S LU HEIGHT_RANGE	DESCRIPTION	VARCHAR2	100	N	Descriptive text for height ranges option.
SWIC	S LU HEIGHT_RANGE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU HEIGHT_RANGE	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU HEIGHT_RANGE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU HEIGHT_RANGE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU HEIGHT_RANGE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU IMMUNIZATIONS	ID	NUMBER	22	N	Unique numeric identification of ID for immunizations
SWIC	S LU IMMUNIZATIONS	DESCRIPTION	VARCHAR2	60	N	
SWIC	S LU IMMUNIZATIONS	DATE_CREATED	DATE	7	Y	
SWIC	S LU IMMUNIZATIONS	CREATED BY	VARCHAR2	32	N	
SWIC	S LU IMMUNIZATIONS	DATE MODIFIED	DATE	7	Y	
SWIC	S LU IMMUNIZATIONS	MODIFIED BY	VARCHAR2	32	N	
SWIC	S LU IMMUNIZATIONS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU INTERFACE	INTERFACE_ID	NUMBER	22	N	Unique numeric identifier for interface id.
SWIC	S LU INTERFACE	INTERFACE_NAME	VARCHAR2	100	Y	Descriptive text of Interface Name for Interface.
SWIC	S LU INTERFACE	INTERFACE_TYPE	VARCHAR2	50	Y	Descriptive text for interface Type (TP, WebService).
SWIC	S LU INTERFACE	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S LU INTERFACE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU INTERFACE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU INTERFACE	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU INTERFACE	LOG_GENERATOR	VARCHAR2	100	Y	Name of the SQL file to generate the log file.
SWIC	S LU INTERFACE	LOG_NAME	VARCHAR2	100	Y	Name of the actual log file.
SWIC	S LU INTERFACE	LOG_EMAIL_IDS	VARCHAR2	4000	Y	Email ids to receive the email.
SWIC	S LU INTERFACE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU INTERFACE_PARAMETERS	INTERFACE_ID	NUMBER	22	N	Unique numeric identifier for interface id.
SWIC	S LU INTERFACE_PARAMETERS	PARAMETER_NAME	VARCHAR2	30	N	Descriptive text for the name of parameter.
SWIC	S LU INTERFACE_PARAMETERS	PARAMETER_DATATYPE	VARCHAR2	30	N	Descriptive text for parameter data type.
SWIC	S LU INTERFACE_PARAMETERS	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S LU INTERFACE_PARAMETERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU INTERFACE_PARAMETERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU INTERFACE_PARAMETERS	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S LU INTERFACE_PARAMETERS	PARAMETER_ID	NUMBER	22	N	Unique numeric identifier for parameter id.
SWIC	S LU INTERFACE_PARAMETERS	RANGE_MIN	VARCHAR2	30	Y	Minimum range of a parameter.
SWIC	S LU INTERFACE_PARAMETERS	RANGE_MAX	VARCHAR2	30	Y	Maximum range of a parameter.
SWIC	S LU INTERFACE_PARAMETERS	PARAM_VALUE	VARCHAR2	100	Y	Parameter Value
SWIC	S LU INTERFACE_PARAMETERS	REQUIRED_FLAG	NUMBER	22	N	Indicates if parameter is required
SWIC	S LU INTERFACE_PARAMETERS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU LA AG COMMENTS TYPE	CT_ID	NUMBER	22	N	

SWIC	S LU LA AG COMMENTS TYPE	DESCRIPTION	VARCHAR2	100	N	
SWIC	S LU LA AG COMMENTS TYPE	DATE CREATED	DATE	7	Y	
SWIC	S LU LA AG COMMENTS TYPE	CREATED BY	VARCHAR2	32	Y	
SWIC	S LU LA AG COMMENTS TYPE	DATE MODIFIED	DATE	7	Y	
SWIC	S LU LA AG COMMENTS TYPE	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU LA AG COMMENTS TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU LA CAP PROGRESS	ID	NUMBER	22	N	LACASA CAP Progress Identifier
SWIC	S LU LA CAP PROGRESS	DESCRIPTION	VARCHAR2	500	Y	LACASA CAP Progress description
SWIC	S LU LA CAP PROGRESS	ACTIVE FLAG	NUMBER	22	Y	Indicates if LACASA CAP Progress is active
SWIC	S LU LA CAP PROGRESS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU LA CAP PROGRESS	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S LU LA CAP PROGRESS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU LA CAP PROGRESS	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU LA FINDING SURVEY	FS ID	NUMBER	22	N	
SWIC	S LU LA FINDING SURVEY	DESCRIPTION	VARCHAR2	100	N	
SWIC	S LU LA FINDING SURVEY	DATE CREATED	DATE	7	Y	
SWIC	S LU LA FINDING SURVEY	CREATED BY	VARCHAR2	32	Y	
SWIC	S LU LA FINDING SURVEY	DATE MODIFIED	DATE	7	Y	
SWIC	S LU LA FINDING SURVEY	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU LA FINDING SURVEY	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU LA GOAL RESULT	GR ID	NUMBER	22	N	
SWIC	S LU LA GOAL RESULT	DESCRIPTION	VARCHAR2	100	N	
SWIC	S LU LA GOAL RESULT	DATE CREATED	DATE	7	Y	
SWIC	S LU LA GOAL RESULT	CREATED BY	VARCHAR2	32	Y	
SWIC	S LU LA GOAL RESULT	DATE MODIFIED	DATE	7	Y	
SWIC	S LU LA GOAL RESULT	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU LA GOAL RESULT	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU LA MID POINT STATUS	CREATED BY	VARCHAR2	32	Y	
SWIC	S LU LA MID POINT STATUS	DATE MODIFIED	DATE	7	Y	
SWIC	S LU LA MID POINT STATUS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU LA MID POINT STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU LA MID POINT STATUS	NAP ID	NUMBER	22	N	
SWIC	S LU LA MID POINT STATUS	DESCRIPTION	VARCHAR2	100	N	
SWIC	S LU LA MID POINT STATUS	DATE CREATED	DATE	7	Y	
SWIC	S LU LA PROGRAM AREA	PR ID	NUMBER	22	N	
SWIC	S LU LA PROGRAM AREA	DESCRIPTION	VARCHAR2	100	N	
SWIC	S LU LA PROGRAM AREA	DATE CREATED	DATE	7	Y	
SWIC	S LU LA PROGRAM AREA	CREATED BY	VARCHAR2	32	Y	
SWIC	S LU LA PROGRAM AREA	DATE MODIFIED	DATE	7	Y	
SWIC	S LU LA PROGRAM AREA	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU LA PROGRAM AREA	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU LA PROGRAM OBJECTIVE	SLO ID	NUMBER	22	N	
SWIC	S LU LA PROGRAM OBJECTIVE	DESCRIPTION	VARCHAR2	100	N	
SWIC	S LU LA PROGRAM OBJECTIVE	DATE CREATED	DATE	7	Y	
SWIC	S LU LA PROGRAM OBJECTIVE	CREATED BY	VARCHAR2	32	Y	
SWIC	S LU LA PROGRAM OBJECTIVE	DATE MODIFIED	DATE	7	Y	
SWIC	S LU LA PROGRAM OBJECTIVE	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU LA PROGRAM OBJECTIVE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU LA RESPONSE TYPE	RESPONSE TYPE CODE	VARCHAR2	5	N	Response type code
SWIC	S LU LA RESPONSE TYPE	RESPONSE TYPE DESCRIPTION	VARCHAR2	200	Y	Response type description
SWIC	S LU LA RESPONSE TYPE	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S LU LA RESPONSE TYPE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU LA RESPONSE TYPE	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU LA RESPONSE TYPE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU LA RO STATUS	RO ID	NUMBER	22	N	
SWIC	S LU LA RO STATUS	DESCRIPTION	VARCHAR2	100	N	
SWIC	S LU LA RO STATUS	DATE CREATED	DATE	7	Y	
SWIC	S LU LA RO STATUS	CREATED BY	VARCHAR2	32	Y	
SWIC	S LU LA RO STATUS	DATE MODIFIED	DATE	7	Y	
SWIC	S LU LA RO STATUS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU LA RO STATUS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU LA RO STATUS	ID	NUMBER	22	N	LACASA status identifier
SWIC	S LU LA STATUS	DESCRIPTION	VARCHAR2	500	Y	LACASA status description
SWIC	S LU LA STATUS	ACTIVE FLAG	NUMBER	22	N	Indicates if LACASA status is active
SWIC	S LU LA STATUS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU LA STATUS	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S LU LA STATUS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU LA STATUS	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU LA SURVEY LEVELS	SURVEY LEVEL ID	NUMBER	22	N	LACASA survey type identifier
SWIC	S LU LA SURVEY LEVELS	DESCRIPTION	VARCHAR2	500	Y	LACASA survey types description
SWIC	S LU LA SURVEY LEVELS	ACTIVE FLAG	NUMBER	22	Y	Indicates if LACASA survey type is active
SWIC	S LU LA SURVEY LEVELS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU LA SURVEY LEVELS	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S LU LA SURVEY LEVELS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU LA SURVEY LEVELS	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU LA TA CONTACT TYPE	TACT ID	NUMBER	22	N	
SWIC	S LU LA TA CONTACT TYPE	DESCRIPTION	VARCHAR2	100	N	
SWIC	S LU LA TA CONTACT TYPE	DATE CREATED	DATE	7	Y	
SWIC	S LU LA TA CONTACT TYPE	CREATED BY	VARCHAR2	32	Y	
SWIC	S LU LA TA CONTACT TYPE	DATE MODIFIED	DATE	7	Y	
SWIC	S LU LA TA CONTACT TYPE	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU LA TA CONTACT TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU LA TYPES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU LA TYPES	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S LU LA TYPES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU LA TYPES	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU LA TYPES	LA TYPE ID	NUMBER	22	N	LACASA type identifier
SWIC	S LU LA TYPES	DESCRIPTION	VARCHAR2	500	Y	LACASA type description
SWIC	S LU LA TYPES	ENABLE STAFF FLAG	NUMBER	22	Y	Staff Enabled
SWIC	S LU LA TYPES	ACTIVE FLAG	NUMBER	22	Y	Indicates if LACASA type is active
SWIC	S LU LA TYPES	REQ DETAIL	NUMBER	22	Y	Requested Client
SWIC	S LU LA TYPE DETAIL	TYPE DETAIL ID	NUMBER	22	N	Type detail identifier
SWIC	S LU LA TYPE DETAIL	SLMT_TYP_CODE	VARCHAR2	5	N	PK for the M Type Detail Item
SWIC	S LU LA TYPE DETAIL	RESPONSE TEXT	VARCHAR2	40	Y	Response text
SWIC	S LU LA TYPE DETAIL	CREATED BY	VARCHAR2	100	N	Common audit field for user id connected when the row was created.
SWIC	S LU LA TYPE DETAIL	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU LA TYPE DETAIL	MODIFIED BY	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU LA TYPE DETAIL	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU LA WPM	SLWPM ID	VARCHAR2	25	N	
SWIC	S LU LA WPM	DESCRIPTION	VARCHAR2	100	N	
SWIC	S LU LA WPM	DATE CREATED	DATE	7	Y	
SWIC	S LU LA WPM	CREATED BY	VARCHAR2	32	Y	
SWIC	S LU LA WPM	DATE MODIFIED	DATE	7	Y	
SWIC	S LU LA WPM	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU LA WPM	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU MISC SUPPORT ITEMS	ITEM DISC	VARCHAR2	500	N	Description of the Support Item (this will appear as a label on the webform)
SWIC	S LU MISC SUPPORT ITEMS	TABLE NAME	VARCHAR2	50	N	Name of the table that contains support item
SWIC	S LU MISC SUPPORT ITEMS	COLUMN NAME	VARCHAR2	50	N	Name of the column in the table that contains support item
SWIC	S LU MISC SUPPORT ITEMS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU MISC SUPPORT ITEMS	CLIENT ID COL NAME	VARCHAR2	32	N	Column Name of the column in the table that contains the client id
SWIC	S LU MISC SUPPORT ITEMS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU MISC SUPPORT ITEMS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU MISC SUPPORT ITEMS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU MISC SUPPORT ITEMS	ITEM SEQ	NUMBER	22	N	
SWIC	S LU MISC SUPPT ITEM RISKS	ITEM RSK ID	NUMBER	22	N	
SWIC	S LU MISC SUPPT ITEM RISKS	ITEM SEQ	NUMBER	22	N	
SWIC	S LU MISC SUPPT ITEM RISKS	ITEM DISC	VARCHAR2	500	N	
SWIC	S LU MISC SUPPT ITEM RISKS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU MISC SUPPT ITEM RISKS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU MISC SUPPT ITEM RISKS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU MISC SUPPT ITEM RISKS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU MONTHS	CALENDAR_MONTH	NUMBER	22	Y	Calendar month
SWIC	S LU MONTHS	FISCAL_MONTH	NUMBER	22	Y	Fiscal month for the calendar month
SWIC	S LU MONTHS	DESCRIPTION	VARCHAR2	25	Y	Month Name
SWIC	S LU MONTHS	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S LU MONTHS	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	S LU MONTHS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	S LU MONTHS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was modified.
SWIC	S LU MONTHS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU PACKAGE FILTER	VLCAT CODE	VARCHAR2	2	N	
SWIC	S LU PACKAGE FILTER	VUS SUB CAT CODE	VARCHAR2	3	N	
SWIC	S LU PACKAGE FILTER	SFLT ID	NUMBER	22	N	
SWIC	S LU PACKAGE FILTER	DATE CREATED	DATE	7	N	
SWIC	S LU PACKAGE FILTER	CREATED BY	VARCHAR2	32	N	
SWIC	S LU PACKAGE FILTER	DATE MODIFIED	DATE	7	Y	
SWIC	S LU PACKAGE FILTER	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU PERIOD	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU PERIOD	ID	NUMBER	22	N	Unique numeric identification of ID for time period option.
SWIC	S LU PERIOD	DESCRIPTION	VARCHAR2	100	N	Descriptive text for time period option.
SWIC	S LU PERIOD	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU PERIOD	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU PERIOD	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU PERIOD	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU PERIOD	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU PF EBt CLINICS	ID	NUMBER	22	N	
SWIC	S LU PF EBt CLINICS	DESCRIPTION	VARCHAR2	100	Y	
SWIC	S LU PF EBt CLINICS	DATE CREATED	DATE	7	N	
SWIC	S LU PF EBt CLINICS	CREATED BY	VARCHAR2	32	N	
SWIC	S LU PF EBt CLINICS	DATE MODIFIED	DATE	7	Y	
SWIC	S LU PF EBt CLINICS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU PF EBt CLINICS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU PF STATUS	STATUS_ID	NUMBER	22	N	
SWIC	S LU PF STATUS	DESCRIPTION	VARCHAR2	1000	N	
SWIC	S LU PF STATUS	DATE MODIFIED	DATE	7	Y	
SWIC	S LU PF STATUS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S LU PF STATUS	DATE CREATED	DATE	7	N	
SWIC	S LU PF STATUS	CREATED BY	VARCHAR2	32	N	
SWIC	S LU QUESTION CATEGORY	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU QUESTION CATEGORY	CAT_CATEGORY_CODE	VARCHAR2	3	N	Category Codes for the set of questions or Question_Category (such as W(BE, IFF), Ch(C1, C2, C3, C4))
SWIC	S LU QUESTION CATEGORY	QUESTION TYPE	VARCHAR2	6	N	Screen Type, Medical, Nutrition, Pregnancy
SWIC	S LU QUESTION CATEGORY	QUESTION CATEGORY	VARCHAR2	6	Y	Category Code for a set of questions (such as Infants), Ch(Child)
SWIC	S LU QUESTION CATEGORY	CATEGORY DESCRIPTION	VARCHAR2	100	Y	Descriptive text for the category Code for the question (such as Infant, Child, Woman Post-partum)
SWIC	S LU QUESTION CATEGORY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S LU QUESTION CATEGORY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S LU QUESTION CATEGORY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU QUESTION CATEGORY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU QUESTION CATEGORY	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S LU_Q_AGE_START_FOOD	ID	NUMBER	22	N	Unique numeric identification of ID for age options of baby when start any food or beverages.
SWIC	S LU_Q_AGE_START_FOOD	DESCRIPTION	VARCHAR2	100	N	Descriptive text of the for age options of baby when start any food or beverages.
SWIC	S LU_Q_AGE_START_FOOD	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S LU_Q_AGE_START_FOOD	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S LU_Q_AGE_START_FOOD	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.



SWIC	S	LU STATE LOGO	DATE MODIFIED	DATE	7	Y	
SWIC	S	LU STATE LOGO	MODIFIED BY	VARCHAR2	100	N	
SWIC	S	LU STATE LOGO	ALT LOGO	BLOB	4000	Y	
SWIC	S	LU STATE LOGO	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	S	LU TABLES	TABLE NAME	VARCHAR2	50	N	Name of the lookup table.
SWIC	S	LU TABLES	DATE UPDATED	DATE	7	Y	UNUSED FOR MI-WIC
SWIC	S	LU TABLES	WINDOW TITLE	VARCHAR2	50	N	UNUSED FOR MI-WIC
SWIC	S	LU TABLES	WHERE USED	VARCHAR2	2000	Y	UNUSED FOR MI-WIC
SWIC	S	LU TABLES	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S	LU TABLES	SOURCE DB	VARCHAR2	32	N	UNUSED FOR MI-WIC
SWIC	S	LU TABLES	APPLICATION NAME	VARCHAR2	100	N	Application which uses the look up table.
SWIC	S	LU TABLES	LU TABLE DESCRIPTION	VARCHAR2	100	N	Text describing the look-up table.
SWIC	S	LU TABLES	DATE CREATED	DATE	7	N	
SWIC	S	LU TABLES	CREATED BY	VARCHAR2	32	N	
SWIC	S	LU TABLES	DATE MODIFIED	DATE	7	Y	
SWIC	S	LU TABLES	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	S	LU_TBL_CONSTRAINTS	COLUMN NAME	VARCHAR2	4000	N	Column name of some specified tables.
SWIC	S	LU_TBL_CONSTRAINTS	SEARCH_CONDITION	VARCHAR2	4000	N	Search conditions for columns.
SWIC	S	LU_TBL_CONSTRAINTS	TABLE NAME	VARCHAR2	128	N	Table name.
SWIC	S	LU_TBL_CONSTRAINTS	COLUMN DATA TYPE	VARCHAR2	128	Y	Column data type
SWIC	S	LU_TBL_CONSTRAINTS	COLUMN DATA LENGTH	NUMBER	22	Y	Column data length
SWIC	S	LU_TBL_CONSTRAINTS	COLUMN DATA PRECISION	NUMBER	22	Y	Column data precision
SWIC	S	LU_TXT_LAN_MSG	MESSAGE ID	NUMBER	22	N	Text Message ID specific to the Text Message in specific language
SWIC	S	LU_TXT_LAN_MSG	SLTM_TXT_MSG_ID	NUMBER	22	N	Text Message ID Linked to S_LU_TXT_MESSAGE
SWIC	S	LU_TXT_LAN_MSG	CL_LANGUAGE_ID	NUMBER	22	N	No of Days before Appointment - 0 means runs on demand
SWIC	S	LU_TXT_LAN_MSG	ACTIVE	NUMBER	22	Y	1 Means It is Active, indicates if the Message is Active.
SWIC	S	LU_TXT_LAN_MSG	MESSAGE	NVARCHAR2	3000	N	Text Message which is sent as SMS.
SWIC	S	LU_TXT_LAN_MSG	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	LU_TXT_LAN_MSG	DATE CREATED	DATE	7	N	
SWIC	S	LU_TXT_LAN_MSG	MODIFIED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LU_TXT_LAN_MSG	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LU_TXT_MESSAGES	TXT_MSG_ID	NUMBER	22	N	Text Message ID specific to the Message Type
SWIC	S	LU_TXT_MESSAGES	TITLE	VARCHAR2	50	N	Title of Text Message ID Not displayed anywhere just info
SWIC	S	LU_TXT_MESSAGES	DAYS_BEFORE	NUMBER	22	N	No of Days before Appointment - 0 means runs on demand
SWIC	S	LU_TXT_MESSAGES	RUN_TIME	DATE	7	N	Run Time of the Text Message - Time to send the message (null means ASAP).
SWIC	S	LU_TXT_MESSAGES	DATE_LAST_PROCC	DATE	7	Y	The last date/time the process was ran
SWIC	S	LU_TXT_MESSAGES	ACTIVE	NUMBER	22	Y	Indicates if Text Message is Active - 1 Means It is Active.
SWIC	S	LU_TXT_MESSAGES	GOOD_PROCC_DATE	DATE	7	Y	Date of which it is ok to start sending it.
SWIC	S	LU_TXT_MESSAGES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	LU_TXT_MESSAGES	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S	LU_TXT_MESSAGES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was modified.
SWIC	S	LU_TXT_MESSAGES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LU_TXT_MESSAGES	MSG_TYPE	VARCHAR2	32	Y	Message Type indicates the the appointment type
SWIC	S	LU_TIMESTUDY_ACTIVITIES	ACTIVITY ID	NUMBER	22	N	Primary Key
SWIC	S	LU_TIMESTUDY_ACTIVITIES	DESCRIPTION	VARCHAR2	1000	N	Description of the Activity
SWIC	S	LU_TIMESTUDY_ACTIVITIES	TS_CATEGORY_ID	NUMBER	22	Y	Time Study Category ID
SWIC	S	LU_TIMESTUDY_ACTIVITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LU_TIMESTUDY_ACTIVITIES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	LU_TIMESTUDY_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	S	LU_TIMESTUDY_ACTIVITIES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was modified.
SWIC	S	LU_TIMESTUDY_ACTIVITIES	SORT_ORDER	NUMBER	22	N	Sorting order of Activity
SWIC	S	LU_TIMESTUDY_ACTIVITIES	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S	LU_USER	USER TYPE ID	NUMBER	22	N	User Identifier for the User Type
SWIC	S	LU_USER	DESCRIPTION	NVARCHAR2	100	N	Description of the User Type
SWIC	S	LU_USER	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LU_USER	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	LU_USER	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LU_USER	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LU_USER	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	S	LU_YES_NO	ID	NUMBER	22	N	Unique numeric identification of ID for YES_NO OPTIONS.
SWIC	S	LU_YES_NO	DESCRIPTION	VARCHAR2	100	N	Descriptive text of the YES_NO OPTIONS.
SWIC	S	LU_YES_NO	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	LU_YES_NO	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	LU_YES_NO	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	LU_YES_NO	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	LU_YES_NO	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	S	MED_QST_X_REF	QUESTION ID	NUMBER	22	N	The MED_QUESTION question identifier
SWIC	S	MED_QST_X_REF	ANSWER_ID	NUMBER	22	N	S_MED_QUESTION_RESPONSE response
SWIC	S	MED_QST_X_REF	REF_QUESTION_ID	NUMBER	22	N	The MED_QUESTION Ref question identifier
SWIC	S	MED_QST_X_REF	REF_ANSWER_ID	NUMBER	22	N	S_MED_QUESTION_RESPONSE Ref response
SWIC	S	MED_QST_X_REF	DATE_CREATED	DATE	7	Y	
SWIC	S	MED_QST_X_REF	CREATED BY	VARCHAR2	100	Y	
SWIC	S	MED_QST_X_REF	DATE_MODIFIED	DATE	7	Y	
SWIC	S	MED_QST_X_REF	MODIFIED BY	VARCHAR2	100	Y	
SWIC	S	MED_QUESTIONS	QUESTION ID	NUMBER	22	N	The unique question identifier
SWIC	S	MED_QUESTIONS	QUESTION_CATEGORY	VARCHAR2	6	N	Category Code for the question (such as Infirmary), Cu(Child), WPPHI(Woman Post partum)
SWIC	S	MED_QUESTIONS	DISPLAY_PAGE_NUMBER	NUMBER	22	N	The page number on which the question will appear during health history/survey
SWIC	S	MED_QUESTIONS	DISPLAY_SEQ_ON_PAGE	NUMBER	22	Y	The sequence number which determines the order in which the questions appear on a page
SWIC	S	MED_QUESTIONS	PRECEDING_QUESTION_ID	NUMBER	22	N	The question text to be displayed (including numbering such as 1, if applicable)
SWIC	S	MED_QUESTIONS	PRECEDING_ANSWER_ID	NUMBER	22	N	The id of a preceding answer on which this question is dependent, if applicable, otherwise NULL
SWIC	S	MED_QUESTIONS	PRECEDING_RESPONSE	NUMBER	22	Y	The response to the preceding question on which this question is dependent (D/F), if applicable, otherwise NULL
SWIC	S	MED_QUESTIONS	X_HORIZONTAL_POSITION	NUMBER	22	Y	Optional horizontal offset value for display of question on the page
SWIC	S	MED_QUESTIONS	Y_VERTICAL_POSITION	NUMBER	22	Y	Optional vertical offset value for display of question on the page
SWIC	S	MED_QUESTIONS	ERROR_TEXT	VARCHAR2	200	Y	The Error Text displayed when the question is mandatory and is not answered
SWIC	S	MED_QUESTIONS	DATE_CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	S	MED_QUESTIONS	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	MED_QUESTIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	MED_QUESTIONS	QUESTION_NUMBER	NUMBER	22	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	MED_QUESTIONS	DATE_MODIFIED	DATE	7	Y	External question number, if displayed.
SWIC	S	MED_QUESTIONS	QUESTION_NUMBER	NUMBER	22	Y	Indicates if the question needs to be displayed (Bold Style(LtYes, DtYes)
SWIC	S	MED_QUESTIONS	BOLD	NUMBER	22	Y	Indicates if the question needs to be validated. Enforcing the user to answer the question (LtYes, DtNo)
SWIC	S	MED_QUESTIONS	VALIDATE_QUESTION	NUMBER	22	Y	
SWIC	S	MED_QUESTIONS	HISTORY_FLAG	NUMBER	22	Y	
SWIC	S	MED_QUESTIONS	HEADER_FLAG	NUMBER	22	Y	Questions header flag - Default 0
SWIC	S	MED_QUESTIONS	HEADER_TEXT	VARCHAR2	200	Y	The Header Text displayed when there is any header text exist before the question.
SWIC	S	MED_QUESTIONS	DEPENDENT_ANSWER	VARCHAR2	32	Y	The dependent answer is the answer of the parent question on which this question is dependent if applicable, otherwise NULL
SWIC	S	MED_QUESTIONS	PARENT_QUESTION_ID	NUMBER	22	Y	The question id of parent question on which this question is dependent if applicable, otherwise NULL
SWIC	S	MED_QUESTIONS	DEPENDENT_CONDITION	VARCHAR2	10	N	The condition on which the question is dependent on parent question's answer (Equal/NotEqual) if applicable, otherwise NULL
SWIC	S	MED_QUESTIONS	ACTIVE_RESPONSE	NUMBER	22	Y	Active response flag
SWIC	S	MED_QUESTION_RESPONSE	QUESTION ID	NUMBER	22	N	Unique identifier for the question to which the response pertains
SWIC	S	MED_QUESTION_RESPONSE	ANSWER ID	NUMBER	22	N	Unique identifier which will be used to store the response
SWIC	S	MED_QUESTION_RESPONSE	RESPONSE_TYPE_CODE	VARCHAR2	4	Y	Category Code for the question (such as Infirmary), Cu(Child), WPPHI(Woman Post partum)
SWIC	S	MED_QUESTION_RESPONSE	ADDITIONAL_INFO_DATA_TYPE	VARCHAR2	8	Y	Datatype for optional fields - NULL (no field), DATE, NUMBER, CHAR
SWIC	S	MED_QUESTION_RESPONSE	ADDITIONAL_INFO_REQUIRED	NUMBER	22	Y	Indicates if optional info is required - NULL (no required), 0 (required if response is N/A/False), 1 (required if response is Yes/True)
SWIC	S	MED_QUESTION_RESPONSE	ADDITIONAL_INFO_MIN	NUMBER	22	Y	Minimum value for additional info field, if applicable
SWIC	S	MED_QUESTION_RESPONSE	ADDITIONAL_INFO_MAX	NUMBER	22	Y	Maximum value for additional info field, if applicable
SWIC	S	MED_QUESTION_RESPONSE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	MED_QUESTION_RESPONSE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	MED_QUESTION_RESPONSE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	MED_QUESTION_RESPONSE	QUESTION_NUMBER	NUMBER	22	Y	UNUSED FOR MI-WIC
SWIC	S	MED_QUESTION_RESPONSE	RESPONSE_TEXT	VARCHAR2	100	Y	The label text which will be displayed to identify the response or prompt for optional information
SWIC	S	MED_QUESTION_RESPONSE	POST_SCRIPT_TEXT	VARCHAR2	100	Y	Optional label to appear after the response/optional info prompt - such as (source)
SWIC	S	MED_QUESTION_RESPONSE	X_HORIZONTAL_POSITION	NUMBER	22	Y	Category Code for the question (such as Infirmary), Cu(Child), WPPHI(Woman Post partum)
SWIC	S	MED_QUESTION_RESPONSE	Y_VERTICAL_POSITION	NUMBER	22	Y	Category Code for the question (such as Infirmary), Cu(Child), WPPHI(Woman Post partum)
SWIC	S	MED_QUESTION_RESPONSE	PRE_X_POSITION	NUMBER	22	Y	Position at which Text needs to be rendered for before additional formation
SWIC	S	MED_QUESTION_RESPONSE	POST_X_POSITION	NUMBER	22	Y	Position at which Text needs to be rendered after additional formation
SWIC	S	MED_QUESTION_RESPONSE	ADDITIONAL_INFO_CONTROL_WIDTH	NUMBER	22	Y	Maximum length of the additional info field which will set the width of the control which accepts the value, if applicable
SWIC	S	MED_QUESTION_RESPONSE	RESPONSE_SEQ_ON_PAGE	NUMBER	22	N	The sequence in which the response will be displayed on the page after the question
SWIC	S	MED_QUESTION_RESPONSE	LOOKUP_SOURCE	VARCHAR2	100	Y	Works with Control Type Drop Down. Data that needs to be populated in the dropdown
SWIC	S	MED_QUESTION_RESPONSE	ADDITIONAL_INFO_CONTROL_HEIGHT	NUMBER	22	Y	Maximum height of the additional info field which will set the height of the control which accepts the value, if applicable
SWIC	S	MED_QUESTION_RESPONSE	ADDITIONAL_INFO_RANGE	VARCHAR2	2000	Y	Ex: 1.57-10.8-14 Determines what range of values are acceptable if Range is provided then the Additional Info_Min and Additional Info_Max are not verified, should be in the format
SWIC	S	MED_QUESTION_RESPONSE	DEFAULT_FLAG	NUMBER	22	Y	
SWIC	S	MED_QUESTION_RESPONSE	DEFAULT_SOURCE	VARCHAR2	2000	Y	
SWIC	S	MESSAGE	ID	NUMBER	22	N	Unique numeric identifier for Message Id.
SWIC	S	MESSAGE	SEQ ID	NUMBER	22	N	UNIQUE ID for Organizational unit
SWIC	S	MESSAGE	GST_TITL_CODE	VARCHAR2	3	N	Text identifier for staff title.
SWIC	S	MESSAGE	SUBJECT	VARCHAR2	300	Y	Descriptive text for subject of the message.
SWIC	S	MESSAGE	EXPIRATION_DATE	DATE	7	Y	Date when users will not be able to see the message in the system.
SWIC	S	MESSAGE	EXTENDED_EXPIRE_DATE	DATE	7	Y	Extended date the users will be able to see the message in the system.
SWIC	S	MESSAGE	VLM ID	NUMBER	22	N	Descriptive text for priority of the message.
SWIC	S	MESSAGE	TEXT	VARCHAR2	2048	Y	Descriptive text of a message.
SWIC	S	MESSAGE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	MESSAGE	CREATED BY	VARCHAR2	20	N	Common audit field for user id connected when the row was created.
SWIC	S	MESSAGE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	MESSAGE	MODIFIED BY	VARCHAR2	20	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	MESSAGE	REMOVED	NUMBER	22	N	Flag indicating if the message was deleted by the creator of the message
SWIC	S	MESSAGE_READ	SM_ID	NUMBER	22	N	Unique numeric identifier for message id (S_MESSAGES).
SWIC	S	MESSAGE_READ	STAFF_MEMBER_ID	NUMBER	22	N	The unique identifier for the staff position.
SWIC	S	MESSAGE_READ	REMOVED	VARCHAR2	1	Y	Flag to identify item marked for removal
SWIC	S	MESSAGE_READ	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	MESSAGE_READ	CREATED BY	VARCHAR2	20	N	Common audit field for user id connected when the row was created.
SWIC	S	MESSAGE_READ	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	MESSAGE_READ	MODIFIED BY	VARCHAR2	20	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	MESSAGE_READ	SM_ID	NUMBER	22	N	Numeric identifier that indicates if the message has been removed.
SWIC	S	MESSAGE_SENT	SM_ID	NUMBER	22	N	Unique numeric identifier for message id (S_MESSAGES).
SWIC	S	MESSAGE_SENT	SEQ ID	NUMBER	22	N	UNIQUE ID for Organizational unit
SWIC	S	MESSAGE_SENT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	MESSAGE_SENT	CREATED BY	VARCHAR2	20	N	Common audit field for user id connected when the row was created.
SWIC	S	MESSAGE_SENT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	MESSAGE_SENT	MODIFIED BY	VARCHAR2	20	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	PARAMETERS	PARAMETER_NAME	VARCHAR2	20	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	PARAMETERS	PARAMETER_VALUE	VARCHAR2	100	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	PARAMETERS	PARAMETER_FORMAT	VARCHAR2	30	N	Name and unique identifier for parameter. Text is used for clarity in code
SWIC	S	PARAMETERS	PARAMETER_DESCRIPTION	VARCHAR2	100	Y	Value as a text field (can be interpreted as number or date depending on format)
SWIC	S	PARAMETERS	DATE_CREATED	DATE	7	N	Format (char, number, date)
SWIC	S	PARAMETERS	CREATED BY	NUMBER	22	N	Text description of parameter (with sample values if applicable)
SWIC	S	PARAMETERS	DATE_MODIFIED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	S	PARAMETERS	MODIFIED BY	VARCHAR2	30	Y	Common audit field for date time stamp when the row was created.
SWIC	S	PARAMETERS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	PARAMETERS	MODIFIED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	PCFILE_FOODPKG_TYES	GRG_PC_FPKG_GROUP	NUMBER	22	N	Common audit field for date time stamp when the row was last modified.
SWIC	S	PCFILE_FOODPKG_TYES	PC_SEQ_ID	NUMBER	22	N	THE UNIQUE SEQ ID OF THE TABLE
SWIC	S	PCFILE_FOODPKG_TYES	FP_TY_CODE	NUMBER	22	N	THE PC FILE FOOD PACKAGE TYPE CODE unique identifier.
SWIC	S	PCFILE_FOODPKG_TYES	SPLCS_ID	NUMBER	22	N	LOOKUP ID FROM THE PC_LU_SCENARIO TABLE
SWIC	S	PCFILE_FOODPKG_TYES	PC_FPKG_GROUP	NUMBER	22	N	THE PC FILE FOOD PACKAGE TYPE GROUP.
SWIC	S	PCFILE_FOODPKG_TYES	MIN_AGE_LIMIT	NUMBER	22	N	THE PC FILE FOOD PACKAGE TYPE MIN AGE LIMIT.
SWIC	S	PCFILE_FOODPKG_TYES	MAX_AGE_LIMIT	NUMBER	22	N	THE PC FILE FOOD PACKAGE TYPE MAX AGE LIMIT.
SWIC	S	PCFILE_FOODPKG_TYES	CATEGORY_CODE	VARCHAR2	3	N	THE PC FILE FOOD PACKAGE TYPE CATEGORY.
SWIC	S	PCFILE_FOODPKG_TYES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	PCFILE_FOODPKG_TYES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	PCFILE_FOODPKG_TYES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	PCFILE_FOODPKG_TYES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	PCFILE_FOODPKG_TYES	NOTE	VARCHAR2	200	Y	Common field for user note comments.
SWIC	S	PCFILE_FOODPKG_TYES	ID	NUMBER	22	N	UNIQUE SEQ ID OF THE TABLE
SWIC	S	PCFILE_FOODPKG_TYES	SFFT ID	NUMBER	22	N	PRIMARY KEY FROM THE S_PC_FOODPKG_TYES TABLE

SWIC	S PCRE FOODPES TYPES	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S PCRE FOODPES TYPES	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	S PCRE FOODPES TYPES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S PCRE FOODPES TYPES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S PCRE FOODPES TYPES	NOTES	VARCHAR2	200	Y	Common field for user notes or comments.
SWIC	S FC LU SCENARI	DESCRIPTION	VARCHAR2	25	N	Scenario description. This is the food category id
SWIC	S FC LU SCENARI	NOTE	VARCHAR2	200	Y	Common field for user notes or comments.
SWIC	S FC LU SCENARI	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S FC LU SCENARI	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	S FC LU SCENARI	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S FC LU SCENARI	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S FF INVENTORY	IS YEAR	NUMBER	22	N	The Funding Source Year
SWIC	S FF INVENTORY	FS SEQ ID	NUMBER	22	N	The Funding Source code(s) FUNDING SOURCE(S).
SWIC	S FF INVENTORY	OU SEQ ID	NUMBER	22	N	The organizational unique sequence code(O ORGANIZATIONAL UNITS).
SWIC	S FF INVENTORY	SUPLY STATUS	NUMBER	22	Y	Indicates Status of the FF Item (L= LU FF STATUS)
SWIC	S FF INVENTORY	AMOUNT	NUMBER	22	Y	
SWIC	S FF_INVENTORY	CREATED_BY	VARCHAR2	32	N	Common audit field for date time stamp when the row was created.
SWIC	S FF_INVENTORY	DATE CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	S FF_INVENTORY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S FF_INVENTORY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S FF MAIN	BATCH NO	NUMBER	22	N	The batch number of the coupon.
SWIC	S FF MAIN	VO CHAIN SUFFX	VARCHAR2	10	N	The vendor owner chain suffix.
SWIC	S FF MAIN	VOUCHER NUM	NUMBER	22	Y	The voucher number.
SWIC	S FF MAIN	VZ NUM	NUMBER	22	Y	The vendor zipcode region number.
SWIC	S FF MAIN	REDEEM AMOUNT	NUMBER	22	Y	Redeem dollar amount of the coupon.
SWIC	S FF MAIN	DATE SENT	DATE	7	Y	The date sent for the project fresh coupon batch.
SWIC	S FF MAIN	BATCH PROCESSED	NUMBER	22	Y	Indicates the project fresh coupon batch processed or not (0=No, 1=Yes).
SWIC	S FF MAIN	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	S FF MAIN	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S FF MAIN	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S FF MAIN	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S FF MAIN	REDEEM DATE	DATE	7	N	The redeem date of the coupon.
SWIC	S FF MAIN	BATCH_COUNT_BY_VENDOR	NUMBER	22	Y	The vendor batch count.
SWIC	S FF MAIN	FC FUNDING CODE	VARCHAR2	10	N	The funding code for FCA based on the coupons redeemed
SWIC	S FF MAIN	FTP SCHEDULED	NUMBER	22	Y	The FTP scheduled flag.
SWIC	S FF STOCK	FS YEAR	NUMBER	22	N	
SWIC	S FF STOCK	FS TYPE ID	NUMBER	22	N	
SWIC	S FF STOCK	FUNDING AMOUNT	NUMBER	22	Y	
SWIC	S FF STOCK	DATE MODIFIED	DATE	7	Y	
SWIC	S FF STOCK	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S FF_STOCK	CREATED_BY	VARCHAR2	32	N	
SWIC	S FF_STOCK	EBT CARD NUMBER	NUMBER	22	N	EBT Card number
SWIC	S FF_TRAINING BUYS	OU SEQ ID	NUMBER	22	Y	The organizational unique sequence code(O ORGANIZATIONAL UNITS).
SWIC	S FF_TRAINING BUYS	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	S FF_TRAINING BUYS	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S FF_TRAINING BUYS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S FF_TRAINING BUYS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S FF_TRAINING BUYS	PHONE TYPE ID	VARCHAR2	3	N	Unique phone type identifier.
SWIC	S FF_TRAINING BUYS	DESCRIPTION	VARCHAR2	80	N	The description of the phone type.
SWIC	S_PHONE TYPES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S_PHONE TYPES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S_PHONE TYPES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_PHONE TYPES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_PHONE TYPES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	S_PHONE TYPES	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	S_PRED_RPT_CHARACTERISTICS	ID	NUMBER	22	N	Unique identifier
SWIC	S_PRED_RPT_CHARACTERISTICS	NAME	VARCHAR2	100	N	Name to define the characteristic.
SWIC	S_PRED_RPT_CHARACTERISTICS	MAJOR FLAG	NUMBER	22	N	Flag indicating if it is a major or minor.
SWIC	S_PRED_RPT_CHARACTERISTICS	JOIN TO	VARCHAR2	2000	Y	Join to statement for the characteristic.
SWIC	S_PRED_RPT_CHARACTERISTICS	DB TABLE COLUMN	VARCHAR2	200	N	Database column to issue the group by clause.
SWIC	S_PRED_RPT_CHARACTERISTICS	ORDER BY	NUMBER	22	Y	Order of the characteristics.
SWIC	S_PRED_RPT_CHARACTERISTICS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S_PRED_RPT_CHARACTERISTICS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S_PRED_RPT_CHARACTERISTICS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_PRED_RPT_CHARACTERISTICS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_PRED_RPT_CHARACTERISTICS	SORT_TYPE	NUMBER	22	Y	0 = No Sort, 1 = list Sort, 2 = String Sort
SWIC	S_PRED_RPT_CHARACTERISTICS	SORT FIELD	VARCHAR2	200	Y	Sorts the list by the specified column
SWIC	S_PRED_RPT_COLUMNS	COLUMN 1	VARCHAR2	200	Y	Column Header 1
SWIC	S_PRED_RPT_COLUMNS	COLUMN 2	VARCHAR2	200	Y	Column Header 2
SWIC	S_PRED_RPT_COLUMNS	COLUMN 3	VARCHAR2	200	Y	Column Header 3
SWIC	S_PRED_RPT_COLUMNS	COLUMN 4	VARCHAR2	200	Y	Column Header 4
SWIC	S_PRED_RPT_COLUMNS	COLUMN 5	VARCHAR2	200	Y	Column Header 5
SWIC	S_PRED_RPT_COLUMNS	COLUMN 6	VARCHAR2	200	Y	Column Header 6
SWIC	S_PRED_RPT_COLUMNS	COLUMN 7	VARCHAR2	200	Y	Column Header 7
SWIC	S_PRED_RPT_COLUMNS	COLUMN 8	VARCHAR2	200	Y	Column Header 8
SWIC	S_PRED_RPT_COLUMNS	COLUMN 9	VARCHAR2	200	Y	Column Header 9
SWIC	S_PRED_RPT_COLUMNS	COLUMN 10	VARCHAR2	200	Y	Column Header 10
SWIC	S_PRED_RPT_COLUMNS	COLUMN 11	VARCHAR2	200	Y	Column Header 11
SWIC	S_PRED_RPT_COLUMNS	COLUMN 12	VARCHAR2	200	Y	Column Header 12
SWIC	S_PRED_RPT_COLUMNS	TITLE TEXT	VARCHAR2	200	Y	Title of the report
SWIC	S_PRED_RPT_COLUMNS	DISP CRITERIA	NUMBER	22	N	Flag indicating if the filter criteria should be displayed on report.
SWIC	S_PRED_RPT_COLUMNS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S_PRED_RPT_COLUMNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S_PRED_RPT_COLUMNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_PRED_RPT_COLUMNS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_PRED_RPT_COLUMNS	ACTIVE	NUMBER	22	N	Indicates if the Loop-up value is active in system
SWIC	S_PRED_RPT_COLUMNS	ID	NUMBER	22	N	Unique Identifier
SWIC	S_PRED_RPT_COLUMNS	TYPE	VARCHAR2	30	N	Type of Control this Filter is associated with
SWIC	S_PRED_RPT_COLUMNS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S_PRED_RPT_COLUMNS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S_PRED_RPT_COLUMNS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_PRED_RPT_COLUMNS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_PRED_RPT_CRITERIA	CRITERIA NAME	VARCHAR2	200	N	Criteria Description
SWIC	S_PRED_RPT_CRITERIA	CRITERIA VALUE	VARCHAR2	2000	N	Values used for the criteria
SWIC	S_PRED_RPT_CRITERIA	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S_PRED_RPT_CRITERIA	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S_PRED_RPT_CRITERIA	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_PRED_RPT_CRITERIA	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_PRED_RPT_DATA	COLUMN 1	VARCHAR2	200	Y	Data Column 1
SWIC	S_PRED_RPT_DATA	COLUMN 2	VARCHAR2	200	Y	Data Column 2
SWIC	S_PRED_RPT_DATA	COLUMN 3	VARCHAR2	200	Y	Data Column 3
SWIC	S_PRED_RPT_DATA	COLUMN 4	VARCHAR2	200	Y	Data Column 4
SWIC	S_PRED_RPT_DATA	COLUMN 5	VARCHAR2	200	Y	Data Column 5
SWIC	S_PRED_RPT_DATA	COLUMN 6	VARCHAR2	200	Y	Data Column 6
SWIC	S_PRED_RPT_DATA	COLUMN 7	VARCHAR2	200	Y	Data Column 7
SWIC	S_PRED_RPT_DATA	COLUMN 8	VARCHAR2	200	Y	Data Column 8
SWIC	S_PRED_RPT_DATA	COLUMN 9	VARCHAR2	200	Y	Data Column 9
SWIC	S_PRED_RPT_DATA	COLUMN 10	VARCHAR2	200	Y	Data Column 10
SWIC	S_PRED_RPT_DATA	COLUMN 11	VARCHAR2	200	Y	Data Column 11
SWIC	S_PRED_RPT_DATA	COLUMN 12	VARCHAR2	200	Y	Data Column 12
SWIC	S_PRED_RPT_DATA	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S_PRED_RPT_DATA	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S_PRED_RPT_DATA	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_PRED_RPT_DATA	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_PRED_RPT_FILTERS	ID	NUMBER	22	N	Unique Identifier
SWIC	S_PRED_RPT_FILTERS	SPT_REPORT_ID	NUMBER	22	N	Foreign key to report type
SWIC	S_PRED_RPT_FILTERS	DB TABLE	VARCHAR2	50	N	Table to pull the column from
SWIC	S_PRED_RPT_FILTERS	DB COLUMN	VARCHAR2	50	N	Column to display
SWIC	S_PRED_RPT_FILTERS	COLUMN DISP NAME	VARCHAR2	50	N	Header to be used for the column in the report
SWIC	S_PRED_RPT_FILTERS	ORDER BY	NUMBER	22	N	Order of which to display the columns in the report
SWIC	S_PRED_RPT_FILTERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S_PRED_RPT_FILTERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S_PRED_RPT_FILTERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_PRED_RPT_FILTERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_PRED_RPT_FILTERS	ACTIVE	NUMBER	22	N	Indicates if the Loop-up value is active in system
SWIC	S_PRED_RPT_FILTERS	SELECT COLUMN	VARCHAR2	100	Y	Column to use in the select clause
SWIC	S_PRED_RPT_FILTERS	COLUMN DISP NAME	VARCHAR2	50	Y	Name of the column to be used as a header in the report
SWIC	S_PRED_RPT_FILTERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S_PRED_RPT_FILTERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S_PRED_RPT_FILTERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_PRED_RPT_FILTERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_PRED_RPT_FILTERS	MAXLENGTH	NUMBER	22	Y	Applies a max length if a textbox is present in the control
SWIC	S_PRED_RPT_FILTERS	ID	NUMBER	22	N	Unique Identifier
SWIC	S_PRED_RPT_FILTERS	NAME	VARCHAR2	50	N	Display name of the filter
SWIC	S_PRED_RPT_FILTERS	DESCRIPTION	VARCHAR2	2000	Y	Description of the filter (not needed)
SWIC	S_PRED_RPT_FILTERS	SPT_REPORT_ID	NUMBER	22	N	Foreign key to the report type
SWIC	S_PRED_RPT_FILTERS	SPT_REPORT_ID	NUMBER	22	N	If a Lookup table is used Foreign key to S_PRT_LU_SUPPORT
SWIC	S_PRED_RPT_FILTERS	SPTRC_TYPE ID	NUMBER	22	N	Foreign key to the type of control
SWIC	S_PRED_RPT_FILTERS	JOIN TO	VARCHAR2	2000	Y	Join to clause if needed for this filter to work
SWIC	S_PRED_RPT_FILTERS	PAGE DISPLAY	NUMBER	22	N	Page to display the filter on
SWIC	S_PRED_RPT_FILTERS	ORDER_BY	NUMBER	22	N	Order of the filters to be displayed
SWIC	S_PRED_RPT_FILTERS	AND_OR	NUMBER	22	N	Boolean 0 = AND, 1 = OR
SWIC	S_PRED_RPT_FILTERS	DELIMITER	VARCHAR2	1	Y	Leave empty if no Delimiter
SWIC	S_PRED_RPT_FILTERS	DB TABLE COLUMN	VARCHAR2	100	Y	Could be Table and column or just column
SWIC	S_PRED_RPT_FILTER_VALUES	ID	NUMBER	22	N	Unique Identifier
SWIC	S_PRED_RPT_FILTER_VALUES	SPTRC_TYPE	NUMBER	22	N	Foreign Key Report Type
SWIC	S_PRED_RPT_FILTER_VALUES	QUERY COLUMN	VARCHAR2	100	Y	Overrides the column specified in S_PRT_FILTERS
SWIC	S_PRED_RPT_FILTER_VALUES	NAME	VARCHAR2	100	N	Name for this option
SWIC	S_PRED_RPT_FILTER_VALUES	QUERY VALUE	VARCHAR2	50	Y	Value to be used in the WHERE clause
SWIC	S_PRED_RPT_FILTER_VALUES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S_PRED_RPT_FILTER_VALUES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S_PRED_RPT_FILTER_VALUES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_PRED_RPT_FILTER_VALUES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_PRED_RPT_FILTER_VALUES	ACTIVE	NUMBER	22	N	Indicates if the Loop-up value is active in system
SWIC	S_PRED_RPT_TYPE	ID	NUMBER	22	N	Unique Identifier
SWIC	S_PRED_RPT_TYPE	NAME	VARCHAR2	100	N	Name of the report
SWIC	S_PRED_RPT_TYPE	BASE SQL	VARCHAR2	2000	N	The base SQL to be used must have (0) (1) and (2) defined
SWIC	S_PRED_RPT_TYPE	OUT CHARACTERISTICS	NUMBER	22	N	Flag if the Characteristics screen should be displayed for this report
SWIC	S_PRED_RPT_TYPE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S_PRED_RPT_TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S_PRED_RPT_TYPE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_PRED_RPT_TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_PRED_RPT_TYPE	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	S_PRED_RPT_TYPE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S_PRED_RPT_TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S_PRED_RPT_TYPE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S_PRED_RPT_TYPE	QUESTION NUMBER	NUMBER	22	Y	External question number, if displayed.
SWIC	S_PRED_RPT_TYPE	ISOLD	NUMBER	22	Y	Indicates if the question should appear in add form (0=No, 1=Yes).
SWIC	S_PRED_RPT_TYPE	VALIDATE QUESTION	NUMBER	22	Y	Indicates if a response to the question is required (0=No, 1=Yes).
SWIC	S_PRED_RPT_TYPE	HISTORY FLAG	NUMBER	22	Y	

SWIC	S	QUESTIONS	QUESTION ID	NUMBER	22	N	The unique question identifier
SWIC	S	QUESTIONS	QUESTION CATEGORY	VARCHAR2	3	N	Broad Category Code for the question (such as InInfant, CxChild, WPM(Woman Post-partum))
SWIC	S	QUESTIONS	DISPLAY PAGE NUMBER	NUMBER	22	Y	The page number on which the question will appear during health history/survey
SWIC	S	QUESTIONS	DISPLAY SEQ ON PAGE	NUMBER	22	Y	The sequence number which determines the order in which the questions appear on a page
SWIC	S	QUESTIONS	QUESTION TEXT	VARCHAR2	200	Y	The question text to be displayed (including numbering such as 1. If applicable)
SWIC	S	QUESTIONS	PRECEDING ANSWER ID	NUMBER	22	Y	The ID of a preceding answer on which this question is dependent, if applicable; otherwise NULL
SWIC	S	QUESTIONS	PRECEDING RESPONSE	NUMBER	22	Y	The response to the preceding question on which this question is dependent (D/L), if applicable; otherwise NULL
SWIC	S	QUESTIONS	X HORIZONTAL POSITION	NUMBER	22	Y	Optional horizontal offset value for display of question on the page
SWIC	S	QUESTIONS	Y VERTICAL POSITION	NUMBER	22	Y	Optional vertical offset value for display of question on the page
SWIC	S	QUESTIONS	ERROR TEXT	VARCHAR2	200	Y	Error text to be displayed if question fails validation
SWIC	S	QUESTION DISABLE	QUESTION ID	NUMBER	22	N	The first part of the unique identifier of the question (S_QUESTIONS, S_MID_QUESTION)
SWIC	S	QUESTION DISABLE	QUESTION CATEGORY	VARCHAR2	6	N	The second part of the unique identifier of the question category (S_QUESTIONS, S_MID_QUESTION)
SWIC	S	QUESTION DISABLE	CAT_QUESTION_CODE	VARCHAR2	4	N	The client category code for which the question should be disabled
SWIC	S	QUESTION DISABLE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created
SWIC	S	QUESTION DISABLE	CREATED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created
SWIC	S	QUESTION DISABLE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified
SWIC	S	QUESTION DISABLE	MODIFIED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was last modified
SWIC	S	QUESTION_RESPONSE	ACTIVE_RESPONSE	NUMBER	22	Y	Active response flag
SWIC	S	QUESTION_RESPONSE	QUESTION ID	NUMBER	22	N	Unique identifier for the nutrition history question (S_QUESTIONS)
SWIC	S	QUESTION_RESPONSE	RESPONSE SEQ ON PAGE	NUMBER	22	N	The sequence in which the response will be displayed on the page after the question
SWIC	S	QUESTION_RESPONSE	RESPONSE TYPE CODE	VARCHAR2	4	Y	Category Code for the question (such as InInfant, CxChild, WPM(Woman Post-partum))
SWIC	S	QUESTION_RESPONSE	RESPONSE TEXT	VARCHAR2	200	Y	The label text which will be displayed to identify the response or prompt for optional information
SWIC	S	QUESTION_RESPONSE	ANSWER ID	NUMBER	22	Y	Unique identifier which will be used to store the response
SWIC	S	QUESTION_RESPONSE	ADDITIONAL INFO DATATYPE	VARCHAR2	8	Y	Datatype for optional field - NULL (no field), DATE, NUMBER, CHAR
SWIC	S	QUESTION_RESPONSE	ADDITIONAL INFO REQUIRED	NUMBER	22	Y	Indicates if optional info is required - NULL (no required), 0 (required if response is NO/False), 1 (required if response is Yes/True)
SWIC	S	QUESTION_RESPONSE	ADDITIONAL INFO MIN	NUMBER	22	Y	Minimum value for additional info field, if applicable
SWIC	S	QUESTION_RESPONSE	ADDITIONAL INFO MAX	NUMBER	22	Y	Maximum value for additional info field, if applicable
SWIC	S	QUESTION_RESPONSE	POST SCRIPT TEXT	VARCHAR2	100	Y	Optional label to appear after the response/optional info prompt - such as (ounces)
SWIC	S	QUESTION_RESPONSE	X HORIZONTAL POSITION	NUMBER	22	Y	Category Code for the question (such as InInfant, CxChild, WPM(Woman Post-partum))
SWIC	S	QUESTION_RESPONSE	Y VERTICAL POSITION	NUMBER	22	Y	Category Code for the question (such as InInfant, CxChild, WPM(Woman Post-partum))
SWIC	S	QUESTION_RESPONSE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created
SWIC	S	QUESTION_RESPONSE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created
SWIC	S	QUESTION_RESPONSE	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified
SWIC	S	QUESTION_RESPONSE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified
SWIC	S	QUESTION_RESPONSE	PRE_X_POSITION	NUMBER	22	Y	Positioning for post script text.
SWIC	S	QUESTION_RESPONSE	POST_X_POSITION	NUMBER	22	Y	Positioning for post script text.
SWIC	S	QUESTION_RESPONSE	QUESTION NUMBER	NUMBER	22	Y	UNUSED FOR MIV.
SWIC	S	QUESTION_RESPONSE	ADDITIONAL INFO CONTROL WIDTH	NUMBER	22	Y	Maximum length allowed for the additional info field which will set the width of the control which accepts the value, if applicable
SWIC	S	QUESTION_RESPONSE	DEFAULT FLAG	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE	LOOKUP SOURCE	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE	ANSWER FLAG	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	QUESTION ID	NUMBER	22	N	
SWIC	S	QUESTION_RESPONSE_TEMP	RESPONSE_SEQ_ON_PAGE	NUMBER	22	N	
SWIC	S	QUESTION_RESPONSE_TEMP	RESPONSE TYPE CODE	VARCHAR2	4	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	RESPONSE TEXT	VARCHAR2	100	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	ANSWER ID	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	ADDITIONAL INFO DATATYPE	VARCHAR2	8	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	ADDITIONAL INFO REQUIRED	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	ADDITIONAL INFO MIN	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	ADDITIONAL INFO MAX	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	POST SCRIPT TEXT	VARCHAR2	100	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	X HORIZONTAL POSITION	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	Y VERTICAL POSITION	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	DATE CREATED	DATE	7	N	
SWIC	S	QUESTION_RESPONSE_TEMP	MODIFIED BY	VARCHAR2	32	N	
SWIC	S	QUESTION_RESPONSE_TEMP	DATE MODIFIED	DATE	7	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	PRE_X_POSITION	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	POST_X_POSITION	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	QUESTION NUMBER	NUMBER	22	Y	
SWIC	S	QUESTION_RESPONSE_TEMP	ADDITIONAL INFO CONTROL WIDTH	NUMBER	22	Y	
SWIC	S	QUEUES	QUEUE ID	NUMBER	22	N	Unique identifier for the queue.
SWIC	S	QUEUES	DESCRIPTION	VARCHAR2	100	Y	Description of the queue.
SWIC	S	QUEUES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	QUEUES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	QUEUES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	S	QUEUES	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was modified.
SWIC	S	QUEUES	SQL_QUEUE_ID	NUMBER	22	N	The unique identifier for the queue (S_QUEUES).
SWIC	S	QUEUES	PROCESS ID	NUMBER	22	N	The unique identifier for the process.
SWIC	S	QUEUES	DESCRIPTION	VARCHAR2	100	Y	Name of the process.
SWIC	S	QUEUES	COMPLETES QUEUE FLAG	NUMBER	22	Y	Flag to indicate if the process completes the queue.
SWIC	S	QUEUES	COMPLETES WORKFLOW FLAG	NUMBER	22	Y	Flag to indicate if the process completes the workflow.
SWIC	S	QUEUES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	QUEUES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	QUEUES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	S	QUEUES	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was modified.
SWIC	S	QUEUES	STARTS_QUEUE_FLAG	NUMBER	22	Y	Flag to indicate if the process start the queue.
SWIC	S	QUEUES	FAMILY BASED FLAG	NUMBER	22	Y	Flag to indicate if the process is family based.
SWIC	S	Q T	QUESTION ID	NUMBER	22	N	
SWIC	S	Q T	QUESTION CATEGORY	VARCHAR2	3	Y	
SWIC	S	Q T	DISPLAY PAGE NUMBER	NUMBER	22	Y	
SWIC	S	Q T	DISPLAY SEQ ON PAGE	NUMBER	22	Y	
SWIC	S	Q T	QUESTION TEXT	VARCHAR2	200	Y	
SWIC	S	Q T	PRECEDING ANSWER ID	NUMBER	22	Y	
SWIC	S	Q T	PRECEDING RESPONSE	NUMBER	22	Y	
SWIC	S	Q T	X HORIZONTAL POSITION	NUMBER	22	Y	
SWIC	S	Q T	Y VERTICAL POSITION	NUMBER	22	Y	
SWIC	S	Q T	ERROR TEXT	VARCHAR2	200	Y	
SWIC	S	Q T	CREATED BY	VARCHAR2	32	N	
SWIC	S	Q T	DATE CREATED	DATE	7	N	
SWIC	S	Q T	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S	Q T	DATE MODIFIED	DATE	7	Y	
SWIC	S	Q T	QUESTION NUMBER	NUMBER	22	Y	
SWIC	S	Q T	BOLD	NUMBER	22	Y	
SWIC	S	Q T	VALIDATE QUESTION	NUMBER	22	Y	
SWIC	S	REPORT_INFO	EXPORT EXCEL	NUMBER	22	Y	
SWIC	S	REPORT_INFO	PARAM UPPER	NUMBER	22	Y	
SWIC	S	REPORT_INFO	REPORT ID	NUMBER	22	N	System generated unique identifier for the report name
SWIC	S	REPORT_INFO	APPLICATION NAME	VARCHAR2	100	N	Name of the application the report is contained in.
SWIC	S	REPORT_INFO	DESCRIPTION	VARCHAR2	200	N	Name of the report menu item.
SWIC	S	REPORT_INFO	REPORT FILE NAME	VARCHAR2	200	Y	Name of the report file.
SWIC	S	REPORT_INFO	SRI_REPORT_ID	NUMBER	22	Y	Report id of the parent report menu item.
SWIC	S	REPORT_INFO	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	REPORT_INFO	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	REPORT_INFO	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	S	REPORT_INFO	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was modified.
SWIC	S	REPORT_INFO	ACTIVE PARTICIPANT	NUMBER	22	Y	Flag to indicate if the report is an active client report.
SWIC	S	REPORT_INFO	TAG STRING	VARCHAR2	100	Y	Meta data for the report.
SWIC	S	REPORT_INFO	SORT ORDER	NUMBER	22	Y	Sort order of the Reports.
SWIC	S	REPORT_PARAMS	SRI_REPORT_ID	NUMBER	22	N	System generated unique identifier for the report name (S_REPORT_INFO)
SWIC	S	REPORT_PARAMS	PARAM ID	NUMBER	22	N	Parameter ID. Unique to the SRI REPORT ID
SWIC	S	REPORT_PARAMS	PARAM LABEL	VARCHAR2	100	N	Parameter Label
SWIC	S	REPORT_PARAMS	CONTROL TYPE	VARCHAR2	20	N	Indicates Control to be rendered for the parameter (DATE, DROP DOWN, CHECKBOX, TEXTBOX)
SWIC	S	REPORT_PARAMS	DATA TYPE	VARCHAR2	20	N	Data type of the parameter (Varchar, Number)
SWIC	S	REPORT_PARAMS	DISPLAY ROW NUMBER	NUMBER	22	N	Order in which the parameters should be rendered
SWIC	S	REPORT_PARAMS	LOOKUP SOURCE	VARCHAR2	100	Y	Works with Control Type Drop down. Data that needs to be populated in the dropdown
SWIC	S	REPORT_PARAMS	RANGE MIN	VARCHAR2	20	Y	Minimum value that the parameter can have
SWIC	S	REPORT_PARAMS	RANGE_MAX	VARCHAR2	20	Y	Maximum value that the parameter can have
SWIC	S	REPORT_PARAMS	REQUIRED FLAG	NUMBER	22	Y	Indicates if the Parameter is mandatory
SWIC	S	REPORT_PARAMS	ORACLE PARAM NAME	VARCHAR2	20	N	Indicates the corresponding name in oracle report parameter name
SWIC	S	REPORT_PARAMS	DEPENDS ON PARAM ID	NUMBER	22	Y	Goes along with DEPENDS_ON PARAM ID. Indicates if a parameter is dependent on the response of another parameter
SWIC	S	REPORT_PARAMS	DEPENDS ON REPORT ID	NUMBER	22	Y	Indicates if the parameter is dependent on the response of another parameter
SWIC	S	REPORT_PARAMS	DEFAULT FLAG	NUMBER	22	Y	Populates Default value for the parameter
SWIC	S	REPORT_PARAMS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	REPORT_PARAMS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	REPORT_PARAMS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	S	REPORT_PARAMS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was modified.
SWIC	S	REPORT_PARAMS	GROUP ID	NUMBER	22	Y	Indicates group of parameters. If grouped, validation succeeds if atleast 1 parameter is answered.
SWIC	S	REPORT_PARAMS	PARAM VALUE	VARCHAR2	32	Y	Indicates if LA, Clinic or State has been selected.
SWIC	S	REPORT_PARAMS	SOURCE FOR PARAM	VARCHAR2	100	Y	Source for the Parameter in the report
SWIC	S	REPORT_PARAMS	FILTER BY PARAM	VARCHAR2	100	Y	Indicates based on which param, this parameter data is filtered in the dropdown.
SWIC	S	REPORT_PARAMS	PARTIAL FILTER	NUMBER	22	Y	Indicates the first few number of characters need to be read from the source for param value to filter the drop down. 0 indicates no partial filter, any value other than 0 indicates number of characters.
SWIC	S	REPORT_PARAMS	SORT FILTER	NUMBER	22	Y	Indicates if the filter needs to be performed at Stage 0 (0 or 1).
SWIC	S	REPORT_PARAMS	STATE FILTER	NUMBER	22	Y	-1 Means No Sort, 1 Sort By ID, 2 Sort By Description
SWIC	S	REPORT_PARAMS	SORT BY	NUMBER	22	N	
SWIC	S	RISK_FACTOR_RULE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	RISK_FACTOR_RULE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	RISK_FACTOR_RULE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	RISK_FACTOR_RULE	RISK_FACTOR_ID	NUMBER	22	N	The risk factor which will be auto-assign if conditions for the rule are true
SWIC	S	RISK_FACTOR_RULE	RULE_SEQ_ID	NUMBER	22	N	Sequence number for rule (within risk factor).
SWIC	S	RISK_FACTOR_RULE	HIGH RISK FLAG	NUMBER	22	N	Optional flag to override high risk flag in C_RISK_FACTORS.
SWIC	S	RISK_FACTOR_RULE	RISK_FACTOR_RULE DESCRIPTION	VARCHAR2	100	Y	Descriptive text highlighting main conditions for rule.
SWIC	S	RISK_FACTOR_RULE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	RISK_FACTOR_RULE	RISK_FACTOR_ID	NUMBER	22	N	The unique code for the reference/metric type such as HHA(Health History Answer), CLNT(Client Metric), etc (S_LU_REFERENCE_DESC).
SWIC	S	RISK_FACTOR_RULE	RULE_SEQ_ID	NUMBER	22	N	The unique identifier for the reference/auto-assign metric (within reference type) (S_LU_REFERENCE_DESC).
SWIC	S	RISK_FACTOR_RULE	REFERENCE TYPE CODE	VARCHAR2	4	N	The low range for metric (the rule will fire if the client value falls between the low/high).
SWIC	S	RISK_FACTOR_RULE	REFERENCE ID	NUMBER	22	N	The high range for metric (the rule will fire if the client value falls between the low/high).
SWIC	S	RISK_FACTOR_RULE	VALUE RANGE LOW	NUMBER	22	Y	The low range for metric (the rule will fire if the client value falls between the low/high).

SWIC	S	RISK FACTOR RULE DETAIL	VALUE RANGE HIGH	NUMBER	22	Y	The high range for metric (the rule will fire if the client value falls between the low/high).
SWIC	S	RISK FACTOR RULE DETAIL	ADDITIONAL INFO LOW	NUMBER	22	Y	If the question required additional information this is the low range for assessment.
SWIC	S	RISK FACTOR RULE DETAIL	ADDITIONAL INFO HIGH	NUMBER	22	Y	If the question required additional information this is the high range for assessment.
SWIC	S	RISK FACTOR RULE DETAIL	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	RISK FACTOR RULE DETAIL	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	RISK FACTOR RULE DETAIL	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	RISK FACTOR RULE DETAIL	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	RISK FACTOR RULE DETAIL	ACTIVE FLAG	NUMBER	22	Y	Indicates if the rule is active (0-No, 1-Yes).
SWIC	S	RPT REPORT TYPE	ID	NUMBER	22	N	Unique identifier
SWIC	S	RPT REPORT TYPE	NAME	VARCHAR2	100	N	Name of the report
SWIC	S	RPT REPORT TYPE	BASE SQL	VARCHAR2	2000	N	The base SQL to be used must have [0] [1] and [2] defined
SWIC	S	RPT REPORT TYPE	OUT CHARACTERISTICS	NUMBER	22	N	Flag if the Characteristics screen should be displayed for this report
SWIC	S	RPT REPORT TYPE	ORG LEVEL	NUMBER	22	N	Flag if Org Level should be displayed for this report
SWIC	S	RPT REPORT TYPE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	RPT REPORT TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	RPT REPORT TYPE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	RPT REPORT TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	S_SINGLE_USER_CERT_INFO	CC_CLIENT_ID	NUMBER	22	N	Client ID from C_CLIENTS
SWIC	S	S_SINGLE_USER_CERT_INFO	CERT_SEQ	NUMBER	22	N	Client ID from C_CLIENTS
SWIC	S	S_SINGLE_USER_CERT_INFO	USER NAME CRT	VARCHAR2	32	N	User who performed the certification.
SWIC	S	S_SINGLE_USER_CERT_INFO	USER NAME BEN	VARCHAR2	32	Y	User who performed the benefits.
SWIC	S	S_SINGLE_USER_CERT_INFO	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	S_SINGLE_USER_CERT_INFO	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	S_SINGLE_USER_CERT_INFO	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	S_SINGLE_USER_CERT_INFO	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	TRANSFER_FLAG	NUMBER	22	Y	
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	CERT_START_DATE	DATE	7	N	Cert Start date from C_CERTIFICATIONS
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	CC_CLIENT_ID	NUMBER	22	N	Client ID from C_CLIENTS
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	USER NAME CRT	VARCHAR2	32	N	User who performed the certification.
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	USER NAME BEN	VARCHAR2	32	Y	User who performed the benefits.
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	TRANSFER_FLAG	NUMBER	22	Y	
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	CERT_SEQ	NUMBER	22	Y	
SWIC	S	S_SINGLE_USER_CERT_INFO_ORIG	STATE_ID	VARCHAR2	2	N	The system generated unique identifier.
SWIC	S	S_STATES	DESCRIPTION	VARCHAR2	60	N	The full name of the state.
SWIC	S	S_STATES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	S_STATES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	S_STATES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	S_STATES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	S_STATES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	S	S_STATES	ACTIVE	NUMBER	22	N	1 Means it is Active. Indicates if the data is Active.
SWIC	S	S_SURVEY	SURVEY_ID	NUMBER	22	N	The system generated numeric identifier for the survey.
SWIC	S	S_SURVEY	DESCRIPTION	VARCHAR2	100	N	The description of the survey.
SWIC	S	S_SURVEY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	S_SURVEY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	S_SURVEY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	S_SURVEY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	S_SURVEY	ACTIVE	CHAR	1	N	Indicates the flag whether survey is active or not.
SWIC	S	S_SURVEY	START_DATE	DATE	7	Y	The survey start date.
SWIC	S	S_SURVEY	END_DATE	DATE	7	Y	The survey end date.
SWIC	S	S_SURVEY	COMMENTS	VARCHAR2	2000	Y	User notes for the survey record.
SWIC	S	S_TEXT_MSG_QUEUE	CFU_FAMILY_ID	NUMBER	22	N	Text Message ID specific to the Text Message
SWIC	S	S_TEXT_MSG_QUEUE	CLIENT_NAMES	VARCHAR2	100	Y	Comma separated names of clients.
SWIC	S	S_TEXT_MSG_QUEUE	SLTM_TXT_MSG_ID	NUMBER	22	N	Title of the Text Message.
SWIC	S	S_TEXT_MSG_QUEUE	PHONE_NUMBER	VARCHAR2	10	Y	Time to send the message (full moon, ASP)
SWIC	S	S_TEXT_MSG_QUEUE	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S	S_TEXT_MSG_QUEUE	CREATED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was created.
SWIC	S	S_TEXT_MSG_QUEUE	MODIFIED BY	VARCHAR2	50	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	S_TEXT_MSG_QUEUE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	S_TEXT_MSG_QUEUE	CC_CLIENT_ID	NUMBER	22	Y	
SWIC	S	S_TEXT_MSG_QUEUE	CU_SEQ_ID	NUMBER	22	Y	
SWIC	S	S_TEXT_MSG_QUEUE	APPT_TYPE	VARCHAR2	50	Y	Appointment Type
SWIC	S	S_TEXT_MSG_QUEUE	APPT_DATE	DATE	7	Y	Appointment Date
SWIC	S	S_TEXT_MSG_QUEUE	TEXT_MESSAGE	VARCHAR2	4000	Y	
SWIC	S	S_TEXT_MSG_QUEUE	DATE_SENT	DATE	7	Y	
SWIC	S	S_TEXT_MSG_QUEUE	GW_MESSAGE_ID	NUMBER	22	Y	
SWIC	S	S_TEXT_MSG_QUEUE	GW_DELIVERY_STATUS	VARCHAR2	250	Y	
SWIC	S	S_TIMESTUDY_FSR_DATA	OU_SEQ_ID	NUMBER	22	N	Organization the FSR data belongs to.
SWIC	S	S_TIMESTUDY_FSR_DATA	TOTAL ADMINISTRATIVE COST	NUMBER	22	Y	Administrative cost.
SWIC	S	S_TIMESTUDY_FSR_DATA	TOTAL EXPENDITURE	NUMBER	22	Y	Total expenditure.
SWIC	S	S_TIMESTUDY_FSR_DATA	TOTAL WAGES	NUMBER	22	Y	Total Wages.
SWIC	S	S_TIMESTUDY_FSR_DATA	TOTAL NE OTHER COSTS	NUMBER	22	Y	Other costs for Nutrition Education.
SWIC	S	S_TIMESTUDY_FSR_DATA	TOTAL BY OTHER COSTS	NUMBER	22	Y	Other costs for Support.
SWIC	S	S_TIMESTUDY_FSR_DATA	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S	S_TIMESTUDY_FSR_DATA	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	S	S_TIMESTUDY_FSR_DATA	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	S	S_TIMESTUDY_FSR_DATA	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	S_TIMESTUDY_FSR_DATA	FISCAL_YEAR	NUMBER	22	Y	Fiscal year for the FSR data.
SWIC	S	S_TIME STUDIES	TIME STUDY ID	NUMBER	22	N	Time study id specific to the Local Agency
SWIC	S	S_TIME STUDIES	OU_SEQ_ID	NUMBER	22	N	The organizational unit's unique code.
SWIC	S	S_TIME STUDIES	START_DATE	DATE	7	N	time study start date
SWIC	S	S_TIME STUDIES	END_DATE	DATE	7	Y	time study end date
SWIC	S	S_TIME STUDIES	DESCRIPTION	VARCHAR2	100	N	DESCRIPTION F THE TIME STUDY
SWIC	S	S_TIME STUDIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	S_TIME STUDIES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	S_TIME STUDIES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	S_TIME STUDIES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	S_TIME STUDIES	COMPLETE_FLAG	NUMBER	22	Y	Determines whether the Time Study is complete or not.
SWIC	S	S_TIME STUDIES	CLOSE_TIME_STUDY_DATE	DATE	7	Y	Determines the completion date of Time Study
SWIC	S	S_TIME STUDIES	EXEMPT_SAT_FLAG	NUMBER	22	Y	Exempt the Timestudy for the Saturday
SWIC	S	S_TIME STUDIES	EXEMPT_SUN_FLAG	NUMBER	22	Y	Exempt the Timestudy for the Sunday
SWIC	S	S_TIME STUDIES	NOTIFY_MSG_SENT	NUMBER	22	Y	
SWIC	S	S_TIME STUDIES	COMPLETE_MSG_SENT	DATE	7	Y	
SWIC	S	S_TIME STUDIES	TS_TYPE	VARCHAR2	1	Y	Specify the type of time study. If 1, then individual time study. Otherwise regular TS.
SWIC	S	S_TIME STUDIES	CLOSE_TIME_STUDY_FLAG	NUMBER	22	Y	Determines the closing date of time study.
SWIC	S	S_TIME STUDIES FOR INDIVIDUAL	TIME_STUDY_ID	NUMBER	22	N	Time study id specific to the local Agency
SWIC	S	S_TIME STUDIES FOR INDIVIDUAL	STAFF_MEMBER_ID	NUMBER	22	N	Staff member assigned to this time study
SWIC	S	S_TIME STUDIES FOR INDIVIDUAL	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	S_TIME STUDIES FOR INDIVIDUAL	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	S_TIME STUDIES FOR INDIVIDUAL	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	S_TIME STUDIES FOR INDIVIDUAL	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	S_TIME STUDY CATEGORY	TS_CATEGORY_ID	NUMBER	22	N	Primary Key
SWIC	S	S_TIME STUDY CATEGORY	DESCRIPTION	VARCHAR2	50	N	Description of the Time study category
SWIC	S	S_TIME STUDY CATEGORY	EXEMPT_FLAG	NUMBER	22	N	Exempt FLAG of the Time study category
SWIC	S	S_TIME STUDY CATEGORY	NOTE	VARCHAR2	2000	Y	Note of the Time study category
SWIC	S	S_TIME STUDY CATEGORY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	S_TIME STUDY CATEGORY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	S_TIME STUDY CATEGORY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	S	S_TIME STUDY CATEGORY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	S_TIME STUDY CATEGORY	ACTIVE	NUMBER	22	N	Indicates if the Loop value is active in system
SWIC	S	S_TRUE ONLY RESPONSE	RESPONSE_TYPE_CODE	VARCHAR2	4	N	Broad category code for the question (such as k(Identify), Ch(Check), WPP(Woman Post-partum))
SWIC	S	S_TRUE ONLY RESPONSE	RESPONSE_TEXT	VARCHAR2	100	Y	The label text which will be displayed to identify the response or prompt for optional information
SWIC	S	S_TRUE ONLY RESPONSE	ANSWER_ID	NUMBER	22	N	Unique identifier which will be used to identify the response
SWIC	S	S_TRUE ONLY RESPONSE	APPLICABLE_CATEGORY	VARCHAR2	3	Y	Applicable Category for the question (such as WQ(Cat only out of all C's))
SWIC	S	S_TRUE ONLY RESPONSE	ONLY_CATEGORY	VARCHAR2	20	Y	Additional Category Code for the question (such as C1(C only out of all C's))
SWIC	S	S_TRUE ONLY RESPONSE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	S_TRUE ONLY RESPONSE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	S_TRUE ONLY RESPONSE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	S_TRUE ONLY RESPONSE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_STATE	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	SUBSTATE	CHAR	1	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_SUBSTATE	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	CLINIC	CHAR	9	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_CLINIC	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	ZIP_CODE	CHAR	5	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_ZIP_CODE	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	ENUSUBTRACT	CHAR	7	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_ENUSUBTRACT	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	SOURCE OF DATA	CHAR	1	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_SOURCE_OF_DATA	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	RECORD_TYPE	CHAR	1	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_RECORD_TYPE	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	VSOT_TYPE	CHAR	1	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_VSOT_TYPE	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	DATE OF VISIT	CHAR	8	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_DATE_OF_VISIT	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	CHILD APHANUMERIC ID	CHAR	60	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	DATE_MODIFIED	DATE	7	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	DATE_CREATED	DATE	7	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	CREATED BY	VARCHAR2	100	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	SRF_FILE_NUM	NUMBER	22	N	
SWIC	S	S_UNIQUE MASTER PEENS CDC	RECORD_NUM	NUMBER	22	N	
SWIC	S	S_UNIQUE MASTER PEENS CDC	RECORD_PROCESSED	NUMBER	22	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	PS_YEAR	NUMBER	22	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	LOCAL_AGENCY	NUMBER	22	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	COUNTY	NUMBER	22	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	RACE_ETHNICITY_SHORT_CODE	VARCHAR2	6	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	BF_AGEINMONTHS	NUMBER	22	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	BF_AGEINYEARS	NUMBER	22	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_CHILD APHANUMERIC ID	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	DATE OF BIRTH	CHAR	8	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_DATE OF BIRTH	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	AGEINMONTHS	CHAR	5	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_AGEINMONTHS	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	SEX	CHAR	1	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_SEX	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	RACE_ETHNICITY	CHAR	6	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_RACE_ETHNICITY	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	WIC_RACE_ETHNICITY	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_WIC_RACE_ETHNICITY	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	CONTRIBUTOR_SPECIFIC_RACE	CHAR	2	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	E_CONTRIBUTOR_SPECIFIC_RACE	CHAR	3	Y	
SWIC	S	S_UNIQUE MASTER PEENS CDC	HOUSHOLD_SIZE	CHAR	2	Y	
SWIC	S						





SWIC	S	USER SIGNED	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	USER SIGNED	MODIFIED BY	NVARCHAR2	64	Y	Common field for user notes or comments.
SWIC	S	USER TOKEN	USER ID	VARCHAR2	32	N	User ID.
SWIC	S	USER TOKEN	APPLICATION NAME	VARCHAR2	32	N	Text description of application to which the user connection
SWIC	S	USER TOKEN	TOKEN	NUMBER	22	N	Numeric security token uniquely generated per login.
SWIC	S	USER TOKEN	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	USER TOKEN	CREATED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
SWIC	S	USER TOKEN	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	USER TOKEN	MODIFIED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	WIC USERS	RESET PWD	NUMBER	22	Y	Indicates if the pwd need to be changed by user, as it was set by Admin in Active Directory.
SWIC	S	WIC USERS	SEC_TPR	NUMBER	22	Y	
SWIC	S	WIC USERS	USER ID	VARCHAR2	32	N	The userid of the WIC user.
SWIC	S	WIC USERS	SM STAFF MEMBER ID	NUMBER	22	N	The unique identifier for the staff position.
SWIC	S	WIC USERS	USERNAM	VARCHAR2	150	N	The WIC User's last name (used if not a staff member).
SWIC	S	WIC USERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	WIC USERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	WIC USERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	WIC_USERS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	WIC_USERS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	S	WIC_USERS	SECTION SOB FLAG	NUMBER	22	Y	Indicates if user is visually impaired (0).
SWIC	S	WIC_USERS	PASSWORD AGE	NUMBER	22	Y	The number of days since the password was last changed.
SWIC	S	WIC_USERS	COU_SEQ ID	NUMBER	22	Y	Used as their initial Agency request for contact information
SWIC	S	WOW ROLES BACKUP	APPLICATION NAME	VARCHAR2	32	N	
SWIC	S	WOW ROLES BACKUP	ROLE ID	NUMBER	22	N	
SWIC	S	WOW ROLES BACKUP	DESCRIPTION	VARCHAR2	32	N	
SWIC	S	WOW ROLES BACKUP	DATE CREATED	DATE	7	N	
SWIC	S	WOW ROLES BACKUP	CREATED BY	VARCHAR2	32	N	
SWIC	S	WOW ROLES BACKUP	DATE MODIFIED	DATE	7	Y	
SWIC	S	WOW ROLES BACKUP	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S	WOW ROLES BACKUP	LA_ROLE	NUMBER	22	Y	
SWIC	S	WOW ROLES DESC	ROLE_DESC ID	NUMBER	22	N	Unique identifier for the description
SWIC	S	WOW ROLES DESC	APPLICATION NAME	VARCHAR2	32	N	Application name for which the role applies (such as CLINIC or ADMIN).
SWIC	S	WOW ROLES DESC	SWR_ROLE ID	NUMBER	22	N	Base 2 Security token which also identifies the role.
SWIC	S	WOW ROLES DESC	DESCRIPTION	NVARCHAR2	4000	N	Description of the Role
SWIC	S	WOW ROLES DESC	DATE CREATED	DATE	7	N	Audit field - date time stamp when the row was created
SWIC	S	WOW ROLES DESC	CREATED BY	VARCHAR2	32	N	Audit field - user connected to the process which created the row
SWIC	S	WOW ROLES DESC	DATE MODIFIED	DATE	7	Y	Audit field - date time stamp when the row was updated
SWIC	S	WOW ROLES DESC	MODIFIED BY	VARCHAR2	32	Y	Audit field - user connected to the process which updated the row
SWIC	S	WOW USER ROLES HIST	APPLICATION NAME	VARCHAR2	32	N	Indicates the name of the module.
SWIC	S	WOW USER ROLES HIST	ROLE NAME	VARCHAR2	32	N	Description of the role.
SWIC	S	WOW USER ROLES HIST	COU_STAFF_MEMBER ID	NUMBER	22	N	Unique key for the staff member.
SWIC	S	WOW USER ROLES HIST	STATUS	NUMBER	22	N	Indicates if role has been added or removed. (1 = Insert, 0 = Delete)
SWIC	S	WOW_USER_ROLES_HIST	LA_ROLE	NUMBER	22	N	Indicates if the role is for LA or for State (1 = LA, 0 = State)
SWIC	S	WOW USER ROLES HIST	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	WOW USER ROLES HIST	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	WOW USER ROLES HIST	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	WOW USER ROLES HIST	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	WOW USER ROLES REQUESTED	REQUEST STATUS	VARCHAR2	32	Y	The current status of this request
SWIC	S	WOW USER ROLES REQUESTED	PHONE	VARCHAR2	15	Y	Phone number of the user needing state role
SWIC	S	WOW USER ROLES REQUESTED	EMAIL	VARCHAR2	100	Y	Email address of the user needing state role
SWIC	S	WOW USER ROLES REQUESTED	NOTES	VARCHAR2	3000	Y	
SWIC	S	WOW USER ROLES REQUESTED	ROLE_REQUESTED ID	NUMBER	22	Y	
SWIC	S	WOW USER ROLES REQUESTED	REQUESTER NAME	VARCHAR2	100	Y	Name of person requesting State Role
SWIC	S	WOW USER ROLES REQUESTED	OO_SEQ ID	NUMBER	22	Y	SEQ. ID of the local agency that this record was created for.
SWIC	S	WOW USER ROLES REQUESTED	APPLICATION NAME	VARCHAR2	32	N	Foreign key to S_ROLES identifying the application to which the role applies.
SWIC	S	WOW USER ROLES REQUESTED	ROLE ID	NUMBER	22	N	Foreign key to S_ROLES identifying role applicable for user
SWIC	S	WOW USER ROLES REQUESTED	USER ID	VARCHAR2	32	N	Foreign key to S_WIC_USERS identifying the user for which the role applies.
SWIC	S	WOW USER ROLES REQUESTED	DATE CREATED	DATE	7	N	Audit field - date time stamp when the row was created
SWIC	S	WOW_USER_ROLES_REQUESTED	CREATED_BY	VARCHAR2	32	N	Audit field - user connected to the process which created the row
SWIC	S	WOW USER ROLES REQUESTED	DATE MODIFIED	DATE	7	Y	Audit field - date time stamp when the row was updated
SWIC	S	WOW USER ROLES REQUESTED	MODIFIED BY	VARCHAR2	32	Y	Audit field - user connected to the process which updated the row
SWIC	S	WOW USER ROLES REQUESTED	ROLE EFFECTIVE DATE	DATE	7	Y	This is the date that this user role becomes effective
SWIC	S	WOW USER ROLES REQUESTED	ROLE EXPIRATION DATE	DATE	7	Y	This is the date that this user role expires
SWIC	S	WOW USER ROLES REQUESTED	ROLE_TERMINATION DATE	DATE	7	Y	This is the date that a user when/if a users roles is ended early for whatever reason
SWIC	S	ZIPS	ZIPS	VARCHAR2	5	N	The 5 digit zip code.
SWIC	S	ZIPS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	ZIPS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	ZIPS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	ZIPS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	S	TEMP	CLIENT ID	NUMBER	22	N	The unique identifier for the participant or client (C CLIENTS).
SWIC	S	TEMP	STATUS	VARCHAR2	1000	Y	
SWIC	S	TEMP	PROCESSED PI RECS	NUMBER	22	Y	
SWIC	S	TEMP	UPDATED RECS	NUMBER	22	Y	
SWIC	S	TEMP	CASELOAD STAT	VARCHAR2	50	Y	
SWIC	S	TEMP EDUCATION VENDOR	VV_VENDOR ID	NUMBER	22	Y	
SWIC	S	TEMP EDUCATION VENDOR	VENDOR NUMBER	VARCHAR2	7	Y	
SWIC	S	TEMP EDUCATION VENDOR	OWNER_ID	VARCHAR2	200	Y	
SWIC	S	TEMP EDUCATION VENDOR	VENDOR NAME	VARCHAR2	200	Y	
SWIC	S	TEMP EDUCATION VENDOR	STREET ADDRESS1	VARCHAR2	60	Y	
SWIC	S	TEMP EDUCATION VENDOR	STREET CITY	VARCHAR2	60	Y	
SWIC	S	TEMP EDUCATION VENDOR	ACTUAL ATTENDEE	NUMBER	22	Y	
SWIC	S	TEMP EDUCATION VENDOR	NOTE	VARCHAR2	2000	Y	
SWIC	S	TEMP EDUCATION VENDOR	COMPLETION DATE	DATE	7	Y	
SWIC	S	TEMP EDUCATION VENDOR	VE_SCHEDULE_ID	NUMBER	22	Y	
SWIC	S	TEMP EDUCATION VENDOR	OWNER REPRESENTATIVE FLAG	NUMBER	22	Y	
SWIC	S	TEMP EDUCATION VENDOR	EDUCATION REPRESENTATIVE FLAG	NUMBER	22	Y	
SWIC	S	TEMP EDUCATION VENDOR	MAXIMUM SIZE	NUMBER	22	Y	
SWIC	S	TEMP EDUCATION VENDOR	SCHEDULED DATE	DATE	7	Y	
SWIC	S	TEMP EDUCATION VENDOR	SCHEDULED TIME	DATE	7	Y	
SWIC	S	TEMP EDUCATION VENDOR	CLASS DESC	VARCHAR2	2000	Y	
SWIC	S	TEMP EDUCATION VENDOR	CLASS LOCATION	VARCHAR2	2000	Y	
SWIC	S	TEMP EDUCATION VENDOR	CLASS TRAINER	VARCHAR2	2000	Y	
SWIC	S	TEMP EDUCATION VENDOR	APPLICANT ID	VARCHAR2	5	Y	
SWIC	S	TEMP EDUCATION VENDOR	VV_STATUS_CODE	NUMBER	22	Y	
SWIC	S	TEMP EDUCATION VENDOR	DATE CREATED	DATE	7	Y	
SWIC	S	TEMP EDUCATION VENDOR	CREATED BY	VARCHAR2	32	Y	
SWIC	S	TEMP EDUCATION VENDOR	MODIFIED BY	VARCHAR2	32	Y	
SWIC	S	TEMP EDUCATION VENDOR	DATE MODIFIED	DATE	7	Y	
SWIC	S	TEMP FCTD REBUILD	CC_CLIENT ID	NUMBER	22	N	
SWIC	S	TEMP FCTD REBUILD	FBU_FFF FFF	NUMBER	22	Y	
SWIC	S	TEMP FCTD REBUILD	FBU_FFY MONTH	NUMBER	22	Y	
SWIC	S	TEMP FCTD REBUILD	OU_SEQ ID	NUMBER	22	Y	
SWIC	S	TEMP FCTD REBUILD	CAT_CATEGORY_CODE	VARCHAR2	4000	Y	
SWIC	S	TEMP FCTD REBUILD	CFZ_ID	NUMBER	22	N	
SWIC	S	TEMP FCTD REBUILD	LANG_LANGUAGE CODE	NUMBER	22	N	
SWIC	S	TEMP FCTD REBUILD	LEG_ETHNIC GROUP CODE	NUMBER	22	Y	
SWIC	S	TEMP FCTD REBUILD	DATE CREATED	DATE	7	Y	
SWIC	S	TEMP FCTD REBUILD	CREATED BY	VARCHAR2	100	Y	
SWIC	S	TEMP FCTD REBUILD	CERTIFIED FLAG	CHAR	1	Y	
SWIC	S	TEMP FCTD REBUILD	PARTICIPANT FLAG	CHAR	1	Y	
SWIC	S	TEMP FCTD REBUILD	MIGRANT FLAG	VARCHAR2	1	Y	
SWIC	S	TEMP FCTD REBUILD	INDICATOR	NUMBER	22	N	
SWIC	S	TEMP FCTD REBUILD	FAMILY SIZE	NUMBER	22	N	
SWIC	S	TEMP FCTD REBUILD	DATE MODIFIED	DATE	7	Y	
SWIC	S	TEMP FCTD REBUILD	MODIFIED BY	VARCHAR2	100	Y	
SWIC	S	TEMP FCTD REBUILD	FC_CASELOAD TYPE CODE	NUMBER	22	Y	
SWIC	S	TEMP FCTD REBUILD	BIRTH DATE	DATE	7	N	
SWIC	S	TEMP FCTD REBUILD	OU_AGENCY CODE	NUMBER	22	Y	
SWIC	S	TEMP PGA DATA	PEER_GROUP_ID	NUMBER	22	Y	
SWIC	S	TEMP PGA DATA	SETTLED DATE	DATE	7	Y	
SWIC	S	TEMP PGA DATA	QUANTITY	NUMBER	22	Y	
SWIC	S	TEMP PGA DATA	REQUESTED PRICE	NUMBER	22	Y	
SWIC	S	TEMP RESPONSE	CERT_START DATE	DATE	7	Y	
SWIC	S	TEMP RESPONSE	ANSWER DATE	DATE	7	Y	
SWIC	S	TEMP RESPONSE	HID_ANSWER ID	NUMBER	22	Y	
SWIC	S	TEMP RESPONSE	RESPONSE TEXT	VARCHAR2	2000	Y	
SWIC	S	TEMP RESPONSE	ANSWER ADDITIONAL	VARCHAR2	2000	Y	
SWIC	S	TEMP RPT_NE_METHODS	TABLE_NAME	VARCHAR2	2000	Y	Table name for CEU data
SWIC	S	TEMP RPT_NE_METHODS	DATE CREATED	DATE	7	Y	Common audit field documenting date time stamp when the row was created.
SWIC	S	TEMP RPT_NE_METHODS	DATE MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	S	TEMP RPT_NE_METHODS	CREATED BY	VARCHAR2	50	Y	Common audit field documenting user id connected when the row was created
SWIC	S	TEMP RPT_NE_METHODS	MODIFIED BY	VARCHAR2	50	Y	Common audit field documenting user id connected when the row was last modified
SWIC	S	TEMP RPT_NE_METHODS	ROW ID	VARCHAR2	30	Y	Exceptions row identification.
SWIC	S	TEMP ZIP CODE COUNTIES	ZIP	NUMBER	22	Y	
SWIC	S	TEMP ZIP CODE COUNTIES	COUNTY	VARCHAR2	50	Y	
SWIC	S	TEST COUNTY	ORG	VARCHAR2	3	N	
SWIC	S	TEST COUNTY	NEW	VARCHAR2	3	Y	
SWIC	S	TEST TMP ASSES RISK	REFERENCE TYPE CODE	VARCHAR2	4	Y	
SWIC	S	TEST TMP ASSES RISK	REFERENCE ID	NUMBER	22	Y	
SWIC	S	TEST TMP ASSES RISK	VALUE	NUMBER	22	Y	
SWIC	S	TEST TMP ASSES RISK	ADDITIONAL_INFO	NUMBER	22	Y	
SWIC	S	TEST TMP ASSES RISK	DATE CREATED	DATE	7	Y	
SWIC	S	TEST TMP ASSES RISK	REFERENCE TYPE CODE	VARCHAR2	4	Y	
SWIC	S	TEST TMP ASSES RISK	REFERENCE ID	NUMBER	22	Y	
SWIC	S	TEST TMP ASSES RISK	VALUE	NUMBER	22	Y	
SWIC	S	TEST TMP ASSES RISK	ADDITIONAL_INFO	NUMBER	22	Y	
SWIC	S	TEST TMP ASSES RISK	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	S	TEST TMP ASSES RISK	CLIENT CALENDAR DAY	DATE	7	Y	The date of the appointment.
SWIC	S	TEST TMP ASSES RISK	CLINIC DAY ID	NUMBER	22	Y	The unique numeric identifier for the clinic calendar day.
SWIC	S	TEST TMP ASSES RISK	START TIME	DATE	7	Y	The date/time the appointment starts.
SWIC	S	TEST TMP ASSES RISK	END TIME	DATE	7	Y	The date/time the appointment ends.
SWIC	S	TEST TMP ASSES RISK	STAFF MEMBER ID	NUMBER	22	Y	The unique identifier for the staff member or pseudo staff member (O STAFF MEMBERS).
SWIC	S	TEST TMP ASSES RISK	STAFF_LAST_NAME	VARCHAR2	100	Y	Last name of the staff member.
SWIC	S	TEST TMP ASSES RISK	TOPIC NAME	VARCHAR2	100	Y	The unique identifier for the nutrition education topic, if applicable (C LU NUTR ED TOPICS).
SWIC	S	TEST TMP ASSES RISK	ROW TYPE	VARCHAR2	2	Y	The type of appointment record.
SWIC	S	TEST TMP ASSES RISK	ACT_SERV_CODE	VARCHAR2	100	Y	The identifier for the type of service to be performed at the appointment (A SERVICES).
SWIC	S	TEST TMP ASSES RISK	ATTEND STATUS	VARCHAR2	1	Y	The unique identifier for the attend status (A ATTEND_STATUSES).
SWIC	S	TEST TMP ASSES RISK	APPT_SEQ	NUMBER	22	Y	The system generated unique identifier for the appointment.
SWIC	S	TEST TMP ASSES RISK	GRU_GROUP ID	NUMBER	22	Y	The unique identifier for the group or class, if applicable (A GRUUPS).
SWIC	S	TEST TMP ASSES RISK	CLINIC_ID	NUMBER	22	Y	The unique identifier for the clinic (C_ORGANIZATIONAL_UNITS).
SWIC	S	TEST TMP ASSES RISK	MAX_SIZE	NUMBER	22	Y	The maximum number of members allowed for this class, if applicable.
SWIC	S	TEST TMP ASSES RISK	MERGE_PROCESS FLAG	NUMBER	22	Y	Flag to indicate if the appointment record needs to be merged.
SWIC	S	TEST TMP ASSES RISK	NOTE OF THE DATE	VARCHAR2	2048	Y	
SWIC	S	TEST TMP ASSES RISK	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	S	TEST TMP ASSES RISK	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	S	TEST TMP ASSES RISK	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	S	TEST TMP ASSES RISK	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	S	TEST TMP ASSES RISK	BENEFIT_ISSUE NUMBER	VARCHAR2	50	Y	The unique identifier for the benefit issuance.
SWIC	S	TEST TMP ASSES RISK	CEU_FAMILY_ID	VARCHAR2	9	N	The unique identifier for the family (C_FAMILY_ECONOMIC_UNITS).
SWIC	S	TEST TMP ASSES RISK	OU_SEQ ID	NUMBER	22	N	The unique identifier for the clinic issuing the benefits (O_ORGANIZATIONAL_UNITS).
SWIC	S	TEST TMP ASSES RISK	BENEFIT END DATE	DATE	7	N	The expiration date of the benefits.
SWIC	S	TEST TMP ASSES RISK	FO FOOD ID	NUMBER	22	N	The unique identifier for the food (I FOODS).
SWIC	S	TEST TMP ASSES RISK	QUANTITY	NUMBER	22	N	The quantity of the food item allowed by the food package.

SWIC	TMP EBT BENEFITS ISSUED	VULC CAT CODE	VARCHAR2	2	N	The UPC category of the food (V LU UPC CATEGORY).
SWIC	TMP EBT BENEFITS ISSUED	VULC SUB CAT CODE	VARCHAR2	3	N	The UPC sub-category of the food (V LU UPC SUBCAT).
SWIC	TMP EBT BENEFITS ISSUED	ISSUE MONTH	NUMBER	22	N	The issue month for which the benefits are applicable.
SWIC	TMP EBT BENEFITS ISSUED	BENEFIT START DATE	DATE	7	N	The first date on which the benefits can be redeemed.
SWIC	TMP EBT BENEFITS ISSUED	ISSUE YEAR	NUMBER	22	N	The issue year for which the benefits are applicable.
SWIC	TMP EBT BENEFITS ISSUED	SS_NO	NUMBER	22	N	Serial number
SWIC	TMP EBT BENEFITS ISSUED	SENT TO EBT	NUMBER	22	Y	Sent to EPIC flag will be used for void
SWIC	TMP EBT BENEFITS ISSU CLIENT	# FOOD ID	NUMBER	22	Y	The WIC Food ID issued to the client
SWIC	TMP EBT BENEFITS ISSU CLIENT	QUANTITY	NUMBER	22	N	Ten quantity of food issued to the client
SWIC	TMP EBT BENEFITS ISSU CLIENT	VULC CAT CODE	VARCHAR2	2	Y	The category code of the food issued to the client
SWIC	TMP EBT BENEFITS ISSU CLIENT	VULC SUB CAT CODE	VARCHAR2	3	Y	The sub cat of the food issued to the client
SWIC	TMP EBT BENEFITS ISSU CLIENT	WICID	NUMBER	22	Y	Flag set to true if the entire benefit issue number is voided by user.
SWIC	TMP EBT BENEFITS ISSU CLIENT	CL1 CERT START DATE	DATE	7	Y	Cert Start Date for the food prescription record that the issuance is based on.
SWIC	TMP EBT BENEFITS ISSU CLIENT	BENEFIT START DATE	DATE	7	Y	
SWIC	TMP EBT BENEFITS ISSU CLIENT	SENT TO EBT	NUMBER	22	Y	
SWIC	TMP EBT BENEFITS ISSU CLIENT	BENEFIT ISSUE NUMBER	VARCHAR2	50	Y	The unique identifier for the benefits issuance (I EBT BENEFITS_ISSUED).
SWIC	TMP EBT BENEFITS ISSU CLIENT	CELU_FAMILY_ID	VARCHAR2	9	N	The unique identifier for the family (C_FAMILY_ECONOMIC_UNITS).
SWIC	TMP EBT BENEFITS ISSU CLIENT	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_CLIENTS).
SWIC	TMP EBT BENEFITS ISSU CLIENT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	TMP EBT BENEFITS ISSU CLIENT	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	TMP EBT BENEFITS ISSU CLIENT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	TMP EBT BENEFITS ISSU CLIENT	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	TMP EBT BENEFITS ISSU CLIENT	ISSUE MONTH	NUMBER	22	N	The issue month for which the benefits are applicable.
SWIC	TMP EBT BENEFITS ISSU CLIENT	ISSUE YEAR	NUMBER	22	N	The issue year for which the benefits are applicable.
SWIC	TMP EBT BENEFITS ISSU CLIENT	#FF FOOD PACKAGE ID	VARCHAR2	8	Y	The unique identifier of the food package (I FOOD_PACKAGES).
SWIC	TMP EBT BENEFITS ISSU CLIENT	CPFF EFFECTIVE DATE	DATE	7	Y	The effective date for benefits related to the food package.
SWIC	TMP EBT ISS CLIENT BENEFITS	#FF FOOD PACKAGE ID	VARCHAR2	8	Y	
SWIC	TMP EBT ISS CLIENT BENEFITS	CPFF EFFECTIVE DATE	DATE	7	Y	
SWIC	TMP EBT ISS CLIENT BENEFITS	# FOOD ID	NUMBER	22	Y	
SWIC	TMP EBT ISS CLIENT BENEFITS	QUANTITY	NUMBER	22	N	
SWIC	TMP EBT ISS CLIENT BENEFITS	VULC CAT CODE	VARCHAR2	2	N	
SWIC	TMP EBT ISS CLIENT BENEFITS	VULC SUB CAT CODE	VARCHAR2	3	N	
SWIC	TMP EBT ISS CLIENT BENEFITS	CL1 CERT_START_DATE	DATE	7	N	
SWIC	TMP EBT ISS CLIENT BENEFITS	ISSUE DATE	DATE	7	N	
SWIC	TMP EBT ISS CLIENT BENEFITS	CC_CLIENT_ID	NUMBER	22	N	
SWIC	TMP EBT ISS FAMILY ISSUANCE	CELU_FAMILY_ID	VARCHAR2	9	N	
SWIC	TMP EBT ISS FAMILY ISSUANCE	ISSUANCE DATE	DATE	7	N	
SWIC	TMP EBT ISS FAMILY ISSUANCE	BENEFIT START DATE	DATE	7	N	
SWIC	TMP EBT ISS FAMILY ISSUANCE	BENEFIT END DATE	DATE	7	N	
SWIC	TMP EBT ISS FAMILY ISSUANCE	SENT TO EBT	NUMBER	22	N	
SWIC	TMP EBT ISS FAMILY ISSUANCE	BENEFIT ISSUE NUMBER	VARCHAR2	50	Y	
SWIC	TMP_FOOD_PKG_1_RESULT	PRODUCTNAME	VARCHAR2	200	Y	Name of the food item
SWIC	TMP_FOOD_PKG_1_RESULT	CATEGORY	VARCHAR2	100	Y	Food category and subcategory
SWIC	TMP_FOOD_PKG_1_RESULT	FOODID	NUMBER	22	Y	Food id of the product
SWIC	TMP_FOOD_PKG_1_RESULT	PREGANT	NUMBER	22	Y	Count of number of pregnants
SWIC	TMP_FOOD_PKG_1_RESULT	BE	NUMBER	22	Y	Count of number of fully breastfeeding
SWIC	TMP_FOOD_PKG_1_RESULT	BP	NUMBER	22	Y	Count of number of partially breastfeeding
SWIC	TMP_FOOD_PKG_1_RESULT	WPP	NUMBER	22	Y	Count of number of non breastfeeding
SWIC	TMP_FOOD_PKG_1_RESULT	BE	NUMBER	22	Y	Count of number of infant fully breastfed
SWIC	TMP_FOOD_PKG_1_RESULT	BP	NUMBER	22	Y	Count of number of infant partially breastfed
SWIC	TMP_FOOD_PKG_1_RESULT	FP	NUMBER	22	Y	Count of number of infant non breastfeeding
SWIC	TMP_FOOD_PKG_1_RESULT	C1	NUMBER	22	Y	Count of number of C1
SWIC	TMP_FOOD_PKG_1_RESULT	C2	NUMBER	22	Y	Count of number of C2
SWIC	TMP_FOOD_PKG_1_RESULT	C3	NUMBER	22	Y	Count of number of C3
SWIC	TMP_FOOD_PKG_1_RESULT	C4	NUMBER	22	Y	Count of number of C4
SWIC	TMP_FOOD_PKG_1_RESULT	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	TMP_FOOD_PKG_1_RESULT	DATE MODIFIED	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	TMP_FOOD_PKG_1_RESULT	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	TMP_FOOD_PKG_1_RESULT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	TMP_FOOD_PKG_1_RESULT	MONTH	NUMBER	22	Y	Month in which the benefits were issued
SWIC	TMP_FOOD_PKG_1_RESULT	YEAR	NUMBER	22	Y	Year in which the benefits were issued
SWIC	TMP_GBL EBT CLIENT ISSUANCE	CLIENT_ID	NUMBER	22	N	
SWIC	TMP_GBL EBT CLIENT ISSUANCE	ISSUANCE INTERVAL	NUMBER	22	N	
SWIC	TMP_GBL EBT CLIENT ISSUANCE	PROKATED FLAG	VARCHAR2	1	N	
SWIC	TMP_HEALTH_RISK_FACTORS	CC1_CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the client (C_orig CERTIFICATIONS)
SWIC	TMP_HEALTH_RISK_FACTORS	CERT_SEQ	NUMBER	22	N	The unique identification number of the certification period (C_orig CERTIFICATIONS).
SWIC	TMP_HEALTH_RISK_FACTORS	RKF_CAT_CATEGORY_CODE	VARCHAR2	3	N	The unique code for certification category (C_RISK_FACTORS).
SWIC	TMP_HEALTH_RISK_FACTORS	CRF_RISK_FACTOR_ID	NUMBER	22	N	The unique identifier of the nutrition risk factor (C_RISK_FACTORS).
SWIC	TMP_HEALTH_RISK_FACTORS	CRF_RISK_FACTOR_TYPE	NUMBER	22	N	UNUSED FOR M WIC.
SWIC	TMP_HEALTH_RISK_FACTORS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	TMP_HEALTH_RISK_FACTORS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	TMP_HEALTH_RISK_FACTORS	CRF_REGRESSION_RISK_FLAG	NUMBER	22	Y	One-digit number field.
SWIC	TMP_HEALTH_RISK_FACTORS	CREATED BY	NUMBER	22	Y	Common audit field for date time stamp when the row was last modified.
SWIC	TMP_HEALTH_RISK_FACTORS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	TMP_HEALTH_RISK_FACTORS	RISK_SOURCE	VARCHAR2	10	Y	The source of the risk (MANUAL/SYSTEM).
SWIC	TMP_HEALTH_RISK_FACTORS	RULE_SEQ_ID	NUMBER	22	Y	The identifier for the auto-assign risk reason (C_RISK_REASONS).
SWIC	TMP_HEALTH_RISK_FACTORS	NOTE	VARCHAR2	2000	Y	Descriptive note related to the risk factor assessment.
SWIC	TMP_HEALTH_RISK_FACTORS	CP2_ID	NUMBER	22	Y	The priority level of this risk when assigned to participants in this category.
SWIC	TMP_HEALTH_RISK_FACTORS	TMP_RECORD_CREATED_BY	VARCHAR2	32	N	Column for tracking who created this record.
SWIC	TMP_IBIC	ISSUE YEAR	NUMBER	22	N	
SWIC	TMP_IBIC	ISSUE MONTH	NUMBER	22	N	
SWIC	TMP_IBIC	CC_CLIENT_ID	NUMBER	22	N	
SWIC	TMP_IBIC	PHST_FLAG	VARCHAR2	1	Y	
SWIC	TMP_IBIC	BENEFIT START DATE	DATE	7	Y	
SWIC	TMP_IBIC	BENEFIT END DATE	DATE	7	Y	
SWIC	TMP_IBIC	MIN DATE CREATED	DATE	7	Y	
SWIC	TMP_IBIC	MIN CERT START DATE	DATE	7	Y	
SWIC	TMP_IBIC	OU_SEQ_ID	NUMBER	22	Y	
SWIC	TMP_IS SAME AS STD	FOOD PACKAGE ID	VARCHAR2	8	Y	The unique identifier for the food package.
SWIC	TMP_IS SAME AS STD	FOOD ID	NUMBER	22	Y	The unique identifier for the food.
SWIC	TMP_IS SAME AS STD	QUANTITY	NUMBER	22	Y	The quantity of the food item allowed by the food package.
SWIC	TMP_IS SAME AS STD	START DATE	DATE	7	Y	
SWIC	TMP_IS SAME AS STD	END DATE	DATE	7	Y	
SWIC	TMP_IS SAME AS STD	ADDITIONAL_QUANTITY	NUMBER	22	Y	
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	# FOOD ID	NUMBER	22	N	
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	QUANTITY	NUMBER	22	N	
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	REABABLE	NUMBER	22	Y	
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	RECORD_SEQ	NUMBER	22	Y	
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	RECORD_MODIFIED	NUMBER	22	Y	
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	STD_PACKAGE_ID	VARCHAR2	22	Y	
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	MATCHING_PACKAGE_ID	VARCHAR2	8	Y	
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	ADDITIONAL_QUANTITY	NUMBER	22	Y	
SWIC	TMP_I_CUSTOM_PACKAGE WORKSPACE	CUSTOMIZE_SEQ	NUMBER	22	N	Sequence that is created every time a package is customized.
SWIC	TMP_I_EBT BENEFITS ISSU	FAMILY ID	VARCHAR2	9	N	
SWIC	TMP_I_EBT BENEFITS ISSU	# FOOD ID	NUMBER	22	N	
SWIC	TMP_I_EBT BENEFITS ISSU	FOOD_DESC	VARCHAR2	60	N	
SWIC	TMP_I_EBT BENEFITS ISSU	QUANTITY	NUMBER	22	N	
SWIC	TMP_I_EBT BENEFITS ISSU	VULC CAT CODE	VARCHAR2	2	N	
SWIC	TMP_I_EBT BENEFITS ISSU	VULC SUB CAT CODE	VARCHAR2	3	N	
SWIC	TMP_I_EBT BENEFITS ISSU	#FF FOOD PACKAGE ID	VARCHAR2	8	N	
SWIC	TMP_I_EBT BENEFITS ISSU	CPFF EFFECTIVE DATE	DATE	7	N	
SWIC	TMP_I_EBT BENEFITS ISSU	CL1_CERT_START_DATE	DATE	7	N	
SWIC	TMP_I_EBT BENEFITS ISSU	KUPS PACKAGE SIZE CODE	VARCHAR2	5	N	
SWIC	TMP_I_EBT BENEFITS ISSU	SIOM UNIT OF MEASURE CODE	NUMBER	5	Y	
SWIC	TMP_I_EBT BENEFITS TO ISSUE	NUMBER	NUMBER	22	N	
SWIC	TMP_I_EBT BENEFITS TO ISSUE	FAMILY ID	VARCHAR2	9	N	
SWIC	TMP_I_EBT BENEFITS TO ISSUE	BENEFIT ISSUE NUMBER	VARCHAR2	50	N	
SWIC	TMP_I_EBT BENEFITS TO ISSUE	VULC SUB CAT CODE	VARCHAR2	3	N	
SWIC	TMP_I_EBT BENEFITS TO ISSUE	REMAINING QUANTITY	NUMBER	22	N	
SWIC	TMP_I_EBT BENEFITS TO ISSUE	CELU_FAMILY_ID	VARCHAR2	9	N	
SWIC	TMP_I_EBT BENEFITS TO ISSUE	CREATED_BY	VARCHAR2	32	N	
SWIC	TMP_I_EBT BENEFITS TO ISSUE	BENEFIT START DATE	DATE	7	N	
SWIC	TMP_I_EBT BENEFITS TO ISSUE	END DATE	DATE	7	N	
SWIC	TMP_I_EBT BENEFITS TO ISSUE	VULC CAT CODE	VARCHAR2	2	N	
SWIC	TMP_I_PACKAGE ERRORS	ERROR ORDER	NUMBER	22	Y	
SWIC	TMP_I_PACKAGE ERRORS	ERROR CATEGORY	VARCHAR2	100	Y	
SWIC	TMP_I_PACKAGE ERRORS	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	TMP_I_PACKAGE ERRORS	AR2_BEGIN_MONTH	NUMBER	22	Y	
SWIC	TMP_I_PACKAGE ERRORS	AR2_END_MONTH	NUMBER	22	Y	
SWIC	TMP_I_PACKAGE ERRORS	FOOD ITEM	VARCHAR2	100	Y	
SWIC	TMP_I_PACKAGE ERRORS	QUANTITY	NUMBER	22	Y	
SWIC	TMP_I_PACKAGE ERRORS	MAX QUANTITY	NUMBER	22	Y	
SWIC	TMP_I_PACKAGE ERRORS	KG EFFECTIVE DATE	DATE	7	Y	
SWIC	TMP_I_PACKAGE ERRORS	DATE CREATED	DATE	7	N	
SWIC	TMP_I_PACKAGE ERRORS	CREATED BY	VARCHAR2	32	N	
SWIC	TMP_I_PACKAGE ERRORS	DATE MODIFIED	DATE	7	Y	
SWIC	TMP_I_PACKAGE ERRORS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	TMP_I_PACKAGE WORKSPACE	# SEQ	NUMBER	22	N	System generated unique identifier
SWIC	TMP_I_PACKAGE WORKSPACE	#FF FOOD PACKAGE ID	VARCHAR2	8	N	Food package id (I FOOD_PACKAGES)
SWIC	TMP_I_PACKAGE WORKSPACE	#FF FOOD ID	NUMBER	22	N	Food ID (I FOODS)
SWIC	TMP_I_PACKAGE WORKSPACE	PERCENTAGE	NUMBER	22	Y	UNUSED FOR M WIC.
SWIC	TMP_I_PACKAGE WORKSPACE	QUANTITY	NUMBER	22	Y	The quantity of the food item
SWIC	TMP_I_PACKAGE WORKSPACE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	TMP_I_PACKAGE WORKSPACE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	TMP_I_PACKAGE WORKSPACE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	TMP_I_PACKAGE WORKSPACE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last created.
SWIC	TMP_I_PACKAGE WORKSPACE	REABABLE	NUMBER	22	Y	Flag to indicate if the item is reusable.
SWIC	TMP_I_PACKAGE WORKSPACE	PRORATION_ID	NUMBER	22	Y	
SWIC	TMP_I_PACKAGE WORKSPACE	TOTAL ROWS	NUMBER	22	Y	
SWIC	TMP_I_PACKAGE WORKSPACE	CUSTOMIZE_SEQ	NUMBER	22	Y	Sequence that is created every time a package is customized
SWIC	TMP_I_PACKAGE WORKSPACE	# FOOD ID OR	NUMBER	22	Y	
SWIC	TMP_I_PACKAGE WORKSPACE	CUSTOM_PACKAGE_FLAG	NUMBER	22	Y	Flag to indicate if the food item has been customized
SWIC	TMP_I_PACKAGE WORKSPACE	ADDITIONAL_QUANTITY	NUMBER	22	Y	
SWIC	TMP_MISC_RISK	CLIENT_ID	NUMBER	22	N	
SWIC	TMP_MISC_RISK	RISK_ID	NUMBER	22	N	
SWIC	TMP_MISC_RISK	RISK_DESC	VARCHAR2	60	N	
SWIC	TMP_MISC_RISK	OLD VALUE	VARCHAR2	12	Y	
SWIC	TMP_MISC_RISK	NEW VALUE	VARCHAR2	12	Y	
SWIC	TMP_MISC_RISK	STATUS	NUMBER	22	Y	
SWIC	TMP_PG_NPP_MED ANSWERS	CC1_CC_CLIENT_ID	NUMBER	22	N	
SWIC	TMP_PG_NPP_MED ANSWERS	CC1_CERT_START DATE	DATE	7	N	
SWIC	TMP_PG_NPP_MED ANSWERS	ANSWER_DATE	DATE	7	N	
SWIC	TMP_PG_NPP_MED ANSWERS	ANSWER_ID	NUMBER	22	N	
SWIC	TMP_PG_NPP_MED ANSWERS	ANSWER_FLAG	NUMBER	22	Y	
SWIC	TMP_PG_NPP_MED ANSWERS	ADDITIONAL_INFO	VARCHAR2	100	Y	
SWIC	TMP_PG_NPP_MED ANSWERS	DATE CREATED	DATE	7	N	

SWIC	TMP PG NPP MED ANSWERS	CREATED BY	VARCHAR2	32	N	
SWIC	TMP PG NPP MED ANSWERS	DATE MODIFIED	DATE	7	Y	
SWIC	TMP PG NPP MED ANSWERS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	TOAD PLAN TABLE	CARDINALITY	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	BYTES	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	OTHER TAG	VARCHAR2	255	Y	
SWIC	TOAD PLAN TABLE	PARTITION START	VARCHAR2	255	Y	
SWIC	TOAD PLAN TABLE	PARTITION STOP	VARCHAR2	255	Y	
SWIC	TOAD PLAN TABLE	PARTITION ID	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	OTHER	LONG	0	Y	
SWIC	TOAD PLAN TABLE	DISTRIBUTION	VARCHAR2	30	Y	
SWIC	TOAD PLAN TABLE	CPU COST	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	ID COST	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	TEMP SPACE	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	ACCESS PREDICATES	VARCHAR2	4000	Y	
SWIC	TOAD PLAN TABLE	FILTER PREDICATES	VARCHAR2	4000	Y	
SWIC	TOAD PLAN TABLE	PROJECTION	VARCHAR2	4000	Y	
SWIC	TOAD_PLAN_TABLE	TIME	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	OBLOCK NAME	VARCHAR2	30	Y	
SWIC	TOAD PLAN TABLE	OTHER XREF NAME	CLOB	4000	Y	
SWIC	TOAD PLAN TABLE	STATEMENT ID	VARCHAR2	30	Y	
SWIC	TOAD PLAN TABLE	PLAN ID	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	TIMESTAMP	DATE	7	Y	
SWIC	TOAD PLAN TABLE	REMARKS	VARCHAR2	4000	Y	
SWIC	TOAD PLAN TABLE	OPERATION	VARCHAR2	30	Y	
SWIC	TOAD PLAN TABLE	OPTIONS	VARCHAR2	255	Y	
SWIC	TOAD PLAN TABLE	OBJECT NODE	VARCHAR2	128	Y	
SWIC	TOAD PLAN TABLE	OBJECT OWNER	VARCHAR2	30	Y	
SWIC	TOAD PLAN TABLE	OBJECT NAME	VARCHAR2	30	Y	
SWIC	TOAD PLAN TABLE	OBJECT ALIAS	VARCHAR2	65	Y	
SWIC	TOAD PLAN TABLE	OBJECT INSTANCE	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	OBJECT TYPE	VARCHAR2	30	Y	
SWIC	TOAD PLAN TABLE	OPTIMIZER	VARCHAR2	255	Y	
SWIC	TOAD_PLAN_TABLE	SEARCH_COLUMNS	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	ID	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	PARENT ID	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	DEPTH	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	POSITION	NUMBER	22	Y	
SWIC	TOAD PLAN TABLE	COST	NUMBER	22	Y	
SWIC	T IEBC	ISSUE YEAR	NUMBER	22	N	
SWIC	T IEBC	ISSUE MONTH	NUMBER	22	N	
SWIC	T IEBC	CC CLIENT ID	NUMBER	22	N	
SWIC	T IEBC	PART_FLAG	VARCHAR2	1	Y	
SWIC	T IEBC	BENEFIT START DATE	DATE	7	Y	
SWIC	T IEBC	BENEFIT END DATE	DATE	7	Y	
SWIC	T IEBC	MIN DATE CREATED	DATE	7	Y	
SWIC	T IEBC	MIN CERT START DATE	DATE	7	Y	
SWIC	T IEBC	OU SEQ ID	NUMBER	22	Y	
SWIC	VLLUPCATEGORIES	CAT_CODE	VARCHAR2	2	N	
SWIC	VLLUPCATEGORIES	DESCRIPTION	VARCHAR2	200	Y	
SWIC	VMON_APP_USERS	USER ID	VARCHAR2	32	N	
SWIC	VMON_APP_USERS	ACTIVE FLAG	NUMBER	22	N	
SWIC	VMON_APP_USERS	SM STATE MEMBER ID	NUMBER	22	Y	
SWIC	VMON_APP_USERS	VMON_ACCESS_FLAG	NUMBER	22	Y	
SWIC	VMON_APP_USERS	TOKEN	VARCHAR2	200	Y	
SWIC	VMON_APP_USERS	DATE_CREATED	DATE	7	N	
SWIC	VMON_APP_USERS	CREATED BY	VARCHAR2	32	N	
SWIC	VMON_APP_USERS	DATE_MODIFIED	DATE	7	Y	
SWIC	VMON_APP_USERS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	VW ACTIVE FORMULA	FOOD ID	NUMBER	22	N	
SWIC	VW ACTIVE FORMULA	DESCRIPTION	VARCHAR2	50	N	
SWIC	VW ALL CLINICS	SEQ ID	NUMBER	22	N	
SWIC	VW ALL CLINICS	NAME	VARCHAR2	60	N	
SWIC	VW ALL DUAL ENROLLEES	CC_CLIENT_ID	NUMBER	22	N	
SWIC	VW ALL DUAL ENROLLEES	CLIENT ID	NUMBER	22	N	
SWIC	VW ALL DUAL ENROLLEES	DATE_RESOLVED	DATE	7	Y	
SWIC	VW ALL DUAL ENROLLEES	CLIENT_LAST_NAME	VARCHAR2	60	N	Client lastname
SWIC	VW ALL DUAL ENROLLEES	CLIENT_FIRST_NAME	VARCHAR2	100	N	Client firstname
SWIC	VW ALL DUAL ENROLLEES	CLIENT_MI	VARCHAR2	1	Y	Client middle initial
SWIC	VW ALL DUAL ENROLLEES	GENERATOR	VARCHAR2	1	N	
SWIC	VW ALL DUAL ENROLLEES	CAT_CATEGORY_CODE	VARCHAR2	3	N	
SWIC	VW ALL DUAL ENROLLEES	BIRTH DATE	DATE	7	N	
SWIC	VW ALL DUAL ENROLLEES	DATE_CREATED	DATE	7	N	
SWIC	VW ALL DUAL ENROLLEES	CLINIC ID	NUMBER	22	N	
SWIC	VW ALL DUAL ENROLLEES	CERT START DATE	DATE	7	Y	
SWIC	VW ALL DUAL ENROLLEES	CERT END DATE	DATE	7	Y	
SWIC	VW ALL DUAL ENROLLEES	TERMINATION_DATE	DATE	7	Y	
SWIC	VW ALL DUAL ENROLLEES	TERM_REASON	VARCHAR2	164	Y	
SWIC	VW ALL DUAL ENROLLEES	FOSTER CARE FLAG	NUMBER	22	N	
SWIC	VW ALL DUAL ENROLLEES	HOH_LAST_NAME	VARCHAR2	50	N	Head of household lastname
SWIC	VW ALL DUAL ENROLLEES	HOH_FIRST_NAME	VARCHAR2	30	N	Head of household firstname
SWIC	VW ALL DUAL ENROLLEES	STREET_ADDRESS1	VARCHAR2	60	N	
SWIC	VW ALL DUAL ENROLLEES	STREET_ADDRESS2	VARCHAR2	60	Y	
SWIC	VW ALL DUAL ENROLLEES	CITY_STATE	VARCHAR2	64	Y	City and state of enrollee
SWIC	VW ALL DUAL ENROLLEES	ZIP	VARCHAR2	5	N	Zip code of enrollee
SWIC	VW ALL DUAL ENROLLEES	COUNTY	VARCHAR2	60	N	
SWIC	VW ALL LAS	CLINIC	VARCHAR2	68	Y	
SWIC	VW ALL LAS	SEQ ID	NUMBER	22	N	
SWIC	VW ALL LAS	DESCRIPTION	VARCHAR2	70	Y	
SWIC	VW ALL LAS AND STATE	SEQ ID	NUMBER	22	N	
SWIC	VW ALL LAS AND STATE	DESCRIPTION	VARCHAR2	70	Y	
SWIC	VW ALL MODELS	MODEL_MANUFACTURE_TYPE	VARCHAR2	122	Y	
SWIC	VW ALL MODELS	DESCRIPTION	VARCHAR2	101	Y	
SWIC	VW APPOINTMENT TIMES	OU_SEQ_ID	NUMBER	22	N	
SWIC	VW APPOINTMENT TIMES	DOATE	DATE	7	Y	Date of the appointment
SWIC	VW APPOINTMENT TIMES	OPEN	DATE	7	Y	Earliest appointment date by clinic
SWIC	VW APPOINTMENT TIMES	CLOSED	DATE	7	Y	
SWIC	VW APPT DETAIL	CATEGORY_ALIAS	VARCHAR2	3	Y	The alpha code for certification category for the client's latest certification record.
SWIC	VW APPT DETAIL	SCHED_CAT_CODE	VARCHAR2	5	Y	The unique category code (FK to C_CATEGORIES)
SWIC	VW APPT DETAIL	DISABILITY_FLAG	NUMBER	22	N	Client disability flag
SWIC	VW APPT DETAIL	CCS_ID	NUMBER	22	N	The unique identifier of an appointment.
SWIC	VW APPT DETAIL	APP_SEQ_ID	NUMBER	22	Y	The system generated unique identifier for the appointment (FK to A_APPOINTMENTS)
SWIC	VW APPT DETAIL	CC_CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (FK to C_CLIENTS)
SWIC	VW APPT DETAIL	CFEU_FAMILY_ID	VARCHAR2	9	Y	Certification identification for CFEU (FK to C_FAMILY_ECONOMIC_UNITS and I_EET_BENEFITS_ISSUED)
SWIC	VW APPT DETAIL	SRV_ACT_SERV_CODE	VARCHAR2	6	Y	The unique identifier for the appointment service (FK to A_SERVICES) (PK to S)
SWIC	VW APPT DETAIL	WALK_IN_SERV_CODE	VARCHAR2	1	N	Reason for walk-in visit such as PCER/PAGE CL
SWIC	VW APPT DETAIL	ATS_ATTEND_STATUS_CODE	VARCHAR2	6	Y	Attend Status Code
SWIC	VW APPT DETAIL	FULL_NAME	VARCHAR2	152	Y	Client's lastname/firstname
SWIC	VW APPT DETAIL	NR_RECEIVED_FLAG	NUMBER	22	Y	One-digit number field.
SWIC	VW APPT DETAIL	START_TIME	DATE	7	Y	The time of day that the template event starts (PK to S)
SWIC	VW APPT DETAIL	OU_SEQ_ID	NUMBER	22	Y	The system generated unique identifier for organizational unit (FK to D_ORGANIZATIONAL_UNITS)
SWIC	VW APPT DETAIL	LANGUAGE_CODE	VARCHAR2	60	Y	The unique identifier for language (FK to C_LANGUAGES)
SWIC	VW APPT DETAIL	TRANSLATOR_REQUIRED_FLAG	NUMBER	22	Y	Translator needed indicator flag
SWIC	VW APPT DETAIL	DISABILITY_CODE	NUMBER	1	Y	The unique code for disability
SWIC	VW APPT DETAIL	CAT_CATEGORY_CODE	VARCHAR2	3	Y	The unique category code
SWIC	VW APPT DETAIL	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	VW APPT DETAIL	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	VW APPT DETAIL	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified
SWIC	VW APPT DETAIL	CLINIC_NAME	VARCHAR2	60	N	Clinic Name
SWIC	VW APPT STAFF MEMBERS	STAFF_MEMBER_ID	NUMBER	22	N	
SWIC	VW APPT STAFF MEMBERS	DESCRIPTION	VARCHAR2	152	Y	
SWIC	VW APPT STAFF MEMBERS	OU_SEQ_ID	NUMBER	22	N	
SWIC	VW APPT TYPE	ID	VARCHAR2	6	N	
SWIC	VW APPT TYPE	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW ASSIGNED NUTR ID TOPIC	NUTR_ID_TOPIC_CODE	NUMBER	22	N	
SWIC	VW ASSIGNED NUTR ID TOPIC	DESCRIPTION	VARCHAR2	200	Y	
SWIC	VW_ASSIGNED_NUTR_ID_TOPIC	DATE_CREATED	DATE	7	N	
SWIC	VW ASSIGNED NUTR ID TOPIC	DATE_MODIFIED	DATE	7	Y	
SWIC	VW ASSIGNED NUTR ID TOPIC	MODIFIED BY	VARCHAR2	32	Y	
SWIC	VW ASSIGNED NUTR ID TOPIC	ENABLED	NUMBER	22	Y	
SWIC	VW ASSIGNED NUTR ID TOPIC	OU_SEQ_ID	NUMBER	22	N	
SWIC	VW BC ROLE STAFF	STAFF_MEMBER_ID	NUMBER	22	N	
SWIC	VW BC ROLE STAFF	NAME	VARCHAR2	187	Y	
SWIC	VW_BF_ASSESSMENT	CLIENT_ID	NUMBER	22	N	
SWIC	VW_BF_ASSESSMENT	FIRST_NAME	VARCHAR2	100	Y	
SWIC	VW_BF_ASSESSMENT	MI	VARCHAR2	1	Y	
SWIC	VW_BF_ASSESSMENT	LAST_NAME	VARCHAR2	50	N	
SWIC	VW_BF_ASSESSMENT	BIRTH DATE	DATE	7	N	
SWIC	VW_BF_ASSESSMENT	MOTHERS_ID	VARCHAR2	40	Y	The unique identifier for the mother (c.clientid or ccc_clientid of child record)
SWIC	VW_BF_ASSESSMENT	MOTHERS_NAME	VARCHAR2	153	Y	Mother's firstname,middle initial,lastname
SWIC	VW_BF_ASSESSMENT	BIRTH WEIGHT	NUMBER	22	Y	
SWIC	VW_BF_ASSESSMENT	LAST WEIGHT DATE	DATE	7	Y	The date the medical data was taken for infant
SWIC	VW_BF_ASSESSMENT	LAST WEIGHT	NUMBER	22	Y	Weight in ounces of infant
SWIC	VW_BF_ASSOCIATE ID	CHILD ID	VARCHAR2	317	Y	The unique identifier for the child
SWIC	VW_BF_ASSOCIATE ID	DESCRIPTION	VARCHAR2	152	Y	
SWIC	VW_BF_ASSOCIATE ID	CLIENT_NO	NUMBER	22	Y	The unique identifier for the mother
SWIC	VW_BF_SUPPORT	CLIENT ID	NUMBER	22	N	
SWIC	VW_BF_SUPPORT	CFEU_FAMILY_ID	VARCHAR2	9	N	
SWIC	VW_BF_SUPPORT	MOTHER ID	VARCHAR2	40	Y	Unique identifier for client
SWIC	VW_BF_SUPPORT	BIRTH DATE	DATE	7	N	
SWIC	VW_BF_SUPPORT	FULL NAME	VARCHAR2	154	Y	Firstname,middle initial, lastname
SWIC	VW_BF_SUPPORT	BIRTH_WEIGHT	NUMBER	22	Y	
SWIC	VW_BF_SUPPORT	CERT_END_DATE	DATE	7	Y	
SWIC	VW_BP_CLIENT LIST	HISTORY ID	NUMBER	22	N	The system generated unique identifier for breast pump history
SWIC	VW_BP_CLIENT LIST	RETURN_HISTORY_ID	NUMBER	22	Y	History ID from c_bp_history
SWIC	VW_BP_CLIENT LIST	CLBP_FOLLOWUP_ID	NUMBER	22	Y	Breastfeeding followup ID (new field)
SWIC	VW_BP_CLIENT LIST	CBP_BP_ID	NUMBER	22	Y	Unique ID of the Breast Pump (FK to C_BREAST_PUMPS)
SWIC	VW_BP_CLIENT LIST	CC_CLIENT_ID	NUMBER	22	Y	The unique identifier for the participant or client (FK to C_CLIENTS)
SWIC	VW_BP_CLIENT LIST	ETBR_REASON_ID	NUMBER	22	Y	The unique breast pump issuance reason id (FK to C_BP_TYPE_ISSUANCE_REASONS)
SWIC	VW_BP_CLIENT LIST	CLBP_MODEL_ID	NUMBER	22	N	Unique numeric identifier of the breast pump model (FK to L_U_BP_MODELS)
SWIC	VW_BP_CLIENT LIST	DATE_ENTERED	DATE	7	Y	The date breastfeeding id was entered
SWIC	VW_BP_CLIENT LIST	MIDDLEIDC	VARCHAR2	100	N	Descriptive text of the breast pump model.
SWIC	VW_BP_CLIENT LIST	ITEMORIDRDESC	VARCHAR2	400	Y	Descriptive text for grid of the breast pump model/ item (only (value)).
SWIC	VW_BP_CLIENT LIST	MANUFACTURERDESC	VARCHAR2	100	N	Descriptive text of the name of the breast pump manufacturer.
SWIC	VW_BP_CLIENT LIST	BPTYPEDESC	VARCHAR2	100	N	Descriptive text of Breast Pump Type. (multi-use, single-use)
SWIC	VW_BP_CLIENT LIST	ETBR_CLBT_TYPE_ID	NUMBER	22	N	The unique number identifier of the breast pump type (FK to C_BP_TYPE_ISSUANCE_REASONS)
SWIC	VW_BP_CLIENT LIST	SERIAL_NO	NUMBER	100	Y	Serial number of the Breast Pump
SWIC	VW_BP_CLIENT LIST	DATE_EXP_RETURNED	DATE	7	Y	The returned date of the breastfeeding aid
SWIC	VW_BP_CLIENT LIST	BELOINGING_CLINIC	NUMBER	22	N	Unique identifier for clinic (seq id)
SWIC	VW_BP_CLIENT LIST	NAME	VARCHAR2	60	N	The name of the organizational unit.
SWIC	VW_BP_CLIENT LIST	ACTUAL_RETURN_DATE	DATE	7	Y	Date breast pump returned
SWIC	VW_BP_CLIENT LIST	RETURN_DATE_CREATED	DATE	7	Y	Date record created in c_bp_history for returning breast pump

SWIC	VW	BP	CLIENT LIST	NOTE	VARCHAR2	4000	Y	Common field for user notes or comments.	
SWIC	VW	BP	CLIENT LIST	ISSUED BY	VARCHAR2	100	Y	Person issuing breast pump	
SWIC	VW	BP	CLIENT LIST	ISSUESC	VARCHAR2	32	Y		
SWIC	VW	BP	CLIENT LIST	BPTYPEID	NUMBER	22	N	ID of Breast Pump Type. (multi-use, single-use)	
SWIC	VW	BP	INSTOCK	BP ID	NUMBER	22	N		
SWIC	VW	BP	INSTOCK	DESCRIPTION	VARCHAR2	100	Y		
SWIC	VW	BP	INSTOCK	OJ SEQ ID	NUMBER	22	N		
SWIC	VW	BP	INSTOCK	CLBM MODEL ID	NUMBER	22	N		
SWIC	VW	BP	ISSUANCE REASONS	REASON ID	NUMBER	22	N		
SWIC	VW	BP	ISSUANCE REASONS	DESCRIPTION	VARCHAR2	100	Y		
SWIC	VW	BP	ISSUANCE REASONS	CLBT TYPE ID	NUMBER	22	Y		
SWIC	VW	BP	MODELS EXTERNAL AGENCY	MODEL ID	NUMBER	22	N		
SWIC	VW	BP	MODELS EXTERNAL AGENCY	DESCRIPTION	VARCHAR2	202	Y		
SWIC	VW	BP	MODELS EXTERNAL AGENCY	OJ SEQ ID	NUMBER	22	N		
SWIC	VW	BP	MODELS INSTOCK	MODEL MANUFACT TYPE	VARCHAR2	122	Y		
SWIC	VW	BP	MODELS INSTOCK	DESCRIPTION	VARCHAR2	100	N		
SWIC	VW	BP	MODELS INSTOCK	OJ SEQ ID	NUMBER	22	N		
SWIC	VW	BP	MODELS_INSTOCK	MODELCOUNT	NUMBER	22	Y		
SWIC	VW	BP	STATUS WITH FLAGS	ID	VARCHAR2	81	Y		
SWIC	VW	BP	STATUS WITH FLAGS	DESCRIPTION	VARCHAR2	100	N		
SWIC	VW	BP	TYPE INSTOCK	CLBT TYPE ID	NUMBER	22	N		
SWIC	VW	BP	TYPE INSTOCK	BPTYPEDESC	VARCHAR2	100	N	Descriptive text of Breast Pump Type.	
SWIC	VW	BP	TYPE INSTOCK	SPINMODELSDESC	VARCHAR2	100	N	Descriptive text of the breast pump model.	
SWIC	VW	BP	TYPE INSTOCK	OJ SEQ ID	NUMBER	22	N		
SWIC	VW	BP	TYPE INSTOCK	MODELCOUNT	NUMBER	22	Y	Count of breast pumps available to issue	
SWIC	VW	B	LU	BF	REFERRAL FILTER	ID	NUMBER	22	Y
SWIC	VW	B	LU	BF	REFERRAL FILTER	DESCRIPTION	VARCHAR2	203	Y
SWIC	VW	B	LU	BF	REFERRAL FILTER	REFERRAL ID	NUMBER	22	Y
SWIC	VW	B	PC	REFERRAL	CC CLIENT ID	NUMBER	22	N	
SWIC	VW	B	PC	REFERRAL	CERT SEQ	NUMBER	22	N	
SWIC	VW	B	PC	REFERRAL	DATE REFERRED	DATE	7	Y	
SWIC	VW	B	PC	REFERRAL	DATE CREATED	DATE	7	N	
SWIC	VW	B	PC	REFERRAL	CREATED BY	VARCHAR2	32	N	
SWIC	VW	B	PC	REFERRAL	DATE_MODIFIED	DATE	7	Y	
SWIC	VW	B	PC	REFERRAL	MODIFIED BY	VARCHAR2	32	Y	
SWIC	VW	B	PC	REFERRAL	SM STAFF MEMBER ID	NUMBER	22	Y	
SWIC	VW	B	PC	REFERRAL	NOTE	VARCHAR2	200	Y	
SWIC	VW	B	PC	REFERRAL	FOLLOW UP COMPLETE	NUMBER	22	Y	
SWIC	VW	B	PC	REFERRAL	REFERRAL ID	NUMBER	22	N	
SWIC	VW	B	PC	REFERRAL	SLBRT ID	NUMBER	22	Y	
SWIC	VW	B	PC	REFERRAL	STAFF ASSIGNMENT DATE	DATE	7	Y	
SWIC	VW	B	PC	REFERRAL	DOB	DATE	7	Y	
SWIC	VW	B	PC	REFERRAL	SREASSIGNED	NUMBER	22	Y	
SWIC	VW	B	PC	REFERRAL	BLBRS ID	NUMBER	22	Y	
SWIC	VW	B	PC	REFERRAL	DOB	DATE	7	Y	
SWIC	VW	B	PC	REFERRAL	NEXT FOLLOWUP DATE	DATE	7	Y	
SWIC	VW	B	PC	REFERRAL	REFERRAL END DATE	DATE	7	Y	
SWIC	VW	B	PC	REFERRAL	NEEDATTENTION	NUMBER	22	Y	
SWIC	VW	B	PC	REFERRAL	ELBOS ID	NUMBER	22	Y	
SWIC	VW	B	PC	REFERRAL	BLBRS ID	NUMBER	22	Y	
SWIC	VW	B	PC	REFERRAL	REMOVEDDATE	DATE	7	Y	
SWIC	VW	B	PC	REFERRAL	NEEDATTENTIONDATE	DATE	7	Y	
SWIC	VW	B	PC	REFERRAL	FROM SM STAFF ID	VARCHAR2	32	Y	
SWIC	VW	B	PC	REFERRAL	NEED ATTENTION NOTE	VARCHAR2	2000	Y	
SWIC	VW	B	PC	REFERRAL	SEQ ID	NUMBER	22	N	
SWIC	VW	B	PC	REFERRAL	ORG CODE AGENCY	VARCHAR2	3	N	
SWIC	VW	B	PC	REFERRAL	CERT START DATE	DATE	7	N	
SWIC	VW	B	PC	REFERRAL	MONTH	NUMBER	22	Y	
SWIC	VW	B	PC	REFERRAL	DESCRIPTION	VARCHAR2	25	Y	
SWIC	VW	CA	ASSIGNMENTS	LA NAME	VARCHAR2	64	Y	Two digit agency code + Name of organizational unit	
SWIC	VW	CA	ASSIGNMENTS	LA ID	NUMBER	22	N	The system generated unique identifier for organizational unit. (seq id)	
SWIC	VW	CA	ASSIGNMENTS	FBU FFF FNY	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	OJ SEQ ID	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	ASSIGNED	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	PERFORMANCE BASED FUNDS	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	OTHER SPECIAL FUNDS	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	ALLOC FACTOR	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	DATE_CREATED	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	CREATED BY	VARCHAR2	32	Y		
SWIC	VW	CA	ASSIGNMENTS	DATE_MODIFIED	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	MODIFIED BY	VARCHAR2	32	Y		
SWIC	VW	CA	ASSIGNMENTS	ACHIEVED	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	CATEGORY CODE	VARCHAR2	5	N		
SWIC	VW	CA	ASSIGNMENTS	DESCRIPTION	VARCHAR2	40	N		
SWIC	VW	CA	ASSIGNMENTS	CAT CATEGORY CODE	VARCHAR2	3	N		
SWIC	VW	CA	ASSIGNMENTS	FOOD PACKAGE	CHAR	3	N	Hardcoded Food Group	
SWIC	VW	CA	ASSIGNMENTS	AR2_BEGIN_MONTH	NUMBER	22	N		
SWIC	VW	CA	ASSIGNMENTS	AR2_END_MONTH	NUMBER	22	N		
SWIC	VW	CA	ASSIGNMENTS	FP FOOD PACKAGE ID	VARCHAR2	8	N		
SWIC	VW	CA	ASSIGNMENTS	CATEGORY ID	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	CATEGORY CODE	VARCHAR2	44	Y		
SWIC	VW	CA	ASSIGNMENTS	DESCRIPTION	VARCHAR2	92	Y		
SWIC	VW	CA	ASSIGNMENTS	CATEGORY CODE	VARCHAR2	5	N		
SWIC	VW	CA	ASSIGNMENTS	DESCRIPTION	VARCHAR2	40	N		
SWIC	VW	CA	ASSIGNMENTS	ID	VARCHAR2	18	Y		
SWIC	VW	CA	ASSIGNMENTS	DESCRIPTION	VARCHAR2	18	Y		
SWIC	VW	CA	ASSIGNMENTS	CAT CODE	VARCHAR2	3	N		
SWIC	VW	CA	ASSIGNMENTS	ID	CHAR	3	Y		
SWIC	VW	CA	ASSIGNMENTS	DESCRIPTION	CHAR	3	Y		
SWIC	VW	CA	ASSIGNMENTS	SEQ ID	NUMBER	22	N		
SWIC	VW	CA	ASSIGNMENTS	OJ SEQ ID	VARCHAR2	221	Y		
SWIC	VW	CA	ASSIGNMENTS	FOOD_ID	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	DESCRIPTION	VARCHAR2	50	Y		
SWIC	VW	CA	ASSIGNMENTS	FOOD ID	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	DESCRIPTION	VARCHAR2	50	Y		
SWIC	VW	CA	ASSIGNMENTS	CCS CAT CATEGORY CODE	VARCHAR2	3	Y		
SWIC	VW	CA	ASSIGNMENTS	DATE_MODIFIED	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	MODIFIED BY	VARCHAR2	32	Y		
SWIC	VW	CA	ASSIGNMENTS	SANCTIONS FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	BENEFITS WAITLIST FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	SRV_OJ_SEQ_ID	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	NAME	VARCHAR2	202	Y		
SWIC	VW	CA	ASSIGNMENTS	FAMILY ID	VARCHAR2	9	N		
SWIC	VW	CA	ASSIGNMENTS	APP SEQ ID	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	CC CLIENT ID	NUMBER	22	N		
SWIC	VW	CA	ASSIGNMENTS	CAT CATEGORY CODE	VARCHAR2	3	Y		
SWIC	VW	CA	ASSIGNMENTS	SRV ACT SRV CODE	VARCHAR2	6	Y		
SWIC	VW	CA	ASSIGNMENTS	CERT END DATE	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	ATS ATTEND STATUS CODE	VARCHAR2	1	N		
SWIC	VW	CA	ASSIGNMENTS	SEE NOTES FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	SEE ALERTS FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	SEE HIGH RISK FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	NET NOTR ID TOPIC CODE	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	NE RECEIVED FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	CCS ID	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	CEU FAMILY ID	VARCHAR2	9	Y		
SWIC	VW	CA	ASSIGNMENTS	GRO_GROUP_ID	VARCHAR2	10	Y		
SWIC	VW	CA	ASSIGNMENTS	ROW TYPE	VARCHAR2	2	Y		
SWIC	VW	CA	ASSIGNMENTS	START TIME	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	END TIME	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	SM STAFF MEMBER ID	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	MEMBER COUNT	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	OJ SEQ ID	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	DATE_CREATED	DATE	7	N		
SWIC	VW	CA	ASSIGNMENTS	CREATED BY	VARCHAR2	32	N		
SWIC	VW	CA	ASSIGNMENTS	CLIENT_ID	NUMBER	22	N	The unique identifier for the participant or client (C_CLIENTS).	
SWIC	VW	CA	ASSIGNMENTS	DESCRIPTION	VARCHAR2	100	Y	The client's first name.	
SWIC	VW	CA	ASSIGNMENTS	CEU FAMILY ID	VARCHAR2	9	N	The unique identifier for the family (C_FAMILY ECONOMIC UNITS).	
SWIC	VW	CA	ASSIGNMENTS	TRANSFER FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	APPT CODE	VARCHAR2	4000	Y		
SWIC	VW	CA	ASSIGNMENTS	CC CLIENT ID	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	CAT CATEGORY CODE	VARCHAR2	3	Y		
SWIC	VW	CA	ASSIGNMENTS	TERMINATION_DATE	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	CTI TRANSFER ID	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	LAST DATE CHECKS ISSUED	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	PHYSICIAN NAME	VARCHAR2	80	Y		
SWIC	VW	CA	ASSIGNMENTS	PHYSICIAN PHONE	VARCHAR2	10	Y		
SWIC	VW	CA	ASSIGNMENTS	CPP PROOF PREG CODE	VARCHAR2	2	Y		
SWIC	VW	CA	ASSIGNMENTS	SEE NOTES FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	SEE ALERTS FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	SEE HIGH RISK FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	SEE HIGH_RISK_FLAG_OVERRIDE	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	APPT WAIT LIST FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	CERT START DATE	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	CERT END DATE	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	SANCTIONS FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	CNC IC CLASSIFICATION	VARCHAR2	8	Y		
SWIC	VW	CA	ASSIGNMENTS	SCHED SCHENKLE DAY CODE	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	FU FPOCP INTERNAL CODE	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	TR TERMINATION CODE	VARCHAR2	2	Y		
SWIC	VW	CA	ASSIGNMENTS	DATE_MODIFIED	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	MODIFIED BY	VARCHAR2	32	Y		
SWIC	VW	CA	ASSIGNMENTS	NOTE	VARCHAR2	2000	Y		
SWIC	VW	CA	ASSIGNMENTS	LAST NAME UPPER	VARCHAR2	50	Y		
SWIC	VW	CA	ASSIGNMENTS	FIRST NAME UPPER	VARCHAR2	100	Y		
SWIC	VW	CA	ASSIGNMENTS	NPR NON PARTICIPATION CODE	VARCHAR2	1	Y		
SWIC	VW	CA	ASSIGNMENTS	MEDICAD NUMBER	VARCHAR2	12	Y		
SWIC	VW	CA	ASSIGNMENTS	BVT_DATE	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	BLT DATE	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	CEL EDUCATION CODE	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	OMS MARITAL STATUS CODE	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	RACE ARABIC	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	CATEGORY ALIAS	VARCHAR2	3	N		
SWIC	VW	CA	ASSIGNMENTS	CATEGORY ALIAS BF STATUS	VARCHAR2	4000	Y		
SWIC	VW	CA	ASSIGNMENTS	LEGAL GUARDIANSHIP FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	CARETAKER FLAG	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	CERT_SEQ	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	MOTHER NOT IN FAMILY	NUMBER	22	Y		
SWIC	VW	CA	ASSIGNMENTS	VOTER VERIFIED DATE	DATE	7	Y		
SWIC	VW	CA	ASSIGNMENTS	VR VOTER REG CODE	VARCHAR2	2	Y		
SWIC	VW	CA	ASSIGNMENTS	CLIENT ID	NUMBER	22	N		

SWIC	VW_CLIENTS	LAST NAME	VARCHAR2	50 N	
SWIC	VW_CLIENTS	BIRTH DATE	DATE	7 N	
SWIC	VW_CLIENTS	GENDER	VARCHAR2	1 N	
SWIC	VW_CLIENTS	DISABILITY	NUMBER	22 Y	
SWIC	VW_CLIENTS	REC STATUS	VARCHAR2	1 N	
SWIC	VW_CLIENTS	STATUS RESC	VARCHAR2	200 N	
SWIC	VW_CLIENTS	INCOME ELIGIBLE FLAG	NUMBER	22 N	
SWIC	VW_CLIENTS	INSTITUTIONALIZED FLAG	NUMBER	22 Y	
SWIC	VW_CLIENTS	FOSTER CARE FLAG	NUMBER	22 N	
SWIC	VW_CLIENTS	CIG ETHNIC GROUP CODE	NUMBER	22 Y	
SWIC	VW_CLIENTS	CEU FAMILY ID	VARCHAR2	9 N	
SWIC	VW_CLIENTS	COMPLIANCE FLAG	NUMBER	22 Y	
SWIC	VW_CLIENTS	CONFIDENTIAL ID	NUMBER	22 Y	
SWIC	VW_CLIENTS	RACE ASIAN	NUMBER	22 Y	
SWIC	VW_CLIENTS	RACE NATIVE ISLANDER	NUMBER	22 Y	
SWIC	VW_CLIENTS	RACE INDIAN ALASKAN	NUMBER	22 Y	
SWIC	VW_CLIENTS	RACE JPN	NUMBER	22 Y	
SWIC	VW_CLIENTS	RACE_WHITE	NUMBER	22 Y	
SWIC	VW_CLIENTS	RACE HSP	NUMBER	22 Y	
SWIC	VW_CLIENTS	RACE_OTHER	NUMBER	22 Y	
SWIC	VW_CLIENTS	TCA FLAG	NUMBER	22 Y	
SWIC	VW_CLIENTS	MA FLAG	NUMBER	22 Y	
SWIC	VW_CLIENTS	FOOD STAMPS FLAG	NUMBER	22 Y	
SWIC	VW_CLIENTS	PID PROOF IDENTITY CODE	VARCHAR2	2 Y	
SWIC	VW_CLIENTS	DATE CREATED	DATE	7 N	
SWIC	VW_CLIENTS	CREATED BY	VARCHAR2	32 N	
SWIC	VW_CLIENTS	SSN	VARCHAR2	9 Y	
SWIC	VW_CLIENTS	FIRST NAME	VARCHAR2	100 Y	
SWIC	VW_CLIENTS	MI	VARCHAR2	1 Y	
SWIC	VW_CLIENTS	APPLICATION DATE	DATE	7 Y	
SWIC	VW_CLIENTS	VOC	VARCHAR2	10 Y	
SWIC	VW_CLIENTS	PREV REC STATUS	VARCHAR2	1 Y	
SWIC	VW_CLIENTS	INCOME	NUMBER	22 Y	
SWIC	VW_CLIENTS	BENEFITS_WAITLIST_FLAG	NUMBER	22 Y	
SWIC	VW_CLIENTS WITH KEPT APPTS	CLIENT ID	NUMBER	22 N	
SWIC	VW_CLIENTS WITH KEPT APPTS	DESCRIPTION	VARCHAR2	152 Y	
SWIC	VW_CLIENTS WITH KEPT APPTS	OU SEQ ID	NUMBER	22 Y	
SWIC	VW_CLIENT BF DURATIONS	CLIENT ID	NUMBER	22 N	
SWIC	VW_CLIENT BF DURATIONS	BREASTFEEDING NOW	NUMBER	22 Y	
SWIC	VW_CLIENT BF DURATIONS	BIRTH DATE	DATE	7 N	
SWIC	VW_CLIENT BF DURATIONS	W1	NUMBER	22 Y	week 1 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	W2	NUMBER	22 Y	week 2 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	W4	NUMBER	22 Y	week 4 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	W6	NUMBER	22 Y	week 6 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	M2	NUMBER	22 Y	Month 2 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	M3	NUMBER	22 Y	Month 3 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	M6	NUMBER	22 Y	Month 6 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	M9	NUMBER	22 Y	Month 9 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	M12	NUMBER	22 Y	Month 12 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	M18	NUMBER	22 Y	Month 18 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	Y2	NUMBER	22 Y	Year 2 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	Y3	NUMBER	22 Y	Year 3 past breastfeeding stop
SWIC	VW_CLIENT BF DURATIONS	Y4	NUMBER	22 Y	Year 4 past breastfeeding stop
SWIC	VW_CLIENT CERT RISKS	CC1 CC CLIENT ID	NUMBER	22 N	
SWIC	VW_CLIENT CERT RISKS	CERT_SEQ	NUMBER	22 N	
SWIC	VW_CLIENT CERT RISKS	CC1 CERT START DATE	DATE	7 Y	
SWIC	VW_CLIENT CERT RISKS	CRF CAT CATEGORY CODE	VARCHAR2	3 N	
SWIC	VW_CLIENT CERT RISKS	CRF_RISK_FACTOR_ID	NUMBER	22 N	
SWIC	VW_CLIENT CERT RISKS	CRF_RISK_FACTORS_TYPE	NUMBER	22 N	
SWIC	VW_CLIENT CERT RISKS	DATE CREATED	DATE	7 N	
SWIC	VW_CLIENT CERT RISKS	CREATED BY	VARCHAR2	32 N	
SWIC	VW_CLIENT CERT RISKS	CRF_HIGH_RISK_FLAG	NUMBER	22 Y	
SWIC	VW_CLIENT CERT RISKS	CRF_REGRESSOR_RISK_FLAG	NUMBER	22 Y	
SWIC	VW_CLIENT CERT RISKS	DATE MODIFIED	DATE	7 Y	
SWIC	VW_CLIENT CERT RISKS	MODIFIED BY	VARCHAR2	32 Y	
SWIC	VW_CLIENT CERT RISKS	RISK_SOURCE	VARCHAR2	10 Y	
SWIC	VW_CLIENT CERT RISKS	DESCRIPTION	VARCHAR2	60 Y	The description of the risk factor type such as vegan diet or restrictive diet
SWIC	VW_CLIENT CERT RISKS	DESCRIPTION	VARCHAR2	120 Y	
SWIC	VW_CLIENT CERT RISKS	DETAILED DESCRIPTION	VARCHAR2	205 Y	Risk description plus priority level
SWIC	VW_CLIENT CERT RISKS	CRF	NUMBER	22 Y	The priority level of this risk when assigned to participants in this category.
SWIC	VW_CLIENT CERT RISKS	RISK_RULE_ID	NUMBER	22 Y	The identifier for the auto-assign risk reason (C_RISK_REASON).
SWIC	VW_CLIENT CERT RISKS	CLRF_CAT_CATEGORY_CODE	NUMBER	22 Y	
SWIC	VW_CLIENT CERT RISKS	RISK_FACTOR_SET_ID	NUMBER	22 Y	
SWIC	VW_CLIENT CERT RISKS	RISK_FACTOR_SET_DESC	VARCHAR2	200 Y	
SWIC	VW_CLIENT CERT RISKS	NOTE	VARCHAR2	2000 Y	
SWIC	VW_CLIENT CERT RISKS	HELP	VARCHAR2	4 Y	Help
SWIC	VW_CLIENT CERT RISKS	FILENAME	VARCHAR2	1000 Y	
SWIC	VW_CLIENT ELIGIBILITY	CC_CLIENT_ID	NUMBER	22 N	
SWIC	VW_CLIENT ELIGIBILITY	CHOC ELIGIBILITY	NUMBER	22 Y	Is client adjunct eligible (1=yes,2=no)
SWIC	VW_CLIENT ELIGIBILITY	INCOME ELIGIBILITY	NUMBER	22 Y	Is client income eligible (1=yes,2=no,3=not cert)
SWIC	VW_CLIENT ELIGIBILITY	CERT ELIGIBILITY	VARCHAR2	4000 Y	Code indicating cert eligible or reason why not eligible
SWIC	VW_CLIENT FAMILY	CIG ETHNIC GROUP CODE	NUMBER	22 Y	
SWIC	VW_CLIENT FAMILY	RACE HSP	NUMBER	22 Y	
SWIC	VW_CLIENT_FAMILY	CEU_FAMILY_ID	VARCHAR2	9 N	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	CC_CLIENT_ID	NUMBER	22 N	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	FP_FOOD_PACKAGE_ID	VARCHAR2	8 N	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	EFFECTIVE DATE	DATE	7 N	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	FP_FOOD_ID	NUMBER	22 N	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	EFT QUANTITY	NUMBER	22 Y	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	QUANTITY	NUMBER	22 Y	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	ORIG QUANTITY	NUMBER	22 Y	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	CUSTOM_QTY_DISPLAY	NUMBER	22 Y	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	CUSTOM_FORMULA	NUMBER	22 Y	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	END DATE	DATE	7 Y	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	VLUC CAT CODE	VARCHAR2	2 N	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	VLUC SUB CAT CODE	VARCHAR2	3 N	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	DESCRIPTION1	VARCHAR2	50 N	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	DISABLE FLAG	NUMBER	22 N	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	CERT_SEQ	NUMBER	22 N	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	APPR EXPIRATION DATE	DATE	7 Y	
SWIC	VW_CLIENT_FOOD PRESCRIPTION	CPPP IFP STD PACKAGE ID	VARCHAR2	8 Y	
SWIC	VW_CLIENT_FOOD_PRESCRIPTION	ADDITIONAL_QUANTITY	NUMBER	22 Y	
SWIC	VW_CLIENT_FOOD_PRESCRIPTION	ELIGIBLE CATEGORY	VARCHAR2	22 Y	
SWIC	VW_CLIENT_FOOD_PRESCRIPTION	FP_FOOD_ID_OR	NUMBER	22 Y	
SWIC	VW_CLIENT_FOOD_PRESCRIPTION	EXPIRATION DATE FLAG	NUMBER	22 Y	
SWIC	VW_CLIENT_FOOD_PRESCRIPTION	FPG SEQ ID	NUMBER	22 N	
SWIC	VW_CLIENT FORMULARY FOODS	FOOD ID	NUMBER	22 N	
SWIC	VW_CLIENT FORMULARY FOODS	DESCRIPTION	VARCHAR2	50 N	
SWIC	VW_CLIENT FORMULARY FOODS	CC_CLIENT_ID	NUMBER	22 N	
SWIC	VW_CLIENT FORMULARY FOODS	FOOD_PACKAGE_ID	VARCHAR2	8 N	
SWIC	VW_CLIENT_FP_DETAILS	CC_CLIENT_ID	NUMBER	22 N	
SWIC	VW_CLIENT_FP_DETAILS	FP_FOOD_PACKAGE_ID	VARCHAR2	8 N	
SWIC	VW_CLIENT_FP_DETAILS	EFFECTIVE DATE	DATE	7 N	
SWIC	VW_CLIENT_FP_DETAILS	CC1 CC_CLIENT ID	NUMBER	22 N	
SWIC	VW_CLIENT_FP_DETAILS	CERT_SEQ	NUMBER	22 N	
SWIC	VW_CLIENT_FP_DETAILS	DATE CREATED	DATE	7 N	
SWIC	VW_CLIENT_FP_DETAILS	CREATED BY	VARCHAR2	32 N	
SWIC	VW_CLIENT_FP_DETAILS	END_DATE	DATE	7 Y	
SWIC	VW_CLIENT_FP_DETAILS	DISABLE FLAG	NUMBER	22 N	
SWIC	VW_CLIENT_FP_DETAILS	DATE MODIFIED	DATE	7 Y	
SWIC	VW_CLIENT_FP_DETAILS	MODIFIED BY	VARCHAR2	32 Y	
SWIC	VW_CLIENT_FP_DETAILS	NOTE	VARCHAR2	2000 Y	
SWIC	VW_CLIENT_FP_DETAILS	LA RD APPROVAL	NUMBER	22 Y	
SWIC	VW_CLIENT_FP_DETAILS	STATE RD APPROVAL	NUMBER	22 Y	
SWIC	VW_CLIENT_FP_DETAILS	APPROVED FLAG	NUMBER	22 Y	
SWIC	VW_CLIENT_FP_DETAILS	NOT_APPROVED_FLAG	NUMBER	22 Y	
SWIC	VW_CLIENT_FP_DETAILS	CUSTOM_FLAG	NUMBER	22 Y	
SWIC	VW_CLIENT_FP_DETAILS	APPR EXPIRATION DATE	DATE	7 Y	
SWIC	VW_CLIENT_FP_DETAILS	DESCRIPTION	VARCHAR2	500 Y	
SWIC	VW_CLIENT HR ASSESSMENTS	ASSESSMENT ID	NUMBER	22 N	
SWIC	VW_CLIENT HR ASSESSMENTS	DESCRIPTION	VARCHAR2	200 Y	
SWIC	VW_CLIENT HR ASSESSMENTS	CC_CLIENT_ID	NUMBER	22 N	
SWIC	VW_CLIENT SEE FLAGS	CLIENT ID	NUMBER	22 N	
SWIC	VW_CLIENT_SEE_FLAGS	SEE_NOTES_FLAG	NUMBER	22 Y	
SWIC	VW_CLIENT_SEE_FLAGS	SEE_ALERTS_FLAG	NUMBER	22 Y	
SWIC	VW_CLIENT_SEE_FLAGS	SEE_HIGH_RISK_FLAG	NUMBER	22 Y	Can user see care notes
SWIC	VW_CLIENT_SEE_FLAGS	SEE_CARE_FLAG	NUMBER	22 Y	Can user see nutritional goals
SWIC	VW_CLIENT_SEE_FLAGS	NUTRID_GCAL_FLAG	NUMBER	22 Y	
SWIC	VW_CLIENT_TOPIC_LIST	NUTR_ED_TOPIC_CODE	NUMBER	22 N	
SWIC	VW_CLIENT_TOPIC_LIST	DESCRIPTION	VARCHAR2	200 N	
SWIC	VW_CLIENT_TOPIC_LIST	CAT_GROUP	VARCHAR2	3 N	
SWIC	VW_CLIENT_TOPIC_LIST	CAT_SUB_GROUP	VARCHAR2	3 N	
SWIC	VW_CLIENT_TOPIC_LIST	SORT_ORDER	NUMBER	22 Y	
SWIC	VW_CLIENT TRIMESTERS	CC_CLIENT_ID	NUMBER	22 N	
SWIC	VW_CLIENT TRIMESTERS	TRIMESTER	NUMBER	22 Y	Trimester of the pregnancy
SWIC	VW_CLIENT TRIMESTERS	DESCRIPTION	VARCHAR2	4000 Y	
SWIC	VW_CLIENT TRIMESTERS	CC_CLIENT_ID	NUMBER	22 N	
SWIC	VW_CLIENT TRIMESTERS	TRIMESTER	VARCHAR2	1 Y	Trimester of the pregnancy
SWIC	VW_CLOSED CLINICS	ID	NUMBER	22 N	
SWIC	VW_CLOSED CLINICS	DESCRIPTION	VARCHAR2	88 Y	
SWIC	VW_COMPLAINTS	VV_VENDOR_ID	NUMBER	22 N	
SWIC	VW_COMPLAINTS	COMPLAINT_ID	NUMBER	22 N	
SWIC	VW_COMPLAINTS	DESCRIPTION	VARCHAR2	253 Y	
SWIC	VW_COMPLAINTS	DATE CREATED	DATE	7 N	
SWIC	VW_COMPLAINTS MONITOR	MONITOR ID	NUMBER	22 N	
SWIC	VW_COMPLAINTS MONITOR	DESCRIPTION	VARCHAR2	61 Y	
SWIC	VW_COMPLAINTS MONITOR	VV_VENDOR_ID	NUMBER	22 N	
SWIC	VW_CONTEXT_HELP	ID	VARCHAR2	200 Y	
SWIC	VW_CONTEXT_HELP	DESCRIPTION	VARCHAR2	200 Y	
SWIC	VW_CONTEXT_HELP	APPLICATION NAME	VARCHAR2	50 Y	
SWIC	VW_ODJV FOOD ITEMS	FOOD_ID	NUMBER	22 N	
SWIC	VW_ODJV FOOD ITEMS	DESCRIPTION	VARCHAR2	88 Y	
SWIC	VW_ODJPN CLIENTS	FS_YEAR	NUMBER	22 N	
SWIC	VW_ODJPN CLIENTS	OU_SEQ_ID	NUMBER	22 Y	
SWIC	VW_ODJPN CLIENTS	CLIENT_ID	NUMBER	22 Y	
SWIC	VW_ODJPN CLIENTS	CEU_FAMILY_ID	VARCHAR2	9 N	
SWIC	VW_ODJPN CLIENTS	DESCRIPTION	VARCHAR2	60 N	
SWIC	VW_ODJPN CLIENTS	ETHNIC_GROUP_CODE	NUMBER	22 N	
SWIC	VW_ODJPN CLIENTS	RACE_HSP	VARCHAR2	4000 Y	
SWIC	VW_ODJPN CLIENTS	CATEGORY_ALMS	VARCHAR2	3 Y	
SWIC	VW_ODJPN FAMILY	FS_YEAR	NUMBER	22 N	
SWIC	VW_ODJPN FAMILY	OU_SEQ_ID	NUMBER	22 Y	

SWIC	VW_CDPUPON_FAMILY	CFEU_FAMILY_ID	VARCHAR2	9	N	
SWIC	VW_CPA_STAFF	USER_ID	VARCHAR2	32	N	
SWIC	VW_CPA_STAFF	DESCRIPTION	VARCHAR2	150	N	
SWIC	VW_CPA_STAFF	SEQ_ID	NUMBER	22	N	
SWIC	VW_CPA_DATE_CREATED	DATE_CREATED	DATE	7	Y	
SWIC	VW_CPA_CLIENT_CREATED	CC_CLIENT_ID	NUMBER	22	Y	
SWIC	VW_C_LU_CAT_CODE	ID	VARCHAR2	2	N	
SWIC	VW_C_LU_CAT_CODE	DESCRIPTION	VARCHAR2	203	Y	
SWIC	VW_C_LU_NEPLAN_METHOD	METHOD_ID	NUMBER	22	N	
SWIC	VW_C_LU_NEPLAN_METHOD	DESCRIPTION	VARCHAR2	255	Y	
SWIC	VW_C_LU_NEPLAN_METHOD	DATE_CREATED	DATE	7	N	
SWIC	VW_C_LU_NEPLAN_METHOD	CREATED_BY	VARCHAR2	32	N	
SWIC	VW_C_LU_NEPLAN_METHOD	DATE_MODIFIED	DATE	7	Y	
SWIC	VW_C_LU_NEPLAN_METHOD	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	VW_C_LU_NEPLAN_METHOD_ONSITE	METHOD_ID	NUMBER	22	N	
SWIC	VW_C_LU_NEPLAN_METHOD_ONSITE	DESCRIPTION	VARCHAR2	255	Y	
SWIC	VW_C_LU_NEPLAN_METHOD_ONSITE	DATE_CREATED	DATE	7	N	
SWIC	VW_C_LU_NEPLAN_METHOD_ONSITE	CREATED_BY	VARCHAR2	32	N	
SWIC	VW_C_LU_NEPLAN_METHOD_ONSITE	DATE_MODIFIED	DATE	7	Y	
SWIC	VW_C_LU_NEPLAN_METHOD_ONSITE	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	VW_C_LU_SUB_CATCODE	ID	VARCHAR2	2	N	
SWIC	VW_C_LU_SUB_CATCODE	DESCRIPTION	VARCHAR2	124	Y	
SWIC	VW_DISPLAY_RISK_FACTOR_RULE	RISK_FACTOR_ID	VARCHAR2	32	Y	
SWIC	VW_DISPLAY_RISK_FACTOR_RULE	RISK_FACTOR_DESCRIPTION	VARCHAR2	120	Y	
SWIC	VW_DISPLAY_RISK_FACTOR_RULE	RULE_SEQ_ID	NUMBER	22	N	
SWIC	VW_DISPLAY_RISK_FACTOR_RULE	RISK_FACTOR_RULE_DESCRIPTION	VARCHAR2	100	Y	
SWIC	VW_DISPLAY_RISK_FACTOR_RULE	REFERENCE_TYPE_CODE	VARCHAR2	4	N	
SWIC	VW_DISPLAY_RISK_FACTOR_RULE	REFERENCE_DESCRIPTION	VARCHAR2	2000	Y	
SWIC	VW_DISPLAY_RISK_FACTOR_RULE	VALUE_RANGE_LOW	VARCHAR2	40	Y	
SWIC	VW_DISPLAY_RISK_FACTOR_RULE	VALUE_RANGE_HIGH	VARCHAR2	40	Y	
SWIC	VW_DISPLAY_RISK_FACTOR_RULE	ADDITIONAL_INFO_LOW	NUMBER	22	Y	
SWIC	VW_DISPLAY_RISK_FACTOR_RULE	ADDITIONAL_INFO_HIGH	NUMBER	22	Y	
SWIC	VW_DIST_ISSUANCE	ISSUE_YEAR	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	ISSUE_MONTH	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	OU_SEQ_ID	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	CFEU_FAMILY_ID	VARCHAR2	9	N	
SWIC	VW_DIST_ISSUANCE	BENEFIT_ISSUE_NUMBER	VARCHAR2	50	N	
SWIC	VW_DIST_ISSUANCE	ID	NUMBER	22	Y	
SWIC	VW_DIST_ISSUANCE	DESCRIPTION	VARCHAR2	19	Y	
SWIC	VW_DIST_ISSUANCE	COUNTY	VARCHAR2	60	N	
SWIC	VW_DIST_ISSUANCE	CLINIC	VARCHAR2	60	Y	
SWIC	VW_DIST_ISSUANCE	ENROLLMENT_STATUS	VARCHAR2	1	N	The current status of the client. (certified, terminated, pending)
SWIC	VW_DIST_ISSUANCE	LEGAL_GUARDIANSHIP_FLAG	NUMBER	22	Y	Flag to determine Legal Guardianship / Custody
SWIC	VW_DIST_ISSUANCE	CARETAKER_FLAG	NUMBER	22	Y	Flag to determine Caretaker Financial / Duty Support
SWIC	VW_DIST_ISSUANCE	CLIENT_ID	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	CLIENT_LAST_NAME	VARCHAR2	50	N	lastname
SWIC	VW_DIST_ISSUANCE	CLIENT_FIRST_NAME	VARCHAR2	100	Y	firstname
SWIC	VW_DIST_ISSUANCE	CLIENT_MI	VARCHAR2	1	Y	Client middle initial
SWIC	VW_DIST_ISSUANCE	GENDER	VARCHAR2	1	N	
SWIC	VW_DIST_ISSUANCE	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	VW_DIST_ISSUANCE	BIRTH_DATE	DATE	7	N	
SWIC	VW_DIST_ISSUANCE	CERT_START_DATE	DATE	7	Y	
SWIC	VW_DIST_ISSUANCE	CERT_END_DATE	DATE	7	Y	
SWIC	VW_DIST_ISSUANCE	TERMINATION_DATE	DATE	7	Y	
SWIC	VW_DIST_ISSUANCE	MEDCAD_NUMBER	VARCHAR2	12	Y	
SWIC	VW_DIST_ISSUANCE	TEMP_REASON	VARCHAR2	164	Y	
SWIC	VW_DIST_ISSUANCE	FOSTER_CARE_FLAG	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	HIGH_LAST_NAME	VARCHAR2	50	N	Head of household lastname
SWIC	VW_DIST_ISSUANCE	HIGH_FIRST_NAME	VARCHAR2	30	N	Head of household firstname
SWIC	VW_DIST_ISSUANCE	STREET_ADDRESS1	VARCHAR2	60	N	
SWIC	VW_DIST_ISSUANCE	STREET_ADDRESS2	VARCHAR2	60	Y	
SWIC	VW_DIST_ISSUANCE	CITY_STATE	VARCHAR2	64	Y	Client city and state
SWIC	VW_DIST_ISSUANCE	ZIP	VARCHAR2	5	N	Client zipcode
SWIC	VW_DIST_ISSUANCE	TERMINATION_CODE	VARCHAR2	2	Y	
SWIC	VW_DIST_ISSUANCE	ID	NUMBER	22	Y	
SWIC	VW_DIST_ISSUANCE	DESCRIPTION	VARCHAR2	34	Y	
SWIC	VW_DIST_ISSUANCE	BENEFIT_ISSUE_NUMBER	VARCHAR2	50	N	
SWIC	VW_DIST_ISSUANCE	CFEU_FAMILY_ID	VARCHAR2	9	Y	
SWIC	VW_DIST_ISSUANCE	CC_CLIENT_ID	NUMBER	22	Y	
SWIC	VW_DIST_ISSUANCE	DATE_CREATED	DATE	7	Y	
SWIC	VW_DIST_ISSUANCE	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	VW_DIST_ISSUANCE	DATE_MODIFIED	DATE	7	Y	
SWIC	VW_DIST_ISSUANCE	ISSUE_MONTH	NUMBER	22	Y	
SWIC	VW_DIST_ISSUANCE	ISSUE_YEAR	NUMBER	22	Y	
SWIC	VW_DIST_ISSUANCE	FF_FOOD_PACKAGE_ID	VARCHAR2	6	Y	
SWIC	VW_DIST_ISSUANCE	FFP_EFFECTIVE_DATE	DATE	7	Y	
SWIC	VW_DIST_ISSUANCE	FF_FOOD_ID	NUMBER	22	Y	
SWIC	VW_DIST_ISSUANCE	QUANTITY	NUMBER	22	Y	
SWIC	VW_DIST_ISSUANCE	VULC_CAT_CODE	VARCHAR2	2	Y	
SWIC	VW_DIST_ISSUANCE	VULC_SUB_CAT_CODE	VARCHAR2	3	Y	
SWIC	VW_DIST_ISSUANCE	VOIDED	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	ISSUE_YEAR	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	ISSUE_MONTH	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	CFEU_FAMILY_ID	VARCHAR2	9	N	
SWIC	VW_DIST_ISSUANCE	CC_CLIENT_ID	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	ISSUES_COUNT	NUMBER	22	Y	Count of benefits issued for client by year
SWIC	VW_DIST_ISSUANCE	FAMILY_ID	VARCHAR2	9	N	
SWIC	VW_DIST_ISSUANCE	OU_SEQ_ID	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	BENEFIT_ISSUE_NUMBER	VARCHAR2	50	N	
SWIC	VW_DIST_ISSUANCE	BENEFIT_START_DATE	DATE	7	N	
SWIC	VW_DIST_ISSUANCE	BENEFIT_END_DATE	DATE	7	N	
SWIC	VW_DIST_ISSUANCE	FF_FOOD_ID	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	VULC_CAT_CODE	VARCHAR2	2	N	
SWIC	VW_DIST_ISSUANCE	VULC_SUB_CAT_CODE	VARCHAR2	3	N	
SWIC	VW_DIST_ISSUANCE	ISSUE_MONTH	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	ISSUE_YEAR	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	QUANTITY_ISSUED	NUMBER	22	N	The quantity of the food item allowed by the food package.
SWIC	VW_DIST_ISSUANCE	QUANTITY_REMAIN	NUMBER	22	Y	Quantity issued - Quantity voided
SWIC	VW_DIST_ISSUANCE	MESSAGE_TYPE	VARCHAR2	50	N	
SWIC	VW_DIST_ISSUANCE	MESSAGE_ID	VARCHAR2	50	N	
SWIC	VW_DIST_ISSUANCE	MESSAGE_SENT	VARCHAR2	4000	N	
SWIC	VW_DIST_ISSUANCE	MESSAGE_RECEIVED	VARCHAR2	4000	Y	
SWIC	VW_DIST_ISSUANCE	CREATED_BY	VARCHAR2	32	N	
SWIC	VW_DIST_ISSUANCE	DATE_CREATED	DATE	7	N	
SWIC	VW_DIST_ISSUANCE	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	VW_DIST_ISSUANCE	DATE_MODIFIED	DATE	7	Y	
SWIC	VW_DIST_ISSUANCE	EPIC_CODE	VARCHAR2	10	Y	
SWIC	VW_DIST_ISSUANCE	EPIC_MESSAGE	VARCHAR2	2000	Y	
SWIC	VW_DIST_ISSUANCE	ERROR_MESSAGE_RECEIVED	VARCHAR2	4000	Y	
SWIC	VW_DIST_ISSUANCE	RESOLVED	NUMBER	22	Y	
SWIC	VW_DIST_ISSUANCE	FOOD_ID	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	DESCRIPTION	VARCHAR2	57	Y	
SWIC	VW_DIST_ISSUANCE	FF_FOOD_GROUP_ID	NUMBER	22	N	
SWIC	VW_DIST_ISSUANCE	FF_TYPE	VARCHAR2	3	Y	
SWIC	VW_DIST_ISSUANCE	FAMILY_ID	NUMBER	22	Y	
SWIC	VW_DIST_ISSUANCE	BENEFIT_ISSUE_NUMBER	VARCHAR2	80	Y	
SWIC	VW_DIST_ISSUANCE	CAT	VARCHAR2	8	Y	
SWIC	VW_DIST_ISSUANCE	SUB_CAT	VARCHAR2	12	Y	
SWIC	VW_DIST_ISSUANCE	QUANTITY_SENT	NUMBER	22	Y	TO NUMBERS(SUBSTR(FOOD ITEMS SENT,SL,NO+6,3))/100
SWIC	VW_DIST_ISSUANCE	QUANTITY_RECEIVED	NUMBER	22	Y	TO NUMBERS(SUBSTR(FOOD ITEMS RECEIVED,SL,NO+6,3))/100
SWIC	VW_DIST_ISSUANCE	DATE_CREATED	DATE	7	Y	
SWIC	VW_DIST_ISSUANCE	MESSAGE_TYPE	VARCHAR2	50	Y	
SWIC	VW_DIST_ISSUANCE	MESSAGE_ID	VARCHAR2	50	Y	
SWIC	VW_DIST_ISSUANCE	CLINIC	VARCHAR2	16	Y	
SWIC	VW_DIST_ISSUANCE	FAMILY_ID	VARCHAR2	60	Y	
SWIC	VW_DIST_ISSUANCE	BENEFIT_ISSUE_NUMBER	VARCHAR2	80	Y	
SWIC	VW_DIST_ISSUANCE	BENEFIT_START_DATE	DATE	7	Y	
SWIC	VW_DIST_ISSUANCE	BENEFIT_END_DATE	DATE	7	Y	
SWIC	VW_DIST_ISSUANCE	BENEFIT_TYPE	VARCHAR2	12	Y	
SWIC	VW_DIST_ISSUANCE	NO_OF_FOOD_ITEMS	VARCHAR2	8	Y	Number of food items
SWIC	VW_DIST_ISSUANCE	FOOD_ITEMS_SENT	VARCHAR2	4000	Y	Number representing food item received
SWIC	VW_DIST_ISSUANCE	FOOD_ITEMS_RECEIVED	VARCHAR2	4000	Y	Number representing food item sent
SWIC	VW_DIST_ISSUANCE	CARD_NUMBER	VARCHAR2	64	Y	EBT Card Number
SWIC	VW_DIST_ISSUANCE	ACTION_CODE_AUTH_PROXY	VARCHAR2	6	Y	Create or stop
SWIC	VW_DIST_ISSUANCE	PRIMARY_IND_AUTH_PROXY	VARCHAR2	17	Y	Authorized person or proxy
SWIC	VW_DIST_ISSUANCE	FIRST_NAME	VARCHAR2	80	Y	
SWIC	VW_DIST_ISSUANCE	MI	VARCHAR2	4	Y	
SWIC	VW_DIST_ISSUANCE	LAST_NAME	VARCHAR2	120	Y	
SWIC	VW_DIST_ISSUANCE	CARDHOLDER_NAME	VARCHAR2	206	Y	Cardholder first,middle initial,lastname
SWIC	VW_DIST_ISSUANCE	EPIC_CODE	VARCHAR2	10	Y	Code from the EPIC system
SWIC	VW_DIST_ISSUANCE	EPIC_MESSAGE	VARCHAR2	2000	Y	Note indicating successful or error in transmission to EPIC
SWIC	VW_DIST_ISSUANCE	DATE_CREATED	DATE	7	Y	
SWIC	VW_DIST_ISSUANCE	CREATED_BY	VARCHAR2	32	Y	
SWIC	VW_DIST_ISSUANCE	MESSAGE_SENT	VARCHAR2	4000	Y	
SWIC	VW_DIST_ISSUANCE	MESSAGE_RECEIVED	VARCHAR2	4000	Y	
SWIC	VW_DIST_ISSUANCE	RESOLVED	NUMBER	22	Y	
SWIC	VW_DIST_ISSUANCE	USER_ID	VARCHAR2	32	N	The system user assigned to the care plan.
SWIC	VW_DIST_ISSUANCE	DESCRIPTION	VARCHAR2	150	N	description
SWIC	VW_DIST_ISSUANCE	APPLICATION_NAME	VARCHAR2	32	N	Text description of application to which the user connection
SWIC	VW_DIST_ISSUANCE	ROLE_ID	NUMBER	22	N	Foreign key to S_ROLE Identifying role applicable for user
SWIC	VW_DIST_ISSUANCE	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	VW_DIST_ISSUANCE	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created
SWIC	VW_DIST_ISSUANCE	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	VW_DIST_ISSUANCE	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	VW_DIST_ISSUANCE	OU_SEQ_ID	NUMBER	22	Y	Used as their initial Agency request for contact information
SWIC	VW_DIST_ISSUANCE	RECORD_TEXT	VARCHAR2	310	Y	Phone number and language of autodial appts
SWIC	VW_DIST_ISSUANCE	ORG_CODE_AGENCY	VARCHAR2	3	Y	Local Agency Org Code
SWIC	VW_DIST_ISSUANCE	RECORD_TEXT	VARCHAR2	386	Y	Expected delivery date
SWIC	VW_DIST_ISSUANCE	RECORD_TEXT	VARCHAR2	419	Y	Expected delivery date
SWIC	VW_DIST_ISSUANCE	RECORD_TEXT	VARCHAR2	305	Y	Organization phone number
SWIC	VW_DIST_ISSUANCE	RECORD_TEXT	VARCHAR2	101	Y	The description (name) of the language.
SWIC	VW_DIST_ISSUANCE	RECORD_TEXT	VARCHAR2	1007	Y	Basic info about import file (transaction type)
SWIC	VW_DIST_ISSUANCE	ORG_CODE	VARCHAR2	60	N	
SWIC	VW_DIST_ISSUANCE	ORG_CODE	VARCHAR2	3	N	
SWIC	VW_DIST_ISSUANCE	USER_ID	VARCHAR2	128	Y	ID of user who created Referral record
SWIC	VW_DIST_ISSUANCE	USER_NAME	VARCHAR2	128	Y	
SWIC	VW_DIST_ISSUANCE	ADDRESS1	VARCHAR2	60	N	
SWIC	VW_DIST_ISSUANCE	ADDRESS2	VARCHAR2	60	Y	
SWIC	VW_DIST_ISSUANCE	CLINIC_IC_DESCRIPTION	VARCHAR2	60	N	City of clinic
SWIC	VW_DIST_ISSUANCE	CLINIC_IC_STATE_ID	VARCHAR2	60	N	State of clinic
SWIC	VW_DIST_ISSUANCE	CLINIC_IC_STATE_ID	VARCHAR2	2	N	State of clinic
SWIC	VW_DIST_ISSUANCE	CLINIC_IC_ZIPS	VARCHAR2	5	N	Zipcode of clinic





SWIC	VW FORMULAS	DESCRIPTION	VARCHAR2	50	N	
SWIC	VW FUNDING SOURCE	ID	NUMBER	22	N	
SWIC	VW FUNDING SOURCE	DESCRIPTION	VARCHAR2	2001	Y	
SWIC	VW FUTURE APPOINTMENT	CFEU FAMILY ID	VARCHAR2	9	Y	
SWIC	VW FUTURE APPOINTMENT	CC_CLIENT_ID	NUMBER	22	Y	
SWIC	VW FUTURE APPOINTMENT	START TIME	DATE	7	Y	
SWIC	VW GENDER	KEY	CHAR	1	Y	
SWIC	VW GENDER	DESCRIPTION	VARCHAR2	6	Y	
SWIC	VW GET TOPICS BY METHOD	ID	NUMBER	22	N	
SWIC	VW GET TOPICS BY METHOD	DESCRIPTION	VARCHAR2	200	N	
SWIC	VW GET TOPICS BY METHOD	CAT GROUP	VARCHAR2	3	Y	
SWIC	VW GET TOPICS BY METHOD	CAT SUB GROUP	VARCHAR2	3	Y	
SWIC	VW GET TOPICS BY METHOD	CLNA METHOD ID	NUMBER	22	Y	
SWIC	VW GRID APPOINTMENT	SEE HIGH RISK FLAG OVERRIDE	NUMBER	22	Y	
SWIC	VW GRID APPOINTMENT	CFEU FAMILY ID	VARCHAR2	9	Y	
SWIC	VW GRID APPOINTMENT	CC_CLIENT_ID	NUMBER	22	Y	
SWIC	VW GRID APPOINTMENT	CLIENT NAME	VARCHAR2	151	Y	Client first name, last name
SWIC	VW_GRID_APPOINTMENT	BIRTH_DATE	DATE	7	Y	
SWIC	VW GRID APPOINTMENT	APPOINTMENT_TYPE	VARCHAR2	6	Y	Reason for the appointment such as cert/acert
SWIC	VW GRID APPOINTMENT	START TIME	DATE	7	Y	
SWIC	VW GRID APPOINTMENT	CLINIC	VARCHAR2	60	Y	
SWIC	VW GRID APPOINTMENT	NOTES	NUMBER	22	Y	
SWIC	VW GRID APPOINTMENT	ALERTS	NUMBER	22	Y	Whether or not this client should see alert
SWIC	VW GRID APPOINTMENT	HR	NUMBER	22	Y	Whether or not this client should see high risk flag
SWIC	VW GRID APPOINTMENT	SCHEDULE CAT CODE	VARCHAR2	3	Y	Category code for future visit
SWIC	VW GRID APPOINTMENT	NPR_NON_PARTICIPATION_CODE	VARCHAR2	1	Y	
SWIC	VW GRID APPOINTMENT	TERMINATION DATE	DATE	7	Y	
SWIC	VW GRID APPOINTMENT	TR_TERMINATION_CODE	VARCHAR2	2	Y	
SWIC	VW GRID CERTIFICATION	CFEU FAMILY ID	VARCHAR2	9	N	
SWIC	VW GRID CERTIFICATION	CLIENT ID	NUMBER	22	N	
SWIC	VW GRID CERTIFICATION	CLIENT NAME	VARCHAR2	151	Y	Client first name, last name
SWIC	VW GRID CERTIFICATION	BIRTH DATE	DATE	7	N	
SWIC	VW GRID CERTIFICATION	CERT START DATE	DATE	7	Y	
SWIC	VW_GRID_CERTIFICATION	CERT_END_DATE	DATE	7	Y	
SWIC	VW GRID CERTIFICATION	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	VW GRID CERTIFICATION	TERMINATION DATE	DATE	7	Y	
SWIC	VW GRID CERTIFICATION	TERMINATION DESC	VARCHAR2	164	Y	Reason for client termination
SWIC	VW GRID CERTIFICATION	GAT_CATEGORY_CODE	VARCHAR2	3	Y	A different (or sometimes same) abbreviation for category code
SWIC	VW GRID CERTIFICATION	NPR_NON_PARTICIPATION_CODE	VARCHAR2	1	Y	
SWIC	VW GRID CERTIFICATION	REAL_CERT_START_DATE	DATE	7	Y	Latest certification date for the client
SWIC	VW GRID CERTIFICATION	TR_TERMINATION_CODE	VARCHAR2	2	Y	
SWIC	VW_GRID_CERTIFICATIONX	CFEU_FAMILY_ID	VARCHAR2	9	N	
SWIC	VW_GRID_CERTIFICATIONX	CLIENT_ID	NUMBER	22	N	
SWIC	VW_GRID_CERTIFICATIONX	CLIENT NAME	VARCHAR2	151	Y	Client first name, last name
SWIC	VW_GRID_CERTIFICATIONX	BIRTH_DATE	DATE	7	N	
SWIC	VW_GRID_CERTIFICATIONX	CERT_START_DATE	DATE	7	Y	
SWIC	VW_GRID_CERTIFICATIONX	CERT_END_DATE	DATE	7	Y	
SWIC	VW_GRID_CERTIFICATIONX	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	VW_GRID_CERTIFICATIONX	TERMINATION DATE	DATE	7	Y	
SWIC	VW_GRID_CERTIFICATIONX	TERMINATION DESC	VARCHAR2	164	Y	Reason for client termination
SWIC	VW_GRID_CERTIFICATIONX	TR_TERMINATION_CODE	VARCHAR2	2	Y	
SWIC	VW_GRID FOOD PACKAGE	CFEU_FAMILY_ID	VARCHAR2	9	N	
SWIC	VW_GRID_FOOD_PACKAGE	CLIENT ID	NUMBER	22	N	
SWIC	VW_GRID_FOOD_PACKAGE	CLIENT NAME	VARCHAR2	151	Y	
SWIC	VW_GRID_FOOD_PACKAGE	BIRTH DATE	DATE	7	N	
SWIC	VW_GRID_FOOD_PACKAGE	FOOD_PACKAGE_DESC	VARCHAR2	500	Y	
SWIC	VW_GRID_FOOD_PACKAGE	FOOD_PACKAGE_ID	VARCHAR2	8	Y	
SWIC	VW_GRID_FOOD_PACKAGE	EFFECTIVE DATE	DATE	7	Y	
SWIC	VW_GRID_FOOD_PACKAGE	END DATE	DATE	7	Y	
SWIC	VW_GRID_FOOD_PACKAGE	BENEFITS_ISSUE_DATE	DATE	7	Y	
SWIC	VW_GRID_FOOD_PACKAGE	BVT DATE	DATE	7	Y	
SWIC	VW_GRID_FOOD_PACKAGE	NPR_NON_PARTICIPATION_CODE	VARCHAR2	1	Y	
SWIC	VW_GRID_FOOD_PACKAGE	TERMINATION DATE	DATE	7	Y	
SWIC	VW_GRID_FOOD_PACKAGE	TR_TERMINATION_CODE	VARCHAR2	2	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	CC_CLIENT_ID	NUMBER	22	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	DATE CREATED	DATE	7	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	CREATED BY	VARCHAR2	32	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	START TIME	DATE	7	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	OU_SEQ_ID	NUMBER	22	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	NE RECEIVED FLAG	NUMBER	22	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	NET_NUTR_ED_TOPIC_CODE	NUMBER	22	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	DATE MODIFIED	DATE	7	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	MODIFIED BY	VARCHAR2	32	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	NOTE	VARCHAR2	2000	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	NET_OU_SEQ_ID	NUMBER	22	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	GROUP DESCRIPTION	VARCHAR2	60	Y	
SWIC	VW_GRID_NUTR_ED_TOPIC	SOURCE CODE	VARCHAR2	4	Y	Hard code CNT
SWIC	VW_GRID_NUTR_ED_TOPIC	CCS_ID	NUMBER	22	Y	
SWIC	VW_GRID_DNSITE	CC_CLIENT_ID	NUMBER	22	N	
SWIC	VW_GRID_DNSITE	CFEU_FAMILY_ID	VARCHAR2	9	N	
SWIC	VW_GRID_DNSITE	INTAKE FLAG	NUMBER	22	N	
SWIC	VW_GRID_DNSITE	START TIME	DATE	7	Y	
SWIC	VW_GRID_DNSITE	ARRIVAL TIME	DATE	7	Y	
SWIC	VW_GRID_DNSITE	SRV_OU_SEQ_ID	NUMBER	22	Y	
SWIC	VW_GRID_DNSITE	SRV_ACT_SRV_CODE	VARCHAR2	6	Y	
SWIC	VW_GRID_DNSITE	TIME DNSITE	NUMBER	22	Y	
SWIC	VW_GRID_DNSITE	MEDICAL FLAG	NUMBER	22	Y	
SWIC	VW_GRID_DNSITE	NUTR_ED_FLAG	NUMBER	22	Y	
SWIC	VW_GRID_DNSITE	CHECKS FLAG	NUMBER	22	Y	
SWIC	VW_GRID_DNSITE	DONE FLAG	NUMBER	22	Y	
SWIC	VW_GRID_DNSITE	SCRIPT FLAGS	VARCHAR2	16	Y	
SWIC	VW_GRID_DNSITE	GAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	VW_GRID_DNSITE	DATE CREATED	DATE	7	N	
SWIC	VW_GRID_DNSITE	CREATED BY	VARCHAR2	32	N	
SWIC	VW_GRID_DNSITE	DATE MODIFIED	DATE	7	Y	
SWIC	VW_GRID_DNSITE	MODIFIED BY	VARCHAR2	32	Y	
SWIC	VW_GRID_DNSITE	CLIENT NAME	VARCHAR2	4000	Y	Client name
SWIC	VW_GRID_VENDOR	VENDOR ID	VARCHAR2	7	Y	
SWIC	VW_GRID_VENDOR	VENDOR NAME	VARCHAR2	35	N	
SWIC	VW_GRID_VENDOR	CONTACT FIRST NAME	VARCHAR2	100	Y	
SWIC	VW_GRID_VENDOR	CONTACT LAST NAME	VARCHAR2	50	Y	
SWIC	VW_GRID_VENDOR	SEGO GEO LOCATION ID MAILED	NUMBER	22	Y	
SWIC	VW_GRID_VENDOR	MAILING_ADDRESS3	VARCHAR2	60	Y	
SWIC	VW_GRID_VENDOR	MAILING_ADDRESS	VARCHAR2	60	Y	
SWIC	VW_GRID_VENDOR	MAILING_CITY	VARCHAR2	60	Y	
SWIC	VW_GRID_VENDOR	MAILING_STATE	VARCHAR2	2	Y	
SWIC	VW_GRID_VENDOR	MAILING_ZIPS	VARCHAR2	5	Y	
SWIC	VW_GRID_VENDOR	MAILING_ZIP4	VARCHAR2	4	Y	
SWIC	VW_GRID_VENDOR	STREET_ADDRESS1	VARCHAR2	60	Y	
SWIC	VW_GRID_VENDOR	STREET_ADDRESS2	VARCHAR2	60	Y	
SWIC	VW_GRID_VENDOR	STREET_ZIP4	VARCHAR2	4	Y	
SWIC	VW_GRID_VENDOR	SC DESCRIPTION	VARCHAR2	60	Y	
SWIC	VW_GRID_VENDOR	SS STATE ID	VARCHAR2	2	Y	
SWIC	VW_GRID_VENDOR	SZ_ZIPS	VARCHAR2	5	Y	
SWIC	VW_GRID_VENDOR	COUNTY_CODE	VARCHAR2	3	Y	
SWIC	VW_GRID_VENDOR	COUNTY DESCRIPTION	VARCHAR2	60	Y	Description of the county
SWIC	VW_GRID_VENDOR	PHONE NUMBER	VARCHAR2	10	Y	
SWIC	VW_GRID_VENDOR	VENDOR_PHONE_EXTENSION	VARCHAR2	5	Y	Vendor phone extension
SWIC	VW_GRID_VENDOR	VENDOR_TYPE_CODE	VARCHAR2	1	Y	
SWIC	VW_GRID_VENDOR	VENDOR_TYPE_DESCRIPTION	VARCHAR2	40	Y	Whether vendor is grocer/producer with pharmacy or pharmacy only
SWIC	VW_GRID_VENDOR	PEER_GROUP_ID	NUMBER	22	Y	
SWIC	VW_GRID_VENDOR	PEER_GROUP_DESCRIPTION	VARCHAR2	120	Y	Description of the peer group (i.e. small,medium,bg box)
SWIC	VW_GRID_VENDOR	MODIFIED BY	VARCHAR2	32	Y	
SWIC	VW_GRID_VENDOR	DATE MODIFIED	DATE	7	Y	
SWIC	VW_GRID_VENDOR	ID	NUMBER	22	N	
SWIC	VW_HOSPITAL_CLINICS	ID	NUMBER	22	N	
SWIC	VW_HOSPITAL_CLINICS	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW_INCOME_DATE	CLIENT_ID	NUMBER	22	Y	
SWIC	VW_INCOME_DATE	DATE CREATED	DATE	7	Y	
SWIC	VW_INTERFACE_FILES	LOG NAME	VARCHAR2	151	Y	
SWIC	VW_INTERFACE_FILES	LOG_EMAIL_IDS	VARCHAR2	4000	Y	
SWIC	VW_INTERFACE_FILES	ID	NUMBER	22	N	
SWIC	VW_INTERFACE_FILES	INTERFACE ID	NUMBER	22	N	
SWIC	VW_INTERFACE_FILES	FILE NAME	VARCHAR2	50	N	
SWIC	VW_INTERFACE_FILES	FREQUENCY	VARCHAR2	10	N	
SWIC	VW_INTERFACE_FILES	CREATED BY	VARCHAR2	32	N	
SWIC	VW_INTERFACE_FILES	DATE CREATED	DATE	7	N	
SWIC	VW_INTERFACE_FILES	SCHEDULE DAY NUM	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	DATA_FILE_NAME	VARCHAR2	4000	Y	
SWIC	VW_INTERFACE_FILES	CONTROL_FILE_NAME	VARCHAR2	50	N	
SWIC	VW_INTERFACE_FILES	LOG_FILE_NAME	VARCHAR2	4000	Y	
SWIC	VW_INTERFACE_FILES	REPORT OR EXPORT	VARCHAR2	10	N	
SWIC	VW_INTERFACE_FILES	FTP LOCATION	VARCHAR2	100	Y	
SWIC	VW_INTERFACE_FILES	FTP_USER	VARCHAR2	50	Y	
SWIC	VW_INTERFACE_FILES	FTP PASSWORD	VARCHAR2	50	Y	
SWIC	VW_INTERFACE_FILES	EMAIL_TO	VARCHAR2	2000	Y	
SWIC	VW_INTERFACE_FILES	DATE MODIFIED	DATE	7	Y	
SWIC	VW_INTERFACE_FILES	ACTIVATE	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	ATTACH DATE	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	DATE FORMAT	VARCHAR2	14	Y	
SWIC	VW_INTERFACE_FILES	FILE DIRECTORY	VARCHAR2	2000	Y	
SWIC	VW_INTERFACE_FILES	CONTROL NUMBER	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	GDDO_PRCO_DATE	DATE	7	Y	
SWIC	VW_INTERFACE_FILES	FILE REC COUNT	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	DB REC COUNT	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	FORM1	VARCHAR2	100	Y	
SWIC	VW_INTERFACE_FILES	FORM2	VARCHAR2	100	Y	
SWIC	VW_INTERFACE_FILES	INTERFACE NAME	VARCHAR2	100	Y	
SWIC	VW_INTERFACE_FILES	IMPORT LOG FILE NAME	VARCHAR2	4000	Y	
SWIC	VW_INTERFACE_FILES	IMPORT_BAD_FILE_NAME	VARCHAR2	4000	Y	
SWIC	VW_INTERFACE_FILES	FTP_UPLOAD_LOG_FILE_NAME	VARCHAR2	4000	Y	
SWIC	VW_INTERFACE_FILES	FTP_DIRECTORY	VARCHAR2	2000	Y	
SWIC	VW_INTERFACE_FILES	SCHEDULED DATE	DATE	7	Y	
SWIC	VW_INTERFACE_FILES	RUN ON MON	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	RUN ON TUE	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	RUN ON WED	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	RUN ON THUR	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	RUN ON FRI	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	RUN_ON_SAT	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	RUN ON SUN	NUMBER	22	Y	
SWIC	VW_INTERFACE_FILES	LOG GENERATOR	VARCHAR2	100	Y	
SWIC	VW_INTERM_PACKAGE_DETAILS	CLIENT ID	NUMBER	22	Y	
SWIC	VW_INTERM_PACKAGE_DETAILS	FOOD_PACKAGE ID	VARCHAR2	8	Y	

SWIC	VW_INTERM_PACKAGE_DETAILS	PKG_EFFECTIVE_DATE	DATE	7	Y	Start date of the package
SWIC	VW_INTERM_PACKAGE_DETAILS	CERT_SEQ	NUMBER	22	Y	
SWIC	VW_INTERM_PACKAGE_DETAILS	IF_FOOD_ID	NUMBER	22	Y	
SWIC	VW_INTERM_PACKAGE_DETAILS	QUANTITY	NUMBER	22	Y	
SWIC	VW_INVENTORY_AIDT_LOCATIONS	ID	NUMBER	22	N	
SWIC	VW_INVENTORY_AIDT_LOCATIONS	DESCRIPTION	VARCHAR2	30	N	
SWIC	VW_INVENTORY_AIDT_LOCATIONS	DATE_CREATED	DATE	7	N	
SWIC	VW_INVENTORY_AIDT_LOCATIONS	CREATED_BY	VARCHAR2	32	N	
SWIC	VW_INVENTORY_AIDT_LOCATIONS	DATE_MODIFIED	DATE	7	Y	
SWIC	VW_INVENTORY_AIDT_LOCATIONS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	VW_INVESTIGATIONS	INVESTIGATION_ID	NUMBER	22	N	
SWIC	VW_INVESTIGATIONS	DESCRIPTION	VARCHAR2	100	Y	
SWIC	VW_INVESTIGATIONS	VV_VENDOR_ID	NUMBER	22	Y	
SWIC	VW_INVESTIGATIONS	VLS_STATUS_ID	NUMBER	22	Y	
SWIC	VW_ICDOW_FOOD_PACKAGES	FOOD_PACKAGE_ID	VARCHAR2	8	N	
SWIC	VW_ICDOW_FOOD_PACKAGES	DESCRIPTION	VARCHAR2	511	Y	
SWIC	VW_ICDOW_FOOD_PACKAGES	ACTIVE	NUMBER	1	Y	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	EBT_TRANSACTION_ID	NUMBER	22	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	TRANSACTION_TYPE_ID	VARCHAR2	3	Y	The transaction code for the EBT redemption transaction.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	EBT_TRANSACTION_DATE	DATE	7	Y	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	EBT_TRANSACTION_TIME	VARCHAR2	8	Y	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	VV_VENDOR_NUMBER	VARCHAR2	7	Y	The system generated unique identifier for the vendor (FK to V VENDORS)
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	TRANSACTION_LOG_DATE	DATE	7	N	The Transaction Log Date for the redemption.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	TRANSACTION_LOG_TIME	VARCHAR2	8	N	The time of the EBT redemption transaction.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	PEER_PEER_GROUP_ID	NUMBER	22	Y	The unique identifier for the vendor peer group (FK to V PEER_GROUPS)
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	SETTLED_DATE	DATE	7	Y	The settled date for the transaction comes from account activity file.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	SEQ_ID	NUMBER	22	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	CREU_FAMILY_ID	VARCHAR2	9	N	Certification identification for CREU (FK to C FAMILY ECONOMIC_UNITS and I EBT_BENEFITS_ISSUES)
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	OU_SEQ_ID	NUMBER	22	N	The system generated unique identifier for organizational unit (FK to O ORGANIZATIONAL_UNITS)
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	CLA_CARD_NO	NUMBER	22	Y	The unique identifier for the EBT card (FK to C EBT_ACCOUNT)
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	BENEFIT_START_DATE	DATE	7	N	The first date on which the benefits can be redeemed.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	REQUESTED_AMOUNT	NUMBER	22	Y	The transaction type for the requested amount.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	SETTLED_AMOUNT	NUMBER	22	Y	The transaction type for the settled amount.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	TOTAL_ADJUSTMENTS	NUMBER	22	Y	The transaction type for the total adjustments.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	DISCOUNT_AMOUNT	NUMBER	22	N	The transaction type for the discount amount.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	TRANSACTION_TYPE	VARCHAR2	2	Y	The transaction type for the EBT redemption transaction.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	DATE_CREATED	DATE	7	Y	Common audit field documenting date time stamp when the row was created.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	LINE_ITEM_ID	NUMBER	22	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	LPC_PLU_INDICATOR	VARCHAR2	1	N	Indicates if the LPC is a PLU.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	VLU_LPC_CODE	VARCHAR2	14	N	The LPC or PLU code for the food
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	REQUESTED_PRICE	NUMBER	22	Y	Requested price
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	SETTLED_VLUC_CAT_CODE	VARCHAR2	2	N	The unique identifier for the LPC category (FK from V LU LPC_CATEGORIES (FK to V LU LPC_SUBCAT))
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	SETTLED_VLUC_SUB_CAT_CODE	VARCHAR2	3	N	The settled LPC sub-category of the food.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	REQUESTED_QUANTITY	NUMBER	22	Y	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	NUMBER_OF_ITEMS	NUMBER	22	Y	The quantity of the food redeemed in terms of the LPC.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	SETTLED_PRICE	NUMBER	22	Y	The settled price for the redemption.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	VLUC_CAT_CODE	VARCHAR2	2	N	The unique identifier for the LPC category (FK from V LU LPC_CATEGORIES (FK to V LU LPC_SUBCAT))
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	VLUC_SUB_CAT_CODE	VARCHAR2	3	N	The unique identifier for the LPC sub-category (FK to V LU LPC_SUBCAT)
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	QUANTITY	NUMBER	22	N	The quantity of the food item allowed by the food package.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	SL_NO	NUMBER	22	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	BENEFIT_ISSUE_NUMBER	VARCHAR2	50	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	CREU_FAMILY_ID	VARCHAR2	9	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	OU_SEQ_ID	NUMBER	22	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	BENEFIT_START_DATE	DATE	7	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	BENEFIT_END_DATE	DATE	7	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	ISSUE_MONTH	NUMBER	22	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	ISSUE_YEAR	NUMBER	22	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	IF_FOOD_ID	NUMBER	22	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	VLUC_CAT_CODE	VARCHAR2	2	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	VLUC_SUB_CAT_CODE	VARCHAR2	3	N	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	ISSUED_QUANTITY	NUMBER	22	N	The quantity of the food item allowed by the food package.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	SENT_TO_EBT	NUMBER	22	Y	
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	ISSUED_CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	ISSUES_CREATED	NUMBER	7	N	Common audit field for date time stamp when the row was created.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	ISSUED_MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	ISSUED_DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	FOOD_QUANTITY	NUMBER	22	Y	Quantity of food issued
SWIC	VW_EBT_BENEFITS_REDEEMED_AR	TOTAL_QUANTITY	NUMBER	22	Y	Quantity of food item allowed by food package - Quantity of food voided
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	BENEFIT_ISSUE_NUMBER	VARCHAR2	50	N	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	CREU_FAMILY_ID	VARCHAR2	9	N	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	CC_CLIENT_ID	NUMBER	22	N	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	CREATED_BY	VARCHAR2	32	N	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	DATE_CREATED	DATE	7	Y	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	DATE_MODIFIED	DATE	7	Y	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	ISSUE_MONTH	NUMBER	22	N	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	ISSUE_YEAR	NUMBER	22	N	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	IF_FOOD_PACKAGE_ID	VARCHAR2	8	Y	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	CPFP_EFFECTIVE_DATE	DATE	7	Y	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	IF_FOOD_ID	NUMBER	22	Y	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	QUANTITY	NUMBER	22	N	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	VLUC_CAT_CODE	VARCHAR2	2	Y	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	VLUC_SUB_CAT_CODE	VARCHAR2	3	Y	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	VOIDED	NUMBER	22	Y	
SWIC	VW_EBT_BEN_ISSU_CLIENT_AR	CCI_EBT_START_DATE	DATE	7	Y	
SWIC	VW_FOOD_GROUPS	FOOD_GROUP_ID	NUMBER	22	N	
SWIC	VW_FOOD_GROUPS	DESCRIPTION	VARCHAR2	20	N	
SWIC	VW_FOOD_GROUPS	GROUP_MAX_FLAG	NUMBER	22	Y	
SWIC	VW_FOOD_PACKAGES	FOOD_PACKAGE_ID	VARCHAR2	8	N	
SWIC	VW_FOOD_PACKAGES	DESCRIPTION	VARCHAR2	500	Y	
SWIC	VW_FOOD_PACKAGES	ACTIVE	NUMBER	1	Y	
SWIC	VW_FOOD_PACKAGES_ACTIVE	ID	VARCHAR2	8	N	
SWIC	VW_FOOD_PACKAGES_ACTIVE	DESCRIPTION	VARCHAR2	500	Y	
SWIC	VW_FOOD_PACKAGES_ACTIVE	CATEGORY_CODE	VARCHAR2	3	N	
SWIC	VW_FOOD_PACKAGES_ACTIVE	BEGIN_MONTH	NUMBER	22	N	
SWIC	VW_FOOD_PACKAGES_ACTIVE	END_MONTH	NUMBER	22	N	
SWIC	VW_FOOD_PACKAGES_ACTIVE	FORMAT_ID	NUMBER	22	N	
SWIC	VW_LABEL_FORMATS	DESCRIPTION	VARCHAR2	100	N	
SWIC	VW_LABEL_FORMATS	ID	NUMBER	22	N	
SWIC	VW_LABEL_FORMAT_DETAILS	DESCRIPTION	VARCHAR2	200	N	
SWIC	VW_LABEL_FORMAT_DETAILS	FORMAT_ID	NUMBER	22	N	
SWIC	VW_LABEL_FORMAT_DETAILS	LAST_APP	DATE	7	Y	
SWIC	VW_LATEST_AUTH	VV_VENDOR_ID	NUMBER	22	N	Latest appointment for client
SWIC	VW_LATEST_AUTH	AUTH_SEQ_ID	NUMBER	22	N	
SWIC	VW_LATEST_AUTH	AUTH_START_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH	AUTH_EXPIRE_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH	SM_STAFF_MEMBER_ID	NUMBER	22	Y	
SWIC	VW_LATEST_AUTH	SIGNAL_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH	DISQUAL_START_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH	DISQUAL_END_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH	TERMINATION_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH	REAPPLIED_FLAG	NUMBER	22	Y	
SWIC	VW_LATEST_AUTH	RISK_LEVEL_ID	VARCHAR2	8	Y	
SWIC	VW_LATEST_AUTH	RISK_LEVEL_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH	DATE_CREATED	DATE	7	N	
SWIC	VW_LATEST_AUTH	CREATED_BY	VARCHAR2	32	N	
SWIC	VW_LATEST_AUTH	DATE_MODIFIED	DATE	7	Y	
SWIC	VW_LATEST_AUTH	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	VW_LATEST_AUTH	NOTE	VARCHAR2	2000	Y	
SWIC	VW_LATEST_AUTH	VS_STATUS_CODE	NUMBER	22	Y	
SWIC	VW_LATEST_AUTH_SEARCH	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	VW_LATEST_AUTH_SEARCH	NOTE	VARCHAR2	2000	Y	
SWIC	VW_LATEST_AUTH_SEARCH	VLSR_DENIAL_CODE	NUMBER	22	Y	
SWIC	VW_LATEST_AUTH_SEARCH	VV1_TERMINATION_CODE	NUMBER	22	Y	
SWIC	VW_LATEST_AUTH_SEARCH	VV_VENDOR_ID	NUMBER	22	Y	
SWIC	VW_LATEST_AUTH_SEARCH	AUTH_SEQ_ID	NUMBER	22	Y	
SWIC	VW_LATEST_AUTH_SEARCH	VS_STATUS_CODE	NUMBER	22	Y	
SWIC	VW_LATEST_AUTH_SEARCH	AUTH_START_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH_SEARCH	AUTH_EXPIRE_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH_SEARCH	SM_STAFF_MEMBER_ID	NUMBER	22	Y	
SWIC	VW_LATEST_AUTH_SEARCH	SIGNAL_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH_SEARCH	DISQUAL_START_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH_SEARCH	TERMINATION_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH_SEARCH	REAPPLIED_FLAG	NUMBER	22	Y	
SWIC	VW_LATEST_AUTH_SEARCH	RISK_LEVEL_ID	VARCHAR2	8	Y	
SWIC	VW_LATEST_AUTH_SEARCH	RISK_LEVEL_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH_SEARCH	DATE_CREATED	DATE	7	Y	
SWIC	VW_LATEST_AUTH_SEARCH	CREATED_BY	VARCHAR2	32	Y	
SWIC	VW_LATEST_AUTH_SEARCH	DATE_MODIFIED	DATE	7	Y	
SWIC	VW_LATEST_AUTH_SEARCH	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	VW_LATEST_AUTH_SEARCH	CC_CLIENT_ID	NUMBER	22	N	
SWIC	VW_LATEST_AUTH_SEARCH	MAX_REFERRAL_DATE	DATE	7	Y	
SWIC	VW_LATEST_AUTH_SEARCH	CC_CLIENT_ID	NUMBER	22	N	
SWIC	VW_LATEST_AUTH_SEARCH	MAX_REFERRAL_DATE	DATE	7	Y	Latest referral date for client
SWIC	VW_LA_CLIENTS	ID	NUMBER	22	N	
SWIC	VW_LA_CLIENTS	DESCRIPTION	NUMBER	22	Y	
SWIC	VW_LA_CLIENTS	SL_LA_ID	NUMBER	22	N	
SWIC	VW_LA_CLIENTS	SLT_LA_TYPE_ID	NUMBER	22	N	
SWIC	VW_LA_CLIENTS	CC_CLIENT_ID	NUMBER	22	N	
SWIC	VW_LA_CLIENTS	DATE_CREATED	DATE	7	N	
SWIC	VW_LA_CLIENTS	CREATED_BY	VARCHAR2	100	N	
SWIC	VW_LA_CLIENTS	DATE_MODIFIED	DATE	7	Y	
SWIC	VW_LA_CLIENTS	MODIFIED_BY	VARCHAR2	100	Y	
SWIC	VW_LA_GROUP_BY_SECTION	DESCRIPTION	VARCHAR2	200	N	
SWIC	VW_LA_GROUP_BY_SECTION	ID	NUMBER	22	N	
SWIC	VW_LA_PAGE_QUESTION	ID	NUMBER	22	Y	
SWIC	VW_LA_PAGE_QUESTION	DESCRIPTION	NUMBER	22	Y	
SWIC	VW_LA_PAGE_QUESTION	SLAT_TEMPLATE_ID	NUMBER	22	N	
SWIC	VW_LA_RESPONSE_TYPE_PPT	ID	VARCHAR2	5	N	
SWIC	VW_LA_RESPONSE_TYPE_PPT	DESCRIPTION	VARCHAR2	200	Y	
SWIC	VW_LA_SECTION	ID	NUMBER	22	N	
SWIC	VW_LA_SECTION	DESCRIPTION	VARCHAR2	200	N	
SWIC	VW_LA_SECTION	SULIAT_TYPE_ID	NUMBER	22	Y	
SWIC	VW_LA_SECTION	ID	NUMBER	22	N	
SWIC	VW_LA_TEMPLATE	DESCRIPTION	VARCHAR2	544	Y	
SWIC	VW_LA_TEMPLATE	SULIAT_ID	NUMBER	22	Y	
SWIC	VW_LA_TEMPLATE	FISCAL_YEAR	NUMBER	22	Y	
SWIC	VW_LA_TEMPLATE_GROUPS	ID	NUMBER	22	N	
SWIC	VW_LA_TEMPLATE_GROUPS	DESCRIPTION	VARCHAR2	200	N	

SWIC	VW_LA_TEMPLATE_GROUPS	SLAT_TEMPLATE_ID	NUMBER	22	N	
SWIC	VW_LA_TEMPLATE_RPT	ID	VARCHAR2	81	Y	
SWIC	VW_LA_TEMPLATE_RPT	DESCRIPTION	VARCHAR2	544	Y	
SWIC	VW_LA_TYPES	LA_TYPE_ID	VARCHAR2	81	Y	
SWIC	VW_LA_TYPES	DESCRIPTION	VARCHAR2	500	Y	
SWIC	VW_LU_ADDRESS_CITY_ST	KEY	VARCHAR2	5	Y	Zipcode
SWIC	VW_LU_ADDRESS_CITY_ST	DESCRIPTION	VARCHAR2	64	Y	
SWIC	VW_LU_ADDRESS_COUNTY	KEY	VARCHAR2	3	N	The unique identifier for the county.
SWIC	VW_LU_ADDRESS_COUNTY	DESCRIPTION	VARCHAR2	64	Y	The description of the county.
SWIC	VW_LU_ADDRESS_COUNTY	STATE_ID	VARCHAR2	2	N	Unique State abbreviation
SWIC	VW_LU_ADDRESS_COUNTY	ACTIVATE	NUMBER	22	Y	
SWIC	VW_LU_ADDRESS_COUNTY_VENDOR	KEY	VARCHAR2	3	N	Unique identifier for county code
SWIC	VW_LU_ADDRESS_COUNTY_VENDOR	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW_LU_ADDRESS_COUNTY_VENDOR	STATE_ID	VARCHAR2	2	N	
SWIC	VW_LU_ADDRESS_COUNTY_VENDOR	ACTIVE	NUMBER	22	Y	
SWIC	VW_LU_ADDRESS_ZIP	KEY	VARCHAR2	64	Y	City,State
SWIC	VW_LU_ADDRESS_ZIP	DESCRIPTION	VARCHAR2	5	N	
SWIC	VW_LU_AGENCY_STAFF	AGENCY_SEQ_ID	NUMBER	22	Y	Unique identifier for organizational unit
SWIC	VW_LU_AGENCY_STAFF	PSEUDO_FLAG	NUMBER	22	Y	
SWIC	VW_LU_AGENCY_STAFF	STAFF_MEMBER_ID	NUMBER	22	Y	
SWIC	VW_LU_AGENCY_STAFF	FULL_NAME	VARCHAR2	152	Y	Staff member name
SWIC	VW_LU_AGENCY_STAFF	ACTIVE_TYPE	NUMBER	22	Y	
SWIC	VW_LU_AGREEMENT_VERSIONS	AGREEMENT_ID	NUMBER	22	N	
SWIC	VW_LU_AGREEMENT_VERSIONS	DESCRIPTION	DATE	7	N	
SWIC	VW_LU_ALL_REFERRALS	OUTREACH_ORG_ID	NUMBER	22	N	
SWIC	VW_LU_ALL_REFERRALS	PROGRAM_ORG_CODE	VARCHAR2	60	N	Outreach programid (non-unique id describing type of program)
SWIC	VW_LU_ALL_REF_CAT	KEY	VARCHAR2	5	N	Program ID of Program (such as SNAP or First Steps)
SWIC	VW_LU_ALL_REF_CAT	DESCRIPTION	VARCHAR2	61	N	
SWIC	VW_LU_ALL_REF_CAT	TO_FROM_FLAG	VARCHAR2	1	Y	
SWIC	VW_LU_AMOUNT_OF_BREASTFEEDING	KEY	VARCHAR2	1	N	
SWIC	VW_LU_AMOUNT_OF_BREASTFEEDING	DESCRIPTION	VARCHAR2	120	N	
SWIC	VW_LU_AMT_BREASTFEEDING_BP	FEEDINGS_PER_DAY_CODE	VARCHAR2	1	N	
SWIC	VW_LU_AMT_BREASTFEEDING_BP	DESCRIPTION	VARCHAR2	120	N	
SWIC	VW_LU_APPT_DURATION	TIME_ALLOCATION	VARCHAR2	47	Y	Minutes allotted and type of service (such as PCert or Cert)
SWIC	VW_LU_APPT_DURATION	DESCRIPTION	VARCHAR2	6	N	
SWIC	VW_LU_APPT_DURATION	OU_SEQ_ID	NUMBER	22	N	The unique identifier for the clinic (O ORGANIZATIONAL_UNITS).
SWIC	VW_LU_A_SERVICES	ACT_SERV_CODE	VARCHAR2	6	N	
SWIC	VW_LU_A_SERVICES	DESCRIPTION	VARCHAR2	6	N	
SWIC	VW_LU_A_SERVICES	OU_SEQ_ID	NUMBER	22	N	
SWIC	VW_LU_BANKS	KEY	VARCHAR2	9	N	Bank routing number
SWIC	VW_LU_BANKS	DESCRIPTION	VARCHAR2	72	Y	
SWIC	VW_LU_BP_MANUFACTURER	MAN_ID	NUMBER	22	Y	
SWIC	VW_LU_BP_MANUFACTURER	DESCRIPTION	VARCHAR2	100	Y	
SWIC	VW_LU_BP_TYPES	TYPE_ID	NUMBER	22	Y	
SWIC	VW_LU_BP_TYPES	DESCRIPTION	VARCHAR2	100	Y	
SWIC	VW_LU_COMPANY_NAME	KEY	VARCHAR2	10	N	The unique identifier for the owner of the retail vendor.
SWIC	VW_LU_COMPANY_NAME	DESCRIPTION	VARCHAR2	100	Y	
SWIC	VW_LU_DIST_A_SERVICES	ACT_SERV_CODE	VARCHAR2	6	Y	
SWIC	VW_LU_DIST_A_SERVICES	DESCRIPTION	VARCHAR2	6	Y	
SWIC	VW_LU_DIST_RISK_FACTORS	RISK_FACTOR_ID	NUMBER	22	Y	
SWIC	VW_LU_DIST_RISK_FACTORS	DESCRIPTION	VARCHAR2	164	Y	
SWIC	VW_LU_DOCUMENTS	DOC_ID	NUMBER	22	N	
SWIC	VW_LU_DOCUMENTS	DESCRIPTION	VARCHAR2	100	N	
SWIC	VW_LU_DOCUMENTS	CLDT_ID	NUMBER	22	N	
SWIC	VW_LU_DOCUMENTS	SIGNATURE_FLAG	NUMBER	22	Y	
SWIC	VW_LU_DOCUMENTS	ACTIVE	NUMBER	22	N	
SWIC	VW_LU_EDUCATION_COURSES	ID COURSE CODE	VARCHAR2	1	N	
SWIC	VW_LU_EDUCATION_COURSES	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW_LU_EDUCATION_COURSES	DATE_CREATED	DATE	7	N	
SWIC	VW_LU_EDUCATION_COURSES	CREATED_BY	VARCHAR2	32	N	
SWIC	VW_LU_EDUCATION_COURSES	DATE_MODIFIED	DATE	7	Y	
SWIC	VW_LU_EDUCATION_COURSES	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	VW_LU_EDUCATION_COURSES	NOTE	VARCHAR2	2000	Y	
SWIC	VW_LU_EDUCATION_COURSES	ACTIVE	NUMBER	22	N	
SWIC	VW_LU_EVEN_MONTH_PKG	FOOD_PACKAGE_ID	VARCHAR2	8	N	
SWIC	VW_LU_EVEN_MONTH_PKG	DESCRIPTION	VARCHAR2	500	Y	
SWIC	VW_LU_FISCAL_YEARS	KEY	NUMBER	22	N	
SWIC	VW_LU_FISCAL_YEARS	DESCRIPTION	VARCHAR2	40	Y	
SWIC	VW_LU_FOOD_PKG_RULES	ID	VARCHAR2	5	N	
SWIC	VW_LU_FOOD_PKG_RULES	DESCRIPTION	VARCHAR2	2000	Y	
SWIC	VW_LU_IGS_AGE_RANGE	ID	NUMBER	22	N	
SWIC	VW_LU_IGS_AGE_RANGE	DESCRIPTION	VARCHAR2	40	Y	
SWIC	VW_LU_INVEST_TARGET_TYPE	ID	NUMBER	22	N	
SWIC	VW_LU_INVEST_TARGET_TYPE	DESCRIPTION	VARCHAR2	50	N	
SWIC	VW_LU_LOCAL_PROVIDERS	OUTREACH_ORG_CODE	NUMBER	22	N	The system generated unique identifier for outreach org.
SWIC	VW_LU_LOCAL_PROVIDERS	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW_LU_MANUFACTURERS	KEY	NUMBER	22	N	Food Manufacturer id
SWIC	VW_LU_MANUFACTURERS	DESCRIPTION	VARCHAR2	35	N	
SWIC	VW_LU_NUTR_ED_TOPICS	NUTR_ED_TOPIC_CODE	NUMBER	22	Y	
SWIC	VW_LU_NUTR_ED_TOPICS	description	VARCHAR2	202	Y	
SWIC	VW_LU_OUTREACH_FLAGS	KEY	VARCHAR2	5	N	Program ID of Program (such as SNAP or First Steps)
SWIC	VW_LU_OUTREACH_FLAGS	DESCRIPTION	VARCHAR2	61	N	
SWIC	VW_LU_OUTREACH_FLAG	OUTREACH_FLAG	NUMBER	22	N	
SWIC	VW_LU_OUTREACH_REFERRAL	OUTREACH_ORG_ID	VARCHAR2	6	N	
SWIC	VW_LU_OUTREACH_REFERRAL	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW_LU_OUTREACH_REFERRAL	PROGRAM_ORG_CODE	VARCHAR2	8	Y	Outreach programid + organizational unit main 2 digit code
SWIC	VW_LU_OU_COUNTY	COUNTY_CODE	VARCHAR2	3	N	
SWIC	VW_LU_OU_COUNTY	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW_LU_OWNER_NAME	KEY	VARCHAR2	10	N	The unique identifier for the owner of the retail vendor.
SWIC	VW_LU_OWNER_NAME	DESCRIPTION	VARCHAR2	100	Y	
SWIC	VW_LU_O_PROGRAMS	TO_FROM_FLAG	VARCHAR2	1	Y	
SWIC	VW_LU_O_PROGRAMS	ACTIVE	NUMBER	22	Y	
SWIC	VW_LU_O_PROGRAMS	KEY	VARCHAR2	5	Y	Program ID of Program (such as SNAP or First Steps)
SWIC	VW_LU_O_PROGRAMS	DESCRIPTION	VARCHAR2	61	Y	
SWIC	VW_LU_PEER_GROUP	KEY	NUMBER	22	N	Peer group id (vendor peer groups)
SWIC	VW_LU_PEER_GROUP	DESCRIPTION	VARCHAR2	163	Y	
SWIC	VW_LU_PRINT_DOC	DOC_ID	NUMBER	22	N	
SWIC	VW_LU_PRINT_DOC	DESCRIPTION	VARCHAR2	100	N	
SWIC	VW_LU_PRINT_DOC	CLDT_ID	NUMBER	22	N	
SWIC	VW_LU_PRINT_DOC	SIGNATURE_FLAG	NUMBER	22	Y	
SWIC	VW_LU_PRINT_DOC	HAMBUR_FLAG	NUMBER	22	Y	
SWIC	VW_LU_PRINT_DOC	SOFT_ORDER	NUMBER	22	Y	
SWIC	VW_LU_REF_CAT	REFERRAL_TYPE	VARCHAR2	3	Y	
SWIC	VW_LU_REF_CAT	ACTIVE	NUMBER	22	Y	
SWIC	VW_LU_REF_CAT	KEY	VARCHAR2	5	N	Program ID of Program (such as SNAP or First Steps)
SWIC	VW_LU_REF_CAT	DESCRIPTION	VARCHAR2	61	N	
SWIC	VW_LU_SCAN_DOCUMENTS	DOC_ID	VARCHAR2	81	Y	
SWIC	VW_LU_SCAN_DOCUMENTS	DESCRIPTION	VARCHAR2	100	N	
SWIC	VW_LU_STAFF_TRAINING_TYPES	ID	NUMBER	22	N	
SWIC	VW_LU_STAFF_TRAINING_TYPES	DESCRIPTION	VARCHAR2	200	Y	
SWIC	VW_LU_STORE_TYPE_MODEL	KEY	NUMBER	22	N	
SWIC	VW_LU_STORE_TYPE_MODEL	DESCRIPTION	VARCHAR2	100	N	
SWIC	VW_LU_STORE_TYPE_MODEL	TITLE	VARCHAR2	500	N	
SWIC	VW_LU_TABLES	TABLE_NAME	VARCHAR2	50	N	
SWIC	VW_LU_TABLES	DESCRIPTION	VARCHAR2	50	N	
SWIC	VW_LU_TOPICS_NON_HIGH_RISK	CONTACT_REASON_CODE	NUMBER	22	N	
SWIC	VW_LU_TOPICS_NON_HIGH_RISK	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW_LU_TPP	KEY	NUMBER	22	N	
SWIC	VW_LU_TPP	DESCRIPTION	VARCHAR2	100	N	
SWIC	VW_LU_TRIMESTERS	TRIMESTER_CODE	NUMBER	22	Y	Which trimester (1,2,3, or 4)
SWIC	VW_LU_TRIMESTERS	DESCRIPTION	VARCHAR2	13	Y	
SWIC	VW_LU_LPC_PACKAGE_TYPES	PACKAGE_CODE	VARCHAR2	2	N	
SWIC	VW_LU_LPC_PACKAGE_TYPES	DESCRIPTION	VARCHAR2	200	N	
SWIC	VW_LU_LPC_PACKAGE_TYPES	DATE_CREATED	DATE	7	N	
SWIC	VW_LU_LPC_PACKAGE_TYPES	CREATED_BY	VARCHAR2	30	N	
SWIC	VW_LU_LPC_PACKAGE_TYPES	DATE_MODIFIED	DATE	7	Y	
SWIC	VW_LU_LPC_PACKAGE_TYPES	MODIFIED_BY	VARCHAR2	30	Y	
SWIC	VW_LU_V_BANKS	KEY	VARCHAR2	9	N	Bank routing number
SWIC	VW_LU_V_BANKS	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW_MAINTAIN_DATA_INTEGRITY	ERROR_TYPE	VARCHAR2	114	Y	
SWIC	VW_MAINTAIN_DATA_INTEGRITY	YEAR	NUMBER	22	Y	
SWIC	VW_MAINTAIN_DATA_INTEGRITY	MONTH	NUMBER	22	Y	
SWIC	VW_MAINTAIN_DATA_INTEGRITY	DATE_CREATED	DATE	7	Y	
SWIC	VW_MAINTAIN_DATA_INTEGRITY	REC_COUNT	NUMBER	22	Y	Count of EBT accounts created in NWWIC but missing in EPPIC
SWIC	VW_MAINTAIN_DATA_INTEGRITY	PROCESSED_AT	VARCHAR2	22	Y	Common audit field for date time stamp when the row was created.
SWIC	VW_MAINTAIN_EOD_LOG	MODULE	VARCHAR2	50	N	
SWIC	VW_MAINTAIN_EOD_LOG	SUB_MODULE	VARCHAR2	100	N	
SWIC	VW_MAINTAIN_EOD_LOG	LOG_TYPE	VARCHAR2	10	N	
SWIC	VW_MAINTAIN_EOD_LOG	LOG_MESSAGE	VARCHAR2	2000	N	
SWIC	VW_MAINTAIN_EOD_LOG	DATE_CREATED	DATE	7	N	
SWIC	VW_MAINTAIN_EOD_LOG	PROCESS_EXECUTED	VARCHAR2	200	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	MESSAGE_TYPE	VARCHAR2	50	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	CLINIC	VARCHAR2	16	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	FAMILY_ID	VARCHAR2	60	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	BENEFIT_ISSUE_NUMBER	VARCHAR2	80	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	BENEFIT_START_DATE	DATE	7	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	BENEFIT_END_DATE	DATE	7	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	BENEFIT_TYPE	VARCHAR2	12	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	NO_OF_FOOD_ITEMS	VARCHAR2	8	Y	Two digit number for number of food items
SWIC	VW_MAINTAIN_EPPIC_ERRORS	FOOD_ITEMS_SENT	VARCHAR2	4000	Y	String of UPC numbers for food items sent to EPPIC
SWIC	VW_MAINTAIN_EPPIC_ERRORS	FOOD_ITEMS_RECEIVED	VARCHAR2	4000	Y	String of UPC numbers for food items received by EPPIC
SWIC	VW_MAINTAIN_EPPIC_ERRORS	CARD_NUMBER	VARCHAR2	64	Y	Client's EBT card number
SWIC	VW_MAINTAIN_EPPIC_ERRORS	ACTION_CODE_AUTH_PROXY	VARCHAR2	6	Y	Create or Stop code sent on the file (loaded as A on sent file for Create)
SWIC	VW_MAINTAIN_EPPIC_ERRORS	PRIMARY_AID_AUTH_PROXY	VARCHAR2	17	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	FIRST_NAME	VARCHAR2	80	Y	Code for authorized person or proxy
SWIC	VW_MAINTAIN_EPPIC_ERRORS	MI	VARCHAR2	4	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	LAST_NAME	VARCHAR2	120	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	CARDHOLDER_NAME	VARCHAR2	206	Y	Firstname,middle initial, lastname of cardholder
SWIC	VW_MAINTAIN_EPPIC_ERRORS	EPPIC_CODE	VARCHAR2	10	Y	A code signaling whether EPPIC transaction was successful or failed
SWIC	VW_MAINTAIN_EPPIC_ERRORS	EPPIC_MESSAGE	VARCHAR2	2000	Y	EPPIC message
SWIC	VW_MAINTAIN_EPPIC_ERRORS	DATE_CREATED	DATE	7	Y	A message giving some detail about success or failure of EPPIC transaction
SWIC	VW_MAINTAIN_EPPIC_ERRORS	CREATED_BY	VARCHAR2	32	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	MESSAGE_SENT	VARCHAR2	4000	Y	
SWIC	VW_MAINTAIN_EPPIC_ERRORS	MESSAGE_RECEIVED	VARCHAR2	4000	Y	
SWIC	VW_MAINTAIN_IMPORT_EXPORT	DB_NAME	VARCHAR2	10	Y	Hardcoded
SWIC	VW_MAINTAIN_IMPORT_EXPORT	CHAR	VARCHAR2	6	Y	Hardcoded Action
SWIC	VW_MAINTAIN_IMPORT_EXPORT	ACTION_SQL	VARCHAR2	4000	Y	Hardcoded sql command
SWIC	VW_MAX_CHECK_DATES	CLIENT_ID	NUMBER	22	N	
SWIC	VW_MAX_CHECK_DATES	FIRST DATE TO USE	DATE	8	Y	Current date - 130
SWIC	VW_MAX_CHECK_DATES	LAST DATE TO USE	DATE	8	Y	Current date - 30
SWIC	VW_MAX_CONV_CERT	CC_CLIENT_ID	NUMBER	22	N	





SWIC	VW	MONITORING	FINDINGS	FM FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	FINDINGS	FM FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	FINDINGS	EWIC FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	FINDINGS	EWIC FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	FINDINGS	EWIC FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	FINDINGS	PREM FINDINGS	VARCHAR2	603	Y
SWIC	VW	MONITORING	FINDINGS	PREM FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	FINDINGS	PREM FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	FINDINGS	LC371 FINDINGS	VARCHAR2	603	Y
SWIC	VW	MONITORING	LC3 FINDINGS	MONITORING VISIT ID	NUMBER	22	N
SWIC	VW	MONITORING	LC3 FINDINGS	MONITORING REASON	VARCHAR2	60	Y
SWIC	VW	MONITORING	LC3 FINDINGS	VENDOR ID	NUMBER	22	Y
SWIC	VW	MONITORING	LC3 FINDINGS	VENDOR NUMBER	VARCHAR2	7	Y
SWIC	VW	MONITORING	LC3 FINDINGS	VENDOR NAME	VARCHAR2	35	Y
SWIC	VW	MONITORING	LC3 FINDINGS	VENDOR ADDRESS1	VARCHAR2	60	Y
SWIC	VW	MONITORING	LC3 FINDINGS	VENDOR ADDRESS2	VARCHAR2	60	Y
SWIC	VW	MONITORING	LC3 FINDINGS	VENDOR CITY ST ZIP	VARCHAR2	133	Y
SWIC	VW	MONITORING	LC3 FINDINGS	VMA_NAME	VARCHAR2	60	Y
SWIC	VW	MONITORING	LC3 FINDINGS	VMA_ADDRESS1	VARCHAR2	60	Y
SWIC	VW	MONITORING	LC3 FINDINGS	VMA_ADDRESS2	VARCHAR2	60	Y
SWIC	VW	MONITORING	LC3 FINDINGS	VMA_CITY_ST ZIP	VARCHAR2	70	Y
SWIC	VW	MONITORING	LC3 FINDINGS	RESULT	VARCHAR2	100	Y
SWIC	VW	MONITORING	LC3 FINDINGS	SITE VISIT DATE	VARCHAR2	10	Y
SWIC	VW	MONITORING	LC3 FINDINGS	MONITOR NAME	VARCHAR2	151	Y
SWIC	VW	MONITORING	LC3 FINDINGS	STORE CONTACT NAME	VARCHAR2	100	Y
SWIC	VW	MONITORING	LC3 FINDINGS	STORE CONTACT TITLE	VARCHAR2	100	Y
SWIC	VW	MONITORING	LC3 FINDINGS	LC371 FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	LC3 FINDINGS	LC371 FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	LC3 FINDINGS	LC372 FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	LC3 FINDINGS	LC372 FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	LC3 FINDINGS	LC372 FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	LC3 FINDINGS	LC373 FINDINGS	VARCHAR2	603	Y
SWIC	VW	MONITORING	LC3 FINDINGS	LC373 FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	LC3 FINDINGS	LC373 FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	LC3 FINDINGS	LC374 FINDINGS	VARCHAR2	603	Y
SWIC	VW	MONITORING	LC3 FINDINGS	LC374 FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	LC3 FINDINGS	LC374 FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	LC3 FINDINGS	FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	MARKET PR PERCENT	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	REF FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	BFV FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	BFV FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	BFV FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	K FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	K FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	K FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	DBPL FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	DBPL FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	DBPL FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	CB FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	CB FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	CB FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	WG FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	WG FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	WG FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	CF FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	CF FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	CF FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	J12 FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	J12 FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	J12 FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	J16 FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	J16 FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	J16 FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	P8 FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	P8 FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	P8 FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	V FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	V FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	V FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	BC FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	BC FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	BC FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	E FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	E FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	E FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	C FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	C FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	C FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	FM FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	FM FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	FM FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	EWIC FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	EWIC FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	EWIC FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	PREM FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	PREM FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	PREM FINDINGS HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	OTHER FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	OTHER FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	OTHER FINDINGS HEADING	VARCHAR2	14	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	HIGH PRICE FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	HIGH PRICE FINDINGS COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	HIGH_PRICE_FINDINGS_HEADING	VARCHAR2	19	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	CONCENTRATE PR REASONABLE	VARCHAR2	100	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	CONCENTRATE PR PERCENT	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	POWDER PR REASONABLE	VARCHAR2	100	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	POWDER PR PERCENT	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	MARKET PR REASONABLE	VARCHAR2	100	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	MARKET PR PERCENT	VARCHAR2	100	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	MONITORING VISIT ID	NUMBER	22	N
SWIC	VW	MONITORING	SURVEY FINDINGS	MONITORING REASON	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VENDOR ID	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VENDOR NUMBER	VARCHAR2	7	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VENDOR NAME	VARCHAR2	35	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VENDOR ADDRESS	VARCHAR2	60	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VENDOR ADDRESS2	VARCHAR2	60	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VENDOR CITY ST ZIP	VARCHAR2	133	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VMA_NAME	VARCHAR2	60	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VMA_ADDRESS1	VARCHAR2	60	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VMA_ADDRESS2	VARCHAR2	60	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VMA_CITY_ST ZIP	VARCHAR2	70	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	RESULT	VARCHAR2	100	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	M8 PRICE	VARCHAR2	100	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	SITE VISIT DATE	VARCHAR2	10	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	MONITOR NAME	VARCHAR2	151	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	STORE CONTACT NAME	VARCHAR2	100	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	STORE CONTACT TITLE	VARCHAR2	100	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VI FINDINGS	VARCHAR2	603	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VI_FINDINGS_COUNT	NUMBER	22	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	VI_FINDINGS_HEADING	VARCHAR2	59	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	RCF FINDINGS	VARCHAR2	4000	Y
SWIC	VW	MONITORING	SURVEY FINDINGS	RCF_FINDINGS_COUNT	NUMBER	22	Y
SWIC	VW	NEXT APPOINTMENT		CEU_FAMILY_ID	VARCHAR2	9	Y
SWIC	VW	NEXT APPOINTMENT		CC_CLIENT_ID	NUMBER	22	N
SWIC	VW	NEXT APPOINTMENT		START TIME	DATE	7	Y
SWIC	VW	NON EBT FOOD ITEMS		FOOD_ID	NUMBER	22	N
SWIC	VW	NON EBT FOOD ITEMS		DESCRIPTION	VARCHAR2	50	N
SWIC	VW	NON EBT FOOD ITEMS		FIG_FOOD_GROUP_ID	NUMBER	22	Y
SWIC	VW	NON EBT FOOD ITEMS		IF_TYPE	VARCHAR2	3	Y
SWIC	VW	NUTR ED TOPIC		NUTR_ED_TOPIC_CODE	NUMBER	22	N
SWIC	VW	NUTR ED TOPIC		DESCRIPTION	VARCHAR2	200	N
SWIC	VW	NUTR ED TOPIC		DATE CREATED	DATE	7	N
SWIC	VW	NUTR ED TOPIC		DATE MODIFIED	DATE	7	Y
SWIC	VW	NUTR ED TOPIC		MODIFIED BY	VARCHAR2	32	Y
SWIC	VW	NUTR ED TOPIC		ENABLED	NUMBER	22	Y
SWIC	VW	NUTR ED TOPIC		NUTR_ED_TOPIC_CODE	NUMBER	22	N
SWIC	VW	NUTR_ED_TOPIC		ENABLED	NUMBER	22	Y
SWIC	VW	NUTR_ED_TOPIC		CLINM_METHOD_ID	NUMBER	22	N
SWIC	VW	NUTR_ED_TOPIC 2		NUTR_ED_TOPIC_CODE	NUMBER	22	N
SWIC	VW	NUTR_ED_TOPIC 2		DESCRIPTION	VARCHAR2	243	Y
SWIC	VW	NUTR_ED_TOPIC 2		DATE CREATED	DATE	7	N
SWIC	VW	NUTR_ED_TOPIC 2		DATE MODIFIED	DATE	7	Y
SWIC	VW	NUTR_ED_TOPIC 2		MODIFIED BY	VARCHAR2	32	Y
SWIC	VW	NUTR_ED_TOPIC 2		ENABLED	NUMBER	22	Y
SWIC	VW	NUTR_ED_TOPIC ADMIN		NUTR_ED_TOPIC_CODE	NUMBER	22	N
SWIC	VW	NUTR_ED_TOPIC ADMIN		DESCRIPTION	VARCHAR2	200	N
SWIC	VW	NUTR_ED_TOPIC ADMIN		DATE CREATED	DATE	7	N
SWIC	VW	NUTR_ED_TOPIC ADMIN		DATE MODIFIED	DATE	7	Y
SWIC	VW	NUTR_ED_TOPIC ADMIN		MODIFIED BY	VARCHAR2	32	Y
SWIC	VW	NUTR_ED_TOPIC ADMIN		ENABLED	NUMBER	22	Y
SWIC	VW	NUTR_ED_TOPIC ADMIN		CLINM_METHOD_ID	NUMBER	22	N
SWIC	VW	NUTR_ED_TOPIC CLINIC		NUTR_ED_TOPIC_CODE	NUMBER	22	N
SWIC	VW	NUTR_ED_TOPIC CLINIC		DESCRIPTION	VARCHAR2	200	N
SWIC	VW	NUTR_ED_TOPIC CLINIC		DATE CREATED	DATE	7	N
SWIC	VW	NUTR_ED_TOPIC CLINIC		DATE MODIFIED	DATE	7	Y
SWIC	VW	NUTR_ED_TOPIC CLINIC		MODIFIED BY	VARCHAR2	32	Y
SWIC	VW	NUTR_ED_TOPIC CLINIC		ENABLED	NUMBER	22	Y
SWIC	VW	NUTR_ED_TOPIC CLINIC		CLINM_METHOD_ID	NUMBER	22	N
SWIC	VW	NUTR_ED_TOPIC CLINIC		SEQ_ID	NUMBER	22	N
SWIC	VW	NUTR_ED_TOPIC CLINIC		DESCRIPTION	VARCHAR2	68	Y
SWIC	VW	ONLY CLINICS		PROGRAM ID	VARCHAR2	5	N
SWIC	VW	ONLY CLINICS		DESCRIPTION	VARCHAR2	61	N
SWIC	VW	OWNER CHAIN SUFFIX		KEY	VARCHAR2	9	Y
SWIC	VW	OWNER CHAIN SUFFIX		DESCRIPTION	VARCHAR2	47	Y
SWIC	VW	O PROGRAMS		PROGRAM ID	VARCHAR2	5	N
SWIC	VW	O PROGRAMS		DESCRIPTION	VARCHAR2	68	Y
SWIC	VW	PC STAFF		ID	VARCHAR2	191	Y
SWIC	VW	PC STAFF		DESCRIPTION	VARCHAR2	150	Y
SWIC	VW	PEER GROUPS		PEER_GROUP_ID	NUMBER	22	N
SWIC	VW	PEER GROUPS		DESCRIPTION	VARCHAR2	100	N
SWIC	VW	PEER GROUPS		DATE_CREATED	DATE	7	N
SWIC	VW	PEER GROUPS		CREATED BY	VARCHAR2	32	N
SWIC	VW	PEER GROUPS		DEFAULT PERCENT	NUMBER	22	Y
SWIC	VW	PEER GROUPS		DATE_MODIFIED	DATE	7	Y
SWIC	VW	PEER GROUPS		MODIFIED BY	VARCHAR2	32	Y

chain suffix



SWIC	VW	RPT	CLASS APPOINTMENTS	CLIENT ID	NUMBER	22	N	
SWIC	VW	RPT	CLASS APPOINTMENTS	CLIENT NAME	VARCHAR2	151	Y	Client last name and first name
SWIC	VW	RPT	CLASS APPOINTMENTS	NEXT APPT	DATE	7	Y	Start time of next appointment
SWIC	VW	RPT	COMMON	CLIENT ID	NUMBER	22	N	
SWIC	VW	RPT	COMMON	CLIENT FIRST NAME	VARCHAR2	100	Y	Client first name
SWIC	VW	RPT	COMMON	CLIENT MI	VARCHAR2	1	Y	Client middle initial
SWIC	VW	RPT	COMMON	CLIENT LAST NAME	VARCHAR2	50	N	Client last name
SWIC	VW	RPT	COMMON	BIRTH DATE	DATE	7	N	
SWIC	VW	RPT	COMMON	CERT START DATE	DATE	7	Y	
SWIC	VW	RPT	COMMON	CERT END DATE	DATE	7	Y	
SWIC	VW	RPT	COMMON	TERMINATION DATE	DATE	7	Y	
SWIC	VW	RPT	COMMON	TR TERMINATION CODE	VARCHAR2	2	Y	
SWIC	VW	RPT	COMMON	HOH FIRST NAME	VARCHAR2	30	Y	Head of household first name
SWIC	VW	RPT	COMMON	HOH LAST NAME	VARCHAR2	50	Y	Head of household last name
SWIC	VW	RPT	COMMON	HOH ADDRESS1	VARCHAR2	60	N	Head of household address line 1
SWIC	VW	RPT	COMMON	HOH ADDRESS2	VARCHAR2	60	Y	Head of household address line 2
SWIC	VW	RPT	COMMON	HOH CITY	VARCHAR2	60	N	Head of household city
SWIC	VW	RPT	COMMON	HOH_STATE	VARCHAR2	2	Y	Head of household state
SWIC	VW	RPT	COMMON	HOH_ZIPS	VARCHAR2	5	N	Head of household zipcode
SWIC	VW	RPT	COMMON	LA NAME	VARCHAR2	60	N	Organization code + Clinic's name
SWIC	VW	RPT	COMMON	CD PHONE	VARCHAR2	10	Y	Organizational unit phone
SWIC	VW	RPT	COMMON	CD ADDRESS1	VARCHAR2	60	N	Organizational unit address line 1
SWIC	VW	RPT	COMMON	CD ADDRESS2	VARCHAR2	60	Y	Organizational unit address line 2
SWIC	VW	RPT	COMMON	CD CITY	VARCHAR2	60	N	Organizational unit city
SWIC	VW	RPT	COMMON	CD STATE	VARCHAR2	2	N	Organizational unit state
SWIC	VW	RPT	COMMON	ORGANIZATIONAL UNIT ZIPCODE	VARCHAR2	5	N	Organizational unit zipcode
SWIC	VW	RPT	COMMON	FAMILY ID	VARCHAR2	9	N	
SWIC	VW	RPT	COMMON	FAMILY_PHONE	VARCHAR2	10	Y	Family phone number
SWIC	VW	RPT	COMMON APPOINTMENTS	SCHED CAT CODE	VARCHAR2	3	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	APP SEQ ID	NUMBER	22	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	START TIME	DATE	7	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	OU SEQ ID	NUMBER	22	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	APPT DATE	VARCHAR2	81	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	APPT_TIME	VARCHAR2	8	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	APPT_TYPE	VARCHAR2	6	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	ATTEND STATUS	VARCHAR2	1	N	
SWIC	VW	RPT	COMMON APPOINTMENTS	STAFF MEMBER ID	NUMBER	22	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	HEAD_HOUSEHOLD_NAME	VARCHAR2	82	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	STAFF NAME	VARCHAR2	151	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	CLIENT NAME	VARCHAR2	152	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	CLIENT ID	NUMBER	22	N	
SWIC	VW	RPT	COMMON APPOINTMENTS	FAMILY ID	VARCHAR2	9	N	
SWIC	VW	RPT	COMMON APPOINTMENTS	CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	MEDICAD NUMBER	VARCHAR2	12	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	CERT START DATE	DATE	7	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	CERT END DATE	VARCHAR2	10	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	LANG_DS DESCRIPTION	VARCHAR2	73	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	LANGUAGE CODE	NUMBER	22	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	CLINIC NAME	VARCHAR2	68	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	FAMILY_PHONE	VARCHAR2	42	Y	
SWIC	VW	RPT	COMMON APPOINTMENTS	BVT DATE	DATE	7	Y	
SWIC	VW	RPT	COMMON NO ADDR	HOH_CITY	VARCHAR2	60	Y	Head of household city
SWIC	VW	RPT	COMMON NO ADDR	HOH_STATE	VARCHAR2	2	Y	Head of household state
SWIC	VW	RPT	COMMON NO ADDR	HOH_ZIPS	VARCHAR2	5	Y	Head of household zipcode
SWIC	VW	RPT	COMMON NO ADDR	STREET_ZIPS	VARCHAR2	5	Y	
SWIC	VW	RPT	COMMON NO ADDR	FAMILY ID	VARCHAR2	9	N	
SWIC	VW	RPT	COMMON NO ADDR	FAMILY_PHONE	VARCHAR2	10	Y	Family phone number
SWIC	VW	RPT	COMMON NO ADDR	CLIENT ID	NUMBER	100	Y	
SWIC	VW	RPT	COMMON NO ADDR	CLIENT TYPE	VARCHAR2	100	Y	
SWIC	VW	RPT	COMMON NO ADDR	CLIENT FIRST NAME	VARCHAR2	22	N	Client first name
SWIC	VW	RPT	COMMON NO ADDR	CLIENT MI	VARCHAR2	1	Y	Client middle initial
SWIC	VW	RPT	COMMON NO ADDR	CLIENT LAST NAME	VARCHAR2	50	N	Client last name
SWIC	VW	RPT	COMMON NO ADDR	BIRTH DATE	DATE	7	N	
SWIC	VW	RPT	COMMON NO ADDR	CERT START DATE	DATE	7	Y	
SWIC	VW	RPT	COMMON NO ADDR	CERT END DATE	DATE	7	Y	
SWIC	VW	RPT	COMMON NO ADDR	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	VW	RPT	COMMON NO ADDR	CLIENT STATUS	VARCHAR2	1	N	Current status of the client
SWIC	VW	RPT	COMMON NO ADDR	TERMINATION_DATE	DATE	7	Y	
SWIC	VW	RPT	COMMON NO ADDR	TR_TERMINATION_CODE	VARCHAR2	2	Y	
SWIC	VW	RPT	COMMON NO ADDR	LAST DATE CHECKS ISSUED	DATE	7	Y	
SWIC	VW	RPT	COMMON NO ADDR	SCHED_SCHEDULE DAY CODE	NUMBER	22	Y	
SWIC	VW	RPT	COMMON NO ADDR	NEXT PICKUP DATE	VARCHAR2	18	Y	Next date to pickup checks
SWIC	VW	RPT	COMMON NO ADDR	OU_SEQ_ID	NUMBER	22	Y	
SWIC	VW	RPT	COMMON NO ADDR	HOH_FIRST_NAME	VARCHAR2	30	Y	Head of household first name
SWIC	VW	RPT	COMMON NO ADDR	HOH_LAST_NAME	VARCHAR2	50	Y	Head of household last name
SWIC	VW	RPT	COMMON NO ADDR	HOH_ADDRESS1	VARCHAR2	60	Y	Head of household address line 1
SWIC	VW	RPT	COMMON NO ADDR	HOH_ADDRESS2	VARCHAR2	60	Y	Head of household address line 2
SWIC	VW	RPT	COMMON NO ADDR	EMAIL	VARCHAR2	255	Y	
SWIC	VW	RPT	COMMON WITH ORG	CLIENT ID	NUMBER	100	Y	Client first name
SWIC	VW	RPT	COMMON WITH ORG	CLIENT FIRST NAME	VARCHAR2	1	Y	Client first name
SWIC	VW	RPT	COMMON WITH ORG	CLIENT MI	VARCHAR2	1	Y	Client middle initial
SWIC	VW	RPT	COMMON WITH ORG	CLIENT LAST NAME	VARCHAR2	50	N	Client last name
SWIC	VW	RPT	COMMON WITH ORG	BIRTH DATE	DATE	7	N	
SWIC	VW	RPT	COMMON WITH ORG	CERT_START_DATE	DATE	7	Y	
SWIC	VW	RPT	COMMON WITH ORG	CERT_END_DATE	DATE	7	Y	
SWIC	VW	RPT	COMMON WITH ORG	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	VW	RPT	COMMON WITH ORG	CLIENT STATUS	VARCHAR2	1	N	Current status of the client
SWIC	VW	RPT	COMMON WITH ORG	TERMINATION DATE	DATE	7	Y	
SWIC	VW	RPT	COMMON WITH ORG	TR_TERMINATION_CODE	VARCHAR2	2	Y	
SWIC	VW	RPT	COMMON WITH ORG	OU_SEQ_ID	NUMBER	22	N	
SWIC	VW	RPT	COMMON WITH ORG	HOH_FIRST_NAME	VARCHAR2	30	Y	Head of household first name
SWIC	VW	RPT	COMMON WITH ORG	HOH_LAST_NAME	VARCHAR2	50	Y	Head of household last name
SWIC	VW	RPT	COMMON WITH ORG	HOH_ADDRESS1	VARCHAR2	60	N	Head of household address line 1
SWIC	VW	RPT	COMMON WITH ORG	HOH_ADDRESS2	VARCHAR2	60	Y	Head of household address line 2
SWIC	VW	RPT	COMMON WITH ORG	HOH_CITY	VARCHAR2	60	Y	Head of household city
SWIC	VW	RPT	COMMON WITH ORG	HOH_STATE	VARCHAR2	2	Y	Head of household state
SWIC	VW	RPT	COMMON WITH ORG	HOH_ZIPS	VARCHAR2	5	Y	Head of household zipcode
SWIC	VW	RPT	COMMON WITH ORG	FAMILY ID	VARCHAR2	9	N	
SWIC	VW	RPT	COMMON WITH ORG	OU_NAME	VARCHAR2	60	N	
SWIC	VW	RPT	COMMON WITH ORG	ORG_CODE AGENCY	VARCHAR2	3	N	
SWIC	VW	RPT	COMMON WITH ORG	OU_TYPE	VARCHAR2	8	N	
SWIC	VW	RPT	COMMON WITH ORG	OU_COUNTY_NAME	VARCHAR2	60	N	County name
SWIC	VW	RPT	COMMON WITH ORG	ID	VARCHAR2	3	N	
SWIC	VW	RPT	COMMON WITH ORG	DESCRIPTION	VARCHAR2	121	Y	
SWIC	VW	RPT	COMMON WITH ORG	ID	VARCHAR2	1	N	
SWIC	VW	RPT	EDUCATION COURSES	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	CLIENT ID	NUMBER	22	N	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	CLIENT LAST NAME	VARCHAR2	50	N	Client last name
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	CLIENT FIRST NAME	VARCHAR2	100	Y	Client first name
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	CLIENT MI	VARCHAR2	1	Y	Client middle initial
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	BIRTH DATE	DATE	7	N	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	CERT START DATE	DATE	7	Y	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	CERT END DATE	DATE	7	Y	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	FAMILY ID	VARCHAR2	9	N	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	OU_SEQ_ID	NUMBER	22	N	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	HOH_LAST_NAME	VARCHAR2	50	Y	Head of household last name
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	HOH_FIRST_NAME	VARCHAR2	30	Y	Head of household first name
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	HOH_ADDRESS1	VARCHAR2	60	N	Head of household address line 1
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	HOH_ADDRESS2	VARCHAR2	60	Y	Head of household address line 2
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	HOH_STATE	VARCHAR2	2	Y	Head of household state
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	HOH_CITY	VARCHAR2	60	Y	Head of household city
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	HOH_ZIPS	VARCHAR2	5	Y	Head of household zipcode
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	NEXT PICKUP DATE	DATE	7	Y	Next date to pickup checks
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	SCHED_SCHEDULE DAY CODE	NUMBER	22	Y	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	TERMINATION DATE	DATE	7	Y	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	TR_TERMINATION_CODE	VARCHAR2	2	Y	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	ORG_CODE AGENCY	VARCHAR2	3	N	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	NEXT APPT FLAG	NUMBER	22	Y	Flag to indicate if a start time exists for next appointment
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	START TIME	DATE	7	Y	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	Srv_ACT_Srv_CODE	VARCHAR2	6	Y	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	OU_NAME	VARCHAR2	68	Y	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	OU_TYPE	VARCHAR2	8	N	
SWIC	VW	RPT	ELIGIBLE FOR CHECKS	FAMILY_PHONE	VARCHAR2	10	Y	Family phone number
SWIC	VW	RPT	FUTURE APPT DETAIL	CLIENT ID	NUMBER	22	N	
SWIC	VW	RPT	FUTURE APPT DETAIL	START TIME	DATE	7	Y	
SWIC	VW	RPT	FUTURE APPT DETAIL	Srv_ACT_Srv_CODE	VARCHAR2	6	Y	
SWIC	VW	RPT	INELIGIBLE NOTICE	CLIENT ID	NUMBER	22	N	
SWIC	VW	RPT	INELIGIBLE NOTICE	CLIENT FIRST NAME	VARCHAR2	100	Y	Client first name
SWIC	VW	RPT	INELIGIBLE NOTICE	CLIENT MI	VARCHAR2	1	Y	Client middle initial
SWIC	VW	RPT	INELIGIBLE NOTICE	CLIENT LAST NAME	VARCHAR2	50	N	Client last name
SWIC	VW	RPT	INELIGIBLE NOTICE	BIRTH DATE	DATE	7	N	
SWIC	VW	RPT	INELIGIBLE NOTICE	CERT_START_DATE	DATE	7	Y	
SWIC	VW	RPT	INELIGIBLE NOTICE	CERT_END_DATE	DATE	7	Y	
SWIC	VW	RPT	INELIGIBLE NOTICE	TERMINATION DATE	DATE	7	Y	
SWIC	VW	RPT	INELIGIBLE NOTICE	TR_TERMINATION_CODE	VARCHAR2	2	Y	
SWIC	VW	RPT	INELIGIBLE NOTICE	HOH_FIRST_NAME	VARCHAR2	30	Y	Head of household first name
SWIC	VW	RPT	INELIGIBLE NOTICE	HOH_LAST_NAME	VARCHAR2	50	Y	Head of household last name
SWIC	VW	RPT	INELIGIBLE NOTICE	HOH_ADDRESS1	VARCHAR2	60	N	Head of household address line 1
SWIC	VW	RPT	INELIGIBLE NOTICE	HOH_ADDRESS2	VARCHAR2	60	Y	Head of household address line 2
SWIC	VW	RPT	INELIGIBLE NOTICE	HOH_CITY	VARCHAR2	60	N	Head of household city
SWIC	VW	RPT	INELIGIBLE NOTICE	HOH_STATE	VARCHAR2	2	Y	Head of household state
SWIC	VW	RPT	INELIGIBLE NOTICE	HOH_ZIPS	VARCHAR2	5	N	Head of household zipcode
SWIC	VW	RPT	INELIGIBLE NOTICE	LA NAME	VARCHAR2	60	N	Organization code + Clinic's name
SWIC	VW	RPT	INELIGIBLE NOTICE	CD_PHONE	VARCHAR2	10	Y	Organizational unit phone
SWIC	VW	RPT	INELIGIBLE NOTICE	CD_ADDRESS1	VARCHAR2	60	N	Organizational unit address line 1
SWIC	VW	RPT	INELIGIBLE NOTICE	CD_ADDRESS2	VARCHAR2	60	Y	Organizational unit address line 2
SWIC	VW	RPT	INELIGIBLE NOTICE	CD_CITY	VARCHAR2	60	N	Organizational unit city
SWIC	VW	RPT	INELIGIBLE NOTICE	CD_STATE	VARCHAR2	2	N	Organizational unit state
SWIC	VW	RPT	INELIGIBLE NOTICE	CD_ZIPS	VARCHAR2	5	N	Organizational unit zipcode
SWIC	VW	RPT	INELIGIBLE NOTICE	FAMILY ID	VARCHAR2	9	N	
SWIC	VW	RPT	INELIGIBLE NOTICE	FAMILY_PHONE	VARCHAR2	10	Y	Family phone number
SWIC	VW	RPT	INELIGIBLE NOTICE	BY DATE	DATE	7	Y	60 days from today
SWIC	VW	RPT	INELIGIBLE NOTICE	ID	VARCHAR2	44	Y	
SWIC	VW	RPT	INELIGIBLE NOTICE	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW	RPT	MEDICAL	CC_CLIENT ID	NUMBER	22	Y	
SWIC	VW	RPT	MEDICAL	CERT_START DATE	DATE	7	Y	
SWIC	VW	RPT	MEDICAL	MEDICAL_DATA_DATE	DATE	7	Y	
SWIC	VW	RPT	MEDICAL	WEIGHT	NUMBER	22	Y	
SWIC	VW	RPT	MEDICAL	HEIGHT	NUMBER	22	Y	
SWIC	VW	RPT	MEDICAL	AGE	NUMBER	22	Y	
SWIC	VW	RPT	MEDICAL	WEIGHT PERCENT	NUMBER	22	Y	



SWIC	VW	RPT	MEDICAL	HEIGHT PERCENT	NUMBER	22	Y	
SWIC	VW	RPT	MEDICAL	WEIGHT HEIGHT PERCENT	NUMBER	22	Y	
SWIC	VW	RPT	MEDICAL	BMI	NUMBER	22	Y	
SWIC	VW	RPT	MEDICAL	BMIAGE PERCENT	NUMBER	22	Y	
SWIC	VW	RPT	NEXT APPT	CLIENT ID	NUMBER	22	N	
SWIC	VW	RPT	NEXT APPT	APPT START TIME	DATE	7	Y	Appointment start time
SWIC	VW	RPT	NEXT APPT	APPT DESCRIPTION	VARCHAR2	60	N	The description of the service.
SWIC	VW	RPT	ONE YEAR	ID	NUMBER	22	Y	
SWIC	VW	RPT	ONE YEAR	DESCRIPTION	VARCHAR2	5	Y	
SWIC	VW	RPT	OUTREACH ORGS	ID	VARCHAR2	81	Y	
SWIC	VW	RPT	OUTREACH ORGS	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW	RPT	OUTREACH ORGS ADDL	ID	VARCHAR2	81	Y	
SWIC	VW	RPT	OUTREACH ORGS ADDL	DESCRIPTION	VARCHAR2	60	N	
SWIC	VW	RPT	OU CATEGORY COUNT	CAT GROUP	NUMBER	4	Y	
SWIC	VW	RPT	OU CATEGORY COUNT	ORG CODE AGENCY	VARCHAR2	3	N	
SWIC	VW	RPT	OU CATEGORY COUNT	ORG CODE V8	VARCHAR2	7	N	
SWIC	VW	RPT	OU CATEGORY COUNT	OU_SCH_ID	NUMBER	22	N	
SWIC	VW	RPT	OU CATEGORY COUNT	CLIENT_COUNT	NUMBER	22	Y	
SWIC	VW	RPT	PARM FOOD ACTIVE	ID	VARCHAR2	3	Y	
SWIC	VW	RPT	PARM FOOD ACTIVE	DESCRIPTION	VARCHAR2	6	Y	
SWIC	VW	RPT	PARM FOOD CAT	ID	VARCHAR2	5	Y	
SWIC	VW	RPT	PARM FOOD CAT	DESCRIPTION	VARCHAR2	3	Y	
SWIC	VW	RPT	PARM FOOD CAT	CATEGORY ID	NUMBER	22	Y	
SWIC	VW	RPT	PART END	ORG CODE AGENCY	VARCHAR2	3	N	
SWIC	VW	RPT	PART END	LA NAME	VARCHAR2	68	Y	Organization code + Clinic's name
SWIC	VW	RPT	PART END	FAMILY_PHONE	VARCHAR2	44	Y	Family phone number
SWIC	VW	RPT	PART END	CERT_END_DATE	DATE	7	Y	
SWIC	VW	RPT	PART END	CLIENT_ID	NUMBER	22	N	
SWIC	VW	RPT	PART END	CLINIC_FIRST_NAME	VARCHAR2	100	Y	Client first name
SWIC	VW	RPT	PART END	CLIENT_MI	VARCHAR2	1	Y	Client middle initial
SWIC	VW	RPT	PART END	CLIENT_LAST_NAME	VARCHAR2	50	N	Client last name
SWIC	VW	RPT	PART END	BIRTH_DATE	DATE	7	N	
SWIC	VW	RPT	PART END	CERT_START_DATE	DATE	7	Y	
SWIC	VW	RPT	PART_END	TERMINATION_DATE	DATE	7	Y	
SWIC	VW	RPT	PART_END	TR_TERMINATION_CODE	VARCHAR2	2	Y	
SWIC	VW	RPT	PART_END	CAT_CATEGORY_CODE	VARCHAR2	3	Y	
SWIC	VW	RPT	PART_END	CLIENT_STATUS	VARCHAR2	1	N	The current status of the client. (default P)
SWIC	VW	RPT	PART_END	LAST_DATE_CHECKS_ISSUED	DATE	7	Y	
SWIC	VW	RPT	PART_END	SCHED_SCHEDULE_DAY_CODE	NUMBER	22	Y	
SWIC	VW	RPT	PART_END	CLINIC_SEG_ID	NUMBER	22	N	Unique identifier for clinic
SWIC	VW	RPT	PART_END	HOH_FIRST_NAME	VARCHAR2	30	N	Head of household first name (for search/reporting)
SWIC	VW	RPT	PART_END	HOH_LAST_NAME	VARCHAR2	50	N	Head of household last name (for search/reporting)
SWIC	VW	RPT	PART_END	HOH_ADDRESS1	NUMBER	60	N	The first line of the family unit's mailing address.
SWIC	VW	RPT	PART_END	HOH_ADDRESS2	NUMBER	60	N	The second line of the family unit's mailing address.
SWIC	VW	RPT	PART_END	HOH_CITY	VARCHAR2	60	Y	Family unit city
SWIC	VW	RPT	PART_END	HOH_STATE	VARCHAR2	2	Y	Family unit state
SWIC	VW	RPT	PART_END	HOH_ZIPS	VARCHAR2	5	Y	Family unit zip
SWIC	VW	RPT	PART_END	STREET_ZIPS	VARCHAR2	5	Y	
SWIC	VW	RPT	PART_END	FAMILY_ID	VARCHAR2	9	N	
SWIC	VW	RPT	PART_END	CLINIC_NAME	VARCHAR2	68	Y	Organization code + Clinic's name
SWIC	VW	RPT	PRED ADJUNCT	CC_CLIENT_ID	NUMBER	22	N	
SWIC	VW	RPT	PRED ADJUNCT	ADJ_ELIGIBLE_DATE	NUMBER	22	Y	
SWIC	VW	RPT	PRED ADJUNCT	ADJ_ELIGIBILITY_DATE	DATE	7	Y	
SWIC	VW	RPT	PRED ADJUNCT	MEDICAD	NUMBER	22	Y	
SWIC	VW	RPT	PRED ADJUNCT	FOOD STAMPS	NUMBER	22	Y	
SWIC	VW	RPT	PRED ADJUNCT	FIP	NUMBER	22	Y	Indicates if client FIP participation is verified (0=No, 1=yes).
SWIC	VW	RPT	PRED BY DURATION	CC_CLIENT_ID	NUMBER	22	N	
SWIC	VW	RPT	PRED BY DURATION	BF_STOP_DAYS	NUMBER	22	Y	Days of breastfeeding
SWIC	VW	RPT	PRED BY DURATION	BF_STOP_WEEKS	NUMBER	22	Y	Weeks of breastfeeding
SWIC	VW	RPT	PRED BY DURATION	DURATION	VARCHAR2	9	Y	
SWIC	VW	RPT	PRED BY DURATION	BF_DURATION_SORT	NUMBER	22	Y	Sort breastfeeding from week 1 to 3 years
SWIC	VW	RPT	PRED BY EXCLUSIVITY	CC_CLIENT_ID	NUMBER	22	N	
SWIC	VW	RPT	PRED BY EXCLUSIVITY	BF_EXCLUSIVE_DAYS	NUMBER	22	Y	Number of days of exclusive breastfeeding
SWIC	VW	RPT	PRED BY EXCLUSIVITY	EXCLUSIVE_DURATION	NUMBER	8	Y	Duration of exclusive breastfeeding
SWIC	VW	RPT	PRED BY INITIATION	CLIENT_ID	NUMBER	22	N	
SWIC	VW	RPT	PRED BY INITIATION	INITIATED_CHILDREN	VARCHAR2	24	Y	Has the child ever been breastfed
SWIC	VW	RPT	PRED BY INITIATION	ISORT	NUMBER	22	Y	Numeric value that sorts initiated Children field (yes, then no)
SWIC	VW	RPT	PRED FORMULAS	CC_CLIENT_ID	NUMBER	22	N	
SWIC	VW	RPT	PRED FORMULAS	IF_FOOD_ID	NUMBER	22	N	
SWIC	VW	RPT	PRED FORMULAS	SECTIONS	NUMBER	50	N	
SWIC	VW	RPT	REFERRAL	FAMILY_PHONE	VARCHAR2	10	Y	Family phone number
SWIC	VW	RPT	REFERRAL	REFERRAL_DATE	DATE	7	N	
SWIC	VW	RPT	REFERRAL	PROGRAM_ID	NUMBER	5	N	
SWIC	VW	RPT	REFERRAL	PROGRAM_DESCRIPTION	VARCHAR2	61	N	Description of program such as Early Head Start or Family Planning
SWIC	VW	RPT	REFERRAL	OUTREACH_NAME	VARCHAR2	60	Y	The name of the outreach organization.
SWIC	VW	RPT	REFERRAL	OUTREACH_ADDRESS1	NUMBER	60	N	The first line of the outreach organization's address.
SWIC	VW	RPT	REFERRAL	OUTREACH_ADDRESS2	NUMBER	60	N	The second line of the outreach organization's address.
SWIC	VW	RPT	REFERRAL	OUTREACH_CITY	VARCHAR2	60	Y	Outreach organization city
SWIC	VW	RPT	REFERRAL	OUTREACH_STATE	VARCHAR2	2	Y	Outreach organization state
SWIC	VW	RPT	REFERRAL	OUTREACH_ZIPS	VARCHAR2	5	Y	Outreach organization zipcode
SWIC	VW	RPT	REFERRAL	OUTREACH_PHONE	VARCHAR2	10	Y	Outreach organization phone
SWIC	VW	RPT	REFERRAL	OUTREACH_NOTE	NUMBER	2000	Y	Common field for user notes or comments.
SWIC	VW	RPT	REFERRAL	OUTREACH_ORG_ID	NUMBER	22	Y	
SWIC	VW	RPT	REFERRAL	REFERRED	NUMBER	22	Y	
SWIC	VW	RPT	REFERRAL	CLIENT_ID	NUMBER	22	N	
SWIC	VW	RPT	REFERRAL	CLIENT_FIRST_NAME	VARCHAR2	100	Y	Client first name
SWIC	VW	RPT	REFERRAL	CLIENT_MI	VARCHAR2	1	Y	Client middle initial
SWIC	VW	RPT	REFERRAL	CLIENT_LAST_NAME	VARCHAR2	50	N	Client last name
SWIC	VW	RPT	REFERRAL	BIRTH_DATE	DATE	7	N	
SWIC	VW	RPT	REFERRAL	CERT_START_DATE	DATE	7	Y	
SWIC	VW	RPT	REFERRAL	CERT_END_DATE	DATE	7	Y	
SWIC	VW	RPT	REFERRAL	TERMINATION_DATE	DATE	7	Y	
SWIC	VW	RPT	REFERRAL	TR_TERMINATION_CODE	VARCHAR2	2	Y	
SWIC	VW	RPT	REFERRAL	HOH_FIRST_NAME	VARCHAR2	30	Y	Head of household first name
SWIC	VW	RPT	REFERRAL	HOH_LAST_NAME	VARCHAR2	50	Y	Head of household last name
SWIC	VW	RPT	REFERRAL	HOH_ADDRESS1	NUMBER	60	N	Head of household address line 1
SWIC	VW	RPT	REFERRAL	HOH_ADDRESS2	NUMBER	60	N	Head of household address line 2
SWIC	VW	RPT	REFERRAL	HOH_CITY	NUMBER	60	N	Head of household city
SWIC	VW	RPT	REFERRAL	HOH_STATE	NUMBER	2	Y	Head of household state
SWIC	VW	RPT	REFERRAL	HOH_ZIPS	NUMBER	5	N	Head of household zipcode
SWIC	VW	RPT	REFERRAL	LA_NAME	NUMBER	60	N	The name of the organizational unit.
SWIC	VW	RPT	REFERRAL	CO_PHONE	NUMBER	10	Y	Organizational unit phone
SWIC	VW	RPT	REFERRAL	CO_ADDRESS1	NUMBER	60	N	Organizational unit address line 1
SWIC	VW	RPT	REFERRAL	CO_ADDRESS2	NUMBER	60	N	Organizational unit address line 2
SWIC	VW	RPT	REFERRAL	CO_CITY	NUMBER	60	N	Organizational unit city
SWIC	VW	RPT	REFERRAL	CO_STATE	NUMBER	2	N	Organizational unit state
SWIC	VW	RPT	REFERRAL	CO_ZIPS	NUMBER	5	N	Organizational unit zipcode
SWIC	VW	RPT	REFERRAL	FAMILY_ID	NUMBER	9	N	
SWIC	VW	RPT	REFERRAL	PROGRAM_ID	NUMBER	5	Y	
SWIC	VW	RPT	REFERRAL CATEGORIES	DESCRIPTION	NUMBER	61	Y	
SWIC	VW	RPT	REFERRAL TYPE	TO_HOH_FLAG	NUMBER	1	Y	
SWIC	VW	RPT	REFERRAL TYPE	DESCRIPTION	NUMBER	4	Y	
SWIC	VW	RPT	ROLES	ID	NUMBER	73	Y	
SWIC	VW	RPT	ROLES	DESCRIPTION	NUMBER	32	N	
SWIC	VW	RPT	SANCTION	LETTER_INSERT_TEXT_1	NUMBER	1016	Y	Optional text to be inserted into a form letter customized for Family/Client. (first 254 chars)
SWIC	VW	RPT	SANCTION	LETTER_INSERT_TEXT_2	NUMBER	1016	Y	Optional text to be inserted into a form letter customized for Family/Client. (next 254 chars)
SWIC	VW	RPT	SANCTION	LETTER_INSERT_TEXT_3	NUMBER	1016	Y	Optional text to be inserted into a form letter customized for Family/Client. (next 254 chars)
SWIC	VW	RPT	SANCTION	LETTER_INSERT_TEXT_4	NUMBER	1016	Y	Optional text to be inserted into a form letter customized for Family/Client. (next 254 chars)
SWIC	VW	RPT	SANCTION	LETTER_INSERT_TEXT_5	NUMBER	1016	Y	Optional text to be inserted into a form letter customized for Family/Client. (next 254 chars)
SWIC	VW	RPT	SANCTION	LETTER_INSERT_TEXT_6	NUMBER	1016	Y	Optional text to be inserted into a form letter customized for Family/Client. (next 254 chars)
SWIC	VW	RPT	SANCTION	LETTER_INSERT_TEXT_7	NUMBER	1016	Y	Optional text to be inserted into a form letter customized for Family/Client. (next 254 chars)
SWIC	VW	RPT	SANCTION	LETTER_INSERT_TEXT_8	NUMBER	888	Y	Optional text to be inserted into a form letter customized for Family/Client. (next 254 chars)
SWIC	VW	RPT	SANCTION ACTION	SANCTION_ACTION	NUMBER	200	Y	The description of the sanction action.
SWIC	VW	RPT	SANCTION	CLIENT_ID	NUMBER	22	N	
SWIC	VW	RPT	SANCTION	CLIENT_FIRST_NAME	NUMBER	100	Y	First name of client
SWIC	VW	RPT	SANCTION	CLIENT_MI	NUMBER	1	Y	Middle initial of client
SWIC	VW	RPT	SANCTION	CLIENT_LAST_NAME	NUMBER	50	N	Lastname of client
SWIC	VW	RPT	SANCTION	BIRTH_DATE	DATE	7	N	
SWIC	VW	RPT	SANCTION	CERT_START_DATE	DATE	7	Y	
SWIC	VW	RPT	SANCTION	CERT_END_DATE	DATE	7	Y	
SWIC	VW	RPT	SANCTION	TERMINATION_DATE	DATE	7	Y	
SWIC	VW	RPT	SANCTION	TR_TERMINATION_CODE	NUMBER	2	Y	
SWIC	VW	RPT	SANCTION	HOH_FIRST_NAME	NUMBER	30	Y	Head of household first name
SWIC	VW	RPT	SANCTION	HOH_LAST_NAME	NUMBER	50	Y	Head of household last name
SWIC	VW	RPT	SANCTION	HOH_ADDRESS1	NUMBER	60	N	Head of household address line 1
SWIC	VW	RPT	SANCTION	HOH_ADDRESS2	NUMBER	60	N	Head of household address line 2
SWIC	VW	RPT	SANCTION	HOH_CITY	NUMBER	60	N	Head of household city
SWIC	VW	RPT	SANCTION	HOH_STATE	NUMBER	2	Y	Head of household state
SWIC	VW	RPT	SANCTION	HOH_ZIPS	NUMBER	5	N	Head of household zipcode
SWIC	VW	RPT	SANCTION	LA_NAME	NUMBER	60	N	Agency name
SWIC	VW	RPT	SANCTION	CO_PHONE	NUMBER	10	Y	Organization unit phone (Agency phone)
SWIC	VW	RPT	SANCTION	CO_ADDRESS1	NUMBER	60	N	Agency address line 1
SWIC	VW	RPT	SANCTION	CO_ADDRESS2	NUMBER	60	N	Agency address line 2
SWIC	VW	RPT	SANCTION	CO_CITY	NUMBER	60	N	Agency City
SWIC	VW	RPT	SANCTION	CO_STATE	NUMBER	2	N	Agency State
SWIC	VW	RPT	SANCTION	CO_ZIPS	NUMBER	5	N	Agency Zipcode
SWIC	VW	RPT	SANCTION	FAMILY_ID	NUMBER	9	N	
SWIC	VW	RPT	SANCTION	PROGRAM_ID	NUMBER	10	Y	Family phone number
SWIC	VW	RPT	SANCTION	DATE_CREATED	DATE	7	N	
SWIC	VW	RPT	SANCTION	LETTER_INSERT_TEXT	NUMBER	2000	Y	
SWIC	VW	RPT	SANCTION	NOTE	NUMBER	2000	Y	
SWIC	VW	RPT	SANCTION	AMENDED_DATE	NUMBER	22	Y	
SWIC	VW	RPT	SANCTION	DATE_ACTION	DATE	7	Y	
SWIC	VW	RPT	SANCTION	SANCTION_REASON	NUMBER	60	Y	Reason why sanction was imposed
SWIC	VW	RPT	SANCTION	LETTER_COMMENT	NUMBER	500	Y	
SWIC	VW	RPT	SANCTION	LETTER_COMMENT_1	NUMBER	1016	Y	Stores note to be inserted into the sanctions report. (first 254 chars)
SWIC	VW	RPT	SANCTION	LETTER_COMMENT_2	NUMBER	984	Y	Stores note to be inserted into the sanctions report. (next 254 chars)
SWIC	VW	RPT	SANCTION	CORRECTIVE_ACTION_PROCEDURE	NUMBER	2000	Y	
SWIC	VW	RPT	SANCTION	CORRECTIVE_ACTION_PROCEDURE_1	NUMBER	1016	Y	Optional text to document the corrective action for a particular violation. (first 254 chars)
SWIC	VW	RPT	SANCTION	CORRECTIVE_ACTION_PROCEDURE_2	NUMBER	1016	Y	Optional text to document the corrective action for a particular violation. (next 254 chars)
SWIC	VW	RPT	SANCTION	CORRECTIVE_ACTION_PROCEDURE_3	NUMBER	1016	Y	Optional text to document the corrective action for a particular violation. (next 254 chars)
SWIC	VW	RPT	SANCTION	CORRECTIVE_ACTION_PROCEDURE_4	NUMBER	1016	Y	Optional text to document the corrective action for a particular violation. (next 254 chars)
SWIC	VW	RPT	SANCTION	CORRECTIVE_ACTION_PROCEDURE_5	NUMBER	1016	Y	Optional text to document the corrective action for a particular violation. (next 254 chars)
SWIC	VW	RPT	SANCTION	CORRECTIVE_ACTION_PROCEDURE_6	NUMBER	1016	Y	Optional text to document the corrective action for a particular violation. (next 254 chars)
SWIC	VW	RPT	SANCTION	CORRECTIVE_ACTION_PROCEDURE_7	NUMBER	1016	Y	Optional text to document the corrective action for a particular violation. (next 254 chars)
SWIC	VW	RPT	SANCTION	CORRECTIVE_ACTION_PROCEDURE_8	NUMBER	888	Y	Optional text to document the corrective action for a particular violation. (next 254 chars)
SWIC	VW	RPT	SHORT CERT EXP	TERMINATION_DATE	DATE	7	Y	
SWIC	VW	RPT	SHORT CERT EXP	TR_TERMINATION_CODE	NUMBER	2	Y	
SWIC	VW	RPT	SHORT CERT EXP	CLIENT_ID	NUMBER	22	N	
SWIC	VW	RPT	SHORT CERT EXP	CLIENT_FIRST_NAME	NUMBER	100	Y	Client first name
SWIC	VW	RPT	SHORT CERT EXP	CLIENT_MI	NUMBER	1	Y	Client middle initial
SWIC	VW	RPT	SHORT CERT EXP	CLIENT_LAST_NAME	NUMBER	50	N	Client last name



SWIC	VW_USER_LAST_LOGIN	LOGOFF DATE	DATE	7	Y
SWIC	VW_USER_LAST_LOGIN	USER ORGCODE	VARCHAR2	7	N
SWIC	VW_USER_LAST_LOGIN	DATE CREATED	DATE	7	N
SWIC	VW_USER_LAST_LOGIN	CREATED BY	VARCHAR2	32	N
SWIC	VW_USER_LAST_LOGIN	DATE MODIFIED	DATE	7	Y
SWIC	VW_USER_LAST_LOGIN	MODIFIED BY	VARCHAR2	32	Y
SWIC	VW_USER_LAST_LOGIN	USER MACHINE	VARCHAR2	50	Y
SWIC	VW_USER_LAST_LOGIN	APPLICATION NAME	VARCHAR2	32	N
SWIC	VW_USER_LAST_LOGIN	NOTIFICATION 1	NUMBER	22	Y
SWIC	VW_USER_LAST_LOGIN	NOTIFICATION 2	NUMBER	22	Y
SWIC	VW_USER_RECEIVED_MESSAGES	SM ID	NUMBER	22	Y
SWIC	VW_USER_RECEIVED_MESSAGES	DU ORG CODE VB	VARCHAR2	60	Y
SWIC	VW_USER_RECEIVED_MESSAGES	ST STAFF TITLE CODE	VARCHAR2	60	Y
SWIC	VW_USER_RECEIVED_MESSAGES	DATE CREATED	DATE	7	Y
SWIC	VW_USER_RECEIVED_MESSAGES	CREATED BY	VARCHAR2	20	Y
SWIC	VW_USER_RECEIVED_MESSAGES	DATE MODIFIED	DATE	7	Y
SWIC	VW_USER_RECEIVED_MESSAGES	MODIFIED BY	VARCHAR2	20	Y
SWIC	VW_USER_RECEIVED_MESSAGES	SUBJECT	VARCHAR2	300	Y
SWIC	VW_USER_RECEIVED_MESSAGES	TEXT	VARCHAR2	2048	Y
SWIC	VW_USER_RECEIVED_MESSAGES	TEAM ID	NUMBER	22	Y
SWIC	VW_USER_RECEIVED_MESSAGES	EXPIRATION DATE	DATE	7	Y
SWIC	VW_USER_RECEIVED_MESSAGES	EXTEND EXPR DATE	DATE	7	Y
SWIC	VW_USER_TYPE	ID	NUMBER	22	Y
SWIC	VW_USER_TYPE	DESCRIPTION	VARCHAR2	20	Y
SWIC	VW_VALIDATE_PIDNS RPT	CHILD APHNUMERIC ID	CHAR	60	Y
SWIC	VW_VALIDATE_PIDNS RPT	ActualValue	VARCHAR2	60	Y
SWIC	VW_VALIDATE_PIDNS RPT	KID Validation	VARCHAR2	73	Y
SWIC	VW_VALIDATE_PIDNS RPT	Field	VARCHAR2	29	Y
SWIC	VW_VALIDATE_PHS RPT	INDICANS ALPHANUMERIC ID	CHAR	60	Y
SWIC	VW_VALIDATE_PHS RPT	ActualValue	VARCHAR2	60	Y
SWIC	VW_VALIDATE_PHS RPT	KID Validation	VARCHAR2	86	Y
SWIC	VW_VALIDATE_PHS RPT	Field	VARCHAR2	26	Y
SWIC	VW_VALIDATE_TIPS_COMPARE	VENDOR ID	CHAR	12	Y
SWIC	VW_VALIDATE_TIPS_COMPARE	New Value	VARCHAR2	50	Y
SWIC	VW_VALIDATE_TIPS_COMPARE	Old Value	VARCHAR2	50	Y
SWIC	VW_VALIDATE_TIPS_COMPARE	KID Validation	VARCHAR2	37	Y
SWIC	VW_VALIDATE_TIPS RPT	VENDOR ID	CHAR	12	Y
SWIC	VW_VALIDATE_TIPS RPT	ActualValue	VARCHAR2	100	Y
SWIC	VW_VALIDATE_TIPS RPT	KID Validation	VARCHAR2	56	Y
SWIC	VW_VENDORID	ID	VARCHAR2	48	Y
SWIC	VW_VENDORID	DESCRIPTION	VARCHAR2	45	Y
SWIC	VW_VENDORS	VENDOR NAME	VARCHAR2	35	N
SWIC	VW_VENDORS	MAILING_ADDRESS1	VARCHAR2	60	Y
SWIC	VW_VENDORS	BL RISK LEVEL ID	VARCHAR2	8	Y
SWIC	VW_VENDORS	STREET ADDRESS1	VARCHAR2	60	Y
SWIC	VW_VENDORS	COMPLETE_FLAG	VARCHAR2	1	N
SWIC	VW_VENDORS	ACT EST FLAG	VARCHAR2	1	Y
SWIC	VW_VENDORS	FS HIGH RISK FLAG	NUMBER	22	Y
SWIC	VW_VENDORS	SEGO GEO LOCATION ID MAILED	NUMBER	22	Y
SWIC	VW_VENDORS	VS STATUS CODE	NUMBER	22	N
SWIC	VW_VENDORS	DATE CREATED	DATE	7	N
SWIC	VW_VENDORS	CREATED BY	VARCHAR2	32	N
SWIC	VW_VENDORS	VENDOR NUMBER	VARCHAR2	7	Y
SWIC	VW_VENDORS	APPLICANT ID	VARCHAR2	5	Y
SWIC	VW_VENDORS	MAILING ADDRESS2	VARCHAR2	60	Y
SWIC	VW_VENDORS	MAILING ZIP4	VARCHAR2	4	Y
SWIC	VW_VENDORS	CONTACT LAST NAME	VARCHAR2	50	Y
SWIC	VW_VENDORS	CONTACT FIRST NAME	VARCHAR2	100	Y
SWIC	VW_VENDORS	CONTACT MI	VARCHAR2	1	Y
SWIC	VW_VENDORS	FS AUTH DATE	DATE	7	Y
SWIC	VW_VENDORS	SM STAFF MEMBER ID OUT	NUMBER	22	Y
SWIC	VW_VENDORS	SCP CONTACT TITLE CODE	VARCHAR2	2	Y
SWIC	VW_VENDORS	SEGO GEO LOCATION ID	NUMBER	22	Y
SWIC	VW_VENDORS	STREET ZIP4	VARCHAR2	4	Y
SWIC	VW_VENDORS	STREET ADDRESS2	VARCHAR2	60	Y
SWIC	VW_VENDORS	SQUARE FOOTAGE RETAIL	NUMBER	22	Y
SWIC	VW_VENDORS	SQUARE FOOTAGE STORAGE	NUMBER	22	Y
SWIC	VW_VENDORS	ANNUAL_FOOD_SALES	NUMBER	22	Y
SWIC	VW_VENDORS	ANNUAL_GROSS_SALES	NUMBER	22	Y
SWIC	VW_VENDORS	NUMBER OF RESTORES	NUMBER	22	Y
SWIC	VW_VENDORS	NUMBER OF POS TERMINALS	NUMBER	22	Y
SWIC	VW_VENDORS	LIABILITY INS EFF DATE	DATE	7	Y
SWIC	VW_VENDORS	LIABILITY INS EXP DATE	DATE	7	Y
SWIC	VW_VENDORS	LIABILITY INS COVERAGE	NUMBER	22	Y
SWIC	VW_VENDORS	OPENING DATE	DATE	7	Y
SWIC	VW_VENDORS	FS SALES	NUMBER	22	Y
SWIC	VW_VENDORS	STATE_SALES_TAX_ID	VARCHAR2	10	Y
SWIC	VW_VENDORS	CTI CONTRACT TYPE CODE	VARCHAR2	3	Y
SWIC	VW_VENDORS	VO OWNER ID	VARCHAR2	10	Y
SWIC	VW_VENDORS	PEE PEER GROUP ID	NUMBER	22	Y
SWIC	VW_VENDORS	VVT VENDOR TYPE CODE	VARCHAR2	1	Y
SWIC	VW_VENDORS	VLRF VLF SEQ NO	NUMBER	22	Y
SWIC	VW_VENDORS	VLRF VLF FIRM ID	NUMBER	22	Y
SWIC	VW_VENDORS	VYRO_OFFICE_CODE	VARCHAR2	5	Y
SWIC	VW_VENDORS	NO OF SCANNERS	NUMBER	22	Y
SWIC	VW_VENDORS	WIC FOODS SCANNERS	NUMBER	22	Y
SWIC	VW_VENDORS	CONFLICT OF INTEREST FLAG	VARCHAR2	1	Y
SWIC	VW_VENDORS	ALCOHOL_TORACCO FLAG	VARCHAR2	1	Y
SWIC	VW_VENDORS	DATE MODIFIED	DATE	7	Y
SWIC	VW_VENDORS	MODIFIED BY	VARCHAR2	32	Y
SWIC	VW_VENDORS	NOTE	VARCHAR2	2000	Y
SWIC	VW_VENDORS	REAUTHORIZATION IN PROC FLAG	NUMBER	22	Y
SWIC	VW_VENDORS	FS_AUTH_NEW	VARCHAR2	7	Y
SWIC	VW_VENDORS	FS_AUTH_ID	VARCHAR2	7	Y
SWIC	VW_VENDORS	FOOD_EST_LICENSE NUMBER	VARCHAR2	10	Y
SWIC	VW_VENDORS	FOOD_STAMP NUMBER	VARCHAR2	9	Y
SWIC	VW_VENDORS	MAILING CONTACT	VARCHAR2	100	Y
SWIC	VW_VENDORS	SAME ADDRESS FLAG	VARCHAR2	1	Y
SWIC	VW_VENDORS	FEDERAL EIN	VARCHAR2	9	Y
SWIC	VW_VENDORS	CU SEQ ID	NUMBER	22	Y
SWIC	VW_VENDORS	ACTIVE STATUS	NUMBER	22	Y
SWIC	VW_VENDORS	YLSR_DENIAL_CODE	NUMBER	22	Y
SWIC	VW_VENDORS	NUMBER OF FARMERS	NUMBER	22	Y
SWIC	VW_VENDORS	VENDOR EMAIL	VARCHAR2	100	Y
SWIC	VW_VENDORS	MAIN	NVARCHAR2	2	Y
SWIC	VW_VENDORS	VIOLATION BYPASS FLAG	NUMBER	22	Y
SWIC	VW_VENDORS	STREET ADDRESS1 FULL	VARCHAR2	60	Y
SWIC	VW_VENDORS	MAILING ADDRESS1 FULL	VARCHAR2	60	Y
SWIC	VW_VENDORS	STREET STATE	VARCHAR2	2	Y
SWIC	VW_VENDORS	STREET CITY	VARCHAR2	60	Y
SWIC	VW_VENDORS	STREET COUNTY	VARCHAR2	60	Y
SWIC	VW_VENDORS	STREET COUNTY CODE	VARCHAR2	3	Y
SWIC	VW_VENDORS	STREET ZIP5	VARCHAR2	5	Y
SWIC	VW_VENDORS	MAILING STATE	VARCHAR2	2	Y
SWIC	VW_VENDORS	MAILING CITY	VARCHAR2	60	Y
SWIC	VW_VENDORS	MAILING COUNTY	VARCHAR2	60	Y
SWIC	VW_VENDORS	MAILING COUNTY CODE	VARCHAR2	3	Y
SWIC	VW_VENDORS	MAILING_ZIPS	VARCHAR2	5	Y
SWIC	VW_VENDORS	ID	NUMBER	22	N
SWIC	VW_VENDOR_ALL_LAS_BY_ZIPCODE	CU SEQ ID	NUMBER	22	N
SWIC	VW_VENDOR_ALL_LAS_BY_ZIPCODE	DESCRIPTION	VARCHAR2	70	Y
SWIC	VW_VENDOR_ALL_LAS_BY_ZIPCODE	VLVZ ZIPCODE	VARCHAR2	5	Y
SWIC	VW_VENDOR_ALL_LAS_BY_ZIPCODE	PARTICIPANTS	NUMBER	22	Y
SWIC	VW_VENDOR_ALL_LAS_BY_ZIPCODE	IGNORE	NUMBER	22	Y
SWIC	VW_VENDOR_ALL_LAS_BY_ZIPCODE	CREATED BY	VARCHAR2	30	Y
SWIC	VW_VENDOR_ALL_LAS_BY_ZIPCODE	DATE CREATED	DATE	7	Y
SWIC	VW_VENDOR_ALL_LAS_BY_ZIPCODE	MODIFIED_BY	VARCHAR2	30	Y
SWIC	VW_VENDOR_ALL_LAS_BY_ZIPCODE	DATE MODIFIED	DATE	7	Y
SWIC	VW_VENDOR_ALL_ZIPCODES	ZIPCODE	VARCHAR2	5	N
SWIC	VW_VENDOR_ALL_ZIPCODES	DESCRIPTION	VARCHAR2	5	N
SWIC	VW_VENDOR_AUTH STATUS	VV VENDOR ID	NUMBER	22	N
SWIC	VW_VENDOR_AUTH STATUS	AUTH SEQ ID	NUMBER	22	N
SWIC	VW_VENDOR_AUTH STATUS	APP TYPE ID	NUMBER	22	Y
SWIC	VW_VENDOR_AUTH STATUS	APP_TYPE_DESCRIPTION	VARCHAR2	60	Y
SWIC	VW_VENDOR_AUTH STATUS	STATUS CODE	NUMBER	22	Y
SWIC	VW_VENDOR_AUTH STATUS	AUTH DESCRIPTION	VARCHAR2	60	Y
SWIC	VW_VENDOR_AUTH STATUS	DENIAL_REASON_CODE	NUMBER	22	Y
SWIC	VW_VENDOR_AUTH STATUS	AUTH STATUS	VARCHAR2	100	Y
SWIC	VW_VENDOR_AUTH STATUS	DENIAL DATE	DATE	7	Y
SWIC	VW_VENDOR_AUTH STATUS	AUTH START DATE	DATE	7	Y
SWIC	VW_VENDOR_AUTH STATUS	AUTH EXPIRE DATE	DATE	7	Y
SWIC	VW_VENDOR_AUTH STATUS	TERMINATION DATE	DATE	7	Y
SWIC	VW_VENDOR_AUTH STATUS	DDQUAL_START_DATE	DATE	7	Y
SWIC	VW_VENDOR_AUTH STATUS	DATE CREATED	DATE	7	N
SWIC	VW_VENDOR_AUTH STATUS	STATUS DESC	VARCHAR2	120	Y
SWIC	VW_VENDOR_BY STATUS_ZIPCODE	ID	NUMBER	22	N
SWIC	VW_VENDOR_BY STATUS_ZIPCODE	VENDOR NUMBER	VARCHAR2	7	Y
SWIC	VW_VENDOR_BY STATUS_ZIPCODE	VENDOR NAME	VARCHAR2	35	N
SWIC	VW_VENDOR_BY STATUS_ZIPCODE	DESCRIPTION	VARCHAR2	60	Y
SWIC	VW_VENDOR_BY STATUS_ZIPCODE	VS STATUS CODE	NUMBER	22	N
SWIC	VW_VENDOR_BY STATUS_ZIPCODE	STREET ZIP5	VARCHAR2	5	Y
SWIC	VW_VENDOR_BY STATUS_ZIPCODE	CU_SEQ_ID	NUMBER	22	Y
SWIC	VW_VENDOR_BY STATUS_ZIPCODE	AUTH STATUS CODE	NUMBER	22	Y
SWIC	VW_VENDOR_BY STATUS_ZIPCODE	AUTH SEQ ID	NUMBER	22	Y
SWIC	VW_VENDOR_ID AND NAME	KEY	NUMBER	22	N
SWIC	VW_VENDOR_ID AND NAME	DESCRIPTION	VARCHAR2	43	Y
SWIC	VW_VENDOR_NAMES	KEY	VARCHAR2	7	Y
SWIC	VW_VENDOR_NAMES	DESCRIPTION	VARCHAR2	35	N
SWIC	VW_VENDOR_SEARCH	STREET_COUNTY	VARCHAR2	60	Y
SWIC	VW_VENDOR_SEARCH	MAILING_ADDRESS1	VARCHAR2	60	Y
SWIC	VW_VENDOR_SEARCH	VVT VENDOR TYPE CODE	VARCHAR2	1	Y
SWIC	VW_VENDOR_SEARCH	FOOD_EST_LICENSE NUMBER	VARCHAR2	10	Y
SWIC	VW_VENDOR_SEARCH	ID	NUMBER	22	N
SWIC	VW_VENDOR_SEARCH	VENDOR ID	VARCHAR2	7	Y
SWIC	VW_VENDOR_SEARCH	VO OWNER ID	VARCHAR2	10	Y
SWIC	VW_VENDOR_SEARCH	CHAIN_SUFFIX	VARCHAR2	10	Y
SWIC	VW_VENDOR_SEARCH	VENDOR NAME	VARCHAR2	35	N
SWIC	VW_VENDOR_SEARCH	DESCRIPTION	VARCHAR2	60	Y
SWIC	VW_VENDOR_SEARCH	REASON	VARCHAR2	120	Y
SWIC	VW_VENDOR_SEARCH	AUTH_SEQ_ID	NUMBER	22	Y
SWIC	VW_VENDOR_SEARCH	AUTH_START_DATE	DATE	7	Y
SWIC	VW_VENDOR_SEARCH	END DATE	DATE	7	Y

The first line of the vendor street address.

The first line of the vendor mailing address.

The unique identifier for the county.

The unique identifier for the county.

The system generated unique identifier for the vendor (FK to V VENDORS)

The sequence number for the vendor authorization.

The ID of the vendor Application Type

The vendor's application type (New processor/renewal/change ownership)

The system generated unique identifier for the vendor status (FK to V\_STATUSES)

Vendor status description (i.e. auth in progress, wait list, etc.)

Alphanumeric code identifying denial reason

The description of vendor authorization denial reason.

Date the application was denied.

Authorization Start Date.

Authorization Expire Date.

The date the client was terminated.

The date the authorization was disqualified if applicable.

Common audit field documenting date time stamp when the row was created.

Descriptive text for status.

The system generated unique identifier for the vendor status.

The system generated unique identifier for the vendor.

System generated unique identifier for the vendor

SWIC	VW VENDOR SEARCH	TERMINAL DATE	DATE	7 Y	
SWIC	VW VENDOR SEARCH	TERMINATION DATE	DATE	7 Y	
SWIC	VW VENDOR SEARCH	OWNER NAME	VARCHAR2	100 Y	
SWIC	VW VENDOR SEARCH	APPLICANT ID	VARCHAR2	5 Y	
SWIC	VW VENDOR SEARCH	ORG NAME	VARCHAR2	60 Y	
SWIC	VW VENDOR SEARCH	RISK LEVEL	VARCHAR2	60 Y	
SWIC	VW VENDOR SEARCH	REAUTHORIZATION IN PROC FLAG	NUMBER	22 Y	
SWIC	VW VEN ACTIVITY TYPES	ACT TYPE CODE	VARCHAR2	2 N	
SWIC	VW VEN ACTIVITY TYPES	DESCRIPTION	VARCHAR2	30 N	
SWIC	VW VIOLATIONS	VIOLATION CODE	NUMBER	22 N	
SWIC	VW VIOLATIONS	DESCRIPTION	VARCHAR2	600 N	
SWIC	VW VOC	CLIENT ID	NUMBER	22 Y	
SWIC	VW VOC	TRUE MAX CERT	DATE	7 Y	
SWIC	VW VOC	CP3 ID	NUMBER	22 Y	
SWIC	VW VOC	INCOME DATE	DATE	7 Y	
SWIC	VW VOC	FIRST DATE TO USE	DATE	7 Y	
SWIC	VW VOC	LAST DATE TO USE	DATE	7 Y	
SWIC	VW_V_APP_LATEST	APP_SEQ_ID	NUMBER	22 N	
SWIC	VW_V_APP_LATEST	VEN_ID	NUMBER	22 N	
SWIC	VW_V_APP_LATEST	APPLICANT ID	VARCHAR2	10 N	
SWIC	VW_V_APP_LATEST	LVAS STATUS CODE	NUMBER	22 Y	
SWIC	VW_V_APP_LATEST	SM STAFF MEMBER ID	NUMBER	22 N	
SWIC	VW_V_APP_LATEST	APP RECEIVED DATE	DATE	7 N	
SWIC	VW_V_APP_LATEST	STATUS CHANGED DATE	DATE	7 N	
SWIC	VW_V_APP_LATEST	NOTE	VARCHAR2	2000 Y	
SWIC	VW_V_APP_LATEST	SERIAL MESSAGE	VARCHAR2	2000 Y	
SWIC	VW_V_APP_LATEST	CREATED BY	VARCHAR2	32 N	
SWIC	VW_V_APP_LATEST	DATE CREATED	DATE	7 N	
SWIC	VW_V_APP_LATEST	MODIFIED BY	VARCHAR2	32 Y	
SWIC	VW_V_APP_LATEST	DATE MODIFIED	DATE	7 Y	
SWIC	VW_V_APP_LATEST	APP TYPE	NUMBER	22 Y	
SWIC	VW_V_APP_LATEST	YLR_ID	NUMBER	22 Y	
SWIC	VW_V_AUTHORIZATIONS	ID	NUMBER	22 N	
SWIC	VW_V_AUTHORIZATIONS	DESCRIPTION	DATE	7 N	
SWIC	VW_V_AUTHORIZATIONS	VENDOR ID	NUMBER	22 N	
SWIC	VW_V AUTHORIZATION ACTION TYPE	STATUS CODE	NUMBER	22 N	
SWIC	VW_V AUTHORIZATION ACTION TYPE	DESCRIPTION	VARCHAR2	60 N	
SWIC	VW_V AUTHORIZATION ACTION TYPE	IS REPERATION FLAG	VARCHAR2	22 N	
SWIC	VW_V AUTHORIZATION ACTION TYPE	APPLICANT FLAG	VARCHAR2	1 N	
SWIC	VW_V AUTHORIZATION ACTION TYPE	VENDOR FLAG	VARCHAR2	1 N	
SWIC	VW_V AUTHORIZATION ACTION TYPE	DATE CREATED	DATE	7 N	
SWIC	VW_V AUTHORIZATION ACTION TYPE	CREATED BY	VARCHAR2	32 N	
SWIC	VW_V AUTHORIZATION ACTION TYPE	DATE_MODIFIED	DATE	7 Y	
SWIC	VW_V AUTHORIZATION ACTION TYPE	MODIFIED BY	VARCHAR2	32 Y	
SWIC	VW_V AUTHORIZATION ACTION TYPE	NOTE	VARCHAR2	2000 Y	
SWIC	VW_V AUTHORIZATION ACTION TYPE	SYSTEM	NUMBER	22 Y	
SWIC	VW_V AUTHORIZATION ACTION TYPE	SORT ORDER	NUMBER	22 Y	
SWIC	VW_V LU STATE	STATE ID	VARCHAR2	2 N	The system generated unique identifier for Lookup of states with 2 character standard abbreviations
SWIC	VW_V LU STATE	DATE CREATED	VARCHAR2	60 N	description
SWIC	VW_V LU STATE	CREATED BY	VARCHAR2	7 N	Common audit field documenting date time stamp when the row was created.
SWIC	VW_V LU STATE	DATE_MODIFIED	DATE	7 Y	Common audit field documenting user id connected when the row was created
SWIC	VW_V LU STATE	MODIFIED BY	VARCHAR2	32 Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	VW_V LU STATE	NOTE	VARCHAR2	2000 Y	Common audit field documenting user id connected when the row was last modified.
SWIC	VW_V LU VENDOR TYPE CODE	VENDOR TYPE CODE	VARCHAR2	1 W	Common field for user notes or comments.
SWIC	VW_V LU VENDOR TYPE CODE	DESCRIPTION	VARCHAR2	40 Y	
SWIC	VW_V LU VENDOR TYPE CODE	DATE CREATED	DATE	7 N	
SWIC	VW_V LU VENDOR TYPE CODE	CREATED BY	VARCHAR2	32 N	
SWIC	VW_V LU VENDOR TYPE CODE	DATE_MODIFIED	DATE	7 Y	
SWIC	VW_V LU VENDOR TYPE CODE	MODIFIED BY	VARCHAR2	32 Y	
SWIC	VW_V LU VENDOR TYPE CODE	NOTE	VARCHAR2	2000 Y	
SWIC	VW_V LU VENDOR TYPE CODE	TIP REPORT CATEGORY	NUMBER	1 Y	
SWIC	VW_V LU VENDOR TYPE CODE	USDA STORE TYPE	NUMBER	22 Y	
SWIC	VW_V LU VIOLATION CODE	VIOLATION CODE	NUMBER	22 N	
SWIC	VW_V LU VIOLATION CODE	DESCRIPTION	VARCHAR2	600 N	
SWIC	VW_V LU VIOLATION CODE	DATE CREATED	DATE	7 N	
SWIC	VW_V LU VIOLATION CODE	CREATED BY	VARCHAR2	32 N	
SWIC	VW_V LU VIOLATION CODE	DATE_MODIFIED	DATE	7 Y	
SWIC	VW_V LU VIOLATION CODE	MODIFIED BY	VARCHAR2	32 Y	
SWIC	VW_V LU VIOLATION CODE	ADMINISTRATIVE FLAG	NUMBER	22 Y	
SWIC	VW_V LU VIOLATION CODE	SORT ORDER	NUMBER	22 Y	
SWIC	VW_V LU VIOLATION CODE	TYPE	VARCHAR2	2 Y	
SWIC	VW_V LU VIOLATION CODE	ACTIVE	NUMBER	22 N	
SWIC	VW_V PFRACOUNTYEARS	YEAR	NUMBER	22 N	
SWIC	VW_V PFRACOUNTYEARS	DESCRIPTION	NUMBER	22 N	
SWIC	VW_V PFRACOUNTYEARS	VOI_OWNER ID	VARCHAR2	10 N	
SWIC	VW_V PFRACOUNTYEARS	CAT_CODE	VARCHAR2	2 N	
SWIC	VW_V FRKES CATEGORIES	DESCRIPTION	VARCHAR2	205 Y	
SWIC	VW_V SCHEDULED TRAINING	SCHEDULE ID	NUMBER	22 N	The system generated unique identifier for the vendor education schedule
SWIC	VW_V SCHEDULED TRAINING	DESCRIPTION	VARCHAR2	164 Y	description
SWIC	VW_V SCHEDULED TRAINING	YEAR	VARCHAR2	4 Y	Accounting year.
SWIC	VW_V SCHEDULED TRAINING	RECURRING	VARCHAR2	22 Y	Year part of scheduled date of a retail vendor education session
SWIC	VW_V SCHEDULED TRAINING	OU SEQ ID	NUMBER	22 Y	The system generated unique identifier for organizational unit (FK to ORGANIZATIONAL_UNITS)
SWIC	VW_V SCHEDULED TRAINING	ET_ED_USER_ID	NUMBER	22 Y	Unique identifier of the trainer
SWIC	VW_V SCHEDULED TRAINING	DOC ID	NUMBER	22 N	Unique identifier of uploaded document.
SWIC	VW_V SCHEDULED TRAINING	SCHEDULED TIME	DATE	7 Y	Scheduled time.
SWIC	VW_V SCHEDULED TRAINING	SCHEDULED DATE	DATE	7 Y	Scheduled date.
SWIC	VW_V ST CLASSNAME	SCHEDULE ID	NUMBER	22 N	The system generated unique identifier for the vendor education schedule
SWIC	VW_V ST CLASSNAME	DESCRIPTION	VARCHAR2	164 Y	description
SWIC	VW WOMEN IN FAMILY	ID	NUMBER	22 N	
SWIC	VW WOMEN IN FAMILY	DESCRIPTION	VARCHAR2	195 Y	
SWIC	VW WOMEN IN FAMILY	FAMILY ID	VARCHAR2	9 N	
SWIC	VW WPM SELECTION	ID	VARCHAR2	25 N	
SWIC	VW WPM SELECTION	DESCRIPTION	VARCHAR2	126 Y	
SWIC	VW YEAR	FISCAL YEAR	NUMBER	22 N	
SWIC	VW YEAR	DESCRIPTION	NUMBER	22 N	
SWIC	VW YEAR FROM 2017	FISCAL YEAR	NUMBER	22 N	
SWIC	VW YEAR FROM 2017	DESCRIPTION	NUMBER	22 N	
SWIC	VW YES NO	ID	NUMBER	22 Y	
SWIC	VW YES NO	DESCRIPTION	VARCHAR2	7 Y	
SWIC	V ACCOUNTS	VB ROUTING NUMBER	VARCHAR2	9 N	The unique routing number identifier for bank electronic transfer (V BANKS).
SWIC	V_ACCOUNTS	ACCOUNT_NUMBER	VARCHAR2	17 N	The identification number of the vendor's bank account.
SWIC	V_ACCOUNTS	VEN_ID	NUMBER	22 N	The unique identifier for the vendor (V VENDORS).
SWIC	V_ACCOUNTS	WIC CHECKS DEPOSITED FLAG	VARCHAR2	1 N	Indicates if this account is used to deposit WIC checks.
SWIC	V_ACCOUNTS	DATE_CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	V_ACCOUNTS	CREATED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was created.
SWIC	V_ACCOUNTS	EFFECTIVE DATE	DATE	7 Y	The effective date for the vendor back account information.
SWIC	V_ACCOUNTS	DATE_MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_ACCOUNTS	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	V ACTIVITY TYPES	ACT TYPE CODE	VARCHAR2	22 N	The unique identifier for the vendor monitoring activity type.
SWIC	V ACTIVITY TYPES	DESCRIPTION	VARCHAR2	30 N	The description of the vendor monitoring activity type.
SWIC	V ACTIVITY TYPES	DATE_CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	V ACTIVITY TYPES	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	V ACTIVITY TYPES	DATE_MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	V ACTIVITY TYPES	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	V ACTIVITY TYPES	MON COMP	NUMBER	22 Y	Monitoring compliance flag.
SWIC	V ACTIVITY TYPES	ACTIVE	NUMBER	22 N	1 Means it is Active indicates if the data is Active.
SWIC	V APPEALS	APPEAL_ID	NUMBER	22 N	The system generated unique identifier for the vendor sanction appeal.
SWIC	V APPEALS	ARCL APPEAL REASON CODE	NUMBER	22 Y	The unique identifier for the appeal reason (V LU APPEAL_REASON).
SWIC	V APPEALS	ARIC APPEAL RESULT CODE	NUMBER	22 Y	The unique identifier for the appeal result (V LU APPEAL_RESULT).
SWIC	V APPEALS	APPEAL REQUEST DATE	DATE	7 N	The date the appeal was requested.
SWIC	V APPEALS	DATE_CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	V APPEALS	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	V APPEALS	CLOSE DATE	DATE	7 Y	The date the appeal was closed.
SWIC	V APPEALS	DATE_MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	V APPEALS	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	V APPEALS	NOTE	VARCHAR2	2000 Y	Common field for user notes or comments.
SWIC	V APPEALS	Y5V VS S5Q NBR	NUMBER	22 Y	The unique identifier for the vendor sanction (V SANCTIONS).
SWIC	V APPEALS	AUTH_SEQ_ID	NUMBER	22 Y	The sequence number for the vendor authorization (V AUTHORIZATIONS).
SWIC	V APPEALS	APPEAL HEARING DATE	DATE	7 Y	The date of the first appeal hearing.
SWIC	V APPEALS	CASE NUMBER	NUMBER	22 Y	The unique identifier for the case that has been appealed (V INVESTIGATION_CASES).
SWIC	V APPEALS	DATE REFERRED TO BAH	DATE	7 Y	Records when BAH has been notified about the appeal
SWIC	V APPEALS	DATE REFERRED TO DLA	DATE	7 Y	Records when DLA has been notified about the appeal
SWIC	V APPEALS	HEARING_LOCATION	VARCHAR2	300 Y	A description of where the Fair Hearing will take place
SWIC	V APPEALS	LAWYER	VARCHAR2	50 Y	The lawyer assigned to the fair hearing trial
SWIC	V APPEALS	JUDGE	VARCHAR2	50 Y	The Judge assigned to the fair hearing trial
SWIC	V APPEALS	ADJOURNMENT DATE	DATE	7 Y	The appeal request can be delayed to a later date, and this field records the date of that requested delay
SWIC	V APPEALS	OUTCOME DATE	DATE	7 Y	When the Fair Hearing decision is rendered
SWIC	V APPEALS	HEARING OUTCOME ID	NUMBER	22 Y	A typed reference for the final status of the appeal (LU HEARING_OUTCOME)
SWIC	V APPEALS	ORDER NUMBER	VARCHAR2	50 Y	When the judge issues a final notice of his decision this field tracks the docket number of the decision
SWIC	V APPEALS	OUTCOME NOTE	VARCHAR2	2000 Y	Description of the outcome of the appeal process
SWIC	V APPLICATIONS	VV VENDOR ID	NUMBER	22 Y	The type of the application the vendor has submitted
SWIC	V APPLICATIONS	YLR_ID	NUMBER	22 Y	The unique identifier for the vendor (V VENDORS)
SWIC	V APPLICATIONS	APP_SEQ_ID	NUMBER	22 N	The sequence number for the vendor authorization (V AUTHORIZATIONS).
SWIC	V APPLICATIONS	VEN_ID	NUMBER	22 N	The system generated unique id for the vendor application log entry.
SWIC	V APPLICATIONS	LVAS STATUS ID	NUMBER	22 N	The unique identifier for the application status (V LU APPLICATION_STATUS).
SWIC	V APPLICATIONS	DATE_SENT	DATE	7 Y	The date that the vendor application was sent.
SWIC	V APPLICATIONS	DATE_RECEIVED	DATE	7 Y	The date that the vendor application was received.
SWIC	V APPLICATIONS	DATE_DUE	DATE	7 Y	The date that the vendor application was due.
SWIC	V APPLICATIONS	VLAD DISPOSITION ID	NUMBER	22 Y	The unique identifier of the application dispositions (V LU APPLICATION_DISPOSITION).
SWIC	V APPLICATIONS	VLARS RESP STATUS ID	NUMBER	22 Y	The unique identifier of the application response status (V LU APPLICATION_RESP_STATUS).
SWIC	V APPLICATIONS	NOTE	VARCHAR2	2000 Y	Common field for user notes or comments.
SWIC	V APPLICATIONS	DATE_CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	V APPLICATIONS	CREATED BY	VARCHAR2	32 N	Common audit field for user id connected when the row was created.
SWIC	V APPLICATIONS	DATE_MODIFIED	DATE	7 Y	Common audit field for date time stamp when the row was last modified.
SWIC	V APPLICATIONS	MODIFIED BY	VARCHAR2	32 Y	Common audit field for user id connected when the row was last modified.
SWIC	V APPLICATIONS	AFFIDAVIT REQUESTED	NUMBER	22 N	Indicates whether an affidavit was requested (0=No, 1=Yes).

SWIC	V APPLICATION LOGS	VLART_REQ_TYPE_ID	NUMBER	22	Y	The unique identifier for the vendor (V_LU_APP_REQUEST_TYPE).
SWIC	V APPLICATION LOGS	TYPE	VARCHAR2	15	Y	Description of the application type (Application / Request)
SWIC	V APPLICATION LOGS	DATE_DUE2	DATE	7	Y	Application 2nd received date
SWIC	V APPLICATION MILESTONES	VEN_ID	NUMBER	22	N	The numeric vendor identifier.
SWIC	V APPLICATION MILESTONES	APP_SEQ_ID	NUMBER	22	N	The application sequence number for the vendor authorization.
SWIC	V APPLICATION MILESTONES	MILESTONE_CODE	VARCHAR2	2	N	The alphanumeric identifier for the milestone.
SWIC	V APPLICATION MILESTONES	SCHED_COMPLETION_DATE	DATE	7	Y	The date the authorization milestone is scheduled to be completed.
SWIC	V APPLICATION MILESTONES	DATE_COMPLETED	DATE	7	Y	The date the authorization milestone is actually completed.
SWIC	V APPLICATION MILESTONES	PASS_FLAG	NUMBER	22	N	Indicator of whether (1) or not (0) the milestone passed/completed successfully.
SWIC	V APPLICATION MILESTONES	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	V APPLICATION MILESTONES	CREATED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	V APPLICATION MILESTONES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V APPLICATION MILESTONES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V APPLICATION MILESTONES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V APPLICATION MILESTONES	DATE_SUBMITTED	DATE	7	Y	
SWIC	V APPLICATION MILESTONES	VERIFIED_BY	VARCHAR2	32	Y	The person that verified the vendor data for that milestone.
SWIC	V APPLICATION MILESTONES	APPROVED_FLAG	NUMBER	22	N	Indicator of whether (1) or not (0) the milestone data has been approved.
SWIC	V_APPLICATION_MILESTONES	APPROVED_BY	VARCHAR2	32	Y	The person that approved the vendor data for that milestone.
SWIC	V APP DENIAL REASONS	VEN_ID	NUMBER	22	N	
SWIC	V APP DENIAL REASONS	DENIAL_REASON_CODE	NUMBER	22	N	
SWIC	V APP DENIAL REASONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V APP DENIAL REASONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V APP DENIAL REASONS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V AUDITING ACTIVITIES	ID	NUMBER	22	N	The unique numeric identifier.
SWIC	V AUDITING ACTIVITIES	VV_VENDOR_ID	NUMBER	22	Y	The system generated unique identifier for the vendor (FK to V_VENDORS)
SWIC	V AUDITING ACTIVITIES	VAC_ID	NUMBER	22	N	Foreign Key to V_AUDITING_CASES.
SWIC	V AUDITING ACTIVITIES	DESCRIPTION	VARCHAR2	2000	Y	description
SWIC	V AUDITING ACTIVITIES	VISIT_DATE	DATE	7	Y	Vendor visit date
SWIC	V AUDITING ACTIVITIES	VLUAN_ID	NUMBER	22	Y	The unique identifier for the investigation action (FK to V_LU_INV_ACTIONS)
SWIC	V AUDITING ACTIVITIES	VLUAN_ID	NUMBER	22	Y	The unique identifier for the vendor compliance investigation outcome (FK to V_LU_OUTCOMES)
SWIC	V AUDITING ACTIVITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_AUDITING_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V AUDITING ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V AUDITING ACTIVITIES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V AUDITING CASES	ID	NUMBER	22	N	The unique identifier for the Auditing case
SWIC	V AUDITING CASES	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the Vendor.
SWIC	V AUDITING CASES	DESCRIPTION	VARCHAR2	2000	Y	The Description of the monitoring case
SWIC	V AUDITING CASES	VLUAN_ID	NUMBER	22	Y	The unique identifier for the monitoring reasons (V_LU_INV_REASONS)
SWIC	V AUDITING CASES	DATE_OPENED	DATE	7	Y	The date the monitoring case was opened.
SWIC	V AUDITING CASES	DATE_CLOSED	DATE	7	Y	The date the monitoring case was closed
SWIC	V_AUDITING_CASES	VLUAN_ID	NUMBER	22	Y	The unique identifier for the outcome (V_LU_INV_OUTCOMES)
SWIC	V AUDITING CASES	VLUAN_ID	NUMBER	22	Y	The unique identifier for the disposition (V_LU_INV_DISPOSITIONS)
SWIC	V AUDITING CASES	NOTES	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V AUDITING CASES	VVC_COMPLAINT_ID	NUMBER	22	Y	The unique identifier for the complaint id
SWIC	V AUDITING CASES	VIP_INDICATOR	NUMBER	22	Y	Foreign Key reference to V_LU_TIP_INDICATOR.
SWIC	V AUDITING CASES	DATE_STARTED	DATE	7	Y	Vendor monitoring case start date
SWIC	V AUDITING CASES	OLD_INV_ID_TEMP	NUMBER	22	Y	Column created for date conversion to track old investigation id
SWIC	V AUDITING CASES	CARRY_POINTS_FORWARD	NUMBER	22	Y	Flag indicating whether to carry the violation points forward.
SWIC	V AUDITING CASES	COMPLETED_BY	VARCHAR2	32	Y	The user id connected when the record either workflow or queue was complete.
SWIC	V_AUDITING_CASES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V AUDITING CASES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V AUDITING CASES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V AUDITING CASES	VLART_APP_TYPE_ID	NUMBER	22	Y	The unique identifier for the application request type (V_LU_APPLICATION_TYPE).
SWIC	V AUTHORIZATIONS	VY1_TERMINATION_CODE	NUMBER	22	Y	The numeric code for the reason the authorization was terminated, if applicable.
SWIC	V AUTHORIZATIONS	POST_TERM_REDEMPTION_FLAG	NUMBER	22	Y	Indicates whether the vendor authorization is eligible for post-term redemption of checks.
SWIC	V AUTHORIZATIONS	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V_VENDORS).
SWIC	V AUTHORIZATIONS	APP_SEQ_ID	NUMBER	22	N	The numeric sequence number for a vendor authorization.
SWIC	V AUTHORIZATIONS	AUTH_START_DATE	DATE	7	Y	The start date of the authorization.
SWIC	V AUTHORIZATIONS	AUTH_EXPIRE_DATE	DATE	7	Y	The expiration date of the authorization.
SWIC	V AUTHORIZATIONS	SM_STAFF_MEMBER_ID	NUMBER	22	Y	The unique identifier for the staff member approving/denying the authorization (V_STAFF_MEMBERS).
SWIC	V AUTHORIZATIONS	DENIAL_DATE	DATE	7	Y	The date the authorization was denied, if applicable.
SWIC	V AUTHORIZATIONS	DISQUAL_START_DATE	DATE	7	Y	The date the authorization was disqualified, if applicable.
SWIC	V AUTHORIZATIONS	DISQUAL_END_DATE	DATE	7	Y	The date the disqualification of the authorization ended, if applicable.
SWIC	V AUTHORIZATIONS	TERMINATION_DATE	DATE	7	Y	The date the authorization was terminated, if applicable.
SWIC	V AUTHORIZATIONS	REAPPLIED_FLAG	NUMBER	22	Y	Indicates whether vendor has reapplied for authorization (0=No, 1=Yes).
SWIC	V AUTHORIZATIONS	RISK_LEVEL_ID	VARCHAR2	8	Y	The alphanumeric risk level code for the authorization (V_RISK_LEVELS).
SWIC	V AUTHORIZATIONS	RISK_LEVEL_DATE	DATE	7	Y	The date the risk level was assigned to the authorization (V_AUTHORIZATIONS).
SWIC	V AUTHORIZATIONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V AUTHORIZATIONS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V AUTHORIZATIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V AUTHORIZATIONS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V AUTHORIZATIONS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V AUTHORIZATIONS	VSTATUS_CODE	NUMBER	22	N	The unique identifier for the vendor status (V_STATUS).
SWIC	V_AUTHORIZATIONS	VLSOR_DENIAL_CODE	NUMBER	22	Y	The unique identifier for the denial reason code (V_LU_STATUS_REASON).
SWIC	V AUTHORIZATION MILESTONES	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V_VENDORS/V_AUTHORIZATIONS).
SWIC	V AUTHORIZATION MILESTONES	AUTH_ID	NUMBER	22	N	The sequence number for the vendor authorization (V_AUTHORIZATIONS).
SWIC	V AUTHORIZATION MILESTONES	MILESTONE_CODE	VARCHAR2	1	N	The alphanumeric identifier for the milestone (V_LU_MILESTONE_CODE).
SWIC	V AUTHORIZATION MILESTONES	DATE_COMPLETED	DATE	7	Y	The date the authorization milestone is actually completed.
SWIC	V AUTHORIZATION MILESTONES	PASS_FLAG	NUMBER	22	N	Indicator of whether the milestone passed/completed successfully (0=No, 1=Yes).
SWIC	V AUTHORIZATION MILESTONES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_AUTHORIZATION_MILESTONES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V AUTHORIZATION MILESTONES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V AUTHORIZATION MILESTONES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V AUTHORIZATION MILESTONES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V AUTHORIZATION MILESTONES	SPKAS_FLAG	NUMBER	22	Y	Indicates whether milestone can be bypassed (0=No, 1=Yes).
SWIC	V AUTHORIZATION MILESTONES	ROUTING_NUMBER	VARCHAR2	9	N	The unique routing number identifier for bank electronic transfer.
SWIC	V BANKS	BANK_NAME	VARCHAR2	60	N	The name of the bank.
SWIC	V BANKS	FEDERAL_ID	VARCHAR2	9	N	The Federal employer identification number of a vendor owner.
SWIC	V BANKS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V BANKS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V BANKS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V BANKS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V BANKS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V BID PRICE FOODS	VBPFI_BID_PRICE_FOOD_ID	NUMBER	22	N	Unique identifier from V_BID_PRICE_FOOD_ITEMS
SWIC	V BID PRICE FOODS	F_FOOD_ID	NUMBER	22	N	Unique identifier from I_FOODS
SWIC	V BID PRICE FOODS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V BID PRICE FOODS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_BID_PRICE_FOODS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V BID PRICE FOOD ITEMS	BID_PRICE_FOOD_ID	NUMBER	22	N	The system generated unique identifier
SWIC	V BID PRICE FOOD ITEMS	FOOD_DESCRIPTION	VARCHAR2	100	N	The description of the food
SWIC	V BID PRICE FOOD ITEMS	UNIT_SIZE	VARCHAR2	5	N	Unit size of the food item
SWIC	V BID PRICE FOOD ITEMS	UNIT_OF_MEASURE	VARCHAR2	22	N	Unique identifier for unit of measure (V_UNITS_OF_MEASURE).
SWIC	V BID PRICE FOOD ITEMS	SHELF_PRICE_FLAG	NUMBER	22	Y	Flag to identify the food is shelf price only food or not
SWIC	V BID PRICE FOOD ITEMS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V BID PRICE FOOD ITEMS	DATE_MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was last modified.
SWIC	V BID PRICE FOOD ITEMS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V BID PRICE FOOD ITEMS	SHELF_UNIT_SIZE	VARCHAR2	5	Y	Common audit field for user id connected when the row was last modified.
SWIC	V BID PRICE FOOD ITEMS	SHELF_UNIT_OF_MEASURE	VARCHAR2	5	Y	
SWIC	V ISI REVIEW	ISI_REVIEWER_ID	NUMBER	22	N	The system generated unique identifier for the ISI reviewer.
SWIC	V ISI REVIEW	VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor
SWIC	V ISI REVIEW	TARGET_ID	NUMBER	22	Y	Investigation target case id
SWIC	V ISI REVIEW	ACTION_TYPE_ID	NUMBER	22	N	Foreign Key to the Action Type table. Represents which action this record represents.
SWIC	V_ISI_REVIEW	FAILURE_REASON_ID	NUMBER	22	Y	Foreign Key to the INVESTISE_LU_BK_CHK_FAIL_RSN table
SWIC	V ISI REVIEW	NOTE	VARCHAR2	2000	Y	General Notes about the action.
SWIC	V ISI REVIEW	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V ISI REVIEW	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	V ISI REVIEW	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	V ISI REVIEW	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	V_CMP	ID	NUMBER	22	N	Unique identifier for the row.
SWIC	V_CMP	VIC_ID	NUMBER	22	N	Foreign key to V_INVESTIGATION_CASES
SWIC	V_CMP	VAC_ID	NUMBER	22	N	Foreign key to V_MONITORING_CASES
SWIC	V_CMP	AMOUNT	NUMBER	22	N	Money value of the penalty.
SWIC	V_CMP	PAID_IN_FULL	NUMBER	22	N	Flag indicating if the penalty was paid in full.
SWIC	V_CMP	DATE_START	DATE	7	Y	Date the Penalty started
SWIC	V_CMP	DATE_END	DATE	7	Y	Date the Penalty was ended
SWIC	V_CMP	DATE_FINAL	DATE	7	Y	Date the final payment was received.
SWIC	V_CMP	NOTE	VARCHAR2	4000	Y	Notes about the monetary penalty.
SWIC	V_CMP	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_CMP	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_CMP	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_CMP	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_CMP	VIC_ID	NUMBER	22	Y	
SWIC	V_COMPLAINTS	COMPLAINT_ID	NUMBER	22	N	The system generated unique identifier for the complaint.
SWIC	V_COMPLAINTS	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V_VENDORS).
SWIC	V_COMPLAINTS	CC_COMPLAINT_SUBJECT_CODE	NUMBER	22	Y	The unique identifier for the subject of the complaint (V_COMPLAINT_SUBJECTS).
SWIC	V_COMPLAINTS	CC_CODE	NUMBER	22	Y	The unique identifier for the complaint source type (V_COMPLAINT_SOURCE_TYPE).
SWIC	V_COMPLAINTS	COMPLAINT_DATE	DATE	7	N	The date the complaint was made.
SWIC	V_COMPLAINTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_COMPLAINTS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_COMPLAINTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_COMPLAINTS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_COMPLAINTS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V_COMPLAINTS	INVESTIGATION_ID	NUMBER	22	Y	The unique identifier for an investigation, if appropriate (V_INVESTIGATIONS).
SWIC	V_COMPLAINTS	VMA_MONITOR_ID	NUMBER	22	Y	The unique identifier for a monitoring activity, if appropriate (V_MON_ACTIVITIES).
SWIC	V_COMPLAINT_SOURCE TYPES	CC_CODE	NUMBER	22	N	The system generated unique identifier for the complaint source type.
SWIC	V_COMPLAINT_SOURCE TYPES	DESCRIPTION	VARCHAR2	60	N	The description of the complaint source type.
SWIC	V_COMPLAINT_SOURCE TYPES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_COMPLAINT_SOURCE TYPES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_COMPLAINT_SOURCE TYPES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_COMPLAINT_SOURCE TYPES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_COMPLAINT_SOURCE TYPES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V_COMPLAINT_SOURCE TYPES	ACTIVE	NUMBER	22	N	1 Means it is Active Indicates if the Data is Active.
SWIC	V_COMPLAINT_STATUSES	COMPLAINT_STATUS_CODE	NUMBER	22	N	The system generated unique identifier for the complaint status.
SWIC	V_COMPLAINT_STATUSES	DESCRIPTION	VARCHAR2	60	N	The description of the complaint status.
SWIC	V_COMPLAINT_STATUSES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_COMPLAINT_STATUSES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_COMPLAINT_STATUSES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_COMPLAINT_STATUSES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_COMPLAINT_STATUSES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V_COMPLAINT_STATUSES	COMPLAINT_SUBJECT_CODE	NUMBER	22	N	The system generated unique identifier for the complaint subject.
SWIC	V_COMPLAINT_STATUSES	DESCRIPTION	VARCHAR2	200	N	The description of the complaint subject.
SWIC	V_COMPLAINT_STATUSES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_COMPLAINT_STATUSES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_COMPLAINT_STATUSES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_COMPLAINT_STATUSES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_COMPLAINT_STATUSES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V CONTRACT LOG	LOG_ID	NUMBER	22	N	The unique identifier

SWIC	V CONTRACT LOG	VENDOR ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V CONTRACT LOG	ALPH_SEQ_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS/V AUTHORIZATIONS).
SWIC	V CONTRACT LOG	DATE EXECUTED CONTRACT	DATE	7	Y	Date the contract was executed.
SWIC	V CONTRACT LOG	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V CONTRACT LOG	DATE CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	V CONTRACT LOG	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V CONTRACT LOG	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V CONTRACT LOG	MODIFIED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	V CONTRACT LOG	DATE CONTRACT MAILED	DATE	7	Y	Date the contract was mailed.
SWIC	V CONTRACT LOG	DATE CONTRACT RECEIVED	DATE	7	Y	Date a reply was received.
SWIC	V EDUCATIONS	ATTENDEE NAME	VARCHAR2	50	Y	Indicates the Attendee Name of Vendor Training.
SWIC	V EDUCATIONS	TITLE	VARCHAR2	50	Y	Indicates the Title of Vendor Training.
SWIC	V EDUCATIONS	NOTIFICATION SENT	NUMBER	22	Y	
SWIC	V EDUCATIONS	CANCELLATION SENT	NUMBER	22	Y	
SWIC	V EDUCATIONS	ATTENDED SENT	NUMBER	22	Y	
SWIC	V EDUCATIONS	MISSSED TRAINING SENT	NUMBER	22	Y	
SWIC	V EDUCATIONS	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V EDUCATIONS	VSE_SCHEDULE_ID	NUMBER	22	N	The unique identifier of a scheduled training session (V_SCHEDULE_EDUCATIONS).
SWIC	V EDUCATIONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V EDUCATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V EDUCATIONS	COMPLETION DATE	DATE	7	Y	The date the vendor education was completed.
SWIC	V EDUCATIONS	ACTUAL ATTENDANCE	NUMBER	22	Y	The actual attendance for the vendor education.
SWIC	V EDUCATIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V EDUCATIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V EDUCATIONS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V EDUCATIONS	OWNER REPRESENTATIVE FLAG	NUMBER	22	Y	Indicates whether or not the person attending training is a representative for all vendors with the same owner (0=No, 1=YES).
SWIC	V EDUCATION COURSES	ED COURSE CODE	VARCHAR2	1	N	The unique identifier for the vendor education course.
SWIC	V EDUCATION COURSES	DESCRIPTION	VARCHAR2	60	N	The description of the vendor education course.
SWIC	V EDUCATION COURSES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V EDUCATION COURSES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V EDUCATION COURSES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V EDUCATION COURSES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V EDUCATION COURSES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V EDUCATION COURSES	ACTIVE	NUMBER	22	N	
SWIC	V EDUCATION LOCATIONS	ED_LOCATION	VARCHAR2	4	N	The unique identifier for the vendor education location.
SWIC	V EDUCATION LOCATIONS	DESCRIPTION	VARCHAR2	60	N	The description of the vendor education location.
SWIC	V EDUCATION LOCATIONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V EDUCATION LOCATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V EDUCATION LOCATIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V EDUCATION LOCATIONS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V EDUCATION LOCATIONS	ADDRESS1	VARCHAR2	60	Y	First line of street address for the education location.
SWIC	V EDUCATION LOCATIONS	ADDRESS2	VARCHAR2	60	Y	Second line of street address for the education location.
SWIC	V EDUCATION LOCATIONS	SEGO GEO LOCATION ID	NUMBER	22	N	Unique identifier for the city/state/zip (S GEO_LOCATIONS).
SWIC	V EDUCATION LOCATIONS	CITY	VARCHAR2	60	Y	UNUSED FOR MI-WIC
SWIC	V EDUCATION LOCATIONS	STATE	VARCHAR2	60	Y	UNUSED FOR MI-WIC
SWIC	V EDUCATION LOCATIONS	ZIP5	VARCHAR2	5	Y	UNUSED FOR MI-WIC
SWIC	V EDUCATION LOCATIONS	ZIP4	VARCHAR2	5	Y	Option 4 digit zip code extension for education location.
SWIC	V EDUCATION LOCATIONS	PHONE NUMBER	VARCHAR2	10	Y	
SWIC	V EDUCATION LOCATIONS	PHONE EXTENSION	VARCHAR2	5	Y	
SWIC	V EDUCATION LOCATIONS	COUNTY CODE	VARCHAR2	3	Y	
SWIC	V EDUCATION LOCATIONS	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	V EDUCATION TRAINERS	ED TRAINER	VARCHAR2	1	N	The unique identifier for the vendor education trainer.
SWIC	V EDUCATION TRAINERS	DESCRIPTION	VARCHAR2	60	N	The name of the vendor education trainer.
SWIC	V EDUCATION TRAINERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V EDUCATION TRAINERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V EDUCATION TRAINERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V EDUCATION TRAINERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V EDUCATION TRAINERS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V EDUCATION TRAINERS	ACTIVE	NUMBER	22	N	1 Means It is Active Indicates if the Data is Active.
SWIC	V EMAIL	ID	NUMBER	22	N	Unique identifier for the row.
SWIC	V EMAIL	DESCRIPTION	VARCHAR2	2000	N	Description of what kind of Email is it.
SWIC	V EMAIL	CC	VARCHAR2	2000	Y	CC value delimit emails by semicolon.
SWIC	V EMAIL	BCC	VARCHAR2	2000	Y	BCC value delimit emails by semicolon.
SWIC	V EMAIL	SUBJECT	VARCHAR2	400	N	Subject of the email
SWIC	V EMAIL	BODY	VARCHAR2	4000	N	Body of the email
SWIC	V EMAIL	SCREEN MSG	VARCHAR2	4000	Y	Message to be displayed on the screen.
SWIC	V_EMAIL	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_EMAIL	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_EMAIL	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_EMAIL	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V ENTITY HISTORY	VENDOR ID	NUMBER	22	N	Unique identifier for the vendor
SWIC	V ENTITY HISTORY	EQUIPMENT ID	NUMBER	2	N	Unique question number
SWIC	V ENTITY HISTORY	RESP OPTION	NUMBER	22	Y	The user response as radio option
SWIC	V ENTITY HISTORY	RESP DATE	DATE	7	Y	The user response as date
SWIC	V ENTITY HISTORY	RESP NOTE	VARCHAR2	2000	Y	The user response as short text
SWIC	V_ENTITY_HISTORY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V ENTITY HISTORY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V ENTITY HISTORY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V ENTITY HISTORY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V ENTITY HISTORY OTHER	ID	NUMBER	22	N	
SWIC	V ENTITY HISTORY OTHER	VENDOR ID	NUMBER	22	N	Unique identifier for the vendor
SWIC	V ENTITY HISTORY OTHER	FO_VENDOR ID	VARCHAR2	10	N	Former owner vendor id
SWIC	V_ENTITY_HISTORY_OTHER	ROLE_OWNER	NUMBER	22	N	Role in Business Owner
SWIC	V ENTITY HISTORY OTHER	ROLE_MANAGER	NUMBER	22	N	Role in Business Manager
SWIC	V ENTITY HISTORY OTHER	ROLE_EMPLOYEE	NUMBER	22	N	Role in Business Employee
SWIC	V ENTITY HISTORY OTHER	ROLE_OTHER	NUMBER	22	N	Role in Business Other
SWIC	V ENTITY HISTORY OTHER	FINANCIAL_INTEREST_NOTES	VARCHAR2	2000	N	Financial Interest Notes
SWIC	V ENTITY HISTORY OTHER	INVOLVED FROM	DATE	7	N	Date Involved in Business From
SWIC	V ENTITY HISTORY OTHER	INVOLVED TO	DATE	7	Y	Date Involved in Business To
SWIC	V ENTITY HISTORY OTHER	STORE NAME	VARCHAR2	100	N	Store Name
SWIC	V ENTITY HISTORY OTHER	STORE ADDRESS	VARCHAR2	100	N	Store Address
SWIC	V ENTITY HISTORY OTHER	WIC_ACTION_FINED	NUMBER	22	Y	WIC Adverse Action - Fined, Y/N
SWIC	V ENTITY HISTORY OTHER	WIC_ACTION_TERMED	NUMBER	22	Y	WIC Adverse Action - Termined, Y/N
SWIC	V ENTITY HISTORY OTHER	WIC_ACTION_DQ	NUMBER	22	Y	WIC Adverse Action - DQ, Y/N
SWIC	V ENTITY HISTORY OTHER	WIC_ACTION_DENIED	NUMBER	22	Y	WIC Adverse Action - Denied, Y/N
SWIC	V ENTITY HISTORY OTHER	WIC_ACTION_NON_RENEWED	NUMBER	22	Y	WIC Adverse Action - Non-Renewed, Y/N
SWIC	V ENTITY HISTORY OTHER	FSP_ACTION_FINED	NUMBER	22	Y	FSP Adverse Action - Fined, Y/N
SWIC	V ENTITY HISTORY OTHER	FSP_ACTION_TERMED	NUMBER	22	Y	FSP Adverse Action - Termined, Y/N
SWIC	V ENTITY HISTORY OTHER	FSP_ACTION_DQ	NUMBER	22	Y	FSP Adverse Action - DQ, Y/N
SWIC	V ENTITY HISTORY OTHER	FSP_ACTION_DENIED	NUMBER	22	Y	FSP Adverse Action - Denied, Y/N
SWIC	V_ENTITY_HISTORY_OTHER	FSP_ACTION_NON_RENEWED	NUMBER	22	Y	FSP Adverse Action - Non-Renewed, Y/N
SWIC	V ENTITY HISTORY OTHER	DOCUMENTATION PROVIDED	NUMBER	22	Y	Documentation Provided, Y/N
SWIC	V ENTITY HISTORY OTHER	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V ENTITY HISTORY OTHER	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V ENTITY HISTORY OTHER	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V ENTITY HISTORY OTHER	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V EXT FOOD CARD	ID	NUMBER	22	N	Primary Key, the larger values come from the import from the UPC table.
SWIC	V EXT FOOD CARD	ULUC_CATEGORY_CODE	VARCHAR2	2	N	The UPC category (V_LU_ULUC_CATEGORY).
SWIC	V EXT FOOD CARD	SUB_CAT_DESC	VARCHAR2	1000	Y	The UPC category description
SWIC	V EXT FOOD CARD	YLUJ_SUB_CAT_CODE	VARCHAR2	3	N	The UPC sub-category (V_LU_ULUC_SUBCAT).
SWIC	V EXT FOOD CARD	SUB_CAT_DESC_INTERNAL	VARCHAR2	1000	Y	The UPC sub-category description
SWIC	V EXT FOOD CARD	BRAND_NAME	VARCHAR2	100	Y	The product brand name.
SWIC	V EXT FOOD CARD	BRAND_NAME_INTERNAL	VARCHAR2	100	Y	The product brand name.
SWIC	V EXT FOOD CARD	FOOD_DESC	VARCHAR2	1000	Y	The food description associated with the item
SWIC	V EXT FOOD CARD	FOOD_DESC_INTERNAL	VARCHAR2	1000	Y	The food description associated with the item
SWIC	V EXT FOOD CARD	UNIT_SIZE	NUMBER	10	Y	The unit size of the item
SWIC	V_EXT_FOOD_CARD	ULUPT_PACKAGE_CODE	VARCHAR2	2	Y	The unique identifier of the package code (V_LU_ULUC_PACKAGE_TYPES).
SWIC	V EXT FOOD CARD	VULM_MANUFACTURER_CODE	VARCHAR2	10	Y	The code of the company that manufactured the item
SWIC	V EXT FOOD CARD	MANUFACTURER_DESC	VARCHAR2	1000	Y	The name of the company that manufactured the item
SWIC	V EXT FOOD CARD	MANUFACTURER_DESC_INTERNAL	VARCHAR2	1000	Y	The name of the company that manufactured the item
SWIC	V EXT FOOD CARD	KLUPS_PACKAGE_SIZE_CODE	VARCHAR2	10	N	Size of the Package.
SWIC	V EXT FOOD CARD	KLUPS_FORMULA_CLASS_ID	VARCHAR2	10	Y	
SWIC	V EXT FOOD CARD	PROD_DESC	VARCHAR2	1000	Y	Product Description
SWIC	V EXT FOOD CARD	PROD_DESC_INTERNAL	VARCHAR2	1000	Y	Product Description
SWIC	V EXT FOOD CARD	WHOLELE GRAB	VARCHAR2	2	Y	Indicator of whether or not the item is whole grain
SWIC	V_EXT_FOOD_CARD	FOOD_FLAVOR	VARCHAR2	100	Y	flavor of the product.
SWIC	V EXT FOOD CARD	FOOD_VARIETY	VARCHAR2	100	Y	
SWIC	V EXT FOOD CARD	FOOD_TYPE	VARCHAR2	100	Y	
SWIC	V EXT FOOD CARD	DEACTIVATED	VARCHAR2	1	Y	indicator of whether or not the item is still active
SWIC	V EXT FOOD CARD	VLURD_REASON_CODE	VARCHAR2	100	Y	The identifier of the deactivate reason (V_LU_ULUC_DEACTIVATE_REASONS).
SWIC	V EXT FOOD CARD	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V EXT FOOD CARD	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_EXT_FOOD_CARD	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V EXT FOOD CARD	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V EXT FOOD CARD PRICES	VV_VENDOR_ID	NUMBER	22	N	vendor id
SWIC	V EXT FOOD CARD PRICES	VELF_ID	NUMBER	22	N	food item id from food card table
SWIC	V EXT FOOD CARD PRICES	PRICE	NUMBER	22	N	price of the item
SWIC	V EXT FOOD CARD PRICES	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	V EXT FOOD CARD PRICES	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	V EXT FOOD CARD PRICES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V EXT FOOD CARD PRICES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was modified.
SWIC	V_EXT_MIN_AGRREEMENT	VV_VENDOR_ID	NUMBER	22	N	Unique Identification Number of a vendor.
SWIC	V EXT MIN AGREEMENT	NAME	VARCHAR2	100	Y	Full Name of a vendor.
SWIC	V EXT MIN AGREEMENT	TITLE	VARCHAR2	100	Y	Title of a vendor.
SWIC	V EXT MIN AGREEMENT	SIGNATURE	VARCHAR2	100	Y	Initial of a person signing.
SWIC	V EXT MIN AGREEMENT	SIGNATURE DATE	DATE	7	Y	Date document was signed.
SWIC	V EXT MIN AGREEMENT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V EXT MIN AGREEMENT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V EXT MIN AGREEMENT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V EXT MIN AGREEMENT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_EXT_OWNERS	LEGAL_FIRST_NAME	VARCHAR2	50	Y	Primary Owners legal first name.
SWIC	V EXT OWNERS	LEGAL_MI	VARCHAR2	1	Y	Primary Owners legal middle initial.
SWIC	V EXT OWNERS	LEGAL_LAST_NAME	VARCHAR2	50	Y	Primary Owners legal last name
SWIC	V EXT OWNERS	OWNER1_STREET_NUM	NUMBER	22	Y	Number address of the vendor
SWIC	V EXT OWNERS	OWNER1_STREET_SFX1	VARCHAR2	3	Y	Street Type (St, Ave, etc...)
SWIC	V EXT OWNERS	OWNER1_STREET_SFX2	VARCHAR2	3	Y	Street Sub Section (NW, NE, etc...)
SWIC	V_EXT_OWNERS	OWNER1_MAILING_NUM	NUMBER	22	Y	Number address of the vendor
SWIC	V_EXT_OWNERS	OWNER1_MAILING_SFX1	VARCHAR2	3	Y	Street Type (St, Ave, etc...)
SWIC	V_EXT_OWNERS	OWNER1_MAILING_SFX2	VARCHAR2	3	Y	Street Sub Section (NW, NE, etc...)
SWIC	V_EXT_OWNERS	OWNER1_ED	VARCHAR2	60	Y	The unique identifier for the owner of the retail vendor.
SWIC	V_EXT_OWNERS	OWNER1_MAILING_ADDRESS1	VARCHAR2	10	N	The first line of the primary owner mailing address.
SWIC	V_EXT_OWNERS	OWNER1_STREET_ADDRESS1	VARCHAR2	60	N	The first line of the primary owner street address.
SWIC	V_EXT_OWNERS	SEGO GEO LOCATION ID MAIL1	NUMBER	22	Y	The numeric code for the city/state/zip for the primary owner mailing address (S GEO_LOCATIONS).
SWIC	V_EXT_OWNERS	VY_TYPE_CODE	VARCHAR2	1	N	The unique identifier of the vendor type (V_OWNER_TYPES).
SWIC	V_EXT_OWNERS	SEGO GEO LOCATION ID STREET1	NUMBER	22	Y	The numeric code for the city/state/zip for the primary owner street address (S GEO_LOCATIONS).
SWIC	V_EXT_OWNERS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_EXT_OWNERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_EXT_OWNERS	OWNER1_MAILING_ADDRESS2	VARCHAR2	60	Y	The second line of the primary owner mailing address.
SWIC	V_EXT_OWNERS	OWNER1_MAILING_ZIP4	VARCHAR2	4	Y	The last 4 digits of the primary owner 9-digit mailing address zip code.
SWIC	V_EXT_OWNERS	OWNER1_STREET_ADDRESS2	VARCHAR2	60	Y	The second line of the primary owner street address.
SWIC	V_EXT_OWNERS	OWNER1_STREET_ZIP4	VARCHAR2	4	Y	The last 4 digits of the primary owner 9-digit street address zip code.

SWIC	V EXT OWNERS	CORP NAME	VARCHAR2	35	Y	The name of the corporation that owns the retail vendor.
SWIC	V EXT OWNERS	OWNER2 NAME	VARCHAR2	100	Y	The last name of the secondary owner.
SWIC	V EXT OWNERS	OWNER3 NAME	VARCHAR2	100	Y	The first name of the secondary owner.
SWIC	V EXT OWNERS	OWNER4 NAME	VARCHAR2	100	Y	The middle initial of the secondary owner.
SWIC	V EXT OWNERS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V EXT OWNERS	OWNER_EMAIL	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V EXT OWNERS	SAME_ADDRESS_FLAG	VARCHAR2	100	Y	E-mail address for vendor owner.
SWIC	V EXT OWNERS	OWNER1_NAME	VARCHAR2	100	Y	The same address flag.
SWIC	V EXT OWNERS	CONTACT	VARCHAR2	100	Y	The last name of the primary owner.
SWIC	V EXT OWNERS	MARKET_TYPE	VARCHAR2	1	Y	The name of the owner point of contact.
SWIC	V EXT OWNER PHONES	PHONE_ID	NUMBER	22	N	The unique identifier for the farmer market type (V LU_MARKET_TYPE).
SWIC	V EXT OWNER PHONES	VEV_OWNER_ID	VARCHAR2	10	N	The unique identifier of the vendor owner phone number entry.
SWIC	V EXT OWNER PHONES	PHONE_NUMBER	VARCHAR2	100	N	The unique identifier of the vendor owner (V OWNERS).
SWIC	V EXT OWNER PHONES	SPT_PHONE_TYPE_ID	VARCHAR2	3	N	The phone number of the vendor owner.
SWIC	V EXT OWNER PHONES	PHONE_EXTENSION	VARCHAR2	5	Y	The unique identifier of the phone number type (V PHONE_TYPES).
SWIC	V EXT OWNER PHONES	DATE_CREATED	DATE	7	N	The phone extension of the vendor owner.
SWIC	V_EXT_OWNER_PHONES	CREATED_BY	VARCHAR2	32	N	Common audit field for date time stamp when the row was created.
SWIC	V EXT OWNER PHONES	DATE_MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was created.
SWIC	V EXT OWNER PHONES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V EXT SCAN/UPLOAD	DOCUMENT_ID	NUMBER	22	N	Common audit field for user id connected when the row was last modified.
SWIC	V EXT SCAN/UPLOAD	VV_VENDOR_ID	NUMBER	22	N	Unique numeric identifier for client document.
SWIC	V EXT SCAN/UPLOAD	FILE_NAME	VARCHAR2	100	N	Unique numeric identifier for vendor.
SWIC	V EXT SCAN/UPLOAD	FILE_TYPE	VARCHAR2	100	N	Descriptive text for name of the file.
SWIC	V EXT SCAN/UPLOAD	DOCUMENT	BLOB	4000	N	Descriptive text for the type of the file.
SWIC	V EXT SCAN/UPLOAD	DATE_CREATED	DATE	7	N	File that corresponds to the vendor document.
SWIC	V EXT SCAN/UPLOAD	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	V EXT SCAN/UPLOAD	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	V EXT STOCK	ID	NUMBER	22	N	Common audit field for date time stamp when the row was last modified.
SWIC	V EXT STOCK	CATEGORY	VARCHAR2	60	N	Common audit field for user id connected when the row was last modified.
SWIC	V EXT STOCK	TYPE	VARCHAR2	2000	N	The unique identifier for the stock requirement.
SWIC	V EXT STOCK	QUANTITY	VARCHAR2	500	N	The food category.
SWIC	V_EXT_STOCK	DATE_CREATED	DATE	7	N	The type or package.
SWIC	V_EXT_STOCK	MODIFIED_BY	VARCHAR2	32	Y	The quantity to meet minimum stock requirements.
SWIC	V_EXT_STOCK	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	V_EXT_STOCK VENDORS	VV_VENDOR_ID	NUMBER	22	N	Common audit field for user id connected when the row was created.
SWIC	V_EXT_STOCK VENDORS	RESPONSE	NUMBER	22	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The unique identifier for the vendor (V VENDORS).
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Indicates whether sufficient stock exists (0-No, 1=Yes).
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The unique identifier for the store detail question (V STORE_DETAIL_QUESTIONS).
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The text for the store detail question response.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Common audit field for user id connected when the row was last modified.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The unique identifier for the vendor (V VENDORS/ALPHABETIZATIONS).
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Notes about the store detail responses.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The system generated unique identifier for the vendor.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The name of the vendor.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The first line of the vendor mailing address.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The first line of the vendor street address.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Indicates whether sales are actual or estimated.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The system generated unique identifier for the mailing address city/state/zip (S GEO_LOCATION).
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The vendor WIC assigned ID code.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The second line of the vendor mailing address.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The zip code extension for the vendor mailing address.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The last name of the vendor contact.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The first name of the vendor contact.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The (first) middle initial of the vendor contact.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The unique code for contact title (S CONTACT_TITLES).
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The system generated unique identifier for resident city/state/zip (S GEO_LOCATION).
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The zip code extension of the vendor street address.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The second line of the vendor street address.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The space the vendor has devoted to retail sales.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The amount of the vendor annual food sales.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The amount of the vendor annual gross sales.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The number of registers used by the vendor.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The number of Point-of-Sale terminals used by the vendor.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The system generated unique identifier (V EXT VENDORS).
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The unique identifier of the vendor type (V LU_VENDOR_TYPE_CODES).
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The vendor's food establish license number.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The vendor's food stamp number.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The vendor's mailing contact person.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The vendor's same address flag.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The Federal employer identification number of the vendor owner.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	UNSEED FOR M-WIC
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Vendor denial reason code (V LU STATUS_REASON).
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	E-mail address for vendor.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Indicates violation pass bypass flag (0-No, 1=Yes)
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Other business names used by the vendor.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Vendor prefers contact via Email (Y/N).
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Vendor prefers contact via Phone (Y/N).
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	If Estimated this flag indicates if it has been certified.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Number address of the vendor
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Street Type (R/L, Ave, etc.)
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Street Sub Section (NW, NE, etc.)
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Number address of the vendor
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Street Type (R/L, Ave, etc.)
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Street Sub Section (NW, NE, etc.)
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The system generated unique identifier for the vendor phone entry.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The unique identifier for the vendor (V EXT VENDORS).
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The unique identifier of the phone number type (V PHONE_TYPES).
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	The vendor telephone number.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	The vendor telephone extension.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was created.
SWIC	V_EXT_STOCK VENDORS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	V_EXT_STOCK VENDORS	DATE_MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was last modified.
SWIC	V FARMERS MARKET EBT	FM ID	NUMBER	22	N	
SWIC	V FARMERS MARKET EBT	FISCAL_YEAR	NUMBER	22	N	
SWIC	V FARMERS MARKET EBT	FM START DATE	DATE	7	N	
SWIC	V FARMERS MARKET EBT	FM END DATE	DATE	7	N	
SWIC	V FARMERS MARKET EBT	TOTAL AMOUNT	NUMBER	22	Y	
SWIC	V FARMERS MARKET EBT	FM BENEFIT UNIT AMT	NUMBER	22	Y	
SWIC	V FARMERS MARKET EBT	TOTAL BENEFIT UNITS	NUMBER	22	Y	
SWIC	V FARMERS MARKET EBT	MAX UNIT PER HOUSE	NUMBER	22	Y	
SWIC	V FARMERS MARKET EBT	S ACTIVE	NUMBER	22	Y	
SWIC	V FARMERS MARKET EBT	DATE_CREATED	DATE	7	N	
SWIC	V FARMERS MARKET EBT	CREATED_BY	VARCHAR2	32	N	
SWIC	V_FARMERS_MARKET_EBT	DATE_MODIFIED	DATE	7	Y	
SWIC	V FARMERS MARKET EBT	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	V FARMER PART LOCS	VEN ID	NUMBER	22	N	vendor id who participating at this location.
SWIC	V FARMER PART LOCS	LOCATION ID	NUMBER	22	N	The system generated unique identifier.
SWIC	V FARMER PART LOCS	DATE_CREATED	DATE	7	N	
SWIC	V FARMER PART LOCS	CREATED_BY	VARCHAR2	32	N	
SWIC	V FARMER PART LOCS	DATE_MODIFIED	DATE	7	Y	
SWIC	V FARMER PART LOCS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	V FARMER PART LOCS	NOTE	VARCHAR2	2000	Y	
SWIC	V_FM_LA_EBT	VFMF_FM_ID	NUMBER	22	N	
SWIC	V_FM_LA_EBT	ODU SEQ ID	NUMBER	22	N	
SWIC	V_FM_LA_EBT	S PART EBT	NUMBER	22	Y	
SWIC	V_FM_LA_EBT	ALLOCATED AMOUNT	NUMBER	22	Y	
SWIC	V_FM_LA_EBT	PART COUNT	NUMBER	22	Y	
SWIC	V_FM_LA_EBT	DATE_CREATED	DATE	7	N	
SWIC	V_FM_LA_EBT	DATE_MODIFIED	DATE	7	Y	
SWIC	V_FM_LA_EBT	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	V_FM_LA_EBT	NOTES	VARCHAR2	500	Y	
SWIC	V_FOOD ITEM DEFAULT PRICES	IF FOOD ID	NUMBER	22	N	
SWIC	V_FOOD ITEM DEFAULT PRICES	PEE PEER GROUP ID	NUMBER	22	N	
SWIC	V_FOOD ITEM DEFAULT PRICES	DEFAULT UNIT PRICE	NUMBER	22	Y	
SWIC	V_FOOD ITEM DEFAULT PRICES	DATE_CREATED	DATE	7	N	
SWIC	V_FOOD ITEM DEFAULT PRICES	CREATED_BY	VARCHAR2	32	N	
SWIC	V_FOOD ITEM DEFAULT PRICES	DATE_MODIFIED	DATE	7	Y	
SWIC	V_FOOD ITEM DEFAULT PRICES	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	V_FOOD ITEM DEFAULT PRICES	CKS FOOD ID	NUMBER	22	Y	
SWIC	V_FOOD ITEM DEFAULT PRICES	UNIT SIZE	NUMBER	22	Y	
SWIC	V_FOOD PSA CYCLE	CYCLE ID	NUMBER	22	N	
SWIC	V_FOOD PSA CYCLE	FROM DATE	DATE	7	N	
SWIC	V_FOOD PSA CYCLE	TO DATE	DATE	7	N	
SWIC	V_FOOD PSA CYCLE	DATE_CREATED	DATE	7	N	
SWIC	V_FOOD PSA CYCLE	CREATED_BY	VARCHAR2	50	N	
SWIC	V_FOOD PSA CYCLE	DATE_MODIFIED	DATE	7	Y	
SWIC	V_FOOD PSA CYCLE	MODIFIED_BY	VARCHAR2	50	Y	
SWIC	V_FOOD PSA CYCLE	PROCESSED_FLAG	NUMBER	22	Y	
SWIC	V_FOOD PSA PRICES	YPC CYCLE ID	NUMBER	22	N	The unique identifier for the cycle info table (V_FOOD_PSA_CYCLE).
SWIC	V_FOOD PSA PRICES	YLC CAT CODE	VARCHAR2	2	N	The UPC Category code
SWIC	V_FOOD PSA PRICES	YLS SUB CAT CODE	VARCHAR2	3	N	The UPC-Sub Category code
SWIC	V_FOOD PSA PRICES	PEE PEER GROUP ID	NUMBER	22	N	The unique identifier for the vendor peer group (V_PEEER_GROUPS).
SWIC	V_FOOD PSA PRICES	AVG PRICE	NUMBER	22	Y	Average Price
SWIC	V_FOOD PSA PRICES	MAX PRICE	NUMBER	22	Y	Max Price
SWIC	V_FOOD PSA PRICES	STATE ENTERED AMT	NUMBER	22	Y	This is the price that will be sent to EBT host. Defaulted to Max price and can be changed by user.
SWIC	V_FOOD PSA PRICES	EFFECTIVE DATE	DATE	7	N	Effective date
SWIC	V_FOOD PSA PRICES	LAST SENT DATE	DATE	7	Y	Last sent to EBT date
SWIC	V_FOOD PSA PRICES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_FOOD PSA PRICES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_FOOD PSA PRICES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_FOOD PSA PRICES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_FOOD PSA PRICES	HIGH PRICE INDICATOR	NUMBER	22	N	
SWIC	V_FOOD_PSA_PRICES	PRICE_CALC_METHOD	VARCHAR2	100	Y	Method used to calculate the prices
SWIC	V_FOOD PSA PRICES	PRICE_CALC_FACTORS	NUMBER	22	Y	factors used for price calculation
SWIC	V_FOOD PSA PRICES BACKUP	PEE PEER GROUP ID	NUMBER	22	N	
SWIC	V_FOOD PSA PRICES BACKUP	DATE	DATE	7	N	
SWIC	V_FOOD PSA PRICES BACKUP	CREATED BY	VARCHAR2	32	N	

SWIC	V FOOD PGA PRICES BACKUP	DATE MODIFIED	DATE	7	Y	
SWIC	V FOOD PGA PRICES BACKUP	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V FOOD PGA PRICES BACKUP	EFFECTIVE DATE	DATE	7	N	
SWIC	V FOOD PGA PRICES BACKUP	PREVIOUS PRICE	NUMBER	22	Y	
SWIC	V FOOD PGA PRICES BACKUP	CURRENT PRICE	NUMBER	22	Y	
SWIC	V FOOD PGA PRICES BACKUP	FUTURE PRICE	NUMBER	22	Y	
SWIC	V FOOD PGA PRICES BACKUP	AVG PRICE	NUMBER	22	Y	
SWIC	V FOOD PGA PRICES BACKUP	STATE ENTERED AMT	NUMBER	22	Y	
SWIC	V FOOD PGA PRICES BACKUP	DEACTIVATE FLAG	NUMBER	22	Y	
SWIC	V FOOD PGA PRICES BACKUP	DEACTIVATE DATE	DATE	7	Y	
SWIC	V FOOD PGA PRICES BACKUP	VLURD_REASON_CODE	NUMBER	22	Y	
SWIC	V FOOD PGA PRICES BACKUP	VLUC_CAT_CODE	VARCHAR2	2	N	
SWIC	V FOOD PGA PRICES BACKUP	VLUS_SUB_CAT_CODE	VARCHAR2	3	N	
SWIC	V FOOD PGA PRICES BACKUP	MANUAL_PRICE_FOREXPNENVLUC	NUMBER	22	Y	
SWIC	V FOOD PGA PRICES EXCLUDE	VLUC_CAT_CODE	VARCHAR2	2	N	The Category Code (V LU UPC CATEGORIES).
SWIC	V FOOD PGA PRICES EXCLUDE	VLUS_SUB_CAT_CODE	VARCHAR2	3	N	The SubCategory Code (V LU UPC SUB CAT).
SWIC	V FOOD PGA PRICES EXCLUDE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V FOOD PGA PRICES EXCLUDE	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V FOOD PGA PRICES EXCLUDE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V FOOD PGA PRICES EXCLUDE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V FOOD PGA PRICES EXCLUDE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V FOOD PGA PRICES HISTORY	PGA_MONTH	DATE	7	N	Month for which prices are recorded.
SWIC	V FOOD PGA PRICES HISTORY	FEER_REGR_GROUP_ID	NUMBER	22	N	The unique identifier for the vendor peer group (V FEER_GROUPS).
SWIC	V FOOD PGA PRICES HISTORY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V FOOD PGA PRICES HISTORY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V FOOD PGA PRICES HISTORY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V FOOD PGA PRICES HISTORY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V FOOD PGA PRICES HISTORY	EFFECTIVE DATE	DATE	7	N	The effective date for the data.
SWIC	V FOOD PGA PRICES HISTORY	PREVIOUS PRICE	NUMBER	22	Y	The previous price.
SWIC	V FOOD PGA PRICES HISTORY	CURRENT PRICE	NUMBER	22	Y	The current price.
SWIC	V FOOD PGA PRICES HISTORY	FUTURE PRICE	NUMBER	22	Y	The future price.
SWIC	V FOOD PGA PRICES HISTORY	AVG PRICE	NUMBER	22	Y	UNUSED FOR MI-WIC
SWIC	V FOOD PGA PRICES HISTORY	STATE ENTERED AMT	NUMBER	22	Y	The price for the UPC that will be sent to the EBT host via the UPC interface. Defaulted to Future price but can be changed by the user.
SWIC	V FOOD PGA PRICES HISTORY	DEACTIVATE FLAG	NUMBER	22	Y	
SWIC	V FOOD PGA PRICES HISTORY	DEACTIVATE DATE	DATE	7	Y	
SWIC	V FOOD PGA PRICES HISTORY	VLURD_REASON_CODE	NUMBER	22	Y	
SWIC	V FOOD PGA PRICES HISTORY	VLUC_CAT_CODE	VARCHAR2	2	N	
SWIC	V FOOD PGA PRICES HISTORY	VLUS_SUB_CAT_CODE	VARCHAR2	3	N	
SWIC	V FOOD PGA PRICES HISTORY	MANUAL_PRICE_FOREXPNENVLUC	NUMBER	22	Y	
SWIC	V FOOD PGA PRICES REDEMPTIONS	PLU_PLU_CODE	VARCHAR2	17	Y	UPC or PLU code (V UPC ITEMS)
SWIC	V FOOD PGA PRICES REDEMPTIONS	FEER_GROUP_ID	VARCHAR2	2	Y	Peer group ID (V FEER_GROUPS)
SWIC	V FOOD PGA PRICES REDEMPTIONS	SETTLED PRICE	NUMBER	22	Y	Settled price for the UPC
SWIC	V FOOD PGA PRICES REDEMPTIONS	NUMBER_OF_ITEMS	NUMBER	22	Y	Number of items bought in a single transaction
SWIC	V FOOD PGA PRICES REDEMPTIONS	DATE CREATED	DATE	7	Y	Date for when the data was generated.
SWIC	V FOOD SUPPLIERS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V FOOD SUPPLIERS	FOOD_SUPPLIER_ID	NUMBER	22	N	The unique identifier for the supplier id.
SWIC	V FOOD SUPPLIERS	DESCRIPTION	VARCHAR2	2000	Y	The text or description of the supplier.
SWIC	V FOOD SUPPLIERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V FOOD SUPPLIERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V FOOD SUPPLIERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V FOOD SUPPLIERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V FOOD SUPPLIERS	MAILING_ADDRESS_1	VARCHAR2	60	Y	The supplier's mailing address 1.
SWIC	V FOOD SUPPLIERS	MAILING_ADDRESS_2	VARCHAR2	60	Y	The supplier's mailing address 2.
SWIC	V FOOD SUPPLIERS	MAILING_CITY	VARCHAR2	60	Y	The supplier's city.
SWIC	V FOOD SUPPLIERS	MAILING_STATE	VARCHAR2	2	Y	The supplier's state.
SWIC	V FOOD SUPPLIERS	MAILING_ZIPS	VARCHAR2	9	Y	The supplier's zip.
SWIC	V FOOD SUPPLIERS	CONTACT_NAME	VARCHAR2	150	Y	The supplier's primary contact name.
SWIC	V FOOD SUPPLIERS	PHONE	VARCHAR2	10	Y	The supplier's phone number.
SWIC	V FOOD SUPPLIERS	EMAIL	VARCHAR2	150	Y	The supplier's email address.
SWIC	V FORMER OWNERS	ID	NUMBER	22	N	Unique identifier
SWIC	V FORMER OWNERS	VENDOR_ID	NUMBER	22	N	Vendor ID
SWIC	V FORMER OWNERS	FORMER_STORE_NAME	VARCHAR2	200	N	Former Store Name
SWIC	V FORMER OWNERS	FORMER_OWNER	VARCHAR2	200	Y	Former Owner
SWIC	V FORMER OWNERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V FORMER OWNERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V FORMER OWNERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V FORMER OWNERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V FORMULA SUPPLIERS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V FORMULA SUPPLIERS	SUPPLIER_ID	NUMBER	22	N	The unique identifier for the supplier id.
SWIC	V FORMULA SUPPLIERS	DESCRIPTION	VARCHAR2	2000	Y	The text or description of the supplier.
SWIC	V FORMULA SUPPLIERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V FORMULA SUPPLIERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V FORMULA SUPPLIERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V FORMULA SUPPLIERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V FORMULA SUPPLIERS	MAILING_ADDRESS_1	VARCHAR2	60	Y	The supplier's mailing address 1.
SWIC	V FORMULA SUPPLIERS	MAILING_ADDRESS_2	VARCHAR2	60	Y	The supplier's mailing address 2.
SWIC	V FORMULA SUPPLIERS	MAILING_CITY	VARCHAR2	60	Y	The supplier's city.
SWIC	V FORMULA SUPPLIERS	MAILING_STATE	VARCHAR2	2	Y	The supplier's state.
SWIC	V FORMULA SUPPLIERS	MAILING_ZIPS	VARCHAR2	9	Y	The supplier's zip.
SWIC	V FORMULA SUPPLIERS	CONTACT_NAME	VARCHAR2	150	Y	The supplier's primary contact name.
SWIC	V FORMULA SUPPLIERS	PHONE	VARCHAR2	10	Y	The supplier's phone number.
SWIC	V FORMULA SUPPLIERS	EMAIL	VARCHAR2	150	Y	The supplier's email address.
SWIC	V FSP REGIONAL OFFICES	OFFICE_CODE	VARCHAR2	5	N	The unique identifier of the FSP regional office.
SWIC	V FSP REGIONAL OFFICES	NAME	VARCHAR2	40	N	The name of the FSP regional office.
SWIC	V FSP REGIONAL OFFICES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V FSP REGIONAL OFFICES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V FSP REGIONAL OFFICES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V FSP REGIONAL OFFICES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V FSP REGIONAL OFFICES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V GIS	US_STATE_FIPS_CODE	VARCHAR2	5	Y	
SWIC	V GIS	COUNTY_FIPS_CODE	VARCHAR2	5	Y	
SWIC	V GIS	STATE_LOWER HOUSE DIST NUM	NUMBER	22	Y	
SWIC	V GIS	STATE_UPPER HOUSE DIST NUM	NUMBER	22	Y	
SWIC	V GIS	US_CONGRESSIONAL_DIST_NUM	NUMBER	22	Y	
SWIC	V GIS	US_CONGRESSIONAL_SESSION_NUM	NUMBER	22	Y	
SWIC	V GIS	ZCTA	VARCHAR2	5	Y	
SWIC	V GIS	PLANNINGAREANUMBER	NUMBER	22	Y	
SWIC	V GIS	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V GIS	MGRX	NVARCHAR2	48	N	MGRX Location that was returned from GIS
SWIC	V GIS	MGRY	NVARCHAR2	48	N	MGRY Location that was returned from GIS
SWIC	V GIS	GE0_LOCATION	VARCHAR2	20	Y	UNUSED FOR MI-WIC
SWIC	V GIS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V GIS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V GIS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V GIS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V GIS	MANUAL	NUMBER	22	N	Flag designates if the MGRX and MGRY where set manually.
SWIC	V GIS ERROR	ID	NUMBER	22	N	The unique identifier.
SWIC	V GIS ERROR	VV_VENDOR_ID	NUMBER	22	Y	The unique identifier for the vendor (V VENDORS).
SWIC	V GIS ERROR	STEP	VARCHAR2	50	Y	Step where the failure took place
SWIC	V GIS ERROR	RPT_XML	VARCHAR2	2000	Y	XML sent to GIS
SWIC	V GIS ERROR	CUTPUT_XML	VARCHAR2	2000	Y	XML received from GIS
SWIC	V GIS ERROR	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	V GIS ERROR	CREATED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was created.
SWIC	V GIS ERROR	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V GIS ERROR	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V GIS OLD	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V GIS OLD	MGRX	NUMBER	22	N	
SWIC	V GIS OLD	MGRY	NUMBER	22	N	
SWIC	V GIS OLD	GE0_LOCATION	VARCHAR2	20	Y	
SWIC	V GIS OLD	DATE_CREATED	DATE	7	N	
SWIC	V GIS OLD	CREATED BY	VARCHAR2	32	N	
SWIC	V GIS OLD	DATE MODIFIED	DATE	7	Y	
SWIC	V GIS OLD	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V GIS OLD	MANUAL	NUMBER	22	Y	
SWIC	V INSPECTION SURVEY ANSWERS	VEN_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS/ AUTHORIZATIONS).
SWIC	V INSPECTION SURVEY ANSWERS	AUTH_SEQ_ID	NUMBER	22	N	The sequence number for the vendor authorization (V AUTHORIZATIONS).
SWIC	V INSPECTION SURVEY ANSWERS	VSQ_SET_ID	NUMBER	22	N	The numeric identifier for a set of on-site survey questions (V_INSPECTION_SURVEY_QUESTIONS).
SWIC	V INSPECTION SURVEY ANSWERS	VSQ_QUESTION_ID	NUMBER	22	N	The numeric identifier for a specific on-site survey question (V_INSPECTION_SURVEY_QUESTIONS).
SWIC	V INSPECTION SURVEY ANSWERS	ANSWER	NUMBER	22	N	A numeric indicator of a Yes (1) or no (0) answer to a specific on-site survey question.
SWIC	V INSPECTION SURVEY ANSWERS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V INSPECTION SURVEY ANSWERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V INSPECTION SURVEY ANSWERS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INSPECTION SURVEY ANSWERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V INSPECTION SURVEY ANSWERS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V INSPECTION SURVEY QUESTIONS	SET_ID	NUMBER	22	N	The unique id to identify a set of inspection survey questions.
SWIC	V INSPECTION SURVEY QUESTIONS	QUESTION_ID	NUMBER	22	N	The unique id to identify a particular question from a particular inspection set.
SWIC	V INSPECTION SURVEY QUESTIONS	DESCRIPTION	VARCHAR2	300	N	The text of the inspection question - limited to 300 characters.
SWIC	V INSPECTION SURVEY QUESTIONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V INSPECTION SURVEY QUESTIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V INSPECTION SURVEY QUESTIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INSPECTION SURVEY QUESTIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V INVENTORY AUDIT ITEM COUNTS	ID	NUMBER	22	N	The system generated unique identifier for the vendor inventory audit item counts.
SWIC	V INVENTORY AUDIT ITEM COUNTS	CASE_ID	NUMBER	22	N	The unique identifier for the CASE.
SWIC	V INVENTORY AUDIT ITEM COUNTS	VU_LUPC_CODE	VARCHAR2	14	N	The vendor inventory audit item LUPC CODE.
SWIC	V INVENTORY AUDIT ITEM COUNTS	PRICE_LOCATION	NUMBER	22	Y	The unique identifier for the price location.
SWIC	V INVENTORY AUDIT ITEM COUNTS	PRICE	NUMBER	22	Y	The vendor inventory audit item price.
SWIC	V INVENTORY AUDIT ITEM COUNTS	NO_PRICE_POSTED	NUMBER	22	N	The vendor inventory audit item flag for price posted.
SWIC	V INVENTORY AUDIT ITEM COUNTS	TOTAL_COUNT	NUMBER	22	N	The vendor inventory audit items total count.
SWIC	V INVENTORY AUDIT ITEM COUNTS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V INVENTORY AUDIT ITEM COUNTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V INVENTORY AUDIT ITEM COUNTS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INVENTORY AUDIT ITEM COUNTS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V INVENTORY AUDIT ITEM COUNTS	VIA_ID	NUMBER	22	N	The unique identifier for the vendor investigation activities.
SWIC	V INVENTORY AUDIT LOCATIONS	ID	NUMBER	22	N	The system generated unique identifier for the vendor inventory audit location item counts.
SWIC	V INVENTORY AUDIT LOCATIONS	DESCRIPTION	VARCHAR2	300	N	The vendor inventory locations description.
SWIC	V INVENTORY AUDIT LOCATIONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V INVENTORY AUDIT LOCATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V INVENTORY AUDIT LOCATIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INVENTORY AUDIT LOCATIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V INVEN AUDIT LOC ITEM COUNTS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V INVEN AUDIT LOC ITEM COUNTS	ID	NUMBER	22	N	The system generated unique identifier for the vendor inventory audit location item counts.
SWIC	V INVEN AUDIT LOC ITEM COUNTS	VU_VENDOR_ID	NUMBER	22	N	The unique identifier for the V INVENTORY AUDIT ITEM COUNTS.
SWIC	V INVEN AUDIT LOC ITEM COUNTS	VU_LUPC_CODE	VARCHAR2	14	N	The vendor inventory audit location item LUPC CODE.
SWIC	V INVEN AUDIT LOC ITEM COUNTS	INVENTORY_LOCATION	NUMBER	22	N	The unique identifier for the inventory location.
SWIC	V INVEN AUDIT LOC ITEM COUNTS	TOTAL_COUNT	NUMBER	22	N	The vendor inventory audit location items total count.
SWIC	V INVEN AUDIT LOC ITEM COUNTS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V INVEN AUDIT LOC ITEM COUNTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	V INVEN AUDIT LOC ITEM COUNTS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INVEN AUDIT LOC ITEM COUNTS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V INVESTIGATIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INVESTIGATIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V INVESTIGATIONS	VV_VENDOR_ID	NUMBER	22	Y	The unique identifier for the vendor (V VENDORS).



SWIC	V INVESTIGATIONS	CLOSED DATE	DATE	7	Y	The close date of the vendor compliance investigation.
SWIC	V INVESTIGATIONS	YLS_STATUS_ID	NUMBER	22	Y	The unique identifier for the status of the vendor compliance investigation (V LU INV STATUS).
SWIC	V INVESTIGATIONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V INVESTIGATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V INVESTIGATIONS	INVESTIGATION_ID	NUMBER	22	N	The system generated unique identifier of the vendor compliance investigations.
SWIC	V INVESTIGATIONS	DESCRIPTION	VARCHAR2	50	Y	The description of the vendor compliance investigation.
SWIC	V INVESTIGATIONS	START DATE	DATE	7	Y	The start date of the vendor compliance investigation.
SWIC	V INVESTIGATIONS	END DATE	DATE	7	Y	The end date of the vendor compliance investigation.
SWIC	V INVESTIGATION ACTIVITIES	ID	NUMBER	22	N	
SWIC	V INVESTIGATION ACTIVITIES	VC_ID	NUMBER	22	N	
SWIC	V INVESTIGATION ACTIVITIES	DESCRIPTION	VARCHAR2	2000	Y	
SWIC	V INVESTIGATION ACTIVITIES	VST_DATE	DATE	7	Y	
SWIC	V INVESTIGATION ACTIVITIES	VLIA_ID	NUMBER	22	Y	Common audit field for date time stamp when the row was created.
SWIC	V INVESTIGATION ACTIVITIES	VLIU_ID	NUMBER	22	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INVESTIGATION ACTIVITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V INVESTIGATION ACTIVITIES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V INVESTIGATION ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INVESTIGATION_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V INVESTIGATION ACTIVITIES	VV_VENDOR_ID	NUMBER	22	Y	
SWIC	V INVESTIGATION ACTIVITIES	EST_CARD_NUMBER	NUMBER	22	Y	The card number for the EST account.
SWIC	V INVESTIGATION CASES	ID	NUMBER	22	N	The unique identifier for the monitoring case.
SWIC	V INVESTIGATION CASES	TARGET_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V INVESTIGATION CASES	DESCRIPTION	VARCHAR2	2000	Y	The Description of the monitoring case.
SWIC	V INVESTIGATION CASES	VLIUR_ID	NUMBER	22	Y	The unique identifier for the monitoring reasons(V LU INV REASONS)
SWIC	V INVESTIGATION CASES	DATE_OPENED	DATE	7	Y	The date the monitoring case was opened.
SWIC	V INVESTIGATION CASES	DATE_CLOSED	DATE	7	Y	The date the monitoring case was closed.
SWIC	V INVESTIGATION CASES	VLIUD_ID	NUMBER	22	Y	The unique identifier for the outcome (V LU INV OUTCOMES).
SWIC	V INVESTIGATION CASES	VLIUD_ID	NUMBER	22	Y	The unique identifier for the dispositions (V LU INV DISPOSITIONS).
SWIC	V INVESTIGATION CASES	NOTES	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V INVESTIGATION CASES	VMC_ID	NUMBER	22	Y	The unique identifier for the monitoring case.
SWIC	V INVESTIGATION CASES	YVC_COMPLAINT_ID	NUMBER	22	Y	The unique identifier for the complaint id.
SWIC	V INVESTIGATION CASES	TIP_INDICATOR	NUMBER	22	Y	Foreign Key reference to V LU TIP_INDICATOR.
SWIC	V INVESTIGATION CASES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V INVESTIGATION_CASES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V INVESTIGATION_CASES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INVESTIGATION_CASES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V INVESTIGATION CASES	DATE_STARTED	DATE	7	Y	
SWIC	V INVESTIGATION CASES	OLD_INV_TEMP	NUMBER	22	Y	Column created for data conversion to track old investigation id.
SWIC	V INVESTIGATION CASES	CARRY_POINTS_FORWARD	NUMBER	22	Y	Flag indicating whether to carry the violation points forward.
SWIC	V INVESTIGATION CASES	COMPLETED BY	VARCHAR2	32	Y	
SWIC	V INVESTIGATION CASES	DATE_JOINT_INVESTIGATION	DATE	7	Y	Date that indicates when the SNAP and WIC teams began a joint investigation of the target.
SWIC	V INVESTIGATION CASES	LAW_ENFORCEMENT_AGENCY	VARCHAR2	300	Y	Name of the Law Enforcement Agency that this case is referred to.
SWIC	V INVESTIGATION_CASES	INVESTIGATION_SOURCE	NUMBER	22	Y	Foreign Key to the Source of the investigation table.
SWIC	V INVESTIGATION_CASES	VLU_INV_STATUS_ID	NUMBER	22	Y	Foreign Key to Investigation Status (V LU INV STATUS)
SWIC	V INVESTIGATION DOCUMENTS	DOCUMENT_ID	NUMBER	22	N	The system generated unique identifier for the vendor document entry.
SWIC	V INVESTIGATION DOCUMENTS	CASE_ID	NUMBER	22	N	The unique identifier for the CASE.
SWIC	V INVESTIGATION DOCUMENTS	ACTIVITY_TYPE_ID	NUMBER	22	Y	The unique identifier for the ACTIVITY TYPE.
SWIC	V INVESTIGATION DOCUMENTS	DESCRIPTION	VARCHAR2	500	Y	Description of the document.
SWIC	V INVESTIGATION DOCUMENTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V INVESTIGATION DOCUMENTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V INVESTIGATION DOCUMENTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INVESTIGATION DOCUMENTS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V INVESTIGATION DOCUMENTS	DESCRIPTION_ID	NUMBER	22	Y	The unique identifier for the DESCRIPTION ID.
SWIC	V INVESTIGATION DOCUMENTS	VIA_ID	NUMBER	22	Y	Investigation Activity ID
SWIC	V INVESTIGATION DOCUMENTS	VWMS_ID	NUMBER	22	Y	Investigation Written documents ID
SWIC	V INV ACTIVITY DETAILS	ID	NUMBER	22	N	The system generated unique identifier for the vendor investigation activity details.
SWIC	V INV ACTIVITY DETAILS	VIA_ID	NUMBER	22	N	The unique identifier for the vendor investigation activities.
SWIC	V INV ACTIVITY DETAILS	CASE_ID	NUMBER	22	N	The unique identifier for the CASE.
SWIC	V_INV_ACTIVITY_DETAILS	PERSON_TYPE_ID	NUMBER	22	N	The unique identifier for the person type.
SWIC	V INV ACTIVITY DETAILS	VST_TIME	DATE	7	N	Visit time of investigation activity.
SWIC	V INV ACTIVITY DETAILS	S_VST_COMPLETE	NUMBER	22	Y	Flag indicating whether investigation activity is complete.
SWIC	V INV ACTIVITY DETAILS	STORE_SIGN	VARCHAR2	100	Y	Store sign for investigation activity.
SWIC	V INV ACTIVITY DETAILS	CROSS STREET	VARCHAR2	100	Y	Cross street detail of store for investigation activity.
SWIC	V INV ACTIVITY DETAILS	STORE_REF_FIRST_NAME	VARCHAR2	50	Y	Store ref's first name.
SWIC	V INV ACTIVITY DETAILS	STORE_REF_LAST_NAME	VARCHAR2	50	Y	Store ref's last name.
SWIC	V INV ACTIVITY DETAILS	STORE_REF_TITLE	VARCHAR2	20	Y	Store ref's title.
SWIC	V INV ACTIVITY DETAILS	STORE_REF_GENDER	CHAR	1	Y	M/F denotes the observed gender of the store rep.
SWIC	V_INV_ACTIVITY_DETAILS	STORE_REF_AGE	NUMBER	22	Y	Estimated age of the Store rep.
SWIC	V INV ACTIVITY DETAILS	STORE_REF_HEIGHT	NUMBER	22	Y	Estimated height of the Store rep.
SWIC	V INV ACTIVITY DETAILS	STORE_REF_ETHNICITY	NUMBER	22	Y	Estimated ethnicity of the Store rep.
SWIC	V INV ACTIVITY DETAILS	STORE_REF_HAIR_COLOR	NUMBER	22	Y	Estimated hair color of the Store rep.
SWIC	V INV ACTIVITY DETAILS	STORE_REF_BUILD	NUMBER	22	Y	Estimated build of the Store rep.
SWIC	V INV ACTIVITY DETAILS	STORE_REF_OTHER_FEATURES	VARCHAR2	200	Y	Other descriptions for the Store rep.
SWIC	V INV ACTIVITY DETAILS	STORE_REGISTER_COUNT	NUMBER	22	Y	Register count for Store details.
SWIC	V INV ACTIVITY DETAILS	STORE_SNAP_NUMBER	VARCHAR2	20	Y	Snq number for Store details.
SWIC	V INV ACTIVITY DETAILS	STORE_SUPPLIERS	VARCHAR2	400	Y	When format is supplied for Store details.
SWIC	V_INV_ACTIVITY_DETAILS	S_STORE_CLOSED	NUMBER	22	Y	Store Closed flag for Store details.
SWIC	V INV ACTIVITY DETAILS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V INV ACTIVITY DETAILS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V INV ACTIVITY DETAILS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INV ACTIVITY DETAILS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V INV ACTIVITY DETAILS	TRANSACTION_REFUSED	NUMBER	22	Y	Boolean field for transaction refused.
SWIC	V INV WRITTEN STATEMENTS	WRITTEN STATEMENT ID	NUMBER	22	N	Unique numeric identification ID for Written Statements.
SWIC	V_INV_WRITTEN_STATEMENTS	INVESTIGATION_ACTIVITY_ID	NUMBER	22	Y	The unique identifier for the Investigation Activity.
SWIC	V INV WRITTEN STATEMENTS	ORIG_TMPLATE_ID	NUMBER	22	Y	The unique identifier for the original Template.
SWIC	V INV WRITTEN STATEMENTS	STATEMENT_CREATE_DATETIME	DATE	7	N	The date time when the statement was created.
SWIC	V INV WRITTEN STATEMENTS	STATEMENT_ENTRY	VARCHAR2	4000	Y	The Statement for Investigation.
SWIC	V INV WRITTEN STATEMENTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V INV WRITTEN STATEMENTS	STATEMENT_ENTRY_MODIFIED	VARCHAR2	4000	Y	The date time when the statement entry was modified.
SWIC	V INV WRITTEN STATEMENTS	STATEMENT_REF_NAME	VARCHAR2	50	Y	The investigator name of the investigation statement.
SWIC	V INV WRITTEN STATEMENTS	STATEMENT_REF_TITLE	VARCHAR2	20	Y	The 3rd party name of the investigation statement.
SWIC	V INV WRITTEN STATEMENTS	SIGNATURE_CREATE_DATETIME	DATE	7	Y	The date time when the signature was created.
SWIC	V INV WRITTEN STATEMENTS	SIGNATURE_DOCUMENT_ID	NUMBER	22	Y	The unique identifier for the signature document ID.
SWIC	V INV WRITTEN STATEMENTS	S_SIGNATURE_NEW_OR_CHANGED	NUMBER	22	Y	A flag of the signature whether new or changed.
SWIC	V INV WRITTEN STATEMENTS	S_NEW_OR_CHANGED	NUMBER	22	Y	A flag of the statement whether new or changed.
SWIC	V INV WRITTEN STATEMENTS	CASE_ID	NUMBER	22	N	The unique identifier for the CASE.
SWIC	V INV WRITTEN STATEMENTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V INV WRITTEN STATEMENTS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V INV WRITTEN STATEMENTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V INV WRITTEN STATEMENTS	TEMPLATE_ID	NUMBER	22	N	The system generated unique identifier ID for the template.
SWIC	V_INV_WRITTEN_TEMPLATE	TEMPLATE_NAME	VARCHAR2	50	Y	The name of template.
SWIC	V_INV_WRITTEN_TEMPLATE	ATTESTATION	VARCHAR2	4000	Y	The Attestation of template.
SWIC	V_INV_WRITTEN_TEMPLATE	TARGET_TYPE_ID	NUMBER	22	Y	The unique identifier for the Investigation Target type.
SWIC	V_INV_WRITTEN_TEMPLATE	ACTIVE	NUMBER	22	Y	Identifies if the Loop up value is active in system.
SWIC	V_INV_WRITTEN_TEMPLATE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_INV_WRITTEN_TEMPLATE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_INV_WRITTEN_TEMPLATE	DATE_CREATED	DATE	7	N	
SWIC	V_INV_WRITTEN_TEMPLATE	CREATED BY	VARCHAR2	32	N	
SWIC	V LU APPEAL REASON CODE	APPEAL_REASON_CODE	NUMBER	22	N	The system generated unique identifier for appeal reason.
SWIC	V LU APPEAL REASON CODE	DESCRIPTION	VARCHAR2	60	N	The description of the appeal reason.
SWIC	V LU APPEAL REASON CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU APPEAL REASON CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU APPEAL REASON CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU APPEAL REASON CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU APPEAL REASON CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU APPEAL REASON CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.
SWIC	V LU APPEAL REASON CODE	APPEAL_RESULT_CODE	NUMBER	22	N	The system generated unique identifier for the appeal result.
SWIC	V LU APPEAL_RESULT_CODE	DESCRIPTION	VARCHAR2	60	N	The description of the appeal result.
SWIC	V LU APPEAL_RESULT_CODE	FINAL_RESULT_FLAG	VARCHAR2	1	N	Indicates whether the result can be further appealed.
SWIC	V LU APPEAL_RESULT_CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU APPEAL_RESULT_CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.
SWIC	V LU APPEAL_RESULT_CODE	APPEAL_RESULT_CODE	NUMBER	22	N	The system generated unique identifier for the appeal result code.
SWIC	V LU APPEAL_RESULT_CODE	DESCRIPTION	VARCHAR2	60	N	The description of the appeal result code.
SWIC	V LU APPEAL_RESULT_CODE	FINAL_RESULT_FLAG	VARCHAR2	1	N	Indicates whether the result can be further appealed.
SWIC	V LU APPEAL_RESULT_CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU APPEAL_RESULT_CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.
SWIC	V LU APPEAL_RESULT_CODE	DISPOSITION_ID	NUMBER	22	N	The system generated unique identifier for the vendor application disposition.
SWIC	V LU APPEAL_RESULT_CODE	DESCRIPTION	VARCHAR2	60	N	The description of the vendor application disposition.
SWIC	V LU APPEAL_RESULT_CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU APPEAL_RESULT_CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.
SWIC	V LU APPEAL_RESULT_CODE	RESP_STATUS_ID	NUMBER	22	N	The system generated unique identifier for the vendor application response status.
SWIC	V LU APPEAL_RESULT_CODE	DESCRIPTION	VARCHAR2	60	N	The description of the vendor application response status.
SWIC	V LU APPEAL_RESULT_CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU APPEAL_RESULT_CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.
SWIC	V LU APPEAL_RESULT_CODE	STATUS_ID	NUMBER	22	N	The system generated unique identifier for the vendor application status.
SWIC	V LU APPEAL_RESULT_CODE	DESCRIPTION	VARCHAR2	60	N	The description of the vendor application status.
SWIC	V LU APPEAL_RESULT_CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU APPEAL_RESULT_CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.
SWIC	V LU APPEAL_RESULT_CODE	APP_TYPE_ID	NUMBER	22	N	The ID of the vendor Application Type.
SWIC	V LU APPEAL_RESULT_CODE	DESCRIPTION	VARCHAR2	60	N	The description of the vendor Application Type.
SWIC	V LU APPEAL_RESULT_CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU APPEAL_RESULT_CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.
SWIC	V LU APPEAL_RESULT_CODE	ID	NUMBER	22	N	The unique identifier.
SWIC	V LU APPEAL_RESULT_CODE	DESCRIPTION	VARCHAR2	100	N	Description of the APP Request.
SWIC	V LU APPEAL_RESULT_CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU APPEAL_RESULT_CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU APPEAL_RESULT_CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU APPEAL_RESULT_CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system.

SWIC	V LU APP REQUEST TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU ARVA QUERY	ARVA_QUERY_ID	NUMBER	22	N	The numeric identifier for an ARVA indicator query.
SWIC	V LU ARVA QUERY	ARVA_QUERY_DESCRIPTION	VARCHAR2	200	N	The text description of an ARVA indicator query.
SWIC	V LU ARVA QUERY	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU ARVA QUERY	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU ARVA QUERY	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU ARVA QUERY	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU ARVA QUERY FIELDS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU ARVA QUERY FIELDS	ARVA_QUERY_ID	NUMBER	22	N	The numeric identifier for an ARVA indicator query.
SWIC	V LU ARVA QUERY FIELDS	ARVA_QUERY_FIELD_ID	NUMBER	22	N	The sequence number for the field within the ARVA query result
SWIC	V LU ARVA QUERY FIELDS	ARVA_QUERY_FIELD_LABEL	VARCHAR2	60	N	Description text for the field within the ARVA query result.
SWIC	V LU ARVA QUERY FIELDS	ARVA_QUERY_FIELD_FORMAT	NUMBER	22	Y	Format code for presentation of the field in the ARVA query result
SWIC	V LU ARVA QUERY FIELDS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU ARVA QUERY FIELDS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU ARVA QUERY FIELDS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU ARVA QUERY FIELDS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU ARVA QUERY FIELDS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU BS1 DENIAL REASONS	ID	NUMBER	22	N	Unique numeric identifier for Background Check Failure Reason id.
SWIC	V LU BS1 DENIAL REASONS	DESCRIPTION	VARCHAR2	100	Y	Descriptive text for investigation status.
SWIC	V LU BS1 DENIAL REASONS	DATE_CREATED	DATE	7	N	Determines the order that items are displayed.
SWIC	V LU BS1 DENIAL REASONS	CREATED_BY	VARCHAR2	32	N	Common audit field for date time stamp when the row was created.
SWIC	V LU BS1 DENIAL REASONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU BS1 DENIAL REASONS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU BS1 DENIAL REASONS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU COMPLAINTS	COMPLAINT_CODE	NUMBER	22	N	The unique identifier.
SWIC	V LU COMPLAINTS	DESCRIPTION	VARCHAR2	250	N	Description of the Complaint Type.
SWIC	V LU COMPLAINTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU COMPLAINTS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU COMPLAINTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU COMPLAINTS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU COMPLAINTS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU COMPLAINTS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU COMP_DISPPOSITIONS	ID	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU COMP_DISPPOSITIONS	DESCRIPTION	VARCHAR2	50	N	
SWIC	V LU COMP_DISPPOSITIONS	DATE_CREATED	DATE	7	N	
SWIC	V LU COMP_DISPPOSITIONS	CREATED_BY	VARCHAR2	32	N	
SWIC	V LU COMP_DISPPOSITIONS	DATE_MODIFIED	DATE	7	Y	
SWIC	V LU COMP_DISPPOSITIONS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	V LU COMP_DISPPOSITIONS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU CONTRACT CODE	CONTRACT_TYPE_CODE	VARCHAR2	3	N	The system generated unique identifier for the vendor contract type.
SWIC	V LU CONTRACT CODE	DESCRIPTION	VARCHAR2	60	N	The description of the vendor contract type.
SWIC	V LU CONTRACT CODE	START_DATE	DATE	7	N	The date on which authorization periods for the contract type will
SWIC	V LU CONTRACT CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU CONTRACT CODE	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU CONTRACT CODE	LENGTH_IN_MONTHS	NUMBER	22	Y	The length in months of the contract type.
SWIC	V LU CONTRACT CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU CONTRACT CODE	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU CONTRACT CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU COUNTY CENSUS DETAILS	ID	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU COUNTY CENSUS DETAILS	COUNTY_CODE	NUMBER	22	N	The unique identifier for the vendor county census.
SWIC	V LU COUNTY CENSUS DETAILS	COUNTY_NAME	VARCHAR2	100	Y	The county code.
SWIC	V LU COUNTY CENSUS DETAILS	COUNTY PPS	NUMBER	22	Y	The name of the county.
SWIC	V LU COUNTY CENSUS DETAILS	PERSONS_SQR_MILE	NUMBER	22	Y	The PPS of the county.
SWIC	V LU COUNTY CENSUS DETAILS	LAND_SQR_MILES	NUMBER	22	Y	The Persons per Square Mile of the county.
SWIC	V LU COUNTY CENSUS DETAILS	TOTAL_POPULATION	NUMBER	22	Y	The Land Square Miles of the county.
SWIC	V LU COUNTY CENSUS DETAILS	CLASS_CODE	NUMBER	22	Y	The total population of the county.
SWIC	V LU COUNTY CENSUS DETAILS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU COUNTY CENSUS DETAILS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU COUNTY CENSUS DETAILS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU COUNTY CENSUS DETAILS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU COUNTY CENSUS DETAILS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU DENIAL REASON CODE	DENIAL_REASON_CODE	NUMBER	22	N	Alphanumeric code identifying denial reason.
SWIC	V LU DENIAL REASON CODE	DESCRIPTION	VARCHAR2	100	N	Descriptive text for denial reason.
SWIC	V LU DENIAL REASON CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU DENIAL REASON CODE	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU DENIAL REASON CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU DENIAL REASON CODE	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU DENIAL REASON CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU DENIAL REASON CODE	LETTER_INSERT	VARCHAR2	250	Y	Descriptive text for denial reason which appears on vendor letters.
SWIC	V LU DENIAL REASON CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU DOCUMENT DESCRIPTION	DESCRIPTION_ID	NUMBER	22	N	PRIMARY KEY FOR TABLE
SWIC	V LU DOCUMENT DESCRIPTION	DESCRIPTION	VARCHAR2	100	N	Description of the document uploaded
SWIC	V LU DOCUMENT DESCRIPTION	DATE_CREATED	DATE	7	N	DATE CREATED
SWIC	V LU DOCUMENT DESCRIPTION	CREATED_BY	VARCHAR2	32	N	CREATED BY
SWIC	V LU DOCUMENT DESCRIPTION	DATE_MODIFIED	DATE	7	Y	DATE MODIFIED
SWIC	V LU DOCUMENT DESCRIPTION	MODIFIED_BY	VARCHAR2	32	Y	MODIFIED BY
SWIC	V LU DOCUMENT DESCRIPTION	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU DOCUMENT TYPES	DOCUMENT_TYPE_ID	NUMBER	22	N	The unique identifier for the document type (V LU DOCUMENT TYPE).
SWIC	V LU DOCUMENT TYPES	DESCRIPTION	VARCHAR2	150	N	The description of the document type.
SWIC	V LU DOCUMENT TYPES	FILE_EXTENSION_LIST	VARCHAR2	150	N	A comma delimited list of file extensions available for this type.
SWIC	V LU DOCUMENT TYPES	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	V LU DOCUMENT TYPES	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	V LU DOCUMENT TYPES	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	V LU DOCUMENT TYPES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	V LU DOCUMENT TYPES	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU ECR PROVIDER	ID	NUMBER	22	N	The unique identifier.
SWIC	V LU ECR PROVIDER	DESCRIPTION	VARCHAR2	250	N	Description of the ECR Provider.
SWIC	V LU ECR PROVIDER	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU ECR PROVIDER	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU ECR PROVIDER	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU ECR PROVIDER	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU ECR PROVIDER	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU EXCEPTION REASON	ID	NUMBER	22	N	unique key
SWIC	V LU EXCEPTION REASON	DESCRIPTION	VARCHAR2	100	N	description of the lookup value
SWIC	V LU EXCEPTION REASON	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU EXCEPTION REASON	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU EXCEPTION REASON	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU EXCEPTION REASON	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU FPF_REPORT_PERIOD	FPF_YEAR	NUMBER	22	N	Fiscal year for reporting.
SWIC	V LU FPF_REPORT_PERIOD	FPF_PERIOD	NUMBER	22	N	Numeric identifier for a reporting period such as year, half or quarter.
SWIC	V LU FPF_REPORT_PERIOD	PERIOD DESCRIPTION	VARCHAR2	100	Y	Text description for a reporting period such as fiscal year, first quarter, second half, etc.
SWIC	V LU FPF_REPORT_PERIOD	CALENDAR_DATE_START	DATE	7	N	Calendar date which is the start of the fiscal reporting period.
SWIC	V LU FPF_REPORT_PERIOD	CALENDAR_DATE_END	DATE	7	N	Calendar date on which the fiscal reporting period ends, use less-than criteria.
SWIC	V LU FPF_REPORT_PERIOD	FPF DATE START	DATE	7	N	Calendar date for the fiscal year start.
SWIC	V LU FPF_REPORT_PERIOD	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU FPF_REPORT_PERIOD	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU FPF_REPORT_PERIOD	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU FPF_REPORT_PERIOD	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU FPF_REPORT_PERIOD	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU FPF_REPORT_PERIOD	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU FOOD SALES	ID	NUMBER	22	N	The unique identifier for the vendor product range.
SWIC	V LU FOOD SALES	STORE SIZE	VARCHAR2	100	Y	The description of store size.
SWIC	V LU FOOD SALES	MIN SALES	NUMBER	22	Y	The minimum sale of store.
SWIC	V LU FOOD SALES	MAX SALES	NUMBER	22	Y	The maximum sale of the store.
SWIC	V LU FOOD SALES	SIZE_CODE	NUMBER	22	Y	The size code of the store.
SWIC	V LU FOOD SALES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU FOOD SALES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU FOOD SALES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU FOOD SALES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU FOOD SALES	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU FRESH UPC REF	BRAND NAME	NVARCHAR2	400	N	Brand Name to associate with the Foreign Key.
SWIC	V LU FRESH UPC REF	VLSPCA_FK	NUMBER	22	N	Foreign Key to V LU STD_FPKG_COMP_APP Table.
SWIC	V LU FRESH UPC REF	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU FRESH UPC REF	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU FRESH UPC REF	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU FRESH UPC REF	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU INV ACTIONS	ID	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU INV ACTIONS	DESCRIPTION	VARCHAR2	100	N	The unique identifier for the investigation action.
SWIC	V LU INV ACTIONS	DATE_CREATED	DATE	7	N	Description of the vendor investigation action.
SWIC	V LU INV ACTIONS	CREATED_BY	VARCHAR2	32	N	Common audit field for date time stamp when the row was created.
SWIC	V LU INV ACTIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU INV ACTIONS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU INV ACTIONS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU INV DISPOSITIONS	ID	NUMBER	22	N	
SWIC	V LU INV DISPOSITIONS	DESCRIPTION	VARCHAR2	50	N	
SWIC	V LU INV DISPOSITIONS	DATE_CREATED	DATE	7	N	
SWIC	V LU INV DISPOSITIONS	CREATED_BY	VARCHAR2	32	N	
SWIC	V LU INV DISPOSITIONS	DATE_MODIFIED	DATE	7	Y	
SWIC	V LU INV DISPOSITIONS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	V LU INV DISPOSITIONS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU INV DOCUMENT_DESC	DESCRIPTION_ID	NUMBER	22	N	PRIMARY KEY FOR TABLE
SWIC	V LU INV DOCUMENT_DESC	DESCRIPTION	VARCHAR2	100	N	Description of the document uploaded
SWIC	V LU INV DOCUMENT_DESC	DATE_CREATED	DATE	7	N	DATE CREATED
SWIC	V LU INV DOCUMENT_DESC	CREATED_BY	VARCHAR2	32	N	CREATED BY
SWIC	V LU INV DOCUMENT_DESC	DATE_MODIFIED	DATE	7	Y	DATE MODIFIED
SWIC	V LU INV DOCUMENT_DESC	MODIFIED_BY	VARCHAR2	32	Y	MODIFIED BY
SWIC	V LU INV DOCUMENT_DESC	TARGET_TYPE_ID	NUMBER	22	N	Target type id
SWIC	V LU INV DOCUMENT_DESC	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU INV OUTCOMES	ID	NUMBER	22	N	
SWIC	V LU INV OUTCOMES	DESCRIPTION	VARCHAR2	50	N	
SWIC	V LU INV OUTCOMES	DATE_CREATED	DATE	7	N	
SWIC	V LU INV OUTCOMES	CREATED_BY	VARCHAR2	32	N	
SWIC	V LU INV OUTCOMES	DATE_MODIFIED	DATE	7	Y	
SWIC	V LU INV OUTCOMES	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	V LU INV OUTCOMES	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU INV REASONS	ID	NUMBER	22	N	
SWIC	V LU INV REASONS	DESCRIPTION	VARCHAR2	50	N	
SWIC	V LU INV REASONS	DATE_CREATED	DATE	7	N	
SWIC	V LU INV REASONS	CREATED_BY	VARCHAR2	32	N	
SWIC	V LU INV REASONS	DATE_MODIFIED	DATE	7	Y	
SWIC	V LU INV REASONS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	V LU INV REASONS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V LU INV STATUS	STATUS_ID	NUMBER	22	N	The system generated unique identifier for the compliance investigation status.
SWIC	V LU INV STATUS	DESCRIPTION	VARCHAR2	100	Y	The description of the compliance investigation status.
SWIC	V LU INV STATUS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU INV STATUS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU INV STATUS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU INV STATUS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.



SWIC	V LU RISK HIERARCHY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU RISK HIERARCHY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU RISK HIERARCHY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU RISK HIERARCHY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU RISK HIERARCHY	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU SALUTATION	SALUTATION ID	NUMBER	22	N	
SWIC	V LU SALUTATION	SALUTATION	VARCHAR2	10	N	
SWIC	V LU SALUTATION	DESCRIPTION	VARCHAR2	10	N	
SWIC	V LU SALUTATION	DATE CREATED	DATE	7	N	
SWIC	V LU SALUTATION	CREATED BY	VARCHAR2	32	N	
SWIC	V LU SALUTATION	DATE MODIFIED	DATE	7	Y	
SWIC	V LU SALUTATION	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V LU SALUTATION	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU SANCTION CODE	SANCTION ID	NUMBER	22	N	The system generated unique identifier for the vendor sanction.
SWIC	V LU SANCTION CODE	POINTS	NUMBER	22	Y	Point associated with this typeof sanction, if applicable.
SWIC	V LU SANCTION CODE	DESCRIPTION	VARCHAR2	500	Y	The description of the vendor sanction.
SWIC	V LU SANCTION CODE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU SANCTION CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU SANCTION CODE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU SANCTION CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU SANCTION CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU SANCTION TYPE	ID	NUMBER	22	N	Unique identifier for the table.
SWIC	V LU SANCTION TYPE	DESCRIPTION	VARCHAR2	50	N	Description of the Sanction Type
SWIC	V LU SANCTION TYPE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU SANCTION TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU SANCTION TYPE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU SANCTION TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU SAN ANCTION TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU SAN ANCTION TYPE	ID	NUMBER	22	N	Unique identifier for the table.
SWIC	V LU SAN ANCTION TYPE	DESCRIPTION	VARCHAR2	50	N	Description of the Sanction Type
SWIC	V LU SAN ANCTION TYPE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU SAN ANCTION TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU SAN ANCTION TYPE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU SAN ANCTION TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU SAN ANCTION TYPE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU SITE VISIT PRICE LABELS	VENDOR PRICE ID	NUMBER	22	N	
SWIC	V LU SITE VISIT PRICE LABELS	DATE MODIFIED	VARCHAR2	100	N	
SWIC	V LU SITE VISIT PRICE LABELS	DATE MODIFIED	DATE	7	Y	
SWIC	V LU SITE VISIT PRICE LABELS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V LU SITE VISIT PRICE LABELS	DATE CREATED	DATE	7	N	
SWIC	V LU SITE VISIT PRICE LABELS	CREATED BY	VARCHAR2	32	N	
SWIC	V LU SITE VISIT PRICE LABELS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU SITE VISIT PRICE LABELS	STOCK_ID	NUMBER	22	N	
SWIC	V LU SITE VISIT STOCK LABELS	DESCRIPTION	VARCHAR2	100	N	
SWIC	V LU SITE VISIT STOCK LABELS	DATE MODIFIED	DATE	7	Y	
SWIC	V LU SITE VISIT STOCK LABELS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V LU SITE VISIT STOCK LABELS	DATE CREATED	DATE	7	N	
SWIC	V LU SITE VISIT STOCK LABELS	CREATED BY	VARCHAR2	32	N	
SWIC	V LU SITE VISIT STOCK LABELS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU STATUS REASON	GENERAL REASON CODE	NUMBER	22	N	The unique identifier for vendor authorization denial reason.
SWIC	V LU STATUS REASON	DESCRIPTION	VARCHAR2	120	N	The description of vendor authorization denial reason.
SWIC	V LU STATUS REASON	STATUS CODE	NUMBER	22	N	Resulting vendor status (V STATUS)
SWIC	V LU STATUS REASON	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU STATUS REASON	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU STATUS REASON	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU STATUS REASON	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU STATUS REASON	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU STATUS REASON	IF APPLICABLE	NUMBER	22	Y	Project Fresh reasons
SWIC	V LU STATUS REASON	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU STD FRFG COMP APP	ID	NUMBER	22	N	The unique identifier for food item.
SWIC	V LU STD FRFG COMP APP	DESCRIPTION	VARCHAR2	200	N	Description of the food.
SWIC	V LU STD FRFG COMP APP	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU STD FRFG COMP APP	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU STD FRFG COMP APP	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU STD FRFG COMP APP	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU STD FRFG COMP APP	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU STORE TYPE MODEL	MODEL ID	NUMBER	22	N	The unique store type
SWIC	V LU STORE TYPE MODEL	DESCRIPTION	VARCHAR2	100	N	The unique store category
SWIC	V LU STORE TYPE MODEL	MODEL CRITERIA	VARCHAR2	500	N	The unique criteria for the store category
SWIC	V LU STORE TYPE MODEL	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was last modified.
SWIC	V LU STORE TYPE MODEL	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	V LU STORE TYPE MODEL	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU STORE TYPE MODEL	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU STORE TYPE MODEL	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU TERMINATION CODE	TERMINATION CODE	NUMBER	22	N	The system generated unique identifier for the vendor termination.
SWIC	V LU TERMINATION CODE	DESCRIPTION	VARCHAR2	60	N	The description of the vendor termination.
SWIC	V LU TERMINATION CODE	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU TERMINATION CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU TERMINATION CODE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU TERMINATION CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU TERMINATION CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU TERMINATION CODE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU TIP HIERARCHY	TIP ID	NUMBER	22	N	Unique Identifier in the table
SWIC	V LU TIP HIERARCHY	DESCRIPTION	VARCHAR2	200	N	Description of the TIP
SWIC	V LU TIP HIERARCHY	PARENT ID	NUMBER	22	N	Link list table null if it is the parent
SWIC	V LU TIP HIERARCHY	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU TIP HIERARCHY	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU TIP HIERARCHY	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU TIP HIERARCHY	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU TIP HIERARCHY	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU TIP INDICATOR	ID	NUMBER	22	N	The unique identifier for the vendor TIP indicator.
SWIC	V LU TIP INDICATOR	DESCRIPTION	VARCHAR2	100	N	The description of the TIP indicator.
SWIC	V LU TIP INDICATOR	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU TIP INDICATOR	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU TIP INDICATOR	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU TIP INDICATOR	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU TIP INDICATOR	NOTE ID	NUMBER	22	N	Foreign Key to v lu tip_note table used for reference for TIPS
SWIC	V LU TIP INDICATOR	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU TIP MAPPING	TIP_COLUMN	VARCHAR2	30	Y	
SWIC	V LU TIP MAPPING	MAP TABLE	VARCHAR2	30	Y	
SWIC	V LU TIP MAPPING	MAP VALUE	VARCHAR2	11	Y	
SWIC	V LU TIP MAPPING	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU TTP	ID	NUMBER	22	N	Unique ID
SWIC	V LU TTP	DESCRIPTION	VARCHAR2	100	N	List of TTPs that maintain the data network used to process the EBT transactions
SWIC	V LU TRAINING DUE	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU TRAINING DUE	ID	NUMBER	22	N	unique key
SWIC	V LU TRAINING DUE	DESCRIPTION	VARCHAR2	100	N	description of the loopup value
SWIC	V LU TRAINING DUE	DATE	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU TRAINING DUE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU TRAINING DUE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU TRAINING DUE	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU TRAINING DUE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU UPC CATEGORIES	CAT_CODE	VARCHAR2	2	N	The unique identifier for the UPC category.
SWIC	V LU UPC CATEGORIES	DESCRIPTION	VARCHAR2	200	N	The description of the UPC category.
SWIC	V LU UPC CATEGORIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU UPC CATEGORIES	CREATED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
SWIC	V LU UPC CATEGORIES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU UPC CATEGORIES	MODIFIED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU UPC CATEGORIES	FIG_FOOD_GROUP_ID	NUMBER	22	Y	The description of the food group.
SWIC	V LU UPC CATEGORIES	FORMULA FLAG	NUMBER	22	Y	
SWIC	V LU UPC CATEGORIES	START DATE	DATE	7	Y	
SWIC	V LU UPC CATEGORIES	END DATE	DATE	7	Y	
SWIC	V LU UPC CATEGORIES	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU UPC CAT TEMP	CAT_CODE	VARCHAR2	2	N	
SWIC	V LU UPC CAT TEMP	DESCRIPTION	VARCHAR2	200	N	
SWIC	V LU UPC CAT TEMP	DATE CREATED	DATE	7	N	
SWIC	V LU UPC CAT TEMP	CREATED BY	VARCHAR2	30	N	
SWIC	V LU UPC CAT TEMP	DATE_MODIFIED	DATE	7	Y	
SWIC	V LU UPC CAT TEMP	MODIFIED BY	VARCHAR2	30	Y	
SWIC	V LU UPC CAT TEMP	FIG_FOOD_GROUP_ID	NUMBER	22	N	
SWIC	V LU UPC CAT TEMP	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU UPC DEACTIVATE REASONS	REASON CODE	NUMBER	2	N	The unique identifier for the UPC deactivation reason.
SWIC	V LU UPC DEACTIVATE REASONS	DESCRIPTION	VARCHAR2	200	N	The description of the UPC deactivation reason.
SWIC	V LU UPC DEACTIVATE REASONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU UPC DEACTIVATE REASONS	CREATED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
SWIC	V LU UPC DEACTIVATE REASONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU UPC DEACTIVATE REASONS	MODIFIED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU UPC DEACTIVATE REASONS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU UPC MANUFACTURERS	MANUFACTURER CODE	VARCHAR2	7	N	The unique identifier of the UPC/food manufacturer.
SWIC	V LU UPC MANUFACTURERS	DESCRIPTION	VARCHAR2	200	Y	The description of the UPC/food manufacturer.
SWIC	V LU UPC MANUFACTURERS	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	V LU UPC MANUFACTURERS	CREATED BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	V LU UPC MANUFACTURERS	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	V LU UPC MANUFACTURERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	V LU UPC MANUFACTURERS	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU UPC PACKAGE TYPES	PACKAGE CODE	VARCHAR2	2	N	The unique identifier for the package type.
SWIC	V LU UPC PACKAGE TYPES	DESCRIPTION	VARCHAR2	200	N	The description of the package type.
SWIC	V LU UPC PACKAGE TYPES	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	V LU UPC PACKAGE TYPES	CREATED BY	VARCHAR2	30	N	Common audit field documenting user id connected when the row was created.
SWIC	V LU UPC PACKAGE TYPES	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	V LU UPC PACKAGE TYPES	MODIFIED BY	VARCHAR2	30	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	V LU UPC PACKAGE TYPES	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU UPC STD FRFG COMP APP	VENDOR_ID	NUMBER	22	N	id of a food item from v lu_std_frfg_comp_app
SWIC	V LU UPC STD FRFG COMP APP	SKU UPC CODE	VARCHAR2	14	N	Universal Product Code (V UPC ITEMS)
SWIC	V LU UPC STD FRFG COMP APP	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU UPC STD FRFG COMP APP	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU UPC STD FRFG COMP APP	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU UPC STD FRFG COMP APP	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU UPC STD FRFG COMP APP	INCLUDE IN POINT	NUMBER	22	Y	Field indicates if it will be considered in max and min price calculation for very first time.
SWIC	V LU UPC STD FRFG COMP APP	INCLUDE IN COUNT	NUMBER	22	Y	Field indicates if it will be considered in count for Std FF Comp and Std FF Comp Pre-Auth Count Column for very first time.
SWIC	V LU UPC STD FRFG COMP APP	GROUP UPC	VARCHAR2	13	Y	Groups UPCs by 3 UPC code instead of their individuals ones.
SWIC	V LU UPC STD FRFG COMP APP	ACTIVE	NUMBER	22	N	Identifies if the Loop-up value is active in system
SWIC	V LU UPC SUBCAT	ULUC CAT CODE	VARCHAR2	2	N	The unique identifier for the UPC category (V LU UPC CATEGORY).
SWIC	V LU UPC SUBCAT	SUB CAT CODE	VARCHAR2	3	N	The unique identifier for the UPC sub-category.
SWIC	V LU UPC SUBCAT	DESCRIPTION	VARCHAR2	100	N	The description of the UPC category.
SWIC	V LU UPC SUBCAT	PRICE REQUIRED FLAG	NUMBER	22	N	Indicates whether a price is required for survey (0=No, 1=Yes).
SWIC	V LU UPC SUBCAT	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	V LU UPC SUBCAT	CREATED BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	V LU UPC SUBCAT	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	V LU UPC SUBCAT	MODIFIED BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	V LU UPC SUBCAT	EFFECTIVE DATE	DATE	7	N	The effective date of the UPC sub-category
SWIC	V LU UPC SUBCAT	ACTIVE	NUMBER	22	Y	Indicate whether the UPC sub-category is active (0=No, 1=Yes).
SWIC	V LU UPC SUBCAT	VLPC PRORATION CODE	NUMBER	22	Y	Unique identifier for Proration (V LU PRORATION CODE).

SWIC	V LU UPC SUBCAT	VOICE AUTHORIZED	NUMBER	22	Y	voice authorization flag
SWIC	V LU UPC SUBCAT	END DATE	DATE	7	Y	
SWIC	V LU UPC SUBCAT	ODD EVEN MONTH RULE FLAG	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	ODD EVEN MONTH RULE FACTOR	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	PRD_PRODUCT_CODE	NUMBER	22	N	The unique identifier of the product code (I_PRODUCTS).
SWIC	V LU UPC SUBCAT	SUOM UNIT OF MEASURE CODE	VARCHAR2	5	N	The unique identifier of the unit of measure (I_UNITS_MEASURE).
SWIC	V LU UPC SUBCAT	START DATE	DATE	7	N	
SWIC	V LU UPC SUBCAT	TEST START DATE	DATE	7	Y	Indicates the test start date of the sub cat item.
SWIC	V LU UPC SUBCAT	INDEPENDENT CHECK	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	PRICE CAL TYPE	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	SHOPPING LIST DESC	VARCHAR2	90	Y	
SWIC	V LU UPC SUBCAT	SLIPS_PACKAGE_SIZE_CODE	VARCHAR2	5	Y	
SWIC	V LU UPC SUBCAT	SURVEY FLAG	VARCHAR2	1	Y	
SWIC	V LU UPC SUBCAT	SURVEY SEQ	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	MIN UNIT SIZE	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	MAX UNIT SIZE	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	ONSITE FLAG	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	ONSITE_SURVEY_DESC	VARCHAR2	100	Y	
SWIC	V LU UPC SUBCAT	BRDABAND FLAG	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	MIX_CONVERT_FLAG	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	CHECK_EBT_FLAG	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	SEED PRICE	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	NTE PERCENT	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	VLAT APL TYPES	VARCHAR2	4	Y	
SWIC	V LU UPC SUBCAT	NTE STD DEV FACTOR	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	NTE_PCT_OVER_MEAN_FACTOR	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	VULC CAT CODE	VARCHAR2	2	N	
SWIC	V LU UPC SUBCAT	SUB_CAT_CODE	VARCHAR2	3	N	
SWIC	V LU UPC SUBCAT	DESCRIPTION	VARCHAR2	120	N	
SWIC	V LU UPC SUBCAT	PRICE REQUIRED FLAG	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	ORDER ID	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	DATE_CREATED	DATE	7	N	
SWIC	V LU UPC SUBCAT	CREATED BY	VARCHAR2	32	N	
SWIC	V LU UPC SUBCAT	DATE_MODIFIED	DATE	7	Y	
SWIC	V LU UPC SUBCAT	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V LU UPC SUBCAT	EFFECTIVE DATE	DATE	7	N	
SWIC	V LU UPC SUBCAT	ACTIVE	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	SHOPPING LIST DESC	VARCHAR2	35	N	
SWIC	V LU UPC SUBCAT	VULC PRORATION CODE	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	VOICE AUTHORIZED	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	SLIPS_PACKAGE_SIZE_CODE	VARCHAR2	5	N	
SWIC	V LU UPC SUBCAT	END DATE	DATE	7	Y	
SWIC	V LU UPC SUBCAT	ODD_EVEN_MONTH_RULE_FLAG	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	ODD_EVEN_MONTH_RULE_FACTOR	NUMBER	22	Y	
SWIC	V LU UPC SUBCAT	PRD_PRODUCT_CODE	NUMBER	22	N	
SWIC	V LU UPC SUBCAT	SUOM UNIT OF MEASURE CODE	VARCHAR2	5	N	
SWIC	V LU UPC SUBCAT	START DATE	DATE	7	N	
SWIC	V LU UPC SUBCAT	TEST START DATE	DATE	7	Y	
SWIC	V LU UPC SUBCAT	BRDABAND FLAG	NUMBER	22	Y	
SWIC	V LU USDA STORE TYPE	STORE TYPE	NUMBER	22	N	The unique identifier for the USDA store type.
SWIC	V LU USDA STORE TYPE	DESCRIPTION	VARCHAR2	50	N	The description of name of the USDA store type.
SWIC	V LU USDA STORE TYPE	ESTIMATE_FOOD_SHARE	NUMBER	22	Y	The estimate food share for the USDA store type.
SWIC	V LU USDA STORE TYPE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU USDA STORE TYPE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU USDA STORE TYPE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU USDA STORE TYPE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU USDA STORE TYPE	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VENDOR CYCLE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU VENDOR CYCLE	MODIFIED BY	VARCHAR2	60	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU VENDOR CYCLE	REGISTRATION DATE	DATE	7	Y	The registration date field for date time stamp when the application was created.
SWIC	V LU VENDOR CYCLE	CYCLE_ID	NUMBER	22	N	The system generated unique id for the vendor cycle.
SWIC	V LU VENDOR CYCLE	REGION_ID	NUMBER	22	Y	The unique identifier for the vendor region (V_VENDOR_REGION).
SWIC	V LU VENDOR CYCLE	DATE_START	DATE	7	N	The start date for the vendor cycle.
SWIC	V LU VENDOR CYCLE	DATE_END	DATE	7	N	The end date for the vendor cycle.
SWIC	V LU VENDOR CYCLE	YEAR	NUMBER	22	N	The numeric 4 digit year.
SWIC	V LU VENDOR CYCLE	INTERVAL	NUMBER	22	N	The authorization interval for vendors in this cycle.
SWIC	V LU VENDOR CYCLE	GAP_START	DATE	7	Y	The start date for authorization processing.
SWIC	V LU VENDOR CYCLE	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VENDOR CYCLE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU VENDOR CYCLE	CREATED BY	VARCHAR2	120	N	Common audit field for user id connected when the row was created.
SWIC	V LU VENDOR CYCLE	CYCLE_ID	NUMBER	22	N	
SWIC	V LU VENDOR CYCLE	DESCRIPTION	VARCHAR2	200	N	
SWIC	V LU VENDOR CYCLE	DATE_START	DATE	7	N	
SWIC	V LU VENDOR CYCLE	DATE_END	DATE	7	N	
SWIC	V LU VENDOR CYCLE	YEAR	NUMBER	22	N	
SWIC	V LU VENDOR CYCLE	INTERVAL	NUMBER	22	N	
SWIC	V LU VENDOR CYCLE	DATE_CREATED	DATE	7	N	
SWIC	V LU VENDOR CYCLE	CREATED BY	VARCHAR2	120	N	
SWIC	V LU VENDOR CYCLE	DATE_MODIFIED	DATE	7	Y	
SWIC	V LU VENDOR CYCLE	MODIFIED BY	VARCHAR2	60	Y	
SWIC	V LU VENDOR CYCLE	GAP_START	DATE	7	N	
SWIC	V LU VENDOR CYCLE	ACTIVE	NUMBER	22	N	
SWIC	V LU VENDOR PRICES	VLVLTG_ID	NUMBER	22	Y	FK to the V LU VENDOR TYPE GROUP table.
SWIC	V LU VENDOR PRICES	VENDOR_PRICE_ID	NUMBER	22	N	The system generated unique identifier for week.
SWIC	V LU VENDOR PRICES	VULC CAT CODE	VARCHAR2	2	N	FK to the v lu up_subcat table.
SWIC	V LU VENDOR PRICES	VULS SUB CAT CODE	VARCHAR2	3	N	FK to the v lu up_subcat table.
SWIC	V LU VENDOR PRICES	DESCRIPTION	VARCHAR2	200	N	Description of the price to be collected
SWIC	V LU VENDOR PRICES	FACTOR	NUMBER	22	N	Indiana Factor used to estimate the cost of a monthly shopping trip
SWIC	V LU VENDOR PRICES	SORT ORDER	NUMBER	22	N	
SWIC	V LU VENDOR PRICES	ACTIVE FLAG	NUMBER	22	N	Active flag on the record to allow for saving of history
SWIC	V LU VENDOR PRICES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU VENDOR PRICES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU VENDOR PRICES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU VENDOR PRICES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU VENDOR PRICES	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VENDOR REGION	REGION_ID	NUMBER	22	N	The unique identifier for the vendor region.
SWIC	V LU VENDOR REGION	DESCRIPTION	VARCHAR2	200	N	The description of the vendor region.
SWIC	V LU VENDOR REGION	CREATED BY	VARCHAR2	120	N	Common audit field for user id connected when the row was created.
SWIC	V LU VENDOR REGION	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU VENDOR REGION	MODIFIED BY	VARCHAR2	60	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU VENDOR REGION	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU VENDOR REGION	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VENDOR TERRAIN	TERRAIN_ID	NUMBER	22	N	The unique identifier for the vendor terrain.
SWIC	V LU VENDOR TERRAIN	DESCRIPTION	VARCHAR2	100	N	The description of the vendor terrain.
SWIC	V LU VENDOR TERRAIN	CREATED BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
SWIC	V LU VENDOR TERRAIN	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU VENDOR TERRAIN	MODIFIED BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU VENDOR TERRAIN	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU VENDOR TERRAIN	DIVISOR	NUMBER	22	N	Divisor used to calculate the participation ratio.
SWIC	V LU VENDOR TERRAIN	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VENDOR TRAINING TYPES	ID	NUMBER	22	N	The unique numeric identifier for staff training types.
SWIC	V LU VENDOR TRAINING TYPES	DESCRIPTION	VARCHAR2	200	Y	The staff training type description.
SWIC	V LU VENDOR TRAINING TYPES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU VENDOR TRAINING TYPES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU VENDOR TRAINING TYPES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU VENDOR TRAINING TYPES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU VENDOR TRAINING TYPES	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VENDOR TYPE CODE	VENDOR_TYPE_CODE	VARCHAR2	1	N	The unique identifier of the vendor type.
SWIC	V LU VENDOR TYPE CODE	DESCRIPTION	VARCHAR2	40	N	The description of the vendor type.
SWIC	V LU VENDOR TYPE CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU VENDOR TYPE CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU VENDOR TYPE CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU VENDOR TYPE CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU VENDOR TYPE CODE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V LU VENDOR TYPE CODE	TIP_REPORT_CATEGORY	VARCHAR2	1	Y	One character vendor type category for TIP report.
SWIC	V LU VENDOR TYPE CODE	USDA_STORE_TYPE	NUMBER	22	Y	The unique identifier of the USDA store type (V LU USDA_STORE_TYPE).
SWIC	V LU VENDOR TYPE CODE	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VENDOR TYPE GROUP	ID	NUMBER	22	N	The system generated unique identifier for vendor type group.
SWIC	V LU VENDOR TYPE GROUP	DESCRIPTION	VARCHAR2	200	N	Description of the vendor type group.
SWIC	V LU VENDOR TYPE GROUP	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU VENDOR TYPE GROUP	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU VENDOR TYPE GROUP	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU VENDOR TYPE GROUP	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU VENDOR TYPE GROUP	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VENDOR ZIPCODES	ZIPCODE	VARCHAR2	5	N	The postal zip code.
SWIC	V LU VENDOR ZIPCODES	CITY	VARCHAR2	100	Y	The city associated with the postal zip code.
SWIC	V LU VENDOR ZIPCODES	COUNTY	VARCHAR2	100	Y	The county associated with the postal zip code.
SWIC	V LU VENDOR ZIPCODES	CREATED BY	VARCHAR2	30	N	Common audit field for date time stamp when the row was created.
SWIC	V LU VENDOR ZIPCODES	DATE_CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	V LU VENDOR ZIPCODES	MODIFIED BY	VARCHAR2	30	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU VENDOR ZIPCODES	DATE_MODIFIED	DATE	7	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU VENDOR ZIPCODES	TERRAIN_ID	NUMBER	22	N	The unique identifier of the vendor terrain (V LU VENDOR_TERRAIN).
SWIC	V LU VENDOR ZIPCODES	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VIOLATIONS	VIOLATION_CODE	NUMBER	22	N	
SWIC	V LU VIOLATIONS	DESCRIPTION	VARCHAR2	250	N	
SWIC	V LU VIOLATIONS	DATE_CREATED	DATE	7	N	
SWIC	V LU VIOLATIONS	CREATED BY	VARCHAR2	32	N	
SWIC	V LU VIOLATIONS	DATE_MODIFIED	DATE	7	Y	
SWIC	V LU VIOLATIONS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V LU VIOLATIONS	NOTE	VARCHAR2	2000	Y	
SWIC	V LU VIOLATIONS	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VIOLATION CODE	VIOLATION_CODE	NUMBER	22	N	The unique identifier for the vendor violation.
SWIC	V LU VIOLATION CODE	DESCRIPTION	VARCHAR2	600	N	The description of the vendor violation.
SWIC	V LU VIOLATION CODE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU VIOLATION CODE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU VIOLATION CODE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU VIOLATION CODE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU VIOLATION CODE	ADMIN_FLAG	NUMBER	22	Y	Indicates whether this is an administrative violation (0=No, 1=Yes).
SWIC	V LU VIOLATION CODE	SORT_ORDER	NUMBER	22	Y	Numeric value to provide sort order for display
SWIC	V LU VIOLATION CODE	TYPE	VARCHAR2	2	Y	Project Fresh or regular Vendor Violations
SWIC	V LU VIOLATION CODE	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VIOLATION OUTCOMES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V LU VIOLATION OUTCOMES	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V LU VIOLATION OUTCOMES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V LU VIOLATION OUTCOMES	ACTIVE	NUMBER	22	N	Indicates if the Loop up value is active in system.
SWIC	V LU VIOLATION OUTCOMES	ID	NUMBER	22	N	The unique identifier for the vendor violation outcome.
SWIC	V LU VIOLATION OUTCOMES	DESCRIPTION	VARCHAR2	100	Y	The description of the vendor violation outcome.
SWIC	V LU VIOLATION OUTCOMES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU VIOLATION SANCTION	VIOLATION_CODE	NUMBER	22	N	The unique identifier for the vendor violation (V LU VIOLATION_CODE).
SWIC	V LU VIOLATION SANCTION	SANCTION_ID	NUMBER	22	N	The unique identifier for the sanction function (V LU SANCTIONS).
SWIC	V LU VIOLATION SANCTION	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V LU VIOLATION SANCTION	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.

SWIC	V	LI VIOLATION SANCTION	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	LI VIOLATION SANCTION	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	LI VIOLATION SANCTION	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V	LI VMA	VMA ID	NUMBER	22	N	The system generated unique identifier of the Vendor Management Area.
SWIC	V	LI VMA	VMA NAME	VARCHAR2	150	N	The name of the Vendor Management Area
SWIC	V	LI VMA	ORG CODE	VARCHAR2	3	N	3 digit number representing the VMA
SWIC	V	LI VMA	CDC COUNTY CODE	VARCHAR2	3	Y	FK to 5 COUNTIES
SWIC	V	LI VMA	PHYSICAL ADDRESS1	VARCHAR2	60	N	Physical or Mailing address line 1
SWIC	V	LI VMA	PHYSICAL ADDRESS2	VARCHAR2	60	N	Physical or Mailing address line 2
SWIC	V	LI VMA	CITY	VARCHAR2	20	N	Physical or Mailing city
SWIC	V	LI VMA	STATE ID	VARCHAR2	2	N	Physical or Mailing state. FK to 5 STATES
SWIC	V	LI VMA	ZIPS	VARCHAR2	5	N	Physical or Mailing zip
SWIC	V	LI VMA	ZIP4	VARCHAR2	4	Y	Physical or Mailing zip=4
SWIC	V	LI VMA	OFFICE PHONE	VARCHAR2	16	N	Office phone
SWIC	V	LI VMA	HOURS OF OPERATION	VARCHAR2	100	Y	Vendor Management Agency hours of operation
SWIC	V	LI VMA	VMA EMAIL	VARCHAR2	255	Y	Generic Email address for the VMA
SWIC	V	LI VMA	DATE CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	V	LI VMA	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	LI VMA	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	LI VMA	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	LI VMA	ORG CODE VB	VARCHAR2	27	Y	Domain to store six-digit code
SWIC	V	LI VMA	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V	LI VMA REGION	ORG SCL ID	NUMBER	22	N	FK of VMA ID
SWIC	V	LI VMA REGION	COUNTY CODE	VARCHAR2	3	N	FK to 5 COUNTIES.COUNTY CODE
SWIC	V	LI VMA REGION	SS STATE ID	VARCHAR2	2	N	FK to 5 COUNTIES.SS STATE ID
SWIC	V	LI VMA REGION	DATE CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	V	LI VMA REGION	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	LI VMA REGION	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	LI VMA REGION	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	LI VMA REGION	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V	LI VMA REGION	SECTION ID	VARCHAR2	5	N	
SWIC	V	LI VMA REGION	FINDING ID	NUMBER	22	N	
SWIC	V	LI VMA REGION	FINDING	VARCHAR2	600	N	
SWIC	V	LI VMA REGION	FINDING_ES	VARCHAR2	600	Y	
SWIC	V	LI VMA REGION	VIOLATION	VARCHAR2	3	N	
SWIC	V	LI VMA REGION	ACTIVE	NUMBER	22	N	
SWIC	V	LI VMA REGION	DATE CREATED	DATE	7	N	
SWIC	V	LI VMA REGION	CREATED BY	VARCHAR2	32	N	
SWIC	V	LI VMA REGION	DATE MODIFIED	DATE	7	Y	
SWIC	V	LI VMA REGION	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V	LI VMA REGION	SECTION ID	VARCHAR2	5	N	
SWIC	V	LI VMA REGION	QUESTION ID	NUMBER	22	N	
SWIC	V	LI VMA REGION	CHOICE_ID	NUMBER	22	N	
SWIC	V	LI VMA REGION	CHOICE	VARCHAR2	100	N	
SWIC	V	LI VMA REGION	CHOICE ES	VARCHAR2	100	Y	
SWIC	V	LI VMA REGION	ACTIVE	NUMBER	22	N	
SWIC	V	LI VMA REGION	DATE CREATED	DATE	7	N	
SWIC	V	LI VMA REGION	CREATED BY	VARCHAR2	32	N	
SWIC	V	LI VMA REGION	DATE MODIFIED	DATE	7	Y	
SWIC	V	LI VMA REGION	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V	LI VMA REGION	SECTION ID	VARCHAR2	5	N	
SWIC	V	LI VMA REGION	QUESTION	VARCHAR2	200	N	
SWIC	V	LI VMA REGION	QUESTION ES	VARCHAR2	200	Y	
SWIC	V	LI VMA REGION	RESULT TYPE	VARCHAR2	15	Y	
SWIC	V	LI VMA REGION	RELATIONSHIP	VARCHAR2	15	Y	
SWIC	V	LI VMA REGION	CRITERIA	VARCHAR2	10	Y	
SWIC	V	LI VMA REGION	FINDING ID	NUMBER	22	Y	
SWIC	V	LI VMA REGION	VULC_CATEGORY_CODE	VARCHAR2	2	Y	
SWIC	V	LI VMA REGION	VULS SUB CAT CODE	VARCHAR2	3	Y	
SWIC	V	LI VMA REGION	ACTIVE	NUMBER	22	N	
SWIC	V	LI VMA REGION	DATE CREATED	DATE	7	N	
SWIC	V	LI VMA REGION	CREATED BY	VARCHAR2	32	N	
SWIC	V	LI VMA REGION	DATE MODIFIED	DATE	7	Y	
SWIC	V	LI VMA REGION	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V	LI VMA REGION	SECTION ID	VARCHAR2	5	N	
SWIC	V	LI VMA REGION	SECTION_ES	VARCHAR2	50	N	
SWIC	V	LI VMA REGION	SECTION_GROUP	VARCHAR2	10	N	
SWIC	V	LI VMA REGION	SORT ORDER	NUMBER	22	N	
SWIC	V	LI VMA REGION	ACTIVE	NUMBER	22	N	
SWIC	V	LI VMA REGION	DATE CREATED	DATE	7	N	
SWIC	V	LI VMA REGION	CREATED BY	VARCHAR2	32	N	
SWIC	V	LI VMA REGION	DATE MODIFIED	DATE	7	Y	
SWIC	V	LI VMA REGION	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V	LI WEEK DAYS	WEEK_ID	NUMBER	22	N	The system generated unique identifier for week.
SWIC	V	LI WEEK DAYS	WEEK_DAY	VARCHAR2	20	N	Field describing day of the week.
SWIC	V	LI WEEK DAYS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	LI WEEK DAYS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	LI WEEK DAYS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	LI WEEK DAYS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	LI WEEK DAYS	ACTIVE	NUMBER	22	N	Identifies if the Loop up value is active in system
SWIC	V	LI WEEK DAYS	LETTER_ID	NUMBER	22	N	The unique identifier of the vendor letter type.
SWIC	V	LI WEEK DAYS	DISABLED	NUMBER	22	Y	Flag indicating if the letter has been disabled (and the GUID is also deleted).
SWIC	V	LI WEEK DAYS	DESCRIPTION	VARCHAR2	2000	N	Description of the letter.
SWIC	V	LI WEEK DAYS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	LI WEEK DAYS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	LI WEEK DAYS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	LI WEEK DAYS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	LI WEEK DAYS	VISIT_ID	NUMBER	22	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	LI WEEK DAYS	VISIT DATE	DATE	7	Y	
SWIC	V	LI WEEK DAYS	VENDOR ID	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FOOD CODE	VARCHAR2	5	Y	
SWIC	V	LI WEEK DAYS	MIN STOCK MET	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	STOCK REQUIRED	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	STOCK COUNTED	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	STOCK_QTY TYPE	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	DATE CREATED	DATE	7	Y	
SWIC	V	LI WEEK DAYS	CREATED BY	VARCHAR2	100	Y	
SWIC	V	LI WEEK DAYS	DATE MODIFIED	DATE	7	Y	
SWIC	V	LI WEEK DAYS	MODIFIED BY	VARCHAR2	100	Y	
SWIC	V	LI WEEK DAYS	PROCESS RESULT	VARCHAR2	255	Y	
SWIC	V	LI WEEK DAYS	ID	NUMBER	22	N	
SWIC	V	LI WEEK DAYS	VISIT_ID	NUMBER	22	N	
SWIC	V	LI WEEK DAYS	VISIT_DATE	DATE	7	Y	
SWIC	V	LI WEEK DAYS	VULMA ID	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	VULS ID	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	LI WEEK DAYS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	LI WEEK DAYS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	LI WEEK DAYS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	LI WEEK DAYS	VY VENDOR ID	NUMBER	22	N	Common audit field for user id connected when the row was last modified.
SWIC	V	LI WEEK DAYS	ANSWER 15	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 16	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 17	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 18	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 19	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 20	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 21	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 22	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 23	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 24	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 25	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 26	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 27	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 28	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 29	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 30	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 31	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 32	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 33	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 34	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	ANSWER 35	VARCHAR2	4000	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 01	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 02	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 03	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 04	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 05	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 06	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 07	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 08	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 09	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 10	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 11	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 12	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 13	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 14	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	FINDING ID 15	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	OTHER FINDING ID 01	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	OTHER FINDING ID 02	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	OTHER FINDING ID 03	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	DOCUMENT ID 1	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	DOCUMENT ID 2	NUMBER	22	Y	
SWIC	V	LI WEEK DAYS	DATE CREATED	DATE	7	N	
SWIC	V	LI WEEK DAYS	CREATED_BY	VARCHAR2	32	N	
SWIC	V	LI WEEK DAYS	DATE MODIFIED	DATE	7	Y	
SWIC	V	LI WEEK DAYS	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V	LI WEEK DAYS	MONITORING VISIT ID	NUMBER	22	N	
SWIC	V	LI WEEK DAYS	SECTION ID	VARCHAR2	5	N	

SWIC	V MONITORING ANSWERS	ANSWER 01	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 02	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 03	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 04	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 05	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 06	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 07	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 08	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 09	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 10	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 11	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 12	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 13	VARCHAR2	4000	Y	
SWIC	V MONITORING ANSWERS	ANSWER 14	VARCHAR2	4000	Y	
SWIC	V MONITORING ASSIGNMENTS	MONITORING_ASSIGNMENT_ID	NUMBER	22	N	
SWIC	V MONITORING ASSIGNMENTS	VENDOR_ID	NUMBER	22	Y	
SWIC	V MONITORING ASSIGNMENTS	USER_ID	VARCHAR2	32	Y	
SWIC	V MONITORING_ASSIGNMENTS	MON_REASON_ID	NUMBER	22	Y	
SWIC	V MONITORING ASSIGNMENTS	ASSIGNMENT_DATE	DATE	7	Y	
SWIC	V MONITORING ASSIGNMENTS	COMPLETE_DATE	DATE	7	Y	
SWIC	V MONITORING ASSIGNMENTS	MONITORING_VIST_ID	NUMBER	22	Y	
SWIC	V MONITORING ASSIGNMENTS	STATUS	NUMBER	22	Y	
SWIC	V MONITORING ASSIGNMENTS	CREATED_BY	VARCHAR2	32	Y	
SWIC	V MONITORING ASSIGNMENTS	DATE_CREATED	DATE	7	Y	
SWIC	V MONITORING ASSIGNMENTS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	V MONITORING ASSIGNMENTS	DATE_MODIFIED	DATE	7	Y	
SWIC	V MONITORING CASES	ID	NUMBER	22	N	The unique identifier for the monitoring case
SWIC	V MONITORING CASES	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V_VENDOR).
SWIC	V MONITORING CASES	DESCRIPTION	VARCHAR2	2000	Y	The description of the monitoring case
SWIC	V MONITORING CASES	VLUMR_ID	NUMBER	22	Y	The unique identifier for the monitoring reasons(V_LU_MON_REASONS)
SWIC	V MONITORING CASES	DATE_OPENED	DATE	7	Y	The date the monitoring case was opened
SWIC	V MONITORING CASES	DATE_CLOSED	DATE	7	Y	The date the monitoring case was closed
SWIC	V MONITORING CASES	VLUMD_ID	NUMBER	22	Y	The unique identifier for the outcome (V_LU_OUTCOME).
SWIC	V MONITORING_CASES	VLUMD_ID	NUMBER	22	Y	The unique identifier for the dispositions (V_LU_MON_DISPOSITIONS).
SWIC	V MONITORING_CASES	NOTES	VARCHAR2	2000	Y	Common audit field for user notes or comments.
SWIC	V MONITORING_CASES	VIC_ID	NUMBER	22	Y	The unique identifier for the investigation id
SWIC	V MONITORING_CASES	VIC_COMPLAINT_ID	NUMBER	22	Y	The unique identifier for the complaint id
SWIC	V MONITORING_CASES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V MONITORING_CASES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V MONITORING_CASES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V MONITORING_CASES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V MONITORING_CASES	CARRY_POINTS_FORWARD	NUMBER	22	Y	
SWIC	V MONITORING_CASES	DATE_STARTED	DATE	7	Y	
SWIC	V MONITORING_CASES	TIP_INDICATOR	NUMBER	22	Y	Foreign key reference to V_LU_TIP_INDICATOR.
SWIC	V MONITORING_CASES	OLD_MON_ID_TEMP	NUMBER	22	Y	Column created for data conversion to track old monitoring id
SWIC	V MONITORING_DOCUMENTS	DOCUMENT_ID	NUMBER	22	N	The system generated unique identifier for the vendor monitoring visit document entry.
SWIC	V MONITORING_DOCUMENTS	MONITORING_VIST_ID	NUMBER	22	N	The unique identifier for the vendor monitoring visit (V_MONITORING_VISTS).
SWIC	V MONITORING_DOCUMENTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V MONITORING_DOCUMENTS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V MONITORING_DOCUMENTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V MONITORING_DOCUMENTS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V MONITORING_DOCUMENTS	VV_VENDOR_ID	NUMBER	22	Y	
SWIC	V MONITORING_EMAILS_HISTORY	ID	NUMBER	22	N	The identity identifier for the Vendor Monitoring Emails History.
SWIC	V MONITORING_EMAILS_HISTORY	MON_VIST_ID	NUMBER	22	N	The monitoring visit id of the Vendor Monitoring Emails History.
SWIC	V MONITORING_EMAILS_HISTORY	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	V MONITORING_EMAILS_HISTORY	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	V MONITORING_EMAILS_HISTORY	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	V MONITORING_EMAILS_HISTORY	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	V MONITORING_VISITS	MONITORING_VIST_ID	NUMBER	22	N	The unique identifier for the monitoring visit (V_MONITORING_VISTS).
SWIC	V MONITORING_VISITS	MON_REASON_ID	NUMBER	22	Y	
SWIC	V MONITORING_VISITS	VENDOR_ID	NUMBER	22	Y	
SWIC	V MONITORING_VISITS	RESULT	NUMBER	22	Y	
SWIC	V MONITORING_VISITS	VPG_PRICE	NUMBER	22	Y	
SWIC	V MONITORING_VISITS	APPROACH_ID	NUMBER	22	Y	
SWIC	V MONITORING_VISITS	SITE_VISIT_DATE	DATE	7	Y	
SWIC	V MONITORING_VISITS	STORE_CONTACT_NAME	VARCHAR2	100	Y	
SWIC	V MONITORING_VISITS	STORE_CONTACT_TITLE	VARCHAR2	100	Y	
SWIC	V MONITORING_VISITS	MON_ACTIVITY_ID	NUMBER	22	Y	
SWIC	V MONITORING_VISITS	ACTIVE	NUMBER	22	Y	
SWIC	V MONITORING_VISITS	DATE_CREATED	DATE	7	Y	
SWIC	V MONITORING_VISITS	CREATED_BY	VARCHAR2	32	Y	
SWIC	V MONITORING_VISITS	DATE_MODIFIED	DATE	7	Y	
SWIC	V MONITORING_VISITS	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	V MON_ACTIVITIES	ACTY_ACT_TYPE_CODE	VARCHAR2	2	N	The unique identifier of the monitoring activity type (V_ACTIVITY_TYPES).
SWIC	V MON_ACTIVITIES	SM_STAFF_MEMBER_ID	NUMBER	22	Y	The staff member assigned to perform the monitoring activity (D_STAFF_MEMBERS).
SWIC	V MON_ACTIVITIES	SCHEDULE_DATE	DATE	7	Y	The date the monitoring activity was scheduled.
SWIC	V MON_ACTIVITIES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V MON_ACTIVITIES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V MON_ACTIVITIES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V MON_ACTIVITIES	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V MON_ACTIVITIES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V MON_ACTIVITIES	MONITOR_ID	NUMBER	22	N	The system generated unique identifier for the vendor monitoring activity.
SWIC	V MON_ACTIVITIES	INVESTIGATION_ID	NUMBER	22	Y	The unique identifier of the investigation (V_INVESTIGATIONS).
SWIC	V_MON_ACTIVITIES	VLUMD_ID	NUMBER	22	Y	The unique identifier for the outcome of the activity (V_LU_OUTCOME).
SWIC	V MON_ACTIVITIES	ESU_FAMILY_ID	NUMBER	9	Y	The compliance family (C_FAMILY ECONOMIC) UNITS.
SWIC	V MON_ACTIVITIES	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V_VENDORS).
SWIC	V MON_ACTIVITIES	DATE_REQUESTED	DATE	7	Y	The date the monitoring activity was requested.
SWIC	V MON_ACTIVITIES	VLT_TIP_INDICATOR_ID	NUMBER	22	Y	The unique identifier of the tip indicator (V_LU_TIP_INDICATORS).
SWIC	V NOTE REASONS	NOTE_REASON_ID	NUMBER	22	N	The unique identifier for the note reason (V_NOTE_REASONS).
SWIC	V NOTE REASONS	DESCRIPTION	VARCHAR2	150	N	The description of the note reason.
SWIC	V NOTE REASONS	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	V NOTE REASONS	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	V NOTE REASONS	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	V NOTE REASONS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	V OWNERS	OWNER1_MAILING_ADDRESS1	VARCHAR2	60	Y	The first line of the primary owner mailing address.
SWIC	V OWNERS	OWNER1_STREET_ADDRESS1	VARCHAR2	60	Y	The first line of the primary owner street address.
SWIC	V OWNERS	SGEO_GEO_LOCATION_ID_MALL	VARCHAR2	2	N	The numeric code for the city/state/zip for the primary owner mailing address (S_GEO_LOCATIONS).
SWIC	V OWNERS	VY_TYPE_CODE	VARCHAR2	1	N	The unique identifier of the vendor type (V_OWNER_TYPES).
SWIC	V OWNERS	SGEO_GEO_LOCATION_ID_STREET1	NUMBER	22	Y	The numeric code for the city/state/zip for the primary owner street address (S_GEO_LOCATIONS).
SWIC	V OWNERS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V OWNERS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_OWNERS	OWNER1_MAILING_ADDRESS2	VARCHAR2	60	Y	The second line of the primary owner mailing address.
SWIC	V OWNERS	OWNER1_MAILING_ZIP4	VARCHAR2	4	Y	The last 4 digits of the primary owner 9-digit mailing address zip code.
SWIC	V OWNERS	OWNER1_STREET_ADDRESS2	VARCHAR2	60	Y	The second line of the primary owner street address.
SWIC	V OWNERS	OWNER1_STREET_ZIP4	VARCHAR2	4	Y	The last 4 digits of the primary owner 9-digit street address zip code.
SWIC	V OWNERS	OWNER3_NAME	VARCHAR2	100	Y	The last name of the secondary owner.
SWIC	V OWNERS	OWNER3_NAME	VARCHAR2	100	Y	The first name of the secondary owner.
SWIC	V OWNERS	OWNER3_NAME	VARCHAR2	100	Y	The middle initial of the secondary owner.
SWIC	V OWNERS	ASO_LOG_NUMBER	VARCHAR2	5	Y	The Date of Accounting and General Services contract number for the owner.
SWIC	V OWNERS	GENERAL_EXCISE_TAX	VARCHAR2	10	Y	The general excise tax paid by the owner of the vendor.
SWIC	V OWNERS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V OWNERS	OWNER_EMAIL	VARCHAR2	100	Y	E-mail address for vendor owner.
SWIC	V OWNERS	VW_WHOLESALE_ID	NUMBER	22	Y	UNUSED FOR MI-VIC <ERD-Vendor>
SWIC	V OWNERS	CHAIN_SUFFIX	VARCHAR2	10	Y	The chain suffix of owner
SWIC	V OWNERS	SAME_ADDRESS_FLAG	VARCHAR2	1	Y	The same address flag.
SWIC	V OWNERS	OWNER1_NAME	VARCHAR2	100	Y	The last name of the primary owner.
SWIC	V OWNERS	CONTACT	VARCHAR2	100	Y	The name of the owner point of contact.
SWIC	V_OWNERS	MAIL_CODE	VARCHAR2	3	Y	Project Fresh Mail Code
SWIC	V OWNERS	MARKET_TYPE	VARCHAR2	1	Y	The unique identifier for the farmer market type (V_LU_MARKET_TYPE)
SWIC	V OWNERS	CORP_NAME	VARCHAR2	65	Y	The name of the corporation that owns the retail vendor.
SWIC	V OWNERS	OWNER2_MAILING_ADDRESS1	VARCHAR2	60	Y	The first line of the secondary owner mailing address.
SWIC	V OWNERS	OWNER2_MAILING_ADDRESS2	VARCHAR2	60	Y	The second line of the secondary owner mailing address.
SWIC	V OWNERS	OWNER2_MAILING_ZIP4	VARCHAR2	4	Y	The last four digits of the secondary owner 9-digit mailing address zip code.
SWIC	V OWNERS	OWNER2_MAILING_CITY	VARCHAR2	60	Y	The first line of the secondary owner street address.
SWIC	V OWNERS	OWNER2_MAILING_STATE	VARCHAR2	60	Y	The second line of the secondary owner street address.
SWIC	V_OWNERS	OWNER2_MAILING_ZIPS	VARCHAR2	5	Y	The last 4 digits of the secondary owner 9-digit street address zip code.
SWIC	V_OWNERS	SGEO_GEO_LOCATION_ID_MALL2	NUMBER	22	Y	The numeric code for the city/state/zip for the secondary owner mailing address.
SWIC	V OWNERS	SGEO_GEO_LOCATION_ID_STREET2	NUMBER	22	Y	The numeric code for the city/state/zip for the secondary owner street address.
SWIC	V OWNERS	OWNER1_MAILING_CITY	VARCHAR2	60	Y	The city of the primary owner street address.
SWIC	V OWNERS	OWNER1_STREET_CITY	VARCHAR2	60	Y	The city of the primary owner mailing address.
SWIC	V OWNERS	OWNER1_MAILING_STATE	VARCHAR2	60	Y	The state of the primary owner street address.
SWIC	V OWNERS	OWNER1_STREET_STATE	VARCHAR2	60	Y	The state of the primary owner mailing address.
SWIC	V OWNERS	OWNER1_MAILING_ZIPS	VARCHAR2	5	Y	The zip of the primary owner street address.
SWIC	V_OWNERS	OWNER1_STREET_ZIPS	VARCHAR2	5	Y	The zip of the primary owner mailing address.
SWIC	V OWNERS	ACTIVE_FLAG	VARCHAR2	22	Y	Disabled flag.
SWIC	V OWNERS	ADDITIONAL_VENDORS_FLAG	NUMBER	22	Y	Not used in NYWC.
SWIC	V OWNERS	DIFFERENT_NAMES_VENDORS_FLAG	NUMBER	22	Y	Not used in NYWC.
SWIC	V OWNERS	BUSINESS_START_DATE	DATE	7	Y	Not used in NYWC.
SWIC	V OWNERS	BUY_OR_START_FLAG	NUMBER	22	Y	Not used in NYWC.
SWIC	V OWNERS	PURCHASE_SOURCE	VARCHAR2	100	Y	Not used in NYWC.
SWIC	V_OWNERS	VW_OWNER_BEFORE_FLAG	NUMBER	22	Y	Not used in NYWC.
SWIC	V_OWNERS	VPO_PREVIOUS_OWNER_TYPE_ID	NUMBER	22	Y	Not used in NYWC.
SWIC	V OWNERS	PRVS_BUSINESS_SALE_DATE	DATE	7	Y	Not used in NYWC.
SWIC	V OWNERS	PRVS_OWNER_HAS_INT_FLAG	NUMBER	22	Y	Not used in NYWC.
SWIC	V OWNERS	VPO_PRVS_OWNER_ID	NUMBER	22	Y	Not used in NYWC.
SWIC	V OWNERS	PRVS_OWNER_END_BUY_DATE	DATE	7	Y	Not used in NYWC.
SWIC	V OWNERS	PRVS_OWNER_EMPLOYED_FLAG	NUMBER	22	Y	Not used in NYWC.
SWIC	V OWNERS	PRVS_LCTR_NAME_DIFFERENT	NUMBER	22	Y	Not used in NYWC.
SWIC	V OWNERS	LOCATION_FORMER_NAME	VARCHAR2	150	Y	Not used in NYWC.
SWIC	V OWNERS	CLUR_ADRS_BUS_START_DATE	DATE	7	Y	Not used in NYWC.
SWIC	V_OWNERS	OWNER1_MAILING_NUM1	VARCHAR2	20	Y	From CFWC. Used for Vendor Demographics
SWIC	V_OWNERS	VISE_ID	NUMBER	22	Y	From CFWC. Used for Vendor Demographics
SWIC	V OWNERS	BUSINESS_MODEL_ID	NUMBER	22	Y	FK to V_LU_STORE_TYPE_MODEL
SWIC	V OWNERS	OWNER1_MAIL_OUT_OF_STATE_FLAG	NUMBER	22	Y	Indicates out of state address.
SWIC	V OWNERS	OWNER1_MAIL_OUT_OF_STATE_CITY	VARCHAR2	60	Y	The city line of out of state address.
SWIC	V OWNERS	OWNER1_MAIL_OUT_OF_STATE_STATE	VARCHAR2	60	Y	The state line of out of state address.
SWIC	V_OWNERS	OWNER1_MAIL_OUT_OF_STATE_ZIP	VARCHAR2	22	Y	Out of state zip code for address.
SWIC	V_OWNERS	OWNER_ID	VARCHAR2	10	N	The unique identifier for the owner of the retail vendor.
SWIC	V OWNERS	FEDERAL_EIN	VARCHAR2	9	Y	The Federal employer identification number of the vendor owner.
SWIC	V OWNERS	OUTLETS	NUMBER	22	Y	The number of retail outlets owned by the owner.
SWIC	V OWNERS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_OWNER_ADDITIONAL_VENDORS	ADDITIONAL_VENDOR_ID	NUMBER	22	N	
SWIC	V_OWNER_ADDITIONAL_VENDORS	VENDOR_ID_FROM_USER	NUMBER	22	Y	
SWIC	V_OWNER_ADDITIONAL_VENDORS	OWNER_ID	VARCHAR2	10	N	The unique identifier of the vendor owner (V_OWNERS).
SWIC	V_OWNER_ADDITIONAL_VENDORS	ADDITIONAL_VENDOR_NAME	VARCHAR2	150	N	
SWIC	V_OWNER_ADDITIONAL_VENDORS	ADDITIONAL_VENDOR_ADDRESS	VARCHAR2	600	Y	
SWIC	V_OWNER_ADDITIONAL_VENDORS	CONTACT_NAME	VARCHAR2	150	Y	
SWIC	V_OWNER_ADDITIONAL_VENDORS	EMAIL_ADDRESS	VARCHAR2	150	Y	
SWIC	V_OWNER_ADDITIONAL_VENDORS	PHONE_NUMBER	VARCHAR2	10	Y	The phone number of the vendor owner.
SWIC	V_OWNER_ADDITIONAL_VENDORS	BPM_PHONE_TYPE_ID	VARCHAR2	3	Y	The unique identifier of the phone number type (V_PHONE_TYPES).
SWIC	V_OWNER_ADDITIONAL_VENDORS	PHONE_EXTENSION	VARCHAR2	5	Y	The phone extension of the vendor owner.

SWIC	V_OWNER_ADDITIONAL_VENDORS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_OWNER_ADDITIONAL_VENDORS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_OWNER_ADDITIONAL_VENDORS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_OWNER_ADDITIONAL_VENDORS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_OWNER_ADDITIONAL_VENDORS	FEDERAL_ID_NUMBER	NUMBER	22	Y	
SWIC	V_OWNER_DETAIL	OWNER_DETAIL_ID	NUMBER	22	N	The unique identifier of the vendor owner (V_OWNER).
SWIC	V_OWNER_DETAIL	SALUTATION_ID	NUMBER	22	Y	
SWIC	V_OWNER_DETAIL	OWNER_MAILING_ADDRESSNUM1	VARCHAR2	10	Y	
SWIC	V_OWNER_DETAIL	OWNER_MAILING_ADDRESS1	VARCHAR2	60	Y	
SWIC	V_OWNER_DETAIL	OWNER_MAILING_ADDRESS2	VARCHAR2	60	Y	
SWIC	V_OWNER_DETAIL	OWNER_MAILING_CITY	VARCHAR2	60	Y	
SWIC	V_OWNER_DETAIL	OWNER_MAILING_STATE	VARCHAR2	60	Y	
SWIC	V_OWNER_DETAIL	OWNER_MAILING_ZIPS	VARCHAR2	5	Y	
SWIC	V_OWNER_DETAIL	OWNER_FIRST_NAME	VARCHAR2	100	Y	
SWIC	V_OWNER_DETAIL	OWNER_MI	VARCHAR2	10	Y	
SWIC	V_OWNER_DETAIL	OWNER_LAST_NAME	VARCHAR2	100	Y	
SWIC	V_OWNER_DETAIL	SEN	VARCHAR2	9	Y	
SWIC	V_OWNER_DETAIL	BIRTH_DATE	DATE	7	Y	
SWIC	V_OWNER_DETAIL	STATE_ID	VARCHAR2	50	Y	
SWIC	V_OWNER_DETAIL	HOME_PHONE	VARCHAR2	15	Y	
SWIC	V_OWNER_DETAIL	DATE_CREATED	DATE	7	N	
SWIC	V_OWNER_DETAIL	CREATED BY	VARCHAR2	32	N	
SWIC	V_OWNER_DETAIL	DATE_MODIFIED	DATE	7	Y	
SWIC	V_OWNER_DETAIL	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V_OWNER_DETAIL_MAP	OWNER_ID	VARCHAR2	10	N	
SWIC	V_OWNER_DETAIL_MAP	OWNER_DETAIL_ID	NUMBER	22	N	
SWIC	V_OWNER_DETAIL_MAP	TITLE	NUMBER	22	Y	
SWIC	V_OWNER_DETAIL_MAP	PRIMARY_FLAG	NUMBER	22	Y	
SWIC	V_OWNER_DETAIL_MAP	PERCENT_OWNERSHIP	NUMBER	22	Y	
SWIC	V_OWNER_DETAIL_MAP	DATE_CREATED	DATE	7	N	
SWIC	V_OWNER_DETAIL_MAP	CREATED BY	VARCHAR2	32	N	
SWIC	V_OWNER_DETAIL_MAP	DATE_MODIFIED	DATE	7	Y	
SWIC	V_OWNER_DETAIL_MAP	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V_OWNER_DETAIL_MAP	PHONE_ID	NUMBER	22	N	The unique identifier of the vendor owner phone number entry.
SWIC	V_OWNER_DETAIL_MAP	VO_OWNER_ID	VARCHAR2	10	N	The unique identifier of the vendor owner (V_OWNER).
SWIC	V_OWNER_DETAIL_MAP	PHONE_NUMBER	VARCHAR2	10	Y	The phone number of the vendor owner.
SWIC	V_OWNER_DETAIL_MAP	SPT_PHONE_TYPE_ID	VARCHAR2	60	Y	The unique identifier of the phone number type (V_PHONE_TYPES).
SWIC	V_OWNER_DETAIL_MAP	PHONE_EXTENSION	VARCHAR2	5	Y	The phone extension of the vendor owner.
SWIC	V_OWNER_DETAIL_MAP	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_OWNER_DETAIL_MAP	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_OWNER_DETAIL_MAP	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_OWNER_DETAIL_MAP	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_OWNER_DETAIL_MAP	CONTACT_NAME	VARCHAR2	150	Y	Contact person name
SWIC	V_OWNER_DETAIL_MAP	EMAIL_ADDRESS	VARCHAR2	150	Y	The manufacturer's email address.
SWIC	V_OWNER_DETAIL_MAP	PRIMARY_CONTACT_FLAG	NUMBER	22	N	Flag to identify Primary contact or not
SWIC	V_OWNER_DETAIL_MAP	TYPE_CODE	VARCHAR2	1	N	The system generated unique identifier for owner type.
SWIC	V_OWNER_DETAIL_MAP	DESCRIPTION	VARCHAR2	30	N	The description of the owner type.
SWIC	V_OWNER_DETAIL_MAP	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_OWNER_DETAIL_MAP	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_OWNER_DETAIL_MAP	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_OWNER_DETAIL_MAP	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_OWNER_DETAIL_MAP	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V_FEE_GROUPS	FEE_GROUP_ID	NUMBER	22	N	The unique identifier for the vendor peer group.
SWIC	V_FEE_GROUPS	DESCRIPTION	VARCHAR2	120	N	The description of the vendor peer group.
SWIC	V_FEE_GROUPS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_FEE_GROUPS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_FEE_GROUPS	DEFAULT_PERCENT	NUMBER	22	Y	The default percent for the vendor peer group.
SWIC	V_FEE_GROUPS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_FEE_GROUPS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_FEE_GROUPS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V_FEE_GROUPS	BASES	NUMBER	22	Y	UNUSED for MI-WIC.
SWIC	V_FEE_GROUPS	ASO_VENDOR	NUMBER	22	Y	
SWIC	V_FEE_GROUP_AVGS	AVG_REDEMPTION_AMT	NUMBER	22	N	The average redemption amount for the vendor peer group.
SWIC	V_FEE_GROUP_AVGS	SEN_REDEMPTION_AMT	NUMBER	22	N	The percentage of the 3-month redemption average by 100.
SWIC	V_FEE_GROUP_AVGS	MAX_REDEMPTION_AMT	NUMBER	22	N	The maximum redemption amount for the vendor peer group.
SWIC	V_FEE_GROUP_AVGS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V_FEE_GROUP_AVGS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_FEE_GROUP_AVGS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_FEE_GROUP_AVGS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_FEE_GROUP_AVGS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_FEE_GROUP_AVGS	V_LUC_CAT_CODE	VARCHAR2	2	N	FK to Category Table (V_LUC_CATEGORIES)
SWIC	V_FEE_GROUP_AVGS	V_LUC_SUB_CODE	VARCHAR2	3	N	FK to SubCat Table (V_LUC_SUBCAT)
SWIC	V_FEE_GROUP_AVGS	REDEMPTION_MONTH	DATE	7	N	Redemption Month/year, only the month and year matter.
SWIC	V_FEE_GROUP_AVGS	TOTAL_REDEMPTION_AMT	NUMBER	22	N	The total redemption amount for the vendor peer group.
SWIC	V_FF_OWNER_PREFIX	VO_OAHN_SUFFIX	VARCHAR2	10	N	
SWIC	V_FF_OWNER_PREFIX	PREFIX	NUMBER	22	N	
SWIC	V_FF_OWNER_PREFIX	FEIN_OR_SIN	VARCHAR2	9	Y	
SWIC	V_FF_OWNER_PREFIX	MAIL_CODE	VARCHAR2	5	Y	
SWIC	V_FF_OWNER_PREFIX	DATE_CREATED	DATE	7	Y	
SWIC	V_FF_OWNER_PREFIX	CREATED BY	VARCHAR2	32	Y	
SWIC	V_FF_OWNER_PREFIX	DATE_MODIFIED	DATE	7	Y	
SWIC	V_FF_OWNER_PREFIX	MODIFIED BY	VARCHAR2	32	Y	
SWIC	V_FF_STORE_ACCOUNTS	ID	NUMBER	22	N	The system generated unique identifier for the Project FRESH store account.
SWIC	V_FF_STORE_ACCOUNTS	YEAR	NUMBER	22	N	Accounting year.
SWIC	V_FF_STORE_ACCOUNTS	DESCRIPTION	VARCHAR2	200	Y	The description of the Project FRESH store account
SWIC	V_FF_STORE_ACCOUNTS	DEBIT_AMOUNT	NUMBER	22	Y	The accounting debit amount.
SWIC	V_FF_STORE_ACCOUNTS	CREDIT_AMOUNT	NUMBER	22	Y	The accounting credit amount.
SWIC	V_FF_STORE_ACCOUNTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_FF_STORE_ACCOUNTS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_FF_STORE_ACCOUNTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_FF_STORE_ACCOUNTS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_FF_STORE_ACCOUNTS	VO_OWNER_ID	VARCHAR2	10	N	The system generated OWNER ID unique identifier.
SWIC	V_FF_STORE_MONTHS	VENDOR_ID	NUMBER	22	N	The system generated VENDOR ID unique identifier.
SWIC	V_FF_STORE_MONTHS	JUNE	NUMBER	22	Y	The MONTH JUNE BIT FIELD.
SWIC	V_FF_STORE_MONTHS	JULY	NUMBER	22	Y	The MONTH JULY BIT FIELD.
SWIC	V_FF_STORE_MONTHS	AUGUST	NUMBER	22	Y	The MONTH AUGUST BIT FIELD.
SWIC	V_FF_STORE_MONTHS	SEPTEMBER	NUMBER	22	Y	The MONTH SEPTEMBER BIT FIELD.
SWIC	V_FF_STORE_MONTHS	OCTOBER	NUMBER	22	Y	The MONTH OCTOBER BIT FIELD.
SWIC	V_FF_STORE_MONTHS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_FF_STORE_MONTHS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_FF_STORE_MONTHS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_FF_STORE_MONTHS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_FF_STORE_MONTHS	JANUARY	NUMBER	22	Y	The MONTH JANUARY BIT FIELD.
SWIC	V_FF_STORE_MONTHS	FEBRUARY	NUMBER	22	Y	The MONTH FEBRUARY BIT FIELD.
SWIC	V_FF_STORE_MONTHS	MARCH	NUMBER	22	Y	The MONTH MARCH BIT FIELD.
SWIC	V_FF_STORE_MONTHS	APRIL	NUMBER	22	Y	The MONTH APRIL BIT FIELD.
SWIC	V_FF_STORE_MONTHS	MAY	NUMBER	22	Y	The MONTH MAY BIT FIELD.
SWIC	V_FF_STORE_MONTHS	NOVEMBER	NUMBER	22	Y	The MONTH NOVEMBER BIT FIELD.
SWIC	V_FF_STORE_MONTHS	DECEMBER	NUMBER	22	Y	The MONTH DECEMBER BIT FIELD.
SWIC	V_FF_STORE_TIMINGS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_FF_STORE_TIMINGS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_FF_STORE_TIMINGS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_FF_STORE_TIMINGS	V_V_VENDOR_ID	VARCHAR2	22	N	The unique identifier for the vendor (V_VENDORS).
SWIC	V_FF_STORE_TIMINGS	DAY_ID	NUMBER	22	N	The unique identifier for day of the week (V_LU_WEEK_DAYS).
SWIC	V_FF_STORE_TIMINGS	OPEN_TIME	DATE	7	Y	The store opening time.
SWIC	V_FF_STORE_TIMINGS	CLOSE_TIME	DATE	7	Y	The store closing time.
SWIC	V_FF_STORE_TIMINGS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_PGA_ANALYSIS	V_LUC_CAT_CODE	VARCHAR2	2	N	The UPC Category code
SWIC	V_PGA_ANALYSIS	V_LUC_SUB_CODE	VARCHAR2	3	N	The UPC Sub Category code
SWIC	V_PGA_ANALYSIS	FEE_FEE_GROUP_ID	NUMBER	22	N	The unique identifier for the vendor peer group (V_PEEER_GROUPS).
SWIC	V_PGA_ANALYSIS	HIGH_PRICE_INDICATOR	NUMBER	22	N	High price indicator
SWIC	V_PGA_ANALYSIS	REDEMPTION_COUNT	NUMBER	22	Y	
SWIC	V_PGA_ANALYSIS	NUMBER_OF_WEEKS_DATA	NUMBER	22	Y	Number of weeks data
SWIC	V_PGA_ANALYSIS	AVG_PRICE	NUMBER	22	Y	Average Price
SWIC	V_PGA_ANALYSIS	STANDARD_DEVIATION	NUMBER	22	Y	Standard deviation
SWIC	V_PGA_ANALYSIS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_PGA_ANALYSIS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_PGA_ANALYSIS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_PGA_ANALYSIS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_PGA_ANALYSIS	REDEMPTION_COUNT_NO_OUTLIERS	NUMBER	22	Y	
SWIC	V_PGA_ANALYSIS	AVG_PRICE_NO_OUTLIERS	NUMBER	22	Y	
SWIC	V_PGA_ANALYSIS	STD_NO_OUTLIERS	NUMBER	22	Y	
SWIC	V_PGA_ANALYSIS	ASO_PEER_GROUP	NUMBER	22	Y	
SWIC	V_PHONE_TYPES	PHONE_TYPE_ID	VARCHAR2	3	N	Unique phone type identifier.
SWIC	V_PHONE_TYPES	DESCRIPTION	VARCHAR2	60	N	The description of the phone type.
SWIC	V_PHONE_TYPES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_PHONE_TYPES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_PHONE_TYPES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_PHONE_TYPES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_PHONE_TYPES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V_PREVIOUS_OWNERS	PREVIOUS_OWNER_ID	NUMBER	22	N	The unique identifier of the previous owner.
SWIC	V_PREVIOUS_OWNERS	OWNER_ID	VARCHAR2	10	Y	The foreign key to the owners table (V_OWNERS).
SWIC	V_PREVIOUS_OWNERS	PREVIOUS_OWNER_NAME	VARCHAR2	150	N	The phone number of the previous owner.
SWIC	V_PREVIOUS_OWNERS	EMAIL_ADDRESS	VARCHAR2	150	Y	The phone number of the previous owner.
SWIC	V_PREVIOUS_OWNERS	PHONE_NUMBER	VARCHAR2	10	Y	The phone number of the previous owner.
SWIC	V_PREVIOUS_OWNERS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_PREVIOUS_OWNERS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_PREVIOUS_OWNERS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_PREVIOUS_OWNERS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_PREVIOUS_OWNERS	CEASD_INVOLVEMENT_DATE	DATE	7	Y	Date the former owner ceased their financial interest in the business
SWIC	V_PREVIOUS_OWNERS	PREVIOUS_OWNER_CURRENT_ROLE	VARCHAR2	200	Y	Former owners, partners, corporate officers, managers, or employees current role in applicant business
SWIC	V_PREVIOUS_OWNERS	PREVIOUS_OWNER_PREV_ROLE	VARCHAR2	200	Y	Former owners, partners, corporate officers, managers, or employees role under previous ownership
SWIC	V_PREVIOUS_OWNERS	VENDOR_ID	NUMBER	22	Y	Vendor ID
SWIC	V_PRE_AUTH_SITE_VISIT	VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V_VENDORS).
SWIC	V_PRE_AUTH_SITE_VISIT	APP_SEQ_ID	NUMBER	22	N	Application sequence id for the vendor
SWIC	V_PRE_AUTH_SITE_VISIT	COMMENTS	VARCHAR2	250	Y	Comment field for entering site verification comments.
SWIC	V_PRE_AUTH_SITE_VISIT	TITLE	VARCHAR2	100	Y	Title to vendor.
SWIC	V_PRE_AUTH_SITE_VISIT	VENDOR_DATE	DATE	7	Y	Date signature was taken from vendor
SWIC	V_PRE_AUTH_SITE_VISIT	ANALYST_DATE	DATE	7	Y	Date signature was taken from wic analyst
SWIC	V_PRE_AUTH_SITE_VISIT	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_PRE_AUTH_SITE_VISIT	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_PRE_AUTH_SITE_VISIT	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_PRE_AUTH_SITE_VISIT	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_PRE_AUTH_SITE_VISIT	SITE_VISIT_DATE	DATE	7	Y	
SWIC	V_PRE_AUTH_SITE_VISIT	VENDOR_CONTACT_NAME	VARCHAR2	100	Y	
SWIC	V_PRE_AUTH_SITE_VISIT	STORE_CONTACT_TITLE	VARCHAR2	100	Y	
SWIC	V_PRE_AUTH_SITE_VISIT	VENDOR_LIAISON_NAME	VARCHAR2	100	Y	
SWIC	V_PRE_AUTH_SITE_VISIT	VENDOR_LIAISON_TITLE	VARCHAR2	100	Y	
SWIC	V_PRICES	V_V_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V_VENDORS).
SWIC	V_PRICES	APP_SEQ_ID	NUMBER	22	N	The sequence number for the vendor authorization (V_AUTHORIZATIONS).
SWIC	V_PRICES	V_LV_V_VENDOR_PRICE_ID	NUMBER	22	N	



SMWC	V	PRICES	PRICE	NUMBER	22	Y	The maximum price.
SMWC	V	PRICES	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SMWC	V	PRICES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SMWC	V	PRICES	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SMWC	V	PRICES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	PRICES	WARRANT	NUMBER	22	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	PRICES	LOW PRICE	NUMBER	22	N	The lowest price
SMWC	V	PRICES	HIGH PRICE	NUMBER	22	N	The highest price
SMWC	V	PRICES	AVG PRICE	NUMBER	22	N	The average price.
SMWC	V	PRICES	SITE VISIT FLAG	NUMBER	22	N	Indicates if this record is an Authorization Price or Site Visit Price
SMWC	V	PRICES FOOD	VFF ID	NUMBER	22	N	
SMWC	V	PRICES FOOD	VENDOR PRICE ID	NUMBER	22	N	
SMWC	V	PRICE AUDIT LOCATIONS	VENDOR TYPE CODE	VARCHAR2	2	N	
SMWC	V	PRICE AUDIT LOCATIONS	ID	NUMBER	22	N	The system generated unique identifier for the vendor price audit locations.
SMWC	V	PRICE AUDIT LOCATIONS	DESCRIPTION	VARCHAR2	20	N	The vendor price locations description.
SMWC	V	PRICE AUDIT LOCATIONS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SMWC	V	PRICE AUDIT LOCATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SMWC	V	PRICE AUDIT LOCATIONS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SMWC	V	PRICE AUDIT LOCATIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	PRICE AUDIT LOCATIONS	ACTIVE	NUMBER	22	Y	
SMWC	V	PRICE DETAIL	PRICE DETAIL ID	NUMBER	22	N	
SMWC	V	PRICE DETAIL	VV VENDOR ID	NUMBER	22	N	
SMWC	V	PRICE DETAIL	APP SEQ ID	NUMBER	22	N	
SMWC	V	PRICE DETAIL	VLPV VENDOR PRICE ID	NUMBER	22	N	
SMWC	V	PRICE DETAIL	DESCRIPTION	VARCHAR2	50	N	
SMWC	V	PRICE DETAIL	PRODUCT SIZE	NUMBER	22	N	
SMWC	V	PRICE DETAIL	UOM	VARCHAR2	5	N	
SMWC	V	PRICE DETAIL	PRICE	NUMBER	22	N	
SMWC	V	PRICE DETAIL	UNIT PRICE	NUMBER	22	N	
SMWC	V	PRICE DETAIL	DATE CREATED	DATE	7	N	
SMWC	V	PRICE DETAIL	CREATED BY	VARCHAR2	32	N	
SMWC	V	PRICE DETAIL	DATE MODIFIED	DATE	7	Y	
SMWC	V	PRICE DETAIL	MODIFIED BY	VARCHAR2	32	Y	
SMWC	V	PRICE DETAIL	SITE_VISIT_FLAG	NUMBER	22	N	
SMWC	V	PRICE TEST	PRICE	NUMBER	22	Y	
SMWC	V	PRICE TEST	SITE VISIT PRICE	NUMBER	22	Y	
SMWC	V	PRICE TEST	SUBCATDESC	VARCHAR2	30	Y	
SMWC	V	PRICE TEST	BRAND NAME	VARCHAR2	30	Y	
SMWC	V	PRICE TEST	DESCRIPTION	VARCHAR2	30	Y	
SMWC	V	PRICE TEST	VUI UPC CODE	VARCHAR2	30	Y	
SMWC	V	PRVS OWNER TYPES	ID	NUMBER	22	N	The system generated unique identifier for the previous owner.
SMWC	V	PRVS OWNER TYPES	DESCRIPTION	VARCHAR2	120	N	The description of previous owner.
SMWC	V	PRVS_OWNER_TYPES	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SMWC	V	PRVS_OWNER_TYPES	CREATED BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SMWC	V	PRVS_OWNER_TYPES	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SMWC	V	PRVS_OWNER_TYPES	MODIFIED BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SMWC	V	PRVS_OWNER_TYPES	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SMWC	V	RISK FACTORS	RF CODE	NUMBER	22	N	The system generated unique identifier.
SMWC	V	RISK FACTORS	DESCRIPTION	VARCHAR2	250	N	The description of the vendor risk factor.
SMWC	V	RISK FACTORS	WEIGHT FACTOR	NUMBER	22	N	The weight factor assigned to the retail vendor risk factor.
SMWC	V	RISK FACTORS	REPORT DESCRIPTION	VARCHAR2	10	Y	The description which appears for reporting.
SMWC	V	RISK_FACTORS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SMWC	V	RISK_FACTORS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SMWC	V	RISK_FACTORS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SMWC	V	RISK_FACTORS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	RISK_FACTORS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SMWC	V	RISK_FACTORS	FACTOR DESCRIPTION	VARCHAR2	250	Y	Common field for user notes or comments.
SMWC	V	RISK_FACTORS	FACTOR VALUE	NUMBER	22	Y	
SMWC	V	RISK_FACTORS	FC_COUNT_NEEDED	VARCHAR2	5	Y	
SMWC	V	RISK LEVELS	RISK LEVEL ID	NUMBER	8	N	The system generated unique identifier for the risk level.
SMWC	V	RISK LEVELS	DESCRIPTION	VARCHAR2	60	N	The description of the risk level.
SMWC	V	RISK LEVELS	DATE CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SMWC	V	RISK LEVELS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SMWC	V	RISK LEVELS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SMWC	V	RISK LEVELS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	RISK LEVELS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SMWC	V	SANCTIONS	ID	NUMBER	22	N	The system generated unique identifier for the vendor sanction.
SMWC	V	SANCTIONS	VLS_SANCTION_ID	NUMBER	22	N	The unique identifier for the sanction (V_LU_SANCTION_CODE).
SMWC	V	SANCTIONS	VV VENDOR ID	NUMBER	22	N	The unique identifier for the vendor (V_VENDORS).
SMWC	V	SANCTIONS	START DATE	DATE	7	Y	The start date of the sanction.
SMWC	V	SANCTIONS	END DATE	DATE	7	Y	The end date of the sanction.
SMWC	V	SANCTIONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SMWC	V	SANCTIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SMWC	V	SANCTIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SMWC	V	SANCTIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	SANCTIONS	ACTIVE	NUMBER	22	Y	Number indicator of whether (1) or not (0) fine points are applicable.
SMWC	V	SANCTIONS	VI_INVESTIGATION_ID	NUMBER	22	Y	The unique identifier of the investigation (V_INVESTIGATIONS).
SMWC	V	SANCTIONS	REF STAMPID DATE	DATE	7	Y	Date referred to food stamp program.
SMWC	V	SANCTIONS	VIC ID	NUMBER	22	Y	Foreign key reference to V_INVESTIGATION_CASE
SMWC	V	SANCTIONS	VLIST ID	NUMBER	22	Y	Foreign key reference to V_LU_SANCTION_TYPE
SMWC	V	SANCTIONS	VMC ID	NUMBER	22	Y	Foreign key reference to V_MONITORING_CASE
SMWC	V	SANCTIONS	REV CASE DESC	VARCHAR2	2000	Y	
SMWC	V	SCHEDULE EDUCATIONS	SCHEDULE ID	NUMBER	22	N	The system generated unique identifier for the vendor education schedule
SMWC	V	SCHEDULE EDUCATIONS	ET_ED_TRAINER	VARCHAR2	1	Y	The unique identifier of the trainer (V_EDUCATION_TRAINERS).
SMWC	V	SCHEDULE EDUCATIONS	ET_ED_COURSE CODE	VARCHAR2	2	Y	The unique identifier of the course (V_EDUCATION_COURSES).
SMWC	V	SCHEDULE EDUCATIONS	EDULOC ED LOCATION	VARCHAR2	4	N	The unique identifier of the location (V_EDUCATION_LOCATION).
SMWC	V	SCHEDULE EDUCATIONS	SCHEDULE DATE	DATE	7	Y	The scheduled date of a retail vendor education session.
SMWC	V	SCHEDULE EDUCATIONS	SCHEDULE TIME	DATE	7	Y	The scheduled time of day for a retail vendor education session.
SMWC	V	SCHEDULE EDUCATIONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SMWC	V	SCHEDULE EDUCATIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SMWC	V	SCHEDULE EDUCATIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SMWC	V	SCHEDULE EDUCATIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	SCHEDULE EDUCATIONS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SMWC	V	SCHEDULE EDUCATIONS	MAXIMUM SIZE	NUMBER	22	Y	Indicates the training class maximum size.
SMWC	V	SCHEDULE EDUCATIONS	CONTACT PERSON	VARCHAR2	60	Y	The name of the contact person.
SMWC	V	SCHEDULE EDUCATIONS	CONTACT PHONE	VARCHAR2	10	Y	The phone number of the contact person.
SMWC	V	SCHEDULE EDUCATIONS	OU_SEQ_ID	NUMBER	22	Y	The unique identifier of the organizational unit (O_ORGANIZATIONAL_UNITS).
SMWC	V	SCHEDULE EDUCATIONS	ET ED USER ID	NUMBER	22	Y	The unique identifier of the trainer (s vic user user id).
SMWC	V	SCHED STATUS CHANGE	VV VENDOR ID	NUMBER	22	N	The unique identifier for the vendor (V_VENDORS).
SMWC	V	SCHED STATUS CHANGE	VV STATUS CODE	NUMBER	22	N	The unique identifier of the vendor status (V_STATUSES).
SMWC	V	SCHED STATUS CHANGE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SMWC	V	SCHED STATUS CHANGE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SMWC	V	SCHED STATUS CHANGE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SMWC	V	SCHED STATUS CHANGE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	SCHED STATUS CHANGE	VLSR DENIAL REASON CODE	NUMBER	22	Y	The unique identifier of the EDD status reason (V_STATUS_REASON_CODE).
SMWC	V	SCHED STATUS CHANGE	DATE_EFFECTIVE	DATE	7	N	The effective date for the EDD status change.
SMWC	V	SITE PRICES FROM APL	VENDOR ID	VARCHAR2	1000	N	
SMWC	V	SITE PRICES FROM APL	VST ID	VARCHAR2	2000	Y	
SMWC	V	SITE PRICES FROM APL	VENDOR ID	VARCHAR2	1000	N	
SMWC	V	SITE PRICES FROM APL	VIC CODE	VARCHAR2	1000	N	
SMWC	V	SITE PRICES FROM APL	FOOD CODE	VARCHAR2	1000	N	
SMWC	V	SITE PRICES FROM APL	PRICE	VARCHAR2	1000	N	
SMWC	V	SITE PRICES FROM APL	STOCK	VARCHAR2	1000	N	
SMWC	V	SITE PRICES FROM APL	DATE_CREATED	DATE	7	Y	
SMWC	V	SITE PRICES FROM APL	CREATED BY	VARCHAR2	2000	Y	
SMWC	V	SITE PRICES FROM APL	DATE_MODIFIED	DATE	7	Y	
SMWC	V	SITE PRICES FROM APL	MODIFIED BY	VARCHAR2	2000	Y	
SMWC	V	SITE PRICES FROM APL	RECORD_PROCESSED	NUMBER	22	Y	
SMWC	V	SITE PRICES FROM APL	PROCESS RESULT	VARCHAR2	4000	Y	
SMWC	V	SITE PRICES FROM APL	HEADER INFO	VARCHAR2	4000	Y	
SMWC	V	SITE PRICES FROM APL	IPC STOCK MESSAGE	VARCHAR2	2000	Y	
SMWC	V	SITE VISIT FILE	ID	NUMBER	22	N	The unique identifier for the File
SMWC	V	SITE VISIT FILE	DESCRIPTION	VARCHAR2	2000	Y	The Description of the File
SMWC	V	SITE VISIT FILE	UPLOAD RESULT	VARCHAR2	2000	Y	The error message encountered during processing of the File
SMWC	V	SITE VISIT FILE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SMWC	V	SITE VISIT FILE	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SMWC	V	SITE VISIT FILE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SMWC	V	SITE VISIT FILE	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	SITE VISIT QUESTIONS	QUESTION ID	NUMBER	22	N	The unique identifier for the site visit question number.
SMWC	V	SITE VISIT QUESTIONS	DESCRIPTION	VARCHAR2	2000	Y	The description/text of the site visit question.
SMWC	V	SITE VISIT QUESTIONS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SMWC	V	SITE VISIT QUESTIONS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SMWC	V	SITE VISIT QUESTIONS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SMWC	V	SITE VISIT QUESTIONS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	SITE VISIT QUESTIONS	QUESTION TYPE	NUMBER	22	Y	The type of the question description.
SMWC	V	SITE VISIT RESPONSES	VQID ID	NUMBER	22	N	The unique identifier for the site visit question (V_SITE_VISIT_QUESTIONS).
SMWC	V	SITE VISIT RESPONSES	RESPONSE	VARCHAR2	22	Y	The text for the site visit question response.
SMWC	V	SITE VISIT RESPONSES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SMWC	V	SITE VISIT RESPONSES	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SMWC	V	SITE VISIT RESPONSES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SMWC	V	SITE VISIT RESPONSES	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	SITE VISIT RESPONSES	VSV VV ID	NUMBER	22	N	The unique identifier for the vendor (V_VENDORS/AUTHORIZATIONS).
SMWC	V	SITE VISIT RESPONSES	VSV_VA_APP_SEQ_ID	NUMBER	22	N	The sequence number for the vendor authorization (V_AUTHORIZATIONS).
SMWC	V	SITE VISIT RESPONSES	NOTE	VARCHAR2	2000	Y	Notes on the Site Visit
SMWC	V	SID NEW	ID	NUMBER	22	N	The system generated unique identifier for the vendor.
SMWC	V	SID NEW	COMPANY NAME	VARCHAR2	50	Y	The Name of the Company.
SMWC	V	SID NEW	OWNER NAME	VARCHAR2	200	Y	The Owners Name
SMWC	V	SID NEW	STREET1	VARCHAR2	200	Y	The first line of the vendor street address.
SMWC	V	SID NEW	STREET2	VARCHAR2	200	Y	The second line of the vendor street address.
SMWC	V	SID NEW	ZIP	VARCHAR2	4	Y	Zip Code Extension
SMWC	V	SID NEW	MAIL_STREET1	VARCHAR2	200	Y	The first line of the vendor mailing address.
SMWC	V	SID NEW	MAIL_STREET2	VARCHAR2	200	Y	The second line of the vendor mailing address.
SMWC	V	SID NEW	MAIL_ZIPEXT	VARCHAR2	4	Y	Mailing Zip Code Extension
SMWC	V	SID NEW	FED ID	VARCHAR2	10	Y	The Federal employer identification number of the vendor owner.
SMWC	V	SID NEW	FOOD_STAMP	VARCHAR2	10	Y	The vendor's food stamp number.
SMWC	V	SID NEW	SOCIAL_SEC	VARCHAR2	10	Y	The Social Security number of the owner.
SMWC	V	SID NEW	REGISTERS	NUMBER	22	Y	The number of registers used by the vendor.
SMWC	V	SID NEW	CUR_VEN	NUMBER	22	Y	Flag indicating if they are buying a store currently on WIC.
SMWC	V	SID NEW	CONTACT	VARCHAR2	200	Y	The contact person for this vendor.
SMWC	V	SID NEW	PHONE	VARCHAR2	10	Y	Phone of the Vendor.
SMWC	V	SID NEW	ISMAIL	VARCHAR2	200	Y	Email Address provided.
SMWC	V	SID NEW	VLSR ID	NUMBER	22	Y	Current Status of the Request 0 = Pending, 1 = Processed.
SMWC	V	SID NEW	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SMWC	V	SID NEW	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SMWC	V	SID NEW	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SMWC	V	SID NEW	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SMWC	V	SID NEW	PIN	VARCHAR2	8	Y	fl EXT VENDOR ID references to V_EXT_VENDORS
SMWC	V	SID NEW	EXT_VENDOR_ID	NUMBER	22	Y	
SMWC	V	SID NEW	SEGO GEO LOCATION ID STREET	NUMBER	22	Y	
SMWC	V	SID NEW	SEGO GEO LOCATION ID MAIL	NUMBER	22	Y	
SMWC	V	SID NEW	SAME_ADDRESS_FLAG	VARCHAR2	1	Y	
SMWC	V	SID NEW	STREET NUM	NUMBER	22	Y	Number address of the vendor

SWIC	V	SSD	NEW	STREET	SPK1	VARCHAR2	3	Y	Street Type [RD, Ave etc.]
SWIC	V	SSD	NEW	STREET	SPK2	VARCHAR2	3	Y	Street Sub Section [NW, NE etc.]
SWIC	V	SSD	NEW	MAIL	NUMA	NUMBER	22	Y	Number address of the vendor
SWIC	V	SSD	NEW	MAIL	SPK1	VARCHAR2	3	Y	Street Type [RD, Ave etc.]
SWIC	V	SSD	NEW	MAIL	SPK2	VARCHAR2	3	Y	Street Sub Section [NW, NE etc.]
SWIC	V	STATWIDE	AVGS	ULUC	CAT_CODE	VARCHAR2	2	N	Category code (V LU UPC_CATEGORIES)
SWIC	V	STATWIDE	AVGS	ULUS	SUB_CAT_CODE	VARCHAR2	3	N	Sub cat code (V LU UPC_SUB_CATEGORIES)
SWIC	V	STATWIDE	AVGS	AUG_PRICE		NUMBER	22	N	Average price for sub cat
SWIC	V	STATWIDE	AVGS	DATE_CREATED		DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	STATWIDE	AVGS	CREATED_BY		VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	STATWIDE	AVGS	DATE_MODIFIED		DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	V	STATWIDE	AVGS	MODIFIED_BY		VARCHAR2	32	Y	Common audit field for user id connected when the row was modified.
SWIC	V	STATWIDE	AVGS	MAX_PRICE		NUMBER	22	N	Max price for sub cat
SWIC	V	STATUSES		STATUS_CODE		NUMBER	22	N	The system generated unique identifier for the vendor status.
SWIC	V	STATUSES		DESCRIPTION		VARCHAR2	60	N	The description of the vendor status.
SWIC	V	STATUSES		R_REDEMPTION_FLAG		VARCHAR2	1	N	Indicates whether the vendor status allows food instrument redemp
SWIC	V	STATUSES		APPLICANT_FLAG		VARCHAR2	2	N	Indicates if status is applicable for an applicant
SWIC	V	STATUSES		VENDOR_FLAG		VARCHAR2	1	N	Indicates if status is applicable for an authorized vendor.
SWIC	V	STATUSES		DATE_CREATED		DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	STATUSES		DATE_MODIFIED		DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	STATUSES		MODIFIED_BY		VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	STATUSES		NOTE		VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V	STATUSES		SYSTEM		NUMBER	22	Y	UNUSED FOR MI WIC <ERO-Vendor>
SWIC	V	STATUSES		SORT_ORDER		NUMBER	22	Y	The sort order for status
SWIC	V	STATUSES_HISTORY		VV_VENDOR_ID		NUMBER	22	N	The unique identifier for the vendor (V VENDORS/AUTHORIZATIONS).
SWIC	V	STATUSES_HISTORY		AUTH_SEQ_ID		NUMBER	22	Y	The sequence number for the vendor authorization (V AUTHORIZATIONS).
SWIC	V	STATUSES_HISTORY		VS_STATUS_CODE		NUMBER	22	Y	The unique identifier of the vendor status (V STATUSES).
SWIC	V	STATUSES_HISTORY		REASON		NUMBER	22	Y	The unique identifier for the status reason (V LU STATUS_REASON).
SWIC	V	STATUSES_HISTORY		DATE_CREATED		DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	STATUSES_HISTORY		CREATED_BY		VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	STATUSES_HISTORY		DATE_MODIFIED		DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	STATUSES_HISTORY		MODIFIED_BY		VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	STATUSES_HISTORY		STATUS_HISTORY_ID		NUMBER	22	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	STATUSES_HISTORY		DATE_EFFECTIVE		DATE	7	Y	Primary Key
SWIC	V	STATUSES_HISTORY		CONTRACT_START_DATE		DATE	7	Y	Effective date for the status change
SWIC	V	STATUSES_HISTORY		CONTRACT_END_DATE		DATE	7	Y	
SWIC	V	STATUSES_HISTORY		SERIAL_DATE		DATE	7	Y	
SWIC	V	STATUSES_HISTORY		TERMINATION_DATE		DATE	7	Y	
SWIC	V	STOCK		ID		NUMBER	22	N	The unique identifier for the stock requirement.
SWIC	V	STOCK		CATEGORY		VARCHAR2	60	N	The food category
SWIC	V	STOCK		TYPE		VARCHAR2	2000	N	The type or package.
SWIC	V	STOCK		QUANTITY		NUMBER	280	N	The quantity to meet minimum stock requirements.
SWIC	V	STOCK		HIGHEST_PRICE		NUMBER	22	N	Common audit field for date time stamp when the row was created.
SWIC	V	STOCK		DATE_CREATED		DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	STOCK		CREATED_BY		VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	STOCK		DATE_MODIFIED		DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	STOCK		MODIFIED_BY		VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	STOCK		LARGE_STORE		NUMBER	22	Y	
SWIC	V	STOCK		VV_VENDOR_TYPE_CODE		VARCHAR2	1	N	The unique identifier of the vendor type (V LU VENDOR_TYPE_CODES).
SWIC	V	STOCK		SORT_ORDER		NUMBER	22	N	
SWIC	V	STOCK_COMPARISON_APP		VV_VENDOR_ID		NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V	STOCK_COMPARISON_APP		AUTH_SEQ_ID		NUMBER	22	N	The sequence number for the vendor authorization (V AUTHORIZATIONS).
SWIC	V	STOCK_COMPARISON_APP		HIGHEST_PRICE		NUMBER	22	N	The highest price for the food item for specific category for specific vendor.
SWIC	V	STOCK_COMPARISON_APP		LOWEST_PRICE		NUMBER	22	N	The lowest price for the food item for specific category for specific vendor.
SWIC	V	STOCK_COMPARISON_APP		YLSR_ID		NUMBER	22	N	The unique id for standard food package comparison application.
SWIC	V	STOCK_COMPARISON_APP		FOOD_ITEM_COUNT		NUMBER	22	N	The count of a food item.
SWIC	V	STOCK_COMPARISON_APP		DATE_CREATED		DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	STOCK_COMPARISON_APP		CREATED_BY		VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	STOCK_COMPARISON_APP		DATE_MODIFIED		DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	STOCK_COMPARISON_APP		MODIFIED_BY		VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	STOCK_COMPARISON_APP		DATE_VERIFIED		DATE	7	Y	Audit field for user id who clicked the verify button.
SWIC	V	STOCK_COMPARISON_APP		DATE_VERIFIED		DATE	7	Y	Audit field for date time stamp when the row was verified.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		VV_VENDOR_ID		NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V	STOCK_COMPARISON_SITE_VISIT		AUTH_SEQ_ID		NUMBER	22	N	The sequence number for the vendor authorization (V AUTHORIZATIONS).
SWIC	V	STOCK_COMPARISON_SITE_VISIT		HIGHEST_PRICE		NUMBER	22	N	The highest price for the food item for specific category for specific vendor.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		LOWEST_PRICE		NUMBER	22	N	The lowest price for the food item for specific category for specific vendor.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		FOOD_ITEM_COUNT		NUMBER	22	N	The unique id for standard food package comparison application.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		FOOD_ITEM_COUNT		NUMBER	22	N	The count of a food item.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		DATE_CREATED		DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		DATE_CREATED		DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		DATE_MODIFIED		DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		DATE_MODIFIED		DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		MODIFIED_BY		VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		MODIFIED_BY		VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		DATE_VERIFIED		DATE	7	Y	Audit field for date time stamp when the row was verified.
SWIC	V	STOCK_COMPARISON_SITE_VISIT		DATE_VERIFIED		DATE	7	Y	Audit field for date time stamp when the row was verified.
SWIC	V	STOCK_UPC_CATEGORY		ID		NUMBER	22	N	Category id from a stock table.
SWIC	V	STOCK_UPC_CATEGORY		CAT_CODE		VARCHAR2	2	N	Category Code of the food item.
SWIC	V	STOCK_UPC_CATEGORY		DATE_CREATED		DATE	7	N	Common audit field for date time stamp when the row was created
SWIC	V	STOCK_UPC_CATEGORY		CREATED_BY		VARCHAR2	32	N	Common audit field for user id connected when the row was created
SWIC	V	STOCK_UPC_CATEGORY		DATE_MODIFIED		DATE	7	Y	Common audit field for date time stamp when the row was last modified
SWIC	V	STOCK_UPC_CATEGORY		MODIFIED_BY		VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	STOCK_VENDORS		STOCK_ID		NUMBER	22	N	The unique identifier for the stock requirement (V STOCK).
SWIC	V	STOCK_VENDORS		VV_VENDOR_ID		NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V	STOCK_VENDORS		RESPONSE		NUMBER	22	Y	Indicates whether sufficient stock exists (0-No, 1=Yes).
SWIC	V	STOCK_VENDORS		DATE_CREATED		DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	STOCK_VENDORS		CREATED_BY		VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	STOCK_VENDORS		DATE_MODIFIED		DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	STOCK_VENDORS		MODIFIED_BY		VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	STOCK_VENDORS		APP_SEQ_ID		NUMBER	22	N	The numeric sequence number for a vendor authorization (V AUTHORIZATIONS).
SWIC	V	STOCK_VENDORS		APPLICATION_RESPONSE		NUMBER	22	Y	Vendor Application Response (0-No, 1=Yes).
SWIC	V	STOCK_VENDORS		FIRST_VISIT_RESPONSE		NUMBER	22	Y	Vendor Met Minimum Quantity From First Visit (0-No, 1=Yes).
SWIC	V	STOCK_VENDORS		FIRST_VISIT_QUANTITY		NUMBER	22	Y	Vendor First Visit Quantity.
SWIC	V	STOCK_VENDORS		SECOND_VISIT_RESPONSE		NUMBER	22	Y	Vendor Met Minimum Quantity From Second Visit (0-No, 1=Yes).
SWIC	V	STOCK_VENDORS		SECOND_VISIT_QUANTITY		NUMBER	22	Y	Vendor Second Visit Quantity.
SWIC	V	STOCK_VENDORS		THIRD_VISIT_RESPONSE		NUMBER	22	Y	Vendor Met Minimum Quantity From Third Visit (0-No, 1=Yes).
SWIC	V	STOCK_VENDORS		THIRD_VISIT_QUANTITY		NUMBER	22	Y	Vendor Third Visit Quantity.
SWIC	V	STOREDETAIL_QUESTIONS		QUESTION_ID		NUMBER	22	N	The unique identifier for the store details question.
SWIC	V	STOREDETAIL_QUESTIONS		DESCRIPTION		VARCHAR2	2000	Y	The text or description of the store details question.
SWIC	V	STOREDETAIL_QUESTIONS		DATE_CREATED		DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	STOREDETAIL_QUESTIONS		CREATED_BY		VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	STOREDETAIL_QUESTIONS		DATE_MODIFIED		DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	STOREDETAIL_QUESTIONS		MODIFIED_BY		VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	STOREDETAIL_QUESTIONS		GROUP_ID		NUMBER	22	Y	Groups the questions into a single group so it can be selected easier.
SWIC	V	STORE_DETAIL_RESPONSES		YLSR_ID		NUMBER	22	N	The unique identifier for the store detail question (V_STOREDETAIL_QUESTIONS).
SWIC	V	STORE_DETAIL_RESPONSES		RESPONSE		NUMBER	22	Y	The text for the store detail question response.
SWIC	V	STORE_DETAIL_RESPONSES		DATE_CREATED		DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V	STORE_DETAIL_RESPONSES		CREATED_BY		VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V	STORE_DETAIL_RESPONSES		DATE_MODIFIED		DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V	STORE_DETAIL_RESPONSES		MODIFIED_BY		VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V	STORE_DETAIL_RESPONSES		VV_VENDOR_ID		NUMBER	22	N	The unique identifier for the vendor (V VENDORS/AUTHORIZATIONS).
SWIC	V	STORE_DETAIL_RESPONSES		NOTES		VARCHAR2	2000	Y	Notes about the store detail response.
SWIC	V	TIP_OVERRIDE		FISCAL_YEAR		VARCHAR2	4	Y	
SWIC	V	TIP_OVERRIDE		VENDOR_ID		NUMBER	12	Y	
SWIC	V	TIP_OVERRIDE		NEW_VENDOR		VARCHAR2	1	Y	
SWIC	V	TIP_OVERRIDE		TRAINING		VARCHAR2	1	Y	
SWIC	V	TIP_OVERRIDE		TYPE_OF_VENDOR		VARCHAR2	1	Y	
SWIC	V	TIP_OVERRIDE		RISK DESIGNATION		VARCHAR2	1	Y	
SWIC	V	TIP_OVERRIDE		RIS NUMBER		VARCHAR2	7	Y	
SWIC	V	TIP_OVERRIDE		VENDOR NAME		NUMBER	50	Y	
SWIC	V	TIP_OVERRIDE		VENDOR_STREET_NUMBER		NUMBER	8	Y	
SWIC	V	TIP_OVERRIDE		VENDOR STREET NAME		NUMBER	40	Y	
SWIC	V	TIP_OVERRIDE		VENDOR ADDITIONAL ADDRESS		NUMBER	40	Y	
SWIC	V	TIP_OVERRIDE		VENDOR CITY		NUMBER	30	Y	
SWIC	V	TIP_OVERRIDE		VENDOR STATE		NUMBER	2	Y	
SWIC	V	TIP_OVERRIDE		VENDOR ZIP		NUMBER	5	Y	
SWIC	V	TIP_OVERRIDE		VENDOR ZIP PLUS 4		NUMBER	4	Y	
SWIC	V	TIP_OVERRIDE		ANNUAL WVD REDEMPTIONS		NUMBER	15	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION MONTHS		NUMBER	2	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_A		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_B		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_C		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_D		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_E		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_F		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_G		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_H		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_I		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_J		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_K		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_L		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_M		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_N		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_O		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_P		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_Q		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_R		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_S		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_T		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_U		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_V		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_W		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_X		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_Y		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REDEMPTION_INDICATORS_Z		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		NUMBER OF MONITORING VIS		NUMBER	2	Y	
SWIC	V	TIP_OVERRIDE		COMPLIANCE INVESTIGATIONS		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		OTHER INVESTIGATIONS		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		NUMBER OF COMPLIANCE BUYS		NUMBER	2	Y	
SWIC	V	TIP_OVERRIDE		NUMBER OF INVENTORY AUDIT		NUMBER	2	Y	
SWIC	V	TIP_OVERRIDE		REASON FOR SANCTION T		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REASON FOR SANCTION A		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REASON FOR SANCTION I		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REASON FOR SANCTION O		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REASON FOR SANCTION R		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REASON FOR SANCTION F		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REASON FOR SANCTION C		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REASON FOR SANCTION U		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		REASON FOR SANCTION P		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		TYPE OF SANCTION D		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		TYPE OF SANCTION C		NUMBER	1	Y	
SWIC	V	TIP_OVERRIDE		TYPE OF SANCTION F					

SWIC	V TIP OVERRIDE	STATE AGENCY VIOLATION	VARCHAR2	1	Y	
SWIC	V TIP OVERRIDE	AGENCY CODE	VARCHAR2	2	Y	
SWIC	V TIP REPORT REDEMPTIONS	FISCAL YEAR	CHAR	4	Y	
SWIC	V TIP REPORT REDEMPTIONS	VV VENDOR NUMBER	VARCHAR2	6	Y	
SWIC	V TIP REPORT REDEMPTIONS	REDEMPTION AMT	NUMBER	22	Y	
SWIC	V TIP REPORT REDEMPTIONS	DATE CREATED	DATE	7	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS S	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS T	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS U	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS V	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS W	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS X	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	NUMBER OF MONITORING VIS	VARCHAR2	2	Y	
SWIC	V TIP RPT DATA	COMPLIANCE INVESTIGATIONS	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	OTHER INVESTIGATIONS	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	NUMBER OF COMPLIANCE BUYS	VARCHAR2	2	Y	
SWIC	V TIP RPT DATA	NUMBER OF INVENTORY AUDIT	VARCHAR2	2	Y	
SWIC	V TIP RPT DATA	REASON FOR SANCTION T	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REASON FOR SANCTION A	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REASON FOR SANCTION I	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REASON FOR SANCTION O	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REASON FOR SANCTION R	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REASON FOR SANCTION F	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REASON FOR SANCTION C	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REASON FOR SANCTION U	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REASON FOR SANCTION PSP	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	TYPE OF SANCTION C	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	TYPE OF SANCTION F	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	TYPE OF SANCTION S	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	TYPE OF SANCTION N W	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	ADMINISTRATIVE REVIEWS	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	VENDOR AGREEMENT	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	DATE REFERRED TO PSP	VARCHAR2	8	Y	
SWIC	V TIP RPT DATA	STATE AGENCY VIOLATION	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	AGENCY CODE	VARCHAR2	2	Y	
SWIC	V TIP RPT DATA	FISCAL YEAR	VARCHAR2	4	Y	
SWIC	V TIP RPT DATA	VENDOR ID	VARCHAR2	12	Y	
SWIC	V TIP RPT DATA	NEW VENDOR	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	TRAINING	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	TYPE OF VENDOR	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	RISK DESIGNATION	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	FIS NUMBER	VARCHAR2	7	Y	
SWIC	V TIP RPT DATA	VENDOR NAME	VARCHAR2	60	Y	
SWIC	V TIP RPT DATA	VENDOR STREET NUMBER	VARCHAR2	8	Y	
SWIC	V TIP RPT DATA	VENDOR STREET NAME	VARCHAR2	40	Y	
SWIC	V TIP RPT DATA	VENDOR ADDITIONAL_ADDRESS	VARCHAR2	40	Y	
SWIC	V TIP RPT DATA	VENDOR CITY	VARCHAR2	30	Y	
SWIC	V TIP RPT DATA	VENDOR STATE	VARCHAR2	2	Y	
SWIC	V TIP RPT DATA	VENDOR ZIP	VARCHAR2	5	Y	
SWIC	V TIP RPT DATA	VENDOR ZIP PLUS 4	VARCHAR2	4	Y	
SWIC	V TIP RPT DATA	ANNUAL WVD REDEMPTIONS	VARCHAR2	15	Y	
SWIC	V TIP RPT DATA	REDEMPTION MONTHS	VARCHAR2	2	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS A	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS B	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS C	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS D	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS E	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS F	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS G	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS H	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS I	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS J	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS K	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS L	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS M	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS Q	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS O	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS P	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS R	VARCHAR2	1	Y	
SWIC	V TIP RPT DATA	REDEMPTION INDICATORS S	VARCHAR2	1	Y	
SWIC	V TYPE CYCLE	VLVTC TYPE CODE	VARCHAR2	1	N	The unique identifier of the vendor type.
SWIC	V TYPE CYCLE	VLVTC CYCLE ID	NUMBER	22	N	The system generated unique id for the vendor cycle.
SWIC	V TYPE CYCLE	DATE CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	V TYPE CYCLE	CREATED BY	NVARCHAR2	120	N	Common audit field for date time stamp when the row was created.
SWIC	V TYPE CYCLE	DATE MODIFIED	DATE	7	N	Common audit field for user id connected when the row was last modified.
SWIC	V TYPE CYCLE	MODIFIED BY	NVARCHAR2	60	N	Common audit field for date time stamp when the row was last modified.
SWIC	V UPC CODE DESC	DESCRIPTION	VARCHAR2	14	N	
SWIC	V UPC CODE DESC	ID	VARCHAR2	266	Y	
SWIC	V UPC DESC FOR AUDIT REPORT	ID	VARCHAR2	14	N	
SWIC	V UPC DESC FOR AUDIT REPORT	DESCRIPTION	VARCHAR2	266	Y	
SWIC	V UPC ITEMS	SIUM UNIT OF MEASURE CODE	VARCHAR2	5	Y	The unique identifier for the unit of measure (U) (UNITS OF MEASURE).
SWIC	V UPC ITEMS	PACKAGE SIZE	NUMBER	22	N	The unit size.
SWIC	V UPC ITEMS	VLUM MANUFACTURER CODE	VARCHAR2	7	Y	The vendor manufacturer code.
SWIC	V UPC ITEMS	VLVLC CATEGORY CODE	VARCHAR2	2	N	The UPC category (V LU UPC CATEGORY/V LU UPC SUBCAT)
SWIC	V UPC ITEMS	EFFECTIVE DATE	DATE	7	Y	The effective date of the UPC.
SWIC	V UPC ITEMS	FOOD DESC	VARCHAR2	266	Y	The food description associated with the UPC.
SWIC	V UPC ITEMS	DATE CREATED	DATE	7	N	Common audit field for user id connected when the row was created.
SWIC	V UPC ITEMS	CREATED BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V UPC ITEMS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V UPC ITEMS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V UPC ITEMS	VLUS SUB CAT CODE	VARCHAR2	3	N	The UPC sub-category (V LU UPC SUBCAT).
SWIC	V UPC ITEMS	PLU INDICATOR	NUMBER	22	Y	Indicates if this code is a PLU (0-No, 1=Yes).
SWIC	V UPC ITEMS	DEACTIVATED	NUMBER	22	Y	Indicates if this code is deactivated (0-No, 1=Yes).
SWIC	V UPC ITEMS	BRAND NAME	VARCHAR2	100	Y	The product brand name.
SWIC	V UPC ITEMS	VLDR REASON CODE	VARCHAR2	2	Y	The unique identifier of the deactivate reason (V LU UPC DEACTIVATE REASONS).
SWIC	V UPC ITEMS	AUTHORIZED	NUMBER	22	Y	Indicates if this code is for an authorized WFC food.
SWIC	V UPC ITEMS	AUTH DATE	DATE	7	Y	Indicates the authorization date.
SWIC	V UPC ITEMS	VLUP PACKAGE CODE	VARCHAR2	2	Y	The unique identifier of the package code (V LU UPC PACKAGE TYPES).
SWIC	V UPC ITEMS	PROD DESC	VARCHAR2	266	N	The detailed product description.
SWIC	V UPC ITEMS	UPC FORMAT	NUMBER	22	Y	Format type of the UPC Code.
SWIC	V UPC ITEMS	KUPS PACKAGE SIZE CODE	VARCHAR2	5	Y	Size of the Package.
SWIC	V UPC ITEMS	UPC CODE	VARCHAR2	14	N	Universal product code.
SWIC	V UPC ITEMS	MANUAL AUTHORIZATION	NUMBER	22	Y	Manual Authorization of the UPC.
SWIC	V UPC ITEMS	CONTRACT ITEM	NUMBER	22	Y	Indicates if this food is covered by a rebate contract (0-No, 1=Yes).
SWIC	V UPC ITEMS	EXCHANGE SIZE	NUMBER	22	Y	Exchange Size
SWIC	V UPC ITEMS	DEACTIVATION DATE	DATE	7	Y	Deactivation Date
SWIC	V UPC ITEMS	MANUAL AUTHORIZATION	NUMBER	22	Y	Manual Authorization
SWIC	V UPC ITEMS	BROADBAND FLAG	NUMBER	22	Y	Broad Band Flag.
SWIC	V UPC ITEMS	HIGH PRICE INDICATOR FLAG	NUMBER	22	Y	
SWIC	V UPC SUBCAT RD	VLVLC CAT CODE	VARCHAR2	2	N	The unique identifier for the UPC category (PK from V LU UPC CATEGORIES) (PK to V LU UPC SUBCAT)
SWIC	V UPC SUBCAT RD	SUB CAT CODE	VARCHAR2	3	N	The unique category code (PK to C CATEGORIES) (PK/3/3)
SWIC	V UPC SUBCAT RD	CC CATEGORY CODE	VARCHAR2	3	N	The unique category code (PK to C CATEGORIES) (PK/3/3)
SWIC	V UPC SUBCAT RD	EXPIRATION DT REQUIRED FLAG	NUMBER	22	Y	Expiration date required for required flag.
SWIC	V UPC SUBCAT RD	NO APPROVAL REQUIRED FLAG	NUMBER	22	Y	Registered dietitian approval required flag.
SWIC	V UPC SUBCAT RD	DATE CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	V UPC SUBCAT RD	CREATED BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	V UPC SUBCAT RD	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	V UPC SUBCAT RD	MODIFIED BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	V VENDORS	PRIOR LIASON ID	VARCHAR2	32	Y	
SWIC	V VENDORS	MAIN	NVARCHAR2	2	Y	Project fresh main value.
SWIC	V VENDORS	SEGD GEO LOCATION ID RES	NUMBER	22	Y	The system generated unique identifier for resident city/state/zip (S GEO LOCATION).
SWIC	V VENDORS	MAILING STATE	VARCHAR2	60	Y	Mailing State of the Vendor.
SWIC	V VENDORS	MAILING_ZIPS	VARCHAR2	5	Y	Mailing Zip Code of the Vendor.
SWIC	V VENDORS	STREET STATE	VARCHAR2	60	Y	Street State of the Vendor.
SWIC	V VENDORS	STREET_ZIPS	VARCHAR2	4	Y	Street Zip Code of the Vendor.
SWIC	V VENDORS	SC_MAILING_COUNTY_CODE	VARCHAR2	3	Y	Vendor Mailing County Code
SWIC	V VENDORS	VEN_VPS ID	NUMBER	22	Y	Foreign key to the formula supplier table (v formula supplier).
SWIC	V VENDORS	SNAP SALES	NUMBER	22	Y	Dollar amount associated with SNAP sales
SWIC	V VENDORS	SQUARE POPULATION DENSITY	NUMBER	22	Y	Population density per square foot
SWIC	V VENDORS	STORE PHONE NUMBER	VARCHAR2	10	Y	The store's phone number (IN modification from using v vendor phones table).
SWIC	V VENDORS	TOTAL HOURS PER WEEK	NUMBER	22	Y	The store's total number of hours per week
SWIC	V VENDORS	VPS FOOD SUPPLIER ID	NUMBER	22	Y	Foreign key to the food supplier table (v food supplier).
SWIC	V VENDORS	ANNUAL_NON_FOOD_SALES	NUMBER	22	Y	Dollar amount associated with sale of non-food items
SWIC	V VENDORS	REGISTER TYPE	NUMBER	22	Y	Type of register vendor uses
SWIC	V VENDORS	REMOVED PRIOR LIASON DATE	DATE	7	Y	
SWIC	V VENDORS	STATE PROVIDED SCANNER	NUMBER	22	Y	1 = TRUE, 0 = FALSE
SWIC	V VENDORS	CONTACT FIRST NAME	VARCHAR2	100	Y	The first name of the vendor contact.
SWIC	V VENDORS	CONTACT MI	VARCHAR2	1	Y	The (first) middle initial of the vendor contact.
SWIC	V VENDORS	FS_AUTH DATE	DATE	7	Y	The date of the vendor food stamp authorization.
SWIC	V VENDORS	SAI STAFF MEMBER ID OUT	NUMBER	22	Y	The unique identifier for the staff member (O STAFF MEMBERS).
SWIC	V VENDORS	SCP CONTACT TITLE CODE	VARCHAR2	2	Y	The unique code for contact title (C CONTACT TITLES).
SWIC	V VENDORS	SEGD GEO_LOCATION_ID	NUMBER	22	Y	The system generated unique identifier for city/state/zip (S GEO_LOCATIONS).
SWIC	V VENDORS	STREET_ZIP3	VARCHAR2	4	Y	The zip code extension of the vendor street address.
SWIC	V VENDORS	STREET ADDRESS2	VARCHAR2	60	Y	The second line of the vendor street address.
SWIC	V VENDORS	SQUARE FOOTAGE RETAIL	NUMBER	22	Y	The space the vendor has devoted to retail sales.
SWIC	V VENDORS	SQUARE FOOTAGE STORAGE	NUMBER	22	Y	The space the vendor has devoted to wholesale sales.
SWIC	V VENDORS	ANNUAL FOOD SALES	NUMBER	22	Y	The amount of the vendor annual food sales.
SWIC	V VENDORS	ANNUAL GROSS SALES	NUMBER	22	Y	The amount of the vendor annual gross sales.
SWIC	V VENDORS	NUMBER OF REGISTERS	NUMBER	22	Y	The number of registers used by the vendor.
SWIC	V VENDORS	NUMBER OF POS TERMINALS	NUMBER	22	Y	The number of Point-of-Sale terminals used by the vendor.
SWIC	V VENDORS	LIABILITY_INS_EXP_DATE	DATE	7	Y	The effective date of the vendor liability insurance.
SWIC	V VENDORS	LIABILITY_INS_SOP_DATE	DATE	7	Y	The expiration date of the vendor liability insurance.
SWIC	V VENDORS	LIABILITY_INS_COVERAGE	NUMBER	22	Y	The value of liability insurance coverage (in US dollars).
SWIC	V VENDORS	SPENDING DATE	DATE	7	Y	The date the vendor opens to the public.
SWIC	V VENDORS	FS SALES	NUMBER	22	Y	The amount of food stamp sales the vendor has.
SWIC	V VENDORS	STATE SALES TAX ID	VARCHAR2	10	Y	The retail vendor outlet state-assigned sales tax ID number.
SWIC	V VENDORS	CTI CONTRACT TYPE CODE	VARCHAR2	3	Y	The system generated unique identifier for contract type (S LU CONTRACT TYPES).
SWIC	V VENDORS	VO_CROWN_ID	VARCHAR2	10	Y	The system generated unique identifier.
SWIC	V VENDORS	VEE PEER GROUP ID	NUMBER	22	Y	The unique identifier for the vendor peer group (V PEER GROUPS).
SWIC	V VENDORS	VVF VENDOR TYPE CODE	VARCHAR2	1	Y	The unique identifier of the vendor type (V VENDOR TYPE CODES).
SWIC	V VENDORS	VLRF VLR SID NO	NUMBER	22	Y	The system generated unique identifier of the legal representative (V LEGAL REP FIRMS).
SWIC	V VENDORS	VLRF VLR FIRM ID	NUMBER	22	Y	The unique identifier of the legal firm (V LEGAL REP FIRMS).
SWIC	V VENDORS	VWFO OFFICE CODE	VARCHAR2	5	Y	Demand to store v-ops code.
SWIC	V VENDORS	NO OF SCANNERS	NUMBER	22	Y	The number of scanners the vendor has.
SWIC	V VENDORS	WVC FOODS SCANNERS	NUMBER	22	Y	The number of scanners for WVC foods that the vendor has.
SWIC	V VENDORS	CONFLICT OF INTEREST FLAG	VARCHAR2	1	Y	Indicates whether the vendor has a conflict of interest.
SWIC	V VENDORS	ALCOHOL_TOBACCO_FLAG	VARCHAR2	1	Y	Indicates if vendor sells alcohol or tobacco.
SWIC	V VENDORS	DATE MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V VENDORS	MODIFIED BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V VENDORS	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V VENDORS	REAUTHORIZATION IN PROC FLAG	NUMBER	22	Y	Indicates if vendor reauthorization is in progress (0-No, 1=Yes).

SWIC	V VENDORS	FS AUTH ID NUMBER	VARCHAR2	7 Y	UNUSED FOR MI-WIC
SWIC	V VENDORS	FS AUTH ID	VARCHAR2	7 Y	The vendor food stamp authorization ID.
SWIC	V VENDORS	MALLING CITY	VARCHAR2	80 Y	Mailing City of the Vendor.
SWIC	V VENDORS	STREET CITY	VARCHAR2	80 Y	Street City of the Vendor.
SWIC	V VENDORS	FOOD EST LICENSE NUMBER	VARCHAR2	10 Y	The vendor's Food establishment license number.
SWIC	V VENDORS	FOOD STAMP NUMBER	VARCHAR2	9 Y	The vendor's food stamp number.
SWIC	V VENDORS	MALLING CONTACT	VARCHAR2	100 Y	The vendor's mailing contact person.
SWIC	V VENDORS	SAME ADDRESS FLAG	VARCHAR2	1 Y	The vendor's same address flag.
SWIC	V VENDORS	FEDERAL EIN	VARCHAR2	9 Y	The Federal employer identification number of the vendor owner.
SWIC	V VENDORS	OU SEQ ID	NUMBER	22 Y	The associate clinic/local agency (D ORGANIZATIONAL UNITS).
SWIC	V VENDORS	ACTIVE STATUS	NUMBER	22 Y	UNUSED FOR MI-WIC.
SWIC	V VENDORS	VLSDR DENIAL CODE	NUMBER	22 Y	Vendor denial reason code (V LU STATUS REASON).
SWIC	V VENDORS	SC STREET COUNTY CODE	VARCHAR2	3 Y	Vendor Street County Code
SWIC	V VENDORS	VIOLATION BYPASS FLAG	VARCHAR2	2 Y	Indicates violation issue/bypass flag (0=No, 1=Yes)
SWIC	V VENDORS	NUMBER OF FARMERS	NUMBER	22 Y	Number of farmers represented per Market Master
SWIC	V VENDORS	VENDOR EMAIL	VARCHAR2	100 Y	E-mail address for vendor.
SWIC	V VENDORS	PHARM LIC NUM	NUMBER	22 Y	NY Pharmacist license number
SWIC	V VENDORS	PHARM LIC DATE	DATE	7 Y	NY Pharmacist license date
SWIC	V VENDORS	SALES TAX NUMBER	VARCHAR2	9 Y	The sales tax number for the owner.
SWIC	V VENDORS	PROVIDES KOSHER	NUMBER	22 Y	1 = TRUE, 0 = FALSE
SWIC	V VENDORS	VMA ID	NUMBER	22 Y	Fk to V LU VMA
SWIC	V VENDORS	MALLING NUM	VARCHAR2	50 Y	Mailing number address of the vendor
SWIC	V VENDORS	STREET NUM	VARCHAR2	50 Y	Number address of the vendor
SWIC	V VENDORS	APPLICATION TYPE	NUMBER	22 Y	The type of application the vendor has submitted
SWIC	V VENDORS	SALES SOFT FROM WIC	NUMBER	22 Y	50% or More Food Sales from WIC?
SWIC	V VENDORS	SELLS ALCOHOL	NUMBER	22 Y	Sells Alcoholic Beverages?
SWIC	V VENDORS	S FRANCHISE	NUMBER	22 Y	If true then Vendor is a Franchise
SWIC	V VENDORS	LAST AGR MARKET INSP	DATE	7 Y	Last NY AG and Markets Inspection
SWIC	V VENDORS	SELLS LOTTERY	NUMBER	22 Y	Sells Lottery Tickets?
SWIC	V VENDORS	NUM EMPLOYEES	NUMBER	22 Y	Required text field for No. of Employees
SWIC	V VENDORS	OPEN 24 7	NUMBER	22 Y	Specific hours of operations
SWIC	V VENDORS	THIRDPARTY PROCESSOR	NUMBER	22 Y	When Third Party Processor is being used for registers
SWIC	V VENDORS	FIRST NAME REPORTER BUS TAX	VARCHAR2	30 Y	First name of the individual whose SSN is used to report business taxes
SWIC	V VENDORS	LAST_NAME_REPORTER_BUS_TAX	VARCHAR2	30 Y	Last name of the individual whose SSN is used to report business taxes
SWIC	V VENDORS	FEEDS 12MONTH BUS TAX REGS	NUMBER	22 Y	Business tax records for previous 12 months.
SWIC	V VENDORS	MAIL OUT OF STATE FLAG	NUMBER	22 Y	Indicates out of state mailing address.
SWIC	V VENDORS	MAIL OUT OF STATE CITY	VARCHAR2	60 Y	The state line of out of state mailing address.
SWIC	V VENDORS	MAIL OUT OF STATE STATE	NUMBER	22 Y	Out of state zip code for mailing address.
SWIC	V VENDORS	STREET OUT OF STATE FLAG	NUMBER	22 Y	Indicates out of state street address.
SWIC	V VENDORS	STREET OUT OF STATE CITY	VARCHAR2	60 Y	The city line of out of state street address.
SWIC	V VENDORS	STREET OUT OF STATE STATE	VARCHAR2	60 Y	The state line of out of state street address.
SWIC	V VENDORS	STREET_OUT_OF_STATE_ZIP	NUMBER	22 Y	Out of state zip code for street address.
SWIC	V VENDORS	ID	NUMBER	22 N	The system generated unique identifier for the vendor.
SWIC	V VENDORS	VENDOR NAME	VARCHAR2	35 N	The name of the vendor.
SWIC	V VENDORS	MALLING_ADDRESS1	VARCHAR2	60 Y	The first line of the vendor mailing address.
SWIC	V VENDORS	RL_RISK_LEVEL_ID	VARCHAR2	8 Y	The system generated unique identifier.
SWIC	V VENDORS	STREET_ADDRESS1	VARCHAR2	60 Y	The first line of the vendor street address.
SWIC	V VENDORS	COMPLETE_FLAG	VARCHAR2	1 N	Indicates whether the vendor record is complete.
SWIC	V VENDORS	ACT_EST_FLAG	NUMBER	22 Y	Indicates whether sales info is actual or estimated.
SWIC	V VENDORS	FS_HIGH_RISK_FLAG	NUMBER	22 Y	Indicates whether the vendor is high risk with regard to food stamp program.
SWIC	V VENDORS	SEGO GEO LOCATION ID MAILED	NUMBER	22 Y	The system generated unique identifier for the mailing address city/state/zip (S GEO LOCATIONS).
SWIC	V VENDORS	VS STATUS CODE	NUMBER	22 Y	The system generated unique identifier for the vendor status (V STATUSES).
SWIC	V VENDORS	DATE CREATED	DATE	7 N	Common audit field for date time stamp when the row was created.
SWIC	V VENDORS	CREATED BY	VARCHAR2	32 N	The vendor WIC-assigned ID code.
SWIC	V VENDORS	VENDOR NUMBER	VARCHAR2	7 Y	The vendor WIC-assigned ID code.
SWIC	V VENDORS	APPLICANT ID	VARCHAR2	5 Y	The vendor WIC-assigned applicant ID.
SWIC	V VENDORS	MALLING_ADDRESS2	VARCHAR2	60 Y	The second line of the vendor mailing address.
SWIC	V VENDORS	MALLING_ZIP4	VARCHAR2	4 Y	The zip code extension for the vendor mailing address.
SWIC	V VENDORS	CONTACT LAST NAME	VARCHAR2	50 Y	The last name of the vendor contact.
SWIC	V VENDORS	VEN_VFS_SUPPLIER1	NUMBER	22 Y	The store's additional Formula Supplier1 (s formula supplier).
SWIC	V VENDORS	VEN_VFS_SUPPLIER2	NUMBER	22 Y	The store's additional Formula Supplier2 (v formula supplier).
SWIC	V VENDORS	V_REGION_ID	NUMBER	22 Y	The unique identifier for the vendor region (v vendor region).
SWIC	V VENDORS	LEVEL_3_CERTIFIED	NUMBER	22 Y	Level 3 Certified flag
SWIC	V VENDORS	CERTIFICATION DATE	DATE	7 Y	Certification Date
SWIC	V VENDORS	NO STAND BESIDE REGS	NUMBER	22 Y	Number of Stand Beside Registers
SWIC	V VENDORS	ECR PROVIDER	NUMBER	22 Y	ECR Provider
SWIC	V VENDORS	HOME_DELIVERY_APPROVAL	NUMBER	22 Y	ECR Provider
SWIC	V VENDORS	MOBILE_VENDOR_APPROVAL	NUMBER	22 Y	ECR Provider
SWIC	V VENDORS LB	FOOD EST LICENSE NUMBER	VARCHAR2	10 Y	
SWIC	V VENDORS LB	FOOD STAMP NUMBER	VARCHAR2	9 Y	
SWIC	V VENDORS LB	MALLING CONTACT	VARCHAR2	100 Y	
SWIC	V VENDORS LB	SAME ADDRESS FLAG	VARCHAR2	1 Y	
SWIC	V VENDORS LB	FEDERAL EIN	VARCHAR2	9 Y	
SWIC	V VENDORS LB	OU SEQ ID	NUMBER	22 Y	
SWIC	V VENDORS LB	ACTIVE STATUS	NUMBER	22 Y	
SWIC	V VENDORS LB	VLSDR_DENIAL_CODE	NUMBER	22 Y	
SWIC	V VENDORS LB	SC STREET COUNTY CODE	VARCHAR2	2 Y	
SWIC	V VENDORS LB	VIOLATION BYPASS FLAG	VARCHAR2	2 Y	
SWIC	V VENDORS LB	NUMBER OF FARMERS	NUMBER	22 Y	
SWIC	V VENDORS LB	VENDOR EMAIL	VARCHAR2	100 Y	
SWIC	V VENDORS LB	MAIN	NUMBER	2 Y	
SWIC	V VENDORS LB	SEGO GEO LOCATION ID RES	NUMBER	22 Y	
SWIC	V VENDORS LB	MALLING STATE	VARCHAR2	60 Y	
SWIC	V VENDORS LB	MALLING_ZIPS	VARCHAR2	5 Y	
SWIC	V VENDORS LB	STREET STATE	VARCHAR2	60 Y	
SWIC	V VENDORS LB	STREET_ZIPS	VARCHAR2	5 Y	
SWIC	V VENDORS LB	SC MAILING COUNTY CODE	VARCHAR2	2 Y	
SWIC	V VENDORS LB	VEN_VFS_ID	NUMBER	22 Y	
SWIC	V VENDORS LB	SNAP SALES	NUMBER	22 Y	
SWIC	V VENDORS LB	SQUARE POPULATION DENSITY	NUMBER	22 Y	
SWIC	V VENDORS LB	STORE PHONE NUMBER	VARCHAR2	10 Y	
SWIC	V VENDORS LB	TOTAL_HOURS_PER_WEEK	NUMBER	22 Y	
SWIC	V VENDORS LB	VFS FOOD SUPPLIER ID	NUMBER	22 Y	
SWIC	V VENDORS LB	ANNUAL NON FOOD SALES	NUMBER	22 Y	
SWIC	V VENDORS LB	VENDOR NAME	VARCHAR2	35 N	
SWIC	V VENDORS LB	MALLING_ADDRESS1	VARCHAR2	60 Y	
SWIC	V VENDORS LB	RL_RISK_LEVEL_ID	VARCHAR2	8 Y	
SWIC	V VENDORS LB	STREET_ADDRESS1	VARCHAR2	60 Y	
SWIC	V VENDORS LB	COMPLETE_FLAG	VARCHAR2	1 N	
SWIC	V VENDORS LB	ACT_EST_FLAG	VARCHAR2	1 Y	
SWIC	V VENDORS LB	FS_HIGH_RISK_FLAG	NUMBER	22 Y	
SWIC	V VENDORS LB	SEGO GEO LOCATION ID MAILED	NUMBER	22 Y	
SWIC	V VENDORS LB	VS STATUS CODE	NUMBER	22 Y	
SWIC	V VENDORS LB	DATE CREATED	DATE	7 N	
SWIC	V VENDORS LB	CREATED BY	VARCHAR2	32 N	
SWIC	V VENDORS LB	VENDOR NUMBER	VARCHAR2	7 Y	
SWIC	V VENDORS LB	APPLICANT ID	VARCHAR2	5 Y	
SWIC	V VENDORS LB	MALLING_ADDRESS2	VARCHAR2	60 Y	
SWIC	V VENDORS LB	MALLING_ZIP4	VARCHAR2	4 Y	
SWIC	V VENDORS LB	CONTACT LAST NAME	VARCHAR2	50 Y	
SWIC	V VENDORS LB	CONTACT FIRST NAME	VARCHAR2	100 Y	
SWIC	V VENDORS LB	CONTACT MI	VARCHAR2	1 Y	
SWIC	V VENDORS LB	FS AUTH DATE	DATE	7 Y	
SWIC	V VENDORS LB	SM STAFF MEMBER ID OUT	NUMBER	22 Y	
SWIC	V VENDORS LB	SCP CONTACT TITLE CODE	VARCHAR2	2 Y	
SWIC	V VENDORS LB	SEGO GEO LOCATION ID	NUMBER	22 Y	
SWIC	V VENDORS LB	STREET_ZIP4	VARCHAR2	4 Y	
SWIC	V VENDORS LB	STREET_ADDRESS2	VARCHAR2	60 Y	
SWIC	V VENDORS LB	SQUARE FOOTAGE RETAIL	NUMBER	22 Y	
SWIC	V VENDORS LB	SQUARE FOOTAGE STORAGE	NUMBER	22 Y	
SWIC	V VENDORS LB	ANNUAL FOOD SALES	NUMBER	22 Y	
SWIC	V VENDORS LB	ANNUAL GROSS SALES	NUMBER	22 Y	
SWIC	V VENDORS LB	NUMBER OF REGISTERS	NUMBER	22 Y	
SWIC	V VENDORS LB	NUMBER OF POS TERMINALS	NUMBER	22 Y	
SWIC	V VENDORS LB	LIABILITY INS EFF DATE	DATE	7 Y	
SWIC	V VENDORS LB	LIABILITY INS_EXP_DATE	DATE	7 Y	
SWIC	V VENDORS LB	LIABILITY INS COVERAGE	NUMBER	22 Y	
SWIC	V VENDORS LB	OPENING DATE	DATE	7 Y	
SWIC	V VENDORS LB	FS SALES	NUMBER	22 Y	
SWIC	V VENDORS LB	STATE SALES TAX ID	VARCHAR2	10 Y	
SWIC	V VENDORS LB	CTI CONTRACT TYPE CODE	VARCHAR2	3 Y	
SWIC	V VENDORS LB	VO OWNER ID	VARCHAR2	10 Y	
SWIC	V VENDORS LB	PEE_PEER_GROUP_ID	NUMBER	22 Y	
SWIC	V VENDORS LB	VIT VENDOR TYPE CODE	VARCHAR2	1 Y	
SWIC	V VENDORS LB	VLFV VLFV SEQ NO	NUMBER	22 Y	
SWIC	V VENDORS LB	VLFV VLFV FIRM ID	NUMBER	22 Y	
SWIC	V VENDORS LB	VINFO OFFICE CODE	VARCHAR2	5 Y	
SWIC	V VENDORS LB	NO OF SCANNERS	NUMBER	22 Y	
SWIC	V VENDORS LB	WIC FOODS SCANNERS	NUMBER	22 Y	
SWIC	V VENDORS LB	CONTACT OF INTEREST FLAG	VARCHAR2	1 Y	
SWIC	V VENDORS LB	ALCOHOL TOBACCO FLAG	VARCHAR2	1 Y	
SWIC	V VENDORS LB	DATE_MODIFIED	DATE	7 Y	
SWIC	V VENDORS LB	MODIFIED BY	VARCHAR2	32 Y	
SWIC	V VENDORS LB	REAUTHORIZATION IN PROC FLAG	VARCHAR2	2000 Y	
SWIC	V VENDORS LB	NOTE	NUMBER	22 Y	
SWIC	V VENDORS LB	FS AUTH ID NEW	VARCHAR2	7 Y	
SWIC	V VENDORS LB	FS AUTH ID	VARCHAR2	7 Y	
SWIC	V VENDORS LB	MALLING CITY	VARCHAR2	80 Y	
SWIC	V VENDORS LB	STREET CITY	VARCHAR2	80 Y	
SWIC	V VENDORS LB	FS AUTH ID	NUMBER	22 Y	
SWIC	V VENDORS LB	SUPPORT_PERSON	VARCHAR2	50 Y	
SWIC	V VENDORS LB	STATE PROVIDED SCANNER	NUMBER	22 Y	
SWIC	V VENDORS LB	ID	NUMBER	22 N	
SWIC	V VENDORS STAMP	STAMP ID	VARCHAR2	10 N	
SWIC	V VENDORS STAMP	VEN ID	NUMBER	22 N	
SWIC	V VENDORS STAMP	START DATE	DATE	7 N	
SWIC	V VENDORS STAMP	END DATE	DATE	7 Y	
SWIC	V VENDORS STAMP	CREATED_BY	VARCHAR2	32 N	
SWIC	V VENDORS STAMP	DATE CREATED	DATE	7 Y	
SWIC	V VENDORS STAMP	DATE_MODIFIED	DATE	7 Y	
SWIC	V VENDORS STAMP	MODIFIED BY	VARCHAR2	32 Y	
SWIC	V VENDOR ALERTS	ALERT ID	NUMBER	22 N	The system generated unique identifier for the alert.
SWIC	V VENDOR ALERTS	V1 VENDOR ID	NUMBER	22 N	The unique identifier for the vendor (V VENDORS).
SWIC	V VENDOR ALERTS	NOTE	VARCHAR2	2000 N	The alert text.
SWIC	V VENDOR ALERTS	ALERT FLAG	NUMBER	22 Y	Indicates whether the alert is active (0=No, 1=Yes).
SWIC	V VENDOR ALERTS	DATE_CREATED	DATE	7 N	Common audit field documenting date time stamp when the row was created.
SWIC	V VENDOR ALERTS	CREATED_BY	VARCHAR2	32 N	Common audit field documenting user id connected when the row was created.
SWIC	V VENDOR ALERTS	DATE_MODIFIED	DATE	7 Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	V VENDOR ALERTS	MODIFIED BY	VARCHAR2	32 Y	Common audit field documenting user id connected when the row was last modified.
SWIC	V VENDOR ALERTS	COMPLIANCE FLAG	NUMBER	22 Y	Flag indicating if a compliance alert
SWIC	V VENDOR COMPLAINTS	COMPLAINT ID	NUMBER	22 N	The system generated unique identifier for the complaint.

SWIC	V_VENDOR_COMPLAINTS	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V_VENDOR_COMPLAINTS	DESCRIPTION	TEXT	200	N	Complaint description.
SWIC	V_VENDOR_COMPLAINTS	VLCV_COMPLAINT_CODE	NUMBER	22	N	The unique identifier for the subject of the complaint (V COMPLAINTS).
SWIC	V_VENDOR_COMPLAINTS	VVST_CST_CODE	NUMBER	22	N	The unique identifier for the complaint source type (V COMPLAINT_SOURCE_TYPES).
SWIC	V_VENDOR_COMPLAINTS	DATE_RECEIVED	DATE	7	N	The date the complaint was made.
SWIC	V_VENDOR_COMPLAINTS	COMPLAINT_DETAILS	VARCHAR2	2000	Y	
SWIC	V_VENDOR_COMPLAINTS	ACTION_TAKEN	NUMBER	22	Y	
SWIC	V_VENDOR_COMPLAINTS	VLCV_ID	NUMBER	22	Y	The unique identifier for the complaint disposition code (V LU_COMP_DISPOSITION).
SWIC	V_VENDOR_COMPLAINTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_VENDOR_COMPLAINTS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_VENDOR_COMPLAINTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_VENDOR_COMPLAINTS	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	V_VENDOR_COMPLAINTS	DATE_STARTED	DATE	7	Y	
SWIC	V_VENDOR_COMPLAINTS	DATE_CLOSED	DATE	7	Y	
SWIC	V_VENDOR_COMPLAINTS	VLTN_ID	NUMBER	22	Y	Foreign Key to the v_lu_tp indicator table.
SWIC	V_VENDOR_COMPLAINTS	OLD_COMPLAINT_ID_TEMP	NUMBER	22	Y	
SWIC	V_VENDOR_COMPLAINTS	FOLLOW_UP	VARCHAR2	2000	Y	Column created for data conversion to track old complaint id
SWIC	V_VENDOR_DOCUMENTS	ACTIVITY_TYPE_ID	VARCHAR2	2	Y	
SWIC	V_VENDOR_DOCUMENTS	DOCUMENT_ID	NUMBER	22	N	The system generated unique identifier for the vendor document entry.
SWIC	V_VENDOR_DOCUMENTS	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V_VENDOR_DOCUMENTS	DESCRIPTION	VARCHAR2	500	Y	Description of the document.
SWIC	V_VENDOR_DOCUMENTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_VENDOR_DOCUMENTS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_VENDOR_DOCUMENTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_VENDOR_DOCUMENTS	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	V_VENDOR_DOCUMENTS	DESCRIPTION_ID	NUMBER	22	Y	
SWIC	V_VENDOR_EBT_INFO	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V_VENDOR_EBT_INFO	STORE_TYPE	NUMBER	22	N	Store type.
SWIC	V_VENDOR_EBT_INFO	SEPARATE_POS	NUMBER	22	Y	Does store process WIC EBT transactions using a separate POS(0=No, 1=Yes).
SWIC	V_VENDOR_EBT_INFO	SOFTWARE	NUMBER	22	Y	Integrated software comes from.
SWIC	V_VENDOR_EBT_INFO	OTHER_SOFTWARE	VARCHAR2	250	Y	Software used not in the list.
SWIC	V_VENDOR_EBT_INFO	REIMBURSEMENT_PROCESSOR	NUMBER	22	Y	WIC Reimbursement Processor.
SWIC	V_VENDOR_EBT_INFO	OTHER_PROCESSOR	VARCHAR2	250	Y	Processor used not in the list.
SWIC	V_VENDOR_EBT_INFO	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_VENDOR_EBT_INFO	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	V_VENDOR_EBT_INFO	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	V_VENDOR_EBT_INFO	MODIFIED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was last modified.
SWIC	V_VENDOR_GUIDED_SCRIPT	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V_VENDOR_GUIDED_SCRIPT	VV_VENDOR_ID	NUMBER	22	N	The unique category code for food item (V LU_PREALTH_CATEGORY).
SWIC	V_VENDOR_GUIDED_SCRIPT	CHECKED_FLAG	NUMBER	22	Y	Check box indicates if the minimum stock is met by vendor.
SWIC	V_VENDOR_GUIDED_SCRIPT	DATE_CREATED	DATE	7	N	Indicates the number of item in stock for specific vendor.
SWIC	V_VENDOR_GUIDED_SCRIPT	DATE_MODIFIED	DATE	7	Y	Authorized sequence id for the vendor.
SWIC	V_VENDOR_GUIDED_SCRIPT	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_VENDOR_GUIDED_SCRIPT	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	V_VENDOR_GUIDED_SCRIPT	CLUGS_OS_ID	NUMBER	22	N	Common audit field for date time stamp when the row was last modified.
SWIC	V_VENDOR_GUIDED_SCRIPT	VV_VENDOR_ID	NUMBER	22	N	Common audit field for user id connected when the row was last modified.
SWIC	V_VENDOR_GUIDED_SCRIPT	DATE_CREATED	DATE	7	N	The system generated unique identifier for the note.
SWIC	V_VENDOR_GUIDED_SCRIPT	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was created.
SWIC	V_VENDOR_GUIDED_SCRIPT	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	V_VENDOR_GUIDED_SCRIPT	MODIFIED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was last modified.
SWIC	V_VENDOR_GUIDED_SCRIPT_DETAILS	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V_VENDOR_GUIDED_SCRIPT_DETAILS	CLUGS_OS_ID	NUMBER	22	N	The unique category code for food item (V LU_PREALTH_CATEGORY).
SWIC	V_VENDOR_GUIDED_SCRIPT_DETAILS	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V_VENDOR_GUIDED_SCRIPT_DETAILS	CHECKED_FLAG	NUMBER	22	Y	Check box indicates if the minimum stock is met by vendor.
SWIC	V_VENDOR_GUIDED_SCRIPT_DETAILS	DATE_CREATED	DATE	7	N	Indicates the number of item in stock for specific vendor.
SWIC	V_VENDOR_GUIDED_SCRIPT_DETAILS	DATE_MODIFIED	DATE	7	Y	Authorized sequence id for the vendor.
SWIC	V_VENDOR_GUIDED_SCRIPT_DETAILS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_VENDOR_GUIDED_SCRIPT_DETAILS	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	V_VENDOR_MIN_STOCK_PRL_AUTH	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V_VENDOR_MIN_STOCK_PRL_AUTH	VV_VENDOR_ID	NUMBER	22	N	The unique category code for food item (V LU_PREALTH_CATEGORY).
SWIC	V_VENDOR_MIN_STOCK_PRL_AUTH	MEI_MIN_STOCK	NUMBER	22	Y	Check box indicates if the minimum stock is met by vendor.
SWIC	V_VENDOR_MIN_STOCK_PRL_AUTH	NO_IN_STOCK	NUMBER	22	Y	Indicates the number of item in stock for specific vendor.
SWIC	V_VENDOR_MIN_STOCK_PRL_AUTH	AUTH_SEQ_ID	NUMBER	22	N	Authorized sequence id for the vendor.
SWIC	V_VENDOR_MIN_STOCK_PRL_AUTH	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_VENDOR_MIN_STOCK_PRL_AUTH	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_VENDOR_MIN_STOCK_PRL_AUTH	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_VENDOR_MIN_STOCK_PRL_AUTH	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	V_VENDOR_MIN_STOCK_PRL_AUTH	NOTE_ID	NUMBER	22	Y	The system generated unique identifier for the note.
SWIC	V_VENDOR_NOTES	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V_VENDOR_NOTES	NOTE	VARCHAR2	2000	N	The note text.
SWIC	V_VENDOR_NOTES	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	V_VENDOR_NOTES	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	V_VENDOR_NOTES	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	V_VENDOR_NOTES	MODIFIED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was last modified.
SWIC	V_VENDOR_NOTES	VNR_NOTE_REASON_ID	NUMBER	22	N	The unique identifier for the note reason (V NOTE_REASONS).
SWIC	V_VENDOR_NOTES	PERSON_CONTACTED	VARCHAR2	150	Y	The person contacted with this note.
SWIC	V_VENDOR_NOTES	PERSON_CONTACT_TITLE	VARCHAR2	20	Y	The title of the person that contacted.
SWIC	V_VENDOR_PHONES	PHONE_ID	NUMBER	22	N	The system generated unique identifier for the vendor phone entry.
SWIC	V_VENDOR_PHONES	VV_VENDOR_ID	NUMBER	22	N	The unique identifier for the vendor (V VENDORS).
SWIC	V_VENDOR_PHONES	SPT_PHONE_TYPE_ID	VARCHAR2	60	Y	The unique identifier of the phone number type (V PHONE_TYPES).
SWIC	V_VENDOR_PHONES	PHONE_NUMBER	VARCHAR2	10	Y	The vendor telephone number.
SWIC	V_VENDOR_PHONES	PHONE_EXTENSION	VARCHAR2	5	Y	The vendor telephone extension.
SWIC	V_VENDOR_PHONES	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_VENDOR_PHONES	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_VENDOR_PHONES	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_VENDOR_PHONES	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	V_VENDOR_PHONES	CONTACT_NAME	VARCHAR2	150	Y	The contact's name.
SWIC	V_VENDOR_PHONES	EMAIL_ADDRESS	VARCHAR2	150	Y	The email address.
SWIC	V_VENDOR_PHONES	PRIMARY_CONTACT_FLAG	NUMBER	22	Y	Indicates whether the contact is the primary (0=No, 1=Yes).
SWIC	V_VENDOR_PHONES	PHONE_TYPE_TEXT	VARCHAR2	60	Y	Free text phone number type not referenced by V_PHONE_TYPES
SWIC	V_VENDOR_RANKING_TEMP	USER_ID	VARCHAR2	32	N	User that entered the data (logged in).
SWIC	V_VENDOR_RANKING_TEMP	VV_VENDOR_ID	NUMBER	22	Y	Unique Identifier of the Vendor (V VENDORS).
SWIC	V_VENDOR_RANKING_TEMP	CAT_CODE	VARCHAR2	3	Y	Category Code of the food counts.
SWIC	V_VENDOR_RANKING_TEMP	MIN_PRICE	NUMBER	22	Y	Minimum price recorded.
SWIC	V_VENDOR_RANKING_TEMP	MAX_PRICE	NUMBER	22	Y	Maximum price recorded.
SWIC	V_VENDOR_RANKING_TEMP	DIFF_BRANDS	NUMBER	22	Y	Total of brands in the food category.
SWIC	V_VENDOR_RANKING_TEMP	POINTS	NUMBER	22	Y	Points awarded in ranking for this category.
SWIC	V_VENDOR_RANKING_TEMP	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was created.
SWIC	V_VENDOR_RANKING_TEMP	CREATED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last created.
SWIC	V_VENDOR_RANKING_TEMP	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was modified.
SWIC	V_VENDOR_RANKING_TEMP	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_VENDOR_REGION_ORG	OJ_SEQ_ID	NUMBER	22	N	The unique identifier for a clinic/IA/ID ORGANIZATIONAL UNITS.
SWIC	V_VENDOR_REGION_ORG	VLCV_REGION_ID	NUMBER	22	N	The unique identifier for the vendor region (V LU_VENDOR_REGION).
SWIC	V_VENDOR_REGION_ORG	VLCV_CYCLE_ID	NUMBER	22	N	The authorization cycle applicable for the IA/region (V LU_VENDOR_CYCLE).
SWIC	V_VENDOR_REGION_ORG	DATE_CREATED	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
SWIC	V_VENDOR_REGION_ORG	DATE_MODIFIED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_VENDOR_REGION_ORG	MODIFIED_BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_VENDOR_REGION_ORG	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_VENDOR_RISK	VV_VENDOR_ID	NUMBER	22	N	Foreign Key to the v_vendors table.
SWIC	V_VENDOR_RISK	VTH_ID	NUMBER	22	N	Foreign Key to the v_lu_risk_hierarchy table.
SWIC	V_VENDOR_RISK	DATE_ASSIGNED	DATE	7	Y	Date the TIP was assigned.
SWIC	V_VENDOR_RISK	HIGH_RISK	NUMBER	22	N	High Risk flag (indicator).
SWIC	V_VENDOR_RISK	SOURCE	VARCHAR2	500	Y	
SWIC	V_VENDOR_RISK	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_VENDOR_RISK	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_VENDOR_RISK	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_VENDOR_RISK	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	V_VENDOR_TIP	VV_VENDOR_ID	NUMBER	22	N	Unique Identifier for the table.
SWIC	V_VENDOR_TIP	VV_VENDOR_ID	NUMBER	22	N	Foreign Key to the v_vendors table.
SWIC	V_VENDOR_TIP	VTH_ID	NUMBER	22	N	Foreign Key to the v_lu_tp hierarchy table.
SWIC	V_VENDOR_TIP	DATE_ASSIGNED	DATE	7	Y	Date the TIP was assigned.
SWIC	V_VENDOR_TIP	HIGH_RISK	NUMBER	22	N	High risk flag (indicator).
SWIC	V_VENDOR_TIP	SOURCE	VARCHAR2	500	Y	
SWIC	V_VENDOR_TIP	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_VENDOR_TIP	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_VENDOR_TIP	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_VENDOR_TIP	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.
SWIC	V_VENDOR_TIP	MANUAL	NUMBER	22	Y	Flag indicating if the TIP was listed manually.
SWIC	V_VENDOR_TIP	VVC_ID	NUMBER	22	Y	Foreign Key to the v_vendor_complaints table.
SWIC	V_VENDOR_TIP	VIC_ID	NUMBER	22	Y	Foreign Key to v INVESTIGATION CASES.
SWIC	V_VENDOR_TIP	VAC_ID	NUMBER	22	Y	Foreign Key to v MONITORING CASES.
SWIC	V_VENDOR_TIP	FISCAL_YEAR	NUMBER	22	Y	
SWIC	V_VENDOR_TIP	ACTIVE	NUMBER	22	Y	
SWIC	V_VENDOR_TIP_PARAMS	PARAM_ID	NUMBER	22	N	
SWIC	V_VENDOR_TIP_PARAMS	VLTN_TP_ID	NUMBER	22	N	
SWIC	V_VENDOR_TIP_PARAMS	PEE_PEER_GROUP_ID	NUMBER	22	Y	
SWIC	V_VENDOR_TIP_PARAMS	DATE_CREATED	DATE	7	N	
SWIC	V_VENDOR_TIP_PARAMS	CREATED_BY	VARCHAR2	32	N	
SWIC	V_VENDOR_TIP_PARAMS	DATE_MODIFIED	DATE	7	Y	
SWIC	V_VENDOR_TIP_PARAMS	MODIFIED_BY	VARCHAR2	32	N	
SWIC	V_VENDOR_TIP_PARAMS	VV_VENDOR_ID	NUMBER	22	N	
SWIC	V_VENDOR_TIP_PARAMS	VLCV_CYCLE_ID	NUMBER	22	N	
SWIC	V_VENDOR_TIP_PARAMS	VLCV_ZPDICE	NUMBER	22	N	
SWIC	V_VENDOR_TIP_PARAMS	OJ_SEQ_ID	NUMBER	22	N	
SWIC	V_VENDOR_TIP_PARAMS	OJ_SEQ_ID	NUMBER	22	N	
SWIC	V_VENDOR_TIP_PARAMS	SIP_CODE	NUMBER	22	N	
SWIC	V_VENDOR_TIP_PARAMS	PREV_CLIENT_COUNT	NUMBER	22	N	Contains client count prior to update.
SWIC	V_VENDOR_TIP_PARAMS	UPD_CLIENT_COUNT	NUMBER	22	Y	Contains updated client count.
SWIC	V_VENDOR_TIP_PARAMS	PREV_CLIENT_RATIO	NUMBER	22	N	Vendor/Client Ratio prior to update
SWIC	V_VENDOR_TIP_PARAMS	UPD_VEN_CLIENT_RATIO	NUMBER	22	Y	Updated vendor/client ratio.
SWIC	V_VENDOR_TIP_PARAMS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_VENDOR_TIP_PARAMS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_VENDOR_TIP_PARAMS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_VENDOR_TIP_PARAMS	MODIFIED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was last modified.

SWIC	V_VENDOR_ZIPCODE_NOTE	NOTE_ID	NUMBER	22	N	System generated unique identifier for zip code note.
SWIC	V_VENDOR_ZIPCODE_NOTE	YLVZ_ZIPCODE	VARCHAR2	5	N	Vendor zip code (V_LU_VENDOR_ZIPCODES).
SWIC	V_VENDOR_ZIPCODE_NOTE	NOTE	VARCHAR2	2000	N	Text for the note.
SWIC	V_VENDOR_ZIPCODE_NOTE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_VENDOR_ZIPCODE_NOTE	CREATED_BY	VARCHAR2	30	N	Common audit field for user id connected when the row was created.
SWIC	V_VENDOR_ZIPCODE_NOTE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_VENDOR_ZIPCODE_NOTE	MODIFIED_BY	VARCHAR2	30	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_VIOLATION	VIOLATION_ID	NUMBER	22	N	The system generated unique identifier.
SWIC	V_VIOLATION	V_VENDOR_ID	NUMBER	22	N	The system generated unique identifier.
SWIC	V_VIOLATION	MONITORING_ID	NUMBER	22	Y	Ten-digit number field.
SWIC	V_VIOLATION	VIOLATION_CODE	NUMBER	22	N	The unique identifier for the sanction type code.
SWIC	V_VIOLATION	START_DATE	DATE	7	Y	The start date of the sanction.
SWIC	V_VIOLATION	END_DATE	DATE	7	Y	The end date of the sanction.
SWIC	V_VIOLATION	ACTIVE	NUMBER	22	Y	Numeric indicator of whether (1) or not(0) fine points are applicable.
SWIC	V_VIOLATION	FINE	NUMBER	22	Y	Amount of the Fine being charged to vendor.
SWIC	V_VIOLATION	FINE_PAID	NUMBER	22	Y	Flag indicating if the Fine was paid.
SWIC	V_VIOLATION	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
SWIC	V_VIOLATION	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_VIOLATION	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_VIOLATION	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	V_VIOLATION	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	V_VIOLATION	WARNING_FLAG	NUMBER	22	Y	Flag used to determine if a warning letter was sent for the violation.
SWIC	V_VIP_FY	VIP_PARAM_ID	NUMBER	22	N	The unique identifier for the parameter. (V_VENDOR_TIP_PARAMS)
SWIC	V_VIP_FY	FISCAL_YEAR	NUMBER	22	N	Fiscal Year parameter is set for.
SWIC	V_VIP_FY	THRESHOLD_VALUE	NUMBER	22	N	Value that the AUTO-TIP Parameter is configured to trigger on.
SWIC	V_VIP_FY	CREATED_BY	VARCHAR2	32	N	
SWIC	V_VIP_FY	DATE_MODIFIED	DATE	7	Y	
SWIC	V_VIP_FY	MODIFIED_BY	VARCHAR2	32	Y	
SWIC	V_VIP_FY	THRESHOLD_VALUE2	NUMBER	22	Y	Value that the AUTO-TIP parameter is configured to trigger on.
SWIC	V_WORK_SEARCH_RESULTS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	V_WORK_SEARCH_RESULTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	V_WORK_SEARCH_RESULTS	ID	NUMBER	22	N	The unique identifier.
SWIC	V_WORK_SEARCH_RESULTS	VENDOR_NUMBER	VARCHAR2	6	Y	Number assigned to the vendor.
SWIC	V_WORK_SEARCH_RESULTS	OWNER_NUMBER	NUMBER	10	Y	The unique identifier for the vendor (V_OWNERS).
SWIC	V_WORK_SEARCH_RESULTS	CHAR_SUFFIX	VARCHAR2	10	Y	Suffix assigned to the vendor.
SWIC	V_WORK_SEARCH_RESULTS	VENDOR_NAME	VARCHAR2	60	Y	Name of the vendor.
SWIC	V_WORK_SEARCH_RESULTS	CURRENT_STATUS	VARCHAR2	60	Y	Current Status of the vendor.
SWIC	V_WORK_SEARCH_RESULTS	REASON	VARCHAR2	120	Y	Reason for the Status.
SWIC	V_WORK_SEARCH_RESULTS	AUTH_SEQ_ID	NUMBER	22	Y	The unique identifier for the vendor (V_AUTHORIZATIONS).
SWIC	V_WORK_SEARCH_RESULTS	AUTH_START_DATE	DATE	7	Y	Authorization Start Date.
SWIC	V_WORK_SEARCH_RESULTS	AUTH_EXPIRE_DATE	DATE	7	Y	Authorization End Date.
SWIC	V_WORK_SEARCH_RESULTS	TERMINAL_DATE	DATE	7	Y	Date the application was denied.
SWIC	V_WORK_SEARCH_RESULTS	TERMINATION_DATE	DATE	7	Y	Date the vendor was terminated.
SWIC	V_WORK_SEARCH_RESULTS	OWNER1_NAME	VARCHAR2	60	Y	Name of the owner.
SWIC	V_WORK_SEARCH_RESULTS	APPLICANT_ID	NUMBER	7	N	Applicant ID
SWIC	V_WORK_SEARCH_RESULTS	ORIG_NAME	VARCHAR2	100	Y	Local Agency that is assigned to the vendor.
SWIC	V_WORK_SEARCH_RESULTS	RISK_LEVEL	VARCHAR2	60	Y	Risk Level assigned to the vendors application.
SWIC	V_WORK_SEARCH_RESULTS	REAUTHORIZATION_IN_PROC_FLAG	NUMBER	22	Y	Authorization In Process Flag.
SWIC	V_WORK_SEARCH_RESULTS	MAILING_ADDRESS	VARCHAR2	70	Y	Mailing Address of Vendor.
SWIC	V_WORK_SEARCH_RESULTS	VVT_VENDOR_TYPE_CODE	VARCHAR2	2	Y	The unique identifier for the vendor (V_LU_VENDOR_TYPE_CODE).
SWIC	V_WORK_SEARCH_RESULTS	FOOD_EST_LICENSE_NUMBER	VARCHAR2	10	Y	Food Establishment License Number assigned to the vendor.
SWIC	V_WORK_SEARCH_RESULTS	SE_MAILING_COUNTY_CODE	VARCHAR2	2	Y	County Code.
SWIC	WCC_APP_LU_RESOURCE_GROUP	RESOURCE_GRP_ID	NUMBER	22	N	Resource Link Group ID
SWIC	WCC_APP_LU_RESOURCE_GROUP	DESCRIPTION	VARCHAR2	500	N	Resource Link Group Description.
SWIC	WCC_APP_LU_RESOURCE_GROUP	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	WCC_APP_LU_RESOURCE_GROUP	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	WCC_APP_LU_RESOURCE_GROUP	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	WCC_APP_LU_RESOURCE_GROUP	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	WCC_APP_LU_RESOURCE_GROUP	SORT_ORDER	NUMBER	22	N	Resource Link Group Sort Order.
SWIC	WCC_APP_LU_RESOURCE_GROUP	SPANISH_TRANSLATE	VARCHAR2	500	Y	Resource Group Link Description in Spanish Version.
SWIC	WCC_APP_LU_RESOURCE_GROUP	ACTIVE	NUMBER	22	Y	
SWIC	WCC_APP_RESOURCE_LINKS	RESOURCE_LINK_ID	NUMBER	22	N	Resource Link ID
SWIC	WCC_APP_RESOURCE_LINKS	DESCRIPTION	VARCHAR2	100	N	Resource Link Description.
SWIC	WCC_APP_RESOURCE_LINKS	RESOURCE_LINK_GROUP_ID	NUMBER	22	N	Resource Link Group ID
SWIC	WCC_APP_RESOURCE_LINKS	RESOURCE_LINK_URL	VARCHAR2	500	N	Resource Link URL.
SWIC	WCC_APP_RESOURCE_LINKS	ORDER	NUMBER	22	N	Resource Link Sort Order.
SWIC	WCC_APP_RESOURCE_LINKS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
SWIC	WCC_APP_RESOURCE_LINKS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
SWIC	WCC_APP_RESOURCE_LINKS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
SWIC	WCC_APP_RESOURCE_LINKS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
SWIC	WCC_APP_RESOURCE_LINKS	SPANISH_TRANSLATE	VARCHAR2	500	Y	Resource Link Description in Spanish Version.
SWIC	WK_PC_FAMILY_SIZE	FAMILY_ID	NUMBER	9	N	Certification identification for CFEU (FK to C_FAMILY_ECONOMIC_UNITS)
SWIC	WK_PC_FAMILY_SIZE	NUMBER_IN_FAMILY	NUMBER	22	Y	Number of members in family
SWIC	WK_PC_FAMILY_SIZE	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	WK_PC_FAMILY_SIZE	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
SWIC	WK_PC_FAMILY_SIZE	DATE_MODIFIED	DATE	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	WK_PC_FAMILY_SIZE	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	WK_PC_FAMILY_SIZE	FAMILY_1	NUMBER	7	Y	Common audit field documenting date time stamp when the row was last modified.
SWIC	WK_PC_FAMILY_SIZE	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
SWIC	WK_PC_FAMILY_SIZE	FAMILY_1	NUMBER	9	N	Certification identification for CFEU (FK to C_FAMILY_ECONOMIC_UNITS)
SWIC	WK_PC_FAMILY_SIZE	NUMBER_IN_FAMILY_1	NUMBER	22	Y	Number of members in family
SWIC	WK_PC_FAMILY_SIZE	DATE_CREATED	DATE	7	N	Common audit field documenting date time stamp when the row was created.
SWIC	WK_PC_FAMILY_SIZE	CREATED_BY	VARCHAR2	32	N	Common audit field documenting user id connected when the row was created.
CARA	CARA_APP_USERS	USER_ID	VARCHAR2	200	N	
CARA	CARA_APP_USERS	ACTIVE_FLAG	NUMBER	22	N	
CARA	CARA_APP_USERS	SM_STAFF_MEMBER_ID	NUMBER	22	Y	
CARA	CARA_APP_USERS	CARA_ACCESS_FLAG	NUMBER	22	Y	
CARA	CARA_APP_USERS	TOKEN	VARCHAR2	200	Y	
CARA	CARA_APP_USERS	DATE_CREATED	DATE	7	N	
CARA	CARA_APP_USERS	CREATED_BY	VARCHAR2	32	N	
CARA	CARA_APP_USERS	DATE_MODIFIED	DATE	7	Y	
CARA	CARA_APP_USERS	MODIFIED_BY	VARCHAR2	32	Y	
CARA	I_UNITS_OF_MEASURE	UNIT_OF_MEASURE_CODE	VARCHAR2	5	N	The unique identifier for the unit of measure.
CARA	I_UNITS_OF_MEASURE	DESCRIPTION	VARCHAR2	30	N	The description of the unit of measure.
CARA	I_UNITS_OF_MEASURE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
CARA	I_UNITS_OF_MEASURE	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
CARA	I_UNITS_OF_MEASURE	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
CARA	I_UNITS_OF_MEASURE	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
CARA	I_UNITS_OF_MEASURE	NOTE	VARCHAR2	2000	Y	Common field for user notes or comments.
CARA	I_UNITS_OF_MEASURE	UPC_FLAG	NUMBER	22	Y	
CARA	I_UNITS_OF_MEASURE	ACTIVE	NUMBER	22	Y	1 Means It is Active Indicates if the Data is Active.
CARA	I_UNITS_OF_MEASURE	ID	NUMBER	22	N	Unique numeric identification of ID for disposal type option.
CARA	V_DISPOSAL_TYPE	DESCRIPTION	VARCHAR2	100	N	Descriptive text for disposal type option.
CARA	V_DISPOSAL_TYPE	DATE_CREATED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
CARA	V_DISPOSAL_TYPE	MODIFIED_BY	VARCHAR2	32	Y	Common audit field for user id connected when the row was last modified.
CARA	V_DISPOSAL_TYPE	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
CARA	V_DISPOSAL_TYPE	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
CARA	V_PROMPT_STATEMENTS	ACTIVE	NUMBER	22	N	Indicates if the Loop-up value is active in system
CARA	V_PROMPT_STATEMENTS	STATEMENT_NO	NUMBER	22	N	Statement Number (PK)
CARA	V_PROMPT_STATEMENTS	SCREEN_NO	NUMBER	22	N	Screen Number in CARA App
CARA	V_PROMPT_STATEMENTS	TARGET_TYPE_ID	NUMBER	22	N	Target Case Type
CARA	V_PROMPT_STATEMENTS	STATEMENT_TEXT	VARCHAR2	400	N	Statement Prompt Text
CARA	V_PROMPT_STATEMENTS	DATE_CREATED	DATE	7	N	Common audit field for date time stamp when the row was created.
CARA	V_PROMPT_STATEMENTS	CREATED_BY	VARCHAR2	32	N	Common audit field for user id connected when the row was created.
CARA	V_PROMPT_STATEMENTS	DATE_MODIFIED	DATE	7	Y	Common audit field for date time stamp when the row was last modified.
CARA	V_PROMPT_STATEMENTS	MODIFIED_BY	VARCHAR2	32	Y	Common audit field documenting user id connected when the row was last modified.
CARA	V_LUC_NON_WIC_FOOD_ITEMS	UPC_CODE	VARCHAR2	14	N	
CARA	V_LUC_NON_WIC_FOOD_ITEMS	MANUFACTURER_DESC	VARCHAR2	200	Y	The food description associated with the MANUFACTURER.
CARA	V_LUC_NON_WIC_FOOD_ITEMS	FOOD_DESC	VARCHAR2	256	Y	The food description associated with the UPC.
CARA	V_LUC_NON_WIC_FOOD_ITEMS	PACKAGE_SIZE	VARCHAR2	5	Y	
CARA	V_LUC_NON_WIC_FOOD_ITEMS	USDM_DESC	VARCHAR2	20	Y	
CARA	V_LUC_NON_WIC_FOOD_ITEMS	DATE_CREATED	DATE	7	N	
CARA	V_LUC_NON_WIC_FOOD_ITEMS	CREATED_BY	VARCHAR2	32	N	
CARA	V_LUC_NON_WIC_FOOD_ITEMS	DATE_MODIFIED	DATE	7	Y	
CARA	V_LUC_NON_WIC_FOOD_ITEMS	MODIFIED_BY	VARCHAR2	32	Y	
CARA	V_LUC_NON_WIC_FOOD_ITEMS	QUANTITY	NUMBER	22	Y	Quantity