Expanded BRFSS, 2003

Chenango and Madison Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	
Core 2: Health Care Access	
Core 3: Exercise	8
Core 3: Exercise	9
Core 5: Asthma	10
Core 6: Arthritis	
Core 7: Tobacco Use	
Core 8: Tobacco ETS	17
Core 9: Alcohol Consumption	19
Core 10: Weight Status	2
Core 11: Mammography	23
Core 12: Sexual Behavior	25
Core 13: Family Planning	28
Core 14: Cardiovascular Disease	29
Core 15: Prostate Cancer Screening	3
Core 16: Colorectal Cancer Screening	37

New York State Department Of Health

Self-rated Health Status

Demographic Groups	n¹	Fair or Poor	n	Good to Excellent	C.I. ³
Total	124	16.0	535	84.0	3.0
Gender					
Male	49	15.4	214	84.6	4.6
Female	75	16.6	321	83.4	3.8
Age					
18-34	13	10.2	105	89.8	5.6
35-54	43	13.4	242	86.6	4.3
≥55	68	25.6	182	74.4	5.8
Education					
≤High School	78	20.2	248	79.8	4.7
>High School	46	12.2	283	87.8	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Reported Number of Physical Distress Days in the Past Month Chenango, Madison

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. ³
Total	77	9.9	572	90.1	2.4
Gender					
Male	29	8.3	234	91.7	3.2
Female	48	11.4	338	88.6	3.4
Age					
18-34	9	6.0	110	94.0	3.9
35-54	32	9.6	252	90.4	3.6
≥55	36	14.4	205	85.6	4.8
Education					
≤High School	38	9.1	278	90.9	3.2
>High School	39	10.7	291	89.3	3.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent ³95% Confidence Interval

Reported Number of Mental Distress Days in the Past Month Chenango, Madison

Demographic Groups	n¹	≥14 days	n	< 14 days %	C.I. ³
Total	58	9.2	586	90.8	2.6
Gender					
Male	25	10.2	234	89.8	4.3
Female	33	8.2	352	91.8	3.0
Age					
18-34	17	12.9	103	87.1	6.3
35-54	27	8.9	252	91.1	3.8
≥55	14	5.9	227	94.1	3.2
Education					
≤High School	32	10.7	282	89.3	4.0
>High School	25	7.0	302	93.0	2.9

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, 18-64 Years of Age** Chenango, Madison

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	431	84.0	74	16.0	3.8
Gender					
Male	178	84.2	30	15.8	5.9
Female	253	83.8	44	16.2	4.8
Age					
18-34	90	75.9	30	24.1	8.5
35-54	253	88.6	33	11.4	4.0
55-64	88	87.7	11	12.3	7.3
Education					
≤High School	188	73.7	56	26.3	6.6
>High School	241	93.8	18	6.2	3.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, Aged 18 and Older** *Chenango, Madison*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	582	86.2	81	13.8	3.2
Gender					
Male	232	86.2	32	13.8	5.0
Female	350	86.2	49	13.8	4.0
Age					
18-34	90	75.9	30	24.1	8.5
35-54	253	88.6	33	11.4	4.0
≥55	235	93.5	16	6.5	3.3
Education					
≤High School	266	77.8	60	22.2	5.6
>High School	313	94.5	20	5.5	2.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Reported Having a Routine Physical Exam in Past Two Years

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	568	84.2	87	15.8	3.5
Gender					
Male	205	77.6	54	22.4	6.0
Female	363	90.4	33	9.6	3.5
Age					
18-34	96	80.1	20	19.9	8.3
35-54	237	82.1	46	17.9	5.3
≥55	232	90.9	20	9.1	4.3
Education					
≤High School	280	81.7	43	18.3	5.5
>High School	287	87.4	43	12.6	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Time in Past 12 Months when Needed Medical Care but Could Not Get It *Chenango, Madison*

Demographic	1	Yes	l	No	CI3
Groups	n¹	%°2	n	%	C.I. ³
Total	40	5.6	624	94.4	2.0
Gender					
Male	9	3.7	256	96.3	2.7
Female	31	7.5	368	92.5	2.9
Age					
18-34	13	9.3	107	90.7	5.5
35-54	18	5.6	268	94.4	2.8
≥55	8	1.8	244	98.2	1.3
Education					
≤High School	27	7.6	300	92.4	3.3
>High School	13	3.7	320	96.3	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days *Chenango, Madison*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	471	72.4	192	27.6	3.9
Gender					
Male	200	76.2	64	23.8	5.8
Female	271	68.9	128	31.1	5.2
Age					
18-34	92	76.8	28	23.2	8.4
35-54	210	72.5	75	27.5	5.9
≥55	164	67.9	88	32.1	6.2
Education					
≤High School	203	63.4	123	36.6	6.0
>High School	264	80.8	69	19.2	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Physician Diagnosed Diabetes

Demographic Groups	n¹	Yes	n	No %	C.I. ³
*					
Total	48	5.3	616	94.7	1.6
Gender					
Male	16	4.6	249	95.4	2.3
Female	32	5.9	367	94.1	2.2
Age					
18-34	0	0.0	120	100	0.0
35-54	16	4.5	270	95.5	2.3
≥55	32	11.6	220	88.4	4.1
Education					
≤High School	28	6.1	299	93.9	2.4
>High School	20	4.6	313	95.4	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Lifetime Asthma Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	90	14.4	574	85.6	3.3
Gender					
Male	22	9.6	243	90.4	4.5
Female	68	19.0	331	81.0	4.7
Age					
18-34	21	21.2	99	78.8	8.7
35-54	39	11.9	247	88.1	4.0
≥55	30	11.6	222	88.4	4.2
Education					
≤High School	44	14.5	283	85.5	4.8
>High School	46	14.6	287	85.4	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Current Asthma Diagnosed by a Medical Professional

Demographic		Yes		No	G T 1
Groups	n¹	% ²	n	%	C.I. ³
Total	70	10.4	594	89.6	2.7
Gender					
Male	16	6.5	249	93.5	3.6
Female	54	14.1	345	85.9	4.0
Age					
18-34	16	14.0	104	86.0	6.9
35-54	29	8.5	257	91.5	3.4
≥55	25	9.7	227	90.3	3.9
Education					
≤High School	34	10.7	293	89.3	4.1
>High School	36	10.3	297	89.7	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Arthritis Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	234	30.1	429	69.9	3.8
Gender					
Male	79	26.3	185	73.7	5.7
Female	155	33.7	244	66.3	5.0
Age					
18-34	12	8.1	108	91.9	4.7
35-54	71	24.0	214	76.0	5.5
≥55	149	59.6	103	40.4	6.7
Education					
≤High School	127	31.6	200	68.4	5.4
>High School	106	28.8	226	71.2	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Demographic Groups	n¹	Doctor Diagnosed %2	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	234	30.1	3.8	100	17.2	3.5	327	52.7	4.4
Gender									
Male	79	26.3	5.7	49	18.8	5.3	135	54.9	6.8
Female	155	33.7	5.0	51	15.8	4.6	192	50.5	5.5
Age									
18-34	12	8.1	4.7	24	21.3	8.2	84	70.6	8.9
35-54	71	24.0	5.5	49	18.4	5.2	164	57.6	6.4
≥55	149	59.6	6.7	26	11.6	4.7	77	28.7	6.0
Education									
≤High School	127	31.7	5.4	40	14.3	4.6	159	54.0	6.2
>High School	106	28.9	5.4	59	19.5	5.1	166	51.7	6.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Ever Smoked 100 Cigarettes in Lifetime

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	353	53.8	308	46.2	4.4
Gender					
Male	164	59.3	100	40.7	6.8
Female	189	48.5	208	51.5	5.6
Age					
18-34	62	50.2	58	49.8	9.9
35-54	163	57.3	123	42.7	6.4
≥55	125	52.5	124	47.5	6.8
Education					
≤High School	201	62.4	124	37.6	6.1
>High School	150	45.2	182	54.8	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Current Smoker

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	182	29.3	478	70.7	4.1
Gender					
Male	77	29.5	187	70.5	6.4
Female	105	29.1	291	70.9	5.3
Age					
18-34	47	39.2	73	60.8	9.7
35-54	90	31.4	195	68.6	6.1
≥55	45	17.3	204	82.7	5.1
Education					
≤High School	109	35.6	215	64.4	6.2
>High School	72	22.8	260	77.2	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Status of Cigarette Smoking

Demographic Groups	n¹	Everyday Smoker %	C.I. ³	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Total	149	23.4	3.8	33	5.9	2.4	478	70.7	4.1
Gender									
Male	61	22.6	5.8	16	6.9	3.9	187	70.5	6.4
Female	88	24.2	4.8	17	4.9	3.0	291	70.9	5.3
Age									
18-34	35	26.7	8.5	12	12.4	7.3	73	60.8	9.7
35-54	76	27.3	5.9	14	4.1	2.3	195	68.6	6.1
≥55	38	15.2	4.9	7	2.2	1.7	204	82.7	5.1
Education									
≤High School	97	31.6	6.0	12	4.0	2.9	215	64.4	6.2
>High School	51	14.9	4.2	21	7.9	3.9	260	77.2	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Home Smoking Policies

Demographic Groups	n¹	Not Allowed	C.I. ³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere	C.I.
Total	378	57.7	4.3	89	13.0	2.8	194	29.3	4.0
Gender									
Male	135	53.3	6.8	28	10.4	4.0	102	36.3	6.6
Female	243	62.0	5.3	61	15.5	4.0	92	22.5	4.5
Age									
18-34	77	66.0	9.3	20	13.9	6.3	23	20.1	8.1
35-54	157	55.2	6.5	38	12.1	4.0	90	32.7	6.3
≥55	139	52.6	6.8	31	13.7	4.9	80	33.7	6.5
Education									
≤High School	164	48.9	6.3	48	14.5	4.3	112	36.6	6.2
>High School	211	66.5	5.6	41	11.8	3.7	81	21.7	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Home Smoking

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	213	32.7	450	67.3	4.1
Gender					
Male	99	36.0	166	64.0	6.6
Female	114	29.5	284	70.5	5.0
Age					
18-34	40	30.2	80	69.8	8.9
35-54	102	36.5	183	63.5	6.3
≥55	70	30.3	182	69.7	6.4
Education					
≤High School	129	41.4	197	58.6	6.2
>High School	83	23.8	250	76.2	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	75	15.8	576	84.2	3.7
Gender					
Male	53	25.2	205	74.8	6.5
Female	22	6.9	371	93.1	3.0
Age					
18-34	32	30.5	84	69.5	9.6
35-54	35	14.4	245	85.6	4.8
≥55	8	4.0	241	96.0	2.9
Education					
≤High School	36	15.2	284	84.8	5.2
>High School	38	15.7	289	84.3	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	41	7.5	617	92.5	2.6
Gender					
Male	20	9.3	241	90.7	4.4
Female	21	5.9	376	94.1	2.8
Age					
18-34	13	11.9	107	88.1	6.8
35-54	18	6.8	265	93.2	3.3
≥55	10	4.3	240	95.7	2.9
Education					
≤High School	19	7.1	304	92.9	3.6
>High School	22	8.1	309	91.9	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Overweight or Obese, BMI(Body Mass Index) 25 or More Chenango, Madison

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	383	62.0	242	38.0	4.4
Gender					
Male	180	69.4	81	30.6	6.5
Female	203	54.3	161	45.7	5.8
Age					
18-34	63	58.4	48	41.6	10.1
35-54	163	62.3	108	37.7	6.5
≥55	154	64.7	85	35.3	6.7
Education					
≤High School	204	67.3	101	32.7	6.1
>High School	177	57.2	140	42.8	6.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+) *Chenango, Madison*

Demographic Groups	n¹	Underweight\ Normal %2	C.I. ³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	242	38.0	4.4	222	38.4	4.5	161	23.5	3.6
Gender									
Male	81	30.6	6.5	116	46.7	6.9	64	22.7	5.4
Female	161	45.7	5.8	106	29.9	5.5	97	24.4	4.8
Age									
18-34	48	41.6	10.1	43	42.5	10.3	20	15.9	6.8
35-54	108	37.7	6.5	90	35.2	6.4	73	27.1	5.9
≥55	85	35.3	6.7	86	38.6	6.9	68	26.0	5.9
Education									
≤High School	101	32.7	6.1	114	40.1	6.5	90	27.3	5.6
>High School	140	42.8	6.3	107	37.3	6.2	70	19.9	4.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Had Mammography Screening, Women Aged 40 Years and Older *Chenango*, *Madison*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Female	261	86.9	30	13.1	4.6
Age					
40-64	171	85.2	23	14.8	5.9
≥65	90	90.5	7	9.5	7.3
Education					
≤High School	133	85.9	17	14.1	6.6
>High School	127	87.8	13	12.2	6.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Female	225	76.3	64	23.7	5.6
Age					
40-64	148	74.7	44	25.3	7.0
≥65	77	79.8	20	20.2	8.9
Education					
≤High School	113	74.8	36	25.2	7.9
>High School	111	77.7	28	22.3	7.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	53	11.5	441	88.5	3.4
Gender					
Male	6	4.6	197	95.4	3.7
Female	47	18.5	244	81.5	5.6
Age					
18-34	29	23.1	88	76.9	8.4
35-54	23	6.2	256	93.8	2.8
55-64	1	2.0	97	98.0	3.8
Education					
≤High School	28	11.4	211	88.6	4.5
>High School	25	11.8	228	88.2	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Sexually Active, Age 18-64 Years Old

Demographic		Yes		No	
Groups	n¹	% ²	n	%	C.I. ³
Total	371	83.3	101	16.7	3.8
Gender					
Male	160	86.6	36	13.4	5.3
Female	211	79.9	65	20.1	5.3
Age					
18-34	95	83.2	17	16.8	8.2
35-54	219	86.9	48	13.1	4.1
55-64	57	71.1	36	28.9	9.3
Education					
≤High School	177	80.9	54	19.1	6.0
>High School	193	85.9	46	14.1	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger Chenango, Madison

Demographic		Yes		No	
Groups	n¹	% 2	n	%	C.I. ³
Total	60	16.3	321	83.7	4.4
Gender					
Male	25	14.4	141	85.6	6.1
Female	35	18.4	180	81.6	6.3
Age					
18-34	26	25.8	74	74.2	9.8
35-54	30	12.1	194	87.9	4.4
55-64	4	6.0	53	94.0	6.2
Education					
≤High School	22	12.1	158	87.9	5.5
>High School	38	20.5	162	79.5	6.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Demographic Groups	n¹	Use BC	C.I. ³	n	No BC at risk	C.I.	n	No BC	C.I.
Total	210	65.4	5.9	38	11.3	3.8	78	23.3	5.4
Gender									
Male	111	62.6	8.1	24	13.6	5.6	42	23.8	7.3
Female	99	69.7	8.3	14	7.7	4.2	36	22.6	7.7
Age									
18-34	73	65.3	9.8	10	9.0	5.6	28	25.7	9.1
35-59	137	65.5	7.2	28	13.2	5.1	50	21.3	6.3
Education									
≤High School	99	63.8	8.6	23	14.5	6.2	37	21.7	7.6
>High School	111	67.9	8.0	15	8.3	4.4	40	23.7	7.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Physician Diagnosed Heart Attack, Angina or Stroke

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	69	8.8	583	91.2	2.3
Gender					
Male	36	11.4	222	88.6	4.0
Female	33	6.4	361	93.6	2.3
Age					
18-64	26	4.8	467	95.2	2.0
≥65	43	27.1	110	72.9	7.7
Education					
≤High School	38	8.7	285	91.3	2.9
>High School	31	9.2	294	90.8	3.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina) Chenango, Madison

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	58	7.3	594	92.7	2.1
Gender					
Male	32	10.0	226	90.0	3.7
Female	26	4.8	368	95.2	2.0
Age					
18-64	23	4.1	470	95.9	1.9
≥65	35	22.0	118	78.0	7.3
Education					
≤High School	32	6.9	291	93.1	2.6
>High School	26	7.9	299	92.1	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older *Chenango, Madison*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	102	58.4	76	41.6	8.0
Age					
40-64	60	50.9	62	49.1	9.9
≥65	42	78.4	14	21.6	11.4
Education					
≤High School	41	47.9	43	52.1	11.7
>High School	60	66.1	33	33.9	10.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	90	50.5	87	49.5	8.2
Age					
40-64	53	43.7	69	56.3	9.8
≥65	37	68.7	18	31.3	13.3
Education					
≤High School	35	39.3	49	60.7	11.4
>High School	55	61.6	37	38.4	11.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Chenango, Madison

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	134	76.1	45	23.9	6.8
Age					
40-64	86	73.5	37	26.5	8.3
≥65	48	83.0	8	17.0	11.9
Education					
≤High School	55	64.7	28	35.3	11.5
>High School	78	84.6	17	15.4	7.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Used a Blood Stool Test at Home, Aged 50 and Older *Chenango, Madison*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	127	41.0	193	59.0	6.0
Gender					
Male	49	44.3	69	55.7	10.0
Female	78	38.3	124	61.7	7.2
Age					
50-64	58	34.7	109	65.3	8.1
≥65	69	48.6	84	51.4	8.7
Education					
≤High School	53	31.2	108	68.8	7.8
>High School	74	50.7	84	49.3	8.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older *Chenango, Madison*

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	53	17.3	261	82.7	4.8
Gender					
Male	23	21.4	95	78.6	8.6
Female	30	13.9	166	86.1	5.0
Age					
50-64	23	14.7	142	85.3	6.3
≥65	30	20.5	119	79.5	7.2
Education					
≤High School	27	15.7	133	84.3	6.0
>High School	26	19.0	127	81.0	7.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older *Chenango, Madison*

Demographic		Yes		No	
Groups	n¹	% ²	n	%	C.I. ³
Total	75	25.2	239	74.8	5.5
Gender					
Male	32	31.0	86	69.0	9.6
Female	43	20.5	153	79.5	5.9
Age					
50-64	35	22.4	130	77.6	7.4
≥65	40	28.7	109	71.3	8.2
Education					
≤High School	38	22.2	122	77.8	7.0
>High School	37	28.3	116	71.7	8.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older *Chenango, Madison*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	142	44.5	172	55.5	6.1
Gender					
Male	51	43.9	63	56.1	10.0
Female	91	45.0	109	55.0	7.5
Age					
50-64	60	37.4	104	62.6	8.3
≥65	82	53.2	68	46.8	8.8
Education					
≤High School	69	41.7	89	58.3	8.4
>High School	73	47.6	82	52.4	8.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older *Chenango, Madison*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	130	41.2	184	58.8	6.0
Gender					
Male	48	42.2	66	57.8	10.0
Female	82	40.4	118	59.6	7.4
Age					
50-64	55	34.5	109	65.5	8.1
≥65	75	49.3	75	50.7	8.8
Education					
≤High School	64	38.4	94	61.6	8.3
>High School	66	44.1	89	55.9	8.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	154	48.3	166	51.7	6.1
Gender					
Male	59	51.4	59	48.6	10.0
Female	95	45.9	107	54.1	7.4
Age					
50-64	65	40.3	102	59.7	8.3
≥65	89	58.1	64	41.9	8.6
Education					
≤High School	75	43.7	86	56.3	8.4
>High School	79	53.1	79	46.9	8.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval