Expanded BRFSS, 2003

Cayuga, Seneca, Wayne Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	
Core 2: Health Care Access	4
Core 3: Exercise	8
Core 4: Diabetes	
Core 5: Asthma	10
Core 6: Arthritis	12
Core 7: Tobacco Use	14
Core 8: Tobacco ETS	17
Core 9: Alcohol Consumption	19
Core 9: Alcohol Consumption	21
Core 11: Mammography	23
Core 12: Sexual Behavior	
Core 13: Family Planning	28
Core 14: Cardiovascular Disease	29
Core 15: Prostate Cancer Screening	
Core 16: Colorectal Cancer Screening	

New York State Department Of Health

Self-rated Health Status

Demographic Groups	n¹	Fair or Poor	n	Good to Excellent	C.I. ³
Total	112	13.9	533	86.1	2.8
Gender					
Male	46	14.0	217	86.0	4.4
Female	66	13.8	316	86.2	3.6
Age					
18-34	8	5.4	107	94.6	4.5
35-54	30	11.6	223	88.4	4.3
≥55	73	24.4	196	75.6	5.6
Education					
≤High School	75	19.8	237	80.2	4.7
>High School	36	8.7	294	91.3	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Reported Number of Physical Distress Days in the Past Month

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. ³
Total	76	11.1	552	88.9	2.7
Gender					
Male	29	10.8	229	89.2	4.2
Female	47	11.3	323	88.7	3.4
Age					
18-34	10	7.3	101	92.7	5.2
35-54	28	11.6	221	88.4	4.4
≥55	38	13.9	222	86.1	4.6
Education					
≤High School	49	16.0	248	84.0	4.8
>High School	27	7.1	301	92.9	3.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Reported Number of Mental Distress Days in the Past Month

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. ³
Total	59	9.4	572	90.6	2.8
Gender					
Male	25	9.5	234	90.5	4.5
Female	34	9.3	338	90.7	3.4
Age					
18-34	18	14.5	96	85.5	7.7
35-54	27	9.1	223	90.9	3.6
≥55	14	5.2	244	94.8	3.3
Education					
≤High School	33	12.1	269	87.9	5.1
>High School	26	7.0	300	93.0	2.9

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, 18-64 Years of Age** Cayuga, Seneca, Wayne

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	405	85.3	57	14.7	4.1
Gender					
Male	167	81.2	28	18.8	6.8
Female	238	89.7	29	10.3	4.0
Age					
18-34	85	73.1	28	26.9	9.6
35-54	234	91.7	20	8.3	4.1
55-64	86	90.9	9	9.1	6.4
Education					
≤High School	151	74.2	42	25.8	7.7
>High School	254	93.4	15	6.6	3.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, Aged 18 and Older** Cayuga, Seneca, Wayne

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	583	87.8	61	12.2	3.4
Gender					
Male	233	84.2	28	15.8	5.8
Female	350	91.3	33	8.7	3.2
Age					
18-34	85	73.1	28	26.9	9.6
35-54	234	91.7	20	8.3	4.1
≥55	257	95.3	12	4.7	3.0
Education					
≤High School	268	80.6	44	19.4	5.9
>High School	312	94.0	17	6.0	3.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Reported Having a Routine Physical Exam in Past Two Years

Demographic		Yes		No	
Groups	n¹	% ²	n	%	C.I. ³
Total	562	85.1	79	14.9	3.5
Gender					
Male	216	81.2	45	18.8	5.7
Female	346	88.9	34	11.1	3.9
Age					
18-34	93	77.9	22	22.1	8.8
35-54	210	83.2	39	16.8	5.3
≥55	251	93.3	18	6.7	3.5
Education					
≤High School	264	81.7	45	18.3	5.6
>High School	295	87.9	34	12.1	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Time in Past 12 Months when Needed Medical Care but Could Not Get It Cayuga, Seneca, Wayne

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	29	4.3	617	95.7	1.8
Gender					
Male	9	3.7	254	96.3	2.7
Female	20	4.9	363	95.1	2.3
Age					
18-34	12	7.7	103	92.3	4.6
35-54	12	4.6	242	95.4	3.0
≥55	4	0.9	264	99.1	1.0
Education					
≤High School	15	4.5	297	95.5	2.5
>High School	14	4.1	317	95.9	2.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days Cayuga, Seneca, Wayne

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	475	77.1	171	22.9	3.6
Gender					
Male	199	76.7	64	23.3	5.8
Female	276	77.6	107	22.4	4.3
Age					
18-34	89	79.2	26	20.8	8.3
35-54	204	81.8	50	18.2	5.1
≥55	176	69.4	92	30.6	6.1
Education					
≤High School	204	69.8	109	30.2	5.8
>High School	270	83.7	60	16.3	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Physician Diagnosed Diabetes

Demographic	n¹	Yes		No o/	C.I. ³
Groups	11-	%0-	n	%	C.I.
Total	59	7.4	586	92.6	2.2
Gender					
Male	27	8.6	235	91.4	3.7
Female	32	6.1	351	93.9	2.3
Age					
18-34	3	2.9	112	97.1	3.8
35-54	10	3.4	244	96.6	2.3
≥55	46	16.5	222	83.5	5.1
Education					
≤High School	36	10.3	276	89.7	3.9
>High School	23	4.9	307	95.1	2.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Lifetime Asthma Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	73	10.9	573	89.1	2.8
Gender					
Male	19	7.6	244	92.4	3.8
Female	54	14.2	329	85.8	3.9
Age					
18-34	21	16.0	94	84.0	7.3
35-54	20	7.7	234	92.3	3.4
≥55	31	10.5	237	89.5	3.9
Education					
≤High School	32	9.6	281	90.4	3.8
>High School	41	12.1	289	87.9	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Current Asthma Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	55	7.9	589	92.1	2.4
Gender					
Male	15	6.1	248	93.9	3.6
Female	40	9.7	341	90.3	3.3
Age					
18-34	14	11.3	99	88.7	6.7
35-54	17	6.2	237	93.8	3.0
≥55	23	7.2	245	92.8	3.1
Education					
≤High School	25	7.5	288	92.5	3.5
>High School	30	8.3	298	91.7	3.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Arthritis Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	238	31.2	408	68.8	4.0
Gender					
Male	85	27.4	178	72.6	5.9
Female	153	35.0	230	65.0	5.3
Age					
18-34	12	9.8	103	90.2	6.1
35-54	67	25.7	187	74.3	5.9
≥55	156	57.1	112	42.9	6.7
Education					
≤High School	145	39.3	167	60.7	6.3
>High School	90	24.0	241	76.0	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Demographic Groups	n¹	Doctor Diagnosed %2	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	238	31.3	4.0	89	14.8	3.4	317	53.9	4.5
Gender									
Male	85	27.4	5.9	46	18.2	5.7	132	54.4	7.0
Female	153	35.3	5.3	43	11.3	3.6	185	53.5	5.6
Age									
18-34	12	9.8	6.1	18	17.5	8.5	85	72.7	9.6
35-54	67	25.9	6.0	40	16.3	5.1	145	57.8	6.7
≥55	156	57.1	6.7	31	10.8	4.2	81	32.2	6.4
Education									
≤High School	145	39.3	6.3	39	15.4	5.4	128	45.2	6.7
>High School	90	24.1	5.1	50	14.2	4.3	189	61.7	5.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Ever Smoked 100 Cigarettes in Lifetime

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	341	51.4	305	48.6	4.5
Gender					
Male	144	52.4	119	47.6	7.1
Female	197	50.3	186	49.7	5.7
Age					
18-34	62	47.9	53	52.1	10.5
35-54	128	49.5	126	50.5	6.8
≥55	147	57.1	121	42.9	6.7
Education					
≤High School	194	61.3	118	38.7	6.6
>High School	145	42.7	186	57.3	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Current Smoker

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	158	24.3	487	75.7	3.9
Gender					
Male	64	25.6	198	74.4	6.2
Female	94	23.1	289	76.9	4.6
Age					
18-34	39	30.6	75	69.4	9.4
35-54	77	28.7	177	71.3	6.1
≥55	41	13.8	227	86.2	4.5
Education					
≤High School	105	33.8	206	66.2	6.3
>High School	53	16.4	278	83.6	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Status of Cigarette Smoking

Demographic Groups	n¹	Everyday Smoker %	C.I. ³	n	Someday Smoker %	C.I.	n	Former or Never Smoked	C.I.
Total	134	20.6	3.7	24	3.7	1.6	487	75.7	3.9
Gender									
Male	52	21.3	5.9	12	4.4	2.6	198	74.4	6.2
Female	82	20.0	4.4	12	3.1	1.9	289	76.9	4.6
Age									
18-34	34	27.0	9.1	5	3.6	3.4	75	69.4	9.4
35-54	66	24.9	5.9	11	3.8	2.4	177	71.3	6.1
≥55	33	10.0	3.6	8	3.9	2.9	227	86.2	4.5
Education									
≤High School	91	29.7	6.1	14	4.1	2.3	206	66.2	6.3
>High School	43	12.9	4.2	10	3.5	2.3	278	83.6	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Home Smoking Policies

Demographic Groups	n¹	Not Allowed	C.I. ³	n	Allowed Some Places	C.I.	n	Allowed Anywhere	C.I.
Total	392	63.8	4.3	84	12.9	3.0	166	23.3	3.8
Gender									
Male	152	61.6	6.8	37	13.4	4.6	72	24.9	6.0
Female	240	66.0	5.3	47	12.3	3.7	94	21.7	4.5
Age									
18-34	73	65.3	10.0	19	15.4	7.1	22	19.3	8.5
35-54	159	64.8	6.4	40	15.4	4.8	55	19.8	5.2
≥55	153	60.6	6.6	24	7.5	3.2	88	31.9	6.4
Education									
≤High School	162	55.3	6.6	42	13.4	4.3	106	31.3	6.0
>High School	228	71.1	5.7	41	12.4	4.1	60	16.5	4.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Home Smoking

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	178	27.6	467	72.4	4.1
Gender					
Male	78	29.2	183	70.8	6.5
Female	100	26.1	284	73.9	4.9
Age					
18-34	36	31.5	79	68.5	9.8
35-54	77	28.8	175	71.2	6.0
≥55	64	23.2	205	76.8	5.7
Education					
≤High School	110	35.5	202	64.5	6.3
>High School	68	20.8	262	79.2	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	71	13.1	569	86.9	3.3
Gender					
Male	54	21.7	204	78.3	5.9
Female	17	4.7	365	95.3	2.6
Age					
18-34	20	19.5	93	80.5	8.5
35-54	36	14.8	215	85.2	5.0
≥55	15	6.0	252	94.0	3.2
Education					
≤High School	34	11.4	276	88.6	4.3
>High School	37	14.6	290	85.4	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	27	4.5	612	95.5	1.9
Gender					
Male	17	6.8	241	93.2	3.6
Female	10	2.3	371	97.7	1.5
Age					
18-34	5	5.4	108	94.6	5.0
35-54	10	4.1	241	95.9	2.7
≥55	12	4.4	254	95.6	2.6
Education					
≤High School	14	4.1	293	95.9	2.3
>High School	12	4.7	317	95.3	3.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Overweight or Obese, BMI(Body Mass Index) 25 or More Cayuga, Seneca, Wayne

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	357	59.2	258	40.8	4.6
Gender					
Male	177	66.1	85	33.9	6.9
Female	180	51.8	173	48.2	5.9
Age					
18-34	52	47.0	57	53.0	10.8
35-54	149	64.0	97	36.0	6.5
≥55	155	63.9	103	36.1	6.5
Education					
≤High School	171	58.5	123	41.5	6.9
>High School	185	59.8	134	40.2	6.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+) Cayuga, Seneca, Wayne

Demographic Groups	n¹	Underweight\ Normal %2	C.I. ³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	258	40.8	4.6	212	36.3	4.5	145	22.9	3.8
Gender									
Male	85	33.9	6.9	115	42.8	7.0	62	23.3	5.9
Female	173	48.2	5.9	97	29.4	5.4	83	22.4	4.8
Age									
18-34	57	53.0	10.8	31	29.0	9.8	21	18.0	8.0
35-54	97	36.0	6.5	92	39.8	6.8	57	24.2	6.0
≥55	103	36.1	6.5	89	38.6	6.9	66	25.3	5.9
Education									
≤High School	123	41.5	6.9	100	35.8	6.6	71	22.7	5.4
>High School	134	40.2	6.2	112	36.9	6.1	73	22.9	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Had Mammography Screening, Women Aged 40 Years and Older *Cayuga, Seneca, Wayne*

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Female	240	91.9	22	8.1	3.8
Age					
40-64	142	91.9	12	8.1	5.1
≥65	98	91.9	10	8.1	5.3
Education					
≤High School	125	90.0	14	10.0	5.9
>High School	113	93.7	8	6.3	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Female	197	76.0	62	24.0	5.9
Age					
40-64	118	75.5	35	24.5	7.7
≥65	79	77.1	27	22.9	8.7
Education					
≤High School	104	76.5	34	23.5	7.9
>High School	92	75.5	28	24.5	8.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	50	10.4	406	89.6	3.1
Gender					
Male	7	3.6	183	96.4	3.1
Female	43	17.4	223	82.6	5.3
Age					
18-34	31	21.7	81	78.3	8.0
35-54	17	5.5	233	94.5	2.8
55-64	2	2.1	92	97.9	3.0
Education					
≤High School	21	10.2	167	89.8	4.8
>High School	29	10.5	239	89.5	4.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Sexually Active, Age 18-64 Years Old

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	357	85.9	72	14.1	4.0
Gender					
Male	153	84.7	29	15.3	6.5
Female	204	87.2	43	12.8	4.4
Age					
18-34	97	85.1	13	14.9	8.9
35-54	202	90.7	30	9.3	3.8
55-64	58	73.7	29	26.3	9.7
Education					
≤High School	142	79.6	35	20.4	7.8
>High School	215	90.4	37	9.6	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger Cayuga, Seneca, Wayne

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	38	12.1	320	87.9	4.4
Gender					
Male	17	13.2	137	86.8	7.0
Female	21	10.9	183	89.1	5.0
Age					
18-34	18	23.0	79	77.0	10.4
35-54	19	7.6	184	92.4	3.8
55-64	1	1.0	57	99.0	2.0
Education					
≤High School	17	10.8	127	89.2	6.0
>High School	21	12.9	193	87.1	6.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Demographic Groups	n¹	Use BC	C.I. ³	n	No BC at risk	C.I.	n	No BC	C.I.
Total	214	65.9	6.1	38	11.9	3.9	73	22.2	5.5
Gender									
Male	113	64.2	8.4	19	11.3	5.3	44	24.5	7.7
Female	101	68.6	8.3	19	12.9	5.7	29	18.5	7.2
Age									
18-34	71	61.9	10.4	17	13.3	6.6	26	24.8	9.8
35-59	143	69.2	6.9	21	10.8	4.7	47	20.1	5.9
Education									
≤High School	83	59.6	10.2	21	16.0	6.9	27	24.4	9.8
>High School	131	70.3	7.2	17	9.1	4.5	46	20.6	6.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Physician Diagnosed Heart Attack, Angina or Stroke

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	75	9.0	563	91.0	2.3
Gender					
Male	40	11.7	218	88.3	3.9
Female	35	6.5	345	93.5	2.3
Age					
18-64	22	4.4	437	95.6	2.0
≥65	53	30.0	120	70.0	7.5
Education					
≤High School	48	13.3	258	86.7	4.1
>High School	24	5.1	305	94.9	2.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina) Cayuga, Seneca, Wayne

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	66	8.1	572	91.9	2.2
Gender					
Male	37	10.8	221	89.2	3.8
Female	29	5.4	351	94.6	2.1
Age					
18-64	20	4.2	439	95.8	2.0
≥65	46	25.6	127	74.4	7.1
Education					
≤High School	42	11.6	264	88.4	3.8
>High School	21	4.7	308	95.3	2.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older Cayuga, Seneca, Wayne

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	110	59.1	69	40.9	8.2
Age					
40-64	59	49.0	58	51.0	9.9
≥65	51	88.0	11	12.0	7.5
Education					
≤High School	54	63.2	30	36.8	11.7
>High School	55	55.4	39	44.6	11.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	91	48.4	88	51.6	8.2
Age					
40-64	48	38.9	69	61.1	9.6
≥65	43	75.6	19	24.4	11.1
Education					
≤High School	45	52.5	39	47.5	12.1
>High School	45	44.6	49	55.4	11.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Cayuga, Seneca, Wayne

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	157	85.6	30	14.4	5.3
Age					
40-64	102	84.8	22	15.2	6.5
≥65	55	88.0	8	12.0	8.7
Education					
≤High School	74	83.6	17	16.4	8.2
>High School	82	87.3	13	12.7	6.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Used a Blood Stool Test at Home, Aged 50 and Older

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	138	44.7	177	55.3	6.2
Gender					
Male	52	44.9	69	55.1	9.9
Female	86	44.5	108	55.5	7.9
Age					
50-64	60	40.9	83	59.1	9.0
≥65	78	49.1	94	50.9	8.3
Education					
≤High School	78	43.8	105	56.2	8.1
>High School	60	46.4	69	53.6	9.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older *Cayuga, Seneca, Wayne*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	48	17.6	262	82.4	5.0
Gender					
Male	21	19.5	98	80.5	8.2
Female	27	16.0	164	84.0	6.2
Age					
50-64	23	17.2	119	82.8	7.1
≥65	25	18.0	143	82.0	7.0
Education					
≤High School	27	17.5	153	82.5	6.7
>High School	21	17.9	106	82.1	7.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older Cayuga, Seneca, Wayne

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	79	27.8	231	72.2	5.8
Gender					
Male	27	24.9	92	75.1	8.9
Female	52	30.2	139	69.8	7.5
Age					
50-64	37	26.4	105	73.6	8.1
≥65	42	29.4	126	70.6	8.1
Education					
≤High School	44	26.3	136	73.7	7.4
>High School	35	30.0	92	70.0	9.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	154	48.8	161	51.2	6.3
Gender					
Male	60	50.3	60	49.7	10.0
Female	94	47.5	101	52.5	7.9
Age					
50-64	60	40.9	84	59.1	8.9
≥65	94	58.2	77	41.8	8.2
Education					
≤High School	91	50.5	91	49.5	8.2
>High School	62	46.7	68	53.3	9.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older *Cayuga, Seneca, Wayne*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	146	46.8	168	53.2	6.2
Gender					
Male	56	47.7	63	52.3	10.0
Female	90	46.0	105	54.0	7.9
Age					
50-64	58	39.7	85	60.3	8.9
≥65	88	55.1	83	44.9	8.3
Education					
≤High School	88	49.3	94	50.7	8.2
>High School	57	43.5	72	56.5	9.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	168	53.4	149	46.6	6.2
Gender					
Male	64	52.8	57	47.2	10.0
Female	104	53.8	92	46.2	7.9
Age					
50-64	69	46.1	75	53.9	9.1
≥65	99	61.9	74	38.1	7.9
Education					
≤High School	99	55.8	84	44.2	8.1
>High School	68	50.4	63	49.6	9.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval