Expanded BRFSS, 2003

Livingston, Ontario Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	1
Core 2: Health Care Access	4
Core 3: Exercise	8
Core 4: Diabetes	9
Core 5: Asthma	
Core 6: Arthritis	12
Core 7: Tobacco Use	14
Core 8: Tobacco ETS	17
Core 9: Alcohol Consumption	19
Core 10: Weight Status	21
Core 11: Mammography	23
Core 12: Sexual Behavior	25
Core 13: Family Planning	28
Core 14: Cardiovascular Disease	29
Core 15: Prostate Cancer Screening	31
Core 16: Colorectal Cancer Screening	37

New York State Department Of Health

Self-rated Health Status

Demographic Groups	n¹	Fair or Poor	n	Good to Excellent	C.I. ³
Total	92	11.8	543	88.2	2.6
Gender					
Male	34	9.4	233	90.6	3.4
Female	58	14.2	310	85.8	3.9
Age					
18-34	13	6.7	126	93.3	4.0
35-54	26	9.2	223	90.8	3.8
≥55	52	19.0	189	81.0	5.3
Education					
≤High School	58	18.6	205	81.4	4.9
>High School	33	7.2	338	92.8	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Reported Number of Physical Distress Days in the Past Month Livingston, Ontario

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. ³
Total	69	8.9	554	91.1	2.3
Gender					
Male	24	6.2	241	93.8	2.8
Female	45	11.5	313	88.5	3.5
Age					
18-34	11	5.5	127	94.5	3.4
35-54	28	9.5	218	90.5	3.8
≥55	30	11.7	202	88.3	4.4
Education					
≤High School	40	13.3	214	86.7	4.4
>High School	29	6.0	339	94.0	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent ³95% Confidence Interval

Reported Number of Mental Distress Days in the Past Month Livingston, Ontario

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. ³
Total	71	10.5	558	89.5	2.6
Gender					
Male	26	9.0	237	91.0	3.7
Female	45	11.9	321	88.1	3.7
Age					
18-34	21	13.9	116	86.1	6.0
35-54	35	11.9	213	88.1	4.3
≥55	14	5.6	223	94.4	3.1
Education					
≤High School	35	12.9	222	87.1	4.5
>High School	36	8.9	335	91.1	3.2

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, 18-64 Years of Age** Livingston, Ontario

Demographic		Yes		No	G T 1
Groups	n¹	% ²	n	%	C.I. ³
Total	447	88.0	58	12.0	3.2
Gender					
Male	180	85.3	35	14.7	4.9
Female	267	90.8	23	9.2	4.1
Age					
18-34	114	83.9	24	16.1	6.6
35-54	222	88.4	28	11.6	4.4
55-64	111	94.3	6	5.7	4.7
Education					
≤High School	156	82.1	34	17.9	6.0
>High School	291	91.5	24	8.5	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Health Insurance Coverage, Aged 18 and Older Livingston, Ontario

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	576	89.8	61	10.2	2.7
Gender					
Male	232	87.2	36	12.8	4.3
Female	344	92.2	25	7.8	3.4
Age					
18-34	114	83.9	24	16.1	6.6
35-54	222	88.4	28	11.6	4.4
≥55	234	96.5	8	3.5	2.6
Education					
≤High School	226	85.4	37	14.6	4.8
>High School	349	92.6	24	7.4	3.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Reported Having a Routine Physical Exam in Past Two Years *Livingston, Ontario*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
•					
Total	555	86.3	79	13.7	3.2
Gender					
Male	219	81.2	47	18.8	5.4
Female	336	91.2	32	8.8	3.3
Age					
18-34	120	86.6	17	13.4	6.5
35-54	204	80.1	44	19.9	5.9
≥55	224	92.0	18	8.0	3.7
Education					
≤High School	229	86.5	34	13.5	4.6
>High School	325	86.1	45	13.9	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Time in Past 12 Months when Needed Medical Care but Could Not Get It *Livingston, Ontario*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	27	4.3	612	95.7	1.8
Gender					
Male	11	3.7	257	96.3	2.3
Female	16	4.9	355	95.1	2.7
Age					
18-34	11	6.9	129	93.1	4.2
35-54	11	4.1	239	95.9	2.8
≥55	5	2.3	237	97.7	2.2
Education					
≤High School	16	7.0	249	93.0	3.6
>High School	11	2.5	362	97.5	1.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days *Livingston, Ontario*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	496	80.7	140	19.3	3.3
Gender					
Male	209	80.1	58	19.9	5.1
Female	287	81.3	82	18.7	4.1
Age					
18-34	116	87.2	23	12.8	5.3
35-54	201	82.6	48	17.4	5.1
≥55	173	72.6	68	27.4	6.2
Education					
≤High School	178	70.2	85	29.8	6.0
>High School	318	87.7	54	12.3	3.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Physician Diagnosed Diabetes

Demographic		Yes		No	
Groups	n¹	%2	n	%	C.I. ³
Total	40	5.3	599	94.7	1.8
Gender					
Male	16	5.2	252	94.8	2.8
Female	24	5.4	347	94.6	2.4
Age					
18-34	1	0.4	139	99.6	0.8
35-54	11	4.1	239	95.9	2.9
≥55	27	10.8	215	89.2	4.2
Education					
≤High School	18	5.6	247	94.4	2.8
>High School	21	5.0	352	95.0	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Lifetime Asthma Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	81	11.9	556	88.1	2.8
Gender					
Male	27	9.4	240	90.6	3.8
Female	54	14.3	316	85.7	4.0
Age					
18-34	21	13.6	119	86.4	5.9
35-54	32	11.3	217	88.7	4.3
≥55	28	11.4	213	88.6	4.4
Education					
≤High School	36	12.2	228	87.8	4.3
>High School	45	11.7	327	88.3	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Current Asthma Diagnosed by a Medical Professional

Demographic	n¹	Yes		No	C.I. ³
Groups	Ш	70-	n	%	C.I.
Total	56	8.1	579	91.9	2.3
Gender					
Male	15	5.5	251	94.5	3.0
Female	41	10.6	328	89.4	3.4
Age					
18-34	13	7.6	127	92.4	4.2
35-54	23	8.5	226	91.5	3.9
≥55	20	8.5	219	91.5	3.9
Education					
≤High School	30	10.4	232	89.6	4.1
>High School	26	6.6	346	93.4	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Arthritis Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	205	28.7	432	71.3	3.8
Gender					
Male	80	27.1	187	72.9	5.7
Female	125	30.1	245	69.9	5.2
Age					
18-34	16	11.2	124	88.8	5.7
35-54	74	28.4	174	71.6	6.2
≥55	114	45.6	128	54.4	7.0
Education					
≤High School	105	36.0	160	64.0	6.4
>High School	100	23.8	271	76.2	4.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Demographic Groups	n¹	Doctor Diagnosed	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	205	28.7	3.9	100	16.7	3.4	331	54.7	4.4
Gender									
Male	80	27.2	5.7	46	18.2	5.3	140	54.6	6.6
Female	125	30.1	5.2	54	15.2	4.4	191	54.7	5.8
Age									
18-34	16	11.2	5.7	21	16.2	7.1	103	72.5	8.3
35-54	74	28.4	6.2	47	19.9	5.8	127	51.7	7.0
≥55	114	45.7	7.0	30	12.3	4.5	97	42.0	7.0
Education									
≤High School	105	36.0	6.4	32	11.6	4.6	127	52.3	6.9
>High School	100	23.8	4.7	68	20.1	4.8	203	56.2	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Ever Smoked 100 Cigarettes in Lifetime

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	343	51.5	294	48.5	4.4
Gender					
Male	154	54.2	114	45.8	6.7
Female	189	48.8	180	51.2	5.8
Age					
18-34	66	42.0	73	58.0	8.9
35-54	129	51.2	120	48.8	7.0
≥55	144	60.5	98	39.5	6.8
Education					
≤High School	159	56.8	105	43.2	7.0
>High School	184	48.0	188	52.0	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Current Smoker

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	167	25.3	469	74.7	3.7
Gender					
Male	69	24.2	199	75.8	5.5
Female	98	26.3	270	73.7	5.0
Age					
18-34	44	27.1	95	72.9	7.8
35-54	72	28.4	177	71.6	6.2
≥55	48	20.2	193	79.8	5.6
Education					
≤High School	85	29.3	178	70.7	6.0
>High School	82	22.7	290	77.3	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Status of Cigarette Smoking

Demographic Groups	n¹	Everyday Smoker %2	C.I. ³	n	Someday Smoker	C.I.	n	Former or Never Smoked %	C.I.
Total	125	18.6	3.3	42	6.7	2.2	469	74.7	3.7
Gender									
Male	48	17.4	4.9	21	6.8	3.2	199	75.8	5.5
Female	77	19.8	4.4	21	6.5	3.0	270	73.7	5.0
Age									
18-34	29	16.9	6.3	15	10.2	5.4	95	72.9	7.8
35-54	55	21.5	5.6	17	6.9	3.5	177	71.6	6.2
≥55	39	16.9	5.3	9	3.3	2.3	193	79.8	5.6
Education									
≤High School	70	24.2	5.6	15	5.1	2.9	178	70.7	6.0
>High School	55	14.9	4.1	27	7.7	3.1	290	77.3	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Home Smoking Policies

Demographic Groups	n¹	Not Allowed	C.I. ³	n	Allowed Some Places	C.I.	n	Allowed Anywhere	C.I.
Total	394	63.8	4.2	108	18.0	3.5	136	18.2	3.2
Gender									
Male	156	61.5	6.4	39	15.7	5.0	73	22.8	5.2
Female	238	66.0	5.5	69	20.2	4.9	63	13.8	3.5
Age									
18-34	91	67.8	8.4	27	18.7	7.1	22	13.5	5.8
35-54	160	65.1	6.6	40	16.5	5.4	50	18.4	5.1
≥55	142	60.7	6.8	39	17.7	5.5	60	21.6	5.5
Education									
≤High School	139	57.0	6.7	44	17.3	5.3	81	25.6	5.6
>High School	254	68.3	5.3	64	18.5	4.6	55	13.2	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Home Smoking

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	184	27.5	453	72.5	3.9
Gender					
Male	80	27.8	187	72.2	5.9
Female	104	27.1	266	72.9	5.2
Age					
18-34	41	26.5	98	73.5	7.9
35-54	73	27.7	177	72.3	6.2
≥55	65	26.1	176	73.9	6.1
Education					
≤High School	98	32.9	165	67.1	6.2
>High School	86	23.8	287	76.2	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	75	14.3	556	85.7	3.4
Gender					
Male	49	21.5	214	78.5	5.9
Female	26	7.4	342	92.6	3.1
Age					
18-34	28	23.0	111	77.0	7.9
35-54	36	16.2	210	83.8	5.6
≥55	10	4.2	230	95.8	2.9
Education					
≤High School	27	11.6	235	88.4	4.5
>High School	48	16.2	320	83.8	4.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Demographic		Yes		No	
Groups	n¹	0 ∕0²	n	%	C.I. ³
Total	32	5.0	600	95.0	1.9
Gender					
Male	14	4.8	250	95.2	2.8
Female	18	5.1	350	94.9	2.7
Age					
18-34	6	5.5	133	94.5	4.4
35-54	14	5.4	232	94.6	3.1
≥55	11	3.6	229	96.4	2.4
Education					
≤High School	8	2.7	254	97.3	2.0
>High School	24	6.5	345	93.5	2.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Overweight or Obese, BMI(Body Mass Index) 25 or More Livingston, Ontario

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	365	60.5	243	39.5	4.4
Gender					
Male	183	69.6	84	30.4	6.1
Female	182	51.0	159	49.0	6.0
Age					
18-34	69	49.7	65	50.3	9.3
35-54	148	65.1	87	34.9	6.7
≥55	145	65.1	90	34.9	6.6
Education					
≤High School	163	65.7	91	34.3	6.8
>High School	201	57.0	152	43.0	5.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+) *Livingston, Ontario*

Demographic Groups	n¹	Underweight\ Normal	C.I. ³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	243	39.5	4.4	213	36.3	4.3	152	24.3	3.8
Gender									
Male	84	30.4	6.1	108	42.5	6.6	75	27.2	5.9
Female	159	49.0	6.0	105	29.8	5.4	77	21.2	4.8
Age									
18-34	65	50.3	9.3	36	27.2	8.2	33	22.5	7.4
35-54	87	34.9	6.7	83	38.5	7.2	65	26.6	6.4
≥55	90	34.9	6.6	91	41.4	7.0	54	23.7	6.1
Education									
≤High School	91	34.3	6.8	95	38.7	6.8	68	26.9	6.3
>High School	152	43.0	5.8	118	34.6	5.6	83	22.3	4.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Had Mammography Screening, Women Aged 40 Years and Older *Livingston, Ontario*

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Female	231	93.1	18	6.9	3.4
Age					
40-64	163	92.8	13	7.2	4.2
≥65	68	93.8	5	6.2	5.6
Education					
≤High School	98	90.1	11	9.9	6.1
>High School	132	95.3	7	4.7	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Female	199	81.6	49	18.4	5.2
Age					
40-64	141	80.7	35	19.3	6.4
≥65	58	83.7	14	16.3	8.6
Education					
≤High School	80	75.7	29	24.3	8.5
>High School	119	86.1	20	13.9	6.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	73	17.0	420	83.0	4.0
Gender					
Male	20	10.5	188	89.5	4.8
Female	53	23.5	232	76.5	6.2
Age					
18-34	44	35.4	92	64.6	9.0
35-54	26	8.1	217	91.9	3.3
55-64	3	2.7	111	97.3	3.5
Education					
≤High School	36	22.3	152	77.7	7.5
>High School	37	13.7	268	86.3	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Sexually Active, Age 18-64 Years Old

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	373	83.7	105	16.3	3.4
Gender					
Male	164	84.3	39	15.7	5.2
Female	209	83.1	66	16.9	4.5
Age					
18-34	114	87.5	18	12.5	6.1
35-54	193	87.0	44	13.0	4.1
55-64	66	69.7	43	30.3	9.0
Education					
≤High School	137	82.9	46	17.1	5.3
>High School	236	84.2	59	15.8	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger Livingston, Ontario

Demographic		Yes		No	
Groups	n¹	% ²	n	%	C.I. ³
Total	70	20.5	311	79.5	4.8
Gender					
Male	37	23.1	132	76.9	7.2
Female	33	17.8	179	82.2	6.3
Age					
18-34	39	34.6	79	65.4	9.5
35-54	28	13.5	169	86.5	5.5
55-64	3	5.9	63	94.1	6.6
Education					
≤High School	31	24.7	107	75.3	8.5
>High School	39	18.1	204	81.9	5.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Demographic Groups	n¹	Use BC	C.I. ³	n	No BC at risk	C.I.	n	No BC	C.I.
Total	214	64.2	5.7	38	11.4	3.7	89	24.4	5.1
Gender									
Male	110	59.1	7.7	26	14.5	5.5	54	26.4	6.9
Female	104	72.0	7.9	12	6.7	3.9	35	21.4	7.3
Age									
18-34	85	64.7	8.7	17	10.8	5.3	33	24.5	8.0
35-59	129	63.7	7.3	21	12.0	5.1	56	24.3	6.4
Education									
≤High School	79	66.6	9.3	11	9.2	5.6	33	24.2	8.4
>High School	135	62.8	7.1	27	12.7	4.8	56	24.5	6.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Physician Diagnosed Heart Attack, Angina or Stroke

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	51	7.2	578	92.8	2.1
Gender					
Male	30	9.0	235	91.0	3.3
Female	21	5.5	343	94.5	2.5
Age					
18-64	17	2.8	484	97.2	1.5
≥65	34	29.5	91	70.5	8.9
Education					
≤High School	30	10.5	230	89.5	3.9
>High School	21	5.1	347	94.9	2.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina) *Livingston, Ontario*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	46	6.4	583	93.6	1.9
Gender					
Male	28	8.3	237	91.7	3.2
Female	18	4.6	346	95.4	2.2
Age					
18-64	14	2.3	487	97.7	1.3
≥65	32	27.0	93	73.0	8.6
Education					
≤High School	25	8.4	235	91.6	3.4
>High School	21	5.1	347	94.9	2.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older *Livingston, Ontario*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	117	68.6	53	31.4	7.7
Age					
40-64	74	63.8	46	36.2	9.3
≥65	43	84.0	7	16.0	11.8
Education					
≤High School	48	65.5	23	34.5	12.3
>High School	69	70.7	30	29.3	9.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	104	60.3	65	39.7	8.2
Age					
40-64	62	53.0	57	47.0	9.9
≥65	42	83.0	8	17.0	11.9
Education					
≤High School	40	52.3	31	47.7	13.1
>High School	64	65.8	34	34.2	10.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Livingston, Ontario

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	146	83.4	27	16.6	6.2
Age					
40-64	101	80.6	22	19.4	7.8
≥65	45	92.1	5	7.9	7.4
Education					
≤High School	63	83.7	12	16.3	8.9
>High School	83	83.1	15	16.9	8.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Used a Blood Stool Test at Home, Aged 50 and Older *Livingston, Ontario*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	150	50.9	152	49.1	6.3
Gender					
Male	60	46.9	70	53.1	9.4
Female	90	55.0	82	45.0	8.4
Age					
50-64	85	47.8	95	52.2	8.2
≥65	65	56.0	57	44.0	9.9
Education					
≤High School	65	49.6	68	50.4	9.4
>High School	85	52.1	83	47.9	8.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older *Livingston, Ontario*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	61	22.0	236	78.0	5.4
Gender					
Male	30	22.9	99	77.1	8.0
Female	31	21.1	137	78.9	7.2
Age					
50-64	32	18.7	146	81.3	6.5
≥65	29	27.2	90	72.8	9.2
Education					
≤High School	30	23.5	100	76.5	8.1
>High School	31	20.9	135	79.1	7.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older *Livingston, Ontario*

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	97	33.1	200	66.9	6.0
Gender					
Male	44	32.9	85	67.1	8.8
Female	53	33.3	115	66.7	8.1
Age					
50-64	55	29.8	123	70.2	7.5
≥65	42	38.3	77	61.7	9.8
Education					
≤High School	46	35.4	84	64.6	9.0
>High School	51	31.5	115	68.5	8.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older *Livingston, Ontario*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	156	52.6	145	47.4	6.3
Gender					
Male	67	53.9	62	46.1	9.4
Female	89	51.3	83	48.7	8.4
Age					
50-64	90	50.7	90	49.3	8.2
≥65	66	55.6	55	44.4	9.9
Education					
≤High School	61	47.3	72	52.7	9.4
>High School	95	56.8	72	43.2	8.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older *Livingston, Ontario*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	148	51.3	150	48.7	6.3
Gender					
Male	64	52.9	63	47.1	9.4
Female	84	49.7	87	50.3	8.4
Age					
50-64	86	49.8	93	50.2	8.2
≥65	62	53.7	57	46.3	10.0
Education					
≤High School	58	46.1	73	53.9	9.5
>High School	90	55.4	76	44.6	8.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	173	59.2	130	40.8	6.2
Gender					
Male	76	61.5	53	38.5	9.1
Female	97	57.0	77	43.0	8.3
Age					
50-64	100	57.1	81	42.9	8.0
≥65	73	62.7	49	37.3	9.6
Education					
≤High School	71	55.5	62	44.5	9.3
>High School	102	62.2	67	37.8	8.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval