Expanded BRFSS, 2003

Genesee, Orleans Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	
Core 2: Health Care Access	4
Core 3: Exercise	8
Core 4: Diabetes	
Core 5: Asthma	10
Core 6: Arthritis	12
Core 7: Tobacco Use	14
Core 8: Tobacco ETS	
Core 9: Alcohol Consumption	19
Core 9: Alcohol Consumption	21
Core 11: Mammography	23
Core 12: Sexual Behavior	
Core 13: Family Planning	28
Core 14: Cardiovascular Disease	29
Core 15: Prostate Cancer Screening	
Core 16: Colorectal Cancer Screening	

New York State Department Of Health

Self-rated Health Status

Demographic Groups	n¹	Fair or Poor	n	Good to Excellent	C.I. ³
Total	112	16.1	520	83.9	3.1
Gender					
Male	40	13.1	222	86.9	4.3
Female	72	19.0	298	81.0	4.3
Age					
18-34	13	7.9	123	92.1	4.4
35-54	33	11.7	221	88.3	4.1
≥55	65	28.8	172	71.2	6.6
Education					
≤High School	68	18.5	253	81.5	4.5
>High School	44	13.8	264	86.2	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Reported Number of Physical Distress Days in the Past Month Genesee, Orleans

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. ³
Total	79	11.1	552	88.9	2.6
Gender					
Male	25	7.5	235	92.5	3.1
Female	54	14.5	317	85.5	4.0
Age					
18-34	14	9.6	120	90.4	5.1
35-54	24	8.2	233	91.8	3.4
≥55	40	15.9	195	84.1	5.1
Education					
≤High School	49	13.9	269	86.1	4.0
>High School	30	8.4	280	91.6	3.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent ³95% Confidence Interval

Reported Number of Mental Distress Days in the Past Month Genesee, Orleans

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. ³
Total	62	9.8	565	90.2	2.6
Gender					
Male	23	8.4	236	91.6	3.7
Female	39	11.1	329	88.9	3.7
Age					
18-34	14	10.7	122	89.3	5.8
35-54	31	10.9	225	89.1	3.9
≥55	16	7.7	214	92.3	4.1
Education					
≤High School	37	12.2	277	87.8	4.2
>High School	25	7.5	285	92.5	3.1

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, 18-64 Years of Age** Genesee, Orleans

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	429	85.9	62	14.1	3.7
Gender					
Male	166	79.6	38	20.4	6.5
Female	263	92.3	24	7.7	3.2
Age					
18-34	106	75.1	30	24.9	8.5
35-54	233	91.1	25	8.9	3.8
55-64	90	92.9	7	7.1	5.6
Education					
≤High School	192	76.8	46	23.2	6.6
>High School	236	94.5	16	5.5	2.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, Aged 18 and Older** Genesee, Orleans

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	572	88.4	64	11.6	3.1
Gender					
Male	225	82.8	38	17.2	5.6
Female	347	93.7	26	6.3	2.5
Age					
18-34	106	75.1	30	24.9	8.5
35-54	233	91.1	25	8.9	3.8
≥55	228	96.4	9	3.6	2.6
Education					
≤High School	275	81.6	48	18.4	5.4
>High School	295	95.4	16	4.6	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Reported Having a Routine Physical Exam in Past Two Years

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	567	88.4	68	11.6	3.0
Gender					
Male	226	84.8	36	15.2	5.4
Female	341	91.9	32	8.1	2.9
Age					
18-34	115	82.7	20	17.3	8.1
35-54	219	86.3	38	13.7	4.4
≥55	228	95.8	10	4.2	2.7
Education					
≤High School	284	86.5	37	13.5	4.9
>High School	280	90.3	31	9.7	3.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Time in Past 12 Months when Needed Medical Care but Could Not Get It *Genesee, Orleans*

Demographic		Yes		No	
Groups	n¹	% ²	n	%	C.I. ³
Total	31	4.8	605	95.2	1.9
Gender					
Male	10	4.4	254	95.6	3.0
Female	21	5.2	351	94.8	2.3
Age					
18-34	9	7.4	127	92.6	5.1
35-54	17	5.3	241	94.7	2.6
≥55	5	2.1	232	97.9	2.0
Education					
≤High School	21	7.1	301	92.9	3.3
>High School	10	2.6	301	97.4	1.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days *Genesee, Orleans*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	443	72.3	193	27.7	3.8
Gender					
Male	196	76.8	67	23.2	5.6
Female	247	68.0	126	32.0	5.1
Age					
18-34	100	77.3	36	22.7	7.2
35-54	192	74.3	66	25.7	6.0
≥55	149	65.8	88	34.2	6.6
Education					
≤High School	206	68.7	117	31.3	5.5
>High School	235	76.1	75	23.9	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Physician Diagnosed Diabetes

Demographic		Yes		No	G T 1
Groups	n¹	% ²	n	%	C.I. ³
Total	46	6.7	591	93.3	2.1
Gender					
Male	22	8.0	242	92.0	3.6
Female	24	5.5	349	94.5	2.4
Age					
18-34	3	1.6	133	98.4	1.9
35-54	10	4.2	248	95.8	3.1
≥55	33	14.3	205	85.7	5.0
Education					
≤High School	27	6.2	296	93.8	2.5
>High School	18	6.7	293	93.3	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Lifetime Asthma Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	87	13.7	550	86.3	3.0
Gender					
Male	24	10.5	240	89.5	4.3
Female	63	16.7	310	83.3	4.2
Age					
18-34	24	16.8	112	83.2	7.0
35-54	34	12.0	224	88.0	4.2
≥55	29	13.2	209	86.8	5.0
Education					
≤High School	44	14.2	279	85.8	4.4
>High School	43	13.3	268	86.7	4.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Current Asthma Diagnosed by a Medical Professional

Demographic	1	Yes	l	No	CI3
Groups	n¹	% ²	n	%	C.I. ³
Total	62	9.6	574	90.4	2.6
Gender					
Male	16	6.8	248	93.2	3.5
Female	46	12.3	326	87.7	3.7
Age					
18-34	15	10.7	121	89.3	5.8
35-54	25	8.8	233	91.2	3.6
≥55	22	9.9	215	90.1	4.4
Education					
≤High School	34	11.4	289	88.6	4.1
>High School	28	7.9	282	92.1	3.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Arthritis Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	214	32.7	420	67.3	4.1
Gender					
Male	81	29.3	181	70.7	6.1
Female	133	35.9	239	64.1	5.3
Age					
18-34	13	8.8	123	91.2	5.0
35-54	72	29.2	185	70.8	6.2
≥55	128	57.6	108	42.4	6.9
Education					
≤High School	111	32.2	212	67.8	5.7
>High School	101	32.6	207	67.4	5.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Demographic Groups	n¹	Doctor Diagnosed %2	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	214	32.8	4.1	88	14.0	3.1	329	53.2	4.4
Gender									
Male	81	29.3	6.1	37	14.7	5.0	143	56.0	6.8
Female	133	36.1	5.3	51	13.3	3.7	186	50.5	5.6
Age									
18-34	13	8.9	5.0	16	12.5	6.3	106	78.7	7.6
35-54	72	29.3	6.2	49	18.6	5.3	135	52.1	6.8
≥55	128	57.8	6.9	23	10.0	4.2	84	32.2	6.4
Education									
≤High School	111	32.3	5.7	42	13.3	4.3	168	54.4	6.2
>High School	101	32.7	5.8	46	14.9	4.4	160	52.3	6.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Ever Smoked 100 Cigarettes in Lifetime

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	359	54.3	278	45.7	4.4
Gender					
Male	169	60.2	95	39.8	6.9
Female	190	48.7	183	51.3	5.5
Age					
18-34	72	50.2	64	49.8	9.4
35-54	142	53.2	116	46.8	6.8
≥55	140	58.4	98	41.6	7.0
Education					
≤High School	208	63.4	115	36.6	6.1
>High School	150	45.3	161	54.7	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Current Smoker

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	160	24.6	477	75.4	3.7
Gender					
Male	71	25.7	193	74.3	5.9
Female	89	23.5	284	76.5	4.6
Age					
18-34	54	35.4	82	64.6	8.7
35-54	72	26.5	186	73.5	5.9
≥55	34	13.3	204	86.7	4.5
Education					
≤High School	103	31.6	220	68.4	5.8
>High School	57	17.7	254	82.3	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Status of Cigarette Smoking

Demographic Groups	n¹	Everyday Smoker %2	C.I. ³	n	Someday Smoker	C.I.	n	Former or Never Smoked %	C.I.
Total	132	20.0	3.4	28	4.6	2.0	477	75.4	3.7
Gender									
Male	58	20.3	5.3	13	5.4	3.4	193	74.3	5.9
Female	74	19.7	4.4	15	3.8	2.1	284	76.5	4.6
Age									
18-34	47	29.9	8.1	7	5.5	4.8	82	64.6	8.7
35-54	60	21.6	5.5	12	4.9	3.0	186	73.5	5.9
≥55	25	9.8	3.9	9	3.5	2.4	204	86.7	4.5
Education									
≤High School	92	27.6	5.5	11	4.0	2.8	220	68.4	5.8
>High School	40	12.4	3.9	17	5.3	2.7	254	82.3	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Home Smoking Policies

Demographic Groups	n¹	Not Allowed	C.I. ³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere	C.I.
Total	382	61.5	4.3	99	15.3	3.1	153	23.2	3.7
Gender									
Male	149	58.9	6.7	37	13.7	4.6	78	27.4	6.1
Female	233	64.1	5.3	62	16.8	4.1	75	19.1	4.3
Age									
18-34	80	61.5	9.1	30	20.1	7.2	26	18.4	7.4
35-54	160	64.3	6.5	45	16.3	4.9	52	19.4	5.3
≥55	140	58.7	7.1	24	10.1	4.1	72	31.2	6.8
Education									
≤High School	178	56.1	6.3	54	16.7	4.6	88	27.2	5.7
>High School	202	67.0	5.7	45	14.0	4.2	64	19.0	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Home Smoking

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	173	27.2	463	72.8	3.9
Gender					
Male	83	31.3	180	68.7	6.5
Female	90	23.3	283	76.7	4.6
Age					
18-34	47	33.4	89	66.6	8.9
35-54	69	25.4	189	74.6	5.8
≥55	55	23.6	182	76.4	6.1
Education					
≤High School	106	32.8	216	67.2	5.9
>High School	66	21.5	245	78.5	5.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	89	16.4	537	83.6	3.6
Gender					
Male	56	23.6	201	76.4	6.2
Female	33	9.6	336	90.4	3.4
Age					
18-34	33	28.5	102	71.5	9.1
35-54	38	14.8	214	85.2	4.8
≥55	18	7.9	217	92.1	3.8
Education					
≤High School	53	20.2	265	79.8	5.6
>High School	36	12.6	270	87.4	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	30	5.0	602	95.0	2.0
Gender					
Male	12	5.2	250	94.8	3.3
Female	18	4.7	352	95.3	2.4
Age					
18-34	9	8.0	125	92.0	5.6
35-54	12	4.1	245	95.9	2.5
≥55	8	3.0	229	97.0	2.2
Education					
≤High School	24	8.2	296	91.8	3.7
>High School	6	1.6	304	98.4	1.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Overweight or Obese, BMI(Body Mass Index) 25 or More Genesee, Orleans

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	386	64.2	220	35.8	4.3
Gender					
Male	189	71.0	70	29.0	6.3
Female	197	57.4	150	42.6	5.7
Age					
18-34	71	56.1	61	43.9	9.4
35-54	163	66.7	83	33.3	6.6
≥55	152	69.3	73	30.7	6.5
Education					
≤High School	208	67.0	104	33.0	6.0
>High School	176	61.1	115	38.9	6.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+) *Genesee, Orleans*

Demographic Groups	n¹	Underweight\ Normal %2	C.I. ³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	220	35.8	4.3	233	37.6	4.4	153	26.6	4.1
Gender									
Male	70	29.0	6.3	127	45.5	6.9	62	25.5	6.2
Female	150	42.6	5.7	106	29.7	5.2	91	27.8	5.3
Age									
18-34	61	43.9	9.4	41	33.0	9.3	30	23.1	7.8
35-54	83	33.3	6.6	93	36.1	6.6	70	30.6	6.7
≥55	73	30.7	6.5	99	44.2	7.2	53	25.1	6.8
Education									
≤High School	104	33.0	6.0	128	41.2	6.3	80	25.8	5.6
>High School	115	38.9	6.2	104	33.9	6.0	72	27.2	6.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Had Mammography Screening, Women Aged 40 Years and Older *Genesee, Orleans*

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Female	221	91.3	23	8.7	3.6
Age					
40-64	147	91.3	15	8.7	4.5
≥65	74	91.3	8	8.7	6.0
Education					
≤High School	108	87.2	17	12.8	6.1
>High School	113	95.1	6	4.9	3.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Female	187	79.0	56	21.0	5.3
Age					
40-64	131	82.4	30	17.6	6.1
≥65	56	72.5	26	27.5	9.8
Education					
≤High School	92	75.5	32	24.5	7.9
>High School	95	82.4	24	17.6	6.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	64	12.6	415	87.4	3.3
Gender					
Male	11	6.3	188	93.7	3.9
Female	53	19.0	227	81.0	5.1
Age					
18-34	34	23.2	101	76.8	7.7
35-54	27	8.5	223	91.5	3.5
55-64	3	2.4	91	97.6	3.1
Education					
≤High School	35	15.0	194	85.0	5.3
>High School	29	10.3	220	89.7	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Sexually Active, Age 18-64 Years Old

Demographic		Yes		No	
Groups	n¹	% ²	n	%	C.I. ³
Total	367	82.2	95	17.8	4.1
Gender					
Male	153	81.0	38	19.0	6.7
Female	214	83.4	57	16.6	4.5
Age					
18-34	114	84.8	15	15.2	8.1
35-54	197	84.3	48	15.7	4.8
55-64	56	70.7	32	29.3	10.9
Education					
≤High School	176	81.4	46	18.6	6.4
>High School	191	83.0	49	17.0	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger *Genesee, Orleans*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	58	16.3	313	83.7	4.3
Gender					
Male	28	18.5	129	81.5	6.9
Female	30	14.1	184	85.9	5.0
Age					
18-34	35	31.3	81	68.7	9.4
35-54	21	9.0	179	91.0	4.1
55-64	2	3.7	53	96.3	5.1
Education					
≤High School	29	16.4	152	83.6	6.2
>High School	29	16.1	161	83.9	5.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Demographic Groups	n¹	Use BC	C.I. ³	n	No BC at risk %	C.I.	n	No BC	C.I.
Total	222	65.9	5.8	42	13.1	4.1	74	21.0	5.1
Gender									
Male	109	62.7	8.2	25	14.9	5.9	42	22.4	7.3
Female	113	70.7	7.5	17	10.4	5.0	32	18.8	6.5
Age									
18-34	90	64.3	9.5	17	13.0	6.2	24	22.8	8.9
35-59	132	67.3	7.1	25	13.2	5.4	50	19.5	5.6
Education									
≤High School	111	67.2	8.8	17	10.7	5.4	33	22.0	8.2
>High School	111	64.7	7.7	25	15.4	6.0	41	20.0	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Physician Diagnosed Heart Attack, Angina or Stroke

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	66	9.4	561	90.6	2.4
Gender					
Male	36	11.1	223	88.9	3.9
Female	30	7.8	338	92.2	3.0
Age					
18-64	27	5.6	456	94.4	2.3
≥65	38	26.0	102	74.0	8.0
Education					
≤High School	33	8.9	284	91.1	3.3
>High School	33	10.0	274	90.0	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina) *Genesee, Orleans*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	53	7.5	574	92.5	2.2
Gender					
Male	29	9.1	230	90.9	3.6
Female	24	6.0	344	94.0	2.7
Age					
18-64	23	4.8	460	95.2	2.1
≥65	29	19.5	111	80.5	7.2
Education					
≤High School	27	7.4	290	92.6	3.1
>High School	26	7.7	281	92.3	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older *Genesee, Orleans*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	102	58.3	69	41.7	8.3
Age					
40-64	59	50.7	57	49.3	10.2
≥65	43	81.4	12	18.6	10.2
Education					
≤High School	53	56.7	38	43.3	11.4
>High School	48	59.1	31	40.9	12.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	88	52.6	81	47.4	8.5
Age					
40-64	51	45.7	65	54.3	10.2
≥65	37	74.6	16	25.4	11.8
Education					
≤High School	46	51.3	45	48.7	11.5
>High School	41	52.9	36	47.1	12.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Genesee, Orleans

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	137	78.7	40	21.3	6.5
Age					
40-64	92	78.9	27	21.1	7.7
≥65	45	77.9	13	22.1	11.9
Education					
≤High School	71	76.4	24	23.6	9.2
>High School	66	82.9	15	17.1	8.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Used a Blood Stool Test at Home, Aged 50 and Older *Genesee, Orleans*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	144	46.6	153	53.4	6.3
Gender					
Male	59	43.6	68	56.4	9.7
Female	85	49.4	85	50.6	8.2
Age					
50-64	73	44.4	85	55.6	8.7
≥65	71	49.6	68	50.4	9.1
Education					
≤High School	80	49.5	83	50.5	8.5
>High School	64	44.1	69	55.9	9.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older *Genesee, Orleans*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	71	23.9	220	76.1	5.4
Gender					
Male	30	23.3	95	76.7	8.3
Female	41	24.6	125	75.4	7.1
Age					
50-64	39	25.2	118	74.8	7.6
≥65	32	22.2	102	77.8	7.5
Education					
≤High School	41	26.4	118	73.6	7.7
>High School	30	21.6	101	78.4	7.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older *Genesee, Orleans*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	99	32.9	192	67.1	6.0
Gender					
Male	41	31.2	84	68.8	9.0
Female	58	34.5	108	65.5	7.8
Age					
50-64	54	33.6	103	66.4	8.2
≥65	45	31.9	89	68.1	8.5
Education					
≤High School	60	38.0	99	62.0	8.4
>High School	39	27.6	92	72.4	8.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older Genesee, Orleans

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	138	47.5	156	52.5	6.4
Gender					
Male	67	51.0	59	49.0	10.0
Female	71	44.4	97	55.6	8.2
Age					
50-64	72	46.6	86	53.4	8.8
≥65	66	48.8	70	51.2	9.2
Education					
≤High School	80	53.4	80	46.6	8.5
>High School	58	41.8	75	58.2	9.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older *Genesee, Orleans*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	131	45.3	160	54.7	6.4
Gender					
Male	64	48.6	61	51.4	10.0
Female	67	42.2	99	57.8	8.3
Age					
50-64	70	45.1	88	54.9	8.8
≥65	61	45.5	72	54.5	9.3
Education					
≤High School	77	52.2	81	47.8	8.6
>High School	54	38.3	78	61.7	9.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	165	55.9	133	44.1	6.3
Gender					
Male	76	58.2	52	41.8	9.9
Female	89	53.7	81	46.3	8.1
Age					
50-64	90	57.5	68	42.5	8.8
≥65	75	53.6	65	46.4	9.0
Education					
≤High School	96	62.9	67	37.1	8.0
>High School	69	48.8	65	51.2	9.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval