Expanded BRFSS, 2003

Delaware, Otsego, Schoharie Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	
Core 2: Health Care Access	4
Core 3: Exercise	
Core 4: Diabetes	9
Core 5: Asthma	10
Core 6: Arthritis	
Core 7: Tobacco Use	14
Core 8: Tobacco ETS	
Core 9: Alcohol Consumption	19
Core 9: Alcohol Consumption	21
Core 11: Mammography	23
Core 12: Sexual Behavior	
Core 13: Family Planning	28
Core 14: Cardiovascular Disease	29
Core 15: Prostate Cancer Screening	
Core 16: Colorectal Cancer Screening	

New York State Department Of Health

Self-rated Health Status

Demographic Groups	n¹	Fair or Poor	n	Good to Excellent	C.I. ³
Total	97	14.2	532	85.8	3.1
Gender					
Male	42	14.7	200	85.3	4.9
Female	55	13.8	332	86.2	3.8
Age					
18-34	9	8.9	94	91.1	6.1
35-54	26	10.1	237	89.9	4.3
≥55	61	23.2	198	76.8	5.5
Education					
≤High School	65	18.5	225	81.5	4.8
>High School	32	10.6	305	89.4	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Reported Number of Physical Distress Days in the Past Month Delaware, Otsego, Schoharie

Demographic Groups	n¹	≥14 days ⁰ / ₀ ²	n	< 14 days %	C.I. ³
Total	73	11.2	545	88.8	3.0
Gender					
Male	31	12.5	208	87.5	5.1
Female	42	10.0	337	90.0	3.2
Age					
18-34	6	8.3	96	91.7	7.0
35-54	25	9.2	234	90.8	3.9
≥55	42	15.9	211	84.1	4.7
Education					
≤High School	43	11.4	236	88.6	3.6
>High School	30	11.0	307	89.0	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent ³95% Confidence Interval

Reported Number of Mental Distress Days in the Past Month

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. ³
Total	63	11.1	558	88.9	3.1
Gender					
Male	27	10.7	213	89.3	4.6
Female	36	11.4	345	88.6	4.1
Age					
18-34	15	16.8	85	83.2	8.3
35-54	29	9.7	230	90.3	3.7
≥55	19	7.6	239	92.4	3.5
Education					
≤High School	31	11.2	254	88.8	4.4
>High School	32	11.0	302	89.0	4.3

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, 18-64 Years of Age** Delaware, Otsego, Schoharie

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	405	84.1	69	15.9	4.3
Gender					
Male	149	81.7	28	18.3	7.5
Female	256	86.4	41	13.6	4.4
Age					
18-34	80	75.6	22	24.4	9.9
35-54	224	87.2	38	12.8	4.2
55-64	101	94.0	9	6.0	4.2
Education					
≤High School	158	76.9	42	23.1	7.8
>High School	246	89.5	27	10.5	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Health Insurance Coverage, Aged 18 and Older *Delaware, Otsego, Schoharie*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	557	86.8	74	13.2	3.5
Gender					
Male	211	84.4	31	15.6	6.2
Female	346	89.1	43	10.9	3.5
Age					
18-34	80	75.6	22	24.4	9.9
35-54	224	87.2	38	12.8	4.2
≥55	250	96.2	13	3.8	2.2
Education					
≤High School	246	82.2	45	17.8	6.1
>High School	309	90.7	29	9.3	3.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Reported Having a Routine Physical Exam in Past Two Years

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	556	86.7	67	13.3	3.6
Gender					
Male	199	79.7	41	20.3	6.6
Female	357	93.3	26	6.7	2.8
Age					
18-34	85	80.3	14	19.7	9.8
35-54	224	85.3	36	14.7	5.1
≥55	243	93.5	17	6.5	3.2
Education					
≤High School	254	85.8	34	14.2	5.3
>High School	301	87.5	33	12.5	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Time in Past 12 Months when Needed Medical Care but Could Not Get It Delaware, Otsego, Schoharie

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	38	6.5	592	93.5	2.4
Gender					
Male	10	4.5	232	95.5	3.4
Female	28	8.3	360	91.7	3.3
Age					
18-34	10	9.7	93	90.3	6.4
35-54	20	7.3	240	92.7	3.4
≥55	7	2.5	256	97.5	2.0
Education					
≤High School	18	7.1	271	92.9	4.0
>High School	20	5.9	319	94.1	2.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days *Delaware, Otsego, Schoharie*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	486	77.5	147	22.5	3.8
Gender					
Male	176	73.5	68	26.5	6.4
Female	310	81.2	79	18.8	4.3
Age					
18-34	84	81.1	19	18.9	8.5
35-54	211	79.5	52	20.5	5.7
≥55	188	72.4	75	27.6	5.8
Education					
≤High School	195	68.7	97	31.3	6.2
>High School	289	85.1	50	14.9	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Physician Diagnosed Diabetes

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	54	6.9	579	93.1	1.9
Gender					
Male	21	6.0	223	94.0	2.7
Female	33	7.7	356	92.3	2.8
Age					
18-34	1	1.0	102	99.0	2.0
35-54	16	5.6	247	94.4	2.8
≥55	37	13.4	226	86.6	4.3
Education					
≤High School	38	10.2	254	89.8	3.4
>High School	16	4.0	323	96.0	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Lifetime Asthma Diagnosed by a Medical Professional

Demographic		Yes		No	
Groups	n¹	% 2	n	%	C.I. ³
Total	78	12.9	555	87.1	3.2
Gender					
Male	22	8.6	222	91.4	4.3
Female	56	16.8	333	83.2	4.5
Age					
18-34	20	19.2	83	80.8	8.4
35-54	28	10.2	235	89.8	3.9
≥55	30	10.4	233	89.6	3.8
Education					
≤High School	31	10.2	261	89.8	4.1
>High School	47	15.2	292	84.8	4.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Current Asthma Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	63	10.4	569	89.6	2.9
Gender					
Male	16	7.1	228	92.9	4.1
Female	47	13.5	341	86.5	4.0
Age					
18-34	17	16.0	85	84.0	7.9
35-54	19	6.9	244	93.1	3.3
≥55	27	9.3	236	90.7	3.6
Education					
≤High School	25	7.4	266	92.6	3.4
>High School	38	12.9	301	87.1	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Arthritis Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	215	31.5	416	68.5	4.1
Gender					
Male	90	31.9	154	68.1	6.5
Female	125	31.2	262	68.8	5.1
Age					
18-34	12	11.4	91	88.6	6.8
35-54	65	26.8	198	73.2	6.2
≥55	137	54.0	124	46.0	6.5
Education					
≤High School	109	32.4	183	67.6	5.9
>High School	106	30.8	231	69.2	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Demographic Groups	n¹	Doctor Diagnosed %2	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	215	31.6	4.1	90	14.8	3.5	324	53.6	4.6
Gender									
Male	90	31.9	6.5	42	18.7	6.2	112	49.4	7.5
Female	125	31.2	5.1	48	11.2	3.4	212	57.5	5.5
Age									
18-34	12	11.4	6.8	11	14.4	8.4	80	74.2	9.9
35-54	65	26.8	6.2	51	20.1	5.8	146	53.1	6.9
≥55	137	54.1	6.5	27	9.7	3.7	96	36.1	6.2
Education									
≤High School	109	32.5	6.0	35	12.2	4.8	147	55.3	6.7
>High School	106	30.9	5.7	55	17.2	5.1	175	52.0	6.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Ever Smoked 100 Cigarettes in Lifetime

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	354	57.0	275	43.0	4.6
Gender					
Male	151	62.0	91	38.0	7.4
Female	203	52.3	184	47.7	5.6
Age					
18-34	59	53.9	44	46.1	11.0
35-54	146	59.2	116	40.8	6.6
≥55	147	57.3	114	42.7	6.4
Education					
≤High School	178	62.0	112	38.0	6.7
>High School	176	52.8	162	47.2	6.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Current Smoker

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	139	24.7	490	75.3	4.3
Gender					
Male	53	27.0	189	73.0	7.2
Female	86	22.5	301	77.5	4.7
Age					
18-34	41	37.7	62	62.3	10.6
35-54	67	27.3	195	72.7	6.5
≥55	30	10.4	231	89.6	3.9
Education					
≤High School	84	32.0	206	68.0	6.8
>High School	55	18.4	283	81.6	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Status of Cigarette Smoking

Demographic Groups	n¹	Everyday Smoker %	C.I. ³	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Total	113	20.2	4.0	26	4.5	2.3	490	75.3	4.3
Gender									
Male	43	21.4	6.6	10	5.6	4.2	189	73.0	7.2
Female	70	19.1	4.4	16	3.4	1.9	301	77.5	4.7
Age									
18-34	34	29.7	9.7	7	8.1	6.7	62	62.3	10.6
35-54	59	24.9	6.4	8	2.4	1.8	195	72.7	6.5
≥55	20	7.3	3.3	10	3.1	2.1	231	89.6	3.9
Education									
≤High School	69	25.7	6.2	15	6.3	4.3	206	68.0	6.8
>High School	44	15.5	5.0	11	2.9	1.8	283	81.6	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Home Smoking Policies

Demographic Groups	n¹	Not Allowed	C.I. ³	n	Allowed Some Places	C.I.	n	Allowed Anywhere	C.I.
Total	402	62.6	4.6	73	12.0	3.1	152	25.4	4.2
Gender									
Male	142	57.4	7.5	25	10.7	4.7	75	31.9	7.2
Female	260	67.4	5.3	48	13.3	4.0	77	19.3	4.4
Age									
18-34	62	58.0	11.0	13	13.0	7.3	27	29.0	10.3
35-54	165	61.0	6.8	42	16.8	5.3	55	22.2	5.9
≥55	172	68.0	6.0	18	6.2	3.0	69	25.7	5.7
Education									
≤High School	162	54.2	6.9	38	13.0	4.4	89	32.9	6.8
>High School	239	69.9	6.0	35	11.3	4.3	62	18.9	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Home Smoking

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	152	26.5	478	73.5	4.3
Gender					
Male	69	31.7	173	68.3	7.2
Female	83	21.7	305	78.3	4.7
Age					
18-34	31	32.5	70	67.5	10.5
35-54	74	29.9	188	70.1	6.5
≥55	47	18.3	216	81.7	5.1
Education					
≤High School	97	37.6	193	62.4	7.0
>High School	55	17.1	283	82.9	4.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Demographic		Yes		No	~~
Groups	n¹	% ²	n	%	C.I. ³
Total	79	17.2	544	82.8	4.0
Gender					
Male	45	23.0	192	77.0	6.9
Female	34	11.8	352	88.2	4.1
Age					
18-34	33	34.0	70	66.0	10.5
35-54	32	14.3	225	85.7	5.1
≥55	14	5.6	245	94.4	3.0
Education					
≤High School	33	15.5	253	84.5	5.8
>High School	46	18.7	289	81.3	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	40	7.1	587	92.9	2.5
Gender					
Male	19	8.2	221	91.8	4.3
Female	21	6.0	366	94.0	2.8
Age					
18-34	8	8.3	95	91.7	6.2
35-54	17	7.2	242	92.8	3.7
≥55	15	5.9	246	94.1	3.0
Education					
≤High School	17	7.3	272	92.7	4.1
>High School	23	6.9	313	93.1	3.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Overweight or Obese, BMI(Body Mass Index) 25 or More Delaware, Otsego, Schoharie

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	364	61.0	242	39.0	4.6
Gender					
Male	168	70.4	72	29.6	7.0
Female	196	51.9	170	48.1	5.8
Age					
18-34	43	49.6	57	50.4	11.1
35-54	157	65.7	96	34.3	6.5
≥55	164	66.8	86	33.2	6.2
Education					
≤High School	181	67.3	99	32.7	6.3
>High School	183	55.9	141	44.1	6.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+) Delaware, Otsego, Schoharie

Demographic Groups	n¹	Underweight\ Normal	C.I. ³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	242	39.0	4.6	226	37.9	4.6	138	23.1	4.0
Gender									
Male	72	29.6	7.0	114	45.7	7.6	54	24.6	6.5
Female	170	48.1	5.8	112	30.3	5.2	84	21.6	4.8
Age									
18-34	57	50.4	11.1	26	31.9	10.9	17	17.6	8.6
35-54	96	34.3	6.5	84	35.1	6.7	73	30.6	6.6
≥55	86	33.2	6.2	116	46.5	6.6	48	20.3	5.5
Education									
≤High School	99	32.7	6.3	107	41.1	7.1	74	26.2	6.0
>High School	141	44.1	6.5	119	35.3	6.0	64	20.6	5.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Had Mammography Screening, Women Aged 40 Years and Older *Delaware, Otsego, Schoharie*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Female	264	93.8	17	6.2	3.1
Age					
40-64	182	93.2	12	6.8	4.1
≥65	82	94.9	5	5.1	4.7
Education					
≤High School	113	89.3	12	10.7	6.1
>High School	151	97.2	5	2.8	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Female	220	80.5	54	19.5	5.1
Age					
40-64	157	83.4	33	16.6	5.6
≥65	63	75.2	21	24.8	9.9
Education					
≤High School	91	77.2	27	22.8	8.1
>High School	129	83.0	27	17.0	6.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	55	13.3	410	86.7	4.0
Gender					
Male	5	4.8	170	95.2	5.2
Female	50	21.6	240	78.4	5.9
Age					
18-34	32	26.6	70	73.4	9.5
35-54	19	6.1	237	93.9	3.0
55-64	4	3.3	103	96.7	3.2
Education					
≤High School	27	15.7	172	84.3	7.1
>High School	28	11.4	238	88.6	4.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Sexually Active, Age 18-64 Years Old

Demographic		Yes		No	
Groups	n¹	% ²	n	%	C.I. ³
Total	355	82.0	97	18.0	4.3
Gender					
Male	133	81.2	37	18.8	7.0
Female	222	82.9	60	17.1	4.9
Age					
18-34	86	83.0	14	17.0	9.0
35-54	206	87.1	42	12.9	4.2
55-64	63	66.7	41	33.3	9.6
Education					
≤High School	138	77.9	55	22.1	7.0
>High School	217	85.4	41	14.6	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger Delaware, Otsego, Schoharie

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	56	19.9	304	80.1	5.5
Gender					
Male	23	21.9	112	78.1	9.1
Female	33	18.1	192	81.9	6.4
Age					
18-34	32	38.1	57	61.9	11.6
35-54	23	10.1	185	89.9	4.5
55-64	1	1.2	62	98.8	2.4
Education					
≤High School	23	21.0	121	79.0	9.2
>High School	33	19.2	183	80.8	6.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Demographic		Use BC			No BC at risk			No BC	
Groups	n¹	0 ∕₀²	C.I. ³	n	%	C.I.	n	%	C.I.
Total	192	65.4	6.5	32	9.8	3.7	75	24.8	6.0
Gender									
Male	93	60.1	8.9	21	10.6	5.0	49	29.3	8.4
Female	99	74.5	8.2	11	8.4	5.1	26	17.1	7.1
Age									
18-34	74	69.5	10.5	8	7.0	5.3	19	23.5	10.0
35-59	118	61.3	7.5	24	12.6	5.1	56	26.2	6.7
Education									
≤High School	81	66.7	9.9	12	9.6	6.0	33	23.8	9.0
>High School	111	64.6	8.5	20	10.0	4.6	41	25.4	8.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Physician Diagnosed Heart Attack, Angina or Stroke

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	63	8.3	564	91.7	2.2
Gender					
Male	29	8.9	214	91.1	3.5
Female	34	7.8	350	92.2	2.8
Age					
18-64	20	3.7	451	96.3	1.9
≥65	42	26.2	110	73.8	7.3
Education					
≤High School	41	11.8	248	88.2	3.9
>High School	21	5.3	315	94.7	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina) *Delaware, Otsego, Schoharie*

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	51	6.8	576	93.2	2.0
Gender					
Male	26	7.9	217	92.1	3.4
Female	25	5.7	359	94.3	2.4
Age					
18-64	16	3.2	455	96.8	1.8
≥65	35	20.7	117	79.3	6.6
Education					
≤High School	33	9.2	256	90.8	3.5
>High School	18	4.7	318	95.3	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older *Delaware, Otsego, Schoharie*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	96	54.6	77	45.4	8.0
Age					
40-64	51	44.8	62	55.2	9.9
≥65	45	76.4	15	23.6	11.3
Education					
≤High School	45	52.3	42	47.7	11.3
>High School	51	56.9	35	43.1	11.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	79	45.1	91	54.9	8.0
Age					
40-64	43	36.8	70	63.2	9.5
≥65	36	64.5	21	35.5	13.0
Education					
≤High School	34	41.0	51	59.0	11.2
>High School	45	49.1	40	50.9	11.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Delaware, Otsego, Schoharie

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	152	81.2	36	18.8	6.0
Age					
40-64	98	79.4	26	20.6	7.6
≥65	54	85.3	10	14.7	8.9
Education					
≤High School	72	74.4	24	25.6	9.5
>High School	80	88.9	11	11.1	6.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Used a Blood Stool Test at Home, Aged 50 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	154	48.7	171	51.3	5.9
Gender					
Male	53	39.9	78	60.1	8.8
Female	101	56.2	93	43.8	7.5
Age					
50-64	78	42.6	98	57.4	7.9
≥65	76	55.5	73	44.5	8.4
Education					
≤High School	70	46.0	94	54.0	8.2
>High School	84	51.5	76	48.5	8.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older *Delaware, Otsego, Schoharie*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	64	21.4	258	78.6	4.9
Gender					
Male	20	15.8	109	84.2	6.6
Female	44	26.2	149	73.8	7.0
Age					
50-64	33	18.5	143	81.5	6.0
≥65	31	24.8	115	75.2	7.8
Education					
≤High School	29	19.7	132	80.3	6.8
>High School	35	23.2	125	76.8	7.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older *Delaware, Otsego, Schoharie*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	96	31.3	226	68.7	5.5
Gender					
Male	33	25.4	96	74.6	7.9
Female	63	36.3	130	63.7	7.5
Age					
50-64	53	30.2	123	69.8	7.3
≥65	43	32.5	103	67.5	8.3
Education					
≤High School	44	29.0	117	71.0	7.6
>High School	52	33.6	108	66.4	7.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	156	47.3	171	52.7	5.8
Gender					
Male	60	43.9	72	56.1	8.9
Female	96	50.2	99	49.8	7.6
Age					
50-64	75	41.2	101	58.8	7.9
≥65	81	53.9	70	46.1	8.5
Education					
≤High School	69	42.6	96	57.4	8.1
>High School	87	52.1	74	47.9	8.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older *Delaware, Otsego, Schoharie*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	132	40.3	190	59.7	5.7
Gender					
Male	50	37.7	79	62.3	8.8
Female	82	42.6	111	57.4	7.5
Age					
50-64	68	37.6	108	62.4	7.7
≥65	64	43.4	82	56.6	8.5
Education					
≤High School	59	37.2	102	62.8	8.0
>High School	73	43.5	87	56.5	8.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	158	48.8	169	51.2	5.8
Gender					
Male	55	40.6	78	59.4	8.8
Female	103	55.9	91	44.1	7.5
Age					
50-64	83	46.2	93	53.8	8.0
≥65	75	51.6	76	48.4	8.5
Education					
≤High School	72	45.5	93	54.5	8.2
>High School	86	52.2	75	47.8	8.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval