### Expanded BRFSS, 2003

### Richmond Locality Tables

#### TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	
Core 2: Health Care Access	4
Core 3: Exercise	8
Core 4: Diabetes	
Core 5: Asthma	10
Core 6: Arthritis	
Core 7: Tobacco Use	
Core 8: Tobacco ETS	
Core 9: Alcohol Consumption	19
Core 10: Weight Status	21
Core 11: Mammography	
Core 12: Sexual Behavior	
Core 13: Family Planning	28
Core 14: Cardiovascular Disease	
Core 15: Prostate Cancer Screening	
Core 16: Colorectal Cancer Screening	

New York State Department Of Health

#### **Self-rated Health Status**

Demographic Groups	n¹	Fair or Poor	n	Good to Excellent	C.I. <sup>3</sup>
Total	95	14.7	523	85.3	3.2
Gender					
Male	38	15.1	218	84.9	5.3
Female	57	14.4	305	85.6	3.9
Age					
18-34	16	11.3	126	88.7	6.2
35-54	32	11.7	233	88.3	4.3
≥55	43	20.5	153	79.5	6.2
Education					
≤High School	57	23.4	191	76.6	6.3
>High School	36	8.6	330	91.4	3.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

### **Reported Number of Physical Distress Days in the Past Month** Richmond

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. <sup>3</sup>
Total	64	9.4	549	90.6	2.5
Gender					
Male	24	8.7	229	91.3	3.8
Female	40	10.1	320	89.9	3.3
Age					
18-34	6	4.4	137	95.6	3.9
35-54	31	11.1	231	88.9	4.1
≥55	25	12.7	167	87.3	5.1
Education					
≤High School	30	12.7	211	87.3	4.8
>High School	33	7.5	335	92.5	2.7

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

### **Reported Number of Mental Distress Days in the Past Month** Richmond

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. <sup>3</sup>
Total	82	14.1	527	85.9	3.3
Gender					
Male	29	13.1	225	86.9	4.9
Female	53	15.1	302	84.9	4.3
Age					
18-34	23	17.8	119	82.2	7.3
35-54	38	14.2	225	85.8	4.8
≥55	19	9.8	170	90.2	4.6
Education					
≤High School	42	19.1	197	80.9	5.8
>High School	40	11.4	326	88.6	3.9

<sup>&</sup>lt;sup>1</sup> Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup> Weighted Percent<sup>3</sup> 95% Confidence Interval

#### Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, 18-64 Years of Age** Richmond

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	455	87.9	48	12.1	3.7
Gender					
Male	177	83.2	26	16.8	6.6
Female	278	92.5	22	7.5	3.5
Age					
18-34	116	76.3	27	23.7	8.5
35-54	252	94.7	17	5.3	2.7
55-64	87	95.2	4	4.8	5.2
Education					
≤High School	145	75.4	31	24.6	8.4
>High School	309	94.4	16	5.6	3.2

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, Aged 18 and Older** Richmond

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	576	90.0	49	10.0	3.1
Gender					
Male	231	85.6	27	14.4	5.7
Female	345	94.0	22	6.0	2.8
Age					
18-34	116	76.3	27	23.7	8.5
35-54	252	94.7	17	5.3	2.7
≥55	192	97.6	5	2.4	2.4
Education					
≤High School	218	82.0	32	18.0	6.5
>High School	355	95.0	16	5.0	2.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### Reported Having a Routine Physical Exam in Past Two Years Richmond

Demographic Groups	n¹	Yes %2	n	No %	C.I. <sup>3</sup>
Total	566	90.3	55	9.7	2.9
Gender					
Male	226	86.0	30	14.0	5.3
Female	340	94.1	25	5.9	2.6
Age					
18-34	122	84.5	19	15.5	7.1
35-54	248	94.1	19	5.9	2.9
≥55	182	91.6	15	8.4	5.0
Education					
≤High School	222	86.9	27	13.1	5.5
>High School	341	92.3	27	7.7	3.2

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

# Time in Past 12 Months when Needed Medical Care but Could Not Get It *Richmond*

Demographic Groups	n¹	Yes %2	n	No %	C.I. <sup>3</sup>
Total	33	5.6	593	94.4	2.2
Gender					
Male	9	3.9	250	96.1	3.3
Female	24	7.2	343	92.8	3.1
Age					
18-34	12	8.3	131	91.7	5.4
35-54	15	5.1	253	94.9	2.9
≥55	5	3.5	194	96.5	3.3
Education					
≤High School	14	7.7	237	92.3	4.6
>High School	18	4.3	353	95.7	2.2

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

# Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days *Richmond*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	445	73.8	182	26.2	3.9
Gender					
Male	198	76.9	62	23.1	6.0
Female	247	70.9	120	29.1	5.1
Age					
18-34	112	78.7	31	21.3	7.7
35-54	193	75.2	76	24.8	5.5
≥55	132	69.2	67	30.8	7.1
Education					
≤High School	161	66.7	90	33.3	6.8
>High School	284	79.2	88	20.8	4.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### **Physician Diagnosed Diabetes**

Demographic		Yes		No	~ - 4
Groups	n¹	% <sup>2</sup>	n	%	C.I. <sup>3</sup>
Total	41	6.2	583	93.8	2.1
Gender					
Male	26	8.3	233	91.7	3.6
Female	15	4.3	350	95.7	2.3
Age					
18-34	3	1.6	140	98.4	1.8
35-54	13	6.0	255	94.0	3.5
≥55	24	12.0	173	88.0	5.1
Education					
≤High School	23	9.1	227	90.9	3.9
>High School	18	4.5	352	95.5	2.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

# **Lifetime Asthma Diagnosed by a Medical Professional** *Richmond*

Demographic		Yes		No	
Groups	n¹	%2	n	%	C.I. <sup>3</sup>
Total	68	10.5	558	89.5	2.8
Gender					
Male	18	7.2	242	92.8	3.7
Female	50	13.5	316	86.5	4.1
Age					
18-34	19	14.1	124	85.9	6.5
35-54	31	10.0	237	90.0	3.8
≥55	15	6.7	184	93.3	4.0
Education					
≤High School	34	13.6	216	86.4	4.9
>High School	34	8.7	338	91.3	3.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

#### **Current Asthma Diagnosed by a Medical Professional** Richmond

Demographic Groups	n¹	Yes %2	n	No %	C.I. <sup>3</sup>
Total	50	6.9	575	93.1	2.1
Gender					
Male	11	3.6	249	96.4	2.3
Female	39	9.9	326	90.1	3.4
Age					
18-34	10	5.6	133	94.4	3.5
35-54	27	8.8	241	91.2	3.6
≥55	12	5.6	186	94.4	3.7
Education					
≤High School	23	9.1	227	90.9	4.0
>High School	27	5.6	344	94.4	2.3

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

### **Arthritis Diagnosed by a Medical Professional** Richmond

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	173	26.2	452	73.8	3.9
Gender					
Male	64	21.5	196	78.5	5.5
Female	109	30.5	256	69.5	5.4
Age					
18-34	11	7.0	132	93.0	4.7
35-54	64	25.0	204	75.0	5.9
≥55	94	49.4	104	50.6	8.1
Education					
≤High School	81	31.0	169	69.0	6.6
>High School	90	23.2	281	76.8	4.8

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

# Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Demographic Groups	n¹	Doctor Diagnosed %2	C.I. <sup>3</sup>	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	173	26.5	3.9	96	15.0	3.2	351	58.5	4.5
Gender									
Male	64	21.8	5.6	55	20.3	5.6	139	57.9	6.9
Female	109	30.8	5.4	41	10.3	3.3	212	58.9	5.7
Age									
18-34	11	7.1	4.7	23	15.8	6.6	108	77.1	7.7
35-54	64	25.3	6.0	43	15.8	4.7	159	58.9	6.6
≥55	94	49.9	8.1	29	12.5	5.1	73	37.6	7.9
Education									
≤High School	81	31.1	6.6	38	15.4	5.2	130	53.5	7.2
>High School	90	23.5	4.9	57	14.2	3.9	220	62.3	5.6

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### **Ever Smoked 100 Cigarettes in Lifetime**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	356	57.5	268	42.5	4.5
Gender					
Male	156	59.9	103	40.1	6.9
Female	200	55.3	165	44.7	5.8
Age					
18-34	73	52.6	70	47.4	9.3
35-54	144	54.4	123	45.6	6.6
≥55	129	66.1	69	33.9	7.5
Education					
≤High School	159	65.7	90	34.3	6.8
>High School	194	51.9	177	48.1	5.8

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

#### **Current Smoker**

Demographic Groups	n¹	Yes %2	n	No %	C.I. <sup>3</sup>
Total	161	27.2	461	72.8	4.2
Gender					
Male	65	28.8	193	71.2	6.7
Female	96	25.8	268	74.2	5.1
Age					
18-34	45	33.8	98	66.2	9.0
35-54	70	25.8	196	74.2	5.9
≥55	43	22.5	155	77.5	7.0
Education					
≤High School	79	35.3	170	64.7	7.2
>High School	82	22.5	287	77.5	5.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### **Status of Cigarette Smoking**

Demographic Groups	n¹	Everyday Smoker %2	C.I. <sup>3</sup>	n	Someday Smoker	C.I.	n	Former or Never Smoked %	C.I.
Total	109	17.8	3.6	52	9.4	2.8	461	72.8	4.2
Gender									
Male	42	18.2	5.7	23	10.6	4.8	193	71.2	6.7
Female	67	17.5	4.5	29	8.3	3.3	268	74.2	5.1
Age									
18-34	29	21.9	7.9	16	11.9	6.3	98	66.2	9.0
35-54	46	15.8	4.7	24	10.0	4.3	196	74.2	5.9
≥55	33	16.7	6.2	10	5.9	4.0	155	77.5	7.0
Education									
≤High School	56	23.9	6.4	23	11.4	5.3	170	64.7	7.2
>High School	53	14.3	4.2	29	8.3	3.2	287	77.5	5.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

#### **Home Smoking Policies**

Demographic Groups	n¹	Not Allowed	C.I. <sup>3</sup>	n	Allowed Some Places	C.I.	n	Allowed Anywhere	C.I.
Total	398	66.0	4.3	88	14.6	3.4	138	19.4	3.5
Gender									
Male	161	65.3	6.8	29	12.2	5.0	69	22.5	5.7
Female	237	66.7	5.5	59	16.8	4.5	69	16.6	4.1
Age									
18-34	91	63.9	9.1	21	16.5	7.5	30	19.6	7.1
35-54	184	72.2	5.8	45	15.5	4.7	39	12.3	4.1
≥55	114	61.4	7.7	20	11.3	5.6	65	27.3	6.7
Education									
≤High School	138	58.9	7.1	40	15.6	5.4	73	25.4	6.0
>High School	259	71.3	5.3	47	14.1	4.4	63	14.6	3.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

#### **Home Smoking**

Demographic		Yes		No	
Groups	n¹	<b>%</b> 2	n	%	C.I. <sup>3</sup>
Total	162	25.6	462	74.4	4.0
Gender					
Male	62	24.6	196	75.4	6.2
Female	100	26.4	266	73.6	5.1
Age					
18-34	42	28.0	100	72.0	8.3
35-54	69	23.6	200	76.4	5.5
≥55	47	24.2	151	75.8	7.0
Education					
≤High School	81	33.5	169	66.5	6.9
>High School	79	19.8	291	80.2	4.5

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

# At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	80	15.0	537	85.0	3.5
Gender					
Male	48	22.8	205	77.2	6.4
Female	32	8.2	332	91.8	3.0
Age					
18-34	39	29.2	103	70.8	8.8
35-54	25	10.6	240	89.4	4.3
≥55	14	5.7	182	94.3	3.1
Education					
≤High School	33	15.7	213	84.3	5.9
>High School	47	14.7	321	85.3	4.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

# At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Demographic Groups	n¹	Yes %2	n	No %	C.I. <sup>3</sup>
Total	28	5.6	591	94.4	2.5
Gender					
Male	15	8.2	240	91.8	4.8
Female	13	3.2	351	96.8	2.0
Age					
18-34	10	9.6	132	90.4	6.7
35-54	9	4.0	257	96.0	2.8
≥55	8	3.4	188	96.6	2.5
Education					
≤High School	12	6.3	236	93.7	4.4
>High School	15	5.1	353	94.9	3.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

# Expanded BRFSS, 2003 - New York State Department of Health Overweight or Obese, BMI(Body Mass Index) 25 or More Richmond

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	344	57.7	254	42.3	4.6
Gender					
Male	182	69.4	77	30.6	6.5
Female	162	46.3	177	53.7	6.0
Age					
18-34	59	46.6	80	53.4	9.5
35-54	151	61.4	105	38.6	6.6
≥55	128	64.7	63	35.3	7.9
Education					
≤High School	145	59.8	93	40.2	7.3
>High School	197	56.2	160	43.8	5.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

# Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+) *Richmond*

Demographic Groups	n¹	Underweight\ Normal %2	C.I. <sup>3</sup>	n	Overweight %	C.I.	n	Obese %	C.I.
Total	254	42.3	4.6	219	36.7	4.5	125	21.0	3.8
Gender									
Male	77	30.6	6.5	123	44.8	7.0	59	24.6	6.1
Female	177	53.7	6.0	96	28.8	5.5	66	17.4	4.4
Age									
18-34	80	53.4	9.5	41	34.1	9.2	18	12.5	6.1
35-54	105	38.6	6.6	87	34.8	6.5	64	26.5	6.3
≥55	63	35.3	7.9	89	43.6	8.1	39	21.1	6.8
Education									
≤High School	93	40.2	7.3	86	35.6	7.2	59	24.3	6.3
>High School	160	43.8	5.9	133	37.6	5.8	64	18.6	4.7

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

# **Ever Had Mammography Screening, Women Aged 40 Years and Older** *Richmond*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Female	207	91.2	20	8.8	4.2
Age					
40-64	157	91.7	16	8.3	4.2
≥65	50	90.2	4	9.8	10.1
Education					
≤High School	100	91.5	8	8.5	6.6
>High School	106	91.2	11	8.8	5.2

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Female	181	81.5	45	18.5	5.5
Age					
40-64	139	82.1	34	17.9	6.0
≥65	42	79.9	11	20.1	12.1
Education					
≤High School	86	80.5	22	19.5	8.5
>High School	94	82.6	22	17.4	7.1

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	76	15.7	410	84.3	3.9
Gender					
Male	24	13.5	173	86.5	6.1
Female	52	17.8	237	82.2	5.0
Age					
18-34	36	24.2	102	75.8	8.1
35-54	35	11.8	224	88.2	4.2
55-64	5	7.0	84	93.0	8.5
Education					
≤High School	33	19.2	138	80.8	7.4
>High School	43	13.9	270	86.1	4.5

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

### **Sexually Active, Age 18-64 Years Old**

Demographic		Yes		No	
Groups	n¹	% <sup>2</sup>	n	%	C.I. <sup>3</sup>
Total	371	84.4	80	15.6	3.9
Gender					
Male	153	85.7	26	14.3	6.2
Female	218	83.1	54	16.9	4.9
Age					
18-34	112	85.9	18	14.1	7.3
35-54	212	88.2	30	11.8	4.6
55-64	47	68.2	32	31.8	11.3
Education					
≤High School	121	77.5	39	22.5	7.3
>High School	250	88.1	39	11.9	4.5

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

#### **Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger** Richmond

Demographic	n¹	Yes		No o/	C.I. <sup>3</sup>
Groups	11	70-	n	%	C.I.
Total	103	28.0	281	72.0	5.3
Gender					
Male	46	31.8	113	68.2	8.5
Female	57	24.1	168	75.9	6.5
Age					
18-34	42	37.4	78	62.6	10.0
35-54	52	23.6	159	76.4	6.4
55-64	9	14.9	44	85.1	11.2
Education					
≤High School	29	24.9	97	75.1	9.3
>High School	74	29.4	184	70.6	6.5

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

# Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Demographic		Use BC			No BC at risk			No BC	
Groups	n¹	<sup>0</sup> / <sub>0</sub> <sup>2</sup>	C.I. <sup>3</sup>	n	%	C.I.	n	%	C.I.
Total	214	62.6	5.9	60	17.2	4.5	70	20.1	4.9
Gender									
Male	99	58.3	8.3	31	17.5	6.4	43	24.2	7.2
Female	115	68.7	7.7	29	16.8	6.1	27	14.4	5.8
Age									
18-34	91	68.1	8.8	19	15.4	7.0	27	16.5	6.8
35-59	123	57.5	7.6	41	18.9	5.7	43	23.6	6.9
Education									
≤High School	73	65.6	10.0	21	18.7	8.2	21	15.7	7.3
>High School	141	61.2	7.2	39	16.6	5.4	49	22.2	6.3

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### Physician Diagnosed Heart Attack, Angina or Stroke Richmond

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	39	5.7	578	94.3	2.0
Gender					
Male	24	8.0	231	92.0	3.6
Female	15	3.6	347	96.4	2.1
Age					
18-64	21	4.3	476	95.7	2.1
≥65	17	13.3	89	86.7	6.7
Education					
≤High School	22	7.5	226	92.5	3.5
>High School	16	4.2	350	95.8	2.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

# Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina) *Richmond*

Demographic Groups	n¹	Yes %2	n	No %	C.I. <sup>3</sup>
Total	33	5.1	584	94.9	2.0
Gender					
Male	20	7.3	235	92.7	3.5
Female	13	3.2	349	96.8	2.0
Age					
18-64	18	3.9	479	96.1	2.0
≥65	14	11.9	92	88.1	6.5
Education					
≤High School	19	6.9	229	93.1	3.5
>High School	13	3.6	353	96.4	2.3

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

# **Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older** *Richmond*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Male	115	69.9	46	30.1	8.1
Age					
40-64	73	66.2	40	33.8	9.7
≥65	42	83.0	6	17.0	13.3
Education					
≤High School	37	72.4	17	27.6	13.2
>High School	77	68.5	29	31.5	10.1

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Male	100	63.4	57	36.6	8.5
Age					
40-64	62	59.0	49	41.0	10.2
≥65	38	79.4	8	20.6	14.2
Education					
≤High School	33	66.2	20	33.8	14.2
>High School	66	61.8	37	38.2	10.6

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

# **Ever Had a Digital Rectal Exam, Men Aged 40 and Older** *Richmond*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Male	124	73.0	43	27.0	7.8
Age					
40-64	78	68.4	36	31.6	9.6
≥65	46	87.6	7	12.4	9.7
Education					
≤High School	45	76.9	13	23.1	12.2
>High School	78	70.9	30	29.1	9.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

# **Ever Used a Blood Stool Test at Home, Aged 50 and Older** *Richmond*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	100	40.1	152	59.9	7.0
Gender					
Male	43	41.6	70	58.4	10.8
Female	57	38.8	82	61.2	9.1
Age					
50-64	57	40.2	90	59.8	9.3
≥65	43	39.9	62	60.1	10.7
Education					
≤High School	55	41.2	71	58.8	9.8
>High School	45	39.6	78	60.4	10.2

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

# Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older *Richmond*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	38	18.2	211	81.8	6.0
Gender					
Male	21	23.4	91	76.6	10.1
Female	17	13.7	120	86.3	6.8
Age					
50-64	21	19.1	124	80.9	8.4
≥65	17	16.9	87	83.1	8.3
Education					
≤High School	22	18.7	103	81.3	7.9
>High School	16	18.0	105	82.0	9.2

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

# Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older *Richmond*

Demographic Groups	n¹	Yes %2	n	No %	C.I. <sup>3</sup>
Total	59	25.6	190	74.4	6.5
Gender					
Male	28	29.1	84	70.9	10.4
Female	31	22.7	106	77.3	8.0
Age					
50-64	34	25.9	111	74.1	8.8
≥65	25	25.2	79	74.8	9.5
Education					
≤High School	31	25.6	94	74.4	8.8
>High School	28	26.1	93	73.9	9.7

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

### Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older Richmond

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	115	45.9	137	54.1	7.1
Gender					
Male	53	47.0	61	53.0	10.7
Female	62	44.9	76	55.1	9.4
Age					
50-64	63	45.6	84	54.4	9.3
≥65	52	46.3	53	53.7	10.8
Education					
≤High School	56	44.0	70	56.0	10.0
>High School	59	48.5	64	51.5	10.1

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

# Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older *Richmond*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	108	43.6	142	56.4	7.1
Gender					
Male	48	43.2	65	56.8	10.6
Female	60	43.9	77	56.1	9.5
Age					
50-64	60	42.7	87	57.3	9.3
≥65	48	44.9	55	55.1	10.9
Education					
≤High School	54	43.3	71	56.7	10.0
>High School	54	44.6	68	55.4	10.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	130	55.3	123	44.7	7.0
Gender					
Male	60	59.2	54	40.8	10.3
Female	70	52.0	69	48.0	9.5
Age					
50-64	74	55.8	73	44.2	9.2
≥65	56	54.6	50	45.4	10.8
Education					
≤High School	66	54.6	61	45.4	10.0
>High School	64	57.0	59	43.0	9.8

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval