Expanded BRFSS, 2003

Orange Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	
Core 1: Health Status / Healthy Days Core 2: Health Care Access Core 3: Exercise	
Core 3: Exercise	8
Core 4: Diabetes	
Core 5: Asthma	
Core 6: Arthritis	12
Core 7: Tobacco Use	14
Core 8: Tobacco ETS	1
Core 9: Alcohol Consumption	2
Core 11: Mammography	23
Core 12: Sexual Behavior	
Core 13: Family Planning	
Core 14: Cardiovascular Disease	
Core 15: Prostate Cancer Screening	
Core 16: Colorectal Cancer Screening.	

New York State Department Of Health

Self-rated Health Status

Demographic Groups	n¹	Fair or Poor	n	Good to Excellent %	C.I. ³
Total	96	13.6	541	86.4	3.0
Gender					
Male	35	12.1	206	87.9	4.5
Female	61	15.1	335	84.9	3.9
Age					
18-34	6	4.5	123	95.5	4.4
35-54	31	10.3	273	89.7	4.0
≥55	57	30.9	140	69.1	7.2
Education					
≤High School	68	22.1	211	77.9	5.4
>High School	28	7.2	329	92.8	3.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Reported Number of Physical Distress Days in the Past Month Orange

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. ³
Total	68	10.3	558	89.7	2.9
Gender					
Male	22	9.3	215	90.7	4.7
Female	46	11.3	343	88.7	3.4
Age					
18-34	5	6.5	123	93.5	6.1
35-54	30	9.3	271	90.7	3.7
≥55	33	17.5	158	82.5	5.9
Education					
≤High School	34	12.8	238	87.2	5.0
>High School	34	8.5	319	91.5	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent ³95% Confidence Interval

Reported Number of Mental Distress Days in the Past Month **Orange**

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. ³
Total	62	10.7	563	89.3	3.0
Gender					
Male	15	7.7	220	92.3	4.2
Female	47	13.6	343	86.4	4.2
Age					
18-34	11	9.4	115	90.6	6.5
35-54	37	13.6	259	86.4	4.5
≥55	14	7.5	183	92.5	4.2
Education					
≤High School	34	13.0	237	87.0	5.0
>High School	28	9.0	325	91.0	3.7

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, 18-64 Years of Age Orange**

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	434	80.8	76	19.2	4.7
Gender					
Male	162	77.3	31	22.7	8.0
Female	272	84.4	45	15.6	4.6
Age					
18-34	97	68.3	31	31.7	10.3
35-54	269	88.9	35	11.1	4.0
55-64	68	83.9	10	16.1	9.6
Education					
≤High School	158	71.0	50	29.0	7.6
>High School	276	87.5	26	12.5	6.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Health Insurance Coverage, Aged 18 and Older **Orange**

Demographic	1	Yes		No	G I 2
Groups	n¹	% ²	n	%	C.I. ³
Total	560	83.5	77	16.5	4.1
Gender					
Male	209	79.8	32	20.2	7.2
Female	351	87.2	45	12.8	3.8
Age					
18-34	97	68.3	31	31.7	10.3
35-54	269	88.9	35	11.1	4.0
≥55	187	92.8	11	7.2	4.4
Education					
≤High School	228	76.4	51	23.6	6.4
>High School	331	88.9	26	11.1	5.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Reported Having a Routine Physical Exam in Past Two Years *Orange*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	570	89.0	64	11.0	2.8
Gender					
Male	207	85.6	35	14.4	4.9
Female	363	92.4	29	7.6	2.9
Age					
18-34	110	86.5	17	13.5	6.5
35-54	267	87.8	36	12.2	4.1
≥55	188	94.7	9	5.3	3.4
Education					
≤High School	252	87.8	26	12.2	4.7
>High School	318	90.0	37	10.0	3.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Time in Past 12 Months when Needed Medical Care but Could Not Get It *Orange*

Demographic		Yes		No	
Groups	n¹	% 2	n	%	C.I. ³
Total	43	7.9	593	92.1	2.9
Gender					
Male	14	8.4	227	91.6	4.9
Female	29	7.4	366	92.6	2.9
Age					
18-34	15	13.5	114	86.5	7.5
35-54	21	5.8	282	94.2	2.9
≥55	7	4.8	190	95.2	3.5
Education					
≤High School	27	10.4	251	89.6	4.4
>High School	16	6.0	341	94.0	3.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days *Orange*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	460	73.5	176	26.5	4.1
Gender					
Male	186	76.7	55	23.3	6.5
Female	274	70.3	121	29.7	5.0
Age					
18-34	96	74.5	33	25.5	8.8
35-54	233	78.6	70	21.4	5.3
≥55	126	63.0	71	37.0	7.4
Education					
≤High School	170	65.1	109	34.9	6.2
>High School	289	79.7	67	20.3	5.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Physician Diagnosed Diabetes Orange**

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	44	6.1	594	93.9	1.9
Gender					
Male	19	6.2	223	93.8	3.0
Female	25	6.1	371	93.9	2.5
Age					
18-34	2	1.7	127	98.3	2.4
35-54	11	3.6	293	96.4	2.3
≥55	31	16.6	167	83.4	5.7
Education					
≤High School	24	7.6	256	92.4	3.2
>High School	20	5.0	337	95.0	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Lifetime Asthma Diagnosed by a Medical Professional** *Orange*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	86	13.5	552	86.5	3.2
Gender					
Male	27	12.1	215	87.9	4.9
Female	59	14.9	337	85.1	4.2
Age					
18-34	17	13.9	112	86.1	7.1
35-54	44	13.4	260	86.6	4.3
≥55	24	13.3	174	86.7	5.5
Education					
≤High School	40	14.2	240	85.8	4.8
>High School	46	13.0	311	87.0	4.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Current Asthma Diagnosed by a Medical Professional Orange**

Demographic		Yes		No	
Groups	n¹	% ²	n	%	C.I. ³
Total	60	9.0	577	91.0	2.6
Gender					
Male	17	6.6	225	93.4	3.4
Female	43	11.4	352	88.6	3.9
Age					
18-34	11	8.0	118	92.0	5.3
35-54	30	8.8	273	91.2	3.5
≥55	18	10.7	180	89.3	5.1
Education					
≤High School	33	11.1	247	88.9	4.1
>High School	27	7.5	329	92.5	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Arthritis Diagnosed by a Medical Professional** *Orange*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	173	23.2	464	76.8	3.5
Gender					
Male	52	15.9	189	84.1	4.6
Female	121	30.3	275	69.7	5.0
Age					
18-34	7	5.0	122	95.0	3.8
35-54	67	22.5	237	77.5	5.3
≥55	96	47.6	101	52.4	7.6
Education					
≤High School	99	30.2	180	69.8	5.8
>High School	73	17.8	284	82.2	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Demographic Groups	n¹	Doctor Diagnosed %2	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	173	23.4	3.6	101	15.4	3.1	358	61.2	4.3
Gender									
Male	52	16.0	4.6	46	17.3	5.1	142	66.8	6.5
Female	121	30.7	5.1	55	13.6	3.7	216	55.7	5.5
Age									
18-34	7	5.0	3.8	14	8.7	4.7	108	86.3	6.0
35-54	67	22.7	5.3	60	20.3	5.2	174	57.1	6.3
≥55	96	48.2	7.6	26	15.8	5.9	73	36.0	7.3
Education									
≤High School	99	30.3	5.8	38	14.3	4.7	141	55.4	6.6
>High School	73	18.0	4.3	63	16.3	4.2	217	65.7	5.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Ever Smoked 100 Cigarettes in Lifetime** *Orange*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	331	51.1	302	48.9	4.6
Gender					
Male	135	51.7	106	48.3	7.5
Female	196	50.5	196	49.5	5.5
Age					
18-34	60	44.8	69	55.2	9.9
35-54	151	50.6	150	49.4	6.4
≥55	117	60.3	80	39.7	7.4
Education					
≤High School	157	56.0	122	44.0	6.7
>High School	174	47.5	179	52.5	6.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Current Smoker Orange**

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	148	24.3	484	75.7	4.0
Gender					
Male	53	23.2	187	76.8	6.2
Female	95	25.4	297	74.6	5.1
Age					
18-34	42	32.6	87	67.4	9.3
35-54	70	20.9	231	79.1	5.0
≥55	35	19.7	161	80.3	6.4
Education					
≤High School	79	28.5	199	71.5	6.1
>High School	69	21.1	284	78.9	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent ³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Status of Cigarette Smoking** *Orange*

Demographic Groups	n¹	Everyday Smoker	C.I. ³	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Total	109	18.2	3.6	39	6.1	2.3	484	75.7	4.0
Gender									
Male	40	17.7	5.6	13	5.5	3.2	187	76.8	6.2
Female	69	18.7	4.5	26	6.7	3.2	297	74.6	5.1
Age									
18-34	33	25.1	8.4	9	7.4	5.5	87	67.4	9.3
35-54	51	15.5	4.4	19	5.5	2.7	231	79.1	5.0
≥55	25	14.5	5.9	10	5.2	3.3	161	80.3	6.4
Education									
≤High School	63	23.6	5.9	16	5.0	2.6	199	71.5	6.1
>High School	46	14.1	4.4	23	7.0	3.4	284	78.9	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Home Smoking Policies

Demographic Groups	n¹	Not Allowed	C.I. ³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere	C.I.
Total	446	69.8	4.3	67	10.4	2.8	125	19.8	3.9
Gender									
Male	163	69.0	7.0	17	6.8	3.5	62	24.1	6.6
Female	283	70.5	5.2	50	13.9	4.1	63	15.6	4.0
Age									
18-34	96	72.5	9.6	18	11.4	5.8	15	16.1	8.9
35-54	216	71.4	5.8	36	11.7	4.2	52	16.9	4.8
≥55	130	63.7	7.4	11	6.4	3.9	57	29.9	7.1
Education									
≤High School	176	62.7	6.6	28	9.4	3.6	76	28.0	6.3
>High School	269	75.1	5.7	39	11.2	4.0	49	13.6	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Home Smoking Orange**

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	142	22.6	494	77.4	3.9
Gender					
Male	51	21.1	189	78.9	6.0
Female	91	24.0	305	76.0	4.9
Age					
18-34	29	22.0	100	78.0	8.3
35-54	68	22.7	236	77.3	5.4
≥55	42	22.5	154	77.5	6.6
Education					
≤High School	79	28.6	200	71.4	6.3
>High School	63	18.0	293	82.0	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	68	12.8	561	87.2	3.3
Gender					
Male	46	19.7	192	80.3	5.9
Female	22	6.0	369	94.0	2.7
Age					
18-34	22	17.1	106	82.9	7.3
35-54	37	14.6	264	85.4	5.0
≥55	8	3.9	186	96.1	2.9
Education					
≤High School	31	13.4	245	86.6	5.0
>High School	37	12.3	315	87.7	4.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	28	3.9	602	96.1	1.6
Gender					
Male	11	3.1	227	96.9	2.0
Female	17	4.7	375	95.3	2.5
Age					
18-34	5	3.9	124	96.1	3.6
35-54	10	3.0	290	97.0	1.9
≥55	12	5.2	184	94.8	3.0
Education					
≤High School	14	4.4	262	95.6	2.5
>High School	14	3.5	339	96.5	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Overweight or Obese, BMI(Body Mass Index) 25 or More Orange

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	358	60.4	250	39.6	4.6
Gender					
Male	165	68.4	75	31.6	6.9
Female	193	51.9	175	48.1	5.7
Age					
18-34	56	50.3	68	49.7	10.3
35-54	172	63.7	117	36.3	6.1
≥55	128	67.6	63	32.4	7.2
Education					
≤High School	164	63.3	102	36.7	6.6
>High School	193	58.1	148	41.9	6.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+) *Orange*

Demographic Groups	n¹	Underweight\ Normal %2	C.I. ³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	250	39.6	4.6	223	39.0	4.7	135	21.4	3.7
Gender									
Male	75	31.6	6.9	110	46.8	7.4	55	21.6	5.8
Female	175	48.1	5.7	113	30.7	5.3	80	21.2	4.6
Age									
18-34	68	49.7	10.3	37	37.5	10.5	19	12.8	6.1
35-54	117	36.3	6.1	102	37.7	6.4	70	26.0	5.9
≥55	63	32.4	7.2	82	42.9	7.6	46	24.6	6.7
Education									
≤High School	102	36.7	6.6	94	39.1	6.9	70	24.1	5.6
>High School	148	41.9	6.3	128	38.8	6.4	65	19.3	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Had Mammography Screening, Women Aged 40 Years and Older *Orange*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Female	222	86.2	32	13.8	4.8
Age					
40-64	160	87.9	20	12.1	5.4
≥65	62	82.0	12	18.0	9.7
Education					
≤High School	94	82.0	17	18.0	8.3
>High School	128	89.6	15	10.4	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Female	189	73.8	64	26.2	6.0
Age					
40-64	138	76.9	41	23.1	6.8
≥65	51	66.2	23	33.8	11.9
Education					
≤High School	78	66.4	33	33.6	9.9
>High School	111	79.9	31	20.1	6.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	61	13.4	442	86.6	4.1
Gender					
Male	14	9.8	179	90.2	6.2
Female	47	17.2	263	82.8	5.2
Age					
18-34	37	28.5	89	71.5	9.6
35-54	24	5.8	277	94.2	2.5
55-64	0	0.0	76	100	0.0
Education					
≤High School	30	14.6	174	85.4	6.0
>High School	31	12.5	268	87.5	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Sexually Active, Age 18-64 Years Old **Orange**

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	405	88.5	65	11.5	3.3
Gender					
Male	159	87.8	22	12.2	5.5
Female	246	89.2	43	10.8	3.5
Age					
18-34	112	92.6	7	7.4	6.0
35-54	247	90.0	35	10.0	3.8
55-64	46	69.1	23	30.9	11.8
Education					
≤High School	158	84.2	35	15.8	5.7
>High School	247	91.5	30	8.5	3.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger Orange

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	85	21.0	321	79.0	5.0
Gender					
Male	38	22.9	124	77.1	8.2
Female	47	18.9	197	81.1	5.5
Age					
18-34	33	31.5	76	68.5	10.8
35-54	49	16.3	203	83.7	4.8
55-64	3	4.3	42	95.7	4.9
Education					
≤High School	35	18.5	121	81.5	6.4
>High School	50	22.6	200	77.4	7.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Demographic Groups	n¹	Use BC	C.I. ³	n	No BC at risk	C.I.	n	No BC	C.I.
Total	236	69.5	5.6	52	15.6	4.5	55	14.8	4.2
Gender									
Male	120	71.1	7.6	23	13.9	5.8	28	15.0	5.9
Female	116	67.0	8.0	29	18.4	7.0	27	14.6	5.7
Age									
18-34	84	69.4	9.3	22	18.1	7.7	17	12.5	6.6
35-59	152	69.6	6.7	30	13.5	5.0	38	16.9	5.4
Education									
≤High School	91	68.8	8.4	22	16.1	6.7	26	15.2	6.2
>High School	145	70.0	7.6	30	15.4	6.0	29	14.6	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Physician Diagnosed Heart Attack, Angina or Stroke** *Orange*

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	57	7.1	577	92.9	2.0
Gender					
Male	30	8.0	211	92.0	3.2
Female	27	6.2	366	93.8	2.5
Age					
18-64	19	3.2	488	96.8	1.6
≥65	36	29.9	84	70.1	8.9
Education					
≤High School	30	8.1	247	91.9	3.2
>High School	27	6.3	329	93.7	2.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina) *Orange*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	48	6.2	586	93.8	1.9
Gender					
Male	25	7.0	216	93.0	3.0
Female	23	5.4	370	94.6	2.4
Age					
18-64	16	2.8	491	97.2	1.5
≥65	30	25.4	90	74.6	8.5
Education					
≤High School	27	7.5	250	92.5	3.2
>High School	21	5.2	335	94.8	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older *Orange*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	100	61.5	60	38.5	8.2
Age					
40-64	67	58.3	48	41.7	9.8
≥65	33	73.5	12	26.5	13.5
Education					
≤High School	37	48.2	38	51.8	12.2
>High School	63	72.7	22	27.3	10.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	83	53.4	74	46.6	8.5
Age					
40-64	59	53.3	55	46.7	10.0
≥65	24	53.9	19	46.1	15.7
Education					
≤High School	31	40.4	43	59.6	12.1
>High School	52	64.6	31	35.4	11.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Ever Had a Digital Rectal Exam, Men Aged 40 and Older Orange

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Male	130	78.6	34	21.4	6.8
Age					
40-64	91	77.0	27	23.0	8.0
≥65	39	84.8	7	15.2	10.7
Education					
≤High School	56	74.1	20	25.9	10.4
>High School	74	82.4	14	17.6	8.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Ever Used a Blood Stool Test at Home, Aged 50 and Older *Orange*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	111	42.6	146	57.4	6.6
Gender					
Male	47	45.9	50	54.1	10.7
Female	64	39.8	96	60.2	8.3
Age					
50-64	54	39.3	83	60.7	9.1
≥65	57	47.1	63	52.9	9.6
Education					
≤High School	53	39.3	77	60.7	9.1
>High School	58	46.1	69	53.9	9.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older *Orange*

Demographic	n¹	Yes		No	CI3
Groups	n-	% ²	n	%	C.I. ³
Total	48	17.5	206	82.5	5.1
Gender					
Male	21	18.5	75	81.5	8.2
Female	27	16.7	131	83.3	6.3
Age					
50-64	21	15.3	115	84.7	6.9
≥65	27	20.6	91	79.4	7.4
Education					
≤High School	22	15.8	107	84.2	6.7
>High School	26	19.4	99	80.6	7.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older *Orange*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	69	26.7	185	73.3	6.0
Gender					
Male	30	28.8	66	71.2	9.7
Female	39	25.0	119	75.0	7.4
Age					
50-64	31	23.3	105	76.7	8.0
≥65	38	31.4	80	68.6	8.9
Education					
≤High School	30	21.4	99	78.6	7.5
>High School	39	32.6	86	67.4	9.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older **Orange**

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	141	52.3	117	47.7	6.7
Gender					
Male	64	61.3	34	38.7	10.7
Female	77	45.0	83	55.0	8.4
Age					
50-64	65	44.2	73	55.8	9.2
≥65	76	63.3	44	36.7	9.2
Education					
≤High School	68	48.7	63	51.3	9.3
>High School	73	56.3	54	43.7	9.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older *Orange*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	133	50.2	123	49.8	6.7
Gender					
Male	62	60.6	34	39.4	10.8
Female	71	41.8	89	58.2	8.3
Age					
50-64	62	43.0	76	57.0	9.2
≥65	71	60.2	47	39.8	9.5
Education					
≤High School	63	45.9	68	54.1	9.3
>High School	70	54.9	55	45.1	9.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	143	54.6	114	45.4	6.7
Gender					
Male	65	62.7	32	37.3	10.7
Female	78	48.1	82	51.9	8.4
Age					
50-64	66	46.8	72	53.2	9.3
≥65	77	65.4	42	34.6	9.1
Education					
≤High School	68	50.5	63	49.5	9.4
>High School	75	59.1	51	40.9	9.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval