### Expanded BRFSS, 2003

### Sullivan and Ulster Locality Tables

#### TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	
Core 2: Health Care Access	4
Core 3: Exercise	
Core 4: Diabetes	
Core 5: Asthma	10
Core 5: Asthma	12
Core 7: Tobacco Use	14
Core 8: Tobacco ETS	17
Core 9: Alcohol Consumption	19
Core 10: Weight Status	
Core 11: Mammography	23
Core 12: Sexual Behavior	
Core 13: Family Planning	28
Core 14: Cardiovascular Disease	29
Core 15: Prostate Cancer Screening	
Core 16: Colorectal Cancer Screening	

New York State Department Of Health

#### **Self-rated Health Status**

Demographic Groups	n¹	Fair or Poor	n	Good to Excellent %	C.I. <sup>3</sup>
Total	100	13.4	541	86.6	2.9
Gender					
Male	35	11.1	220	88.9	4.0
Female	65	15.6	321	84.4	4.2
Age					
18-34	8	8.3	99	91.7	5.9
35-54	41	11.9	258	88.1	4.0
≥55	51	19.7	180	80.3	5.5
Education					
≤High School	61	20.2	188	79.8	5.5
>High School	39	8.5	353	91.5	2.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

#### **Reported Number of Physical Distress Days in the Past Month** Sullivan, Ulster

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. <sup>3</sup>
Total	87	12.3	547	87.7	2.8
Gender					
Male	27	10.2	225	89.8	4.2
Female	60	14.4	322	85.6	3.8
Age					
18-34	9	8.6	97	91.4	5.8
35-54	41	13.5	257	86.5	4.4
≥55	37	14.3	189	85.7	4.7
Education					
≤High School	46	16.9	199	83.1	5.3
>High School	41	9.1	348	90.9	3.1

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### **Reported Number of Mental Distress Days in the Past Month** Sullivan, Ulster

Demographic Groups	n¹	≥14 days %2	n	< 14 days %	C.I. <sup>3</sup>
Total	82	11.9	547	88.1	2.9
Gender					
Male	27	9.0	223	91.0	3.9
Female	55	14.8	324	85.2	4.2
Age					
18-34	13	12.1	94	87.9	6.9
35-54	43	13.8	251	86.2	4.3
≥55	26	9.5	199	90.5	3.8
Education					
≤High School	45	18.3	198	81.7	5.7
>High School	37	7.4	349	92.6	2.7

<sup>&</sup>lt;sup>1</sup> Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup> Weighted Percent<sup>3</sup> 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Health Insurance Coverage, 18-64 Years of Age** Sullivan, Ulster

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	423	82.8	84	17.2	4.1
Gender					
Male	167	80.5	40	19.5	6.5
Female	256	85.1	44	14.9	4.8
Age					
18-34	79	72.1	28	27.9	9.9
35-54	249	85.0	51	15.0	4.2
55-64	95	96.8	5	3.2	3.1
Education					
≤High School	141	74.9	40	25.1	8.0
>High School	282	88.0	44	12.0	3.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Health Insurance Coverage, Aged 18 and Older Sullivan, Ulster

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	557	85.6	86	14.4	3.4
Gender					
Male	215	83.5	40	16.5	5.6
Female	342	87.7	46	12.3	3.9
Age					
18-34	79	72.1	28	27.9	9.9
35-54	249	85.0	51	15.0	4.2
≥55	225	97.8	7	2.2	1.7
Education					
≤High School	208	79.7	42	20.3	6.5
>High School	349	89.8	44	10.2	3.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

## Reported Having a Routine Physical Exam in Past Two Years *Sullivan*, *Ulster*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	571	89.5	68	10.5	2.7
Gender				_	
Male	219	87.4	35	12.6	4.5
Female	352	91.6	33	8.4	3.1
Age					
18-34	96	89.2	11	10.8	6.7
35-54	257	86.2	42	13.8	4.3
≥55	215	93.9	15	6.1	3.3
Education					
≤High School	223	89.4	26	10.6	4.6
>High School	348	89.5	42	10.5	3.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

## Time in Past 12 Months when Needed Medical Care but Could Not Get It *Sullivan*, *Ulster*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
•					
Total	55	8.9	586	91.1	2.7
Gender					
Male	19	8.5	235	91.5	4.3
Female	36	9.2	351	90.8	3.2
Age					
18-34	13	12.4	94	87.6	7.2
35-54	34	11.4	265	88.6	4.1
≥55	8	2.8	223	97.2	2.1
Education					
≤High School	22	9.6	226	90.4	4.6
>High School	33	8.3	360	91.7	3.3

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

# Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days *Sullivan, Ulster*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	488	78.9	155	21.1	3.4
Gender					
Male	207	82.6	48	17.4	5.0
Female	281	75.3	107	24.7	4.7
Age					
18-34	98	92.8	9	7.2	4.8
35-54	224	75.0	76	25.0	5.6
≥55	164	72.4	68	27.6	6.3
Education					
≤High School	160	71.3	90	28.7	6.1
>High School	328	84.3	65	15.7	4.1

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

#### **Physician Diagnosed Diabetes**

Demographic		Yes		No	
Groups	n¹	% <sup>2</sup>	n	%	C.I. <sup>3</sup>
Total	44	7.2	599	92.8	2.4
Gender					
Male	20	7.8	235	92.2	3.8
Female	24	6.5	364	93.5	2.8
Age					
18-34	1	0.9	106	99.1	1.8
35-54	15	4.5	285	95.5	2.6
≥55	28	16.1	204	83.9	6.0
Education					
≤High School	23	10.2	227	89.8	4.6
>High School	21	5.0	372	95.0	2.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

### Lifetime Asthma Diagnosed by a Medical Professional

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	85	14.0	557	86.0	3.3
Gender					
Male	27	13.8	228	86.2	5.4
Female	58	14.2	329	85.8	3.9
Age					
18-34	22	19.0	85	81.0	8.4
35-54	38	12.2	262	87.8	4.2
≥55	24	11.7	207	88.3	5.2
Education					
≤High School	35	15.8	214	84.2	5.8
>High School	50	12.8	343	87.2	3.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### **Current Asthma Diagnosed by a Medical Professional** *Sullivan, Ulster*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	55	8.6	585	91.4	2.7
Gender					
Male	14	7.3	240	92.7	4.3
Female	41	10.0	345	90.0	3.4
Age					
18-34	10	10.4	96	89.6	7.1
35-54	27	7.9	273	92.1	3.3
≥55	17	7.8	213	92.2	4.3
Education					
≤High School	25	10.8	222	89.2	5.1
>High School	30	7.1	363	92.9	3.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### **Arthritis Diagnosed by a Medical Professional**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	219	30.8	423	69.2	4.2
Gender					
Male	78	25.7	177	74.3	5.7
Female	141	35.9	246	64.1	5.9
Age					
18-34	16	15.5	91	84.5	9.5
35-54	82	26.3	218	73.7	5.4
≥55	120	49.8	111	50.2	7.3
Education					
≤High School	94	32.9	155	67.1	7.2
>High School	125	29.4	268	70.6	5.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Demographic Groups	n¹	Doctor Diagnosed %2	C.I. <sup>3</sup>	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	219	30.9	4.2	107	17.0	3.6	314	52.1	4.6
Gender									
Male	78	25.7	5.7	49	20.8	6.0	127	53.5	7.0
Female	141	36.1	6.0	58	13.2	3.7	187	50.7	6.0
Age									
18-34	16	15.6	9.6	20	23.3	9.7	70	61.1	11.4
35-54	82	26.3	5.4	57	17.5	4.7	161	56.3	6.2
≥55	120	50.0	7.3	30	11.2	4.3	80	38.8	7.3
Education									
≤High School	94	33.0	7.3	41	20.3	6.6	113	46.6	7.6
>High School	125	29.4	5.0	66	14.7	3.9	201	55.9	5.6

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

#### **Ever Smoked 100 Cigarettes in Lifetime**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	387	58.9	252	41.1	4.6
Gender					
Male	163	63.8	90	36.2	6.8
Female	224	54.0	162	46.0	6.1
Age					
18-34	55	49.1	51	50.9	11.2
35-54	188	62.9	111	37.1	6.1
≥55	142	62.5	88	37.5	7.0
Education					
≤High School	155	60.7	92	39.3	7.7
>High School	232	57.6	160	42.4	5.7

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

#### **Current Smoker**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	149	25.4	490	74.6	4.2
Gender					
Male	64	28.8	189	71.2	6.8
Female	85	22.0	301	78.0	4.8
Age					
18-34	40	37.7	66	62.3	10.7
35-54	83	28.1	216	71.9	5.9
≥55	26	11.5	204	88.5	5.0
Education					
≤High School	73	31.8	174	68.2	7.2
>High School	76	20.8	316	79.2	5.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### **Status of Cigarette Smoking**

Demographic Groups	n¹	Everyday Smoker %	C.I. <sup>3</sup>	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Total	111	19.3	3.8	38	6.0	2.3	490	74.6	4.2
Gender									
Male	52	22.6	6.3	12	6.2	3.8	189	71.2	6.8
Female	59	16.1	4.3	26	5.9	2.6	301	78.0	4.8
Age									
18-34	28	27.8	9.8	12	9.9	6.2	66	62.3	10.7
35-54	60	20.7	5.3	23	7.4	3.6	216	71.9	5.9
≥55	23	10.5	4.9	3	1.0	1.1	204	88.5	5.0
Education									
≤High School	54	22.8	6.4	19	9.0	4.7	174	68.2	7.2
>High School	57	16.9	4.8	19	3.9	2.0	316	79.2	5.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

#### **Home Smoking Policies**

Demographic Groups	n¹	Not Allowed	C.I. <sup>3</sup>	n	Allowed Some Places	C.I.	n	Allowed Anywhere	C.I.
Total	423	65.6	4.4	80	14.2	3.4	137	20.2	3.7
Gender									
Male	160	62.8	6.9	32	15.2	5.4	61	22.0	5.9
Female	263	68.3	5.5	48	13.3	4.2	76	18.4	4.4
Age									
18-34	74	64.9	10.8	16	18.2	9.0	17	16.8	8.4
35-54	204	68.8	6.0	40	13.3	4.2	55	17.9	5.1
≥55	143	62.3	7.0	23	11.7	4.9	64	26.0	6.2
Education									
≤High School	146	60.3	7.4	41	17.7	5.8	61	22.0	6.0
>High School	277	69.3	5.5	39	11.7	4.1	76	18.9	4.7

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

#### **Home Smoking**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	155	26.1	484	73.9	4.2
Gender					
Male	63	28.3	190	71.7	6.7
Female	92	23.8	294	76.2	4.9
Age					
18-34	30	30.7	77	69.3	10.3
35-54	76	26.4	221	73.6	5.8
≥55	48	21.6	183	78.4	6.0
Education					
≤High School	82	33.7	167	66.3	7.2
>High School	73	20.6	317	79.4	5.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

### At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	72	14.6	564	85.4	3.6
Gender					
Male	48	23.1	204	76.9	6.4
Female	24	6.1	360	93.9	2.8
Age					
18-34	32	29.4	74	70.6	9.9
35-54	32	11.6	264	88.4	4.2
≥55	8	5.6	222	94.4	4.6
Education					
≤High School	36	17.9	211	82.1	6.3
>High School	36	12.2	353	87.8	4.3

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	22	4.1	610	95.9	2.1
Gender					
Male	10	4.2	240	95.8	3.2
Female	12	4.1	370	95.9	2.8
Age					
18-34	4	3.8	100	96.2	4.3
35-54	10	4.1	284	95.9	2.9
≥55	8	4.6	222	95.4	4.1
Education					
≤High School	8	4.0	236	96.0	3.5
>High School	14	4.2	374	95.8	2.6

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Overweight or Obese, BMI(Body Mass Index) 25 or More

Sullivan, Ulster

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	348	57.1	271	42.9	4.7
Gender					
Male	170	67.4	84	32.6	6.6
Female	178	46.4	187	53.6	6.1
Age					
18-34	52	48.2	51	51.8	11.3
35-54	160	58.8	128	41.2	6.3
≥55	135	62.5	91	37.5	7.0
Education					
≤High School	145	60.1	92	39.9	7.9
>High School	203	55.0	179	45.0	5.8

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

## Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+) *Sullivan, Ulster*

Demographic Groups	n¹	Underweight\ Normal	C.I. <sup>3</sup>	n	Overweight %	C.I.	n	Obese %	C.I.
Total	271	42.9	4.7	208	34.3	4.5	140	22.8	3.8
Gender									
Male	84	32.6	6.6	107	42.6	7.0	63	24.7	6.0
Female	187	53.6	6.1	101	25.6	4.9	77	20.8	4.7
Age									
18-34	51	51.8	11.3	30	28.8	10.1	22	19.4	8.4
35-54	128	41.2	6.3	94	34.3	6.2	66	24.6	5.7
≥55	91	37.5	7.0	83	38.8	7.3	52	23.6	6.2
Education									
≤High School	92	39.9	7.9	80	34.0	7.3	65	26.1	6.4
>High School	179	45.0	5.8	128	34.5	5.6	75	20.5	4.7

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

## Ever Had Mammography Screening, Women Aged 40 Years and Older *Sullivan, Ulster*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Female	244	87.8	33	12.2	4.4
Age					
40-64	171	87.1	24	12.9	5.5
≥65	73	89.5	9	10.5	6.9
Education					
≤High School	101	90.3	10	9.7	6.3
>High School	143	86.0	23	14.0	6.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Female	199	71.0	75	29.0	6.0
Age					
40-64	140	71.0	52	29.0	7.3
≥65	59	70.9	23	29.1	10.6
Education					
≤High School	79	68.8	31	31.2	9.7
>High School	120	72.5	44	27.5	7.6

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Demographic Groups	n¹	Yes %°	n	No %	C.I. <sup>3</sup>
Total	79	18.3	415	81.7	4.7
Gender					
Male	19	12.0	183	88.0	5.6
Female	60	24.9	232	75.1	7.2
Age					
18-34	47	40.9	58	59.1	11.2
35-54	30	8.5	261	91.5	3.3
55-64	2	2.0	96	98.0	3.2
Education					
≤High School	36	24.6	140	75.4	9.0
>High School	43	14.1	275	85.9	4.7

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

#### Sexually Active, Age 18-64 Years Old

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	376	84.5	90	15.5	4.3
Gender					
Male	157	85.6	32	14.4	5.5
Female	219	83.3	58	16.7	6.5
Age					
18-34	91	85.4	12	14.6	10.0
35-54	228	87.1	44	12.9	4.1
55-64	57	74.9	34	25.1	8.8
Education					
≤High School	136	82.4	30	17.6	8.6
>High School	240	85.8	60	14.2	4.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

## Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger *Sullivan*, *Ulster*

Demographic		Yes		No	G I 2
Groups	n¹	% <sup>2</sup>	n	%	C.I. <sup>3</sup>
Total	86	24.4	301	75.6	5.4
Gender					
Male	42	27.1	122	72.9	8.1
Female	44	21.5	179	78.5	6.8
Age					
18-34	39	44.4	56	55.6	11.4
35-54	45	16.4	191	83.6	5.0
55-64	2	1.7	54	98.3	2.5
Education					
≤High School	34	27.3	109	72.7	9.1
>High School	52	22.4	192	77.6	6.5

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Demographic Groups	n¹	Use BC	C.I. <sup>3</sup>	n	No BC at risk	C.I.	n	No BC	C.I.
Total	196	62.6	6.5	52	17.5	4.9	73	19.9	5.6
Gender									
Male	98	58.8	8.3	27	17.3	6.6	52	23.9	6.9
Female	98	68.9	10.6	25	17.8	7.0	21	13.3	10.1
Age									
18-34	68	65.6	11.1	19	17.0	7.8	17	17.4	10.0
35-59	128	60.0	7.4	33	17.9	6.1	56	22.1	6.2
Education									
≤High School	74	61.8	11.2	25	19.9	8.1	19	18.2	10.5
>High School	122	63.2	7.7	27	15.7	6.0	54	21.1	6.2

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### Physician Diagnosed Heart Attack, Angina or Stroke

Demographic Groups	n¹	Yes %2	n	No %	C.I. <sup>3</sup>
Total	57	8.0	579	92.0	2.2
Gender					
Male	24	7.8	228	92.2	3.3
Female	33	8.2	351	91.8	2.9
Age					
18-64	26	4.8	476	95.2	2.0
≥65	31	22.8	101	77.2	7.6
Education					
≤High School	33	10.6	215	89.4	3.8
>High School	24	6.1	364	93.9	2.6

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

## Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina) *Sullivan, Ulster*

Demographic Groups	n¹	Yes %2	n	No %	C.I. <sup>3</sup>
Total	53	7.4	583	92.6	2.1
Gender					
Male	23	7.5	229	92.5	3.2
Female	30	7.3	354	92.7	2.8
Age					
18-64	22	4.2	480	95.8	1.9
≥65	31	22.8	101	77.2	7.6
Education					
≤High School	32	10.3	216	89.7	3.8
>High School	21	5.4	367	94.6	2.5

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

## Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older *Sullivan, Ulster*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Male	115	67.9	57	32.1	7.7
Age					
40-64	72	58.8	55	41.2	9.4
≥65	43	95.4	2	4.6	6.6
Education					
≤High School	37	65.8	21	34.2	13.3
>High School	78	69.0	36	31.0	9.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Male	96	58.2	76	41.8	8.1
Age					
40-64	60	49.9	67	50.1	9.7
≥65	36	83.0	9	17.0	11.2
Education					
≤High School	32	57.4	26	42.6	14.2
>High School	64	58.6	50	41.4	9.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Sullivan, Ulster

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Male	146	83.7	31	16.3	6.0
Age					
40-64	103	81.2	26	18.8	7.4
≥65	43	90.8	5	9.2	8.4
Education					
≤High School	44	80.8	14	19.2	10.5
>High School	102	85.1	17	14.9	7.3

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

### Ever Used a Blood Stool Test at Home, Aged 50 and Older *Sullivan, Ulster*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	115	39.4	185	60.6	6.3
Gender					
Male	46	42.4	71	57.6	10.1
Female	69	36.6	114	63.4	7.5
Age					
50-64	63	39.6	105	60.4	8.6
≥65	52	39.2	80	60.8	9.1
Education					
≤High School	46	42.5	72	57.5	10.3
>High School	69	37.5	113	62.5	7.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

## Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older *Sullivan, Ulster*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	42	15.5	253	84.5	4.8
Gender					
Male	19	17.8	96	82.2	8.0
Female	23	13.3	157	86.7	5.5
Age					
50-64	24	16.0	143	84.0	6.8
≥65	18	14.8	110	85.2	6.7
Education					
≤High School	21	19.8	95	80.2	8.3
>High School	21	12.8	158	87.2	5.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

### Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older *Sullivan*, *Ulster*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	61	23.5	234	76.5	5.7
Gender					
Male	30	30.0	85	70.0	9.6
Female	31	17.4	149	82.6	6.0
Age					
50-64	35	25.2	132	74.8	8.0
≥65	26	21.2	102	78.8	7.8
Education					
≤High School	30	29.7	86	70.3	9.7
>High School	31	19.6	148	80.4	6.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

## Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older *Sullivan, Ulster*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	148	53.0	151	47.0	6.4
Gender					
Male	69	61.1	46	38.9	10.0
Female	79	45.3	105	54.7	7.9
Age					
50-64	66	42.4	101	57.6	8.8
≥65	82	67.1	50	32.9	8.5
Education					
≤High School	51	50.0	66	50.0	10.4
>High School	97	54.9	85	45.1	8.2

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

## Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older *Sullivan, Ulster*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	134	48.8	164	51.2	6.5
Gender					
Male	66	59.1	49	40.9	10.0
Female	68	38.9	115	61.1	7.8
Age					
50-64	60	39.6	107	60.4	8.7
≥65	74	61.1	57	38.9	9.0
Education					
≤High School	47	46.6	69	53.4	10.5
>High School	87	50.1	95	49.9	8.2

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	150	53.2	151	46.8	6.4
Gender					
Male	70	61.8	47	38.2	9.8
Female	80	44.9	104	55.1	7.9
Age					
50-64	71	45.1	98	54.9	8.8
≥65	79	64.0	53	36.0	8.8
Education					
≤High School	56	52.2	62	47.8	10.3
>High School	94	53.8	89	46.2	8.1

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval