

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
All Invasive Malignant Tumors**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	278.4	24.4	23.1-25.7	148.6	25.5	23.7-27.4	129.8	23.3	21.5-25.1	20.2	1.8	1.4-2.1	11.0	1.9	1.4-2.5	9.2	1.6	1.2-2.2
5-9 years	152.8	13.6	12.7-14.6	77.6	13.5	12.2-14.9	75.2	13.7	12.4-15.2	22.0	2.0	1.6-2.4	11.2	2.0	1.5-2.5	10.8	2.0	1.5-2.6
10-14 years	209.8	18.8	17.7-20.0	112.4	19.7	18.1-21.4	97.4	17.9	16.3-19.5	23.8	2.1	1.8-2.6	12.6	2.2	1.7-2.8	11.2	2.1	1.6-2.7
15-19 years	334.8	28.2	26.9-29.6	171.4	28.4	26.5-30.3	163.4	28.0	26.1-30.0	34.4	2.9	2.5-3.4	22.6	3.7	3.1-4.5	11.8	2.0	1.5-2.6
20-24 years	603.6	46.5	44.8-48.1	289.2	44.5	42.2-46.8	314.4	48.4	46.1-50.9	46.8	3.6	3.2-4.1	29.6	4.6	3.8-5.3	17.2	2.6	2.1-3.3
25-29 years	1,020.8	69.3	67.4-71.2	416.2	56.4	54.0-58.9	604.6	82.1	79.2-85.1	74.8	5.1	4.6-5.6	41.2	5.6	4.9-6.4	33.6	4.6	3.9-5.3
30-34 years	1,503.2	107.9	105.4-110.3	549.4	78.8	75.9-81.8	953.8	136.9	133.1-140.9	131.4	9.4	8.7-10.2	63.0	9.0	8.1-10.1	68.4	9.8	8.8-10.9
35-39 years	2,069.8	163.5	160.3-166.6	715.6	114.2	110.5-118.0	1,354.2	211.8	206.7-216.9	240.8	19.0	18.0-20.1	108.2	17.3	15.8-18.8	132.6	20.7	19.2-22.4
40-44 years	2,989.2	257.1	253.0-261.2	966.4	169.4	164.7-174.3	2,022.8	341.5	334.9-348.2	374.6	32.2	30.8-33.7	164.6	28.9	26.9-30.9	210.0	35.5	33.3-37.7
45-49 years	4,856.8	394.0	389.1-399.0	1,753.8	291.9	285.8-298.1	3,103.0	491.1	483.4-498.9	721.4	58.5	56.6-60.5	324.6	54.0	51.4-56.7	396.8	62.8	60.1-65.6
50-54 years	7,992.6	607.9	601.9-613.9	3,477.0	545.6	537.5-553.8	4,515.6	666.5	657.8-675.2	1,392.6	105.9	103.4-108.4	671.0	105.3	101.8-108.9	721.6	106.5	103.1-110.0
55-59 years	12,036.8	889.0	881.9-896.2	6,104.0	936.4	925.9-946.9	5,932.8	845.1	835.5-854.8	2,486.2	183.6	180.4-186.9	1,248.0	191.4	186.7-196.3	1,238.2	176.4	172.0-180.8
60-64 years	15,580.4	1267.7	1258.8-1276.6	8,425.2	1439.6	1425.9-1453.4	7,155.2	1111.4	1099.9-1123.0	3,580.8	291.4	287.1-295.7	1,909.0	326.2	319.7-332.8	1,671.8	259.7	254.1-265.3
65-69 years	17,227.4	1678.9	1667.7-1690.1	9,598.6	2009.2	1991.2-2027.2	7,628.8	1391.1	1377.2-1405.2	4,349.0	423.8	418.2-429.5	2,292.6	479.9	471.1-488.8	2,056.4	375.0	367.8-382.3
70-74 years	16,255.2	2050.9	2036.8-2065.0	8,846.0	2478.9	2455.8-2502.1	7,409.2	1700.4	1683.1-1717.8	4,700.8	593.1	585.5-600.7	2,428.2	680.4	668.4-692.7	2,272.6	521.5	512.0-531.2
75-79 years	12,870.2	2310.6	2292.8-2328.6	6,774.8	2836.3	2806.2-2866.7	6,095.4	1915.9	1894.5-1937.6	4,605.4	826.8	816.2-837.6	2,348.2	983.1	965.4-1001.0	2,257.2	709.5	696.5-722.7
80-84 years	9,276.8	2374.0	2352.5-2395.7	4,667.8	2954.0	2916.3-2992.2	4,609.0	1980.2	1954.8-2006.0	4,260.6	1090.3	1075.7-1105.1	2,135.2	1351.3	1325.8-1377.1	2,125.4	913.2	895.9-930.7
85+ years	9,610.0	2103.6	2084.8-2122.5	4,297.0	2764.7	2727.9-2801.9	5,313.0	1762.7	1741.6-1784.0	6,569.2	1438.0	1422.5-1453.6	2,994.0	1926.4	1895.6-1957.5	3,575.2	1186.2	1168.8-1203.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Oral cavity and pharynx**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.6	0.1	0.0-0.2	0.4	0.1	0.0-0.2	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	1.4	0.1	0.1-0.3	1.0	0.2	0.1-0.4	0.4	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	2.4	0.2	0.1-0.4	0.8	0.1	0.0-0.4	1.6	0.3	0.1-0.6	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	7.0	0.6	0.4-0.8	3.2	0.5	0.3-0.9	3.8	0.7	0.4-1.0	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
20-24 years	8.8	0.7	0.5-0.9	4.6	0.7	0.4-1.1	4.2	0.6	0.4-1.0	0.8	0.1	0.0-0.2	0.6	0.1	0.0-0.3	0.2	0.0	0.0-0.2
25-29 years	19.0	1.3	1.0-1.6	9.8	1.3	1.0-1.8	9.2	1.2	0.9-1.7	1.0	0.1	0.0-0.2	0.8	0.1	0.0-0.3	0.2	0.0	0.0-0.2
30-34 years	30.4	2.2	1.8-2.6	17.4	2.5	2.0-3.1	13.0	1.9	1.4-2.4	1.2	0.1	0.0-0.2	0.8	0.1	0.0-0.3	0.4	0.1	0.0-0.2
35-39 years	43.4	3.4	3.0-3.9	24.8	4.0	3.3-4.7	18.6	2.9	2.3-3.6	4.8	0.4	0.2-0.6	3.0	0.5	0.3-0.8	1.8	0.3	0.1-0.5
40-44 years	64.4	5.5	5.0-6.2	40.8	7.2	6.2-8.2	23.6	4.0	3.3-4.8	6.2	0.5	0.4-0.8	3.6	0.6	0.4-1.0	2.6	0.4	0.2-0.8
45-49 years	136.2	11.0	10.2-11.9	98.2	16.3	14.9-17.9	38.0	6.0	5.2-6.9	15.0	1.2	1.0-1.5	11.6	1.9	1.5-2.5	3.4	0.5	0.3-0.9
50-54 years	250.4	19.0	18.0-20.1	179.4	28.2	26.3-30.1	71.0	10.5	9.4-11.6	31.4	2.4	2.0-2.8	22.4	3.5	2.9-4.2	9.0	1.3	1.0-1.8
55-59 years	388.4	28.7	27.4-30.0	288.4	44.2	42.0-46.6	100.0	14.2	13.0-15.5	57.0	4.2	3.7-4.7	44.0	6.7	5.9-7.7	13.0	1.9	1.4-2.4
60-64 years	439.6	35.8	34.3-37.3	315.8	54.0	51.3-56.7	123.8	19.2	17.7-20.8	78.8	6.4	5.8-7.1	60.8	10.4	9.3-11.6	18.0	2.8	2.2-3.4
65-69 years	414.6	40.4	38.7-42.2	301.2	63.0	59.9-66.3	113.4	20.7	19.0-22.5	77.4	7.5	6.8-8.3	59.6	12.5	11.1-14.0	17.8	3.2	2.6-4.0
70-74 years	358.6	45.2	43.2-47.4	249.8	70.0	66.2-74.0	108.8	25.0	22.9-27.2	69.6	8.8	7.9-9.8	49.6	13.9	12.2-15.7	20.0	4.6	3.7-5.6
75-79 years	249.6	44.8	42.4-47.4	158.6	66.4	61.9-71.2	91.0	28.6	26.0-31.4	67.4	12.1	10.8-13.5	47.2	19.8	17.3-22.4	20.2	6.3	5.2-7.7
80-84 years	170.2	43.6	40.7-46.6	99.4	62.9	57.5-68.7	70.8	30.4	27.3-33.8	51.6	13.2	11.6-14.9	33.0	20.9	17.8-24.3	18.6	8.0	6.5-9.8
85+ years	187.8	41.1	38.5-43.8	95.0	61.1	55.7-66.9	92.8	30.8	28.1-33.7	79.0	17.3	15.6-19.1	37.0	23.8	20.5-27.5	42.0	13.9	12.1-16.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Esophagus**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.4	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.2	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
20-24 years	0.4	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.2	0.0	0.0-0.2	0.2	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1
25-29 years	0.6	0.0	0.0-0.1	0.4	0.1	0.0-0.2	0.2	0.0	0.0-0.2	0.4	0.0	0.0-0.1	0.4	0.1	0.0-0.2	0.0	0.0	0.0-0.1
30-34 years	2.4	0.2	0.1-0.3	2.0	0.3	0.1-0.5	0.4	0.1	0.0-0.2	1.8	0.1	0.1-0.2	1.4	0.2	0.1-0.4	0.4	0.1	0.0-0.2
35-39 years	7.2	0.6	0.4-0.8	6.0	1.0	0.6-1.4	1.2	0.2	0.1-0.4	2.6	0.2	0.1-0.4	2.2	0.4	0.2-0.6	0.4	0.1	0.0-0.2
40-44 years	13.0	1.1	0.9-1.4	11.2	2.0	1.5-2.5	1.8	0.3	0.1-0.6	6.6	0.6	0.4-0.8	5.6	1.0	0.7-1.4	1.0	0.2	0.1-0.4
45-49 years	28.2	2.3	1.9-2.7	21.4	3.6	2.9-4.3	6.8	1.1	0.7-1.5	16.2	1.3	1.0-1.6	13.4	2.2	1.7-2.8	2.8	0.4	0.2-0.7
50-54 years	59.6	4.5	4.0-5.1	45.2	7.1	6.2-8.1	14.4	2.1	1.7-2.7	41.4	3.1	2.7-3.6	32.8	5.1	4.4-6.0	8.6	1.3	0.9-1.7
55-59 years	114.0	8.4	7.7-9.1	89.6	13.7	12.5-15.1	24.4	3.5	2.9-4.1	79.4	5.9	5.3-6.5	65.0	10.0	8.9-11.1	14.4	2.1	1.6-2.6
60-64 years	158.0	12.9	12.0-13.8	130.8	22.3	20.7-24.1	27.2	4.2	3.5-5.0	122.4	10.0	9.2-10.8	101.2	17.3	15.8-18.9	21.2	3.3	2.7-4.0
65-69 years	182.2	17.8	16.6-18.9	139.8	29.3	27.1-31.5	42.4	7.7	6.7-8.8	126.4	12.3	11.4-13.3	102.2	21.4	19.6-23.3	24.2	4.4	3.7-5.3
70-74 years	177.6	22.4	21.0-23.9	137.4	38.5	35.7-41.5	40.2	9.2	8.0-10.6	130.0	16.4	15.2-17.7	105.2	29.5	27.0-32.1	24.8	5.7	4.7-6.8
75-79 years	129.0	23.2	21.4-25.0	97.4	40.8	37.2-44.6	31.6	9.9	8.4-11.6	106.6	19.1	17.5-20.8	82.0	34.3	31.1-37.8	24.6	7.7	6.4-9.2
80-84 years	104.4	26.7	24.5-29.1	73.4	46.5	41.8-51.5	31.0	13.3	11.3-15.6	87.8	22.5	20.4-24.7	62.6	39.6	35.3-44.3	25.2	10.8	9.0-12.9
85+ years	103.4	22.6	20.7-24.7	62.2	40.0	35.7-44.7	41.2	13.7	11.9-15.7	106.6	23.3	21.4-25.4	70.2	45.2	40.6-50.1	36.4	12.1	10.4-14.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Stomach**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	0.4	0.0	0.0-0.1	0.4	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	1.4	0.1	0.0-0.2	0.4	0.1	0.0-0.2	1.0	0.2	0.1-0.4	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.2	0.0	0.0-0.2
20-24 years	3.4	0.3	0.2-0.4	2.2	0.3	0.2-0.6	1.2	0.2	0.1-0.4	1.2	0.1	0.0-0.2	1.0	0.2	0.0-0.4	0.2	0.0	0.0-0.2
25-29 years	8.2	0.6	0.4-0.8	4.6	0.6	0.4-0.9	3.6	0.5	0.3-0.8	4.2	0.3	0.2-0.4	1.8	0.2	0.1-0.5	2.4	0.3	0.2-0.6
30-34 years	22.6	1.6	1.3-1.9	10.4	1.5	1.1-2.0	12.2	1.8	1.3-2.2	6.6	0.5	0.3-0.7	3.8	0.5	0.3-0.9	2.8	0.4	0.2-0.7
35-39 years	32.2	2.5	2.2-3.0	17.2	2.7	2.2-3.4	15.0	2.3	1.8-2.9	11.6	0.9	0.7-1.2	5.4	0.9	0.6-1.3	6.2	1.0	0.7-1.4
40-44 years	51.6	4.4	3.9-5.0	26.8	4.7	3.9-5.6	24.8	4.2	3.5-5.0	17.0	1.5	1.2-1.8	9.8	1.7	1.3-2.3	7.2	1.2	0.9-1.7
45-49 years	86.4	7.0	6.4-7.7	47.2	7.9	6.9-8.9	39.2	6.2	5.4-7.1	28.2	2.3	1.9-2.7	16.4	2.7	2.2-3.4	11.8	1.9	1.4-2.4
50-54 years	142.8	10.9	10.1-11.7	78.4	12.3	11.1-13.6	64.4	9.5	8.5-10.6	45.2	3.4	3.0-3.9	28.0	4.4	3.7-5.2	17.2	2.5	2.0-3.1
55-59 years	203.2	15.0	14.1-16.0	125.4	19.2	17.8-20.8	77.8	11.1	10.0-12.2	63.2	4.7	4.2-5.2	39.4	6.0	5.2-6.9	23.8	3.4	2.8-4.1
60-64 years	246.6	20.1	19.0-21.2	164.0	28.0	26.1-30.0	82.6	12.8	11.6-14.1	82.2	6.7	6.1-7.4	56.8	9.7	8.6-10.9	25.4	3.9	3.3-4.7
65-69 years	274.2	26.7	25.3-28.2	172.8	36.2	33.8-38.7	101.4	18.5	16.9-20.2	90.8	8.8	8.1-9.7	62.8	13.1	11.7-14.7	28.0	5.1	4.3-6.0
70-74 years	273.4	34.5	32.7-36.4	169.0	47.4	44.2-50.7	104.4	24.0	21.9-26.1	95.4	12.0	11.0-13.2	61.0	17.1	15.2-19.1	34.4	7.9	6.8-9.2
75-79 years	260.6	46.8	44.3-49.4	160.6	67.2	62.7-72.1	100.0	31.4	28.7-34.3	102.4	18.4	16.8-20.0	63.2	26.5	23.6-29.5	39.2	12.3	10.7-14.2
80-84 years	191.2	48.9	45.9-52.1	107.6	68.1	62.5-74.1	83.6	35.9	32.6-39.5	91.8	23.5	21.4-25.7	51.0	32.3	28.4-36.5	40.8	17.5	15.2-20.1
85+ years	210.8	46.1	43.4-49.0	104.4	67.2	61.5-73.2	106.4	35.3	32.4-38.4	147.4	32.3	30.0-34.7	68.4	44.0	39.5-48.9	79.0	26.2	23.7-28.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Colorectal**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.4	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	1.4	0.1	0.1-0.3	1.0	0.2	0.1-0.4	0.4	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	11.0	1.0	0.7-1.3	5.6	1.0	0.7-1.4	5.4	1.0	0.7-1.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	18.6	1.6	1.3-1.9	9.2	1.5	1.1-2.0	9.4	1.6	1.2-2.1	0.6	0.1	0.0-0.1	0.4	0.1	0.0-0.2	0.2	0.0	0.0-0.2
20-24 years	30.2	2.3	2.0-2.7	11.4	1.8	1.3-2.3	18.8	2.9	2.3-3.5	2.4	0.2	0.1-0.3	2.0	0.3	0.1-0.6	0.4	0.1	0.0-0.2
25-29 years	55.4	3.8	3.3-4.2	27.2	3.7	3.1-4.4	28.2	3.8	3.2-4.5	8.0	0.5	0.4-0.7	4.2	0.6	0.4-0.9	3.8	0.5	0.3-0.8
30-34 years	90.4	6.5	5.9-7.1	48.6	7.0	6.1-7.9	41.8	6.0	5.2-6.9	14.2	1.0	0.8-1.3	7.8	1.1	0.8-1.5	6.4	0.9	0.6-1.3
35-39 years	157.4	12.4	11.6-13.3	83.0	13.2	12.0-14.6	74.4	11.6	10.5-12.9	32.4	2.6	2.2-3.0	19.2	3.1	2.5-3.7	13.2	2.1	1.6-2.6
40-44 years	236.2	20.3	19.2-21.5	123.4	21.6	20.0-23.4	112.8	19.0	17.5-20.7	50.0	4.3	3.8-4.9	28.6	5.0	4.2-5.9	21.4	3.6	3.0-4.4
45-49 years	429.8	34.9	33.4-36.4	232.8	38.7	36.6-41.0	197.0	31.2	29.3-33.2	86.0	7.0	6.3-7.7	50.2	8.4	7.4-9.5	35.8	5.7	4.9-6.6
50-54 years	811.8	61.7	59.9-63.7	437.0	68.6	65.7-71.5	374.8	55.3	52.8-57.9	162.4	12.4	11.5-13.2	95.4	15.0	13.7-16.4	67.0	9.9	8.9-11.0
55-59 years	855.8	63.2	61.3-65.1	495.8	76.1	73.1-79.1	360.0	51.3	48.9-53.7	220.6	16.3	15.3-17.3	121.6	18.7	17.2-20.2	99.0	14.1	12.9-15.4
60-64 years	1,012.6	82.4	80.1-84.7	578.6	98.9	95.3-102.5	434.0	67.4	64.6-70.3	278.0	22.6	21.4-23.8	157.2	26.9	25.0-28.8	120.8	18.8	17.3-20.3
65-69 years	1,107.0	107.9	105.1-110.8	633.8	132.7	128.1-137.4	473.2	86.3	82.8-89.8	340.0	33.1	31.6-34.7	193.6	40.5	38.0-43.2	146.4	26.7	24.8-28.7
70-74 years	1,077.6	136.0	132.4-139.6	566.0	158.6	152.8-164.6	511.6	117.4	112.9-122.0	337.6	42.6	40.6-44.7	183.8	51.5	48.2-54.9	153.8	35.3	32.8-37.9
75-79 years	972.2	174.5	169.7-179.5	483.6	202.5	194.5-210.7	488.6	153.6	147.5-159.8	329.4	59.1	56.3-62.1	165.2	69.2	64.5-74.0	164.2	51.6	48.1-55.3
80-84 years	855.0	218.8	212.3-225.5	403.2	255.2	244.1-266.6	451.8	194.1	186.2-202.3	360.2	92.2	88.0-96.5	170.6	108.0	100.8-115.5	189.6	81.5	76.4-86.8
85+ years	1,070.0	234.2	228.0-240.6	412.4	265.3	254.0-277.0	657.6	218.2	210.8-225.8	666.8	146.0	141.0-151.0	261.2	168.1	159.1-177.4	405.6	134.6	128.8-140.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Colon excluding rectum**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.4	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	1.4	0.1	0.1-0.3	1.0	0.2	0.1-0.4	0.4	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	10.8	1.0	0.7-1.3	5.4	0.9	0.6-1.4	5.4	1.0	0.7-1.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	17.6	1.5	1.2-1.8	8.8	1.5	1.1-2.0	8.8	1.5	1.1-2.0	0.6	0.1	0.0-0.1	0.4	0.1	0.0-0.2	0.2	0.0	0.0-0.2
20-24 years	26.0	2.0	1.7-2.4	9.8	1.5	1.1-2.0	16.2	2.5	2.0-3.1	2.2	0.2	0.1-0.3	1.8	0.3	0.1-0.5	0.4	0.1	0.0-0.2
25-29 years	38.8	2.6	2.3-3.0	19.6	2.7	2.2-3.2	19.2	2.6	2.1-3.2	6.0	0.4	0.3-0.6	3.4	0.5	0.3-0.7	2.6	0.4	0.2-0.6
30-34 years	59.4	4.3	3.8-4.8	32.8	4.7	4.0-5.5	26.6	3.8	3.2-4.5	9.6	0.7	0.5-0.9	5.2	0.7	0.5-1.1	4.4	0.6	0.4-1.0
35-39 years	99.4	7.9	7.2-8.6	50.4	8.0	7.1-9.1	49.0	7.7	6.7-8.7	22.0	1.7	1.4-2.1	13.6	2.2	1.7-2.8	8.4	1.3	0.9-1.8
40-44 years	147.2	12.7	11.8-13.6	73.6	12.9	11.6-14.3	73.6	12.4	11.2-13.8	36.6	3.1	2.7-3.6	19.8	3.5	2.8-4.2	16.8	2.8	2.3-3.5
45-49 years	255.0	20.7	19.6-21.9	133.0	22.1	20.5-23.9	122.0	19.3	17.8-20.9	61.8	5.0	4.5-5.6	35.2	5.9	5.0-6.8	26.6	4.2	3.5-5.0
50-54 years	480.0	36.5	35.1-38.0	244.8	38.4	36.3-40.6	235.2	34.7	32.8-36.8	121.4	9.2	8.5-10.0	67.0	10.5	9.4-11.7	54.4	8.0	7.1-9.0
55-59 years	544.6	40.2	38.7-41.8	308.8	47.4	45.0-49.8	235.8	33.6	31.7-35.6	163.4	12.1	11.3-12.9	84.4	12.9	11.7-14.2	79.0	11.3	10.2-12.4
60-64 years	661.0	53.8	52.0-55.6	364.8	62.3	59.5-65.3	296.2	46.0	43.7-48.4	211.4	17.2	16.2-18.3	119.6	20.4	18.8-22.1	91.8	14.3	13.0-15.6
65-69 years	769.0	74.9	72.6-77.3	426.2	89.2	85.5-93.1	342.8	62.5	59.6-65.5	261.8	25.5	24.1-26.9	145.0	30.4	28.2-32.6	116.8	21.3	19.6-23.1
70-74 years	795.8	100.4	97.3-103.6	398.8	111.8	106.9-116.8	397.0	91.1	87.1-95.2	261.4	33.0	31.2-34.8	139.2	39.0	36.2-42.0	122.2	28.0	25.9-30.4
75-79 years	748.8	134.4	130.2-138.8	349.2	146.2	139.4-153.2	399.6	125.6	120.2-131.2	267.4	48.0	45.5-50.7	130.8	54.8	50.6-59.1	136.6	42.9	39.8-46.3
80-84 years	680.2	174.1	168.3-180.0	309.0	195.6	185.9-205.6	371.2	159.5	152.3-166.9	299.8	76.7	72.9-80.7	135.8	85.9	79.6-92.7	164.0	70.5	65.7-75.5
85+ years	877.2	192.0	186.4-197.8	324.8	209.0	198.9-219.4	552.4	183.3	176.5-190.2	562.2	123.1	118.6-127.7	218.6	140.6	132.4-149.2	343.6	114.0	108.7-119.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Rectum & rectosigmoid**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	0.2	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	1.0	0.1	0.0-0.2	0.4	0.1	0.0-0.2	0.6	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
20-24 years	4.2	0.3	0.2-0.5	1.6	0.2	0.1-0.5	2.6	0.4	0.2-0.7	0.2	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1
25-29 years	16.6	1.1	0.9-1.4	7.6	1.0	0.7-1.4	9.0	1.2	0.9-1.6	2.0	0.1	0.1-0.2	0.8	0.1	0.0-0.3	1.2	0.2	0.1-0.4
30-34 years	31.0	2.2	1.9-2.6	15.8	2.3	1.8-2.8	15.2	2.2	1.7-2.7	4.6	0.3	0.2-0.5	2.6	0.4	0.2-0.6	2.0	0.3	0.1-0.5
35-39 years	58.0	4.6	4.1-5.1	32.6	5.2	4.4-6.1	25.4	4.0	3.3-4.7	10.4	0.8	0.6-1.1	5.6	0.9	0.6-1.3	4.8	0.8	0.5-1.1
40-44 years	89.0	7.7	7.0-8.4	49.8	8.7	7.7-9.9	39.2	6.6	5.7-7.6	13.4	1.2	0.9-1.5	8.8	1.5	1.1-2.1	4.6	0.8	0.5-1.2
45-49 years	174.8	14.2	13.3-15.2	99.8	16.6	15.2-18.1	75.0	11.9	10.7-13.1	24.2	2.0	1.6-2.3	15.0	2.5	2.0-3.1	9.2	1.5	1.1-1.9
50-54 years	331.8	25.2	24.0-26.5	192.2	30.2	28.3-32.1	139.6	20.6	19.1-22.2	41.0	3.1	2.7-3.6	28.4	4.5	3.8-5.3	12.6	1.9	1.4-2.4
55-59 years	311.2	23.0	21.9-24.2	187.0	28.7	26.9-30.6	124.2	17.7	16.3-19.1	57.2	4.2	3.7-4.7	37.2	5.7	4.9-6.6	20.0	2.8	2.3-3.5
60-64 years	351.6	28.6	27.3-30.0	213.8	36.5	34.4-38.8	137.8	21.4	19.8-23.1	66.6	5.4	4.9-6.0	37.6	6.4	5.5-7.4	29.0	4.5	3.8-5.3
65-69 years	338.0	32.9	31.4-34.5	207.6	43.5	40.9-46.2	130.4	23.8	22.0-25.7	78.2	7.6	6.9-8.4	48.6	10.2	8.9-11.5	29.6	5.4	4.6-6.3
70-74 years	281.8	35.6	33.7-37.5	167.2	46.9	43.7-50.1	114.6	26.3	24.2-28.5	76.2	9.6	8.7-10.6	44.6	12.5	10.9-14.3	31.6	7.3	6.2-8.5
75-79 years	223.4	40.1	37.8-42.5	134.4	56.3	52.1-60.7	89.0	28.0	25.4-30.7	62.0	11.1	9.9-12.4	34.4	14.4	12.3-16.7	27.6	8.7	7.3-10.2
80-84 years	174.8	44.7	41.8-47.8	94.2	59.6	54.4-65.2	80.6	34.6	31.3-38.2	60.4	15.5	13.8-17.3	34.8	22.0	18.9-25.5	25.6	11.0	9.2-13.1
85+ years	192.8	42.2	39.6-45.0	87.6	56.4	51.2-61.9	105.2	34.9	32.0-38.0	104.6	22.9	21.0-24.9	42.6	27.4	23.9-31.3	62.0	20.6	18.3-23.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Liver / intrahepatic bile duct**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	9.2	0.8	0.6-1.1	5.4	0.9	0.6-1.3	3.8	0.7	0.4-1.1	0.6	0.1	0.0-0.2	0.6	0.1	0.0-0.3	0.0	0.0	0.0-0.1
5-9 years	1.0	0.1	0.0-0.2	0.6	0.1	0.0-0.3	0.4	0.1	0.0-0.3	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.2	0.0	0.0-0.2
10-14 years	0.6	0.1	0.0-0.2	0.4	0.1	0.0-0.3	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	2.2	0.2	0.1-0.3	0.8	0.1	0.0-0.3	1.4	0.2	0.1-0.5	1.2	0.1	0.0-0.2	1.0	0.2	0.1-0.4	0.2	0.0	0.0-0.2
20-24 years	3.4	0.3	0.2-0.4	1.4	0.2	0.1-0.4	2.0	0.3	0.1-0.6	1.2	0.1	0.0-0.2	0.6	0.1	0.0-0.3	0.6	0.1	0.0-0.3
25-29 years	7.6	0.5	0.4-0.7	4.8	0.7	0.4-1.0	2.8	0.4	0.2-0.6	2.0	0.1	0.1-0.2	0.8	0.1	0.0-0.3	1.2	0.2	0.1-0.4
30-34 years	12.0	0.9	0.7-1.1	7.8	1.1	0.8-1.5	4.2	0.6	0.4-0.9	5.6	0.4	0.3-0.6	3.4	0.5	0.3-0.8	2.2	0.3	0.2-0.6
35-39 years	15.8	1.2	1.0-1.6	10.6	1.7	1.3-2.2	5.2	0.8	0.5-1.2	8.2	0.6	0.5-0.9	5.6	0.9	0.6-1.3	2.6	0.4	0.2-0.7
40-44 years	24.6	2.1	1.8-2.5	17.2	3.0	2.4-3.7	7.4	1.2	0.9-1.7	14.6	1.3	1.0-1.6	10.2	1.8	1.3-2.4	4.4	0.7	0.5-1.1
45-49 years	53.8	4.4	3.9-4.9	38.4	6.4	5.5-7.4	15.4	2.4	1.9-3.0	26.8	2.2	1.8-2.6	18.0	3.0	2.4-3.7	8.8	1.4	1.0-1.9
50-54 years	106.6	8.1	7.4-8.8	79.2	12.4	11.2-13.7	27.4	4.0	3.4-4.8	56.4	4.3	3.8-4.8	39.0	6.1	5.3-7.0	17.4	2.6	2.1-3.2
55-59 years	243.2	18.0	17.0-19.0	188.6	28.9	27.1-30.8	54.6	7.8	6.9-8.8	122.6	9.1	8.4-9.8	86.6	13.3	12.1-14.6	36.0	5.1	4.4-5.9
60-64 years	379.6	30.9	29.5-32.3	290.2	49.6	47.1-52.2	89.4	13.9	12.6-15.2	210.4	17.1	16.1-18.2	160.2	27.4	25.5-29.3	50.2	7.8	6.9-8.8
65-69 years	442.0	43.1	41.3-44.9	325.8	68.2	64.9-71.6	116.2	21.2	19.5-23.0	250.4	24.4	23.1-25.8	184.8	38.7	36.2-41.3	65.6	12.0	10.7-13.3
70-74 years	320.2	40.4	38.4-42.4	229.4	64.3	60.6-68.1	90.8	20.8	19.0-22.8	222.8	28.1	26.5-29.8	147.4	41.3	38.4-44.4	75.4	17.3	15.6-19.1
75-79 years	236.8	42.5	40.1-45.0	150.4	63.0	58.5-67.6	86.4	27.2	24.7-29.8	177.2	31.8	29.8-34.0	111.2	46.6	42.8-50.6	66.0	20.7	18.6-23.1
80-84 years	184.6	47.2	44.2-50.4	114.8	72.7	66.8-78.8	69.8	30.0	26.9-33.3	143.6	36.7	34.1-39.5	87.2	55.2	50.1-60.6	56.4	24.2	21.5-27.2
85+ years	160.8	35.2	32.8-37.7	81.4	52.4	47.4-57.7	79.4	26.3	23.8-29.1	170.0	37.2	34.8-39.8	84.4	54.3	49.2-59.7	85.6	28.4	25.8-31.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Pancreas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	2.6	0.2	0.1-0.4	0.4	0.1	0.0-0.3	2.2	0.4	0.2-0.7	0.2	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1
15-19 years	1.4	0.1	0.0-0.2	0.8	0.1	0.0-0.3	0.6	0.1	0.0-0.3	0.2	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1
20-24 years	3.8	0.3	0.2-0.5	1.0	0.2	0.0-0.4	2.8	0.4	0.2-0.7	0.2	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1
25-29 years	7.4	0.5	0.4-0.7	3.2	0.4	0.2-0.7	4.2	0.6	0.4-0.9	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.2	0.0	0.0-0.2
30-34 years	12.2	0.9	0.7-1.1	5.4	0.8	0.5-1.1	6.8	1.0	0.7-1.4	3.2	0.2	0.1-0.4	2.2	0.3	0.2-0.6	1.0	0.1	0.0-0.3
35-39 years	22.6	1.8	1.5-2.1	12.0	1.9	1.5-2.5	10.6	1.7	1.2-2.2	8.2	0.6	0.5-0.9	4.8	0.8	0.5-1.1	3.4	0.5	0.3-0.9
40-44 years	41.0	3.5	3.1-4.0	20.8	3.6	3.0-4.4	20.2	3.4	2.8-4.1	18.2	1.6	1.3-1.9	11.6	2.0	1.5-2.6	6.6	1.1	0.8-1.6
45-49 years	85.6	6.9	6.3-7.6	51.0	8.5	7.5-9.6	34.6	5.5	4.7-6.4	44.0	3.6	3.1-4.1	25.4	4.2	3.5-5.0	18.6	2.9	2.4-3.6
50-54 years	165.4	12.6	11.7-13.5	95.0	14.9	13.6-16.3	70.4	10.4	9.3-11.5	104.4	7.9	7.3-8.7	59.2	9.3	8.3-10.4	45.2	6.7	5.8-7.6
55-59 years	304.2	22.5	21.4-23.6	173.4	26.6	24.9-28.4	130.8	18.6	17.2-20.1	199.6	14.7	13.8-15.7	116.6	17.9	16.5-19.4	83.0	11.8	10.7-13.0
60-64 years	439.6	35.8	34.3-37.3	250.8	42.9	40.5-45.3	188.8	29.3	27.5-31.3	306.4	24.9	23.7-26.2	177.0	30.2	28.3-32.3	129.4	20.1	18.6-21.7
65-69 years	541.8	52.8	50.8-54.8	295.2	61.8	58.7-65.0	246.6	45.0	42.5-47.6	382.4	37.3	35.6-39.0	213.0	44.6	41.9-47.3	169.4	30.9	28.8-33.0
70-74 years	571.4	72.1	69.5-74.8	289.8	81.2	77.1-85.5	281.6	64.6	61.3-68.1	419.8	53.0	50.7-55.3	210.8	59.1	55.6-62.7	209.0	48.0	45.1-51.0
75-79 years	512.6	92.0	88.5-95.7	248.0	103.8	98.1-109.8	264.6	83.2	78.7-87.8	403.0	72.4	69.2-75.6	189.2	79.2	74.2-84.4	213.8	67.2	63.2-71.4
80-84 years	406.4	104.0	99.5-108.6	187.8	118.8	111.4-126.7	218.6	93.9	88.4-99.7	358.4	91.7	87.5-96.1	167.0	105.7	98.6-113.1	191.4	82.2	77.1-87.6
85+ years	485.0	106.2	102.0-110.5	174.8	112.5	105.1-120.2	310.2	102.9	97.9-108.2	468.2	102.5	98.4-106.7	173.0	111.3	104.0-119.0	295.2	97.9	93.0-103.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Larynx**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
20-24 years	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
25-29 years	0.8	0.1	0.0-0.1	0.6	0.1	0.0-0.2	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
30-34 years	1.2	0.1	0.0-0.2	1.0	0.1	0.0-0.3	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
35-39 years	3.8	0.3	0.2-0.5	2.0	0.3	0.2-0.6	1.8	0.3	0.1-0.5	0.2	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1
40-44 years	9.2	0.8	0.6-1.1	6.2	1.1	0.7-1.5	3.0	0.5	0.3-0.8	1.0	0.1	0.0-0.2	0.8	0.1	0.0-0.4	0.2	0.0	0.0-0.2
45-49 years	21.4	1.7	1.4-2.1	16.0	2.7	2.1-3.3	5.4	0.9	0.6-1.2	2.8	0.2	0.1-0.4	2.4	0.4	0.2-0.7	0.4	0.1	0.0-0.2
50-54 years	57.6	4.4	3.9-4.9	42.2	6.6	5.8-7.6	15.4	2.3	1.8-2.8	10.2	0.8	0.6-1.0	9.0	1.4	1.0-1.9	1.2	0.2	0.1-0.4
55-59 years	99.4	7.3	6.7-8.0	76.6	11.8	10.6-13.0	22.8	3.2	2.7-3.9	21.8	1.6	1.3-1.9	15.8	2.4	1.9-3.0	6.0	0.9	0.6-1.2
60-64 years	122.0	9.9	9.2-10.7	98.2	16.8	15.3-18.3	23.8	3.7	3.1-4.4	32.8	2.7	2.3-3.1	26.8	4.6	3.8-5.4	6.0	0.9	0.6-1.3
65-69 years	115.6	11.3	10.4-12.2	92.0	19.3	17.5-21.1	23.6	4.3	3.6-5.2	31.0	3.0	2.6-3.5	23.4	4.9	4.1-5.9	7.6	1.4	1.0-1.9
70-74 years	104.6	13.2	12.1-14.4	84.4	23.7	21.4-26.0	20.2	4.6	3.8-5.6	27.6	3.5	2.9-4.1	23.2	6.5	5.4-7.8	4.4	1.0	0.6-1.5
75-79 years	76.0	13.6	12.3-15.1	61.0	25.5	22.8-28.6	15.0	4.7	3.7-5.9	26.0	4.7	3.9-5.5	20.4	8.5	7.0-10.4	5.6	1.8	1.2-2.5
80-84 years	54.6	14.0	12.4-15.7	44.2	28.0	24.4-31.9	10.4	4.5	3.3-5.9	18.6	4.8	3.8-5.8	15.4	9.7	7.7-12.2	3.2	1.4	0.8-2.2
85+ years	39.4	8.6	7.5-9.9	32.6	21.0	17.9-24.5	6.8	2.3	1.6-3.2	26.4	5.8	4.8-6.9	20.2	13.0	10.6-15.8	6.2	2.1	1.4-2.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Lung and bronchus**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.4	0.1	0.0-0.3	0.6	0.1	0.0-0.3	0.8	0.1	0.0-0.4	0.4	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.2	0.0	0.0-0.2
5-9 years	1.0	0.1	0.0-0.2	0.8	0.1	0.0-0.4	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	0.8	0.1	0.0-0.2	0.2	0.0	0.0-0.2	0.6	0.1	0.0-0.3	0.2	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1
15-19 years	1.8	0.2	0.1-0.3	0.8	0.1	0.0-0.3	1.0	0.2	0.1-0.4	0.4	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.2	0.0	0.0-0.2
20-24 years	6.0	0.5	0.3-0.7	3.4	0.5	0.3-0.8	2.6	0.4	0.2-0.7	1.0	0.1	0.0-0.2	0.8	0.1	0.0-0.3	0.2	0.0	0.0-0.2
25-29 years	8.2	0.6	0.4-0.8	3.0	0.4	0.2-0.7	5.2	0.7	0.5-1.0	1.8	0.1	0.1-0.2	1.4	0.2	0.1-0.4	0.4	0.1	0.0-0.2
30-34 years	18.4	1.3	1.1-1.6	7.6	1.1	0.8-1.5	10.8	1.6	1.2-2.0	4.0	0.3	0.2-0.4	2.4	0.3	0.2-0.6	1.6	0.2	0.1-0.5
35-39 years	42.8	3.4	2.9-3.9	21.6	3.4	2.8-4.2	21.2	3.3	2.7-4.0	14.4	1.1	0.9-1.4	8.8	1.4	1.0-1.9	5.6	0.9	0.6-1.3
40-44 years	90.0	7.7	7.0-8.5	42.0	7.4	6.4-8.4	48.0	8.1	7.1-9.2	32.2	2.8	2.4-3.2	16.2	2.8	2.3-3.5	16.0	2.7	2.1-3.4
45-49 years	234.4	19.0	17.9-20.1	109.6	18.2	16.7-19.8	124.8	19.8	18.2-21.4	98.6	8.0	7.3-8.7	51.2	8.5	7.5-9.6	47.4	7.5	6.6-8.5
50-54 years	566.0	43.0	41.5-44.7	273.4	42.9	40.7-45.2	292.6	43.2	41.0-45.5	259.2	19.7	18.7-20.8	139.6	21.9	20.3-23.6	119.6	17.7	16.3-19.1
55-59 years	1,243.0	91.8	89.5-94.1	598.4	91.8	88.5-95.1	644.6	91.8	88.7-95.0	583.8	43.1	41.6-44.7	308.6	47.3	45.0-49.8	275.2	39.2	37.2-41.3
60-64 years	1,872.6	152.4	149.3-155.5	930.4	159.0	154.4-163.6	942.2	146.4	142.2-150.6	864.0	70.3	68.2-72.4	465.2	79.5	76.3-82.8	398.8	61.9	59.3-64.7
65-69 years	2,269.2	221.1	217.1-225.2	1,137.8	238.2	232.0-244.4	1,131.4	206.3	201.0-211.8	1,072.0	104.5	101.7-107.3	583.6	122.2	117.8-126.7	488.4	89.1	85.6-92.7
70-74 years	2,479.4	312.8	307.3-318.4	1,194.0	334.6	326.2-343.2	1,285.4	295.0	287.8-302.3	1,214.2	153.2	149.4-157.1	629.8	176.5	170.4-182.8	584.4	134.1	129.3-139.1
75-79 years	2,195.2	394.1	386.8-401.6	1,062.0	444.6	432.7-456.7	1,133.2	356.2	347.0-365.6	1,158.4	208.0	202.6-213.4	601.6	251.9	242.9-261.0	556.8	175.0	168.6-181.6
80-84 years	1,547.2	395.9	387.2-404.9	720.4	455.9	441.1-471.0	826.8	355.2	344.5-366.2	987.8	252.8	245.8-259.9	477.6	302.3	290.2-314.6	510.2	219.2	210.8-227.9
85+ years	1,369.0	299.7	292.6-306.9	618.0	397.6	383.7-411.9	751.0	249.2	241.3-257.3	1,155.8	253.0	246.5-259.6	526.0	338.4	325.6-351.6	629.8	209.0	201.7-216.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Melanoma of the skin**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.2	0.1	0.0-0.2	0.4	0.1	0.0-0.2	0.8	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	0.8	0.1	0.0-0.2	0.4	0.1	0.0-0.3	0.4	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	2.6	0.2	0.1-0.4	1.4	0.2	0.1-0.5	1.2	0.2	0.1-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	6.2	0.5	0.4-0.7	3.0	0.5	0.3-0.8	3.2	0.5	0.3-0.9	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
20-24 years	28.6	2.2	1.9-2.6	6.6	1.0	0.7-1.4	22.0	3.4	2.8-4.1	0.4	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.4	0.1	0.0-0.2
25-29 years	61.2	4.2	3.7-4.6	17.2	2.3	1.9-2.9	44.0	6.0	5.2-6.8	1.6	0.1	0.0-0.2	1.0	0.1	0.0-0.3	0.6	0.1	0.0-0.2
30-34 years	104.6	7.5	6.9-8.2	37.8	5.4	4.7-6.3	66.8	9.6	8.6-10.7	2.2	0.2	0.1-0.3	1.0	0.1	0.0-0.3	1.2	0.2	0.1-0.4
35-39 years	120.0	9.5	8.7-10.3	48.0	7.7	6.7-8.7	72.0	11.3	10.1-12.5	5.0	0.4	0.3-0.6	3.4	0.5	0.3-0.9	1.6	0.3	0.1-0.5
40-44 years	135.4	11.6	10.8-12.6	60.8	10.7	9.5-11.9	74.6	12.6	11.3-13.9	6.8	0.6	0.4-0.8	4.8	0.8	0.5-1.3	2.0	0.3	0.2-0.6
45-49 years	194.4	15.8	14.8-16.8	86.6	14.4	13.1-15.8	107.8	17.1	15.7-18.6	12.6	1.0	0.8-1.3	8.0	1.3	1.0-1.8	4.6	0.7	0.5-1.1
50-54 years	292.2	22.2	21.1-23.4	149.4	23.4	21.8-25.2	142.8	21.1	19.6-22.7	19.8	1.5	1.2-1.8	13.8	2.2	1.7-2.7	6.0	0.9	0.6-1.3
55-59 years	413.4	30.5	29.2-31.9	233.0	35.7	33.7-37.9	180.4	25.7	24.0-27.4	28.4	2.1	1.8-2.5	20.2	3.1	2.5-3.8	8.2	1.2	0.8-1.6
60-64 years	517.4	42.1	40.5-43.8	306.2	52.3	49.7-55.0	211.2	32.8	30.9-34.8	38.0	3.1	2.7-3.6	24.6	4.2	3.5-5.0	13.4	2.1	1.6-2.6
65-69 years	532.0	51.8	49.9-53.9	325.6	68.2	64.9-71.5	206.4	37.6	35.4-40.0	46.2	4.5	3.9-5.1	28.8	6.0	5.1-7.1	17.4	3.2	2.5-3.9
70-74 years	529.2	66.8	64.2-69.4	343.2	96.2	91.7-100.8	186.0	42.7	40.0-45.5	42.6	5.4	4.7-6.1	27.4	7.7	6.4-9.1	15.2	3.5	2.7-4.4
75-79 years	459.2	82.4	79.1-85.9	298.4	124.9	118.7-131.4	160.8	50.5	47.1-54.2	45.0	8.1	7.1-9.2	27.8	11.6	9.8-13.7	17.2	5.4	4.3-6.7
80-84 years	382.2	97.8	93.5-102.3	249.8	158.1	149.4-167.1	132.4	56.9	52.6-61.4	53.6	13.7	12.1-15.5	35.0	22.1	19.0-25.7	18.6	8.0	6.5-9.8
85+ years	435.4	95.3	91.3-99.4	262.2	168.7	159.7-178.1	173.2	57.5	53.7-61.4	85.6	18.7	17.0-20.6	47.4	30.5	26.7-34.6	38.2	12.7	10.9-14.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Female breast**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	1.2	0.2	0.1-0.4	0.0	0.0	0.0-0.1
20-24 years	13.0	2.0	1.5-2.6	0.4	0.1	0.0-0.2
25-29 years	89.2	12.1	11.0-13.3	4.0	0.5	0.3-0.8
30-34 years	248.2	35.6	33.7-37.7	18.0	2.6	2.1-3.2
35-39 years	458.8	71.7	68.8-74.7	43.0	6.7	5.9-7.7
40-44 years	880.4	148.6	144.3-153.1	60.4	10.2	9.1-11.4
45-49 years	1,385.2	219.2	214.1-224.4	116.6	18.5	17.0-20.0
50-54 years	1,721.2	254.0	248.7-259.5	163.6	24.1	22.5-25.9
55-59 years	1,998.0	284.6	279.0-290.2	237.8	33.9	32.0-35.9
60-64 years	2,224.6	345.5	339.2-352.0	253.4	39.4	37.2-41.6
65-69 years	2,273.6	414.6	407.0-422.3	294.0	53.6	50.9-56.4
70-74 years	2,029.0	465.6	456.6-474.8	288.0	66.1	62.7-69.6
75-79 years	1,469.2	461.8	451.3-472.5	270.8	85.1	80.6-89.8
80-84 years	966.4	415.2	403.6-427.1	242.8	104.3	98.5-110.4
85+ years	930.2	308.6	299.8-317.6	493.2	163.6	157.2-170.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Cervix uteri**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1
15-19 years	0.8	0.1	0.0-0.4	0.0	0.0	0.0-0.1
20-24 years	3.4	0.5	0.3-0.8	0.2	0.0	0.0-0.2
25-29 years	26.0	3.5	3.0-4.2	3.0	0.4	0.2-0.7
30-34 years	62.8	9.0	8.0-10.1	4.6	0.7	0.4-1.0
35-39 years	79.6	12.4	11.3-13.7	9.4	1.5	1.1-2.0
40-44 years	78.4	13.2	12.0-14.6	14.2	2.4	1.9-3.0
45-49 years	85.4	13.5	12.3-14.9	17.0	2.7	2.1-3.3
50-54 years	85.4	12.6	11.4-13.9	24.2	3.6	3.0-4.3
55-59 years	92.0	13.1	11.9-14.4	24.2	3.4	2.9-4.1
60-64 years	86.6	13.5	12.2-14.8	28.2	4.4	3.7-5.2
65-69 years	66.8	12.2	10.9-13.6	29.0	5.3	4.5-6.2
70-74 years	53.0	12.2	10.7-13.7	25.6	5.9	4.9-7.0
75-79 years	38.4	12.1	10.4-13.9	20.6	6.5	5.3-7.9
80-84 years	24.4	10.5	8.7-12.5	14.0	6.0	4.7-7.6
85+ years	25.4	8.4	7.0-10.0	19.0	6.3	5.1-7.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

New York State

Corpus uteris and uterus, not otherwise specified

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	0.4	0.1	0.0-0.2	0.0	0.0	0.0-0.1
20-24 years	4.2	0.6	0.4-1.0	0.2	0.0	0.0-0.2
25-29 years	12.2	1.7	1.3-2.1	1.0	0.1	0.0-0.3
30-34 years	30.6	4.4	3.7-5.1	2.0	0.3	0.1-0.5
35-39 years	59.6	9.3	8.3-10.4	5.0	0.8	0.5-1.2
40-44 years	99.4	16.8	15.3-18.3	6.4	1.1	0.7-1.5
45-49 years	179.2	28.4	26.5-30.3	14.4	2.3	1.8-2.9
50-54 years	367.6	54.3	51.8-56.8	37.0	5.5	4.7-6.3
55-59 years	599.4	85.4	82.4-88.5	62.6	8.9	8.0-10.0
60-64 years	754.0	117.1	113.4-120.9	113.4	17.6	16.2-19.1
65-69 years	734.0	133.8	129.6-138.2	153.6	28.0	26.1-30.1
70-74 years	589.2	135.2	130.4-140.2	144.4	33.1	30.8-35.6
75-79 years	361.8	113.7	108.5-119.1	111.2	35.0	32.1-38.0
80-84 years	213.4	91.7	86.3-97.4	88.0	37.8	34.4-41.5
85+ years	163.8	54.3	50.7-58.2	103.4	34.3	31.4-37.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Ovary**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.6	0.1	0.0-0.3	0.0	0.0	0.0-0.1
5-9 years	3.6	0.7	0.4-1.0	0.0	0.0	0.0-0.1
10-14 years	4.8	0.9	0.6-1.3	0.0	0.0	0.0-0.1
15-19 years	7.4	1.3	0.9-1.7	0.0	0.0	0.0-0.1
20-24 years	14.0	2.2	1.7-2.7	0.2	0.0	0.0-0.2
25-29 years	17.8	2.4	1.9-3.0	0.8	0.1	0.0-0.3
30-34 years	26.8	3.8	3.2-4.6	4.2	0.6	0.4-0.9
35-39 years	39.8	6.2	5.4-7.2	5.6	0.9	0.6-1.3
40-44 years	55.6	9.4	8.3-10.6	9.2	1.6	1.1-2.1
45-49 years	92.0	14.6	13.3-16.0	24.6	3.9	3.2-4.6
50-54 years	138.2	20.4	18.9-22.0	48.2	7.1	6.2-8.1
55-59 years	166.2	23.7	22.1-25.3	87.0	12.4	11.3-13.6
60-64 years	187.0	29.0	27.2-31.0	114.2	17.7	16.3-19.3
65-69 years	176.0	32.1	30.0-34.3	119.6	21.8	20.1-23.6
70-74 years	154.4	35.4	33.0-38.0	122.0	28.0	25.8-30.3
75-79 years	126.6	39.8	36.8-43.0	118.6	37.3	34.3-40.4
80-84 years	94.2	40.5	36.9-44.3	92.0	39.5	36.0-43.3
85+ years	104.6	34.7	31.8-37.8	119.8	39.7	36.6-43.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Prostate**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	0.0	0.0	0.0-0.1	0.4	0.1	0.0-0.3
10-14 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	0.4	0.1	0.0-0.2	0.0	0.0	0.0-0.1
20-24 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
25-29 years	0.4	0.1	0.0-0.2	0.0	0.0	0.0-0.1
30-34 years	0.4	0.1	0.0-0.2	0.0	0.0	0.0-0.1
35-39 years	4.0	0.6	0.4-1.0	0.2	0.0	0.0-0.2
40-44 years	45.8	8.0	7.0-9.1	1.2	0.2	0.1-0.5
45-49 years	225.2	37.5	35.3-39.7	5.0	0.8	0.5-1.2
50-54 years	855.4	134.2	130.2-138.3	16.0	2.5	2.0-3.1
55-59 years	1,955.2	299.9	294.0-305.9	51.2	7.9	6.9-8.9
60-64 years	2,982.6	509.6	501.5-517.9	108.8	18.6	17.1-20.2
65-69 years	3,463.0	724.9	714.1-735.8	162.0	33.9	31.6-36.3
70-74 years	2,879.6	806.9	793.8-820.2	224.6	62.9	59.3-66.7
75-79 years	1,702.6	712.8	697.8-728.1	271.8	113.8	107.8-120.0
80-84 years	797.6	504.8	489.2-520.7	286.6	181.4	172.1-191.0
85+ years	543.4	349.6	336.6-363.0	578.6	372.3	358.8-386.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Testis**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.6	0.3	0.1-0.5	0.0	0.0	0.0-0.1
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	2.2	0.4	0.2-0.7	0.0	0.0	0.0-0.1
15-19 years	18.6	3.1	2.5-3.8	0.2	0.0	0.0-0.2
20-24 years	77.0	11.8	10.7-13.1	1.6	0.2	0.1-0.5
25-29 years	111.0	15.1	13.8-16.4	1.8	0.2	0.1-0.5
30-34 years	103.4	14.8	13.6-16.2	3.4	0.5	0.3-0.8
35-39 years	91.4	14.6	13.3-16.0	2.2	0.4	0.2-0.6
40-44 years	54.2	9.5	8.4-10.7	1.8	0.3	0.1-0.6
45-49 years	38.0	6.3	5.5-7.3	0.8	0.1	0.0-0.3
50-54 years	26.4	4.1	3.5-4.9	1.2	0.2	0.1-0.4
55-59 years	22.2	3.4	2.8-4.1	1.2	0.2	0.1-0.4
60-64 years	13.4	2.3	1.8-2.9	2.4	0.4	0.2-0.7
65-69 years	8.4	1.8	1.3-2.4	1.2	0.3	0.1-0.5
70-74 years	5.6	1.6	1.0-2.3	1.4	0.4	0.2-0.8
75-79 years	2.4	1.0	0.5-1.8	1.0	0.4	0.1-1.0
80-84 years	1.4	0.9	0.4-1.8	1.6	1.0	0.4-2.0
85+ years	2.0	1.3	0.6-2.4	0.2	0.1	0.0-0.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Urinary bladder (incl. in situ)**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.2	0.1	0.0-0.2	0.6	0.1	0.0-0.3	0.6	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	1.0	0.1	0.0-0.2	0.6	0.1	0.0-0.3	0.4	0.1	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
20-24 years	5.2	0.4	0.3-0.6	3.6	0.6	0.3-0.9	1.6	0.2	0.1-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
25-29 years	6.8	0.5	0.3-0.6	5.4	0.7	0.5-1.1	1.4	0.2	0.1-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
30-34 years	12.6	0.9	0.7-1.2	8.4	1.2	0.9-1.6	4.2	0.6	0.4-0.9	0.8	0.1	0.0-0.1	0.4	0.1	0.0-0.2	0.4	0.1	0.0-0.2
35-39 years	23.0	1.8	1.5-2.2	17.4	2.8	2.2-3.4	5.6	0.9	0.6-1.3	1.6	0.1	0.1-0.2	1.0	0.2	0.1-0.4	0.6	0.1	0.0-0.3
40-44 years	39.4	3.4	2.9-3.9	29.0	5.1	4.3-6.0	10.4	1.8	1.3-2.3	2.8	0.2	0.1-0.4	1.6	0.3	0.1-0.6	1.2	0.2	0.1-0.4
45-49 years	88.2	7.2	6.5-7.9	68.2	11.4	10.2-12.6	20.0	3.2	2.6-3.8	6.8	0.6	0.4-0.8	5.0	0.8	0.5-1.2	1.8	0.3	0.1-0.5
50-54 years	189.0	14.4	13.5-15.3	138.8	21.8	20.2-23.5	50.2	7.4	6.5-8.4	13.2	1.0	0.8-1.3	9.8	1.5	1.1-2.0	3.4	0.5	0.3-0.8
55-59 years	373.0	27.5	26.3-28.8	276.6	42.4	40.2-44.7	96.4	13.7	12.5-15.0	39.0	2.9	2.5-3.3	28.6	4.4	3.7-5.2	10.4	1.5	1.1-1.9
60-64 years	591.0	48.1	46.4-49.9	445.4	76.1	73.0-79.3	145.6	22.6	21.0-24.3	55.8	4.5	4.0-5.1	40.0	6.8	5.9-7.9	15.8	2.5	1.9-3.1
65-69 years	774.6	75.5	73.1-77.9	603.4	126.3	121.8-130.9	171.2	31.2	29.2-33.4	78.8	7.7	6.9-8.5	57.0	11.9	10.6-13.4	21.8	4.0	3.3-4.8
70-74 years	906.0	114.3	111.0-117.7	685.8	192.2	185.8-198.7	220.2	50.5	47.6-53.6	115.2	14.5	13.4-15.8	86.6	24.3	22.0-26.7	28.6	6.6	5.5-7.7
75-79 years	850.4	152.7	148.1-157.3	640.2	268.0	258.8-277.5	210.2	66.1	62.1-70.2	132.8	23.8	22.1-25.7	92.8	38.9	35.4-42.6	40.0	12.6	10.9-14.4
80-84 years	712.4	182.3	176.4-188.4	528.2	334.3	321.6-347.3	184.2	79.1	74.1-84.4	169.0	43.2	40.4-46.3	117.8	74.6	68.7-80.8	51.2	22.0	19.4-24.9
85+ years	788.2	172.5	167.2-178.0	549.4	353.5	340.4-367.0	238.8	79.2	74.8-83.9	342.4	75.0	71.4-78.6	231.6	149.0	140.6-157.8	110.8	36.8	33.8-40.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Kidney and renal pelvis**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	23.4	2.0	1.7-2.5	14.0	2.4	1.9-3.0	9.4	1.7	1.2-2.2	0.8	0.1	0.0-0.2	0.2	0.0	0.0-0.2	0.6	0.1	0.0-0.3
5-9 years	6.0	0.5	0.4-0.8	1.2	0.2	0.1-0.5	4.8	0.9	0.6-1.3	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.2	0.0	0.0-0.2
10-14 years	3.6	0.3	0.2-0.5	1.8	0.3	0.1-0.6	1.8	0.3	0.2-0.6	0.4	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.2	0.0	0.0-0.2
15-19 years	2.6	0.2	0.1-0.4	0.6	0.1	0.0-0.3	2.0	0.3	0.2-0.6	0.8	0.1	0.0-0.2	0.2	0.0	0.0-0.2	0.6	0.1	0.0-0.3
20-24 years	11.8	0.9	0.7-1.2	6.2	1.0	0.6-1.4	5.6	0.9	0.6-1.2	1.6	0.1	0.1-0.2	0.8	0.1	0.0-0.3	0.8	0.1	0.0-0.3
25-29 years	20.2	1.4	1.1-1.7	10.6	1.4	1.1-1.9	9.6	1.3	1.0-1.7	2.2	0.1	0.1-0.3	1.6	0.2	0.1-0.4	0.6	0.1	0.0-0.2
30-34 years	45.4	3.3	2.8-3.7	26.2	3.8	3.1-4.5	19.2	2.8	2.2-3.4	1.6	0.1	0.0-0.2	0.6	0.1	0.0-0.3	1.0	0.1	0.0-0.3
35-39 years	82.2	6.5	5.9-7.2	52.2	8.3	7.3-9.4	30.0	4.7	4.0-5.5	3.2	0.3	0.1-0.4	2.4	0.4	0.2-0.7	0.8	0.1	0.0-0.3
40-44 years	132.8	11.4	10.6-12.3	85.4	15.0	13.6-16.5	47.4	8.0	7.0-9.1	7.2	0.6	0.4-0.9	4.8	0.8	0.5-1.3	2.4	0.4	0.2-0.7
45-49 years	223.4	18.1	17.1-19.2	148.6	24.7	23.0-26.6	74.8	11.8	10.7-13.1	14.8	1.2	0.9-1.5	10.6	1.8	1.3-2.3	4.2	0.7	0.4-1.0
50-54 years	348.0	26.5	25.2-27.7	235.6	37.0	34.9-39.1	112.4	16.6	15.2-18.0	29.0	2.2	1.9-2.6	20.6	3.2	2.6-3.9	8.4	1.2	0.9-1.7
55-59 years	509.6	37.6	36.2-39.1	346.2	53.1	50.6-55.7	163.4	23.3	21.7-24.9	40.6	3.0	2.6-3.4	30.2	4.6	3.9-5.4	10.4	1.5	1.1-1.9
60-64 years	593.8	48.3	46.6-50.1	401.2	68.6	65.6-71.6	192.6	29.9	28.1-31.9	72.2	5.9	5.3-6.5	54.0	9.2	8.2-10.4	18.2	2.8	2.3-3.5
65-69 years	614.4	59.9	57.8-62.0	408.6	85.5	81.9-89.3	205.8	37.5	35.3-39.9	92.6	9.0	8.2-9.9	63.8	13.4	11.9-14.9	28.8	5.3	4.4-6.2
70-74 years	532.6	67.2	64.7-69.8	350.6	98.2	93.7-103.0	182.0	41.8	39.1-44.6	85.0	10.7	9.7-11.8	56.0	15.7	13.9-17.6	29.0	6.7	5.6-7.8
75-79 years	403.0	72.4	69.2-75.6	253.4	106.1	100.3-112.1	149.6	47.0	43.7-50.5	95.0	17.1	15.6-18.7	61.4	25.7	22.9-28.7	33.6	10.6	9.0-12.3
80-84 years	261.4	66.9	63.3-70.6	158.0	100.0	93.1-107.2	103.4	44.4	40.7-48.4	83.8	21.4	19.4-23.6	51.2	32.4	28.6-36.6	32.6	14.0	11.9-16.3
85+ years	230.0	50.3	47.5-53.3	117.8	75.8	69.8-82.2	112.2	37.2	34.2-40.4	124.8	27.3	25.2-29.5	62.2	40.0	35.7-44.7	62.6	20.8	18.5-23.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Brain and other central nervous system**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	51.4	4.5	4.0-5.1	25.6	4.4	3.7-5.2	25.8	4.6	3.9-5.5	4.4	0.4	0.2-0.6	2.8	0.5	0.3-0.8	1.6	0.3	0.1-0.6
5-9 years	42.4	3.8	3.3-4.3	21.0	3.7	3.0-4.4	21.4	3.9	3.2-4.7	10.4	0.9	0.7-1.2	4.4	0.8	0.5-1.2	6.0	1.1	0.7-1.6
10-14 years	40.6	3.6	3.2-4.2	23.0	4.0	3.3-4.8	17.6	3.2	2.6-4.0	8.8	0.8	0.6-1.1	5.6	1.0	0.7-1.4	3.2	0.6	0.3-1.0
15-19 years	25.6	2.2	1.8-2.6	14.6	2.4	1.9-3.0	11.0	1.9	1.4-2.5	6.6	0.6	0.4-0.8	5.2	0.9	0.6-1.3	1.4	0.2	0.1-0.5
20-24 years	29.6	2.3	1.9-2.7	18.4	2.8	2.3-3.5	11.2	1.7	1.3-2.2	5.8	0.4	0.3-0.6	2.8	0.4	0.2-0.7	3.0	0.5	0.3-0.8
25-29 years	41.2	2.8	2.4-3.2	24.6	3.3	2.8-4.0	16.6	2.3	1.8-2.8	10.0	0.7	0.5-0.9	6.6	0.9	0.6-1.3	3.4	0.5	0.3-0.7
30-34 years	54.0	3.9	3.4-4.4	31.0	4.4	3.8-5.2	23.0	3.3	2.7-4.0	16.2	1.2	0.9-1.4	11.8	1.7	1.3-2.2	4.4	0.6	0.4-1.0
35-39 years	51.2	4.0	3.6-4.6	31.0	4.9	4.2-5.8	20.2	3.2	2.6-3.8	20.8	1.6	1.3-2.0	13.8	2.2	1.7-2.8	7.0	1.1	0.8-1.5
40-44 years	48.2	4.1	3.6-4.7	29.4	5.2	4.4-6.1	18.8	3.2	2.6-3.9	24.2	2.1	1.7-2.5	15.4	2.7	2.1-3.4	8.8	1.5	1.1-2.0
45-49 years	76.0	6.2	5.6-6.8	45.0	7.5	6.5-8.5	31.0	4.9	4.2-5.7	42.2	3.4	3.0-3.9	25.0	4.2	3.5-5.0	17.2	2.7	2.2-3.4
50-54 years	98.2	7.5	6.8-8.2	57.0	8.9	7.9-10.0	41.2	6.1	5.3-7.0	60.8	4.6	4.1-5.2	36.4	5.7	4.9-6.6	24.4	3.6	3.0-4.3
55-59 years	135.0	10.0	9.2-10.8	81.0	12.4	11.2-13.7	54.0	7.7	6.8-8.7	92.4	6.8	6.2-7.5	53.8	8.3	7.3-9.3	38.6	5.5	4.7-6.3
60-64 years	160.4	13.1	12.2-14.0	94.8	16.2	14.8-17.7	65.6	10.2	9.1-11.4	121.2	9.9	9.1-10.7	77.6	13.3	12.0-14.6	43.6	6.8	5.9-7.7
65-69 years	157.0	15.3	14.2-16.4	87.6	18.3	16.7-20.1	69.4	12.7	11.4-14.1	121.0	11.8	10.9-12.8	67.4	14.1	12.6-15.7	53.6	9.8	8.6-11.0
70-74 years	142.8	18.0	16.7-19.4	76.4	21.4	19.3-23.7	66.4	15.2	13.6-17.0	119.8	15.1	13.9-16.4	67.4	18.9	16.9-21.0	52.4	12.0	10.6-13.6
75-79 years	112.2	20.1	18.5-21.9	58.2	24.4	21.6-27.3	54.0	17.0	15.0-19.1	93.0	16.7	15.2-18.3	46.0	19.3	16.8-21.9	47.0	14.8	12.9-16.8
80-84 years	79.8	20.4	18.5-22.5	42.0	26.6	23.1-30.4	37.8	16.2	14.0-18.7	70.4	18.0	16.2-20.0	33.8	21.4	18.3-24.9	36.6	15.7	13.5-18.2
85+ years	73.4	16.1	14.5-17.8	31.2	20.1	17.0-23.5	42.2	14.0	12.2-16.0	72.4	15.8	14.3-17.6	34.2	22.0	18.8-25.6	38.2	12.7	10.9-14.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Thyroid**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.8	0.1	0.0-0.2	0.2	0.0	0.0-0.2	0.6	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	1.4	0.1	0.1-0.3	0.4	0.1	0.0-0.3	1.0	0.2	0.1-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	15.8	1.4	1.1-1.8	3.2	0.6	0.3-0.9	12.6	2.3	1.8-3.0	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	56.6	4.8	4.2-5.4	9.6	1.6	1.2-2.1	47.0	8.1	7.1-9.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
20-24 years	137.6	10.6	9.8-11.4	29.4	4.5	3.8-5.3	108.2	16.7	15.3-18.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
25-29 years	229.4	15.6	14.7-16.5	41.8	5.7	4.9-6.5	187.6	25.5	23.9-27.2	0.4	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.2	0.0	0.0-0.2
30-34 years	282.6	20.3	19.2-21.4	56.4	8.1	7.2-9.1	226.2	32.5	30.6-34.4	0.4	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.4	0.1	0.0-0.2
35-39 years	325.4	25.7	24.5-27.0	74.4	11.9	10.7-13.1	251.0	39.2	37.1-41.5	0.6	0.0	0.0-0.1	0.6	0.1	0.0-0.3	0.0	0.0	0.0-0.1
40-44 years	354.6	30.5	29.1-32.0	86.4	15.1	13.8-16.6	268.2	45.3	42.9-47.8	1.4	0.1	0.0-0.2	0.4	0.1	0.0-0.3	1.0	0.2	0.1-0.4
45-49 years	398.2	32.3	30.9-33.8	101.2	16.8	15.4-18.4	297.0	47.0	44.6-49.5	3.2	0.3	0.1-0.4	2.2	0.4	0.2-0.7	1.0	0.2	0.1-0.4
50-54 years	433.8	33.0	31.6-34.4	114.0	17.9	16.4-19.4	319.8	47.2	44.9-49.6	5.8	0.4	0.3-0.6	2.6	0.4	0.2-0.7	3.2	0.5	0.3-0.8
55-59 years	426.8	31.5	30.2-32.9	119.6	18.3	16.9-19.9	307.2	43.8	41.6-46.0	6.0	0.4	0.3-0.6	3.8	0.6	0.4-0.9	2.2	0.3	0.2-0.6
60-64 years	384.8	31.3	29.9-32.7	130.4	22.3	20.6-24.1	254.4	39.5	37.4-41.7	10.0	0.8	0.6-1.1	4.4	0.8	0.5-1.1	5.6	0.9	0.6-1.3
65-69 years	319.0	31.1	29.6-32.7	100.2	21.0	19.2-22.9	218.8	39.9	37.6-42.3	13.2	1.3	1.0-1.6	5.4	1.1	0.7-1.6	7.8	1.4	1.0-1.9
70-74 years	218.4	27.6	25.9-29.2	74.8	21.0	18.9-23.2	143.6	33.0	30.6-35.5	17.6	2.2	1.8-2.7	8.4	2.4	1.7-3.2	9.2	2.1	1.5-2.8
75-79 years	122.6	22.0	20.3-23.8	40.8	17.1	14.8-19.6	81.8	25.7	23.3-28.3	17.6	3.2	2.5-3.9	7.4	3.1	2.2-4.3	10.2	3.2	2.4-4.2
80-84 years	69.4	17.8	15.9-19.7	24.8	15.7	13.1-18.7	44.6	19.2	16.7-21.8	19.4	5.0	4.0-6.1	8.8	5.6	4.0-7.5	10.6	4.6	3.4-6.0
85+ years	42.8	9.4	8.2-10.7	13.8	8.9	6.9-11.2	29.0	9.6	8.1-11.3	29.2	6.4	5.4-7.5	8.4	5.4	3.9-7.3	20.8	6.9	5.6-8.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Hodgkin lymphoma**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.2	0.1	0.0-0.2	1.0	0.2	0.1-0.4	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	2.8	0.2	0.1-0.4	2.0	0.3	0.2-0.6	0.8	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	15.0	1.3	1.1-1.7	8.4	1.5	1.1-2.0	6.6	1.2	0.8-1.7	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	46.2	3.9	3.4-4.4	24.2	4.0	3.3-4.8	22.0	3.8	3.1-4.5	0.4	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.2	0.0	0.0-0.2
20-24 years	64.6	5.0	4.4-5.5	31.4	4.8	4.1-5.6	33.2	5.1	4.4-6.0	0.6	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.4	0.1	0.0-0.2
25-29 years	73.6	5.0	4.5-5.5	32.6	4.4	3.8-5.2	41.0	5.6	4.8-6.4	1.6	0.1	0.0-0.2	1.2	0.2	0.1-0.4	0.4	0.1	0.0-0.2
30-34 years	60.4	4.3	3.9-4.9	32.2	4.6	3.9-5.4	28.2	4.0	3.4-4.8	1.0	0.1	0.0-0.2	0.8	0.1	0.0-0.3	0.2	0.0	0.0-0.2
35-39 years	45.6	3.6	3.1-4.1	25.0	4.0	3.3-4.8	20.6	3.2	2.6-3.9	1.4	0.1	0.0-0.2	0.4	0.1	0.0-0.2	1.0	0.2	0.1-0.4
40-44 years	36.4	3.1	2.7-3.6	21.4	3.8	3.1-4.5	15.0	2.5	2.0-3.2	2.4	0.2	0.1-0.4	1.6	0.3	0.1-0.6	0.8	0.1	0.0-0.3
45-49 years	31.0	2.5	2.1-2.9	17.8	3.0	2.4-3.6	13.2	2.1	1.6-2.7	2.6	0.2	0.1-0.4	1.4	0.2	0.1-0.5	1.2	0.2	0.1-0.4
50-54 years	34.8	2.6	2.3-3.1	21.0	3.3	2.7-4.0	13.8	2.0	1.6-2.6	2.6	0.2	0.1-0.3	1.6	0.3	0.1-0.5	1.0	0.1	0.0-0.3
55-59 years	46.0	3.4	3.0-3.9	28.8	4.4	3.7-5.2	17.2	2.5	2.0-3.0	4.4	0.3	0.2-0.5	3.2	0.5	0.3-0.8	1.2	0.2	0.1-0.4
60-64 years	41.4	3.4	2.9-3.9	24.2	4.1	3.4-4.9	17.2	2.7	2.1-3.3	6.8	0.6	0.4-0.8	5.2	0.9	0.6-1.3	1.6	0.2	0.1-0.5
65-69 years	34.8	3.4	2.9-3.9	19.4	4.1	3.3-5.0	15.4	2.8	2.2-3.5	6.8	0.7	0.5-0.9	4.8	1.0	0.6-1.5	2.0	0.4	0.2-0.7
70-74 years	33.6	4.2	3.6-4.9	17.4	4.9	3.9-6.0	16.2	3.7	3.0-4.6	7.6	1.0	0.7-1.3	4.4	1.2	0.8-1.9	3.2	0.7	0.4-1.2
75-79 years	21.8	3.9	3.2-4.7	11.0	4.6	3.5-6.0	10.8	3.4	2.6-4.4	8.4	1.5	1.1-2.0	4.0	1.7	1.0-2.6	4.4	1.4	0.9-2.1
80-84 years	17.2	4.4	3.5-5.4	9.8	6.2	4.6-8.2	7.4	3.2	2.2-4.4	6.4	1.6	1.1-2.3	3.8	2.4	1.4-3.8	2.6	1.1	0.6-1.9
85+ years	13.8	3.0	2.4-3.8	7.8	5.0	3.6-6.9	6.0	2.0	1.3-2.8	9.2	2.0	1.5-2.7	4.8	3.1	2.0-4.6	4.4	1.5	0.9-2.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Non-Hodgkin lymphomas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	5.4	0.5	0.3-0.7	3.8	0.7	0.4-1.0	1.6	0.3	0.1-0.6	0.6	0.1	0.0-0.2	0.2	0.0	0.0-0.2	0.4	0.1	0.0-0.3
5-9 years	13.6	1.2	0.9-1.5	9.4	1.6	1.2-2.2	4.2	0.8	0.5-1.2	0.4	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.2	0.0	0.0-0.2
10-14 years	18.2	1.6	1.3-2.0	13.2	2.3	1.8-2.9	5.0	0.9	0.6-1.4	0.6	0.1	0.0-0.2	0.6	0.1	0.0-0.3	0.0	0.0	0.0-0.1
15-19 years	26.8	2.3	1.9-2.7	17.2	2.8	2.3-3.5	9.6	1.6	1.2-2.2	1.4	0.1	0.0-0.2	0.8	0.1	0.0-0.3	0.6	0.1	0.0-0.3
20-24 years	43.4	3.3	2.9-3.8	27.4	4.2	3.5-5.0	16.0	2.5	2.0-3.1	3.0	0.2	0.1-0.4	2.2	0.3	0.2-0.6	0.8	0.1	0.0-0.3
25-29 years	57.6	3.9	3.5-4.4	27.6	3.7	3.1-4.4	30.0	4.1	3.4-4.8	4.0	0.3	0.2-0.4	3.0	0.4	0.2-0.7	1.0	0.1	0.0-0.3
30-34 years	79.4	5.7	5.2-6.3	44.8	6.4	5.6-7.3	34.6	5.0	4.3-5.8	3.8	0.3	0.2-0.4	2.0	0.3	0.1-0.5	1.8	0.3	0.1-0.5
35-39 years	108.6	8.6	7.9-9.3	59.6	9.5	8.5-10.7	49.0	7.7	6.7-8.7	11.8	0.9	0.7-1.2	8.2	1.3	0.9-1.8	3.6	0.6	0.3-0.9
40-44 years	137.6	11.8	11.0-12.8	74.2	13.0	11.7-14.4	63.4	10.7	9.6-11.9	10.6	0.9	0.7-1.2	6.0	1.1	0.7-1.5	4.6	0.8	0.5-1.2
45-49 years	207.2	16.8	15.8-17.9	111.2	18.5	17.0-20.1	96.0	15.2	13.9-16.6	22.0	1.8	1.5-2.2	12.8	2.1	1.6-2.7	9.2	1.5	1.1-1.9
50-54 years	328.0	24.9	23.8-26.2	174.2	27.3	25.5-29.2	153.8	22.7	21.1-24.4	37.0	2.8	2.4-3.3	23.0	3.6	3.0-4.3	14.0	2.1	1.6-2.6
55-59 years	478.6	35.3	33.9-36.8	268.4	41.2	39.0-43.4	210.2	29.9	28.2-31.8	63.4	4.7	4.2-5.2	41.0	6.3	5.5-7.2	22.4	3.2	2.6-3.8
60-64 years	603.6	49.1	47.4-50.9	328.6	56.1	53.5-58.9	275.0	42.7	40.5-45.0	91.8	7.5	6.8-8.2	59.4	10.1	9.0-11.4	32.4	5.0	4.3-5.9
65-69 years	668.2	65.1	62.9-67.4	367.0	76.8	73.3-80.4	301.2	54.9	52.2-57.8	128.2	12.5	11.5-13.5	76.4	16.0	14.4-17.7	51.8	9.4	8.3-10.7
70-74 years	673.2	84.9	82.1-87.9	358.8	100.5	95.9-105.3	314.4	72.2	68.6-75.8	152.6	19.3	17.9-20.7	85.0	23.8	21.6-26.2	67.6	15.5	13.9-17.3
75-79 years	612.0	109.9	106.0-113.8	332.0	139.0	132.4-145.8	280.0	88.0	83.5-92.7	174.2	31.3	29.2-33.4	102.0	42.7	39.1-46.6	72.2	22.7	20.4-25.2
80-84 years	469.0	120.0	115.2-125.0	234.6	148.5	140.1-157.2	234.4	100.7	95.0-106.6	175.8	45.0	42.1-48.1	90.6	57.3	52.2-62.9	85.2	36.6	33.2-40.3
85+ years	475.8	104.2	100.0-108.4	229.6	147.7	139.3-156.5	246.2	81.7	77.2-86.4	290.4	63.6	60.3-66.9	137.0	88.1	81.7-95.0	153.4	50.9	47.4-54.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Myeloma**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
5-9 years	0.2	0.0	0.0-0.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
10-14 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
15-19 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
20-24 years	1.0	0.1	0.0-0.2	0.8	0.1	0.0-0.3	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
25-29 years	2.6	0.2	0.1-0.3	1.0	0.1	0.0-0.3	1.6	0.2	0.1-0.4	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.2	0.0	0.0-0.2
30-34 years	4.2	0.3	0.2-0.5	2.6	0.4	0.2-0.6	1.6	0.2	0.1-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.1
35-39 years	17.2	1.4	1.1-1.7	8.6	1.4	1.0-1.8	8.6	1.3	1.0-1.8	1.0	0.1	0.0-0.2	0.6	0.1	0.0-0.3	0.4	0.1	0.0-0.2
40-44 years	39.0	3.4	2.9-3.9	21.6	3.8	3.1-4.6	17.4	2.9	2.4-3.6	4.2	0.4	0.2-0.6	2.8	0.5	0.3-0.8	1.4	0.2	0.1-0.5
45-49 years	65.0	5.3	4.7-5.9	35.6	5.9	5.1-6.9	29.4	4.7	3.9-5.5	10.6	0.9	0.6-1.1	5.8	1.0	0.6-1.4	4.8	0.8	0.5-1.1
50-54 years	128.2	9.8	9.0-10.5	70.2	11.0	9.9-12.2	58.0	8.6	7.6-9.6	20.0	1.5	1.2-1.9	13.2	2.1	1.6-2.6	6.8	1.0	0.7-1.4
55-59 years	196.8	14.5	13.6-15.5	115.2	17.7	16.3-19.2	81.6	11.6	10.5-12.8	35.4	2.6	2.2-3.0	21.0	3.2	2.6-3.9	14.4	2.1	1.6-2.6
60-64 years	267.0	21.7	20.6-22.9	144.6	24.7	22.9-26.6	122.4	19.0	17.5-20.6	68.8	5.6	5.0-6.2	38.0	6.5	5.6-7.5	30.8	4.8	4.1-5.6
65-69 years	313.4	30.5	29.0-32.1	180.0	37.7	35.3-40.2	133.4	24.3	22.5-26.2	90.8	8.8	8.1-9.7	52.4	11.0	9.7-12.4	38.4	7.0	6.0-8.1
70-74 years	310.2	39.1	37.2-41.1	171.0	47.9	44.8-51.2	139.2	31.9	29.6-34.4	101.8	12.8	11.8-14.0	55.0	15.4	13.6-17.3	46.8	10.7	9.4-12.2
75-79 years	263.8	47.4	44.8-50.0	136.4	57.1	52.9-61.6	127.4	40.0	37.0-43.3	93.4	16.8	15.3-18.4	49.0	20.5	18.0-23.3	44.4	14.0	12.2-15.9
80-84 years	195.4	50.0	46.9-53.2	104.8	66.3	60.8-72.3	90.6	38.9	35.4-42.7	98.2	25.1	23.0-27.5	48.8	30.9	27.1-35.0	49.4	21.2	18.7-24.0
85+ years	180.6	39.5	37.0-42.2	86.0	55.3	50.2-60.8	94.6	31.4	28.6-34.3	148.0	32.4	30.1-34.8	66.2	42.6	38.1-47.4	81.8	27.1	24.6-29.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State
Leukemias**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	83.6	7.3	6.6-8.1	45.8	7.8	6.9-8.9	37.8	6.8	5.8-7.8	5.6	0.5	0.3-0.7	2.4	0.4	0.2-0.7	3.2	0.6	0.3-0.9
5-9 years	41.8	3.7	3.2-4.3	21.6	3.8	3.1-4.5	20.2	3.7	3.0-4.5	3.6	0.3	0.2-0.5	2.0	0.3	0.2-0.6	1.6	0.3	0.1-0.6
10-14 years	39.8	3.6	3.1-4.1	23.0	4.0	3.3-4.8	16.8	3.1	2.5-3.8	5.6	0.5	0.3-0.7	2.8	0.5	0.3-0.8	2.8	0.5	0.3-0.9
15-19 years	45.0	3.8	3.3-4.3	28.0	4.6	3.9-5.5	17.0	2.9	2.3-3.6	7.0	0.6	0.4-0.8	4.2	0.7	0.4-1.1	2.8	0.5	0.3-0.8
20-24 years	42.2	3.2	2.8-3.7	24.0	3.7	3.1-4.4	18.2	2.8	2.3-3.4	9.8	0.8	0.6-1.0	6.6	1.0	0.7-1.4	3.2	0.5	0.3-0.8
25-29 years	47.4	3.2	2.8-3.7	25.4	3.4	2.9-4.1	22.0	3.0	2.5-3.6	11.2	0.8	0.6-1.0	7.2	1.0	0.7-1.4	4.0	0.5	0.3-0.8
30-34 years	51.2	3.7	3.2-4.2	29.2	4.2	3.5-4.9	22.0	3.2	2.6-3.8	11.8	0.8	0.6-1.1	6.2	0.9	0.6-1.3	5.6	0.8	0.5-1.2
35-39 years	60.2	4.8	4.2-5.3	35.8	5.7	4.9-6.6	24.4	3.8	3.2-4.6	14.6	1.2	0.9-1.4	9.6	1.5	1.1-2.0	5.0	0.8	0.5-1.2
40-44 years	85.6	7.4	6.7-8.1	51.2	9.0	7.9-10.1	34.4	5.8	5.0-6.7	18.6	1.6	1.3-2.0	7.8	1.4	1.0-1.9	10.8	1.8	1.4-2.4
45-49 years	122.6	9.9	9.2-10.8	73.0	12.1	10.9-13.5	49.6	7.8	6.9-8.9	24.2	2.0	1.6-2.3	12.8	2.1	1.6-2.7	11.4	1.8	1.4-2.3
50-54 years	198.2	15.1	14.2-16.0	122.2	19.2	17.7-20.8	76.0	11.2	10.1-12.4	37.2	2.8	2.4-3.3	20.6	3.2	2.6-3.9	16.6	2.5	2.0-3.0
55-59 years	318.8	23.5	22.4-24.7	191.0	29.3	27.5-31.2	127.8	18.2	16.8-19.7	70.2	5.2	4.7-5.8	38.8	6.0	5.1-6.9	31.4	4.5	3.8-5.2
60-64 years	400.8	32.6	31.2-34.1	243.0	41.5	39.2-43.9	157.8	24.5	22.8-26.3	98.6	8.0	7.3-8.8	56.2	9.6	8.5-10.8	42.4	6.6	5.7-7.5
65-69 years	472.2	46.0	44.2-47.9	284.8	59.6	56.6-62.8	187.4	34.2	32.0-36.4	133.4	13.0	12.0-14.0	78.8	16.5	14.9-18.2	54.6	10.0	8.8-11.2
70-74 years	483.8	61.0	58.6-63.5	287.2	80.5	76.4-84.8	196.6	45.1	42.3-48.0	178.6	22.5	21.1-24.1	110.8	31.0	28.5-33.7	67.8	15.6	13.9-17.3
75-79 years	437.2	78.5	75.2-81.9	257.6	107.8	102.0-113.9	179.6	56.5	52.8-60.3	197.8	35.5	33.3-37.8	121.2	50.7	46.8-54.9	76.6	24.1	21.7-26.6
80-84 years	345.2	88.3	84.2-92.6	200.8	127.1	119.3-135.2	144.4	62.0	57.6-66.7	193.6	49.5	46.5-52.8	116.8	73.9	68.0-80.2	76.8	33.0	29.8-36.5
85+ years	422.2	92.4	88.5-96.4	206.8	133.1	125.1-141.4	215.4	71.5	67.3-75.9	322.0	70.5	67.1-74.0	155.0	99.7	92.8-107.0	167.0	55.4	51.7-59.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
All Invasive Malignant Tumors**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	129.2	24.1	22.3-26.1	69.6	25.4	22.8-28.3	59.6	22.8	20.3-25.5	8.8	1.6	1.2-2.2	4.6	1.7	1.1-2.5	4.2	1.6	1.0-2.5
5-9 years	69.8	14.4	12.9-16.0	36.0	14.5	12.5-16.8	33.8	14.2	12.2-16.6	9.6	2.0	1.5-2.6	5.8	2.3	1.6-3.4	3.8	1.6	1.0-2.5
10-14 years	87.2	19.4	17.6-21.3	47.0	20.5	18.0-23.3	40.2	18.3	15.8-21.0	14.8	3.3	2.6-4.1	7.0	3.1	2.1-4.3	7.8	3.5	2.5-4.8
15-19 years	131.6	29.7	27.4-32.0	69.6	31.1	28.0-34.6	62.0	28.2	25.1-31.5	13.8	3.1	2.4-3.9	9.0	4.0	2.9-5.4	4.8	2.2	1.4-3.2
20-24 years	263.0	49.3	46.7-52.1	125.0	48.6	44.9-52.5	138.0	50.0	46.4-53.9	23.0	4.3	3.6-5.2	14.4	5.6	4.4-7.0	8.6	3.1	2.3-4.2
25-29 years	504.4	65.6	63.1-68.2	200.6	53.8	50.5-57.2	303.8	76.7	72.9-80.7	33.4	4.3	3.7-5.1	18.2	4.9	3.9-6.0	15.2	3.8	3.0-4.8
30-34 years	752.6	103.9	100.6-107.3	279.4	78.3	74.3-82.5	473.2	128.7	123.6-134.0	61.0	8.4	7.5-9.4	29.2	8.2	6.9-9.6	31.8	8.7	7.4-10.1
35-39 years	951.0	155.8	151.4-160.2	331.8	111.2	105.9-116.6	619.2	198.4	191.5-205.5	116.4	19.1	17.5-20.7	54.4	18.2	16.1-20.5	62.0	19.9	17.7-22.2
40-44 years	1,339.8	251.9	245.9-258.0	429.4	167.4	160.4-174.6	910.4	330.7	321.2-340.5	166.2	31.3	29.2-33.4	75.2	29.3	26.4-32.4	91.0	33.1	30.1-36.2
45-49 years	2,011.4	383.2	375.7-390.8	692.8	275.1	266.1-284.5	1,318.6	482.8	471.2-494.6	315.8	60.2	57.2-63.2	141.8	56.3	52.2-60.6	174.0	63.7	59.5-68.1
50-54 years	3,050.4	580.0	570.8-589.2	1,276.6	508.8	496.4-521.4	1,773.8	644.9	631.5-658.4	554.8	105.5	101.6-109.5	253.0	100.8	95.4-106.6	301.8	109.7	104.3-115.4
55-59 years	4,409.4	846.6	835.4-857.8	2,189.6	893.2	876.5-910.1	2,219.8	805.1	790.2-820.2	925.6	177.7	172.6-182.9	458.6	187.1	179.5-194.9	467.0	169.4	162.6-176.4
60-64 years	5,585.6	1,178.4	1,164.6-1,192.3	2,935.0	1,346.2	1,324.5-1,368.1	2,650.6	1,035.5	1,018.0-1,053.3	1,260.0	265.8	259.3-272.5	654.4	300.1	290.0-310.6	605.6	236.6	228.2-245.2
65-69 years	6,074.2	1,529.0	1,511.9-1,546.3	3,296.6	1,859.8	1,831.5-1,888.4	2,777.6	1,262.5	1,241.6-1,283.7	1,527.6	384.5	376.0-393.3	771.6	435.3	421.7-449.3	756.0	343.6	332.8-354.8
70-74 years	5,545.4	1,816.5	1,795.2-1,838.1	2,926.4	2,239.7	2,203.5-2,276.2	2,619.0	1,499.9	1,474.3-1,525.8	1,592.6	521.7	510.3-533.3	809.2	619.3	600.4-638.7	783.4	448.7	434.7-462.9
75-79 years	4,328.4	1,981.6	1,955.3-2,008.2	2,191.8	2,464.5	2,418.6-2,511.1	2,136.6	1,649.9	1,618.8-1,681.5	1,538.6	704.4	688.7-720.3	761.8	856.6	829.6-884.2	776.8	599.9	581.1-619.0
80-84 years	3,090.2	1,995.7	1,964.4-2,027.4	1,511.8	2,505.0	2,448.8-2,562.1	1,578.4	1,670.4	1,633.8-1,707.7	1,446.8	934.4	913.0-956.2	718.0	1,189.7	1,151.1-1,229.3	728.8	771.3	746.5-796.8
85+ years	3,118.0	1,765.0	1,737.4-1,792.9	1,322.0	2,235.8	2,182.3-2,290.4	1,796.0	1,528.2	1,496.7-1,560.1	2,207.8	1,249.8	1,226.6-1,273.3	968.4	1,637.8	1,592.0-1,684.6	1,239.4	1,054.6	1,028.5-1,081.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Oral cavity and pharynx**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.4	0.1	0.0-0.3	0.2	0.1	0.0-0.4	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.6	0.1	0.0-0.4	0.6	0.2	0.0-0.7	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.8	0.2	0.0-0.5	0.4	0.2	0.0-0.6	0.4	0.2	0.0-0.7	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	3.4	0.8	0.4-1.2	2.4	1.1	0.6-1.9	1.0	0.5	0.1-1.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
20-24 years	5.2	1.0	0.6-1.4	2.4	0.9	0.5-1.6	2.8	1.0	0.6-1.7	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.3
25-29 years	11.6	1.5	1.1-2.0	5.8	1.6	1.0-2.2	5.8	1.5	1.0-2.1	1.0	0.1	0.0-0.3	0.8	0.2	0.1-0.5	0.2	0.1	0.0-0.3
30-34 years	16.8	2.3	1.9-2.9	9.4	2.6	1.9-3.5	7.4	2.0	1.4-2.8	0.8	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.2	0.1	0.0-0.3
35-39 years	20.8	3.4	2.8-4.1	12.0	4.0	3.1-5.2	8.8	2.8	2.0-3.8	2.2	0.4	0.2-0.6	1.4	0.5	0.2-1.0	0.8	0.3	0.1-0.7
40-44 years	26.8	5.0	4.2-6.0	17.0	6.6	5.3-8.2	9.8	3.6	2.6-4.7	2.8	0.5	0.3-0.9	1.8	0.7	0.3-1.3	1.0	0.4	0.1-0.8
45-49 years	52.4	10.0	8.8-11.3	35.4	14.1	12.1-16.3	17.0	6.2	5.0-7.7	7.0	1.3	0.9-1.9	5.6	2.2	1.5-3.2	1.4	0.5	0.2-1.1
50-54 years	82.8	15.7	14.3-17.3	56.6	22.6	20.0-25.3	26.2	9.5	8.0-11.3	13.8	2.6	2.0-3.3	9.8	3.9	2.9-5.2	4.0	1.5	0.9-2.2
55-59 years	122.0	23.4	21.6-25.4	87.4	35.7	32.4-39.2	34.6	12.5	10.7-14.6	23.2	4.5	3.7-5.3	17.4	7.1	5.7-8.8	5.8	2.1	1.4-3.0
60-64 years	131.6	27.8	25.7-30.0	89.6	41.1	37.4-45.1	42.0	16.4	14.3-18.8	24.8	5.2	4.4-6.2	18.2	8.3	6.7-10.2	6.6	2.6	1.8-3.6
65-69 years	136.6	34.4	31.9-37.1	96.8	54.6	49.9-59.7	39.8	18.1	15.7-20.8	28.0	7.0	5.9-8.3	21.6	12.2	10.0-14.7	6.4	2.9	2.0-4.1
70-74 years	120.4	39.4	36.4-42.7	79.2	60.6	54.8-66.9	41.2	23.6	20.5-27.0	24.6	8.1	6.7-9.6	17.6	13.5	10.8-16.6	7.0	4.0	2.8-5.6
75-79 years	80.8	37.0	33.5-40.8	51.0	57.3	50.5-64.8	29.8	23.0	19.5-27.0	26.0	11.9	9.9-14.1	18.0	20.2	16.3-24.9	8.0	6.2	4.4-8.4
80-84 years	56.6	36.6	32.4-41.1	32.6	54.0	46.0-63.0	24.0	25.4	21.1-30.4	18.4	11.9	9.6-14.6	12.6	20.9	16.0-26.7	5.8	6.1	4.1-8.8
85+ years	62.0	35.1	31.3-39.2	29.2	49.4	41.7-58.1	32.8	27.9	23.8-32.5	25.4	14.4	12.0-17.1	10.8	18.3	13.7-23.8	14.6	12.4	9.7-15.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Esophagus**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
20-24 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
25-29 years	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
30-34 years	1.2	0.2	0.1-0.4	1.0	0.3	0.1-0.7	0.2	0.1	0.0-0.3	0.8	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.2	0.1	0.0-0.3
35-39 years	3.0	0.5	0.3-0.8	2.4	0.8	0.4-1.4	0.6	0.2	0.0-0.6	1.0	0.2	0.1-0.4	0.8	0.3	0.1-0.7	0.2	0.1	0.0-0.4
40-44 years	4.0	0.8	0.5-1.2	3.4	1.3	0.8-2.1	0.6	0.2	0.0-0.6	1.8	0.3	0.2-0.6	1.8	0.7	0.3-1.3	0.0	0.0	0.0-0.3
45-49 years	7.8	1.5	1.1-2.0	6.0	2.4	1.6-3.4	1.8	0.7	0.3-1.3	3.2	0.6	0.3-1.0	3.2	1.3	0.7-2.1	0.0	0.0	0.0-0.3
50-54 years	18.6	3.5	2.9-4.3	13.8	5.5	4.3-7.0	4.8	1.7	1.1-2.6	12.6	2.4	1.8-3.1	9.4	3.7	2.8-5.0	3.2	1.2	0.7-1.9
55-59 years	36.2	7.0	6.0-8.0	28.4	11.6	9.8-13.7	7.8	2.8	2.0-3.9	21.8	4.2	3.4-5.0	18.0	7.3	5.9-9.0	3.8	1.4	0.8-2.2
60-64 years	47.6	10.0	8.8-11.4	36.4	16.7	14.4-19.3	11.2	4.4	3.3-5.7	33.4	7.0	6.0-8.2	25.4	11.7	9.7-13.9	8.0	3.1	2.2-4.3
65-69 years	54.0	13.6	12.0-15.3	38.4	21.7	18.7-25.0	15.6	7.1	5.6-8.8	31.4	7.9	6.7-9.2	23.4	13.2	10.9-15.8	8.0	3.6	2.6-5.0
70-74 years	48.8	16.0	14.0-18.1	35.2	26.9	23.1-31.2	13.6	7.8	6.0-9.9	31.6	10.4	8.8-12.1	24.4	18.7	15.5-22.3	7.2	4.1	2.9-5.7
75-79 years	34.0	15.6	13.3-18.1	21.8	24.5	20.1-29.6	12.2	9.4	7.2-12.1	24.6	11.3	9.4-13.4	15.0	16.9	13.3-21.1	9.6	7.4	5.5-9.8
80-84 years	28.6	18.5	15.6-21.8	19.6	32.5	26.4-39.6	9.0	9.5	6.9-12.7	22.0	14.2	11.7-17.1	15.6	25.8	20.4-32.3	6.4	6.8	4.6-9.6
85+ years	31.6	17.9	15.2-20.9	19.0	32.1	26.0-39.3	12.6	10.7	8.2-13.7	28.8	16.3	13.7-19.2	19.6	33.1	26.9-40.4	9.2	7.8	5.7-10.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Stomach**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	0.8	0.2	0.0-0.5	0.4	0.2	0.0-0.6	0.4	0.2	0.0-0.7	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
20-24 years	1.4	0.3	0.1-0.5	1.0	0.4	0.1-0.9	0.4	0.1	0.0-0.5	1.0	0.2	0.1-0.4	0.8	0.3	0.1-0.8	0.2	0.1	0.0-0.4
25-29 years	5.8	0.8	0.5-1.1	3.2	0.9	0.5-1.4	2.6	0.7	0.3-1.1	3.2	0.4	0.2-0.7	1.4	0.4	0.2-0.8	1.8	0.5	0.2-0.9
30-34 years	13.6	1.9	1.5-2.4	6.2	1.7	1.2-2.5	7.4	2.0	1.4-2.8	4.4	0.6	0.4-0.9	2.8	0.8	0.4-1.3	1.6	0.4	0.2-0.9
35-39 years	18.6	3.0	2.5-3.7	10.2	3.4	2.5-4.5	8.4	2.7	1.9-3.6	7.8	1.3	0.9-1.7	3.6	1.2	0.7-1.9	4.2	1.3	0.8-2.1
40-44 years	27.6	5.2	4.4-6.1	14.2	5.5	4.3-7.0	13.4	4.9	3.8-6.2	10.4	2.0	1.5-2.6	6.0	2.3	1.6-3.3	4.4	1.6	1.0-2.4
45-49 years	45.0	8.6	7.5-9.8	24.6	9.8	8.1-11.7	20.4	7.5	6.1-9.1	16.4	3.1	2.5-3.9	9.0	3.6	2.6-4.8	7.4	2.7	1.9-3.7
50-54 years	70.6	13.4	12.1-14.9	38.6	15.4	13.3-17.7	32.0	11.6	9.9-13.6	25.4	4.8	4.0-5.7	15.8	6.3	5.0-7.8	9.6	3.5	2.6-4.6
55-59 years	94.0	18.0	16.5-19.8	54.6	22.3	19.7-25.1	39.4	14.3	12.4-16.4	33.0	6.3	5.4-7.4	22.0	9.0	7.4-10.8	11.0	4.0	3.0-5.2
60-64 years	117.4	24.8	22.8-26.9	77.8	35.7	32.2-39.4	39.6	15.5	13.4-17.8	41.6	8.8	7.6-10.1	29.0	13.3	11.2-15.7	12.6	4.9	3.8-6.3
65-69 years	130.2	32.8	30.3-35.4	79.0	44.6	40.3-49.2	51.2	23.3	20.5-26.3	49.2	12.4	10.9-14.0	33.6	19.0	16.2-22.0	15.6	7.1	5.6-8.8
70-74 years	125.6	41.1	38.0-44.5	75.0	57.4	51.7-63.5	50.6	29.0	25.5-32.8	48.6	15.9	14.0-18.1	30.6	23.4	19.9-27.4	18.0	10.3	8.3-12.7
75-79 years	118.6	54.3	50.0-58.8	70.0	78.7	70.7-87.4	48.6	37.5	33.0-42.6	52.0	23.8	21.0-26.9	34.0	38.2	32.7-44.4	18.0	13.9	11.2-17.1
80-84 years	93.4	60.3	55.0-66.0	49.8	82.5	72.6-93.4	43.6	46.1	40.2-52.7	50.6	32.7	28.8-37.0	29.0	48.1	40.5-56.5	21.6	22.9	18.8-27.6
85+ years	97.8	55.4	50.6-60.5	45.0	76.1	66.5-86.7	52.8	44.9	39.7-50.7	73.0	41.3	37.2-45.8	32.8	55.5	47.3-64.6	40.2	34.2	29.6-39.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Colorectal**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.8	0.2	0.0-0.4	0.8	0.3	0.1-0.8	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	3.2	0.7	0.4-1.2	2.4	1.0	0.5-1.8	0.8	0.4	0.1-0.9	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	5.0	1.1	0.7-1.7	2.8	1.3	0.7-2.1	2.2	1.0	0.5-1.8	0.2	0.0	0.0-0.3	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.3
20-24 years	11.8	2.2	1.7-2.9	4.4	1.7	1.1-2.6	7.4	2.7	1.9-3.7	1.2	0.2	0.1-0.5	1.0	0.4	0.1-0.9	0.2	0.1	0.0-0.4
25-29 years	25.4	3.3	2.8-3.9	13.0	3.5	2.7-4.4	12.4	3.1	2.4-4.0	4.0	0.5	0.3-0.8	1.6	0.4	0.2-0.8	2.4	0.6	0.3-1.1
30-34 years	42.2	5.8	5.1-6.7	22.4	6.3	5.2-7.6	19.8	5.4	4.4-6.6	6.2	0.9	0.6-1.2	3.8	1.1	0.6-1.7	2.4	0.7	0.3-1.1
35-39 years	70.0	11.5	10.3-12.7	40.4	13.5	11.7-15.5	29.6	9.5	8.0-11.1	14.2	2.3	1.8-2.9	8.4	2.8	2.0-3.8	5.8	1.9	1.2-2.7
40-44 years	107.0	20.1	18.5-21.9	56.4	22.0	19.5-24.7	50.6	18.4	16.2-20.8	22.0	4.1	3.4-5.0	12.6	4.9	3.8-6.3	9.4	3.4	2.5-4.5
45-49 years	177.0	33.7	31.5-36.0	91.8	36.5	33.2-40.0	85.2	31.2	28.3-34.3	40.2	7.7	6.6-8.8	23.0	9.1	7.5-11.0	17.2	6.3	5.0-7.8
50-54 years	316.2	60.1	57.2-63.2	165.2	65.8	61.4-70.5	151.0	54.9	51.0-59.0	64.6	12.3	11.0-13.7	37.2	14.8	12.8-17.1	27.4	10.0	8.4-11.8
55-59 years	352.0	67.6	64.5-70.8	201.6	82.2	77.2-87.5	150.4	54.6	50.7-58.6	84.6	16.2	14.7-17.9	44.6	18.2	15.9-20.7	40.0	14.5	12.6-16.7
60-64 years	413.2	87.2	83.5-91.0	230.4	105.7	99.7-112.0	182.8	71.4	66.9-76.2	112.8	23.8	21.9-25.8	63.2	29.0	25.9-32.4	49.6	19.4	17.0-21.9
65-69 years	443.6	111.7	107.1-116.4	256.2	144.5	136.7-152.7	187.4	85.2	79.8-90.8	129.0	32.5	30.0-35.1	69.6	39.3	35.2-43.6	59.4	27.0	24.0-30.3
70-74 years	423.8	138.8	133.0-144.9	220.8	169.0	159.2-179.3	203.0	116.3	109.2-123.6	129.6	42.5	39.2-45.9	71.2	54.5	49.0-60.5	58.4	33.4	29.7-37.5
75-79 years	358.0	163.9	156.4-171.7	175.2	197.0	184.2-210.5	182.8	141.2	132.2-150.6	125.8	57.6	53.2-62.3	62.6	70.4	62.8-78.6	63.2	48.8	43.6-54.5
80-84 years	308.0	198.9	189.1-209.1	144.6	239.6	222.4-257.7	163.4	172.9	161.3-185.2	140.6	90.8	84.2-97.8	64.4	106.7	95.4-119.0	76.2	80.6	72.7-89.2
85+ years	366.4	207.4	198.0-217.1	143.6	242.9	225.4-261.3	222.8	189.6	178.6-201.0	245.2	138.8	131.1-146.8	97.0	164.1	149.8-179.3	148.2	126.1	117.2-135.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Colon excluding rectum**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.8	0.2	0.0-0.4	0.8	0.3	0.1-0.8	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	3.2	0.7	0.4-1.2	2.4	1.0	0.5-1.8	0.8	0.4	0.1-0.9	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	4.6	1.0	0.7-1.6	2.6	1.2	0.6-2.0	2.0	0.9	0.4-1.7	0.2	0.0	0.0-0.3	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.3
20-24 years	9.6	1.8	1.3-2.4	4.0	1.6	0.9-2.4	5.6	2.0	1.3-2.9	1.2	0.2	0.1-0.5	1.0	0.4	0.1-0.9	0.2	0.1	0.0-0.4
25-29 years	17.0	2.2	1.8-2.7	9.2	2.5	1.8-3.3	7.8	2.0	1.4-2.7	3.2	0.4	0.2-0.7	1.4	0.4	0.2-0.8	1.8	0.5	0.2-0.9
30-34 years	28.4	3.9	3.3-4.6	15.6	4.4	3.5-5.5	12.8	3.5	2.7-4.4	3.8	0.5	0.3-0.8	2.2	0.6	0.3-1.1	1.6	0.4	0.2-0.9
35-39 years	42.8	7.0	6.1-8.0	25.0	8.4	7.0-10.0	17.8	5.7	4.6-7.0	10.0	1.6	1.2-2.2	6.2	2.1	1.4-2.9	3.8	1.2	0.7-1.9
40-44 years	66.8	12.6	11.2-14.0	33.4	13.0	11.1-15.1	33.4	12.1	10.4-14.1	14.8	2.8	2.2-3.5	8.0	3.1	2.2-4.2	6.8	2.5	1.7-3.5
45-49 years	108.0	20.6	18.9-22.4	53.4	21.2	18.7-23.9	54.6	20.0	17.7-22.5	30.2	5.8	4.9-6.7	17.0	6.8	5.4-8.3	13.2	4.8	3.7-6.1
50-54 years	183.8	34.9	32.7-37.3	91.0	36.3	33.0-39.8	92.8	33.7	30.7-37.0	49.2	9.4	8.2-10.6	26.8	10.7	8.9-12.7	22.4	8.1	6.7-9.8
55-59 years	230.2	44.2	41.7-46.8	128.6	52.5	48.5-56.7	101.6	36.9	33.7-40.2	64.4	12.4	11.1-13.8	31.4	12.8	10.9-15.0	33.0	12.0	10.2-13.9
60-64 years	277.8	58.6	55.6-61.8	151.6	69.5	64.7-74.7	126.2	49.3	45.5-53.3	89.6	18.9	17.2-20.7	50.0	22.9	20.2-26.0	39.6	15.5	13.4-17.8
65-69 years	313.2	78.8	75.0-82.8	175.0	98.7	92.3-105.5	138.2	62.8	58.2-67.7	105.6	26.6	24.4-28.9	55.0	31.0	27.5-34.9	50.6	23.0	20.3-26.0
70-74 years	313.2	102.6	97.6-107.8	156.4	119.7	111.5-128.4	156.8	89.8	83.6-96.3	104.2	34.1	31.3-37.2	56.0	42.9	38.0-48.2	48.2	27.6	24.2-31.3
75-79 years	271.0	124.1	117.5-130.9	125.8	141.5	130.6-153.0	145.2	112.1	104.1-120.6	103.0	47.2	43.2-51.4	47.8	53.7	47.1-61.0	55.2	42.6	37.7-48.0
80-84 years	245.6	158.6	149.9-167.7	111.0	183.9	168.9-199.9	134.6	142.4	131.9-153.6	120.6	77.9	71.8-84.4	53.8	89.1	78.8-100.5	66.8	70.7	63.3-78.7
85+ years	294.0	166.4	158.0-175.2	111.8	189.1	173.7-205.4	182.2	155.0	145.1-165.4	207.8	117.6	110.6-125.0	83.4	141.1	127.8-155.3	124.4	105.8	97.7-114.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Rectum & rectosigmoid**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	0.4	0.1	0.0-0.3	0.2	0.1	0.0-0.5	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
20-24 years	2.2	0.4	0.2-0.7	0.4	0.2	0.0-0.6	1.8	0.7	0.3-1.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
25-29 years	8.4	1.1	0.8-1.5	3.8	1.0	0.6-1.6	4.6	1.2	0.7-1.7	0.8	0.1	0.0-0.3	0.2	0.1	0.0-0.3	0.6	0.2	0.0-0.4
30-34 years	13.8	1.9	1.5-2.4	6.8	1.9	1.3-2.7	7.0	1.9	1.3-2.6	2.4	0.3	0.2-0.6	1.6	0.4	0.2-0.9	0.8	0.2	0.1-0.6
35-39 years	27.2	4.5	3.7-5.3	15.4	5.2	4.1-6.4	11.8	3.8	2.9-4.9	4.2	0.7	0.4-1.1	2.2	0.7	0.4-1.3	2.0	0.6	0.3-1.2
40-44 years	40.2	7.6	6.5-8.7	23.0	9.0	7.4-10.8	17.2	6.2	5.0-7.7	7.2	1.4	0.9-1.9	4.6	1.8	1.1-2.7	2.6	0.9	0.5-1.6
45-49 years	69.0	13.1	11.8-14.6	38.4	15.3	13.2-17.6	30.6	11.2	9.5-13.1	10.0	1.9	1.4-2.5	6.0	2.4	1.6-3.4	4.0	1.5	0.9-2.3
50-54 years	132.4	25.2	23.3-27.2	74.2	29.6	26.6-32.7	58.2	21.2	18.8-23.7	15.4	2.9	2.3-3.7	10.4	4.1	3.1-5.4	5.0	1.8	1.2-2.7
55-59 years	121.8	23.4	21.6-25.3	73.0	29.8	26.8-33.0	48.8	17.7	15.5-20.1	20.2	3.9	3.2-4.7	13.2	5.4	4.2-6.9	7.0	2.5	1.8-3.5
60-64 years	135.4	28.6	26.5-30.8	78.8	36.1	32.7-39.9	56.6	22.1	19.6-24.8	23.2	4.9	4.0-5.9	13.2	6.1	4.7-7.7	10.0	3.9	2.9-5.2
65-69 years	130.4	32.8	30.4-35.4	81.2	45.8	41.5-50.5	49.2	22.4	19.7-25.3	23.4	5.9	4.9-7.1	14.6	8.2	6.5-10.4	8.8	4.0	2.9-5.4
70-74 years	110.6	36.2	33.3-39.4	64.4	49.3	44.1-55.0	46.2	26.5	23.2-30.1	25.4	8.3	6.9-9.9	15.2	11.6	9.2-14.6	10.2	5.8	4.3-7.7
75-79 years	87.0	39.8	36.2-43.8	49.4	55.5	48.8-62.9	37.6	29.0	25.0-33.5	22.8	10.4	8.6-12.5	14.8	16.6	13.1-20.9	8.0	6.2	4.4-8.4
80-84 years	62.4	40.3	36.0-45.0	33.6	55.7	47.6-64.8	28.8	30.5	25.7-35.9	20.0	12.9	10.5-15.7	10.6	17.6	13.2-23.0	9.4	9.9	7.3-13.2
85+ years	72.4	41.0	36.9-45.4	31.8	53.8	45.7-62.8	40.6	34.5	30.0-39.6	37.4	21.2	18.2-24.4	13.6	23.0	17.9-29.2	23.8	20.3	16.8-24.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Liver / intrahepatic bile duct**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	4.2	0.8	0.5-1.2	2.2	0.8	0.4-1.4	2.0	0.8	0.4-1.4	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.3
5-9 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.4	0.1	0.0-0.3	0.2	0.1	0.0-0.5	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	1.0	0.2	0.1-0.5	0.6	0.3	0.1-0.8	0.4	0.2	0.0-0.7	0.6	0.1	0.0-0.4	0.6	0.3	0.1-0.8	0.0	0.0	0.0-0.3
20-24 years	1.4	0.3	0.1-0.5	0.6	0.2	0.0-0.7	0.8	0.3	0.1-0.7	0.4	0.1	0.0-0.3	0.2	0.1	0.0-0.4	0.2	0.1	0.0-0.4
25-29 years	5.2	0.7	0.4-1.0	3.8	1.0	0.6-1.6	1.4	0.4	0.1-0.7	1.4	0.2	0.1-0.4	0.8	0.2	0.1-0.5	0.6	0.2	0.0-0.4
30-34 years	7.8	1.1	0.8-1.5	5.4	1.5	1.0-2.2	2.4	0.7	0.3-1.1	3.6	0.5	0.3-0.8	2.0	0.6	0.3-1.0	1.6	0.4	0.2-0.9
35-39 years	8.4	1.4	1.0-1.9	6.6	2.2	1.5-3.1	1.8	0.6	0.3-1.1	4.4	0.7	0.5-1.1	3.6	1.2	0.7-1.9	0.8	0.3	0.1-0.7
40-44 years	16.4	3.1	2.5-3.8	13.0	5.1	3.9-6.5	3.4	1.2	0.7-2.0	9.4	1.8	1.3-2.4	7.4	2.9	2.0-4.0	2.0	0.7	0.3-1.3
45-49 years	33.8	6.4	5.5-7.5	25.8	10.2	8.6-12.2	8.0	2.9	2.1-4.0	16.0	3.0	2.4-3.8	11.8	4.7	3.6-6.0	4.2	1.5	1.0-2.4
50-54 years	59.2	11.3	10.0-12.6	44.6	17.8	15.5-20.3	14.6	5.3	4.2-6.7	28.2	5.4	4.5-6.3	20.8	8.3	6.8-10.0	7.4	2.7	1.9-3.7
55-59 years	120.4	23.1	21.3-25.0	94.0	38.3	35.0-42.0	26.4	9.6	8.0-11.4	57.6	11.1	9.8-12.4	40.4	16.5	14.3-18.9	17.2	6.2	5.0-7.7
60-64 years	182.6	38.5	36.1-41.1	139.8	64.1	59.5-69.1	42.8	16.7	14.6-19.1	96.6	20.4	18.6-22.3	72.0	33.0	29.7-36.6	24.6	9.6	8.0-11.5
65-69 years	196.8	49.5	46.5-52.7	141.0	79.5	73.8-85.6	55.8	25.4	22.5-28.5	111.8	28.1	25.9-30.6	80.6	45.5	41.1-50.1	31.2	14.2	12.0-16.6
70-74 years	141.4	46.3	43.0-49.9	98.4	75.3	68.8-82.3	43.0	24.6	21.4-28.1	90.6	29.7	27.0-32.5	59.2	45.3	40.3-50.8	31.4	18.0	15.3-21.0
75-79 years	102.0	46.7	42.7-50.9	62.6	70.4	62.8-78.6	39.4	30.4	26.3-35.0	71.6	32.8	29.5-36.4	45.2	50.8	44.4-57.9	26.4	20.4	17.1-24.2
80-84 years	79.8	51.5	46.6-56.8	47.4	78.5	68.9-89.2	32.4	34.3	29.2-40.0	62.0	40.0	35.7-44.8	35.8	59.3	50.9-68.7	26.2	27.7	23.2-32.9
85+ years	71.2	40.3	36.2-44.7	32.2	54.5	46.4-63.6	39.0	33.2	28.7-38.2	73.8	41.8	37.6-46.3	33.2	56.1	47.9-65.4	40.6	34.5	30.0-39.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Pancreas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	1.0	0.2	0.1-0.5	0.4	0.2	0.0-0.6	0.6	0.3	0.1-0.8	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	0.6	0.1	0.0-0.4	0.2	0.1	0.0-0.5	0.4	0.2	0.0-0.7	0.2	0.0	0.0-0.3	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.3
20-24 years	0.6	0.1	0.0-0.3	0.0	0.0	0.0-0.3	0.6	0.2	0.0-0.6	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
25-29 years	4.2	0.5	0.3-0.8	2.4	0.6	0.3-1.1	1.8	0.5	0.2-0.9	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3
30-34 years	4.8	0.7	0.4-1.0	1.8	0.5	0.2-1.0	3.0	0.8	0.5-1.3	1.2	0.2	0.1-0.4	1.0	0.3	0.1-0.7	0.2	0.1	0.0-0.3
35-39 years	10.6	1.7	1.3-2.3	5.2	1.7	1.1-2.6	5.4	1.7	1.1-2.5	4.0	0.7	0.4-1.0	2.4	0.8	0.4-1.4	1.6	0.5	0.2-1.0
40-44 years	16.8	3.2	2.5-3.9	9.0	3.5	2.6-4.7	7.8	2.8	2.0-3.9	7.8	1.5	1.0-2.0	4.8	1.9	1.2-2.8	3.0	1.1	0.6-1.8
45-49 years	35.2	6.7	5.8-7.8	20.0	7.9	6.5-9.7	15.2	5.6	4.4-7.0	17.8	3.4	2.7-4.2	10.6	4.2	3.2-5.5	7.2	2.6	1.8-3.6
50-54 years	66.2	12.6	11.3-14.0	36.8	14.7	12.6-16.9	29.4	10.7	9.0-12.6	40.2	7.6	6.6-8.8	22.0	8.8	7.2-10.6	18.2	6.6	5.3-8.1
55-59 years	114.6	22.0	20.2-23.9	64.8	26.4	23.6-29.5	49.8	18.1	15.9-20.5	76.8	14.7	13.3-16.3	45.8	18.7	16.3-21.3	31.0	11.2	9.5-13.2
60-64 years	159.0	33.5	31.3-36.0	91.0	41.7	38.0-45.8	68.0	26.6	23.8-29.5	102.4	21.6	19.8-23.6	57.4	26.3	23.4-29.6	45.0	17.6	15.4-20.0
65-69 years	198.2	49.9	46.8-53.1	105.2	59.4	54.4-64.6	93.0	42.3	38.5-46.3	139.2	35.0	32.5-37.7	74.0	41.7	37.6-46.2	65.2	29.6	26.5-33.0
70-74 years	201.6	66.0	62.0-70.2	90.6	69.3	63.1-76.0	111.0	63.6	58.4-69.1	146.8	48.1	44.7-51.7	70.0	53.6	48.1-59.5	76.8	44.0	39.7-48.6
75-79 years	172.8	79.1	73.9-84.6	77.0	86.6	78.1-95.7	95.8	74.0	67.5-80.9	134.8	61.7	57.1-66.6	57.6	64.8	57.5-72.7	77.2	59.6	53.8-65.9
80-84 years	145.2	93.8	87.1-100.8	65.8	109.0	97.6-121.5	79.4	84.0	76.0-92.7	124.4	80.3	74.1-86.9	57.0	94.4	83.8-106.1	67.4	71.3	63.9-79.4
85+ years	180.4	102.1	95.6-109.0	59.0	99.8	88.7-111.8	121.4	103.3	95.2-111.8	178.2	100.9	94.4-107.7	65.0	109.9	98.3-122.6	113.2	96.3	88.5-104.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Larynx**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
20-24 years	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
25-29 years	0.4	0.1	0.0-0.2	0.4	0.1	0.0-0.4	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
30-34 years	0.6	0.1	0.0-0.2	0.4	0.1	0.0-0.4	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
35-39 years	1.2	0.2	0.1-0.4	0.6	0.2	0.0-0.6	0.6	0.2	0.0-0.6	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
40-44 years	3.0	0.6	0.3-0.9	2.4	0.9	0.5-1.6	0.6	0.2	0.0-0.6	0.6	0.1	0.0-0.3	0.6	0.2	0.0-0.7	0.0	0.0	0.0-0.3
45-49 years	6.8	1.3	0.9-1.8	4.4	1.7	1.1-2.6	2.4	0.9	0.5-1.5	1.0	0.2	0.1-0.4	1.0	0.4	0.1-0.9	0.0	0.0	0.0-0.3
50-54 years	19.8	3.8	3.1-4.6	15.0	6.0	4.7-7.5	4.8	1.7	1.1-2.6	3.0	0.6	0.3-0.9	2.6	1.0	0.6-1.8	0.4	0.1	0.0-0.5
55-59 years	32.8	6.3	5.4-7.3	24.4	10.0	8.3-11.9	8.4	3.0	2.2-4.1	7.6	1.5	1.0-2.0	5.2	2.1	1.4-3.1	2.4	0.9	0.4-1.5
60-64 years	40.4	8.5	7.4-9.8	31.8	14.6	12.4-17.0	8.6	3.4	2.4-4.5	11.2	2.4	1.8-3.1	8.8	4.0	2.9-5.4	2.4	0.9	0.5-1.6
65-69 years	43.2	10.9	9.5-12.4	35.0	19.7	16.9-22.9	8.2	3.7	2.7-5.1	13.0	3.3	2.5-4.2	10.4	5.9	4.4-7.7	2.6	1.2	0.6-2.0
70-74 years	31.6	10.4	8.8-12.1	24.6	18.8	15.6-22.5	7.0	4.0	2.8-5.6	11.0	3.6	2.7-4.7	9.4	7.2	5.3-9.6	1.6	0.9	0.4-1.8
75-79 years	31.4	14.4	12.2-16.8	25.4	28.6	23.8-34.0	6.0	4.6	3.1-6.6	8.4	3.8	2.8-5.2	7.2	8.1	5.7-11.2	1.2	0.9	0.3-2.0
80-84 years	19.8	12.8	10.4-15.6	17.2	28.5	22.8-35.2	2.6	2.8	1.5-4.7	8.0	5.2	3.7-7.0	7.0	11.6	8.1-16.1	1.0	1.1	0.3-2.5
85+ years	12.2	6.9	5.3-8.9	10.8	18.3	13.7-23.8	1.4	1.2	0.5-2.5	8.8	5.0	3.6-6.7	6.6	11.2	7.7-15.7	2.2	1.9	0.9-3.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Lung and bronchus**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.4	0.1	0.0-0.3	0.2	0.1	0.0-0.4	0.2	0.1	0.0-0.4	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.3
5-9 years	0.6	0.1	0.0-0.4	0.4	0.2	0.0-0.6	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.2	0.1	0.0-0.5	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.3
15-19 years	0.6	0.1	0.0-0.4	0.4	0.2	0.0-0.6	0.2	0.1	0.0-0.5	0.2	0.0	0.0-0.3	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.3
20-24 years	2.0	0.4	0.2-0.7	1.6	0.6	0.3-1.2	0.4	0.1	0.0-0.5	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.2	0.1	0.0-0.4
25-29 years	4.8	0.6	0.4-0.9	1.6	0.4	0.2-0.8	3.2	0.8	0.5-1.3	0.8	0.1	0.0-0.3	0.4	0.1	0.0-0.4	0.4	0.1	0.0-0.4
30-34 years	10.6	1.5	1.1-1.9	5.0	1.4	0.9-2.1	5.6	1.5	1.0-2.2	2.2	0.3	0.2-0.5	1.2	0.3	0.1-0.7	1.0	0.3	0.1-0.6
35-39 years	20.2	3.3	2.7-4.0	10.6	3.6	2.7-4.6	9.6	3.1	2.3-4.1	6.0	1.0	0.7-1.4	4.2	1.4	0.9-2.2	1.8	0.6	0.3-1.1
40-44 years	37.0	7.0	6.0-8.0	17.6	6.9	5.5-8.5	19.4	7.0	5.7-8.6	12.0	2.3	1.7-2.9	5.4	2.1	1.4-3.1	6.6	2.4	1.7-3.4
45-49 years	84.0	16.0	14.5-17.6	39.2	15.6	13.5-17.9	44.8	16.4	14.3-18.7	35.0	6.7	5.7-7.7	19.0	7.5	6.1-9.2	16.0	5.9	4.6-7.3
50-54 years	185.4	35.2	33.0-37.6	94.6	37.7	34.4-41.3	90.8	33.0	30.0-36.2	82.2	15.6	14.2-17.2	44.4	17.7	15.4-20.2	37.8	13.7	11.9-15.8
55-59 years	380.0	73.0	69.7-76.3	199.8	81.5	76.5-86.7	180.2	65.4	61.2-69.8	176.4	33.9	31.7-36.2	101.6	41.4	37.9-45.2	74.8	27.1	24.4-30.0
60-64 years	574.0	121.1	116.7-125.6	291.4	133.7	126.9-140.7	282.6	110.4	104.7-116.3	248.4	52.4	49.5-55.4	140.2	64.3	59.6-69.2	108.2	42.3	38.8-46.0
65-69 years	694.6	174.8	169.1-180.8	358.4	202.2	192.9-211.8	336.2	152.8	145.6-160.3	307.8	77.5	73.7-81.5	173.4	97.8	91.4-104.6	134.4	61.1	56.6-65.9
70-74 years	738.4	241.9	234.1-249.8	372.2	284.9	272.1-298.1	366.2	209.7	200.2-219.6	338.8	111.0	105.8-116.4	187.8	143.7	134.7-153.2	151.0	86.5	80.4-92.9
75-79 years	680.8	311.7	301.3-322.3	339.4	381.6	363.7-400.2	341.4	263.6	251.3-276.4	329.8	151.0	143.8-158.5	178.2	200.4	187.4-214.0	151.6	117.1	108.9-125.7
80-84 years	478.2	308.8	296.6-321.5	229.0	379.4	357.8-402.1	249.2	263.7	249.3-278.8	292.6	189.0	179.4-198.9	148.8	246.6	229.2-264.9	143.8	152.2	141.3-163.7
85+ years	419.2	237.3	227.2-247.7	182.8	309.2	289.4-329.9	236.4	201.1	189.8-212.9	365.0	206.6	197.2-216.3	158.8	268.6	250.2-287.9	206.2	175.4	164.9-186.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Melanoma of the skin**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	1.4	0.3	0.1-0.7	0.8	0.4	0.1-0.9	0.6	0.3	0.1-0.8	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
20-24 years	8.0	1.5	1.1-2.0	1.8	0.7	0.3-1.3	6.2	2.2	1.5-3.2	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.2	0.1	0.0-0.4
25-29 years	21.6	2.8	2.3-3.4	7.0	1.9	1.3-2.6	14.6	3.7	2.9-4.6	0.6	0.1	0.0-0.2	0.4	0.1	0.0-0.4	0.2	0.1	0.0-0.3
30-34 years	35.6	4.9	4.2-5.7	13.8	3.9	3.0-4.9	21.8	5.9	4.9-7.2	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.2	0.1	0.0-0.3
35-39 years	30.4	5.0	4.2-5.8	15.2	5.1	4.0-6.4	15.2	4.9	3.8-6.1	2.0	0.3	0.2-0.6	1.2	0.4	0.1-0.9	0.8	0.3	0.1-0.7
40-44 years	33.8	6.4	5.4-7.4	17.6	6.9	5.5-8.5	16.2	5.9	4.7-7.3	1.4	0.3	0.1-0.5	1.4	0.5	0.2-1.1	0.0	0.0	0.0-0.3
45-49 years	47.2	9.0	7.9-10.2	23.6	9.4	7.8-11.2	23.6	8.6	7.2-10.3	3.0	0.6	0.3-0.9	1.4	0.6	0.2-1.1	1.6	0.6	0.3-1.2
50-54 years	53.2	10.1	8.9-11.4	26.8	10.7	8.9-12.7	26.4	9.6	8.0-11.4	5.0	1.0	0.6-1.4	3.0	1.2	0.7-2.0	2.0	0.7	0.3-1.3
55-59 years	75.8	14.6	13.1-16.1	44.0	17.9	15.7-20.5	31.8	11.5	9.8-13.5	5.2	1.0	0.7-1.5	4.0	1.6	1.0-2.5	1.2	0.4	0.2-0.9
60-64 years	94.4	19.9	18.2-21.8	55.8	25.6	22.7-28.8	38.6	15.1	13.0-17.4	5.8	1.2	0.8-1.8	3.8	1.7	1.0-2.7	2.0	0.8	0.4-1.4
65-69 years	102.6	25.8	23.6-28.2	59.0	33.3	29.6-37.3	43.6	19.8	17.3-22.6	10.0	2.5	1.9-3.3	6.6	3.7	2.6-5.2	3.4	1.5	0.9-2.5
70-74 years	121.0	39.6	36.5-42.9	74.8	57.2	51.6-63.4	46.2	26.5	23.2-30.1	8.4	2.8	2.0-3.7	4.4	3.4	2.1-5.1	4.0	2.3	1.4-3.5
75-79 years	101.6	46.5	42.6-50.7	59.2	66.6	59.2-74.6	42.4	32.7	28.5-37.5	11.4	5.2	4.0-6.8	5.6	6.3	4.2-9.1	5.8	4.5	3.0-6.4
80-84 years	88.0	56.8	51.6-62.4	52.4	86.8	76.6-98.0	35.6	37.7	32.3-43.6	12.6	8.1	6.3-10.4	8.6	14.2	10.3-19.2	4.0	4.2	2.6-6.5
85+ years	96.6	54.7	49.9-59.8	54.2	91.7	81.1-103.3	42.4	36.1	31.4-41.3	18.4	10.4	8.4-12.8	8.8	14.9	10.8-20.0	9.6	8.2	6.0-10.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Female breast**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	0.6	0.3	0.1-0.8	0.0	0.0	0.0-0.3
20-24 years	7.2	2.6	1.8-3.6	0.2	0.1	0.0-0.4
25-29 years	49.6	12.5	11.0-14.2	1.6	0.4	0.2-0.8
30-34 years	129.2	35.1	32.5-38.0	9.2	2.5	1.8-3.3
35-39 years	224.4	71.9	67.8-76.2	19.8	6.3	5.2-7.7
40-44 years	401.8	146.0	139.7-152.5	26.0	9.4	7.9-11.2
45-49 years	589.2	215.7	208.0-223.7	54.4	19.9	17.6-22.4
50-54 years	686.2	249.5	241.2-258.0	72.4	26.3	23.7-29.2
55-59 years	786.8	285.4	276.5-294.4	99.2	36.0	32.9-39.3
60-64 years	834.2	325.9	316.1-335.9	104.0	40.6	37.2-44.3
65-69 years	829.0	376.8	365.4-388.5	117.4	53.4	49.1-57.9
70-74 years	722.6	413.8	400.5-427.6	113.6	65.1	59.8-70.6
75-79 years	513.8	396.8	381.6-412.4	101.0	78.0	71.3-85.1
80-84 years	332.2	351.6	334.9-368.9	91.6	96.9	88.3-106.2
85+ years	315.6	268.5	255.4-282.1	177.2	150.8	141.0-161.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Cervix uteri**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	0.4	0.2	0.0-0.7	0.0	0.0	0.0-0.3
20-24 years	1.0	0.4	0.1-0.8	0.2	0.1	0.0-0.4
25-29 years	11.8	3.0	2.3-3.8	0.4	0.1	0.0-0.4
30-34 years	29.8	8.1	6.9-9.5	2.6	0.7	0.4-1.2
35-39 years	37.4	12.0	10.3-13.8	5.2	1.7	1.1-2.4
40-44 years	38.2	13.9	12.0-16.0	5.4	2.0	1.3-2.9
45-49 years	45.6	16.7	14.6-19.0	8.6	3.1	2.3-4.2
50-54 years	45.2	16.4	14.4-18.7	14.4	5.2	4.1-6.6
55-59 years	50.6	18.4	16.2-20.8	10.8	3.9	2.9-5.1
60-64 years	46.8	18.3	16.0-20.8	13.6	5.3	4.1-6.7
65-69 years	36.2	16.5	14.1-19.0	11.8	5.4	4.1-6.9
70-74 years	23.2	13.3	11.0-15.9	10.4	6.0	4.4-7.8
75-79 years	21.4	16.5	13.5-20.0	10.8	8.3	6.3-10.9
80-84 years	14.4	15.2	11.9-19.2	7.8	8.3	5.9-11.3
85+ years	13.2	11.2	8.7-14.3	8.8	7.5	5.4-10.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

New York City

Corpus uterus and uterus, not otherwise specified

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.3
20-24 years	1.6	0.6	0.3-1.1	0.2	0.1	0.0-0.4
25-29 years	7.0	1.8	1.2-2.5	0.6	0.2	0.0-0.4
30-34 years	17.6	4.8	3.8-5.9	1.0	0.3	0.1-0.6
35-39 years	26.8	8.6	7.2-10.2	1.8	0.6	0.3-1.1
40-44 years	44.0	16.0	13.9-18.2	2.8	1.0	0.6-1.7
45-49 years	79.2	29.0	26.2-32.0	8.4	3.1	2.2-4.2
50-54 years	152.2	55.3	51.5-59.4	19.6	7.1	5.8-8.7
55-59 years	229.8	83.3	78.6-88.3	33.0	12.0	10.2-13.9
60-64 years	288.2	112.6	106.9-118.6	54.0	21.1	18.7-23.8
65-69 years	283.4	128.8	122.2-135.7	72.2	32.8	29.5-36.4
70-74 years	228.0	130.6	123.1-138.4	63.2	36.2	32.3-40.4
75-79 years	148.4	114.6	106.5-123.1	49.8	38.5	33.8-43.5
80-84 years	82.6	87.4	79.2-96.3	37.2	39.4	33.9-45.5
85+ years	65.0	55.3	49.5-61.7	42.8	36.4	31.7-41.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Ovary**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.6	0.2	0.0-0.7	0.0	0.0	0.0-0.3
5-9 years	1.8	0.8	0.3-1.4	0.0	0.0	0.0-0.3
10-14 years	2.4	1.1	0.6-1.9	0.0	0.0	0.0-0.3
15-19 years	4.0	1.8	1.1-2.8	0.0	0.0	0.0-0.3
20-24 years	6.8	2.5	1.7-3.4	0.0	0.0	0.0-0.3
25-29 years	9.4	2.4	1.7-3.2	0.6	0.2	0.0-0.4
30-34 years	16.0	4.4	3.5-5.4	1.8	0.5	0.2-0.9
35-39 years	18.2	5.8	4.7-7.2	2.4	0.8	0.4-1.3
40-44 years	28.8	10.5	8.8-12.3	3.0	1.1	0.6-1.8
45-49 years	42.0	15.4	13.4-17.6	11.6	4.2	3.2-5.5
50-54 years	55.4	20.1	17.8-22.7	20.6	7.5	6.1-9.1
55-59 years	69.4	25.2	22.6-28.0	36.2	13.1	11.3-15.2
60-64 years	70.6	27.6	24.8-30.6	42.6	16.6	14.5-19.0
65-69 years	64.4	29.3	26.2-32.7	47.8	21.7	19.1-24.7
70-74 years	61.4	35.2	31.3-39.3	47.0	26.9	23.6-30.6
75-79 years	47.4	36.6	32.1-41.6	48.6	37.5	33.0-42.6
80-84 years	31.6	33.4	28.4-39.1	30.2	32.0	27.1-37.5
85+ years	37.8	32.2	27.7-37.1	39.2	33.4	28.8-38.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Prostate**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.0	0.0	0.0-0.3	0.2	0.1	0.0-0.4
10-14 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.3
20-24 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
25-29 years	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
30-34 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
35-39 years	2.2	0.7	0.4-1.3	0.0	0.0	0.0-0.2
40-44 years	21.6	8.4	6.9-10.2	0.6	0.2	0.0-0.7
45-49 years	97.8	38.8	35.5-42.4	2.0	0.8	0.4-1.5
50-54 years	314.4	125.3	119.2-131.7	7.6	3.0	2.1-4.2
55-59 years	728.8	297.3	287.7-307.1	23.6	9.6	8.0-11.5
60-64 years	1,091.2	500.5	487.3-514.0	45.6	20.9	18.3-23.8
65-69 years	1,233.6	696.0	678.7-713.5	63.2	35.7	31.8-39.8
70-74 years	1,007.2	770.8	749.7-792.4	94.2	72.1	65.7-78.9
75-79 years	591.2	664.8	641.0-689.2	106.0	119.2	109.3-129.8
80-84 years	288.2	477.5	453.2-502.8	116.4	192.9	177.5-209.2
85+ years	183.8	310.9	291.1-331.6	209.2	353.8	332.7-375.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Testis**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.0	0.4	0.1-0.9	0.0	0.0	0.0-0.3
5-9 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	1.0	0.4	0.1-1.0	0.0	0.0	0.0-0.3
15-19 years	6.2	2.8	1.9-3.9	0.2	0.1	0.0-0.5
20-24 years	31.6	12.3	10.4-14.4	0.2	0.1	0.0-0.4
25-29 years	48.2	12.9	11.3-14.7	0.8	0.2	0.1-0.5
30-34 years	45.8	12.8	11.2-14.6	0.8	0.2	0.1-0.6
35-39 years	39.2	13.1	11.4-15.1	1.2	0.4	0.1-0.9
40-44 years	19.2	7.5	6.1-9.1	1.0	0.4	0.1-0.9
45-49 years	12.4	4.9	3.8-6.3	0.0	0.0	0.0-0.3
50-54 years	6.2	2.5	1.7-3.5	0.2	0.1	0.0-0.4
55-59 years	6.0	2.4	1.7-3.5	0.4	0.2	0.0-0.6
60-64 years	3.8	1.7	1.0-2.7	0.4	0.2	0.0-0.7
65-69 years	3.0	1.7	0.9-2.8	0.2	0.1	0.0-0.6
70-74 years	0.2	0.2	0.0-0.9	0.4	0.3	0.0-1.1
75-79 years	0.6	0.7	0.1-2.0	0.6	0.7	0.1-2.0
80-84 years	0.2	0.3	0.0-1.8	0.4	0.7	0.1-2.4
85+ years	0.8	1.4	0.4-3.5	0.2	0.3	0.0-1.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Urinary bladder (incl. in situ)**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.8	0.1	0.0-0.4	0.6	0.2	0.0-0.6	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	0.4	0.1	0.0-0.3	0.2	0.1	0.0-0.5	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
20-24 years	1.4	0.3	0.1-0.5	0.6	0.2	0.0-0.7	0.8	0.3	0.1-0.7	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
25-29 years	1.8	0.2	0.1-0.4	1.6	0.4	0.2-0.8	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
30-34 years	4.6	0.6	0.4-1.0	3.8	1.1	0.6-1.7	0.8	0.2	0.1-0.6	0.6	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.4	0.1	0.0-0.4
35-39 years	10.0	1.6	1.2-2.2	7.4	2.5	1.7-3.4	2.6	0.8	0.4-1.4	1.0	0.2	0.1-0.4	0.4	0.1	0.0-0.5	0.6	0.2	0.0-0.6
40-44 years	13.4	2.5	2.0-3.2	9.6	3.7	2.8-5.0	3.8	1.4	0.8-2.2	0.8	0.2	0.0-0.4	0.6	0.2	0.0-0.7	0.2	0.1	0.0-0.4
45-49 years	27.2	5.2	4.3-6.1	20.6	8.2	6.7-9.9	6.6	2.4	1.7-3.4	3.6	0.7	0.4-1.1	3.0	1.2	0.7-2.0	0.6	0.2	0.0-0.6
50-54 years	59.4	11.3	10.0-12.7	42.2	16.8	14.6-19.2	17.2	6.3	5.0-7.7	4.6	0.9	0.6-1.3	3.2	1.3	0.7-2.1	1.4	0.5	0.2-1.0
55-59 years	101.2	19.4	17.8-21.2	75.6	30.8	27.8-34.1	25.6	9.3	7.7-11.0	10.4	2.0	1.5-2.6	8.0	3.3	2.3-4.4	2.4	0.9	0.4-1.5
60-64 years	167.2	35.3	32.9-37.7	126.4	58.0	53.5-62.7	40.8	15.9	13.8-18.3	16.2	3.4	2.7-4.2	12.2	5.6	4.3-7.2	4.0	1.6	1.0-2.4
65-69 years	224.2	56.4	53.2-59.8	169.6	95.7	89.4-102.3	54.6	24.8	22.0-27.9	22.8	5.7	4.7-6.9	14.8	8.3	6.6-10.5	8.0	3.6	2.6-5.0
70-74 years	251.2	82.3	77.8-87.0	190.2	145.6	136.5-155.1	61.0	34.9	31.1-39.1	36.6	12.0	10.3-13.9	26.6	20.4	17.0-24.1	10.0	5.7	4.3-7.6
75-79 years	250.6	114.7	108.5-121.3	182.8	205.5	192.4-219.3	67.8	52.4	46.9-58.2	40.6	18.6	16.1-21.3	26.4	29.7	24.8-35.2	14.2	11.0	8.6-13.8
80-84 years	200.4	129.4	121.5-137.7	140.6	233.0	216.1-250.8	59.8	63.3	56.3-70.9	51.6	33.3	29.4-37.6	33.6	55.7	47.6-64.8	18.0	19.0	15.3-23.4
85+ years	228.2	129.2	121.8-136.9	159.6	269.9	251.5-289.3	68.6	58.4	52.4-64.9	105.8	59.9	54.9-65.2	69.6	117.7	105.7-130.8	36.2	30.8	26.5-35.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Kidney and renal pelvis**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	10.4	1.9	1.5-2.5	6.4	2.3	1.6-3.3	4.0	1.5	0.9-2.4	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.2	0.1	0.0-0.4
5-9 years	2.0	0.4	0.2-0.8	0.6	0.2	0.0-0.7	1.4	0.6	0.2-1.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	1.4	0.3	0.1-0.6	0.6	0.3	0.1-0.8	0.8	0.4	0.1-0.9	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	1.0	0.2	0.1-0.5	0.0	0.0	0.0-0.3	1.0	0.5	0.1-1.1	0.4	0.1	0.0-0.3	0.0	0.0	0.0-0.3	0.4	0.2	0.0-0.7
20-24 years	5.2	1.0	0.6-1.4	2.4	0.9	0.5-1.6	2.8	1.0	0.6-1.7	0.8	0.2	0.0-0.4	0.6	0.2	0.0-0.7	0.2	0.1	0.0-0.4
25-29 years	7.6	1.0	0.7-1.4	4.0	1.1	0.7-1.7	3.6	0.9	0.5-1.4	1.4	0.2	0.1-0.4	1.0	0.3	0.1-0.6	0.4	0.1	0.0-0.4
30-34 years	20.0	2.8	2.2-3.4	12.2	3.4	2.6-4.4	7.8	2.1	1.5-2.9	0.8	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.2	0.1	0.0-0.3
35-39 years	36.2	5.9	5.1-6.9	22.8	7.6	6.3-9.2	13.4	4.3	3.3-5.5	2.2	0.4	0.2-0.6	2.2	0.7	0.4-1.3	0.0	0.0	0.0-0.2
40-44 years	51.8	9.7	8.6-11.0	35.2	13.7	11.8-15.9	16.6	6.0	4.8-7.5	3.0	0.6	0.3-0.9	2.0	0.8	0.4-1.4	1.0	0.4	0.1-0.8
45-49 years	84.0	16.0	14.5-17.6	54.4	21.6	19.1-24.3	29.6	10.8	9.2-12.7	6.6	1.3	0.9-1.8	5.4	2.1	1.4-3.1	1.2	0.4	0.2-1.0
50-54 years	124.0	23.6	21.8-25.5	82.6	32.9	29.8-36.3	41.4	15.1	13.1-17.2	10.8	2.1	1.5-2.7	8.6	3.4	2.5-4.6	2.2	0.8	0.4-1.4
55-59 years	173.4	33.3	31.1-35.6	117.0	47.7	43.9-51.8	56.4	20.5	18.1-23.0	13.0	2.5	1.9-3.2	10.6	4.3	3.2-5.7	2.4	0.9	0.4-1.5
60-64 years	206.8	43.6	41.0-46.4	134.6	61.7	57.2-66.6	72.2	28.2	25.4-31.3	21.2	4.5	3.7-5.4	16.2	7.4	5.9-9.2	5.0	2.0	1.3-2.9
65-69 years	216.4	54.5	51.3-57.8	139.2	78.5	72.8-84.6	77.2	35.1	31.7-38.8	28.4	7.1	6.0-8.4	19.2	10.8	8.8-13.2	9.2	4.2	3.1-5.6
70-74 years	172.4	56.5	52.8-60.4	110.4	84.5	77.6-91.8	62.0	35.5	31.7-39.7	25.2	8.3	6.9-9.8	16.2	12.4	9.8-15.4	9.0	5.2	3.8-6.9
75-79 years	128.6	58.9	54.4-63.6	79.2	89.1	80.5-98.3	49.4	38.1	33.5-43.2	31.8	14.6	12.4-17.0	18.6	20.9	16.9-25.6	13.2	10.2	7.9-13.0
80-84 years	79.6	51.4	46.5-56.7	49.8	82.5	72.6-93.4	29.8	31.5	26.7-37.0	26.0	16.8	14.0-19.9	16.8	27.8	22.2-34.5	9.2	9.7	7.1-13.0
85+ years	67.8	38.4	34.4-42.7	35.0	59.2	50.7-68.6	32.8	27.9	23.8-32.5	41.6	23.5	20.5-27.0	21.8	36.9	30.3-44.5	19.8	16.8	13.7-20.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Brain and other central nervous system**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	21.4	4.0	3.3-4.8	11.6	4.2	3.2-5.5	9.8	3.7	2.8-5.0	2.0	0.4	0.2-0.7	1.4	0.5	0.2-1.1	0.6	0.2	0.0-0.7
5-9 years	15.4	3.2	2.5-4.0	8.0	3.2	2.3-4.4	7.4	3.1	2.2-4.3	4.4	0.9	0.6-1.4	2.0	0.8	0.4-1.5	2.4	1.0	0.5-1.8
10-14 years	17.8	4.0	3.2-4.9	9.8	4.3	3.2-5.7	8.0	3.6	2.6-4.9	5.0	1.1	0.7-1.6	2.8	1.2	0.7-2.1	2.2	1.0	0.5-1.8
15-19 years	9.6	2.2	1.6-2.9	5.2	2.3	1.5-3.4	4.4	2.0	1.3-3.0	2.6	0.6	0.3-1.0	1.6	0.7	0.3-1.4	1.0	0.5	0.1-1.1
20-24 years	15.6	2.9	2.3-3.7	9.4	3.7	2.7-4.9	6.2	2.2	1.5-3.2	2.0	0.4	0.2-0.7	0.8	0.3	0.1-0.8	1.2	0.4	0.2-0.9
25-29 years	20.0	2.6	2.1-3.2	10.4	2.8	2.1-3.7	9.6	2.4	1.8-3.2	2.6	0.3	0.2-0.6	1.8	0.5	0.2-0.9	0.8	0.2	0.1-0.5
30-34 years	26.0	3.6	3.0-4.3	15.6	4.4	3.5-5.5	10.4	2.8	2.1-3.7	7.0	1.0	0.7-1.3	5.8	1.6	1.1-2.3	1.2	0.3	0.1-0.7
35-39 years	22.8	3.7	3.1-4.5	15.0	5.0	4.0-6.3	7.8	2.5	1.8-3.4	8.4	1.4	1.0-1.9	5.6	1.9	1.2-2.7	2.8	0.9	0.5-1.5
40-44 years	18.0	3.4	2.7-4.2	11.8	4.6	3.5-5.9	6.2	2.3	1.5-3.2	10.0	1.9	1.4-2.5	6.6	2.6	1.8-3.6	3.4	1.2	0.7-2.0
45-49 years	28.8	5.5	4.6-6.5	17.2	6.8	5.5-8.4	11.6	4.2	3.2-5.5	15.8	3.0	2.4-3.8	9.8	3.9	2.9-5.1	6.0	2.2	1.5-3.1
50-54 years	40.2	7.6	6.6-8.8	22.8	9.1	7.5-10.9	17.4	6.3	5.1-7.8	17.8	3.4	2.7-4.2	10.0	4.0	3.0-5.3	7.8	2.8	2.0-3.9
55-59 years	45.8	8.8	7.7-10.0	27.6	11.3	9.5-13.3	18.2	6.6	5.3-8.1	24.2	4.6	3.9-5.6	14.8	6.0	4.7-7.6	9.4	3.4	2.5-4.5
60-64 years	57.2	12.1	10.7-13.6	32.8	15.0	12.8-17.5	24.4	9.5	7.9-11.4	37.4	7.9	6.8-9.1	22.6	10.4	8.5-12.5	14.8	5.8	4.5-7.3
65-69 years	54.4	13.7	12.1-15.4	30.2	17.0	14.4-20.0	24.2	11.0	9.1-13.1	36.6	9.2	7.9-10.6	18.2	10.3	8.3-12.6	18.4	8.4	6.7-10.3
70-74 years	43.8	14.3	12.5-16.4	23.6	18.1	15.0-21.6	20.2	11.6	9.4-14.1	39.8	13.0	11.3-15.0	21.8	16.7	13.7-20.1	18.0	10.3	8.3-12.7
75-79 years	35.6	16.3	14.0-18.9	18.4	20.7	16.7-25.4	17.2	13.3	10.6-16.4	25.0	11.4	9.5-13.6	11.4	12.8	9.7-16.6	13.6	10.5	8.2-13.3
80-84 years	28.4	18.3	15.4-21.6	12.6	20.9	16.0-26.7	15.8	16.7	13.2-20.8	23.4	15.1	12.5-18.1	12.0	19.9	15.2-25.6	11.4	12.1	9.1-15.6
85+ years	24.8	14.0	11.7-16.7	9.2	15.6	11.4-20.8	15.6	13.3	10.5-16.6	26.4	14.9	12.5-17.7	11.4	19.3	14.6-25.0	15.0	12.8	10.0-16.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Thyroid**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.4	0.1	0.0-0.3	0.0	0.0	0.0-0.3	0.4	0.2	0.0-0.6	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	1.0	0.2	0.1-0.5	0.4	0.2	0.0-0.6	0.6	0.3	0.1-0.7	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	4.8	1.1	0.7-1.6	1.0	0.4	0.1-1.0	3.8	1.7	1.0-2.7	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	19.6	4.4	3.6-5.4	3.6	1.6	1.0-2.5	16.0	7.3	5.8-9.0	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
20-24 years	63.2	11.9	10.6-13.2	14.4	5.6	4.4-7.0	48.8	17.7	15.5-20.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
25-29 years	119.6	15.6	14.3-16.9	22.4	6.0	4.9-7.2	97.2	24.6	22.4-26.8	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.2	0.1	0.0-0.3
30-34 years	141.2	19.5	18.1-21.0	29.2	8.2	6.9-9.6	112.0	30.5	28.0-33.1	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3
35-39 years	157.2	25.7	24.0-27.6	35.2	11.8	10.1-13.7	122.0	39.1	36.0-42.3	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.2
40-44 years	173.8	32.7	30.5-34.9	41.6	16.2	14.1-18.6	132.2	48.0	44.4-51.8	0.6	0.1	0.0-0.3	0.0	0.0	0.0-0.3	0.6	0.2	0.0-0.6
45-49 years	178.2	33.9	31.8-36.3	41.0	16.3	14.1-18.7	137.2	50.2	46.5-54.1	0.8	0.2	0.0-0.4	0.8	0.3	0.1-0.8	0.0	0.0	0.0-0.3
50-54 years	193.8	36.8	34.6-39.2	47.8	19.1	16.7-21.6	146.0	53.1	49.3-57.1	2.2	0.4	0.2-0.7	0.8	0.3	0.1-0.8	1.4	0.5	0.2-1.0
55-59 years	177.0	34.0	31.8-36.3	45.0	18.4	16.0-20.9	132.0	47.9	44.3-51.7	2.2	0.4	0.2-0.8	1.4	0.6	0.2-1.2	0.8	0.3	0.1-0.7
60-64 years	165.8	35.0	32.6-37.4	48.8	22.4	19.7-25.4	117.0	45.7	42.1-49.6	3.4	0.7	0.4-1.1	1.4	0.6	0.3-1.3	2.0	0.8	0.4-1.4
65-69 years	140.6	35.4	32.8-38.1	36.6	20.6	17.8-23.9	104.0	47.3	43.3-51.5	5.8	1.5	1.0-2.1	2.2	1.2	0.6-2.2	3.6	1.6	1.0-2.6
70-74 years	98.2	32.2	29.4-35.1	30.0	23.0	19.4-26.9	68.2	39.1	35.0-43.4	7.2	2.4	1.7-3.3	3.4	2.6	1.5-4.2	3.8	2.2	1.3-3.4
75-79 years	49.6	22.7	20.0-25.7	14.8	16.6	13.1-20.9	34.8	26.9	23.0-31.2	7.2	3.3	2.3-4.6	3.2	3.6	2.1-5.8	4.0	3.1	1.9-4.8
80-84 years	28.6	18.5	15.6-21.8	9.4	15.6	11.4-20.7	19.2	20.3	16.5-24.8	8.2	5.3	3.8-7.2	3.4	5.6	3.3-9.0	4.8	5.1	3.3-7.6
85+ years	17.4	9.8	7.9-12.1	5.8	9.8	6.6-14.1	11.6	9.9	7.5-12.8	9.4	5.3	3.9-7.1	1.2	2.0	0.7-4.4	8.2	7.0	5.0-9.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Hodgkin lymphoma**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.8	0.1	0.0-0.4	0.6	0.2	0.0-0.6	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	1.4	0.3	0.1-0.6	1.0	0.4	0.1-0.9	0.4	0.2	0.0-0.6	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	4.4	1.0	0.6-1.5	2.4	1.0	0.5-1.8	2.0	0.9	0.4-1.7	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	16.4	3.7	2.9-4.6	9.2	4.1	3.0-5.5	7.2	3.3	2.3-4.5	0.2	0.0	0.0-0.3	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.3
20-24 years	24.8	4.7	3.9-5.5	11.6	4.5	3.4-5.8	13.2	4.8	3.7-6.1	0.4	0.1	0.0-0.3	0.2	0.1	0.0-0.4	0.2	0.1	0.0-0.4
25-29 years	32.0	4.2	3.5-4.9	15.0	4.0	3.2-5.0	17.0	4.3	3.4-5.3	0.8	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.2	0.1	0.0-0.3
30-34 years	31.2	4.3	3.7-5.0	15.4	4.3	3.4-5.4	15.8	4.3	3.4-5.4	0.4	0.1	0.0-0.2	0.4	0.1	0.0-0.4	0.0	0.0	0.0-0.2
35-39 years	21.8	3.6	2.9-4.3	12.4	4.2	3.2-5.3	9.4	3.0	2.2-4.0	0.6	0.1	0.0-0.3	0.0	0.0	0.0-0.2	0.6	0.2	0.0-0.6
40-44 years	19.0	3.6	2.9-4.4	11.6	4.5	3.4-5.8	7.4	2.7	1.9-3.7	0.6	0.1	0.0-0.3	0.4	0.2	0.0-0.6	0.2	0.1	0.0-0.4
45-49 years	11.4	2.2	1.6-2.8	5.6	2.2	1.5-3.2	5.8	2.1	1.4-3.1	1.6	0.3	0.1-0.6	0.8	0.3	0.1-0.8	0.8	0.3	0.1-0.8
50-54 years	15.0	2.9	2.2-3.6	9.4	3.7	2.8-5.0	5.6	2.0	1.4-2.9	1.2	0.2	0.1-0.5	0.6	0.2	0.0-0.7	0.6	0.2	0.0-0.6
55-59 years	18.8	3.6	2.9-4.4	11.4	4.7	3.5-6.0	7.4	2.7	1.9-3.7	1.6	0.3	0.1-0.6	1.0	0.4	0.1-1.0	0.6	0.2	0.0-0.6
60-64 years	15.2	3.2	2.5-4.0	8.4	3.9	2.8-5.2	6.8	2.7	1.8-3.7	1.8	0.4	0.2-0.7	1.2	0.6	0.2-1.2	0.6	0.2	0.0-0.7
65-69 years	11.0	2.8	2.1-3.6	6.4	3.6	2.5-5.1	4.6	2.1	1.3-3.1	3.8	1.0	0.6-1.5	2.8	1.6	0.9-2.7	1.0	0.5	0.1-1.1
70-74 years	11.4	3.7	2.8-4.8	6.6	5.1	3.5-7.1	4.8	2.7	1.8-4.1	1.6	0.5	0.2-1.0	0.8	0.6	0.2-1.6	0.8	0.5	0.1-1.2
75-79 years	5.8	2.7	1.8-3.8	3.0	3.4	1.9-5.6	2.8	2.2	1.2-3.6	2.0	0.9	0.4-1.7	0.6	0.7	0.1-2.0	1.4	1.1	0.4-2.2
80-84 years	5.8	3.7	2.5-5.4	3.4	5.6	3.3-9.0	2.4	2.5	1.3-4.4	3.2	2.1	1.2-3.4	1.4	2.3	0.9-4.8	1.8	1.9	0.9-3.6
85+ years	4.8	2.7	1.7-4.0	2.6	4.4	2.3-7.5	2.2	1.9	0.9-3.3	2.8	1.6	0.9-2.7	2.0	3.4	1.6-6.2	0.8	0.7	0.2-1.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Non-Hodgkin lymphomas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	2.4	0.4	0.2-0.8	1.6	0.6	0.3-1.2	0.8	0.3	0.1-0.8	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	7.6	1.6	1.1-2.1	5.6	2.3	1.5-3.3	2.0	0.8	0.4-1.6	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.3
10-14 years	8.6	1.9	1.4-2.6	6.0	2.6	1.8-3.7	2.6	1.2	0.6-2.0	0.4	0.1	0.0-0.3	0.4	0.2	0.0-0.6	0.0	0.0	0.0-0.3
15-19 years	11.2	2.5	1.9-3.3	6.6	3.0	2.0-4.1	4.6	2.1	1.3-3.1	1.0	0.2	0.1-0.5	0.6	0.3	0.1-0.8	0.4	0.2	0.0-0.7
20-24 years	21.2	4.0	3.3-4.8	13.0	5.1	3.9-6.4	8.2	3.0	2.1-4.0	2.2	0.4	0.2-0.7	1.8	0.7	0.3-1.3	0.4	0.1	0.0-0.5
25-29 years	28.2	3.7	3.1-4.3	13.2	3.5	2.7-4.5	15.0	3.8	3.0-4.7	1.6	0.2	0.1-0.4	1.0	0.3	0.1-0.6	0.6	0.2	0.0-0.4
30-34 years	47.4	6.5	5.7-7.4	26.8	7.5	6.3-8.9	20.6	5.6	4.6-6.8	2.0	0.3	0.1-0.5	1.0	0.3	0.1-0.7	1.0	0.3	0.1-0.6
35-39 years	53.8	8.8	7.8-9.9	30.6	10.3	8.7-12.0	23.2	7.4	6.1-8.9	5.8	0.9	0.6-1.4	4.4	1.5	0.9-2.2	1.4	0.4	0.2-0.9
40-44 years	65.8	12.4	11.1-13.8	35.4	13.8	11.8-16.0	30.4	11.0	9.4-12.9	6.2	1.2	0.8-1.7	3.8	1.5	0.9-2.3	2.4	0.9	0.5-1.5
45-49 years	90.8	17.3	15.7-19.0	48.4	19.2	16.9-21.8	42.4	15.5	13.5-17.8	9.8	1.9	1.4-2.5	6.4	2.5	1.7-3.6	3.4	1.2	0.7-2.0
50-54 years	130.8	24.9	23.0-26.8	70.4	28.1	25.2-31.1	60.4	22.0	19.6-24.6	18.6	3.5	2.9-4.3	11.2	4.5	3.4-5.8	7.4	2.7	1.9-3.7
55-59 years	179.2	34.4	32.2-36.7	102.8	41.9	38.4-45.7	76.4	27.7	25.0-30.6	31.0	6.0	5.1-7.0	20.0	8.2	6.6-9.9	11.0	4.0	3.0-5.2
60-64 years	220.4	46.5	43.8-49.3	117.2	53.8	49.5-58.3	103.2	40.3	36.9-44.0	35.8	7.6	6.5-8.7	23.4	10.7	8.9-12.9	12.4	4.8	3.7-6.2
65-69 years	235.0	59.2	55.8-62.6	125.8	71.0	65.5-76.7	109.2	49.6	45.6-54.0	44.6	11.2	9.8-12.8	26.0	14.7	12.3-17.4	18.6	8.5	6.8-10.4
70-74 years	234.4	76.8	72.5-81.3	115.8	88.6	81.6-96.1	118.6	67.9	62.6-73.6	47.2	15.5	13.6-17.6	26.8	20.5	17.2-24.3	20.4	11.7	9.5-14.2
75-79 years	194.4	89.0	83.5-94.8	102.0	114.7	105.0-125.1	92.4	71.4	65.0-78.2	55.4	25.4	22.5-28.5	33.8	38.0	32.5-44.2	21.6	16.7	13.7-20.1
80-84 years	157.4	101.7	94.7-109.0	80.0	132.6	119.9-146.2	77.4	81.9	74.0-90.5	54.6	35.3	31.2-39.7	27.0	44.7	37.5-53.0	27.6	29.2	24.5-34.5
85+ years	155.8	88.2	82.1-94.6	69.0	116.7	104.7-129.7	86.8	73.9	67.1-81.1	89.4	50.6	46.0-55.5	38.8	65.6	56.7-75.5	50.6	43.1	37.9-48.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Myeloma**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
5-9 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
10-14 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
15-19 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
20-24 years	0.4	0.1	0.0-0.3	0.4	0.2	0.0-0.6	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.3
25-29 years	1.8	0.2	0.1-0.4	0.8	0.2	0.1-0.5	1.0	0.3	0.1-0.6	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3
30-34 years	2.4	0.3	0.2-0.6	2.0	0.6	0.3-1.0	0.4	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
35-39 years	8.8	1.4	1.0-1.9	3.0	1.0	0.6-1.7	5.8	1.9	1.2-2.7	0.4	0.1	0.0-0.2	0.4	0.1	0.0-0.5	0.0	0.0	0.0-0.2
40-44 years	19.4	3.6	3.0-4.5	10.4	4.1	3.0-5.3	9.0	3.3	2.4-4.4	2.6	0.5	0.3-0.8	1.6	0.6	0.3-1.2	1.0	0.4	0.1-0.8
45-49 years	30.6	5.8	4.9-6.8	16.6	6.6	5.3-8.2	14.0	5.1	4.0-6.5	3.8	0.7	0.4-1.1	1.6	0.6	0.3-1.3	2.2	0.8	0.4-1.4
50-54 years	57.0	10.8	9.6-12.2	30.6	12.2	10.3-14.3	26.4	9.6	8.0-11.4	9.6	1.8	1.3-2.4	6.4	2.6	1.7-3.6	3.2	1.2	0.7-1.9
55-59 years	87.6	16.8	15.3-18.5	51.4	21.0	18.5-23.7	36.2	13.1	11.3-15.2	14.6	2.8	2.2-3.5	7.6	3.1	2.2-4.3	7.0	2.5	1.8-3.5
60-64 years	122.2	25.8	23.8-27.9	61.2	28.1	25.0-31.4	61.0	23.8	21.2-26.7	31.2	6.6	5.6-7.7	18.8	8.6	7.0-10.6	12.4	4.8	3.7-6.2
65-69 years	136.6	34.4	31.9-37.1	72.6	41.0	36.9-45.4	64.0	29.1	26.0-32.5	37.0	9.3	8.0-10.8	21.0	11.8	9.7-14.3	16.0	7.3	5.8-9.1
70-74 years	125.4	41.1	37.9-44.4	64.6	49.4	44.2-55.1	60.8	34.8	31.0-39.0	41.0	13.4	11.7-15.4	20.2	15.5	12.6-18.8	20.8	11.9	9.7-14.4
75-79 years	107.8	49.4	45.3-53.7	52.0	58.5	51.6-66.0	55.8	43.1	38.2-48.5	33.2	15.2	13.0-17.7	16.4	18.4	14.7-22.9	16.8	13.0	10.3-16.1
80-84 years	73.0	47.1	42.4-52.2	35.4	58.7	50.3-68.0	37.6	39.8	34.3-45.9	33.8	21.8	18.7-25.4	16.2	26.8	21.3-33.4	17.6	18.6	14.9-22.9
85+ years	73.0	41.3	37.2-45.8	34.0	57.5	49.2-66.8	39.0	33.2	28.7-38.2	54.6	30.9	27.3-34.8	26.4	44.6	37.4-52.9	28.2	24.0	20.2-28.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York City
Leukemias**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	37.6	7.0	6.1-8.1	21.0	7.7	6.3-9.3	16.6	6.3	5.1-7.9	2.2	0.4	0.2-0.7	0.8	0.3	0.1-0.7	1.4	0.5	0.2-1.1
5-9 years	19.0	3.9	3.2-4.8	9.4	3.8	2.8-5.0	9.6	4.0	3.0-5.4	1.4	0.3	0.1-0.6	1.2	0.5	0.2-1.1	0.2	0.1	0.0-0.5
10-14 years	18.8	4.2	3.4-5.1	10.8	4.7	3.5-6.2	8.0	3.6	2.6-4.9	3.4	0.8	0.4-1.2	1.6	0.7	0.3-1.4	1.8	0.8	0.4-1.6
15-19 years	22.0	5.0	4.1-6.0	15.4	6.9	5.4-8.6	6.6	3.0	2.1-4.2	3.2	0.7	0.4-1.2	2.0	0.9	0.4-1.6	1.2	0.5	0.2-1.2
20-24 years	21.4	4.0	3.3-4.9	12.0	4.7	3.6-6.0	9.4	3.4	2.5-4.5	5.0	0.9	0.6-1.4	3.4	1.3	0.8-2.1	1.6	0.6	0.3-1.1
25-29 years	25.0	3.3	2.7-3.9	13.0	3.5	2.7-4.4	12.0	3.0	2.3-3.9	5.0	0.7	0.4-1.0	3.4	0.9	0.5-1.5	1.6	0.4	0.2-0.8
30-34 years	27.8	3.8	3.2-4.5	16.2	4.5	3.6-5.6	11.6	3.2	2.4-4.1	3.8	0.5	0.3-0.8	1.2	0.3	0.1-0.7	2.6	0.7	0.4-1.2
35-39 years	27.0	4.4	3.7-5.2	15.8	5.3	4.2-6.6	11.2	3.6	2.7-4.7	8.0	1.3	0.9-1.8	4.8	1.6	1.0-2.4	3.2	1.0	0.6-1.7
40-44 years	40.4	7.6	6.6-8.7	22.8	8.9	7.3-10.7	17.6	6.4	5.1-7.9	10.6	2.0	1.5-2.6	3.8	1.5	0.9-2.3	6.8	2.5	1.7-3.5
45-49 years	44.8	8.5	7.5-9.7	25.6	10.2	8.5-12.1	19.2	7.0	5.7-8.6	11.4	2.2	1.6-2.8	5.6	2.2	1.5-3.2	5.8	2.1	1.4-3.1
50-54 years	65.8	12.5	11.2-13.9	43.4	17.3	15.1-19.8	22.4	8.1	6.7-9.8	18.4	3.5	2.8-4.3	9.0	3.6	2.6-4.8	9.4	3.4	2.5-4.5
55-59 years	100.0	19.2	17.6-21.0	56.2	22.9	20.3-25.8	43.8	15.9	13.9-18.1	26.8	5.1	4.3-6.1	13.8	5.6	4.4-7.1	13.0	4.7	3.6-6.0
60-64 years	130.6	27.6	25.5-29.8	74.6	34.2	30.8-37.9	56.0	21.9	19.4-24.6	38.8	8.2	7.1-9.4	20.8	9.5	7.8-11.6	18.0	7.0	5.7-8.6
65-69 years	152.8	38.5	35.8-41.3	85.0	48.0	43.5-52.7	67.8	30.8	27.6-34.3	45.6	11.5	10.0-13.1	26.4	14.9	12.5-17.7	19.2	8.7	7.1-10.7
70-74 years	149.8	49.1	45.6-52.7	84.6	64.7	58.7-71.2	65.2	37.3	33.4-41.6	57.0	18.7	16.6-21.0	35.0	26.8	23.0-31.1	22.0	12.6	10.4-15.2
75-79 years	133.2	61.0	56.4-65.8	72.4	81.4	73.2-90.2	60.8	47.0	41.8-52.5	63.0	28.8	25.7-32.2	36.0	40.5	34.8-46.8	27.0	20.9	17.5-24.7
80-84 years	103.6	66.9	61.3-72.9	56.8	94.1	83.5-105.7	46.8	49.5	43.4-56.3	61.0	39.4	35.1-44.1	34.0	56.3	48.2-65.5	27.0	28.6	24.0-33.8
85+ years	123.6	70.0	64.6-75.7	60.0	101.5	90.3-113.6	63.6	54.1	48.3-60.4	94.6	53.6	48.8-58.6	43.0	72.7	63.3-83.1	51.6	43.9	38.7-49.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
All Invasive Malignant Tumors

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	148.6	24.5	22.8-26.3	78.8	25.4	23.0-28.0	69.8	23.6	21.1-26.2	11.4	1.9	1.4-2.4	6.4	2.1	1.4-2.9	5.0	1.7	1.1-2.5
5-9 years	82.8	13.0	11.8-14.3	41.4	12.7	11.0-14.6	41.4	13.3	11.6-15.3	12.4	1.9	1.5-2.5	5.4	1.7	1.1-2.4	7.0	2.3	1.6-3.1
10-14 years	122.2	18.3	16.9-19.9	65.4	19.2	17.2-21.4	56.8	17.5	15.5-19.6	9.0	1.4	1.0-1.8	5.6	1.6	1.1-2.4	3.4	1.0	0.6-1.7
15-19 years	203.0	27.3	25.6-29.0	101.6	26.7	24.4-29.1	101.4	27.9	25.6-30.5	20.6	2.8	2.3-3.4	13.6	3.6	2.8-4.5	7.0	1.9	1.3-2.7
20-24 years	340.6	44.5	42.4-46.6	164.2	41.8	39.0-44.8	176.4	47.3	44.2-50.5	23.8	3.1	2.6-3.7	15.2	3.9	3.0-4.8	8.6	2.3	1.7-3.1
25-29 years	516.0	73.2	70.4-76.1	215.4	59.1	55.6-62.7	300.6	88.4	84.0-93.0	41.4	5.9	5.1-6.7	23.0	6.3	5.2-7.6	18.4	5.4	4.4-6.6
30-34 years	750.0	112.1	108.5-115.7	269.8	79.3	75.1-83.6	480.2	146.0	140.2-151.9	70.4	10.5	9.4-11.7	33.8	9.9	8.5-11.6	36.6	11.1	9.6-12.9
35-39 years	1,117.0	170.4	165.9-174.9	383.2	116.8	111.6-122.1	733.8	224.1	216.9-231.5	124.4	19.0	17.5-20.5	53.8	16.4	14.5-18.5	70.6	21.6	19.4-23.9
40-44 years	1,647.2	261.1	255.5-266.8	536.6	171.0	164.6-177.6	1,110.6	350.3	341.2-359.6	208.4	33.0	31.1-35.1	89.4	28.5	25.9-31.3	119.0	37.5	34.6-40.7
45-49 years	2,843.0	401.7	395.1-408.3	1,060.0	303.7	295.6-312.0	1,783.0	497.0	486.7-507.4	405.6	57.3	54.8-59.9	182.8	52.4	49.0-55.9	222.8	62.1	58.5-65.9
50-54 years	4,939.4	626.2	618.4-634.0	2,199.4	569.2	558.6-580.0	2,740.0	680.8	669.5-692.3	837.8	106.2	103.0-109.5	418.0	108.2	103.6-112.9	419.8	104.3	99.9-108.9
55-59 years	7,622.2	915.0	905.8-924.2	3,911.8	961.8	948.3-975.3	3,710.4	870.3	857.8-882.9	1,560.6	187.3	183.2-191.5	789.4	194.1	188.1-200.2	771.2	180.9	175.2-186.7
60-64 years	9,989.4	1323.0	1311.4-1334.7	5,486.6	1494.1	1476.5-1511.9	4,502.8	1161.0	1145.9-1176.3	2,320.8	307.4	301.8-313.0	1,254.6	341.7	333.3-350.2	1,066.2	274.9	267.6-282.4
65-69 years	11,147.0	1772.5	1757.9-1787.3	6,299.0	2096.3	2073.2-2119.6	4,848.0	1476.3	1457.8-1495.0	2,821.4	448.6	441.3-456.1	1,521.0	506.2	494.9-517.7	1,300.4	396.0	386.4-405.7
70-74 years	10,704.4	2196.6	2178.0-2215.3	5,915.6	2615.3	2585.6-2645.3	4,788.8	1833.8	1810.7-1857.2	3,108.2	637.8	627.8-647.9	1,619.0	715.8	700.3-731.5	1,489.2	570.3	557.4-583.4
75-79 years	8,537.6	2521.7	2497.8-2545.7	4,580.2	3055.1	3015.6-3094.9	3,957.4	2097.8	2068.6-2127.2	3,066.8	905.8	891.5-920.3	1,586.4	1058.2	1035.0-1081.7	1,480.4	784.7	767.0-802.8
80-84 years	6,183.6	2621.0	2591.9-2650.4	3,154.2	3229.7	3179.5-3280.5	3,029.4	2191.1	2156.4-2226.3	2,813.8	1192.7	1173.1-1212.6	1,417.2	1451.1	1417.5-1485.3	1,396.6	1010.1	986.6-1034.1
85+ years	6,489.6	2316.2	2291.1-2341.6	2,974.4	3088.8	3039.4-3138.9	3,515.2	1911.7	1883.5-1940.1	4,361.4	1556.7	1536.1-1577.5	2,025.6	2103.5	2062.8-2144.9	2,335.8	1270.3	1247.3-1293.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Oral cavity and pharynx

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.8	0.1	0.0-0.3	0.4	0.1	0.0-0.4	0.4	0.1	0.0-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	1.6	0.2	0.1-0.5	0.4	0.1	0.0-0.4	1.2	0.4	0.1-0.8	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	3.6	0.5	0.3-0.8	0.8	0.2	0.1-0.5	2.8	0.8	0.4-1.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
20-24 years	3.6	0.5	0.3-0.7	2.2	0.6	0.3-1.0	1.4	0.4	0.2-0.8	0.6	0.1	0.0-0.2	0.4	0.1	0.0-0.4	0.2	0.1	0.0-0.3
25-29 years	7.4	1.1	0.7-1.4	4.0	1.1	0.7-1.7	3.4	1.0	0.6-1.6	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
30-34 years	13.6	2.0	1.6-2.6	8.0	2.4	1.7-3.2	5.6	1.7	1.1-2.5	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.2	0.1	0.0-0.3
35-39 years	22.4	3.4	2.8-4.1	12.8	3.9	3.0-5.0	9.6	2.9	2.2-3.9	2.6	0.4	0.2-0.7	1.6	0.5	0.2-1.0	1.0	0.3	0.1-0.7
40-44 years	37.6	6.0	5.1-6.9	23.8	7.6	6.3-9.1	13.8	4.4	3.4-5.5	3.4	0.5	0.3-0.9	1.8	0.6	0.3-1.1	1.6	0.5	0.2-1.0
45-49 years	83.8	11.8	10.7-13.0	62.8	18.0	16.1-20.1	21.0	5.9	4.8-7.1	8.0	1.1	0.8-1.5	6.0	1.7	1.2-2.5	2.0	0.6	0.3-1.0
50-54 years	167.6	21.2	19.8-22.7	122.8	31.8	29.3-34.4	44.8	11.1	9.7-12.7	17.6	2.2	1.8-2.7	12.6	3.3	2.5-4.2	5.0	1.2	0.8-1.8
55-59 years	266.2	32.0	30.3-33.7	201.0	49.4	46.4-52.6	65.2	15.3	13.7-17.0	33.8	4.1	3.5-4.7	26.6	6.5	5.5-7.8	7.2	1.7	1.2-2.3
60-64 years	307.8	40.8	38.8-42.9	226.0	61.5	58.0-65.2	81.8	21.1	19.1-23.2	54.0	7.2	6.3-8.1	42.6	11.6	10.1-13.3	11.4	2.9	2.2-3.8
65-69 years	277.8	44.2	41.9-46.6	204.2	68.0	63.9-72.3	73.6	22.4	20.2-24.8	49.4	7.9	6.9-8.9	38.0	12.6	10.9-14.6	11.4	3.5	2.6-4.5
70-74 years	238.0	48.8	46.1-51.7	170.6	75.4	70.4-80.7	67.4	25.8	23.1-28.7	45.0	9.2	8.1-10.5	32.0	14.1	12.0-16.5	13.0	5.0	3.8-6.3
75-79 years	168.8	49.9	46.5-53.3	107.6	71.8	65.8-78.1	61.2	32.4	28.9-36.3	41.4	12.2	10.6-14.0	29.2	19.5	16.4-22.9	12.2	6.5	4.9-8.3
80-84 years	113.6	48.2	44.3-52.3	66.8	68.4	61.3-76.1	46.8	33.8	29.7-38.5	33.2	14.1	12.0-16.4	20.4	20.9	17.0-25.4	12.8	9.3	7.1-11.8
85+ years	125.8	44.9	41.5-48.6	65.8	68.3	61.1-76.1	60.0	32.6	29.0-36.5	53.6	19.1	16.9-21.6	26.2	27.2	22.7-32.3	27.4	14.9	12.5-17.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Esophagus

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.4	0.2	0.1	0.0-0.4
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
20-24 years	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3	0.2	0.0	0.0-0.1	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
25-29 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2	0.4	0.1	0.0-0.2	0.4	0.1	0.0-0.4	0.0	0.0	0.0-0.2
30-34 years	1.2	0.2	0.1-0.4	1.0	0.3	0.1-0.7	0.2	0.1	0.0-0.3	1.0	0.1	0.0-0.3	0.8	0.2	0.1-0.6	0.2	0.1	0.0-0.3
35-39 years	4.2	0.6	0.4-1.0	3.6	1.1	0.7-1.7	0.6	0.2	0.0-0.5	1.6	0.2	0.1-0.5	1.4	0.4	0.2-0.9	0.2	0.1	0.0-0.3
40-44 years	9.0	1.4	1.0-1.9	7.8	2.5	1.8-3.4	1.2	0.4	0.1-0.8	4.8	0.8	0.5-1.1	3.8	1.2	0.7-1.9	1.0	0.3	0.1-0.7
45-49 years	20.4	2.9	2.4-3.5	15.4	4.4	3.5-5.5	5.0	1.4	0.9-2.1	13.0	1.8	1.4-2.3	10.2	2.9	2.2-3.8	2.8	0.8	0.4-1.3
50-54 years	41.0	5.2	4.5-6.0	31.4	8.1	6.9-9.5	9.6	2.4	1.8-3.2	28.8	3.7	3.1-4.3	23.4	6.1	5.0-7.3	5.4	1.3	0.9-2.0
55-59 years	77.6	9.3	8.4-10.3	61.0	15.0	13.4-16.8	16.6	3.9	3.1-4.8	57.6	6.9	6.1-7.8	47.0	11.6	10.1-13.1	10.6	2.5	1.9-3.3
60-64 years	110.2	14.6	13.4-15.9	94.2	25.7	23.4-28.1	16.0	4.1	3.3-5.1	89.0	11.8	10.7-12.9	75.8	20.6	18.6-22.8	13.2	3.4	2.6-4.3
65-69 years	128.2	20.4	18.8-22.0	101.4	33.7	30.9-36.8	26.8	8.2	6.8-9.7	95.0	15.1	13.8-16.5	78.8	26.2	23.7-28.9	16.2	4.9	3.9-6.1
70-74 years	128.8	26.4	24.4-28.6	102.2	45.2	41.4-49.3	26.6	10.2	8.5-12.1	98.4	20.2	18.4-22.1	80.8	35.7	32.3-39.4	17.6	6.7	5.4-8.3
75-79 years	95.0	28.1	25.6-30.7	75.6	50.4	45.5-55.8	19.4	10.3	8.3-12.5	82.0	24.2	21.9-26.7	67.0	44.7	40.0-49.7	15.0	8.0	6.3-10.0
80-84 years	75.4	32.0	28.8-35.4	53.6	54.9	48.5-61.9	21.8	15.8	12.9-19.0	65.8	27.9	25.0-31.1	47.0	48.1	42.2-54.7	18.8	13.6	11.0-16.6
85+ years	71.8	25.6	23.0-28.4	43.2	44.9	39.1-51.3	28.6	15.6	13.1-18.3	77.8	27.8	25.1-30.7	50.6	52.5	46.3-59.4	27.2	14.8	12.4-17.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Stomach

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	0.6	0.1	0.0-0.2	0.0	0.0	0.0-0.2	0.6	0.2	0.0-0.5	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3
20-24 years	2.0	0.3	0.1-0.5	1.2	0.3	0.1-0.7	0.8	0.2	0.1-0.5	0.2	0.0	0.0-0.1	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
25-29 years	2.4	0.3	0.2-0.6	1.4	0.4	0.2-0.8	1.0	0.3	0.1-0.7	1.0	0.1	0.0-0.3	0.4	0.1	0.0-0.4	0.6	0.2	0.0-0.5
30-34 years	9.0	1.3	1.0-1.8	4.2	1.2	0.8-1.9	4.8	1.5	0.9-2.2	2.2	0.3	0.2-0.6	1.0	0.3	0.1-0.7	1.2	0.4	0.1-0.8
35-39 years	13.6	2.1	1.6-2.6	7.0	2.1	1.5-3.0	6.6	2.0	1.4-2.8	3.8	0.6	0.3-0.9	1.8	0.5	0.3-1.0	2.0	0.6	0.3-1.1
40-44 years	24.0	3.8	3.2-4.5	12.6	4.0	3.1-5.1	11.4	3.6	2.7-4.7	6.6	1.0	0.7-1.5	3.8	1.2	0.7-1.9	2.8	0.9	0.5-1.5
45-49 years	41.2	5.8	5.1-6.7	22.4	6.4	5.3-7.7	18.8	5.2	4.2-6.4	11.8	1.7	1.3-2.2	7.4	2.1	1.5-2.9	4.4	1.2	0.8-1.9
50-54 years	72.2	9.2	8.2-10.1	39.8	10.3	8.9-11.8	32.4	8.1	6.9-9.4	19.8	2.5	2.0-3.1	12.2	3.2	2.4-4.1	7.6	1.9	1.3-2.6
55-59 years	109.2	13.1	12.0-14.3	70.8	17.4	15.6-19.3	38.4	9.0	7.8-10.4	30.2	3.6	3.1-4.3	17.4	4.3	3.4-5.3	12.8	3.0	2.3-3.8
60-64 years	129.0	17.1	15.8-18.5	86.0	23.4	21.3-25.7	43.0	11.1	9.7-12.7	40.6	5.4	4.7-6.2	27.8	7.6	6.4-8.9	12.8	3.3	2.5-4.2
65-69 years	144.0	22.9	21.3-24.6	93.8	31.2	28.5-34.2	50.2	15.3	13.5-17.3	41.6	6.6	5.7-7.6	29.2	9.7	8.2-11.4	12.4	3.8	2.9-4.8
70-74 years	147.8	30.3	28.2-32.6	94.0	41.6	37.9-45.5	53.8	20.6	18.2-23.2	46.8	9.6	8.4-10.9	30.4	13.4	11.4-15.8	16.4	6.3	5.0-7.8
75-79 years	142.0	41.9	38.9-45.1	90.6	60.4	55.0-66.3	51.4	27.2	24.0-30.8	50.4	14.9	13.1-16.8	29.2	19.5	16.4-22.9	21.2	11.2	9.2-13.6
80-84 years	97.6	41.4	37.8-45.2	57.6	59.0	52.4-66.2	40.0	28.9	25.1-33.2	41.2	17.5	15.2-20.0	22.0	22.5	18.5-27.2	19.2	13.9	11.2-17.0
85+ years	112.8	40.3	37.0-43.7	59.4	61.7	54.9-69.1	53.4	29.0	25.7-32.7	74.4	26.6	23.9-29.4	35.6	37.0	31.7-42.8	38.8	21.1	18.2-24.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Colorectal

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.6	0.1	0.0-0.3	0.2	0.1	0.0-0.3	0.4	0.1	0.0-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	7.8	1.2	0.8-1.6	3.2	0.9	0.5-1.5	4.6	1.4	0.9-2.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	13.6	1.8	1.4-2.3	6.4	1.7	1.2-2.4	7.2	2.0	1.4-2.7	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.2	0.1	0.0-0.3
20-24 years	18.4	2.4	1.9-2.9	7.0	1.8	1.2-2.5	11.4	3.1	2.3-4.0	1.2	0.2	0.1-0.3	1.0	0.3	0.1-0.6	0.2	0.1	0.0-0.3
25-29 years	30.0	4.3	3.6-5.0	14.2	3.9	3.0-4.9	15.8	4.6	3.7-5.8	4.0	0.6	0.3-0.9	2.6	0.7	0.4-1.2	1.4	0.4	0.2-0.8
30-34 years	48.2	7.2	6.3-8.2	26.2	7.7	6.4-9.1	22.0	6.7	5.5-8.1	8.0	1.2	0.9-1.6	4.0	1.2	0.7-1.8	4.0	1.2	0.7-1.9
35-39 years	87.2	13.3	12.1-14.6	42.4	12.9	11.2-14.8	44.8	13.7	11.9-15.6	18.2	2.8	2.2-3.4	10.8	3.3	2.5-4.3	7.4	2.3	1.6-3.1
40-44 years	129.2	20.5	18.9-22.1	67.0	21.3	19.1-23.8	62.2	19.6	17.5-21.9	28.0	4.4	3.7-5.2	16.0	5.1	4.0-6.3	12.0	3.8	2.9-4.9
45-49 years	252.4	35.7	33.7-37.7	140.6	40.3	37.4-43.4	111.8	31.2	28.6-33.9	45.8	6.5	5.7-7.4	27.2	7.8	6.5-9.2	18.6	5.2	4.2-6.4
50-54 years	495.2	62.8	60.3-65.3	271.8	70.3	66.7-74.2	223.4	55.5	52.3-58.9	97.8	12.4	11.3-13.5	58.2	15.1	13.4-16.9	39.6	9.8	8.5-11.3
55-59 years	503.8	60.5	58.1-62.9	294.2	72.3	68.7-76.1	209.6	49.2	46.2-52.2	136.0	16.3	15.1-17.6	77.0	18.9	17.1-20.9	59.0	13.8	12.3-15.5
60-64 years	599.0	79.3	76.5-82.2	347.8	94.7	90.3-99.3	251.2	64.8	61.2-68.5	165.2	21.9	20.4-23.4	94.0	25.6	23.3-28.0	71.2	18.4	16.5-20.4
65-69 years	663.2	105.5	101.9-109.1	377.4	125.6	120.0-131.4	285.8	87.0	82.6-91.7	211.0	33.6	31.6-35.6	124.0	41.3	38.1-44.6	87.0	26.5	24.1-29.1
70-74 years	653.4	134.1	129.5-138.8	345.0	152.5	145.4-159.9	308.4	118.1	112.3-124.1	208.0	42.7	40.1-45.4	112.6	49.8	45.8-54.1	95.4	36.5	33.3-40.0
75-79 years	613.6	181.2	174.9-187.8	307.8	205.3	195.2-215.8	305.8	162.1	154.1-170.4	203.6	60.1	56.5-63.9	102.6	68.4	62.6-74.6	101.0	53.5	49.0-58.4
80-84 years	547.0	231.9	223.2-240.7	258.6	264.8	250.6-279.6	288.4	208.6	198.0-219.6	219.6	93.1	87.7-98.8	106.2	108.7	99.7-118.4	113.4	82.0	75.4-89.1
85+ years	703.6	251.1	242.9-259.6	268.8	279.1	264.4-294.5	434.8	236.5	226.6-246.6	421.6	150.5	144.1-157.0	164.2	170.5	159.1-182.6	257.4	140.0	132.4-147.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Colon excluding rectum

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.6	0.1	0.0-0.3	0.2	0.1	0.0-0.3	0.4	0.1	0.0-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	7.6	1.1	0.8-1.6	3.0	0.9	0.5-1.5	4.6	1.4	0.9-2.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	13.0	1.7	1.3-2.2	6.2	1.6	1.1-2.3	6.8	1.9	1.3-2.6	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.2	0.1	0.0-0.3
20-24 years	16.4	2.1	1.7-2.7	5.8	1.5	1.0-2.1	10.6	2.8	2.1-3.7	1.0	0.1	0.0-0.3	0.8	0.2	0.1-0.5	0.2	0.1	0.0-0.3
25-29 years	21.8	3.1	2.5-3.7	10.4	2.9	2.1-3.7	11.4	3.4	2.5-4.3	2.8	0.4	0.2-0.7	2.0	0.5	0.3-1.0	0.8	0.2	0.1-0.6
30-34 years	31.0	4.6	3.9-5.4	17.2	5.1	4.0-6.2	13.8	4.2	3.3-5.3	5.8	0.9	0.6-1.2	3.0	0.9	0.5-1.5	2.8	0.9	0.5-1.4
35-39 years	56.4	8.6	7.6-9.7	25.2	7.7	6.4-9.1	31.2	9.5	8.1-11.1	12.0	1.8	1.4-2.4	7.4	2.3	1.6-3.1	4.6	1.4	0.9-2.1
40-44 years	80.4	12.7	11.5-14.1	40.2	12.8	11.1-14.7	40.2	12.7	11.0-14.6	21.8	3.5	2.8-4.2	11.8	3.8	2.9-4.9	10.0	3.2	2.3-4.2
45-49 years	146.6	20.7	19.2-22.3	79.2	22.7	20.5-25.0	67.4	18.8	16.8-20.9	31.6	4.5	3.8-5.2	18.2	5.2	4.2-6.4	13.4	3.7	2.9-4.7
50-54 years	295.8	37.5	35.6-39.5	153.8	39.8	37.0-42.7	142.0	35.3	32.7-38.0	72.2	9.2	8.2-10.1	40.2	10.4	9.0-11.9	32.0	8.0	6.8-9.3
55-59 years	314.4	37.7	35.9-39.7	180.2	44.3	41.5-47.3	134.2	31.5	29.1-34.0	99.0	11.9	10.9-13.0	53.0	13.0	11.5-14.7	46.0	10.8	9.4-12.3
60-64 years	383.2	50.8	48.5-53.1	213.2	58.1	54.6-61.7	170.0	43.8	40.9-46.9	121.8	16.1	14.9-17.5	69.6	19.0	17.0-21.1	52.2	13.5	11.9-15.2
65-69 years	455.8	72.5	69.5-75.5	251.2	83.6	79.0-88.4	204.6	62.3	58.5-66.2	156.2	24.8	23.1-26.6	90.0	30.0	27.2-32.9	66.2	20.2	18.0-22.5
70-74 years	482.4	99.0	95.1-103.0	242.4	107.2	101.2-113.4	240.0	91.9	86.8-97.3	157.2	32.3	30.0-34.6	83.2	36.8	33.3-40.5	74.0	28.3	25.5-31.4
75-79 years	477.8	141.1	135.5-146.9	223.4	149.0	140.4-158.0	254.4	134.9	127.5-142.5	164.4	48.6	45.3-52.0	83.0	55.4	50.2-61.0	81.4	43.1	39.1-47.6
80-84 years	434.6	184.2	176.5-192.1	198.0	202.7	190.3-215.8	236.6	171.1	161.5-181.2	179.2	76.0	71.1-81.1	82.0	84.0	76.0-92.5	97.2	70.3	64.2-76.8
85+ years	583.2	208.2	200.7-215.8	213.0	221.2	208.1-234.9	370.2	201.3	192.3-210.7	354.4	126.5	120.7-132.5	135.2	140.4	130.0-151.4	219.2	119.2	112.3-126.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Rectum & rectosigmoid

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	0.6	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.4	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
20-24 years	2.0	0.3	0.1-0.5	1.2	0.3	0.1-0.7	0.8	0.2	0.1-0.5	0.2	0.0	0.0-0.1	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
25-29 years	8.2	1.2	0.8-1.6	3.8	1.0	0.6-1.6	4.4	1.3	0.8-2.0	1.2	0.2	0.1-0.4	0.6	0.2	0.0-0.5	0.6	0.2	0.0-0.5
30-34 years	17.2	2.6	2.1-3.2	9.0	2.6	1.9-3.5	8.2	2.5	1.8-3.4	2.2	0.3	0.2-0.6	1.0	0.3	0.1-0.7	1.2	0.4	0.1-0.8
35-39 years	30.8	4.7	4.0-5.5	17.2	5.2	4.2-6.5	13.6	4.2	3.2-5.3	6.2	0.9	0.6-1.3	3.4	1.0	0.6-1.7	2.8	0.9	0.5-1.4
40-44 years	48.8	7.7	6.8-8.8	26.8	8.5	7.2-10.1	22.0	6.9	5.7-8.4	6.2	1.0	0.7-1.4	4.2	1.3	0.8-2.0	2.0	0.6	0.3-1.2
45-49 years	105.8	14.9	13.7-16.3	61.4	17.6	15.7-19.7	44.4	12.4	10.8-14.1	14.2	2.0	1.6-2.5	9.0	2.6	1.9-3.5	5.2	1.4	0.9-2.1
50-54 years	199.4	25.3	23.7-26.9	118.0	30.5	28.1-33.1	81.4	20.2	18.3-22.3	25.6	3.2	2.7-3.9	18.0	4.7	3.7-5.7	7.6	1.9	1.3-2.6
55-59 years	189.4	22.7	21.3-24.2	114.0	28.0	25.8-30.4	75.4	17.7	15.9-19.6	37.0	4.4	3.8-5.1	24.0	5.9	4.9-7.1	13.0	3.0	2.4-3.9
60-64 years	215.8	28.6	26.9-30.3	134.6	36.7	33.9-39.5	81.2	20.9	18.9-23.1	43.4	5.7	5.0-6.6	24.4	6.6	5.5-7.9	19.0	4.9	4.0-6.0
65-69 years	207.4	33.0	31.0-35.0	126.2	42.0	38.8-45.4	81.2	24.7	22.4-27.3	54.8	8.7	7.7-9.8	34.0	11.3	9.7-13.1	20.8	6.3	5.2-7.7
70-74 years	171.0	35.1	32.8-37.5	102.6	45.4	41.5-49.5	68.4	26.2	23.5-29.1	50.8	10.4	9.2-11.8	29.4	13.0	11.0-15.3	21.4	8.2	6.7-9.9
75-79 years	135.8	40.1	37.1-43.2	84.4	56.3	51.1-61.9	51.4	27.2	24.0-30.8	39.2	11.6	10.0-13.3	19.6	13.1	10.6-15.9	19.6	10.4	8.4-12.7
80-84 years	112.4	47.6	43.8-51.7	60.6	62.1	55.3-69.4	51.8	37.5	33.0-42.3	40.4	17.1	14.8-19.7	24.2	24.8	20.6-29.6	16.2	11.7	9.3-14.6
85+ years	120.4	43.0	39.6-46.5	55.8	57.9	51.3-65.2	64.6	35.1	31.4-39.2	67.2	24.0	21.5-26.7	29.0	30.1	25.4-35.4	38.2	20.8	17.9-23.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State Excl New York City
Liver / intrahepatic bile duct**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	5.0	0.8	0.5-1.2	3.2	1.0	0.6-1.7	1.8	0.6	0.3-1.2	0.4	0.1	0.0-0.2	0.4	0.1	0.0-0.5	0.0	0.0	0.0-0.2
5-9 years	0.8	0.1	0.0-0.3	0.4	0.1	0.0-0.4	0.4	0.1	0.0-0.5	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.4
10-14 years	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	1.2	0.2	0.1-0.4	0.2	0.1	0.0-0.3	1.0	0.3	0.1-0.6	0.6	0.1	0.0-0.2	0.4	0.1	0.0-0.4	0.2	0.1	0.0-0.3
20-24 years	2.0	0.3	0.1-0.5	0.8	0.2	0.1-0.5	1.2	0.3	0.1-0.7	0.8	0.1	0.0-0.3	0.4	0.1	0.0-0.4	0.4	0.1	0.0-0.4
25-29 years	2.4	0.3	0.2-0.6	1.0	0.3	0.1-0.6	1.4	0.4	0.2-0.8	0.6	0.1	0.0-0.2	0.0	0.0	0.0-0.2	0.6	0.2	0.0-0.5
30-34 years	4.2	0.6	0.4-1.0	2.4	0.7	0.4-1.2	1.8	0.5	0.3-1.0	2.0	0.3	0.1-0.5	1.4	0.4	0.2-0.8	0.6	0.2	0.0-0.5
35-39 years	7.4	1.1	0.8-1.6	4.0	1.2	0.7-1.9	3.4	1.0	0.6-1.7	3.8	0.6	0.3-0.9	2.0	0.6	0.3-1.1	1.8	0.5	0.3-1.0
40-44 years	8.2	1.3	0.9-1.8	4.2	1.3	0.8-2.0	4.0	1.3	0.8-1.9	5.2	0.8	0.5-1.2	2.8	0.9	0.5-1.5	2.4	0.8	0.4-1.3
45-49 years	20.0	2.8	2.3-3.4	12.6	3.6	2.8-4.6	7.4	2.1	1.5-2.8	10.8	1.5	1.1-2.0	6.2	1.8	1.2-2.5	4.6	1.3	0.8-1.9
50-54 years	47.4	6.0	5.3-6.8	34.6	9.0	7.7-10.4	12.8	3.2	2.4-4.1	28.2	3.6	3.0-4.2	18.2	4.7	3.8-5.8	10.0	2.5	1.8-3.3
55-59 years	122.6	14.7	13.6-15.9	94.4	23.2	21.2-25.4	28.2	6.6	5.6-7.8	65.0	7.8	7.0-8.7	46.2	11.4	9.9-12.9	18.8	4.4	3.6-5.4
60-64 years	197.0	26.1	24.5-27.8	150.4	41.0	38.1-44.0	46.6	12.0	10.5-13.7	113.8	15.1	13.9-16.4	88.2	24.0	21.8-26.4	25.6	6.6	5.5-7.8
65-69 years	245.0	39.0	36.8-41.2	184.8	61.5	57.6-65.6	60.2	18.3	16.3-20.5	138.6	22.0	20.4-23.7	104.2	34.7	31.8-37.8	34.4	10.5	9.0-12.2
70-74 years	178.6	36.6	34.3-39.1	130.8	57.8	53.5-62.4	47.8	18.3	16.1-20.8	132.2	27.1	25.1-29.3	88.2	39.0	35.4-42.8	44.0	16.8	14.7-19.2
75-79 years	134.6	39.8	36.8-42.9	87.8	58.6	53.2-64.3	46.8	24.8	21.7-28.2	105.6	31.2	28.6-34.0	66.0	44.0	39.4-49.0	39.6	21.0	18.2-24.1
80-84 years	104.8	44.4	40.7-48.4	67.4	69.0	61.8-76.8	37.4	27.1	23.3-31.2	81.6	34.6	31.3-38.1	51.4	52.6	46.4-59.5	30.2	21.8	18.5-25.6
85+ years	89.6	32.0	29.1-35.1	49.2	51.1	44.9-57.9	40.4	22.0	19.0-25.2	96.2	34.3	31.3-37.5	51.2	53.2	46.9-60.1	45.0	24.5	21.4-27.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Pancreas

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	1.6	0.2	0.1-0.5	0.0	0.0	0.0-0.2	1.6	0.5	0.2-1.0	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
15-19 years	0.8	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
20-24 years	3.2	0.4	0.2-0.7	1.0	0.3	0.1-0.6	2.2	0.6	0.3-1.1	0.2	0.0	0.0-0.1	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
25-29 years	3.2	0.5	0.3-0.7	0.8	0.2	0.1-0.6	2.4	0.7	0.4-1.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
30-34 years	7.4	1.1	0.8-1.5	3.6	1.1	0.6-1.7	3.8	1.2	0.7-1.8	2.0	0.3	0.1-0.5	1.2	0.4	0.1-0.8	0.8	0.2	0.1-0.6
35-39 years	12.0	1.8	1.4-2.4	6.8	2.1	1.4-2.9	5.2	1.6	1.0-2.3	4.2	0.6	0.4-1.0	2.4	0.7	0.4-1.3	1.8	0.5	0.3-1.0
40-44 years	24.2	3.8	3.2-4.6	11.8	3.8	2.9-4.9	12.4	3.9	3.0-5.0	10.4	1.6	1.2-2.2	6.8	2.2	1.5-3.0	3.6	1.1	0.7-1.8
45-49 years	50.4	7.1	6.3-8.1	31.0	8.9	7.5-10.4	19.4	5.4	4.4-6.6	26.2	3.7	3.1-4.4	14.8	4.2	3.3-5.3	11.4	3.2	2.4-4.1
50-54 years	99.2	12.6	11.5-13.7	58.2	15.1	13.4-16.9	41.0	10.2	8.8-11.7	64.2	8.1	7.3-9.1	37.2	9.6	8.3-11.1	27.0	6.7	5.6-7.9
55-59 years	189.6	22.8	21.3-24.3	108.6	26.7	24.5-29.0	81.0	19.0	17.2-20.9	122.8	14.7	13.6-16.0	70.8	17.4	15.6-19.3	52.0	12.2	10.8-13.8
60-64 years	280.6	37.2	35.2-39.2	159.8	43.5	40.6-46.6	120.8	31.1	28.7-33.7	204.0	27.0	25.4-28.7	119.6	32.6	30.0-35.3	84.4	21.8	19.7-23.9
65-69 years	343.6	54.6	52.1-57.3	190.0	63.2	59.3-67.4	153.6	46.8	43.5-50.2	243.2	38.7	36.5-40.9	139.0	46.3	42.9-49.8	104.2	31.7	29.1-34.6
70-74 years	369.6	75.8	72.4-79.4	199.2	88.1	82.7-93.7	170.4	65.3	60.9-69.8	273.0	56.0	53.1-59.1	140.8	62.2	57.7-67.0	132.2	50.6	46.8-54.6
75-79 years	339.6	100.3	95.6-105.2	170.8	113.9	106.4-121.8	168.8	89.5	83.5-95.7	268.2	79.2	75.0-83.6	131.6	87.8	81.2-94.8	136.6	72.4	67.1-78.1
80-84 years	261.0	110.6	104.7-116.8	122.0	124.9	115.2-135.2	139.0	100.5	93.2-108.3	234.0	99.2	93.6-105.0	110.0	112.6	103.4-122.5	124.0	89.7	82.8-97.0
85+ years	304.6	108.7	103.3-114.3	115.8	120.3	110.7-130.5	188.8	102.7	96.2-109.4	290.0	103.5	98.2-109.0	108.0	112.2	102.9-122.0	182.0	99.0	92.6-105.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State Excl New York City
Larynx**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
20-24 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
25-29 years	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
30-34 years	0.6	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
35-39 years	2.6	0.4	0.2-0.7	1.4	0.4	0.2-0.9	1.2	0.4	0.1-0.8	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
40-44 years	6.2	1.0	0.7-1.4	3.8	1.2	0.7-1.9	2.4	0.8	0.4-1.3	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.4	0.2	0.1	0.0-0.4
45-49 years	14.6	2.1	1.6-2.6	11.6	3.3	2.5-4.3	3.0	0.8	0.5-1.4	1.8	0.3	0.1-0.5	1.4	0.4	0.2-0.8	0.4	0.1	0.0-0.4
50-54 years	37.8	4.8	4.1-5.5	27.2	7.0	5.9-8.3	10.6	2.6	2.0-3.4	7.2	0.9	0.6-1.3	6.4	1.7	1.1-2.3	0.8	0.2	0.1-0.5
55-59 years	66.6	8.0	7.2-8.9	52.2	12.8	11.3-14.5	14.4	3.4	2.6-4.3	14.2	1.7	1.3-2.2	10.6	2.6	2.0-3.4	3.6	0.8	0.5-1.3
60-64 years	81.6	10.8	9.8-11.9	66.4	18.1	16.2-20.1	15.2	3.9	3.1-4.9	21.6	2.9	2.3-3.5	18.0	4.9	3.9-6.0	3.6	0.9	0.6-1.5
65-69 years	72.4	11.5	10.4-12.8	57.0	19.0	16.8-21.3	15.4	4.7	3.7-5.9	18.0	2.9	2.3-3.5	13.0	4.3	3.3-5.5	5.0	1.5	1.0-2.2
70-74 years	73.0	15.0	13.5-16.6	59.8	26.4	23.5-29.6	13.2	5.1	3.9-6.4	16.6	3.4	2.7-4.2	13.8	6.1	4.7-7.7	2.8	1.1	0.6-1.8
75-79 years	44.6	13.2	11.5-15.0	35.6	23.7	20.4-27.5	9.0	4.8	3.5-6.4	17.6	5.2	4.2-6.4	13.2	8.8	6.8-11.2	4.4	2.3	1.5-3.5
80-84 years	34.8	14.8	12.6-17.1	27.0	27.6	23.2-32.7	7.8	5.6	4.0-7.7	10.6	4.5	3.4-5.9	8.4	8.6	6.2-11.6	2.2	1.6	0.8-2.8
85+ years	27.2	9.7	8.1-11.5	21.8	22.6	18.6-27.3	5.4	2.9	1.9-4.3	17.6	6.3	5.0-7.7	13.6	14.1	11.0-17.9	4.0	2.2	1.3-3.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Lung and bronchus

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.0	0.2	0.1-0.4	0.4	0.1	0.0-0.5	0.6	0.2	0.0-0.6	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.4
5-9 years	0.4	0.1	0.0-0.2	0.4	0.1	0.0-0.4	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	0.6	0.1	0.0-0.3	0.2	0.1	0.0-0.3	0.4	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	1.2	0.2	0.1-0.4	0.4	0.1	0.0-0.4	0.8	0.2	0.1-0.6	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3
20-24 years	4.0	0.5	0.3-0.8	1.8	0.5	0.2-0.9	2.2	0.6	0.3-1.1	0.8	0.1	0.0-0.3	0.8	0.2	0.1-0.5	0.0	0.0	0.0-0.2
25-29 years	3.4	0.5	0.3-0.8	1.4	0.4	0.2-0.8	2.0	0.6	0.3-1.1	1.0	0.1	0.0-0.3	1.0	0.3	0.1-0.6	0.0	0.0	0.0-0.2
30-34 years	7.8	1.2	0.8-1.6	2.6	0.8	0.4-1.3	5.2	1.6	1.0-2.3	1.8	0.3	0.1-0.5	1.2	0.4	0.1-0.8	0.6	0.2	0.0-0.5
35-39 years	22.6	3.4	2.8-4.1	11.0	3.4	2.5-4.4	11.6	3.5	2.7-4.6	8.4	1.3	0.9-1.7	4.6	1.4	0.9-2.1	3.8	1.2	0.7-1.8
40-44 years	53.0	8.4	7.4-9.5	24.4	7.8	6.5-9.3	28.6	9.0	7.6-10.6	20.2	3.2	2.6-3.9	10.8	3.4	2.6-4.5	9.4	3.0	2.2-3.9
45-49 years	150.4	21.2	19.8-22.8	70.4	20.2	18.1-22.4	80.0	22.3	20.2-24.6	63.6	9.0	8.0-10.0	32.2	9.2	7.9-10.8	31.4	8.8	7.4-10.2
50-54 years	380.6	48.2	46.1-50.5	178.8	46.3	43.3-49.4	201.8	50.1	47.1-53.3	177.0	22.4	21.0-24.0	95.2	24.6	22.5-27.0	81.8	20.3	18.4-22.4
55-59 years	862.6	103.5	100.5-106.7	398.2	97.9	93.6-102.3	464.4	108.9	104.5-113.5	407.4	48.9	46.8-51.1	207.0	50.9	47.8-54.1	200.4	47.0	44.1-50.0
60-64 years	1,298.4	172.0	167.8-176.2	639.0	174.0	168.0-180.2	659.4	170.0	164.3-175.9	615.6	81.5	78.7-84.5	325.0	88.5	84.3-92.9	290.6	74.9	71.1-78.9
65-69 years	1,574.2	250.3	244.8-255.9	779.4	259.4	251.3-267.7	794.8	242.0	234.6-249.7	764.2	121.5	117.7-125.4	410.2	136.5	130.7-142.6	354.0	107.8	102.8-112.9
70-74 years	1,741.0	357.3	349.8-364.8	821.8	363.3	352.3-374.6	919.2	352.0	341.9-362.3	875.4	179.6	174.4-185.0	442.0	195.4	187.3-203.7	433.4	166.0	159.1-173.1
75-79 years	1,513.8	447.1	437.1-457.3	722.4	481.9	466.3-497.8	791.4	419.5	406.5-432.8	828.6	244.7	237.3-252.3	423.4	282.4	270.5-294.7	405.2	214.8	205.5-224.4
80-84 years	1,069.0	453.1	441.0-465.4	491.4	503.2	483.5-523.5	577.6	417.8	402.7-433.3	695.2	294.7	285.0-304.6	328.8	336.7	320.6-353.3	366.4	265.0	253.0-277.4
85+ years	949.2	338.8	329.2-348.6	435.2	451.9	433.2-471.3	514.0	279.5	268.8-290.5	790.8	282.2	273.5-291.2	367.2	381.3	364.1-399.2	423.6	230.4	220.7-240.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Melanoma of the skin

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.0	0.2	0.1-0.4	0.2	0.1	0.0-0.4	0.8	0.3	0.1-0.7	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.8	0.1	0.0-0.3	0.4	0.1	0.0-0.4	0.4	0.1	0.0-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	2.6	0.4	0.2-0.7	1.4	0.4	0.2-0.8	1.2	0.4	0.1-0.8	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	4.8	0.6	0.4-1.0	2.2	0.6	0.3-1.0	2.6	0.7	0.4-1.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
20-24 years	20.6	2.7	2.2-3.3	4.8	1.2	0.8-1.8	15.8	4.2	3.4-5.3	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3
25-29 years	39.6	5.6	4.9-6.5	10.2	2.8	2.1-3.7	29.4	8.6	7.3-10.2	1.0	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.4	0.1	0.0-0.4
30-34 years	69.0	10.3	9.3-11.5	24.0	7.1	5.8-8.4	45.0	13.7	11.9-15.6	1.8	0.3	0.1-0.5	0.8	0.2	0.1-0.6	1.0	0.3	0.1-0.7
35-39 years	89.6	13.7	12.4-15.0	32.8	10.0	8.5-11.6	56.8	17.3	15.4-19.5	3.0	0.5	0.3-0.8	2.2	0.7	0.3-1.2	0.8	0.2	0.1-0.6
40-44 years	101.6	16.1	14.7-17.6	43.2	13.8	12.0-15.7	58.4	18.4	16.4-20.7	5.4	0.9	0.6-1.2	3.4	1.1	0.6-1.7	2.0	0.6	0.3-1.2
45-49 years	147.2	20.8	19.3-22.4	63.0	18.0	16.1-20.2	84.2	23.5	21.3-25.8	9.6	1.4	1.0-1.8	6.6	1.9	1.3-2.7	3.0	0.8	0.5-1.4
50-54 years	238.8	30.3	28.6-32.0	122.4	31.7	29.2-34.3	116.4	28.9	26.6-31.4	14.8	1.9	1.5-2.4	10.8	2.8	2.1-3.6	4.0	1.0	0.6-1.5
55-59 years	337.2	40.5	38.6-42.5	189.0	46.5	43.6-49.5	148.2	34.8	32.3-37.4	23.2	2.8	2.3-3.3	16.2	4.0	3.2-5.0	7.0	1.6	1.1-2.3
60-64 years	422.6	56.0	53.6-58.4	250.2	68.1	64.4-72.0	172.4	44.5	41.5-47.5	32.2	4.3	3.6-5.0	20.8	5.7	4.6-6.9	11.4	2.9	2.2-3.8
65-69 years	429.2	68.2	65.4-71.2	266.4	88.7	84.0-93.5	162.8	49.6	46.2-53.1	36.2	5.8	4.9-6.7	22.2	7.4	6.1-8.9	14.0	4.3	3.3-5.4
70-74 years	408.2	83.8	80.2-87.5	268.4	118.7	112.4-125.2	139.8	53.5	49.6-57.7	34.2	7.0	6.0-8.2	23.0	10.2	8.4-12.2	11.2	4.3	3.2-5.6
75-79 years	357.0	105.4	100.6-110.5	238.6	159.2	150.2-168.4	118.4	62.8	57.8-68.0	33.6	9.9	8.5-11.5	22.2	14.8	12.2-17.8	11.4	6.0	4.6-7.8
80-84 years	293.8	124.5	118.2-131.1	197.2	201.9	189.5-214.9	96.6	69.9	63.8-76.4	41.0	17.4	15.1-19.9	26.4	27.0	22.6-32.1	14.6	10.6	8.3-13.3
85+ years	338.8	120.9	115.2-126.8	208.0	216.0	203.1-229.5	130.8	71.1	65.8-76.8	67.2	24.0	21.5-26.7	38.6	40.1	34.6-46.2	28.6	15.6	13.1-18.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Female breast**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	0.6	0.2	0.0-0.5	0.0	0.0	0.0-0.2
20-24 years	5.8	1.6	1.0-2.2	0.2	0.1	0.0-0.3
25-29 years	39.6	11.6	10.1-13.4	2.4	0.7	0.4-1.2
30-34 years	119.0	36.2	33.3-39.2	8.8	2.7	1.9-3.6
35-39 years	234.2	71.5	67.5-75.7	23.2	7.1	5.9-8.5
40-44 years	477.4	150.6	144.6-156.7	34.4	10.9	9.3-12.6
45-49 years	795.0	221.6	214.8-228.6	62.2	17.3	15.5-19.4
50-54 years	1,034.2	257.0	250.0-264.1	91.2	22.7	20.6-24.8
55-59 years	1,209.6	283.7	276.6-291.0	138.6	32.5	30.1-35.0
60-64 years	1,389.4	358.3	349.9-366.8	149.4	38.5	35.8-41.4
65-69 years	1,443.8	439.7	429.6-449.9	176.6	53.8	50.3-57.4
70-74 years	1,306.2	500.2	488.1-512.5	174.4	66.8	62.4-71.4
75-79 years	955.2	506.3	492.1-520.9	169.8	90.0	84.1-96.3
80-84 years	634.0	458.6	442.7-474.8	151.2	109.4	101.7-117.4
85+ years	614.0	333.9	322.2-345.9	316.0	171.8	163.5-180.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State Excl New York City
Cervix uteri**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
15-19 years	0.4	0.1	0.0-0.4	0.0	0.0	0.0-0.2
20-24 years	2.4	0.6	0.3-1.1	0.0	0.0	0.0-0.2
25-29 years	14.2	4.2	3.3-5.3	2.6	0.8	0.4-1.3
30-34 years	33.0	10.0	8.6-11.7	2.0	0.6	0.3-1.1
35-39 years	42.2	12.9	11.2-14.8	4.2	1.3	0.8-2.0
40-44 years	40.0	12.6	10.9-14.5	8.8	2.8	2.0-3.7
45-49 years	39.8	11.1	9.6-12.7	8.4	2.3	1.7-3.2
50-54 years	40.2	10.0	8.7-11.5	9.8	2.4	1.8-3.2
55-59 years	41.4	9.7	8.4-11.1	13.4	3.1	2.4-4.0
60-64 years	39.8	10.3	8.9-11.8	14.6	3.8	3.0-4.7
65-69 years	30.6	9.3	7.9-10.9	17.2	5.2	4.2-6.5
70-74 years	29.8	11.4	9.7-13.4	15.2	5.8	4.6-7.3
75-79 years	17.0	9.0	7.2-11.1	9.8	5.2	3.8-6.9
80-84 years	10.0	7.2	5.4-9.5	6.2	4.5	3.0-6.4
85+ years	12.2	6.6	5.1-8.5	10.2	5.5	4.1-7.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State Excl New York City
Corpus uterus and uterus, not otherwise specified**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
20-24 years	2.6	0.7	0.4-1.2	0.0	0.0	0.0-0.2
25-29 years	5.2	1.5	1.0-2.2	0.4	0.1	0.0-0.4
30-34 years	13.0	4.0	3.0-5.0	1.0	0.3	0.1-0.7
35-39 years	32.6	10.0	8.5-11.6	3.2	1.0	0.6-1.6
40-44 years	55.4	17.5	15.5-19.7	3.6	1.1	0.7-1.8
45-49 years	100.0	27.9	25.5-30.4	6.0	1.7	1.1-2.4
50-54 years	215.2	53.5	50.3-56.8	17.4	4.3	3.5-5.3
55-59 years	369.4	86.6	82.7-90.7	29.6	6.9	5.9-8.2
60-64 years	465.8	120.1	115.3-125.1	59.4	15.3	13.6-17.2
65-69 years	450.2	137.1	131.5-142.9	81.4	24.8	22.4-27.3
70-74 years	361.2	138.3	132.0-144.8	81.2	31.1	28.1-34.3
75-79 years	213.4	113.1	106.4-120.1	61.4	32.5	29.0-36.4
80-84 years	130.8	94.6	87.5-102.1	50.8	36.7	32.4-41.6
85+ years	98.8	53.7	49.1-58.7	60.6	33.0	29.3-36.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State Excl New York City
Ovary**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	1.8	0.6	0.3-1.1	0.0	0.0	0.0-0.2
10-14 years	2.4	0.7	0.4-1.3	0.0	0.0	0.0-0.2
15-19 years	3.4	0.9	0.5-1.5	0.0	0.0	0.0-0.2
20-24 years	7.2	1.9	1.4-2.7	0.2	0.1	0.0-0.3
25-29 years	8.4	2.5	1.8-3.3	0.2	0.1	0.0-0.3
30-34 years	10.8	3.3	2.5-4.3	2.4	0.7	0.4-1.3
35-39 years	21.6	6.6	5.4-8.0	3.2	1.0	0.6-1.6
40-44 years	26.8	8.5	7.1-10.0	6.2	2.0	1.3-2.8
45-49 years	50.0	13.9	12.3-15.8	13.0	3.6	2.8-4.6
50-54 years	82.8	20.6	18.6-22.7	27.6	6.9	5.8-8.1
55-59 years	96.8	22.7	20.7-24.8	50.8	11.9	10.5-13.5
60-64 years	116.4	30.0	27.6-32.6	71.6	18.5	16.6-20.5
65-69 years	111.6	34.0	31.2-36.9	71.8	21.9	19.7-24.2
70-74 years	93.0	35.6	32.4-39.0	75.0	28.7	25.9-31.8
75-79 years	79.0	41.9	37.8-46.2	70.0	37.1	33.3-41.2
80-84 years	62.6	45.3	40.4-50.6	61.8	44.7	39.9-50.0
85+ years	66.8	36.3	32.5-40.4	80.6	43.8	39.7-48.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State Excl New York City
Prostate**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3
10-14 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
20-24 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
25-29 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
30-34 years	0.4	0.1	0.0-0.4	0.0	0.0	0.0-0.2
35-39 years	1.8	0.5	0.3-1.0	0.2	0.1	0.0-0.3
40-44 years	24.2	7.7	6.4-9.2	0.6	0.2	0.0-0.6
45-49 years	127.4	36.5	33.7-39.4	3.0	0.9	0.5-1.4
50-54 years	540.2	139.8	134.6-145.2	8.4	2.2	1.6-2.9
55-59 years	1,225.2	301.2	293.7-308.9	27.6	6.8	5.7-8.0
60-64 years	1,889.6	514.6	504.3-525.1	63.2	17.2	15.4-19.2
65-69 years	2,227.4	741.3	727.6-755.2	98.8	32.9	30.0-35.9
70-74 years	1,869.8	826.7	810.0-843.6	130.4	57.7	53.3-62.3
75-79 years	1,110.8	740.9	721.6-760.7	165.8	110.6	103.2-118.4
80-84 years	508.6	520.8	500.7-541.4	170.2	174.3	162.8-186.4
85+ years	359.4	373.2	356.2-390.9	369.4	383.6	366.3-401.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State Excl New York City
Testis**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.6	0.2	0.0-0.6	0.0	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	1.2	0.4	0.1-0.8	0.0	0.0	0.0-0.2
15-19 years	12.4	3.3	2.5-4.2	0.0	0.0	0.0-0.2
20-24 years	45.4	11.6	10.1-13.2	1.4	0.4	0.1-0.7
25-29 years	62.8	17.2	15.4-19.2	1.0	0.3	0.1-0.6
30-34 years	57.6	16.9	15.0-19.0	2.6	0.8	0.4-1.3
35-39 years	52.2	15.9	14.0-18.0	1.0	0.3	0.1-0.7
40-44 years	35.0	11.2	9.6-12.9	0.8	0.3	0.1-0.7
45-49 years	25.6	7.3	6.1-8.7	0.8	0.2	0.1-0.6
50-54 years	20.2	5.2	4.3-6.4	1.0	0.3	0.1-0.6
55-59 years	16.2	4.0	3.2-5.0	0.8	0.2	0.1-0.5
60-64 years	9.6	2.6	1.9-3.5	2.0	0.5	0.3-1.0
65-69 years	5.4	1.8	1.2-2.6	1.0	0.3	0.1-0.8
70-74 years	5.4	2.4	1.6-3.5	1.0	0.4	0.1-1.0
75-79 years	1.8	1.2	0.5-2.3	0.4	0.3	0.0-1.0
80-84 years	1.2	1.2	0.5-2.7	1.2	1.2	0.5-2.7
85+ years	1.2	1.2	0.5-2.7	0.0	0.0	0.0-0.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State Excl New York City
Urinary bladder (incl. in situ)**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.4	0.1	0.0-0.2	0.0	0.0	0.0-0.2	0.4	0.1	0.0-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	0.6	0.1	0.0-0.2	0.4	0.1	0.0-0.4	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
20-24 years	3.8	0.5	0.3-0.8	3.0	0.8	0.4-1.3	0.8	0.2	0.1-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
25-29 years	5.0	0.7	0.5-1.0	3.8	1.0	0.6-1.6	1.2	0.4	0.1-0.8	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
30-34 years	8.0	1.2	0.9-1.6	4.6	1.4	0.9-2.0	3.4	1.0	0.6-1.7	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
35-39 years	13.0	2.0	1.5-2.5	10.0	3.0	2.3-4.0	3.0	0.9	0.5-1.5	0.6	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.0	0.0	0.0-0.2
40-44 years	26.0	4.1	3.4-4.9	19.4	6.2	5.0-7.5	6.6	2.1	1.4-2.9	2.0	0.3	0.2-0.6	1.0	0.3	0.1-0.7	1.0	0.3	0.1-0.7
45-49 years	61.0	8.6	7.7-9.6	47.6	13.6	12.0-15.5	13.4	3.7	2.9-4.7	3.2	0.5	0.3-0.7	2.0	0.6	0.3-1.1	1.2	0.3	0.1-0.7
50-54 years	129.6	16.4	15.2-17.7	96.6	25.0	22.8-27.3	33.0	8.2	7.0-9.6	8.6	1.1	0.8-1.5	6.6	1.7	1.2-2.4	2.0	0.5	0.2-0.9
55-59 years	271.8	32.6	30.9-34.4	201.0	49.4	46.4-52.6	70.8	16.6	14.9-18.4	28.6	3.4	2.9-4.0	20.6	5.1	4.1-6.1	8.0	1.9	1.3-2.6
60-64 years	423.8	56.1	53.8-58.6	319.0	86.9	82.7-91.2	104.8	27.0	24.8-29.4	39.6	5.2	4.5-6.0	27.8	7.6	6.4-8.9	11.8	3.0	2.3-3.9
65-69 years	550.2	87.5	84.3-90.8	433.6	144.3	138.3-150.5	116.6	35.5	32.7-38.5	56.0	8.9	7.9-10.0	42.2	14.0	12.2-16.1	13.8	4.2	3.3-5.3
70-74 years	654.2	134.2	129.7-138.9	495.2	218.9	210.4-227.7	159.0	60.9	56.7-65.3	78.6	16.1	14.6-17.8	60.0	26.5	23.6-29.7	18.6	7.1	5.7-8.7
75-79 years	599.8	177.2	170.9-183.6	457.4	305.1	292.7-317.9	142.4	75.5	70.0-81.2	92.2	27.2	24.8-29.8	66.4	44.3	39.7-49.3	25.8	13.7	11.4-16.3
80-84 years	511.8	216.9	208.6-225.5	387.4	396.7	379.2-414.7	124.4	90.0	83.0-97.3	117.4	49.8	45.8-54.0	84.2	86.2	78.2-94.9	33.2	24.0	20.5-28.0
85+ years	559.8	199.8	192.5-207.3	389.6	404.6	386.8-423.0	170.2	92.6	86.4-99.0	236.6	84.4	79.7-89.4	162.0	168.2	156.8-180.2	74.6	40.6	36.6-44.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Kidney and renal pelvis

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	13.0	2.1	1.7-2.7	7.6	2.4	1.7-3.4	5.4	1.8	1.2-2.7	0.6	0.1	0.0-0.3	0.2	0.1	0.0-0.4	0.4	0.1	0.0-0.5
5-9 years	4.0	0.6	0.4-1.0	0.6	0.2	0.0-0.5	3.4	1.1	0.6-1.8	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.4
10-14 years	2.2	0.3	0.2-0.6	1.2	0.4	0.1-0.8	1.0	0.3	0.1-0.7	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.2	0.1	0.0-0.3
15-19 years	1.6	0.2	0.1-0.4	0.6	0.2	0.0-0.5	1.0	0.3	0.1-0.6	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.2	0.1	0.0-0.3
20-24 years	6.6	0.9	0.6-1.2	3.8	1.0	0.6-1.5	2.8	0.8	0.4-1.3	0.8	0.1	0.0-0.3	0.2	0.1	0.0-0.3	0.6	0.2	0.0-0.5
25-29 years	12.6	1.8	1.4-2.3	6.6	1.8	1.2-2.5	6.0	1.8	1.2-2.5	0.8	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.2	0.1	0.0-0.3
30-34 years	25.4	3.8	3.2-4.5	14.0	4.1	3.2-5.2	11.4	3.5	2.6-4.5	0.8	0.1	0.0-0.3	0.0	0.0	0.0-0.2	0.8	0.2	0.1-0.6
35-39 years	46.0	7.0	6.1-8.0	29.4	9.0	7.6-10.5	16.6	5.1	4.0-6.3	1.0	0.2	0.0-0.4	0.2	0.1	0.0-0.3	0.8	0.2	0.1-0.6
40-44 years	80.8	12.8	11.6-14.1	50.0	15.9	14.0-18.0	30.8	9.7	8.2-11.4	4.2	0.7	0.4-1.0	2.8	0.9	0.5-1.5	1.4	0.4	0.2-0.9
45-49 years	139.2	19.7	18.2-21.2	94.0	26.9	24.6-29.5	45.2	12.6	11.0-14.4	8.2	1.2	0.8-1.6	5.2	1.5	1.0-2.2	3.0	0.8	0.5-1.4
50-54 years	224.0	28.4	26.8-30.1	153.0	39.6	36.8-42.5	71.0	17.6	15.9-19.6	18.2	2.3	1.9-2.8	12.0	3.1	2.4-4.0	6.2	1.5	1.0-2.2
55-59 years	336.0	40.3	38.4-42.3	229.0	56.3	53.1-59.7	107.0	25.1	23.0-27.3	27.6	3.3	2.8-3.9	19.6	4.8	3.9-5.9	8.0	1.9	1.3-2.6
60-64 years	387.0	51.3	49.0-53.6	266.6	72.6	68.8-76.6	120.4	31.0	28.6-33.6	51.0	6.8	6.0-7.6	37.8	10.3	8.9-11.9	13.2	3.4	2.6-4.3
65-69 years	398.0	63.3	60.5-66.1	269.4	89.7	84.9-94.6	128.6	39.2	36.2-42.3	64.2	10.2	9.1-11.4	44.6	14.8	13.0-16.9	19.6	6.0	4.8-7.3
70-74 years	360.2	73.9	70.5-77.4	240.2	106.2	100.3-112.4	120.0	46.0	42.3-49.8	59.8	12.3	10.9-13.7	39.8	17.6	15.2-20.2	20.0	7.7	6.2-9.3
75-79 years	274.4	81.0	76.8-85.5	174.2	116.2	108.6-124.2	100.2	53.1	48.6-58.0	63.2	18.7	16.7-20.8	42.8	28.5	24.9-32.6	20.4	10.8	8.8-13.1
80-84 years	181.8	77.1	72.1-82.2	108.2	110.8	101.6-120.5	73.6	53.2	47.9-59.0	57.8	24.5	21.8-27.5	34.4	35.2	30.2-40.9	23.4	16.9	14.0-20.3
85+ years	162.2	57.9	54.0-62.0	82.8	86.0	77.9-94.7	79.4	43.2	39.0-47.6	83.2	29.7	26.9-32.7	40.4	42.0	36.4-48.2	42.8	23.3	20.3-26.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State Excl New York City
Brain and other central nervous system**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	29.8	4.9	4.2-5.8	14.0	4.5	3.5-5.7	15.8	5.3	4.2-6.6	2.4	0.4	0.2-0.7	1.4	0.5	0.2-0.9	1.0	0.3	0.1-0.8
5-9 years	27.0	4.2	3.6-5.0	13.0	4.0	3.1-5.1	14.0	4.5	3.5-5.7	6.0	0.9	0.6-1.3	2.4	0.7	0.4-1.3	3.6	1.2	0.7-1.8
10-14 years	22.8	3.4	2.8-4.1	13.2	3.9	3.0-4.9	9.6	3.0	2.2-3.9	3.8	0.6	0.3-0.9	2.8	0.8	0.4-1.4	1.0	0.3	0.1-0.7
15-19 years	16.0	2.2	1.7-2.7	9.4	2.5	1.8-3.3	6.6	1.8	1.3-2.6	4.0	0.5	0.3-0.8	3.6	0.9	0.6-1.5	0.4	0.1	0.0-0.4
20-24 years	14.0	1.8	1.4-2.3	9.0	2.3	1.7-3.1	5.0	1.3	0.9-2.0	3.8	0.5	0.3-0.8	2.0	0.5	0.2-0.9	1.8	0.5	0.2-0.9
25-29 years	21.2	3.0	2.5-3.6	14.2	3.9	3.0-4.9	7.0	2.1	1.4-2.9	7.4	1.1	0.7-1.4	4.8	1.3	0.8-2.0	2.6	0.8	0.4-1.3
30-34 years	28.0	4.2	3.5-4.9	15.4	4.5	3.6-5.7	12.6	3.8	2.9-4.9	9.2	1.4	1.0-1.8	6.0	1.8	1.2-2.5	3.2	1.0	0.6-1.6
35-39 years	28.2	4.3	3.6-5.1	16.0	4.9	3.9-6.1	12.2	3.7	2.9-4.8	12.4	1.9	1.5-2.4	8.2	2.5	1.8-3.4	4.2	1.3	0.8-2.0
40-44 years	30.2	4.8	4.1-5.6	17.6	5.6	4.5-6.9	12.6	4.0	3.1-5.1	14.2	2.3	1.8-2.8	8.8	2.8	2.0-3.8	5.4	1.7	1.1-2.5
45-49 years	47.0	6.6	5.8-7.5	27.6	7.9	6.6-9.3	19.4	5.4	4.4-6.6	26.4	3.7	3.1-4.4	15.2	4.4	3.4-5.5	11.2	3.1	2.4-4.1
50-54 years	58.0	7.4	6.5-8.2	34.2	8.9	7.6-10.3	23.8	5.9	4.9-7.1	43.0	5.5	4.7-6.2	26.4	6.8	5.7-8.1	16.6	4.1	3.3-5.1
55-59 years	89.2	10.7	9.7-11.7	53.4	13.1	11.6-14.8	35.8	8.4	7.2-9.7	68.2	8.2	7.3-9.1	39.0	9.6	8.3-11.0	29.2	6.8	5.8-8.1
60-64 years	103.2	13.7	12.5-14.9	62.0	16.9	15.1-18.9	41.2	10.6	9.2-12.2	83.8	11.1	10.1-12.2	55.0	15.0	13.3-16.9	28.8	7.4	6.3-8.7
65-69 years	102.6	16.3	14.9-17.8	57.4	19.1	17.0-21.4	45.2	13.8	12.0-15.7	84.4	13.4	12.2-14.8	49.2	16.4	14.4-18.6	35.2	10.7	9.2-12.4
70-74 years	99.0	20.3	18.6-22.2	52.8	23.3	20.6-26.3	46.2	17.7	15.5-20.1	80.0	16.4	14.8-18.1	45.6	20.2	17.6-23.0	34.4	13.2	11.3-15.3
75-79 years	76.4	22.6	20.4-24.9	39.8	26.5	23.0-30.5	36.6	19.4	16.7-22.4	68.0	20.1	18.0-22.3	34.6	23.1	19.8-26.8	33.4	17.7	15.1-20.6
80-84 years	51.4	21.8	19.2-24.6	29.4	30.1	25.4-35.4	22.0	15.9	13.1-19.2	47.0	19.9	17.5-22.6	21.8	22.3	18.3-26.9	25.2	18.2	15.2-21.7
85+ years	48.6	17.3	15.2-19.7	22.0	22.8	18.8-27.5	26.6	14.5	12.1-17.1	46.0	16.4	14.4-18.7	22.8	23.7	19.5-28.4	23.2	12.6	10.4-15.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Thyroid

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.4	0.2	0.1	0.0-0.4	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.4	0.1	0.0-0.2	0.0	0.0	0.0-0.2	0.4	0.1	0.0-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	10.8	1.6	1.2-2.1	2.2	0.6	0.3-1.2	8.6	2.6	1.9-3.6	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	37.0	5.0	4.3-5.7	6.0	1.6	1.1-2.3	31.0	8.5	7.2-10.0	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
20-24 years	74.4	9.7	8.7-10.7	15.0	3.8	3.0-4.8	59.4	15.9	14.2-17.8	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
25-29 years	109.6	15.6	14.3-16.9	19.4	5.3	4.3-6.5	90.2	26.5	24.1-29.1	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
30-34 years	141.0	21.1	19.5-22.7	27.0	7.9	6.7-9.4	114.0	34.7	31.9-37.6	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3
35-39 years	167.8	25.6	23.9-27.4	39.0	11.9	10.3-13.7	128.8	39.3	36.4-42.5	0.4	0.1	0.0-0.2	0.4	0.1	0.0-0.4	0.0	0.0	0.0-0.2
40-44 years	180.6	28.6	26.8-30.6	44.8	14.3	12.5-16.3	135.8	42.8	39.7-46.2	0.8	0.1	0.0-0.3	0.4	0.1	0.0-0.5	0.4	0.1	0.0-0.5
45-49 years	219.8	31.1	29.2-32.9	60.2	17.2	15.4-19.3	159.6	44.5	41.5-47.7	2.4	0.3	0.2-0.6	1.4	0.4	0.2-0.8	1.0	0.3	0.1-0.7
50-54 years	239.8	30.4	28.7-32.2	66.2	17.1	15.3-19.1	173.6	43.1	40.3-46.1	3.6	0.5	0.3-0.7	1.8	0.5	0.2-0.9	1.8	0.4	0.2-0.8
55-59 years	249.8	30.0	28.3-31.7	74.6	18.3	16.5-20.3	175.2	41.1	38.4-43.9	3.8	0.5	0.3-0.7	2.4	0.6	0.3-1.0	1.4	0.3	0.1-0.7
60-64 years	218.8	29.0	27.3-30.7	81.6	22.2	20.1-24.5	137.2	35.4	32.8-38.1	6.6	0.9	0.6-1.2	3.0	0.8	0.5-1.3	3.6	0.9	0.6-1.5
65-69 years	177.8	28.3	26.4-30.2	63.6	21.2	18.9-23.6	114.2	34.8	32.0-37.7	7.4	1.2	0.8-1.6	3.2	1.1	0.6-1.7	4.2	1.3	0.8-2.0
70-74 years	120.2	24.7	22.7-26.7	44.8	19.8	17.3-22.6	75.4	28.9	26.0-31.9	10.4	2.1	1.6-2.8	5.0	2.2	1.4-3.3	5.4	2.1	1.4-3.0
75-79 years	72.8	21.5	19.3-23.8	26.0	17.3	14.5-20.6	46.8	24.8	21.7-28.2	10.4	3.1	2.3-4.0	4.2	2.8	1.7-4.3	6.2	3.3	2.2-4.7
80-84 years	40.8	17.3	15.0-19.8	15.4	15.8	12.4-19.7	25.4	18.4	15.3-21.9	11.2	4.7	3.6-6.2	5.4	5.5	3.6-8.0	5.8	4.2	2.8-6.0
85+ years	25.4	9.1	7.6-10.8	8.0	8.3	5.9-11.3	17.4	9.5	7.6-11.7	19.8	7.1	5.7-8.6	7.2	7.5	5.2-10.4	12.6	6.9	5.3-8.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Hodgkin lymphoma

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.4	0.1	0.0-0.2	0.4	0.1	0.0-0.5	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	1.4	0.2	0.1-0.5	1.0	0.3	0.1-0.7	0.4	0.1	0.0-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	10.4	1.6	1.2-2.0	6.0	1.8	1.2-2.5	4.4	1.4	0.8-2.0	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	29.6	4.0	3.4-4.7	14.8	3.9	3.1-4.9	14.8	4.1	3.2-5.1	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3
20-24 years	39.8	5.2	4.5-6.0	19.8	5.0	4.1-6.1	20.0	5.4	4.4-6.5	0.2	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.3
25-29 years	41.6	5.9	5.1-6.8	17.6	4.8	3.9-5.9	24.0	7.1	5.8-8.4	0.8	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.2	0.1	0.0-0.3
30-34 years	29.2	4.4	3.7-5.1	16.8	4.9	3.9-6.1	12.4	3.8	2.9-4.8	0.6	0.1	0.0-0.3	0.4	0.1	0.0-0.4	0.2	0.1	0.0-0.3
35-39 years	23.8	3.6	3.0-4.3	12.6	3.8	3.0-4.9	11.2	3.4	2.6-4.4	0.8	0.1	0.0-0.3	0.4	0.1	0.0-0.4	0.4	0.1	0.0-0.4
40-44 years	17.4	2.8	2.2-3.4	9.8	3.1	2.3-4.1	7.6	2.4	1.7-3.3	1.8	0.3	0.1-0.5	1.2	0.4	0.1-0.8	0.6	0.2	0.0-0.6
45-49 years	19.6	2.8	2.2-3.4	12.2	3.5	2.7-4.5	7.4	2.1	1.5-2.8	1.0	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.4	0.1	0.0-0.4
50-54 years	19.8	2.5	2.0-3.1	11.6	3.0	2.3-3.9	8.2	2.0	1.5-2.8	1.4	0.2	0.1-0.4	1.0	0.3	0.1-0.6	0.4	0.1	0.0-0.4
55-59 years	27.2	3.3	2.7-3.9	17.4	4.3	3.4-5.3	9.8	2.3	1.7-3.0	2.8	0.3	0.2-0.6	2.2	0.5	0.3-1.0	0.6	0.1	0.0-0.4
60-64 years	26.0	3.4	2.9-4.1	15.8	4.3	3.4-5.4	10.2	2.6	2.0-3.5	5.0	0.7	0.4-1.0	4.0	1.1	0.7-1.7	1.0	0.3	0.1-0.6
65-69 years	23.8	3.8	3.1-4.5	13.0	4.3	3.3-5.5	10.8	3.3	2.5-4.3	3.0	0.5	0.3-0.8	2.0	0.7	0.3-1.2	1.0	0.3	0.1-0.7
70-74 years	22.2	4.6	3.7-5.5	10.8	4.8	3.6-6.2	11.4	4.4	3.3-5.7	6.0	1.2	0.8-1.8	3.6	1.6	0.9-2.5	2.4	0.9	0.5-1.6
75-79 years	16.0	4.7	3.7-5.9	8.0	5.3	3.8-7.3	8.0	4.2	3.0-5.8	6.4	1.9	1.3-2.7	3.4	2.3	1.3-3.6	3.0	1.6	0.9-2.6
80-84 years	11.4	4.8	3.7-6.3	6.4	6.6	4.5-9.3	5.0	3.6	2.3-5.3	3.2	1.4	0.8-2.2	2.4	2.5	1.3-4.3	0.8	0.6	0.2-1.5
85+ years	9.0	3.2	2.3-4.3	5.2	5.4	3.5-7.9	3.8	2.1	1.2-3.2	6.4	2.3	1.6-3.2	2.8	2.9	1.6-4.9	3.6	2.0	1.2-3.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York State Excl New York City
Non-Hodgkin lymphomas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	3.0	0.5	0.3-0.8	2.2	0.7	0.4-1.3	0.8	0.3	0.1-0.7	0.6	0.1	0.0-0.3	0.2	0.1	0.0-0.4	0.4	0.1	0.0-0.5
5-9 years	5.8	0.9	0.6-1.3	3.6	1.1	0.7-1.7	2.2	0.7	0.4-1.3	0.2	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.2	0.1	0.0-0.4
10-14 years	9.6	1.4	1.1-1.9	7.2	2.1	1.5-2.9	2.4	0.7	0.4-1.3	0.2	0.0	0.0-0.2	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.2
15-19 years	15.6	2.1	1.7-2.6	10.6	2.8	2.1-3.6	5.0	1.4	0.9-2.0	0.4	0.1	0.0-0.2	0.2	0.1	0.0-0.3	0.2	0.1	0.0-0.3
20-24 years	22.2	2.9	2.4-3.5	14.4	3.7	2.9-4.6	7.8	2.1	1.5-2.9	0.8	0.1	0.0-0.3	0.4	0.1	0.0-0.4	0.4	0.1	0.0-0.4
25-29 years	29.4	4.2	3.5-4.9	14.4	4.0	3.1-5.0	15.0	4.4	3.5-5.5	2.4	0.3	0.2-0.6	2.0	0.5	0.3-1.0	0.4	0.1	0.0-0.4
30-34 years	32.0	4.8	4.1-5.6	18.0	5.3	4.3-6.5	14.0	4.3	3.3-5.4	1.8	0.3	0.1-0.5	1.0	0.3	0.1-0.7	0.8	0.2	0.1-0.6
35-39 years	54.8	8.4	7.4-9.4	29.0	8.8	7.5-10.4	25.8	7.9	6.6-9.4	6.0	0.9	0.6-1.3	3.8	1.2	0.7-1.8	2.2	0.7	0.3-1.2
40-44 years	71.4	11.3	10.2-12.6	38.6	12.3	10.6-14.2	32.8	10.3	8.8-12.1	4.4	0.7	0.4-1.1	2.2	0.7	0.3-1.3	2.2	0.7	0.3-1.2
45-49 years	116.4	16.4	15.1-17.8	62.8	18.0	16.1-20.1	53.6	14.9	13.2-16.8	12.2	1.7	1.3-2.2	6.4	1.8	1.3-2.6	5.8	1.6	1.1-2.3
50-54 years	197.0	25.0	23.4-26.6	103.8	26.9	24.6-29.3	93.2	23.2	21.1-25.4	18.4	2.3	1.9-2.9	11.8	3.1	2.3-3.9	6.6	1.6	1.1-2.3
55-59 years	299.0	35.9	34.1-37.8	165.4	40.7	37.9-43.5	133.6	31.3	29.0-33.8	32.4	3.9	3.3-4.5	21.0	5.2	4.2-6.3	11.4	2.7	2.0-3.5
60-64 years	383.0	50.7	48.5-53.0	211.2	57.5	54.1-61.1	171.8	44.3	41.4-47.4	56.0	7.4	6.6-8.3	36.0	9.8	8.4-11.3	20.0	5.2	4.2-6.3
65-69 years	433.0	68.9	66.0-71.8	241.2	80.3	75.8-84.9	191.8	58.4	54.8-62.2	83.6	13.3	12.0-14.6	50.4	16.8	14.8-19.0	33.2	10.1	8.6-11.8
70-74 years	438.6	90.0	86.3-93.8	243.0	107.4	101.5-113.6	195.6	74.9	70.3-79.7	105.4	21.6	19.8-23.6	58.2	25.7	22.9-28.9	47.2	18.1	15.8-20.5
75-79 years	417.6	123.3	118.1-128.7	230.0	153.4	144.7-162.5	187.6	99.4	93.2-106.0	118.8	35.1	32.3-38.0	68.2	45.5	40.8-50.6	50.6	26.8	23.6-30.3
80-84 years	311.6	132.1	125.6-138.8	154.6	158.3	147.3-169.9	157.0	113.6	105.7-121.8	121.2	51.4	47.4-55.6	63.6	65.1	58.2-72.7	57.6	41.7	37.0-46.8
85+ years	320.0	114.2	108.7-120.0	160.6	166.8	155.4-178.7	159.4	86.7	80.8-92.9	201.0	71.7	67.4-76.3	98.2	102.0	93.2-111.4	102.8	55.9	51.2-61.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Myeloma

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
5-9 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
10-14 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
15-19 years	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
20-24 years	0.6	0.1	0.0-0.2	0.4	0.1	0.0-0.4	0.2	0.1	0.0-0.3	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
25-29 years	0.8	0.1	0.0-0.3	0.2	0.1	0.0-0.3	0.6	0.2	0.0-0.5	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
30-34 years	1.8	0.3	0.1-0.5	0.6	0.2	0.0-0.5	1.2	0.4	0.1-0.8	0.0	0.0	0.0-0.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.2
35-39 years	8.4	1.3	0.9-1.7	5.6	1.7	1.1-2.5	2.8	0.9	0.5-1.4	0.6	0.1	0.0-0.3	0.2	0.1	0.0-0.3	0.4	0.1	0.0-0.4
40-44 years	19.6	3.1	2.5-3.8	11.2	3.6	2.7-4.6	8.4	2.6	1.9-3.6	1.6	0.3	0.1-0.5	1.2	0.4	0.1-0.8	0.4	0.1	0.0-0.5
45-49 years	34.4	4.9	4.2-5.6	19.0	5.4	4.4-6.7	15.4	4.3	3.4-5.4	6.8	1.0	0.7-1.3	4.2	1.2	0.7-1.8	2.6	0.7	0.4-1.2
50-54 years	71.2	9.0	8.1-10.0	39.6	10.2	8.9-11.8	31.6	7.9	6.7-9.2	10.4	1.3	1.0-1.7	6.8	1.8	1.2-2.5	3.6	0.9	0.5-1.4
55-59 years	109.2	13.1	12.0-14.3	63.8	15.7	14.0-17.5	45.4	10.6	9.3-12.1	20.8	2.5	2.0-3.0	13.4	3.3	2.6-4.2	7.4	1.7	1.2-2.4
60-64 years	144.8	19.2	17.8-20.6	83.4	22.7	20.6-25.0	61.4	15.8	14.1-17.7	37.6	5.0	4.3-5.7	19.2	5.2	4.2-6.4	18.4	4.7	3.8-5.8
65-69 years	176.8	28.1	26.3-30.0	107.4	35.7	32.8-38.9	69.4	21.1	19.0-23.5	53.8	8.6	7.6-9.6	31.4	10.4	8.9-12.2	22.4	6.8	5.6-8.2
70-74 years	184.8	37.9	35.5-40.4	106.4	47.0	43.1-51.2	78.4	30.0	27.1-33.1	60.8	12.5	11.1-14.0	34.8	15.4	13.2-17.8	26.0	10.0	8.3-11.8
75-79 years	156.0	46.1	42.9-49.4	84.4	56.3	51.1-61.9	71.6	38.0	34.1-42.1	60.2	17.8	15.8-19.9	32.6	21.7	18.5-25.4	27.6	14.6	12.3-17.3
80-84 years	122.2	51.8	47.8-56.1	69.2	70.9	63.6-78.7	53.0	38.3	33.9-43.2	64.4	27.3	24.4-30.4	32.6	33.4	28.5-38.9	31.8	23.0	19.6-26.9
85+ years	107.6	38.4	35.2-41.8	52.0	54.0	47.6-61.0	55.6	30.2	26.8-34.0	93.4	33.3	30.4-36.5	39.8	41.3	35.8-47.5	53.6	29.1	25.8-32.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York State Excl New York City
Leukemias

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	45.8	7.5	6.6-8.6	24.6	7.9	6.6-9.5	21.2	7.2	5.9-8.7	3.4	0.6	0.3-0.9	1.6	0.5	0.2-1.0	1.8	0.6	0.3-1.2
5-9 years	22.8	3.6	3.0-4.3	12.2	3.7	2.9-4.8	10.6	3.4	2.6-4.5	2.2	0.3	0.2-0.6	0.8	0.2	0.1-0.6	1.4	0.5	0.2-0.9
10-14 years	21.0	3.2	2.6-3.8	12.2	3.6	2.7-4.6	8.8	2.7	2.0-3.6	2.2	0.3	0.2-0.6	1.2	0.4	0.1-0.8	1.0	0.3	0.1-0.7
15-19 years	23.0	3.1	2.6-3.7	12.6	3.3	2.5-4.2	10.4	2.9	2.1-3.8	3.8	0.5	0.3-0.8	2.2	0.6	0.3-1.0	1.6	0.4	0.2-0.9
20-24 years	20.8	2.7	2.2-3.3	12.0	3.1	2.3-3.9	8.8	2.4	1.7-3.2	4.8	0.6	0.4-0.9	3.2	0.8	0.5-1.3	1.6	0.4	0.2-0.8
25-29 years	22.4	3.2	2.6-3.8	12.4	3.4	2.6-4.4	10.0	2.9	2.2-3.9	6.2	0.9	0.6-1.2	3.8	1.0	0.6-1.6	2.4	0.7	0.4-1.2
30-34 years	23.4	3.5	2.9-4.2	13.0	3.8	2.9-4.9	10.4	3.2	2.4-4.1	8.0	1.2	0.9-1.6	5.0	1.5	1.0-2.2	3.0	0.9	0.5-1.5
35-39 years	33.2	5.1	4.3-5.9	20.0	6.1	5.0-7.4	13.2	4.0	3.1-5.1	6.6	1.0	0.7-1.4	4.8	1.5	0.9-2.2	1.8	0.5	0.3-1.0
40-44 years	45.2	7.2	6.3-8.2	28.4	9.0	7.6-10.7	16.8	5.3	4.2-6.6	8.0	1.3	0.9-1.7	4.0	1.3	0.8-2.0	4.0	1.3	0.8-1.9
45-49 years	77.8	11.0	9.9-12.1	47.4	13.6	11.9-15.4	30.4	8.5	7.2-9.9	12.8	1.8	1.4-2.3	7.2	2.1	1.4-2.9	5.6	1.6	1.0-2.3
50-54 years	132.4	16.8	15.5-18.1	78.8	20.4	18.4-22.5	53.6	13.3	11.8-15.0	18.8	2.4	1.9-2.9	11.6	3.0	2.3-3.9	7.2	1.8	1.3-2.5
55-59 years	218.8	26.3	24.7-27.9	134.8	33.1	30.7-35.7	84.0	19.7	17.9-21.7	43.4	5.2	4.5-6.0	25.0	6.1	5.1-7.3	18.4	4.3	3.5-5.3
60-64 years	270.0	35.8	33.9-37.7	168.2	45.8	42.8-49.0	101.8	26.2	24.0-28.6	59.8	7.9	7.0-8.9	35.4	9.6	8.3-11.2	24.4	6.3	5.2-7.5
65-69 years	319.2	50.8	48.3-53.3	199.8	66.5	62.4-70.7	119.4	36.4	33.5-39.4	87.8	14.0	12.7-15.3	52.4	17.4	15.4-19.7	35.4	10.8	9.3-12.5
70-74 years	333.8	68.5	65.2-71.9	202.6	89.6	84.1-95.3	131.2	50.2	46.5-54.2	121.6	25.0	23.0-27.0	75.8	33.5	30.2-37.1	45.8	17.5	15.3-20.0
75-79 years	303.6	89.7	85.2-94.3	184.8	123.3	115.4-131.5	118.8	63.0	58.0-68.2	134.8	39.8	36.9-42.9	85.2	56.8	51.6-62.5	49.6	26.3	23.1-29.8
80-84 years	241.4	102.3	96.6-108.3	144.0	147.4	136.9-158.6	97.4	70.4	64.3-77.0	132.6	56.2	52.0-60.7	82.8	84.8	76.8-93.4	49.8	36.0	31.7-40.8
85+ years	298.6	106.6	101.2-112.1	146.8	152.4	141.6-163.9	151.8	82.6	76.8-88.6	227.4	81.2	76.5-86.0	112.0	116.3	106.9-126.4	115.4	62.8	57.7-68.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
All Invasive Malignant Tumors**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	25.6	24.9	20.8-29.6	15.0	28.8	22.7-36.1	10.6	20.9	15.7-27.4	1.4	1.4	0.5-2.8	0.8	1.5	0.4-3.9	0.6	1.2	0.2-3.5
5-9 years	15.2	15.1	11.9-19.0	6.2	12.1	8.2-17.2	9.0	18.3	13.4-24.5	1.6	1.6	0.7-3.1	0.8	1.6	0.4-4.0	0.8	1.6	0.4-4.2
10-14 years	16.8	17.8	14.2-22.0	9.2	19.1	14.0-25.5	7.6	16.4	11.6-22.6	4.2	4.5	2.8-6.8	1.8	3.7	1.7-7.1	2.4	5.2	2.7-9.1
15-19 years	26.2	27.5	23.0-32.6	11.8	24.1	18.4-31.1	14.4	31.1	24.3-39.2	3.2	3.4	1.9-5.5	1.8	3.7	1.7-7.0	1.4	3.0	1.2-6.2
20-24 years	39.0	37.4	32.3-43.0	19.2	36.9	29.9-45.0	19.8	37.9	30.8-46.2	5.4	5.2	3.4-7.5	3.2	6.1	3.5-10.0	2.2	4.2	2.1-7.5
25-29 years	60.8	50.3	44.8-56.3	24.0	40.6	33.6-48.5	36.8	59.7	51.4-69.0	7.8	6.5	4.6-8.8	4.4	7.4	4.7-11.3	3.4	5.5	3.2-8.8
30-34 years	101.4	95.0	86.9-103.7	36.8	71.7	61.8-82.9	64.6	116.6	104.2-130.0	10.6	9.9	7.4-13.0	5.0	9.7	6.3-14.4	5.6	10.1	6.7-14.6
35-39 years	146.8	155.3	144.3-166.9	52.8	119.3	105.4-134.6	94.0	186.9	170.4-204.6	23.4	24.8	20.5-29.7	11.0	24.9	18.7-32.4	12.4	24.7	18.9-31.6
40-44 years	190.2	222.0	208.1-236.6	64.2	163.6	146.2-182.5	126.0	271.4	250.6-293.4	28.8	33.6	28.3-39.6	13.0	33.1	25.6-42.2	15.8	34.0	26.9-42.4
45-49 years	306.2	351.4	334.0-369.4	117.8	293.5	270.3-318.2	188.4	400.8	375.6-427.2	61.6	70.7	63.0-79.0	29.8	74.2	62.8-87.2	31.8	67.7	57.5-79.0
50-54 years	544.4	597.5	575.3-620.4	234.0	558.0	526.5-591.0	310.4	631.2	600.2-663.4	115.2	126.4	116.3-137.2	54.6	130.2	115.2-146.6	60.6	123.2	109.7-137.9
55-59 years	782.2	903.9	875.7-932.6	410.6	1050.3	1005.3-1096.7	371.6	783.2	748.0-819.6	186.2	215.2	201.6-229.4	97.2	248.6	227.0-271.7	89.0	187.6	170.6-205.8
60-64 years	927.4	1258.4	1222.5-1295.2	504.0	1526.8	1467.7-1587.6	423.4	1040.7	996.8-1086.0	243.8	330.8	312.5-349.9	127.4	385.9	356.5-417.1	116.4	286.1	263.3-310.3
65-69 years	904.0	1564.7	1519.5-1611.0	500.0	1975.9	1899.2-2054.9	404.0	1244.3	1190.6-1299.8	266.8	461.8	437.4-487.3	144.6	571.4	530.5-614.6	122.2	376.4	347.1-407.4
70-74 years	799.2	1788.6	1733.6-1844.9	424.0	2301.3	2204.3-2401.4	375.2	1428.9	1364.9-1495.0	273.6	612.3	580.3-645.6	139.4	756.6	701.5-814.9	134.2	511.1	473.1-551.3
75-79 years	598.4	1824.0	1759.2-1890.5	298.6	2350.7	2233.0-2473.0	299.8	1491.2	1416.6-1568.6	251.8	767.5	725.7-811.1	122.8	966.7	891.8-1046.3	129.0	641.6	593.1-693.1
80-84 years	441.2	1934.8	1854.9-2017.3	208.6	2495.3	2346.2-2651.5	232.6	1610.4	1519.2-1705.7	228.6	1002.5	945.2-1062.3	109.0	1303.9	1196.7-1418.1	119.6	828.0	763.0-897.2
85+ years	400.0	1547.3	1480.3-1616.7	158.4	2061.5	1920.4-2210.2	241.6	1329.9	1255.9-1407.0	295.4	1142.7	1085.2-1202.5	123.6	1608.6	1484.2-1740.6	171.8	945.7	883.5-1011.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Oral cavity and pharynx**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.1	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	1.2	1.3	0.5-2.7	0.8	1.6	0.4-4.2	0.4	0.9	0.1-3.1	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	1.4	1.3	0.5-2.8	0.8	1.5	0.4-3.9	0.6	1.1	0.2-3.4	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.1	0.0	0.0	0.0-1.4
25-29 years	1.6	1.3	0.6-2.6	0.6	1.0	0.2-3.0	1.0	1.6	0.5-3.8	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2
30-34 years	2.2	2.1	1.0-3.7	0.8	1.6	0.4-4.0	1.4	2.5	1.0-5.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.3
35-39 years	2.4	2.5	1.3-4.4	1.2	2.7	1.0-5.9	1.2	2.4	0.9-5.2	0.2	0.2	0.0-1.2	0.0	0.0	0.0-1.7	0.2	0.4	0.0-2.2
40-44 years	4.2	4.9	3.0-7.5	3.2	8.2	4.7-13.2	1.0	2.2	0.7-5.0	0.4	0.5	0.1-1.7	0.0	0.0	0.0-1.9	0.4	0.9	0.1-3.1
45-49 years	7.6	8.7	6.2-12.0	5.8	14.5	9.7-20.8	1.8	3.8	1.8-7.3	2.2	2.5	1.3-4.5	1.6	4.0	1.7-7.9	0.6	1.3	0.3-3.7
50-54 years	17.6	19.3	15.5-23.8	11.8	28.1	21.4-36.3	5.8	11.8	7.9-16.9	3.2	3.5	2.0-5.7	2.0	4.8	2.3-8.8	1.2	2.4	0.9-5.3
55-59 years	20.6	23.8	19.4-28.9	15.0	38.4	30.2-48.1	5.6	11.8	7.8-17.1	5.0	5.8	3.7-8.5	4.4	11.3	7.1-17.0	0.6	1.3	0.3-3.7
60-64 years	22.4	30.4	25.0-36.6	15.0	45.4	35.7-57.0	7.4	18.2	12.8-25.1	5.0	6.8	4.4-10.0	4.0	12.1	7.4-18.7	1.0	2.5	0.8-5.7
65-69 years	21.8	37.7	31.0-45.5	16.4	64.8	51.5-80.4	5.4	16.6	11.0-24.2	5.6	9.7	6.4-14.0	4.4	17.4	10.9-26.3	1.2	3.7	1.4-8.0
70-74 years	19.0	42.5	34.4-52.0	12.6	68.4	52.6-87.5	6.4	24.4	16.7-34.4	5.0	11.2	7.2-16.5	3.4	18.5	10.7-29.5	1.6	6.1	2.6-12.0
75-79 years	13.2	40.2	31.1-51.2	9.8	77.1	57.1-102.0	3.4	16.9	9.9-27.1	5.2	15.9	10.4-23.2	4.2	33.1	20.5-50.5	1.0	5.0	1.6-11.6
80-84 years	7.2	31.6	22.1-43.7	3.8	45.5	27.4-71.0	3.4	23.5	13.7-37.7	3.8	16.7	10.0-26.0	2.4	28.7	14.8-50.1	1.4	9.7	3.9-20.0
85+ years	7.6	29.4	20.8-40.4	3.2	41.6	23.8-67.6	4.4	24.2	15.2-36.7	3.8	14.7	8.9-23.0	1.6	20.8	9.0-41.0	2.2	12.1	6.0-21.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Esophagus**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2
30-34 years	0.2	0.2	0.0-1.0	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.3	0.2	0.2	0.0-1.0	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.3
35-39 years	0.2	0.2	0.0-1.2	0.2	0.5	0.0-2.5	0.0	0.0	0.0-1.5	0.2	0.2	0.0-1.2	0.2	0.5	0.0-2.5	0.0	0.0	0.0-1.5
40-44 years	0.8	0.9	0.3-2.4	0.8	2.0	0.6-5.2	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.6
45-49 years	1.0	1.1	0.4-2.7	0.8	2.0	0.5-5.1	0.2	0.4	0.0-2.4	0.8	0.9	0.3-2.4	0.8	2.0	0.5-5.1	0.0	0.0	0.0-1.6
50-54 years	2.8	3.1	1.7-5.2	1.8	4.3	2.0-8.1	1.0	2.0	0.7-4.7	2.0	2.2	1.1-4.0	1.0	2.4	0.8-5.6	1.0	2.0	0.7-4.7
55-59 years	6.6	7.6	5.2-10.7	5.2	13.3	8.7-19.5	1.4	3.0	1.2-6.1	5.2	6.0	3.9-8.8	4.0	10.2	6.2-15.8	1.2	2.5	0.9-5.5
60-64 years	6.4	8.7	5.9-12.3	5.0	15.1	9.8-22.4	1.4	3.4	1.4-7.1	5.4	7.3	4.8-10.7	3.8	11.5	6.9-18.0	1.6	3.9	1.7-7.7
65-69 years	8.6	14.9	10.8-20.1	6.0	23.7	16.0-33.8	2.6	8.0	4.3-13.7	5.0	8.7	5.6-12.8	3.2	12.6	7.2-20.5	1.8	5.5	2.5-10.5
70-74 years	8.2	18.4	13.2-24.9	6.0	32.6	22.0-46.5	2.2	8.4	4.2-15.0	4.2	9.4	5.8-14.4	3.2	17.4	9.9-28.2	1.0	3.8	1.2-8.9
75-79 years	4.8	14.6	9.4-21.8	3.8	29.9	18.0-46.7	1.0	5.0	1.6-11.6	3.4	10.4	6.0-16.6	2.4	18.9	9.8-33.0	1.0	5.0	1.6-11.6
80-84 years	4.8	21.0	13.5-31.3	3.2	38.3	21.9-62.2	1.6	11.1	4.8-21.8	2.4	10.5	5.4-18.4	1.4	16.7	6.7-34.5	1.0	6.9	2.2-16.2
85+ years	3.6	13.9	8.3-22.0	2.2	28.6	14.3-51.2	1.4	7.7	3.1-15.9	3.4	13.2	7.7-21.1	2.4	31.2	16.1-54.6	1.0	5.5	1.8-12.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Stomach**

Age Group				Incidence						Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	0.8	0.7	0.2-1.7	0.6	1.0	0.2-3.0	0.2	0.3	0.0-1.8	0.4	0.3	0.0-1.2	0.2	0.3	0.0-1.9	0.2	0.3	0.0-1.8
30-34 years	2.2	2.1	1.0-3.7	0.8	1.6	0.4-4.0	1.4	2.5	1.0-5.2	0.4	0.4	0.0-1.4	0.4	0.8	0.1-2.8	0.0	0.0	0.0-1.3
35-39 years	4.0	4.2	2.6-6.5	2.6	5.9	3.1-10.0	1.4	2.8	1.1-5.7	2.0	2.1	1.0-3.9	0.8	1.8	0.5-4.6	1.2	2.4	0.9-5.2
40-44 years	4.2	4.9	3.0-7.5	1.8	4.6	2.1-8.7	2.4	5.2	2.7-9.0	1.8	2.1	1.0-4.0	1.0	2.5	0.8-5.9	0.8	1.7	0.5-4.4
45-49 years	7.6	8.7	6.2-12.0	5.0	12.5	8.1-18.4	2.6	5.5	2.9-9.5	2.8	3.2	1.8-5.4	1.8	4.5	2.1-8.5	1.0	2.1	0.7-5.0
50-54 years	12.2	13.4	10.2-17.2	5.6	13.4	8.9-19.3	6.6	13.4	9.2-18.8	3.2	3.5	2.0-5.7	2.2	5.2	2.6-9.4	1.0	2.0	0.7-4.7
55-59 years	15.8	18.3	14.5-22.8	9.2	23.5	17.2-31.4	6.6	13.9	9.6-19.5	4.4	5.1	3.2-7.7	4.2	10.7	6.7-16.4	0.2	0.4	0.0-2.3
60-64 years	15.8	21.4	17.0-26.7	10.6	32.1	24.1-42.0	5.2	12.8	8.3-18.7	5.6	7.6	5.0-11.0	4.4	13.3	8.4-20.2	1.2	2.9	1.1-6.4
65-69 years	16.6	28.7	22.9-35.6	9.8	38.7	28.7-51.2	6.8	20.9	14.5-29.3	5.2	9.0	5.9-13.2	3.6	14.2	8.4-22.5	1.6	4.9	2.1-9.7
70-74 years	21.8	48.8	40.1-58.9	12.8	69.5	53.5-88.7	9.0	34.3	25.0-45.9	8.4	18.8	13.5-25.4	4.6	25.0	15.8-37.5	3.8	14.5	8.7-22.6
75-79 years	17.8	54.3	43.6-66.8	9.6	75.6	55.7-100.2	8.2	40.8	29.3-55.3	7.2	21.9	15.4-30.4	4.2	33.1	20.5-50.5	3.0	14.9	8.4-24.6
80-84 years	15.4	67.5	53.3-84.4	7.0	83.7	58.3-116.5	8.4	58.2	41.9-78.6	6.8	29.8	20.7-41.7	4.0	47.8	29.2-73.9	2.8	19.4	10.6-32.5
85+ years	10.6	41.0	30.7-53.6	5.2	67.7	44.2-99.2	5.4	29.7	19.6-43.2	9.4	36.4	26.7-48.4	4.2	54.7	33.8-83.6	5.2	28.6	18.7-41.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Colorectal**

Age Group	Incidence																		Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females											
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI									
0-4 years	0.2	0.2	0.0-1.1	0.0	0.0	0.0-1.4	0.2	0.4	0.0-2.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5									
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5									
10-14 years	0.8	0.8	0.2-2.2	0.6	1.2	0.3-3.6	0.2	0.4	0.0-2.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6									
15-19 years	1.0	1.0	0.3-2.4	0.6	1.2	0.3-3.6	0.4	0.9	0.1-3.1	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6									
20-24 years	2.0	1.9	0.9-3.5	1.0	1.9	0.6-4.5	1.0	1.9	0.6-4.5	0.4	0.4	0.0-1.4	0.4	0.8	0.1-2.8	0.0	0.0	0.0-1.4									
25-29 years	4.4	3.6	2.3-5.5	2.6	4.4	2.3-7.5	1.8	2.9	1.3-5.5	0.8	0.7	0.2-1.7	0.6	1.0	0.2-3.0	0.2	0.3	0.0-1.8									
30-34 years	6.0	5.6	3.8-8.0	3.4	6.6	3.9-10.6	2.6	4.7	2.5-8.0	1.6	1.5	0.6-3.0	0.8	1.6	0.4-4.0	0.8	1.4	0.4-3.7									
35-39 years	12.8	13.5	10.4-17.3	8.0	18.1	12.9-24.6	4.8	9.5	6.1-14.2	1.8	1.9	0.9-3.6	1.0	2.3	0.7-5.3	0.8	1.6	0.4-4.1									
40-44 years	18.8	21.9	17.7-26.9	9.8	25.0	18.5-33.0	9.0	19.4	14.1-25.9	2.6	3.0	1.6-5.2	1.0	2.5	0.8-5.9	1.6	3.4	1.5-6.8									
45-49 years	32.0	36.7	31.3-42.9	16.6	41.4	32.9-51.3	15.4	32.8	25.9-40.9	7.4	8.5	6.0-11.7	4.6	11.5	7.3-17.2	2.8	6.0	3.3-10.0									
50-54 years	61.4	67.4	60.1-75.4	29.8	71.1	60.1-83.4	31.6	64.3	54.6-75.1	13.0	14.3	11.0-18.2	8.2	19.6	14.0-26.5	4.8	9.8	6.3-14.5									
55-59 years	59.6	68.9	61.3-77.1	32.2	82.4	70.1-96.1	27.4	57.7	48.5-68.3	16.2	18.7	14.9-23.3	7.6	19.4	13.8-26.7	8.6	18.1	13.1-24.4									
60-64 years	64.2	87.1	77.8-97.2	35.8	108.5	93.1-125.6	28.4	69.8	58.8-82.3	18.4	25.0	20.1-30.6	9.2	27.9	20.4-37.2	9.2	22.6	16.6-30.2									
65-69 years	61.8	107.0	95.4-119.6	35.8	141.5	121.5-163.8	26.0	80.1	66.9-95.1	21.2	36.7	30.0-44.4	12.4	49.0	37.6-62.8	8.8	27.1	19.7-36.4									
70-74 years	57.8	129.4	114.9-145.2	31.2	169.3	143.8-198.1	26.6	101.3	84.8-120.1	18.8	42.1	34.0-51.5	10.8	58.6	44.0-76.5	8.0	30.5	21.8-41.5									
75-79 years	47.8	145.7	127.8-165.4	22.2	174.8	143.8-210.5	25.6	127.3	106.2-151.4	24.6	75.0	62.3-89.5	12.2	96.0	73.5-123.4	12.4	61.7	47.3-79.1									
80-84 years	47.0	206.1	180.6-234.2	21.8	260.8	214.1-314.6	25.2	174.5	145.3-207.7	24.0	105.2	87.3-125.9	10.8	129.2	97.1-168.6	13.2	91.4	70.7-116.3									
85+ years	43.6	168.7	147.0-192.6	15.8	205.6	162.8-256.3	27.8	153.0	128.6-180.7	29.6	114.5	96.8-134.5	10.6	138.0	103.3-180.4	19.0	104.6	84.6-127.9									

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Colon excluding rectum**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.2	0.0-1.1	0.0	0.0	0.0-1.4	0.2	0.4	0.0-2.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.8	0.8	0.2-2.2	0.6	1.2	0.3-3.6	0.2	0.4	0.0-2.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	1.0	1.0	0.3-2.4	0.6	1.2	0.3-3.6	0.4	0.9	0.1-3.1	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	1.2	1.2	0.4-2.5	0.8	1.5	0.4-3.9	0.4	0.8	0.1-2.8	0.4	0.4	0.0-1.4	0.4	0.8	0.1-2.8	0.0	0.0	0.0-1.4
25-29 years	2.6	2.2	1.1-3.7	1.6	2.7	1.2-5.3	1.0	1.6	0.5-3.8	0.6	0.5	0.1-1.5	0.6	1.0	0.2-3.0	0.0	0.0	0.0-1.2
30-34 years	4.4	4.1	2.6-6.2	2.4	4.7	2.4-8.2	2.0	3.6	1.7-6.6	1.6	1.5	0.6-3.0	0.8	1.6	0.4-4.0	0.8	1.4	0.4-3.7
35-39 years	7.0	7.4	5.2-10.3	4.4	9.9	6.2-15.1	2.6	5.2	2.8-8.8	1.8	1.9	0.9-3.6	1.0	2.3	0.7-5.3	0.8	1.6	0.4-4.1
40-44 years	13.4	15.6	12.1-19.9	6.6	16.8	11.6-23.6	6.8	14.6	10.1-20.5	2.4	2.8	1.4-4.9	0.8	2.0	0.6-5.2	1.6	3.4	1.5-6.8
45-49 years	21.2	24.3	19.9-29.4	10.4	25.9	19.4-34.0	10.8	23.0	17.3-30.0	5.6	6.4	4.3-9.3	3.2	8.0	4.6-12.9	2.4	5.1	2.6-8.9
50-54 years	34.0	37.3	31.9-43.4	16.2	38.6	30.7-48.0	17.8	36.2	29.1-44.5	9.8	10.8	8.0-14.2	5.6	13.4	8.9-19.3	4.2	8.5	5.3-13.1
55-59 years	38.6	44.6	38.5-51.4	20.6	52.7	43.0-63.9	18.0	37.9	30.5-46.6	13.2	15.3	11.8-19.4	5.6	14.3	9.5-20.7	7.6	16.0	11.3-22.0
60-64 years	43.4	58.9	51.3-67.3	24.2	73.3	60.8-87.6	19.2	47.2	38.2-57.6	15.6	21.2	16.7-26.4	7.4	22.4	15.8-30.9	8.2	20.2	14.5-27.3
65-69 years	45.8	79.3	69.3-90.2	26.4	104.3	87.3-123.7	19.4	59.8	48.5-72.9	18.0	31.2	25.1-38.3	9.8	38.7	28.7-51.2	8.2	25.3	18.1-34.3
70-74 years	44.0	98.5	85.9-112.4	22.6	122.7	101.1-147.5	21.4	81.5	66.8-98.5	15.0	33.6	26.4-42.1	8.6	46.7	33.8-62.9	6.4	24.4	16.7-34.4
75-79 years	35.2	107.3	92.0-124.4	14.6	114.9	90.1-144.5	20.6	102.5	83.6-124.3	20.2	61.6	50.2-74.8	9.4	74.0	54.4-98.4	10.8	53.7	40.4-70.1
80-84 years	37.6	164.9	142.2-190.2	17.6	210.5	168.9-259.4	20.0	138.5	112.7-168.4	19.6	86.0	69.8-104.7	8.6	102.9	74.5-138.6	11.0	76.2	57.4-99.1
85+ years	35.0	135.4	116.1-157.0	12.0	156.2	119.2-201.0	23.0	126.6	104.5-152.0	24.8	95.9	79.8-114.4	8.2	106.7	76.6-144.8	16.6	91.4	72.8-113.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Rectum & rectosigmoid**

Age Group	Incidence																		Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females											
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI									
0-4 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5									
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5									
10-14 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6									
15-19 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6									
20-24 years	0.8	0.8	0.2-2.0	0.2	0.4	0.0-2.1	0.6	1.1	0.2-3.4	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4									
25-29 years	1.8	1.5	0.7-2.8	1.0	1.7	0.5-3.9	0.8	1.3	0.4-3.3	0.2	0.2	0.0-0.9	0.0	0.0	0.0-1.2	0.2	0.3	0.0-1.8									
30-34 years	1.6	1.5	0.6-3.0	1.0	1.9	0.6-4.5	0.6	1.1	0.2-3.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.3									
35-39 years	5.8	6.1	4.1-8.8	3.6	8.1	4.8-12.9	2.2	4.4	2.2-7.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.7	0.0	0.0	0.0-1.5									
40-44 years	5.4	6.3	4.2-9.2	3.2	8.2	4.7-13.2	2.2	4.7	2.4-8.5	0.2	0.2	0.0-1.3	0.2	0.5	0.0-2.8	0.0	0.0	0.0-1.6									
45-49 years	10.8	12.4	9.3-16.2	6.2	15.4	10.5-21.9	4.6	9.8	6.2-14.7	1.8	2.1	0.9-3.9	1.4	3.5	1.4-7.2	0.4	0.9	0.1-3.1									
50-54 years	27.4	30.1	25.2-35.6	13.6	32.4	25.2-41.1	13.8	28.1	21.8-35.5	3.2	3.5	2.0-5.7	2.6	6.2	3.3-10.6	0.6	1.2	0.3-3.6									
55-59 years	21.0	24.3	19.8-29.4	11.6	29.7	22.5-38.4	9.4	19.8	14.6-26.3	3.0	3.5	1.9-5.7	2.0	5.1	2.5-9.4	1.0	2.1	0.7-4.9									
60-64 years	20.8	28.2	23.1-34.2	11.6	35.1	26.7-45.4	9.2	22.6	16.6-30.2	2.8	3.8	2.1-6.4	1.8	5.5	2.5-10.4	1.0	2.5	0.8-5.7									
65-69 years	16.0	27.7	22.0-34.5	9.4	37.1	27.3-49.4	6.6	20.3	14.0-28.5	3.2	5.5	3.2-9.0	2.6	10.3	5.5-17.6	0.6	1.8	0.4-5.4									
70-74 years	13.8	30.9	24.0-39.1	8.6	46.7	33.8-62.9	5.2	19.8	12.9-29.0	3.8	8.5	5.1-13.3	2.2	11.9	6.0-21.4	1.6	6.1	2.6-12.0									
75-79 years	12.6	38.4	29.5-49.1	7.6	59.8	42.3-82.1	5.0	24.9	16.1-36.7	4.4	13.4	8.4-20.3	2.8	22.0	12.1-37.0	1.6	8.0	3.4-15.7									
80-84 years	9.4	41.2	30.3-54.8	4.2	50.2	31.1-76.8	5.2	36.0	23.5-52.8	4.4	19.3	12.1-29.2	2.2	26.3	13.1-47.1	2.2	15.2	7.6-27.3									
85+ years	8.6	33.3	24.1-44.8	3.8	49.5	29.8-77.2	4.8	26.4	16.9-39.3	4.8	18.6	11.9-27.6	2.4	31.2	16.1-54.6	2.4	13.2	6.8-23.1									

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Liver / intrahepatic bile duct**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.8	1.8	0.8-3.3	1.0	1.9	0.6-4.5	0.8	1.6	0.4-4.0	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.1	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	0.2	0.2	0.0-1.2	0.0	0.0	0.0-1.5	0.2	0.4	0.0-2.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	0.4	0.4	0.0-1.4	0.4	0.8	0.1-2.8	0.0	0.0	0.0-1.4	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.1	0.0	0.0	0.0-1.4
25-29 years	1.2	1.0	0.4-2.2	1.0	1.7	0.5-3.9	0.2	0.3	0.0-1.8	0.6	0.5	0.1-1.5	0.4	0.7	0.1-2.4	0.2	0.3	0.0-1.8
30-34 years	1.4	1.3	0.5-2.7	1.2	2.3	0.9-5.1	0.2	0.4	0.0-2.0	1.0	0.9	0.3-2.2	0.6	1.2	0.2-3.4	0.4	0.7	0.1-2.6
35-39 years	1.8	1.9	0.9-3.6	1.8	4.1	1.9-7.7	0.0	0.0	0.0-1.5	0.4	0.4	0.1-1.5	0.4	0.9	0.1-3.3	0.0	0.0	0.0-1.5
40-44 years	3.2	3.7	2.1-6.1	2.6	6.6	3.5-11.3	0.6	1.3	0.3-3.8	2.2	2.6	1.3-4.6	1.8	4.6	2.1-8.7	0.4	0.9	0.1-3.1
45-49 years	5.4	6.2	4.1-9.0	4.0	10.0	6.1-15.4	1.4	3.0	1.2-6.1	2.6	3.0	1.6-5.1	2.4	6.0	3.1-10.4	0.2	0.4	0.0-2.4
50-54 years	13.2	14.5	11.2-18.4	10.0	23.8	17.7-31.4	3.2	6.5	3.7-10.6	7.6	8.3	5.9-11.4	5.4	12.9	8.5-18.7	2.2	4.5	2.2-8.0
55-59 years	29.8	34.4	29.1-40.4	22.2	56.8	46.7-68.4	7.6	16.0	11.3-22.0	12.8	14.8	11.4-18.9	8.6	22.0	15.9-29.6	4.2	8.9	5.5-13.5
60-64 years	42.8	58.1	50.6-66.4	31.4	95.1	80.8-111.2	11.4	28.0	21.2-36.3	23.4	31.8	26.3-38.1	16.6	50.3	40.1-62.3	6.8	16.7	11.6-23.4
65-69 years	43.6	75.5	65.8-86.2	30.2	119.3	101.1-140.0	13.4	41.3	32.0-52.4	28.2	48.8	41.1-57.6	19.8	78.2	63.6-95.3	8.4	25.9	18.6-35.0
70-74 years	32.8	73.4	62.6-85.5	21.6	117.2	96.2-141.5	11.2	42.7	32.2-55.4	21.2	47.4	38.8-57.4	13.8	74.9	58.3-94.8	7.4	28.2	19.8-38.8
75-79 years	17.0	51.8	41.4-64.1	11.0	86.6	65.2-112.7	6.0	29.8	20.1-42.6	15.0	45.7	36.0-57.3	9.8	77.1	57.1-102.0	5.2	25.9	16.9-37.9
80-84 years	13.4	58.8	45.5-74.6	8.4	100.5	72.4-135.8	5.0	34.6	22.4-51.1	9.6	42.1	31.0-55.8	6.2	74.2	50.4-105.3	3.4	23.5	13.7-37.7
85+ years	10.2	39.5	29.4-51.9	4.4	57.3	35.9-86.7	5.8	31.9	21.4-45.9	10.2	39.5	29.4-51.9	3.6	46.9	27.8-74.0	6.6	36.3	25.0-51.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Pancreas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.2	0.2	0.0-1.2	0.2	0.4	0.0-2.3	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	0.2	0.2	0.0-1.2	0.0	0.0	0.0-1.5	0.2	0.4	0.0-2.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	0.2	0.2	0.0-1.1	0.0	0.0	0.0-1.4	0.2	0.4	0.0-2.1	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	0.8	0.7	0.2-1.7	0.6	1.0	0.2-3.0	0.2	0.3	0.0-1.8	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2
30-34 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.3
35-39 years	2.8	3.0	1.6-5.0	1.8	4.1	1.9-7.7	1.0	2.0	0.6-4.6	1.0	1.1	0.3-2.5	0.6	1.4	0.3-4.0	0.4	0.8	0.1-2.9
40-44 years	3.2	3.7	2.1-6.1	1.8	4.6	2.1-8.7	1.4	3.0	1.2-6.2	1.6	1.9	0.8-3.7	1.0	2.5	0.8-5.9	0.6	1.3	0.3-3.8
45-49 years	6.0	6.9	4.6-9.8	4.2	10.5	6.5-16.0	1.8	3.8	1.8-7.3	3.8	4.4	2.6-6.8	2.2	5.5	2.7-9.8	1.6	3.4	1.5-6.7
50-54 years	13.4	14.7	11.4-18.7	7.4	17.6	12.4-24.3	6.0	12.2	8.2-17.4	6.6	7.2	5.0-10.2	3.8	9.1	5.5-14.2	2.8	5.7	3.1-9.6
55-59 years	27.2	31.4	26.4-37.2	14.8	37.9	29.7-47.5	12.4	26.1	20.0-33.5	19.2	22.2	18.0-27.1	11.2	28.6	21.6-37.2	8.0	16.9	12.0-23.0
60-64 years	26.6	36.1	30.2-42.8	16.2	49.1	39.0-61.0	10.4	25.6	19.1-33.5	17.0	23.1	18.4-28.5	9.4	28.5	20.9-37.9	7.6	18.7	13.2-25.6
65-69 years	24.6	42.6	35.4-50.8	14.8	58.5	45.9-73.4	9.8	30.2	22.3-39.9	17.8	30.8	24.7-37.9	11.2	44.3	33.4-57.5	6.6	20.3	14.0-28.5
70-74 years	25.2	56.4	47.0-67.1	13.0	70.6	54.5-89.9	12.2	46.5	35.5-59.7	18.2	40.7	32.8-50.0	10.2	55.4	41.2-72.8	8.0	30.5	21.8-41.5
75-79 years	24.4	74.4	61.8-88.8	10.4	81.9	61.1-107.4	14.0	69.6	54.3-88.0	21.0	64.0	52.4-77.5	9.2	72.4	53.0-96.6	11.8	58.7	44.7-75.7
80-84 years	20.0	87.7	71.4-106.7	8.4	100.5	72.4-135.8	11.6	80.3	61.0-103.8	17.4	76.3	61.1-94.1	7.2	86.1	60.3-119.2	10.2	70.6	52.6-92.9
85+ years	26.0	100.6	84.0-119.4	10.2	132.7	98.8-174.5	15.8	87.0	68.9-108.4	23.8	92.1	76.3-110.2	9.8	127.5	94.4-168.6	14.0	77.1	60.1-97.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Larynx**

Age Group	Incidence																		Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females											
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI									
0-4 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5									
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5									
10-14 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6									
15-19 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6									
20-24 years	0.2	0.2	0.0-1.1	0.0	0.0	0.0-1.4	0.2	0.4	0.0-2.1	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4									
25-29 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2									
30-34 years	0.2	0.2	0.0-1.0	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.3									
35-39 years	0.4	0.4	0.1-1.5	0.4	0.9	0.1-3.3	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.7	0.0	0.0	0.0-1.5									
40-44 years	0.8	0.9	0.3-2.4	0.6	1.5	0.3-4.5	0.2	0.4	0.0-2.4	0.2	0.2	0.0-1.3	0.2	0.5	0.0-2.8	0.0	0.0	0.0-1.6									
45-49 years	2.0	2.3	1.1-4.2	1.0	2.5	0.8-5.8	1.0	2.1	0.7-5.0	0.4	0.5	0.1-1.7	0.4	1.0	0.1-3.6	0.0	0.0	0.0-1.6									
50-54 years	6.4	7.0	4.8-9.9	4.0	9.5	5.8-14.7	2.4	4.9	2.5-8.5	0.8	0.9	0.2-2.2	0.4	1.0	0.1-3.4	0.4	0.8	0.1-2.9									
55-59 years	9.0	10.4	7.6-13.9	6.6	16.9	11.6-23.7	2.4	5.1	2.6-8.8	1.8	2.1	1.0-3.9	1.2	3.1	1.1-6.7	0.6	1.3	0.3-3.7									
60-64 years	8.2	11.1	8.0-15.1	6.4	19.4	13.3-27.4	1.8	4.4	2.0-8.4	3.0	4.1	2.3-6.7	2.2	6.7	3.3-11.9	0.8	2.0	0.5-5.0									
65-69 years	9.0	15.6	11.4-20.8	6.8	26.9	18.6-37.6	2.2	6.8	3.4-12.1	3.0	5.2	2.9-8.6	2.0	7.9	3.8-14.5	1.0	3.1	1.0-7.2									
70-74 years	7.0	15.7	10.9-21.8	5.6	30.4	20.2-43.9	1.4	5.3	2.1-11.0	3.2	7.2	4.1-11.6	2.8	15.2	8.3-25.5	0.4	1.5	0.2-5.5									
75-79 years	7.0	21.3	14.9-29.7	5.6	44.1	29.3-63.7	1.4	7.0	2.8-14.3	2.0	6.1	2.9-11.2	1.6	12.6	5.4-24.8	0.4	2.0	0.2-7.2									
80-84 years	4.0	17.5	10.7-27.1	3.4	40.7	23.7-65.1	0.6	4.2	0.9-12.1	1.4	6.1	2.5-12.6	1.4	16.7	6.7-34.5	0.0	0.0	0.0-5.1									
85+ years	1.2	4.6	1.7-10.1	1.0	13.0	4.2-30.4	0.2	1.1	0.0-6.1	0.8	3.1	0.8-7.9	0.8	10.4	2.8-26.7	0.0	0.0	0.0-4.1									

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Lung and bronchus**

Age Group	Males and Females			Incidence						Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.1	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.2	0.2	0.0-1.2	0.2	0.4	0.0-2.3	0.0	0.0	0.0-1.6
15-19 years	0.2	0.2	0.0-1.2	0.0	0.0	0.0-1.5	0.2	0.4	0.0-2.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	0.6	0.6	0.1-1.7	0.4	0.8	0.1-2.8	0.2	0.4	0.0-2.1	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	0.2	0.2	0.0-0.9	0.2	0.3	0.0-1.9	0.0	0.0	0.0-1.2	0.4	0.3	0.0-1.2	0.0	0.0	0.0-1.2	0.4	0.6	0.1-2.3
30-34 years	0.6	0.6	0.1-1.6	0.4	0.8	0.1-2.8	0.2	0.4	0.0-2.0	0.2	0.2	0.0-1.0	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.3
35-39 years	3.8	4.0	2.4-6.3	1.8	4.1	1.9-7.7	2.0	4.0	1.9-7.3	1.2	1.3	0.5-2.8	0.8	1.8	0.5-4.6	0.4	0.8	0.1-2.9
40-44 years	3.6	4.2	2.5-6.6	2.2	5.6	2.8-10.0	1.4	3.0	1.2-6.2	1.8	2.1	1.0-4.0	1.2	3.1	1.1-6.7	0.6	1.3	0.3-3.8
45-49 years	14.0	16.1	12.5-20.3	7.6	18.9	13.4-26.0	6.4	13.6	9.3-19.2	6.8	7.8	5.4-10.9	3.2	8.0	4.6-12.9	3.6	7.7	4.5-12.1
50-54 years	33.2	36.4	31.1-42.4	16.4	39.1	31.1-48.5	16.8	34.2	27.2-42.3	18.4	20.2	16.3-24.8	10.0	23.8	17.7-31.4	8.4	17.1	12.3-23.1
55-59 years	74.0	85.5	77.0-94.7	40.8	104.4	90.5-119.7	33.2	70.0	59.7-81.5	41.2	47.6	41.3-54.6	25.0	63.9	53.2-76.2	16.2	34.1	27.1-42.4
60-64 years	97.6	132.4	120.9-144.7	49.8	150.9	132.7-170.8	47.8	117.5	103.1-133.4	49.6	67.3	59.2-76.2	28.4	86.0	72.5-101.4	21.2	52.1	42.7-63.0
65-69 years	100.0	173.1	158.2-188.9	55.4	218.9	193.9-246.3	44.6	137.4	119.9-156.6	54.8	94.9	84.0-106.8	32.2	127.2	108.4-148.5	22.6	69.6	57.4-83.7
70-74 years	103.4	231.4	211.9-252.2	50.4	273.5	240.8-309.5	53.0	201.8	178.3-227.7	60.2	134.7	119.9-150.8	33.8	183.5	156.8-213.3	26.4	100.5	84.1-119.2
75-79 years	95.8	292.0	266.4-319.4	48.6	382.6	336.0-433.9	47.2	234.8	205.8-266.7	52.0	158.5	139.8-179.0	28.0	220.4	185.4-260.1	24.0	119.4	99.0-142.7
80-84 years	63.0	276.3	246.6-308.5	31.2	373.2	317.0-436.6	31.8	220.2	187.3-257.2	42.2	185.1	160.9-211.8	19.8	236.9	192.5-288.4	22.4	155.1	127.7-186.6
85+ years	54.4	210.4	186.2-237.0	20.0	260.3	211.8-316.6	34.4	189.4	162.1-219.9	45.2	174.8	152.8-199.2	16.6	216.0	172.1-267.8	28.6	157.4	132.7-185.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Melanoma of the skin**

Age Group	Males and Females			Incidence						Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	0.2	0.2	0.0-1.2	0.2	0.4	0.0-2.3	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	0.8	0.7	0.2-1.7	0.4	0.7	0.1-2.4	0.4	0.6	0.1-2.3	0.2	0.2	0.0-0.9	0.0	0.0	0.0-1.2	0.2	0.3	0.0-1.8
30-34 years	1.4	1.3	0.5-2.7	0.6	1.2	0.2-3.4	0.8	1.4	0.4-3.7	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.3
35-39 years	1.6	1.7	0.7-3.3	0.6	1.4	0.3-4.0	1.0	2.0	0.6-4.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.7	0.0	0.0	0.0-1.5
40-44 years	2.2	2.6	1.3-4.6	1.2	3.1	1.1-6.7	1.0	2.2	0.7-5.0	0.0	0.0	0.0-0.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.6
45-49 years	2.6	3.0	1.6-5.1	1.8	4.5	2.1-8.5	0.8	1.7	0.5-4.4	0.2	0.2	0.0-1.3	0.2	0.5	0.0-2.8	0.0	0.0	0.0-1.6
50-54 years	3.0	3.3	1.8-5.4	1.6	3.8	1.6-7.5	1.4	2.8	1.1-5.9	1.0	1.1	0.4-2.6	0.6	1.4	0.3-4.2	0.4	0.8	0.1-2.9
55-59 years	4.6	5.3	3.4-8.0	2.6	6.7	3.5-11.4	2.0	4.2	2.0-7.8	0.2	0.2	0.0-1.3	0.2	0.5	0.0-2.9	0.0	0.0	0.0-1.6
60-64 years	7.2	9.8	6.8-13.5	4.0	12.1	7.4-18.7	3.2	7.9	4.5-12.8	1.0	1.4	0.4-3.2	0.6	1.8	0.4-5.3	0.4	1.0	0.1-3.6
65-69 years	5.8	10.0	6.7-14.4	3.8	15.0	9.0-23.5	2.0	6.2	3.0-11.3	1.0	1.7	0.6-4.0	0.8	3.2	0.9-8.1	0.2	0.6	0.0-3.4
70-74 years	3.8	8.5	5.1-13.3	2.0	10.9	5.2-20.0	1.8	6.9	3.1-13.0	0.6	1.3	0.3-3.9	0.2	1.1	0.0-6.0	0.4	1.5	0.2-5.5
75-79 years	10.2	31.1	23.1-40.9	5.6	44.1	29.3-63.7	4.6	22.9	14.5-34.3	0.8	2.4	0.7-6.2	0.4	3.1	0.4-11.4	0.4	2.0	0.2-7.2
80-84 years	7.0	30.7	21.4-42.7	3.4	40.7	23.7-65.1	3.6	24.9	14.8-39.4	0.2	0.9	0.0-4.9	0.2	2.4	0.1-13.3	0.0	0.0	0.0-5.1
85+ years	8.0	30.9	22.1-42.1	4.4	57.3	35.9-86.7	3.6	19.8	11.7-31.3	1.4	5.4	2.2-11.2	0.8	10.4	2.8-26.7	0.6	3.3	0.7-9.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Female breast**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
10-14 years	0.0	0.0	0.0-1.6	0.0	0.0	0.0-1.6
15-19 years	0.4	0.9	0.1-3.1	0.0	0.0	0.0-1.6
20-24 years	1.8	3.4	1.6-6.5	0.0	0.0	0.0-1.4
25-29 years	7.8	12.6	9.0-17.3	0.4	0.6	0.1-2.3
30-34 years	19.8	35.7	29.0-43.5	1.6	2.9	1.2-5.7
35-39 years	34.8	69.2	59.3-80.3	4.2	8.4	5.2-12.8
40-44 years	51.0	109.8	96.8-124.2	5.0	10.8	7.0-15.9
45-49 years	76.8	163.4	147.5-180.6	11.8	25.1	19.1-32.4
50-54 years	110.6	224.9	206.5-244.4	14.4	29.3	22.9-36.9
55-59 years	125.6	264.7	244.4-286.3	16.4	34.6	27.5-42.9
60-64 years	118.4	291.0	268.0-315.4	19.0	46.7	37.8-57.1
65-69 years	119.4	367.7	338.8-398.5	18.8	57.9	46.8-70.9
70-74 years	97.6	371.7	339.4-406.2	19.4	73.9	59.9-90.1
75-79 years	68.6	341.2	306.1-379.3	15.4	76.6	60.5-95.7
80-84 years	48.0	332.3	291.6-377.1	14.8	102.5	80.5-128.6
85+ years	44.4	244.4	213.3-278.8	25.2	138.7	115.6-165.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Cervix uteri**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
10-14 years	0.0	0.0	0.0-1.6	0.0	0.0	0.0-1.6
15-19 years	0.2	0.4	0.0-2.4	0.0	0.0	0.0-1.6
20-24 years	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	1.6	2.6	1.1-5.1	0.0	0.0	0.0-1.2
30-34 years	4.8	8.7	5.6-12.9	0.8	1.4	0.4-3.7
35-39 years	8.2	16.3	11.7-22.1	2.0	4.0	1.9-7.3
40-44 years	6.8	14.6	10.1-20.5	1.0	2.2	0.7-5.0
45-49 years	9.0	19.1	14.0-25.6	2.4	5.1	2.6-8.9
50-54 years	9.6	19.5	14.4-25.9	3.4	6.9	4.0-11.1
55-59 years	8.6	18.1	13.1-24.4	1.8	3.8	1.7-7.2
60-64 years	8.4	20.6	14.9-27.9	3.2	7.9	4.5-12.8
65-69 years	5.2	16.0	10.5-23.5	1.6	4.9	2.1-9.7
70-74 years	3.4	12.9	7.5-20.7	1.8	6.9	3.1-13.0
75-79 years	1.8	9.0	4.1-17.0	1.4	7.0	2.8-14.3
80-84 years	1.8	12.5	5.7-23.7	1.0	6.9	2.2-16.2
85+ years	2.6	14.3	7.6-24.5	2.0	11.0	5.3-20.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

Bronx

Corpus uteris and uterus, not otherwise specified

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
10-14 years	0.0	0.0	0.0-1.6	0.0	0.0	0.0-1.6
15-19 years	0.0	0.0	0.0-1.6	0.0	0.0	0.0-1.6
20-24 years	0.4	0.8	0.1-2.8	0.0	0.0	0.0-1.4
25-29 years	1.0	1.6	0.5-3.8	0.4	0.6	0.1-2.3
30-34 years	3.4	6.1	3.6-9.8	0.0	0.0	0.0-1.3
35-39 years	4.4	8.8	5.5-13.2	0.6	1.2	0.2-3.5
40-44 years	5.4	11.6	7.7-16.9	0.2	0.4	0.0-2.4
45-49 years	10.2	21.7	16.2-28.5	1.8	3.8	1.8-7.3
50-54 years	26.2	53.3	44.5-63.2	3.0	6.1	3.4-10.1
55-59 years	33.2	70.0	59.7-81.5	8.2	17.3	12.4-23.4
60-64 years	47.8	117.5	103.1-133.4	10.8	26.5	19.9-34.6
65-69 years	48.2	148.5	130.3-168.4	13.6	41.9	32.5-53.1
70-74 years	36.8	140.1	120.6-161.9	14.6	55.6	43.6-69.9
75-79 years	25.8	128.3	107.1-152.5	9.0	44.8	32.7-59.9
80-84 years	14.0	96.9	75.6-122.5	8.4	58.2	41.9-78.6
85+ years	9.0	49.5	36.1-66.3	6.2	34.1	23.2-48.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Ovary**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.4	0.8	0.1-2.9	0.0	0.0	0.0-1.5
5-9 years	0.8	1.6	0.4-4.2	0.0	0.0	0.0-1.5
10-14 years	0.8	1.7	0.5-4.4	0.0	0.0	0.0-1.6
15-19 years	1.6	3.5	1.5-6.8	0.0	0.0	0.0-1.6
20-24 years	1.2	2.3	0.8-5.0	0.0	0.0	0.0-1.4
25-29 years	1.8	2.9	1.3-5.5	0.0	0.0	0.0-1.2
30-34 years	2.8	5.1	2.8-8.5	0.4	0.7	0.1-2.6
35-39 years	2.0	4.0	1.9-7.3	0.4	0.8	0.1-2.9
40-44 years	4.0	8.6	5.3-13.3	0.6	1.3	0.3-3.8
45-49 years	5.2	11.1	7.2-16.2	0.6	1.3	0.3-3.7
50-54 years	7.8	15.9	11.3-21.7	3.6	7.3	4.3-11.6
55-59 years	11.0	23.2	17.5-30.2	3.2	6.7	3.9-11.0
60-64 years	10.2	25.1	18.7-33.0	6.8	16.7	11.6-23.4
65-69 years	10.8	33.3	25.0-43.4	7.0	21.6	15.0-30.0
70-74 years	7.4	28.2	19.8-38.8	5.8	22.1	14.8-31.7
75-79 years	9.6	47.7	35.2-63.3	8.6	42.8	31.0-57.6
80-84 years	4.4	30.5	19.1-46.1	4.0	27.7	16.9-42.8
85+ years	7.2	39.6	27.8-54.9	5.2	28.6	18.7-41.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Prostate**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
5-9 years	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
10-14 years	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
15-19 years	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
20-24 years	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2
30-34 years	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
35-39 years	0.4	0.9	0.1-3.3	0.0	0.0	0.0-1.7
40-44 years	3.0	7.6	4.3-12.6	0.2	0.5	0.0-2.8
45-49 years	19.2	47.8	38.7-58.4	0.8	2.0	0.5-5.1
50-54 years	69.2	165.0	148.1-183.4	1.8	4.3	2.0-8.1
55-59 years	150.0	383.7	356.7-412.2	5.0	12.8	8.3-18.9
60-64 years	194.2	588.3	551.9-626.5	10.6	32.1	24.1-42.0
65-69 years	198.6	784.8	736.8-835.2	13.4	53.0	41.0-67.3
70-74 years	149.0	808.7	751.7-868.9	22.0	119.4	98.1-143.9
75-79 years	82.8	651.8	590.6-717.8	18.0	141.7	113.9-174.2
80-84 years	42.8	512.0	445.7-585.4	21.4	256.0	209.8-309.3
85+ years	27.8	361.8	304.2-427.2	31.0	403.4	342.4-472.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Testis**

Age Group	Incidence		
	Avg Ann Cases	Rate per 100,000	95% CI
0-4 years	0.2	0.4	0.0-2.1
5-9 years	0.0	0.0	0.0-1.4
10-14 years	0.0	0.0	0.0-1.5
15-19 years	0.8	1.6	0.4-4.2
20-24 years	2.4	4.6	2.4-8.0
25-29 years	5.0	8.5	5.5-12.5
30-34 years	3.8	7.4	4.5-11.6
35-39 years	4.2	9.5	5.9-14.5
40-44 years	1.6	4.1	1.8-8.0
45-49 years	1.4	3.5	1.4-7.2
50-54 years	1.4	3.3	1.3-6.9
55-59 years	0.2	0.5	0.0-2.9
60-64 years	0.2	0.6	0.0-3.4
65-69 years	0.2	0.8	0.0-4.4
70-74 years	0.0	0.0	0.0-4.0
75-79 years	0.0	0.0	0.0-5.8
80-84 years	0.0	0.0	0.0-8.8
85+ years	0.0	0.0	0.0-9.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases in one year are unstable and should be used with caution.

Mortality data not provided due to small number of deaths per year.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Urinary bladder (incl. in situ)**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	0.4	0.4	0.0-1.4	0.2	0.4	0.0-2.1	0.2	0.4	0.0-2.1	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2
30-34 years	0.6	0.6	0.1-1.6	0.6	1.2	0.2-3.4	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.3
35-39 years	2.2	2.3	1.2-4.2	1.6	3.6	1.6-7.1	0.6	1.2	0.2-3.5	0.6	0.6	0.1-1.9	0.4	0.9	0.1-3.3	0.2	0.4	0.0-2.2
40-44 years	1.6	1.9	0.8-3.7	1.2	3.1	1.1-6.7	0.4	0.9	0.1-3.1	0.0	0.0	0.0-0.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.6
45-49 years	4.0	4.6	2.8-7.1	3.2	8.0	4.6-12.9	0.8	1.7	0.5-4.4	1.0	1.1	0.4-2.7	0.6	1.5	0.3-4.4	0.4	0.9	0.1-3.1
50-54 years	10.4	11.4	8.5-15.0	7.2	17.2	12.0-23.8	3.2	6.5	3.7-10.6	0.8	0.9	0.2-2.2	0.8	1.9	0.5-4.9	0.0	0.0	0.0-1.5
55-59 years	13.2	15.3	11.8-19.4	10.0	25.6	19.0-33.7	3.2	6.7	3.9-11.0	1.8	2.1	1.0-3.9	1.4	3.6	1.4-7.4	0.4	0.8	0.1-3.0
60-64 years	25.6	34.7	29.0-41.3	19.8	60.0	48.7-73.0	5.8	14.3	9.5-20.5	3.2	4.3	2.5-7.1	2.6	7.9	4.2-13.5	0.6	1.5	0.3-4.3
65-69 years	28.4	49.2	41.4-57.9	20.0	79.0	64.3-96.1	8.4	25.9	18.6-35.0	4.8	8.3	5.3-12.4	3.4	13.4	7.8-21.5	1.4	4.3	1.7-8.9
70-74 years	29.4	65.8	55.6-77.3	21.2	115.1	94.2-139.2	8.2	31.2	22.4-42.4	5.2	11.6	7.6-17.1	3.8	20.6	12.4-32.2	1.4	5.3	2.1-11.0
75-79 years	28.2	86.0	72.4-101.4	20.0	157.4	128.1-191.5	8.2	40.8	29.3-55.3	5.4	16.5	10.8-23.9	3.6	28.3	16.8-44.8	1.8	9.0	4.1-17.0
80-84 years	25.4	111.4	92.9-132.5	16.6	198.6	158.2-246.2	8.8	60.9	44.3-81.8	10.2	44.7	33.3-58.8	6.2	74.2	50.4-105.3	4.0	27.7	16.9-42.8
85+ years	24.0	92.8	77.0-111.0	16.2	210.8	167.4-262.0	7.8	42.9	30.5-58.7	11.2	43.3	32.7-56.3	5.2	67.7	44.2-99.2	6.0	33.0	22.3-47.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Kidney and renal pelvis**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	2.0	1.9	0.9-3.6	1.6	3.1	1.3-6.1	0.4	0.8	0.1-2.9	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	1.0	1.0	0.3-2.3	0.2	0.4	0.0-2.2	0.8	1.6	0.4-4.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.2	0.2	0.0-1.2	0.2	0.4	0.0-2.3	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	0.2	0.2	0.0-1.2	0.0	0.0	0.0-1.5	0.2	0.4	0.0-2.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	1.4	1.3	0.5-2.8	0.6	1.2	0.2-3.4	0.8	1.5	0.4-3.9	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	1.2	1.0	0.4-2.2	0.4	0.7	0.1-2.4	0.8	1.3	0.4-3.3	0.4	0.3	0.0-1.2	0.4	0.7	0.1-2.4	0.0	0.0	0.0-1.2
30-34 years	3.4	3.2	1.9-5.1	1.4	2.7	1.1-5.6	2.0	3.6	1.7-6.6	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.3
35-39 years	6.4	6.8	4.6-9.6	4.2	9.5	5.9-14.5	2.2	4.4	2.2-7.8	0.8	0.8	0.2-2.2	0.8	1.8	0.5-4.6	0.0	0.0	0.0-1.5
40-44 years	5.6	6.5	4.3-9.4	3.6	9.2	5.4-14.5	2.0	4.3	2.1-7.9	0.8	0.9	0.3-2.4	0.6	1.5	0.3-4.5	0.2	0.4	0.0-2.4
45-49 years	11.2	12.9	9.7-16.7	6.6	16.4	11.3-23.1	4.6	9.8	6.2-14.7	1.2	1.4	0.5-3.0	1.2	3.0	1.1-6.5	0.0	0.0	0.0-1.6
50-54 years	23.8	26.1	21.6-31.3	14.4	34.3	26.9-43.2	9.4	19.1	14.0-25.4	2.6	2.9	1.5-4.9	2.2	5.2	2.6-9.4	0.4	0.8	0.1-2.9
55-59 years	31.0	35.8	30.4-41.9	19.8	50.6	41.2-61.7	11.2	23.6	17.8-30.7	2.6	3.0	1.6-5.1	2.0	5.1	2.5-9.4	0.6	1.3	0.3-3.7
60-64 years	36.6	49.7	42.7-57.4	21.4	64.8	53.1-78.3	15.2	37.4	29.4-46.8	5.2	7.1	4.6-10.3	3.2	9.7	5.5-15.7	2.0	4.9	2.4-9.0
65-69 years	31.8	55.0	46.8-64.3	21.2	83.8	68.6-101.3	10.6	32.6	24.5-42.7	5.8	10.0	6.7-14.4	3.8	15.0	9.0-23.5	2.0	6.2	3.0-11.3
70-74 years	26.6	59.5	49.8-70.6	18.4	99.9	80.5-122.5	8.2	31.2	22.4-42.4	4.2	9.4	5.8-14.4	2.0	10.9	5.2-20.0	2.2	8.4	4.2-15.0
75-79 years	18.8	57.3	46.3-70.1	10.4	81.9	61.1-107.4	8.4	41.8	30.1-56.5	7.0	21.3	14.9-29.7	4.2	33.1	20.5-50.5	2.8	13.9	7.6-23.4
80-84 years	12.4	54.4	41.7-69.7	6.8	81.3	56.3-113.7	5.6	38.8	25.8-56.0	5.4	23.7	15.6-34.5	3.0	35.9	20.1-59.2	2.4	16.6	8.6-29.0
85+ years	13.2	51.1	39.5-65.0	7.8	101.5	72.2-138.8	5.4	29.7	19.6-43.2	5.6	21.7	14.4-31.3	2.6	33.8	18.0-57.9	3.0	16.5	9.2-27.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Brain and other central nervous system**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	4.6	4.5	2.8-6.7	2.4	4.6	2.4-8.1	2.2	4.3	2.2-7.8	0.2	0.2	0.0-1.1	0.0	0.0	0.0-1.4	0.2	0.4	0.0-2.2
5-9 years	2.4	2.4	1.2-4.2	1.4	2.7	1.1-5.6	1.0	2.0	0.7-4.7	0.6	0.6	0.1-1.7	0.2	0.4	0.0-2.2	0.4	0.8	0.1-2.9
10-14 years	2.0	2.1	1.0-3.9	1.4	2.9	1.2-6.0	0.6	1.3	0.3-3.8	0.8	0.8	0.2-2.2	0.2	0.4	0.0-2.3	0.6	1.3	0.3-3.8
15-19 years	2.6	2.7	1.5-4.7	1.2	2.5	0.9-5.3	1.4	3.0	1.2-6.2	0.6	0.6	0.1-1.8	0.2	0.4	0.0-2.3	0.4	0.9	0.1-3.1
20-24 years	1.8	1.7	0.8-3.3	1.4	2.7	1.1-5.5	0.4	0.8	0.1-2.8	0.6	0.6	0.1-1.7	0.0	0.0	0.0-1.4	0.6	1.1	0.2-3.4
25-29 years	2.2	1.8	0.9-3.3	1.4	2.4	1.0-4.9	0.8	1.3	0.4-3.3	0.6	0.5	0.1-1.5	0.6	1.0	0.2-3.0	0.0	0.0	0.0-1.2
30-34 years	2.2	2.1	1.0-3.7	1.2	2.3	0.9-5.1	1.0	1.8	0.6-4.2	1.6	1.5	0.6-3.0	1.2	2.3	0.9-5.1	0.4	0.7	0.1-2.6
35-39 years	3.4	3.6	2.1-5.8	2.6	5.9	3.1-10.0	0.8	1.6	0.4-4.1	1.6	1.7	0.7-3.3	1.2	2.7	1.0-5.9	0.4	0.8	0.1-2.9
40-44 years	3.4	4.0	2.3-6.4	2.6	6.6	3.5-11.3	0.8	1.7	0.5-4.4	1.0	1.2	0.4-2.7	0.6	1.5	0.3-4.5	0.4	0.9	0.1-3.1
45-49 years	4.8	5.5	3.5-8.2	3.4	8.5	4.9-13.6	1.4	3.0	1.2-6.1	3.0	3.4	1.9-5.7	2.4	6.0	3.1-10.4	0.6	1.3	0.3-3.7
50-54 years	4.6	5.0	3.2-7.6	2.2	5.2	2.6-9.4	2.4	4.9	2.5-8.5	2.4	2.6	1.4-4.6	1.6	3.8	1.6-7.5	0.8	1.6	0.4-4.2
55-59 years	8.2	9.5	6.8-12.9	4.6	11.8	7.5-17.7	3.6	7.6	4.5-12.0	4.4	5.1	3.2-7.7	2.6	6.7	3.5-11.4	1.8	3.8	1.7-7.2
60-64 years	7.4	10.0	7.1-13.8	3.6	10.9	6.5-17.2	3.8	9.3	5.6-14.6	5.0	6.8	4.4-10.0	3.2	9.7	5.5-15.7	1.8	4.4	2.0-8.4
65-69 years	7.2	12.5	8.7-17.3	5.2	20.5	13.4-30.1	2.0	6.2	3.0-11.3	5.2	9.0	5.9-13.2	2.4	9.5	4.9-16.6	2.8	8.6	4.7-14.5
70-74 years	5.6	12.5	8.3-18.1	2.4	13.0	6.7-22.8	3.2	12.2	7.0-19.8	6.2	13.9	9.4-19.7	2.8	15.2	8.3-25.5	3.4	12.9	7.5-20.7
75-79 years	3.2	9.8	5.6-15.8	1.4	11.0	4.4-22.7	1.8	9.0	4.1-17.0	3.8	11.6	7.0-18.1	1.4	11.0	4.4-22.7	2.4	11.9	6.2-20.9
80-84 years	6.4	28.1	19.2-39.6	2.6	31.1	16.6-53.2	3.8	26.3	15.8-41.1	3.2	14.0	8.0-22.8	2.0	23.9	11.5-44.0	1.2	8.3	3.0-18.1
85+ years	3.4	13.2	7.7-21.1	1.4	18.2	7.3-37.5	2.0	11.0	5.3-20.2	4.6	17.8	11.3-26.7	2.4	31.2	16.1-54.6	2.2	12.1	6.0-21.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Thyroid**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.6	0.6	0.1-1.9	0.0	0.0	0.0-1.5	0.6	1.3	0.3-3.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	3.2	3.4	1.9-5.5	0.4	0.8	0.1-3.0	2.8	6.0	3.3-10.1	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	6.8	6.5	4.5-9.1	1.4	2.7	1.1-5.5	5.4	10.3	6.8-15.1	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	11.0	9.1	6.9-11.9	1.6	2.7	1.2-5.3	9.4	15.2	11.2-20.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2
30-34 years	13.2	12.4	9.6-15.7	2.8	5.5	3.0-9.2	10.4	18.8	14.0-24.6	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.3
35-39 years	17.2	18.2	14.6-22.5	3.0	6.8	3.8-11.2	14.2	28.2	22.1-35.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.7	0.0	0.0	0.0-1.5
40-44 years	22.0	25.7	21.1-30.9	4.2	10.7	6.6-16.4	17.8	38.3	30.8-47.2	0.2	0.2	0.0-1.3	0.0	0.0	0.0-1.9	0.2	0.4	0.0-2.4
45-49 years	22.6	25.9	21.4-31.2	5.0	12.5	8.1-18.4	17.6	37.4	30.0-46.1	0.2	0.2	0.0-1.3	0.2	0.5	0.0-2.8	0.0	0.0	0.0-1.6
50-54 years	23.6	25.9	21.4-31.0	3.6	8.6	5.1-13.6	20.0	40.7	33.1-49.5	0.6	0.7	0.1-1.9	0.2	0.5	0.0-2.7	0.4	0.8	0.1-2.9
55-59 years	21.4	24.7	20.3-29.9	4.0	10.2	6.2-15.8	17.4	36.7	29.4-45.2	0.0	0.0	0.0-0.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.6
60-64 years	22.2	30.1	24.8-36.3	5.4	16.4	10.8-23.8	16.8	41.3	32.9-51.1	0.8	1.1	0.3-2.8	0.6	1.8	0.4-5.3	0.2	0.5	0.0-2.7
65-69 years	15.8	27.3	21.7-34.1	3.4	13.4	7.8-21.5	12.4	38.2	29.3-49.0	0.8	1.4	0.4-3.5	0.4	1.6	0.2-5.7	0.4	1.2	0.1-4.5
70-74 years	12.2	27.3	20.9-35.1	3.0	16.3	9.1-26.9	9.2	35.0	25.7-46.7	0.8	1.8	0.5-4.6	0.2	1.1	0.0-6.0	0.6	2.3	0.5-6.7
75-79 years	4.8	14.6	9.4-21.8	1.8	14.2	6.5-26.9	3.0	14.9	8.4-24.6	1.6	4.9	2.1-9.6	0.8	6.3	1.7-16.1	0.8	4.0	1.1-10.2
80-84 years	4.6	20.2	12.8-30.3	1.6	19.1	8.3-37.7	3.0	20.8	11.6-34.3	1.2	5.3	1.9-11.5	0.4	4.8	0.6-17.3	0.8	5.5	1.5-14.2
85+ years	2.6	10.1	5.4-17.2	0.6	7.8	1.6-22.8	2.0	11.0	5.3-20.2	0.8	3.1	0.8-7.9	0.2	2.6	0.1-14.5	0.6	3.3	0.7-9.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Hodgkin lymphoma**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	0.6	0.6	0.1-1.7	0.4	0.8	0.1-2.8	0.2	0.4	0.0-2.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.8	0.8	0.2-2.2	0.4	0.8	0.1-3.0	0.4	0.9	0.1-3.1	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	2.6	2.7	1.5-4.7	1.0	2.0	0.7-4.8	1.6	3.5	1.5-6.8	0.2	0.2	0.0-1.2	0.2	0.4	0.0-2.3	0.0	0.0	0.0-1.6
20-24 years	4.2	4.0	2.5-6.2	2.0	3.8	1.8-7.1	2.2	4.2	2.1-7.5	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.1	0.0	0.0	0.0-1.4
25-29 years	4.2	3.5	2.2-5.3	2.4	4.1	2.1-7.1	1.8	2.9	1.3-5.5	0.2	0.2	0.0-0.9	0.2	0.3	0.0-1.9	0.0	0.0	0.0-1.2
30-34 years	3.8	3.6	2.1-5.6	1.8	3.5	1.6-6.7	2.0	3.6	1.7-6.6	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.3
35-39 years	5.0	5.3	3.4-7.8	2.8	6.3	3.5-10.6	2.2	4.4	2.2-7.8	0.2	0.2	0.0-1.2	0.0	0.0	0.0-1.7	0.2	0.4	0.0-2.2
40-44 years	2.0	2.3	1.1-4.3	1.6	4.1	1.8-8.0	0.4	0.9	0.1-3.1	0.0	0.0	0.0-0.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.6
45-49 years	1.8	2.1	0.9-3.9	0.8	2.0	0.5-5.1	1.0	2.1	0.7-5.0	0.4	0.5	0.1-1.7	0.4	1.0	0.1-3.6	0.0	0.0	0.0-1.6
50-54 years	3.6	4.0	2.3-6.2	2.4	5.7	3.0-10.0	1.2	2.4	0.9-5.3	0.2	0.2	0.0-1.2	0.2	0.5	0.0-2.7	0.0	0.0	0.0-1.5
55-59 years	2.6	3.0	1.6-5.1	1.6	4.1	1.8-8.1	1.0	2.1	0.7-4.9	0.4	0.5	0.1-1.7	0.4	1.0	0.1-3.7	0.0	0.0	0.0-1.6
60-64 years	2.6	3.5	1.9-6.0	1.6	4.8	2.1-9.6	1.0	2.5	0.8-5.7	0.0	0.0	0.0-1.0	0.0	0.0	0.0-2.2	0.0	0.0	0.0-1.8
65-69 years	1.6	2.8	1.2-5.5	0.6	2.4	0.5-6.9	1.0	3.1	1.0-7.2	0.6	1.0	0.2-3.0	0.6	2.4	0.5-6.9	0.0	0.0	0.0-2.3
70-74 years	2.8	6.3	3.4-10.5	1.6	8.7	3.7-17.1	1.2	4.6	1.7-9.9	0.8	1.8	0.5-4.6	0.4	2.2	0.3-7.8	0.4	1.5	0.2-5.5
75-79 years	1.4	4.3	1.7-8.8	0.4	3.1	0.4-11.4	1.0	5.0	1.6-11.6	1.2	3.7	1.3-8.0	0.4	3.1	0.4-11.4	0.8	4.0	1.1-10.2
80-84 years	1.2	5.3	1.9-11.5	0.8	9.6	2.6-24.5	0.4	2.8	0.3-10.0	0.2	0.9	0.0-4.9	0.0	0.0	0.0-8.8	0.2	1.4	0.0-7.7
85+ years	0.4	1.5	0.2-5.6	0.0	0.0	0.0-9.6	0.4	2.2	0.3-8.0	0.0	0.0	0.0-2.9	0.0	0.0	0.0-9.6	0.0	0.0	0.0-4.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Non-Hodgkin lymphomas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.8	0.8	0.2-2.0	0.6	1.2	0.2-3.4	0.2	0.4	0.0-2.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	2.0	2.0	1.0-3.7	0.6	1.2	0.2-3.4	1.4	2.8	1.1-5.9	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	1.6	1.7	0.7-3.3	1.2	2.5	0.9-5.4	0.4	0.9	0.1-3.1	0.2	0.2	0.0-1.2	0.2	0.4	0.0-2.3	0.0	0.0	0.0-1.6
15-19 years	2.4	2.5	1.3-4.4	1.6	3.3	1.4-6.4	0.8	1.7	0.5-4.4	0.4	0.4	0.1-1.5	0.2	0.4	0.0-2.3	0.2	0.4	0.0-2.4
20-24 years	3.0	2.9	1.6-4.7	2.0	3.8	1.8-7.1	1.0	1.9	0.6-4.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	3.2	2.6	1.5-4.3	0.8	1.4	0.4-3.5	2.4	3.9	2.0-6.8	0.6	0.5	0.1-1.5	0.4	0.7	0.1-2.4	0.2	0.3	0.0-1.8
30-34 years	8.6	8.1	5.8-10.9	4.4	8.6	5.4-13.0	4.2	7.6	4.7-11.6	0.4	0.4	0.0-1.4	0.2	0.4	0.0-2.2	0.2	0.4	0.0-2.0
35-39 years	8.0	8.5	6.0-11.5	3.6	8.1	4.8-12.9	4.4	8.8	5.5-13.2	1.2	1.3	0.5-2.8	0.8	1.8	0.5-4.6	0.4	0.8	0.1-2.9
40-44 years	12.8	14.9	11.5-19.1	6.8	17.3	12.0-24.2	6.0	12.9	8.7-18.4	1.8	2.1	1.0-4.0	0.8	2.0	0.6-5.2	1.0	2.2	0.7-5.0
45-49 years	18.0	20.7	16.6-25.4	10.2	25.4	18.9-33.4	7.8	16.6	11.8-22.7	2.8	3.2	1.8-5.4	2.4	6.0	3.1-10.4	0.4	0.9	0.1-3.1
50-54 years	22.8	25.0	20.6-30.1	13.2	31.5	24.3-40.0	9.6	19.5	14.4-25.9	4.6	5.0	3.2-7.6	2.2	5.2	2.6-9.4	2.4	4.9	2.5-8.5
55-59 years	34.4	39.8	34.0-46.2	19.0	48.6	39.3-59.4	15.4	32.5	25.6-40.6	7.0	8.1	5.6-11.2	4.8	12.3	7.9-18.3	2.2	4.6	2.3-8.3
60-64 years	34.2	46.4	39.7-53.9	19.8	60.0	48.7-73.0	14.4	35.4	27.7-44.6	7.4	10.0	7.1-13.8	4.8	14.5	9.3-21.6	2.6	6.4	3.4-10.9
65-69 years	32.0	55.4	47.1-64.7	15.6	61.6	48.7-76.9	16.4	50.5	40.2-62.7	8.4	14.5	10.5-19.7	5.6	22.1	14.7-32.0	2.8	8.6	4.7-14.5
70-74 years	29.4	65.8	55.6-77.3	14.2	77.1	60.2-97.2	15.2	57.9	45.6-72.5	7.0	15.7	10.9-21.8	4.0	21.7	13.3-33.5	3.0	11.4	6.4-18.8
75-79 years	25.6	78.0	65.1-92.8	13.2	103.9	80.4-132.2	12.4	61.7	47.3-79.1	8.6	26.2	19.0-35.3	4.0	31.5	19.2-48.6	4.6	22.9	14.5-34.3
80-84 years	19.8	86.8	70.6-105.7	9.6	114.8	84.7-152.3	10.2	70.6	52.6-92.9	7.6	33.3	23.6-45.7	3.8	45.5	27.4-71.0	3.8	26.3	15.8-41.1
85+ years	18.6	72.0	58.1-88.1	7.4	96.3	67.8-132.7	11.2	61.7	46.6-80.1	10.8	41.8	31.4-54.5	5.0	65.1	42.1-96.1	5.8	31.9	21.4-45.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Myeloma**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
5-9 years	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.5
10-14 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
15-19 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.6
20-24 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
25-29 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2
30-34 years	0.4	0.4	0.0-1.4	0.4	0.8	0.1-2.8	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.3
35-39 years	2.2	2.3	1.2-4.2	0.8	1.8	0.5-4.6	1.4	2.8	1.1-5.7	0.2	0.2	0.0-1.2	0.2	0.5	0.0-2.5	0.0	0.0	0.0-1.5
40-44 years	4.2	4.9	3.0-7.5	1.8	4.6	2.1-8.7	2.4	5.2	2.7-9.0	1.0	1.2	0.4-2.7	0.8	2.0	0.6-5.2	0.2	0.4	0.0-2.4
45-49 years	5.4	6.2	4.1-9.0	2.4	6.0	3.1-10.4	3.0	6.4	3.6-10.5	0.4	0.5	0.1-1.7	0.0	0.0	0.0-1.8	0.4	0.9	0.1-3.1
50-54 years	12.4	13.6	10.4-17.4	4.8	11.4	7.3-17.0	7.6	15.5	10.9-21.2	3.0	3.3	1.8-5.4	2.2	5.2	2.6-9.4	0.8	1.6	0.4-4.2
55-59 years	19.2	22.2	18.0-27.1	11.6	29.7	22.5-38.4	7.6	16.0	11.3-22.0	2.8	3.2	1.8-5.4	1.6	4.1	1.8-8.1	1.2	2.5	0.9-5.5
60-64 years	30.0	40.7	34.5-47.8	15.6	47.3	37.4-59.0	14.4	35.4	27.7-44.6	7.2	9.8	6.8-13.5	4.6	13.9	8.8-20.9	2.6	6.4	3.4-10.9
65-69 years	27.2	47.1	39.5-55.7	14.4	56.9	44.5-71.7	12.8	39.4	30.4-50.3	8.6	14.9	10.8-20.1	6.4	25.3	17.3-35.7	2.2	6.8	3.4-12.1
70-74 years	25.0	55.9	46.6-66.7	13.0	70.6	54.5-89.9	12.0	45.7	34.9-58.8	8.4	18.8	13.5-25.4	3.8	20.6	12.4-32.2	4.6	17.5	11.1-26.3
75-79 years	18.8	57.3	46.3-70.1	7.6	59.8	42.3-82.1	11.2	55.7	42.1-72.3	5.4	16.5	10.8-23.9	2.2	17.3	8.6-31.0	3.2	15.9	9.1-25.8
80-84 years	13.2	57.9	44.8-73.6	6.2	74.2	50.4-105.3	7.0	48.5	33.8-67.4	6.2	27.2	18.5-38.6	2.4	28.7	14.8-50.1	3.8	26.3	15.8-41.1
85+ years	13.2	51.1	39.5-65.0	6.2	80.7	54.8-114.5	7.0	38.5	26.8-53.6	9.6	37.1	27.4-49.2	5.0	65.1	42.1-96.1	4.6	25.3	16.1-38.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Bronx
Leukemias**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	7.0	6.8	4.7-9.5	4.4	8.5	5.3-12.8	2.6	5.1	2.7-8.8	0.4	0.4	0.0-1.4	0.4	0.8	0.1-2.8	0.0	0.0	0.0-1.5
5-9 years	4.2	4.2	2.6-6.4	1.4	2.7	1.1-5.6	2.8	5.7	3.1-9.6	0.4	0.4	0.0-1.4	0.4	0.8	0.1-2.8	0.0	0.0	0.0-1.5
10-14 years	3.4	3.6	2.1-5.8	1.4	2.9	1.2-6.0	2.0	4.3	2.1-8.0	1.8	1.9	0.9-3.6	0.6	1.2	0.3-3.6	1.2	2.6	1.0-5.7
15-19 years	4.4	4.6	2.9-7.0	3.0	6.1	3.4-10.1	1.4	3.0	1.2-6.2	0.8	0.8	0.2-2.2	0.4	0.8	0.1-3.0	0.4	0.9	0.1-3.1
20-24 years	4.0	3.8	2.3-5.9	2.2	4.2	2.1-7.6	1.8	3.4	1.6-6.5	1.2	1.2	0.4-2.5	0.8	1.5	0.4-3.9	0.4	0.8	0.1-2.8
25-29 years	3.4	2.8	1.6-4.5	1.4	2.4	1.0-4.9	2.0	3.2	1.6-6.0	0.8	0.7	0.2-1.7	0.8	1.4	0.4-3.5	0.0	0.0	0.0-1.2
30-34 years	5.6	5.2	3.5-7.6	3.2	6.2	3.6-10.1	2.4	4.3	2.2-7.6	1.0	0.9	0.3-2.2	0.2	0.4	0.0-2.2	0.8	1.4	0.4-3.7
35-39 years	5.2	5.5	3.6-8.1	2.8	6.3	3.5-10.6	2.4	4.8	2.5-8.3	1.6	1.7	0.7-3.3	1.2	2.7	1.0-5.9	0.4	0.8	0.1-2.9
40-44 years	6.0	7.0	4.7-10.0	2.8	7.1	3.9-12.0	3.2	6.9	3.9-11.2	1.4	1.6	0.7-3.4	1.0	2.5	0.8-5.9	0.4	0.9	0.1-3.1
45-49 years	7.2	8.3	5.8-11.4	4.2	10.5	6.5-16.0	3.0	6.4	3.6-10.5	1.4	1.6	0.6-3.3	0.4	1.0	0.1-3.6	1.0	2.1	0.7-5.0
50-54 years	8.6	9.4	6.8-12.7	4.6	11.0	7.0-16.5	4.0	8.1	5.0-12.6	4.6	5.0	3.2-7.6	2.0	4.8	2.3-8.8	2.6	5.3	2.8-9.0
55-59 years	17.8	20.6	16.5-25.3	9.2	23.5	17.2-31.4	8.6	18.1	13.1-24.4	4.4	5.1	3.2-7.7	2.4	6.1	3.2-10.7	2.0	4.2	2.0-7.8
60-64 years	22.8	30.9	25.5-37.2	12.8	38.8	29.9-49.5	10.0	24.6	18.2-32.4	9.0	12.2	8.9-16.3	6.0	18.2	12.3-25.9	3.0	7.4	4.1-12.2
65-69 years	19.0	32.9	26.6-40.2	9.8	38.7	28.7-51.2	9.2	28.3	20.7-37.8	7.6	13.2	9.3-18.1	4.0	15.8	9.7-24.4	3.6	11.1	6.6-17.5
70-74 years	20.8	46.6	38.0-56.4	11.2	60.8	45.9-78.9	9.6	36.6	27.0-48.5	7.4	16.6	11.7-22.8	3.8	20.6	12.4-32.2	3.6	13.7	8.1-21.7
75-79 years	13.8	42.1	32.7-53.2	7.8	61.4	43.7-83.9	6.0	29.8	20.1-42.6	7.2	21.9	15.4-30.4	4.6	36.2	23.0-54.3	2.6	12.9	6.9-22.1
80-84 years	12.4	54.4	41.7-69.7	7.0	83.7	58.3-116.5	5.4	37.4	24.6-54.4	9.0	39.5	28.8-52.8	4.6	55.0	34.9-82.6	4.4	30.5	19.1-46.1
85+ years	12.4	48.0	36.8-61.5	5.0	65.1	42.1-96.1	7.4	40.7	28.7-56.1	11.8	45.6	34.7-58.9	5.4	70.3	46.3-102.3	6.4	35.2	24.1-49.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
All Invasive Malignant Tumors**

Age Group	Males and Females			Incidence						Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	43.2	23.0	20.1-26.3	23.2	24.1	19.9-29.0	20.0	21.9	17.8-26.6	2.8	1.5	0.8-2.5	1.8	1.9	0.9-3.6	1.0	1.1	0.4-2.6
5-9 years	24.2	14.7	12.2-17.6	12.4	14.7	11.3-18.8	11.8	14.7	11.2-19.0	3.6	2.2	1.3-3.5	2.2	2.6	1.3-4.7	1.4	1.7	0.7-3.6
10-14 years	29.0	19.4	16.4-22.9	16.8	22.1	17.6-27.4	12.2	16.7	12.8-21.4	4.2	2.8	1.7-4.3	1.8	2.4	1.1-4.5	2.4	3.3	1.7-5.7
15-19 years	38.4	28.1	24.3-32.4	23.0	33.3	27.5-39.9	15.4	22.9	18.0-28.6	4.6	3.4	2.1-5.1	3.4	4.9	2.9-7.9	1.2	1.8	0.7-3.9
20-24 years	81.2	51.2	46.4-56.5	40.0	52.5	45.5-60.4	41.2	50.0	43.4-57.4	7.8	4.9	3.5-6.7	4.4	5.8	3.6-8.8	3.4	4.1	2.4-6.6
25-29 years	162.0	67.2	62.6-72.0	65.4	56.4	50.5-62.9	96.6	77.2	70.4-84.4	7.6	3.2	2.2-4.3	4.0	3.4	2.1-5.3	3.6	2.9	1.7-4.5
30-34 years	250.6	108.1	102.2-114.2	91.8	81.2	74.0-89.0	158.8	133.6	124.4-143.2	16.8	7.2	5.8-9.0	8.0	7.1	5.1-9.6	8.8	7.4	5.4-9.9
35-39 years	305.6	156.9	149.2-165.0	99.4	105.5	96.4-115.2	206.2	205.2	192.8-218.1	40.8	21.0	18.2-24.0	16.6	17.6	14.0-21.8	24.2	24.1	20.0-28.8
40-44 years	427.2	261.0	250.1-272.4	136.0	174.5	161.6-188.1	291.2	339.7	322.5-357.6	54.8	33.5	29.6-37.7	23.6	30.3	25.1-36.3	31.2	36.4	30.9-42.6
45-49 years	605.8	394.3	380.4-408.6	197.6	275.2	258.3-292.9	408.2	498.9	477.5-521.0	100.4	65.4	59.8-71.3	44.8	62.4	54.5-71.1	55.6	68.0	60.2-76.4
50-54 years	849.6	573.1	556.0-590.6	352.8	514.7	491.0-539.3	496.8	623.3	599.0-648.3	171.8	115.9	108.3-123.9	72.6	105.9	95.3-117.4	99.2	124.5	113.7-135.9
55-59 years	1,276.6	858.3	837.4-879.6	621.6	914.7	882.8-947.4	655.0	810.8	783.3-839.1	291.0	195.6	185.7-206.0	134.0	197.2	182.5-212.7	157.0	194.4	181.0-208.4
60-64 years	1,661.6	1205.8	1180.0-1232.0	850.8	1374.1	1333.1-1416.0	810.8	1068.5	1035.9-1101.9	389.4	282.6	270.2-295.4	200.0	323.0	303.3-343.7	189.4	249.6	234.0-266.0
65-69 years	1,820.6	1552.8	1521.1-1585.1	993.0	1920.6	1867.5-1974.7	827.6	1262.7	1224.5-1301.8	466.0	397.5	381.5-413.9	225.2	435.6	410.5-461.8	240.8	367.4	346.9-388.8
70-74 years	1,546.6	1763.5	1724.4-1803.2	828.8	2210.1	2143.3-2278.4	717.8	1429.8	1383.4-1477.4	450.4	513.6	492.6-535.2	228.6	609.6	574.8-646.0	221.8	441.8	416.2-468.6
75-79 years	1,180.0	1938.4	1889.3-1988.5	605.4	2471.9	2384.6-2561.5	574.6	1579.3	1522.1-1638.2	431.6	709.0	679.4-739.6	213.4	871.3	819.8-925.2	218.2	599.7	564.7-636.4
80-84 years	851.2	1920.5	1863.2-1979.1	419.2	2460.4	2356.2-2568.1	432.0	1583.4	1517.3-1651.6	413.2	932.3	892.5-973.4	214.8	1260.7	1186.5-1338.5	198.4	727.2	682.6-773.9
85+ years	865.4	1709.8	1659.3-1761.6	362.6	2146.7	2049.0-2247.8	502.8	1491.0	1433.3-1550.5	608.6	1202.5	1160.1-1246.0	257.2	1522.7	1440.6-1608.3	351.4	1042.1	993.9-1091.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Oral cavity and pharynx**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.4	0.2	0.0-0.9	0.4	0.5	0.1-1.7	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.2	0.1	0.0-0.7	0.0	0.0	0.0-1.0	0.2	0.3	0.0-1.5	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	1.4	1.0	0.4-2.1	1.4	2.0	0.8-4.2	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	1.6	1.0	0.4-2.0	0.4	0.5	0.1-1.9	1.2	1.5	0.5-3.2	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9
25-29 years	3.8	1.6	0.9-2.5	2.2	1.9	0.9-3.4	1.6	1.3	0.6-2.5	0.2	0.1	0.0-0.5	0.2	0.2	0.0-1.0	0.0	0.0	0.0-0.6
30-34 years	6.2	2.7	1.8-3.8	4.0	3.5	2.2-5.5	2.2	1.9	0.9-3.3	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-0.6
35-39 years	6.0	3.1	2.1-4.4	3.6	3.8	2.3-6.0	2.4	2.4	1.2-4.2	0.4	0.2	0.0-0.7	0.2	0.2	0.0-1.2	0.2	0.2	0.0-1.1
40-44 years	9.2	5.6	4.1-7.5	5.8	7.4	5.0-10.7	3.4	4.0	2.3-6.4	0.8	0.5	0.1-1.3	0.6	0.8	0.2-2.3	0.2	0.2	0.0-1.3
45-49 years	16.6	10.8	8.6-13.4	11.2	15.6	11.8-20.3	5.4	6.6	4.3-9.6	2.2	1.4	0.7-2.6	2.0	2.8	1.3-5.1	0.2	0.2	0.0-1.4
50-54 years	23.4	15.8	13.1-18.9	16.8	24.5	19.6-30.3	6.6	8.3	5.7-11.6	3.8	2.6	1.5-4.0	3.0	4.4	2.4-7.2	0.8	1.0	0.3-2.6
55-59 years	33.6	22.6	19.3-26.3	24.0	35.3	29.3-42.2	9.6	11.9	8.8-15.8	6.6	4.4	3.1-6.2	4.4	6.5	4.1-9.8	2.2	2.7	1.4-4.9
60-64 years	34.4	25.0	21.4-29.0	22.4	36.2	29.8-43.5	12.0	15.8	12.1-20.4	7.6	5.5	3.9-7.6	5.6	9.0	6.0-13.1	2.0	2.6	1.3-4.8
65-69 years	34.0	29.0	24.8-33.7	22.2	42.9	35.3-51.7	11.8	18.0	13.7-23.2	5.6	4.8	3.2-6.9	4.4	8.5	5.3-12.9	1.2	1.8	0.7-4.0
70-74 years	33.2	37.9	32.3-44.1	21.6	57.6	47.2-69.5	11.6	23.1	17.5-29.9	7.8	8.9	6.3-12.2	6.2	16.5	11.2-23.5	1.6	3.2	1.4-6.3
75-79 years	17.2	28.3	22.6-34.9	12.2	49.8	38.1-64.0	5.0	13.7	8.9-20.3	8.2	13.5	9.7-18.3	5.4	22.0	14.5-32.1	2.8	7.7	4.2-12.9
80-84 years	15.6	35.2	27.8-43.9	9.2	54.0	39.5-72.0	6.4	23.5	16.0-33.1	5.4	12.2	8.0-17.7	3.6	21.1	12.5-33.4	1.8	6.6	3.0-12.5
85+ years	18.0	35.6	28.6-43.7	7.6	45.0	31.8-61.8	10.4	30.8	23.0-40.4	5.2	10.3	6.7-15.1	1.8	10.7	4.9-20.2	3.4	10.1	5.9-16.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Esophagus**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9
25-29 years	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.6
30-34 years	0.8	0.3	0.1-0.9	0.6	0.5	0.1-1.6	0.2	0.2	0.0-0.9	0.4	0.2	0.0-0.6	0.2	0.2	0.0-1.0	0.2	0.2	0.0-0.9
35-39 years	0.4	0.2	0.0-0.7	0.4	0.4	0.1-1.5	0.0	0.0	0.0-0.7	0.4	0.2	0.0-0.7	0.2	0.2	0.0-1.2	0.2	0.2	0.0-1.1
40-44 years	1.2	0.7	0.3-1.6	0.6	0.8	0.2-2.3	0.6	0.7	0.1-2.0	0.6	0.4	0.1-1.1	0.6	0.8	0.2-2.3	0.0	0.0	0.0-0.9
45-49 years	3.4	2.2	1.3-3.5	2.4	3.3	1.7-5.8	1.0	1.2	0.4-2.9	0.6	0.4	0.1-1.1	0.6	0.8	0.2-2.4	0.0	0.0	0.0-0.9
50-54 years	5.6	3.8	2.5-5.5	3.4	5.0	2.9-7.9	2.2	2.8	1.4-4.9	3.8	2.6	1.5-4.0	2.6	3.8	2.0-6.5	1.2	1.5	0.6-3.3
55-59 years	11.0	7.4	5.6-9.6	8.8	12.9	9.4-17.4	2.2	2.7	1.4-4.9	6.4	4.3	2.9-6.1	5.6	8.2	5.5-11.9	0.8	1.0	0.3-2.5
60-64 years	12.0	8.7	6.6-11.2	9.8	15.8	11.7-20.9	2.2	2.9	1.4-5.2	11.2	8.1	6.1-10.6	8.2	13.2	9.5-18.0	3.0	4.0	2.2-6.5
65-69 years	15.4	13.1	10.4-16.4	9.8	19.0	14.0-25.1	5.6	8.5	5.7-12.3	7.8	6.7	4.7-9.1	6.2	12.0	8.1-17.0	1.6	2.4	1.1-4.8
70-74 years	12.4	14.1	10.8-18.1	8.8	23.5	17.1-31.5	3.6	7.2	4.2-11.3	7.4	8.4	5.9-11.6	6.2	16.5	11.2-23.5	1.2	2.4	0.9-5.2
75-79 years	7.6	12.5	8.8-17.1	5.2	21.2	13.9-31.1	2.4	6.6	3.4-11.5	5.8	9.5	6.4-13.7	3.6	14.7	8.7-23.2	2.2	6.0	3.0-10.8
80-84 years	6.6	14.9	10.3-20.9	5.6	32.9	21.8-47.5	1.0	3.7	1.2-8.6	4.6	10.4	6.6-15.6	4.2	24.7	15.3-37.7	0.4	1.5	0.2-5.3
85+ years	7.4	14.6	10.3-20.2	3.6	21.3	12.6-33.7	3.8	11.3	6.8-17.6	6.0	11.9	8.0-16.9	4.2	24.9	15.4-38.0	1.8	5.3	2.4-10.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Stomach**

Age Group	Incidence																		Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females											
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI									
0-4 years	0.2	0.1	0.0-0.6	0.0	0.0	0.0-0.8	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8									
5-9 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9									
10-14 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0									
15-19 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1									
20-24 years	0.6	0.4	0.1-1.1	0.4	0.5	0.1-1.9	0.2	0.2	0.0-1.4	0.4	0.3	0.0-0.9	0.2	0.3	0.0-1.5	0.2	0.2	0.0-1.4									
25-29 years	1.8	0.7	0.3-1.4	1.0	0.9	0.3-2.0	0.8	0.6	0.2-1.6	0.8	0.3	0.1-0.8	0.2	0.2	0.0-1.0	0.6	0.5	0.1-1.4									
30-34 years	3.8	1.6	1.0-2.6	2.0	1.8	0.8-3.3	1.8	1.5	0.7-2.9	1.6	0.7	0.3-1.4	1.0	0.9	0.3-2.1	0.6	0.5	0.1-1.5									
35-39 years	4.0	2.1	1.3-3.2	1.8	1.9	0.9-3.6	2.2	2.2	1.1-3.9	3.0	1.5	0.9-2.5	1.6	1.7	0.7-3.3	1.4	1.4	0.6-2.9									
40-44 years	6.4	3.9	2.7-5.5	3.0	3.8	2.2-6.3	3.4	4.0	2.3-6.4	3.0	1.8	1.0-3.0	2.4	3.1	1.6-5.4	0.6	0.7	0.1-2.0									
45-49 years	13.6	8.9	6.9-11.2	7.6	10.6	7.5-14.5	6.0	7.3	4.9-10.5	6.0	3.9	2.6-5.6	3.2	4.5	2.5-7.2	2.8	3.4	1.9-5.7									
50-54 years	18.6	12.5	10.1-15.4	9.8	14.3	10.6-18.9	8.8	11.0	8.0-14.8	8.2	5.5	4.0-7.5	4.4	6.4	4.0-9.7	3.8	4.8	2.9-7.4									
55-59 years	33.2	22.3	19.1-26.0	19.6	28.8	23.4-35.1	13.6	16.8	13.1-21.3	13.0	8.7	6.7-11.1	8.8	12.9	9.4-17.4	4.2	5.2	3.2-7.9									
60-64 years	40.0	29.0	25.1-33.3	25.8	41.7	34.8-49.5	14.2	18.7	14.6-23.6	13.0	9.4	7.3-12.0	8.8	14.2	10.3-19.1	4.2	5.5	3.4-8.5									
65-69 years	45.6	38.9	34.0-44.3	28.6	55.3	46.6-65.2	17.0	25.9	20.7-32.1	16.6	14.2	11.3-17.6	11.2	21.7	16.4-28.1	5.4	8.2	5.4-12.0									
70-74 years	39.2	44.7	38.7-51.4	25.0	66.7	55.5-79.4	14.2	28.3	22.1-35.7	16.8	19.2	15.3-23.7	9.6	25.6	18.9-33.9	7.2	14.3	10.0-19.9									
75-79 years	37.4	61.4	52.9-70.9	23.6	96.4	79.8-115.4	13.8	37.9	29.5-48.0	18.4	30.2	24.4-37.1	13.0	53.1	41.0-67.7	5.4	14.8	9.8-21.6									
80-84 years	27.0	60.9	51.1-72.1	14.4	84.5	66.1-106.4	12.6	46.2	35.5-59.1	18.2	41.1	33.1-50.4	10.4	61.0	45.6-80.0	7.8	28.6	20.3-39.1									
85+ years	30.4	60.1	50.9-70.4	12.4	73.4	56.3-94.1	18.0	53.4	42.9-65.6	22.4	44.3	36.4-53.3	8.8	52.1	37.9-69.9	13.6	40.3	31.3-51.1									

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Colorectal**

Age Group	Incidence																		Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females											
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI									
0-4 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8									
5-9 years	0.2	0.1	0.0-0.7	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9									
10-14 years	0.8	0.5	0.1-1.4	0.6	0.8	0.2-2.3	0.2	0.3	0.0-1.5	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0									
15-19 years	0.8	0.6	0.2-1.5	0.2	0.3	0.0-1.6	0.6	0.9	0.2-2.6	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1									
20-24 years	4.2	2.7	1.6-4.1	1.4	1.8	0.7-3.8	2.8	3.4	1.9-5.7	0.4	0.3	0.0-0.9	0.2	0.3	0.0-1.5	0.2	0.2	0.0-1.4									
25-29 years	6.6	2.7	1.9-3.8	3.6	3.1	1.8-4.9	3.0	2.4	1.3-4.0	0.6	0.2	0.1-0.7	0.4	0.3	0.0-1.2	0.2	0.2	0.0-0.9									
30-34 years	15.8	6.8	5.4-8.5	9.0	8.0	5.8-10.7	6.8	5.7	4.0-8.0	2.0	0.9	0.4-1.6	1.4	1.2	0.5-2.6	0.6	0.5	0.1-1.5									
35-39 years	23.8	12.2	10.1-14.6	14.0	14.9	11.6-18.8	9.8	9.8	7.2-12.9	6.2	3.2	2.2-4.5	2.8	3.0	1.6-5.0	3.4	3.4	2.0-5.4									
40-44 years	33.0	20.2	17.2-23.5	16.6	21.3	17.0-26.4	16.4	19.1	15.2-23.7	9.2	5.6	4.1-7.5	4.8	6.2	3.9-9.2	4.4	5.1	3.2-7.8									
45-49 years	49.4	32.2	28.3-36.4	24.6	34.3	28.5-40.9	24.8	30.3	25.2-36.1	10.8	7.0	5.3-9.2	4.6	6.4	4.1-9.6	6.2	7.6	5.1-10.8									
50-54 years	86.2	58.1	52.8-63.9	43.2	63.0	54.9-72.0	43.0	53.9	47.0-61.7	19.0	12.8	10.4-15.7	9.4	13.7	10.1-18.2	9.6	12.0	8.9-16.0									
55-59 years	110.2	74.1	68.0-80.5	63.2	93.0	83.0-103.8	47.0	58.2	51.0-66.1	26.2	17.6	14.7-20.9	13.2	19.4	15.0-24.7	13.0	16.1	12.4-20.5									
60-64 years	135.4	98.3	91.0-105.9	71.8	116.0	104.3-128.6	63.6	83.8	74.9-93.6	35.8	26.0	22.3-30.1	19.6	31.7	25.7-38.6	16.2	21.3	17.0-26.5									
65-69 years	136.4	116.3	107.8-125.4	80.0	154.7	139.9-170.7	56.4	86.1	76.3-96.7	44.4	37.9	33.1-43.2	22.8	44.1	36.4-53.0	21.6	33.0	27.0-39.8									
70-74 years	128.8	146.9	135.7-158.7	68.2	181.9	163.1-202.2	60.6	120.7	107.5-135.1	41.4	47.2	41.0-54.1	25.0	66.7	55.5-79.4	16.4	32.7	26.0-40.5									
75-79 years	111.8	183.7	168.7-199.5	56.6	231.1	205.0-259.7	55.2	151.7	134.3-170.7	37.2	61.1	52.6-70.6	20.0	81.7	66.4-99.3	17.2	47.3	37.8-58.4									
80-84 years	89.8	202.6	184.3-222.2	42.2	247.7	215.4-283.5	47.6	174.5	153.0-198.1	40.8	92.1	79.9-105.6	20.4	119.7	97.6-145.4	20.4	74.8	61.0-90.8									
85+ years	114.0	225.2	207.1-244.5	43.0	254.6	221.7-291.0	71.0	210.5	189.2-233.6	76.0	150.2	135.4-166.0	27.4	162.2	136.2-191.8	48.6	144.1	126.6-163.4									

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Colon excluding rectum**

Age Group	Incidence																		Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females											
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI									
0-4 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8									
5-9 years	0.2	0.1	0.0-0.7	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9									
10-14 years	0.8	0.5	0.1-1.4	0.6	0.8	0.2-2.3	0.2	0.3	0.0-1.5	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0									
15-19 years	0.8	0.6	0.2-1.5	0.2	0.3	0.0-1.6	0.6	0.9	0.2-2.6	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1									
20-24 years	4.0	2.5	1.5-3.9	1.4	1.8	0.7-3.8	2.6	3.2	1.7-5.4	0.4	0.3	0.0-0.9	0.2	0.3	0.0-1.5	0.2	0.2	0.0-1.4									
25-29 years	4.2	1.7	1.1-2.7	2.6	2.2	1.2-3.8	1.6	1.3	0.6-2.5	0.2	0.1	0.0-0.5	0.2	0.2	0.0-1.0	0.0	0.0	0.0-0.6									
30-34 years	10.4	4.5	3.3-5.9	6.0	5.3	3.6-7.6	4.4	3.7	2.3-5.6	0.6	0.3	0.1-0.8	0.2	0.2	0.0-1.0	0.4	0.3	0.0-1.2									
35-39 years	13.0	6.7	5.2-8.5	7.8	8.3	5.9-11.3	5.2	5.2	3.4-7.6	4.0	2.1	1.3-3.2	2.0	2.1	1.0-3.9	2.0	2.0	1.0-3.7									
40-44 years	21.0	12.8	10.5-15.5	9.6	12.3	9.1-16.3	11.4	13.3	10.1-17.2	5.2	3.2	2.1-4.7	2.4	3.1	1.6-5.4	2.8	3.3	1.8-5.5									
45-49 years	29.6	19.3	16.3-22.6	14.6	20.3	15.9-25.6	15.0	18.3	14.4-23.0	8.6	5.6	4.1-7.5	3.8	5.3	3.2-8.3	4.8	5.9	3.8-8.7									
50-54 years	50.6	34.1	30.1-38.6	23.0	33.6	27.7-40.3	27.6	34.6	29.1-40.9	15.2	10.3	8.1-12.8	6.8	9.9	6.9-13.9	8.4	10.5	7.6-14.2									
55-59 years	70.4	47.3	42.5-52.5	38.8	57.1	49.3-65.7	31.6	39.1	33.3-45.7	20.8	14.0	11.4-16.9	10.6	15.6	11.7-20.4	10.2	12.6	9.4-16.6									
60-64 years	95.8	69.5	63.4-76.0	49.8	80.4	70.7-91.1	46.0	60.6	53.0-69.0	27.6	20.0	16.8-23.7	16.2	26.2	20.8-32.5	11.4	15.0	11.4-19.5									
65-69 years	96.6	82.4	75.2-90.1	54.2	104.8	92.7-118.1	42.4	64.7	56.3-74.0	38.0	32.4	28.0-37.4	18.6	36.0	29.0-44.1	19.4	29.6	24.0-36.1									
70-74 years	93.8	107.0	97.5-117.1	47.2	125.9	110.3-143.0	46.6	92.8	81.3-105.5	33.8	38.5	32.9-44.8	20.4	54.4	44.4-66.0	13.4	26.7	20.7-33.9									
75-79 years	88.0	144.6	131.4-158.7	42.0	171.5	149.1-196.3	46.0	126.4	110.6-143.9	29.8	49.0	41.4-57.5	15.4	62.9	49.6-78.6	14.4	39.6	31.0-49.8									
80-84 years	70.8	159.7	143.5-177.3	31.6	185.5	157.7-216.8	39.2	143.7	124.3-165.3	35.4	79.9	68.5-92.5	17.4	102.1	81.8-126.0	18.0	66.0	53.1-81.1									
85+ years	90.8	179.4	163.3-196.7	33.8	200.1	171.1-232.7	57.0	169.0	150.0-189.8	66.8	132.0	118.2-146.9	24.4	144.5	120.0-172.5	42.4	125.7	109.4-143.8									

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Rectum & rectosigmoid**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	0.2	0.1	0.0-0.7	0.0	0.0	0.0-1.0	0.2	0.2	0.0-1.4	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9
25-29 years	2.4	1.0	0.5-1.7	1.0	0.9	0.3-2.0	1.4	1.1	0.4-2.3	0.4	0.2	0.0-0.6	0.2	0.2	0.0-1.0	0.2	0.2	0.0-0.9
30-34 years	5.4	2.3	1.5-3.4	3.0	2.7	1.5-4.4	2.4	2.0	1.0-3.5	1.4	0.6	0.2-1.2	1.2	1.1	0.4-2.3	0.2	0.2	0.0-0.9
35-39 years	10.8	5.5	4.2-7.2	6.2	6.6	4.5-9.3	4.6	4.6	2.9-6.9	2.2	1.1	0.6-2.0	0.8	0.8	0.2-2.2	1.4	1.4	0.6-2.9
40-44 years	12.0	7.3	5.6-9.4	7.0	9.0	6.3-12.5	5.0	5.8	3.8-8.6	4.0	2.4	1.5-3.8	2.4	3.1	1.6-5.4	1.6	1.9	0.8-3.7
45-49 years	19.8	12.9	10.5-15.7	10.0	13.9	10.3-18.4	9.8	12.0	8.9-15.8	2.2	1.4	0.7-2.6	0.8	1.1	0.3-2.9	1.4	1.7	0.7-3.5
50-54 years	35.6	24.0	20.6-27.8	20.2	29.5	24.0-35.8	15.4	19.3	15.2-24.1	3.8	2.6	1.5-4.0	2.6	3.8	2.0-6.5	1.2	1.5	0.6-3.3
55-59 years	39.8	26.8	23.2-30.7	24.4	35.9	29.8-42.9	15.4	19.1	15.0-23.8	5.4	3.6	2.4-5.3	2.6	3.8	2.0-6.5	2.8	3.5	1.9-5.8
60-64 years	39.6	28.7	24.9-33.0	22.0	35.5	29.2-42.8	17.6	23.2	18.6-28.6	8.2	6.0	4.3-8.1	3.4	5.5	3.2-8.8	4.8	6.3	4.1-9.4
65-69 years	39.8	33.9	29.4-39.0	25.8	49.9	41.7-59.3	14.0	21.4	16.7-27.0	6.4	5.5	3.7-7.7	4.2	8.1	5.0-12.4	2.2	3.4	1.7-6.0
70-74 years	35.0	39.9	34.2-46.3	21.0	56.0	45.8-67.8	14.0	27.9	21.7-35.2	7.6	8.7	6.1-11.9	4.6	12.3	7.8-18.4	3.0	6.0	3.3-9.9
75-79 years	23.8	39.1	32.4-46.8	14.6	59.6	46.7-75.0	9.2	25.3	18.5-33.7	7.4	12.2	8.6-16.8	4.6	18.8	11.9-28.2	2.8	7.7	4.2-12.9
80-84 years	19.0	42.9	34.7-52.4	10.6	62.2	46.6-81.4	8.4	30.8	22.2-41.6	5.4	12.2	8.0-17.7	3.0	17.6	9.9-29.0	2.4	8.8	4.5-15.4
85+ years	23.2	45.8	37.9-55.0	9.2	54.5	39.9-72.7	14.0	41.5	32.4-52.5	9.2	18.2	13.3-24.2	3.0	17.8	9.9-29.3	6.2	18.4	12.5-26.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Liver / intrahepatic bile duct**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.6	0.3	0.1-0.9	0.2	0.2	0.0-1.2	0.4	0.4	0.1-1.6	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.2	0.1	0.0-0.7	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.6	0.4	0.1-1.3	0.4	0.6	0.1-2.1	0.2	0.3	0.0-1.7	0.4	0.3	0.0-1.1	0.4	0.6	0.1-2.1	0.0	0.0	0.0-1.1
20-24 years	0.4	0.3	0.0-0.9	0.0	0.0	0.0-1.0	0.4	0.5	0.1-1.8	0.2	0.1	0.0-0.7	0.0	0.0	0.0-1.0	0.2	0.2	0.0-1.4
25-29 years	1.4	0.6	0.2-1.2	1.2	1.0	0.4-2.3	0.2	0.2	0.0-0.9	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.6
30-34 years	2.0	0.9	0.4-1.6	1.4	1.2	0.5-2.6	0.6	0.5	0.1-1.5	0.4	0.2	0.0-0.6	0.4	0.4	0.0-1.3	0.0	0.0	0.0-0.6
35-39 years	3.2	1.6	0.9-2.7	2.8	3.0	1.6-5.0	0.4	0.4	0.0-1.4	1.6	0.8	0.4-1.6	1.4	1.5	0.6-3.1	0.2	0.2	0.0-1.1
40-44 years	5.2	3.2	2.1-4.7	4.4	5.6	3.5-8.5	0.8	0.9	0.3-2.4	3.0	1.8	1.0-3.0	2.6	3.3	1.8-5.7	0.4	0.5	0.1-1.7
45-49 years	11.6	7.6	5.7-9.8	9.2	12.8	9.4-17.1	2.4	2.9	1.5-5.1	6.0	3.9	2.6-5.6	4.6	6.4	4.1-9.6	1.4	1.7	0.7-3.5
50-54 years	17.8	12.0	9.6-14.8	13.2	19.3	14.9-24.5	4.6	5.8	3.7-8.7	7.8	5.3	3.7-7.2	5.8	8.5	5.7-12.2	2.0	2.5	1.2-4.6
55-59 years	30.6	20.6	17.4-24.1	23.6	34.7	28.7-41.6	7.0	8.7	6.0-12.1	16.8	11.3	9.0-14.0	11.6	17.1	13.0-22.1	5.2	6.4	4.2-9.4
60-64 years	49.8	36.1	31.8-40.9	38.2	61.7	53.3-71.1	11.6	15.3	11.6-19.8	28.6	20.8	17.5-24.4	23.2	37.5	31.0-44.9	5.4	7.1	4.7-10.4
65-69 years	52.6	44.9	39.6-50.6	37.2	71.9	62.0-83.1	15.4	23.5	18.5-29.4	27.4	23.4	19.6-27.6	18.4	35.6	28.7-43.6	9.0	13.7	10.0-18.4
70-74 years	34.4	39.2	33.6-45.5	24.4	65.1	54.0-77.7	10.0	19.9	14.8-26.3	21.6	24.6	20.2-29.7	14.2	37.9	29.6-47.8	7.4	14.7	10.4-20.3
75-79 years	26.2	43.0	36.0-51.1	16.8	68.6	54.7-84.9	9.4	25.8	19.0-34.4	17.2	28.3	22.6-34.9	10.6	43.3	32.4-56.6	6.6	18.1	12.5-25.5
80-84 years	20.0	45.1	36.7-54.9	11.6	68.1	51.7-88.0	8.4	30.8	22.2-41.6	16.0	36.1	28.6-44.9	8.2	48.1	34.5-65.3	7.8	28.6	20.3-39.1
85+ years	19.8	39.1	31.8-47.6	9.4	55.7	40.9-74.0	10.4	30.8	23.0-40.4	20.8	41.1	33.6-49.8	8.8	52.1	37.9-69.9	12.0	35.6	27.2-45.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Pancreas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.2	0.1	0.0-0.7	0.0	0.0	0.0-0.9	0.2	0.2	0.0-1.4	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1	0.2	0.1	0.0-0.8	0.2	0.3	0.0-1.6	0.0	0.0	0.0-1.1
20-24 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9
25-29 years	0.6	0.2	0.1-0.7	0.4	0.3	0.0-1.2	0.2	0.2	0.0-0.9	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.6
30-34 years	1.2	0.5	0.2-1.1	0.2	0.2	0.0-1.0	1.0	0.8	0.3-2.0	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.7	0.2	0.2	0.0-0.9
35-39 years	4.0	2.1	1.3-3.2	1.6	1.7	0.7-3.3	2.4	2.4	1.2-4.2	1.4	0.7	0.3-1.5	0.6	0.6	0.1-1.9	0.8	0.8	0.2-2.0
40-44 years	6.4	3.9	2.7-5.5	2.4	3.1	1.6-5.4	4.0	4.7	2.9-7.2	2.8	1.7	0.9-2.9	1.4	1.8	0.7-3.7	1.4	1.6	0.7-3.4
45-49 years	10.6	6.9	5.2-9.0	4.8	6.7	4.3-9.9	5.8	7.1	4.7-10.2	6.0	3.9	2.6-5.6	4.0	5.6	3.4-8.6	2.0	2.4	1.2-4.5
50-54 years	20.6	13.9	11.3-16.9	11.2	16.3	12.3-21.2	9.4	11.8	8.7-15.7	14.2	9.6	7.5-12.1	7.6	11.1	7.8-15.2	6.6	8.3	5.7-11.6
55-59 years	30.4	20.4	17.3-24.0	17.0	25.0	20.0-30.9	13.4	16.6	12.9-21.1	20.0	13.4	10.9-16.4	11.0	16.2	12.2-21.1	9.0	11.1	8.1-14.9
60-64 years	49.2	35.7	31.4-40.5	26.4	42.6	35.7-50.6	22.8	30.0	24.8-36.1	30.6	22.2	18.8-26.0	18.6	30.0	24.2-36.8	12.0	15.8	12.1-20.4
65-69 years	65.8	56.1	50.2-62.5	36.2	70.0	60.2-81.0	29.6	45.2	38.2-53.1	43.6	37.2	32.4-42.5	22.2	42.9	35.3-51.7	21.4	32.7	26.8-39.5
70-74 years	62.0	70.7	63.0-79.0	28.2	75.2	63.3-88.7	33.8	67.3	57.6-78.3	43.8	49.9	43.5-57.0	20.0	53.3	43.4-64.9	23.8	47.4	39.3-56.7
75-79 years	44.6	73.3	64.0-83.5	18.2	74.3	59.8-91.2	26.4	72.6	60.7-86.0	37.8	62.1	53.6-71.6	16.4	67.0	53.3-83.1	21.4	58.8	48.2-71.1
80-84 years	41.6	93.9	81.5-107.5	20.0	117.4	95.5-142.8	21.6	79.2	64.9-95.6	35.6	80.3	69.0-93.0	17.4	102.1	81.8-126.0	18.2	66.7	53.7-81.9
85+ years	47.4	93.7	82.1-106.4	13.6	80.5	62.5-102.1	33.8	100.2	85.7-116.5	46.0	90.9	79.5-103.4	15.4	91.2	72.0-114.0	30.6	90.7	76.9-106.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Larynx**

Age Group	Incidence																		Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females											
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI									
0-4 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8									
5-9 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9									
10-14 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0									
15-19 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1									
20-24 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9									
25-29 years	0.2	0.1	0.0-0.5	0.2	0.2	0.0-1.0	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.6									
30-34 years	0.2	0.1	0.0-0.5	0.2	0.2	0.0-1.0	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-0.6									
35-39 years	0.8	0.4	0.1-1.1	0.2	0.2	0.0-1.2	0.6	0.6	0.1-1.7	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7									
40-44 years	0.6	0.4	0.1-1.1	0.4	0.5	0.1-1.9	0.2	0.2	0.0-1.3	0.4	0.2	0.0-0.9	0.4	0.5	0.1-1.9	0.0	0.0	0.0-0.9									
45-49 years	1.8	1.2	0.5-2.2	1.4	1.9	0.8-4.0	0.4	0.5	0.1-1.8	0.4	0.3	0.0-0.9	0.4	0.6	0.1-2.0	0.0	0.0	0.0-0.9									
50-54 years	5.6	3.8	2.5-5.5	4.2	6.1	3.8-9.4	1.4	1.8	0.7-3.6	1.2	0.8	0.3-1.8	1.2	1.8	0.6-3.8	0.0	0.0	0.0-0.9									
55-59 years	7.4	5.0	3.5-6.9	5.0	7.4	4.8-10.9	2.4	3.0	1.5-5.2	1.0	0.7	0.2-1.6	1.0	1.5	0.5-3.4	0.0	0.0	0.0-0.9									
60-64 years	13.4	9.7	7.5-12.3	10.0	16.2	12.0-21.3	3.4	4.5	2.6-7.2	4.4	3.2	2.0-4.8	3.8	6.1	3.7-9.6	0.6	0.8	0.2-2.3									
65-69 years	11.4	9.7	7.4-12.6	8.8	17.0	12.4-22.8	2.6	4.0	2.1-6.8	2.6	2.2	1.2-3.8	2.4	4.6	2.4-8.1	0.2	0.3	0.0-1.7									
70-74 years	9.6	10.9	8.1-14.5	7.6	20.3	14.3-27.8	2.0	4.0	1.9-7.3	2.6	3.0	1.6-5.1	2.0	5.3	2.6-9.8	0.6	1.2	0.2-3.5									
75-79 years	7.2	11.8	8.3-16.4	6.2	25.3	17.2-35.9	1.0	2.7	0.9-6.4	2.8	4.6	2.5-7.7	2.6	10.6	5.7-18.2	0.2	0.5	0.0-3.1									
80-84 years	4.4	9.9	6.2-15.0	4.0	23.5	14.3-36.3	0.4	1.5	0.2-5.3	3.2	7.2	4.1-11.7	3.0	17.6	9.9-29.0	0.2	0.7	0.0-4.1									
85+ years	3.2	6.3	3.6-10.3	3.0	17.8	9.9-29.3	0.2	0.6	0.0-3.3	3.0	5.9	3.3-9.8	2.4	14.2	7.3-24.8	0.6	1.8	0.4-5.2									

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Lung and bronchus**

Age Group	Incidence																		Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females											
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI									
0-4 years	0.4	0.2	0.0-0.8	0.2	0.2	0.0-1.2	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8									
5-9 years	0.4	0.2	0.0-0.9	0.4	0.5	0.1-1.7	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9									
10-14 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0									
15-19 years	0.2	0.1	0.0-0.8	0.2	0.3	0.0-1.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1									
20-24 years	0.2	0.1	0.0-0.7	0.0	0.0	0.0-1.0	0.2	0.2	0.0-1.4	0.2	0.1	0.0-0.7	0.0	0.0	0.0-1.0	0.2	0.2	0.0-1.4									
25-29 years	1.8	0.7	0.3-1.4	0.4	0.3	0.0-1.2	1.4	1.1	0.4-2.3	0.2	0.1	0.0-0.5	0.2	0.2	0.0-1.0	0.0	0.0	0.0-0.6									
30-34 years	4.2	1.8	1.1-2.8	2.4	2.1	1.1-3.7	1.8	1.5	0.7-2.9	0.8	0.3	0.1-0.9	0.4	0.4	0.0-1.3	0.4	0.3	0.0-1.2									
35-39 years	6.2	3.2	2.2-4.5	2.4	2.5	1.3-4.4	3.8	3.8	2.3-5.9	1.6	0.8	0.4-1.6	1.2	1.3	0.5-2.8	0.4	0.4	0.0-1.4									
40-44 years	12.6	7.7	5.9-9.9	5.8	7.4	5.0-10.7	6.8	7.9	5.5-11.1	4.4	2.7	1.7-4.1	1.6	2.1	0.9-4.0	2.8	3.3	1.8-5.5									
45-49 years	25.2	16.4	13.7-19.5	11.0	15.3	11.5-19.9	14.2	17.4	13.6-21.9	10.8	7.0	5.3-9.2	5.8	8.1	5.4-11.6	5.0	6.1	4.0-9.0									
50-54 years	54.2	36.6	32.3-41.2	29.6	43.2	36.5-50.7	24.6	30.9	25.6-36.8	25.8	17.4	14.5-20.7	13.6	19.8	15.4-25.2	12.2	15.3	11.7-19.7									
55-59 years	105.4	70.9	64.9-77.2	57.2	84.2	74.7-94.5	48.2	59.7	52.4-67.7	52.2	35.1	31.0-39.6	29.8	43.9	37.1-51.5	22.4	27.7	22.8-33.4									
60-64 years	175.2	127.1	118.9-135.8	92.2	148.9	135.6-163.1	83.0	109.4	99.1-120.4	75.6	54.9	49.5-60.7	46.0	74.3	65.0-84.5	29.6	39.0	33.0-45.8									
65-69 years	200.0	170.6	160.2-181.5	105.4	203.9	186.8-222.0	94.6	144.3	131.6-157.9	92.8	79.2	72.1-86.7	54.6	105.6	93.4-118.9	38.2	58.3	50.3-67.2									
70-74 years	204.2	232.8	218.8-247.6	108.8	290.1	266.3-315.6	95.4	190.0	173.4-207.9	89.6	102.2	92.9-112.1	52.8	140.8	124.3-158.8	36.8	73.3	63.1-84.7									
75-79 years	175.8	288.8	270.0-308.5	91.8	374.8	341.3-410.7	84.0	230.9	209.3-254.1	89.2	146.5	133.2-160.8	49.4	201.7	177.3-228.5	39.8	109.4	94.7-125.7									
80-84 years	126.4	285.2	263.4-308.3	62.6	367.4	327.8-410.5	63.8	233.8	208.9-261.0	84.2	190.0	172.3-209.0	46.6	273.5	239.5-311.0	37.6	137.8	118.8-159.0									
85+ years	116.6	230.4	212.1-249.9	57.2	338.6	300.5-380.3	59.4	176.1	156.7-197.4	103.0	203.5	186.3-221.9	47.4	280.6	246.0-318.7	55.6	164.9	146.1-185.4									

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Melanoma of the skin**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.6	0.4	0.1-1.3	0.4	0.6	0.1-2.1	0.2	0.3	0.0-1.7	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	2.0	1.3	0.6-2.3	0.2	0.3	0.0-1.5	1.8	2.2	1.0-4.2	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9
25-29 years	5.2	2.2	1.4-3.2	1.6	1.4	0.6-2.7	3.6	2.9	1.7-4.5	0.2	0.1	0.0-0.5	0.2	0.2	0.0-1.0	0.0	0.0	0.0-0.6
30-34 years	11.0	4.7	3.6-6.2	4.2	3.7	2.3-5.7	6.8	5.7	4.0-8.0	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.7	0.2	0.2	0.0-0.9
35-39 years	10.2	5.2	3.9-6.9	5.4	5.7	3.8-8.3	4.8	4.8	3.1-7.1	0.6	0.3	0.1-0.9	0.4	0.4	0.1-1.5	0.2	0.2	0.0-1.1
40-44 years	10.6	6.5	4.9-8.5	5.6	7.2	4.8-10.4	5.0	5.8	3.8-8.6	0.4	0.2	0.0-0.9	0.4	0.5	0.1-1.9	0.0	0.0	0.0-0.9
45-49 years	14.4	9.4	7.3-11.8	7.0	9.7	6.8-13.6	7.4	9.0	6.4-12.5	1.4	0.9	0.4-1.9	0.8	1.1	0.3-2.9	0.6	0.7	0.2-2.1
50-54 years	14.0	9.4	7.4-11.9	5.6	8.2	5.4-11.8	8.4	10.5	7.6-14.2	1.4	0.9	0.4-1.9	0.8	1.2	0.3-3.0	0.6	0.8	0.2-2.2
55-59 years	17.4	11.7	9.4-14.4	7.8	11.5	8.2-15.7	9.6	11.9	8.8-15.8	1.4	0.9	0.4-1.9	1.0	1.5	0.5-3.4	0.4	0.5	0.1-1.8
60-64 years	24.6	17.9	14.8-21.3	14.8	23.9	18.8-30.0	9.8	12.9	9.6-17.1	1.6	1.2	0.5-2.3	0.8	1.3	0.4-3.3	0.8	1.1	0.3-2.7
65-69 years	26.0	22.2	18.5-26.3	15.8	30.6	24.2-38.1	10.2	15.6	11.6-20.5	2.8	2.4	1.3-4.0	2.2	4.3	2.1-7.6	0.6	0.9	0.2-2.7
70-74 years	29.6	33.8	28.5-39.6	17.0	45.3	36.2-56.1	12.6	25.1	19.3-32.1	1.0	1.1	0.4-2.7	0.6	1.6	0.3-4.7	0.4	0.8	0.1-2.9
75-79 years	23.2	38.1	31.5-45.7	14.2	58.0	45.3-73.1	9.0	24.7	18.0-33.1	2.4	3.9	2.0-6.9	1.2	4.9	1.8-10.7	1.2	3.3	1.2-7.2
80-84 years	19.6	44.2	35.9-53.9	12.4	72.8	55.8-93.3	7.2	26.4	18.5-36.5	3.8	8.6	5.2-13.4	2.6	15.3	8.1-26.1	1.2	4.4	1.6-9.6
85+ years	21.6	42.7	35.0-51.5	10.0	59.2	43.9-78.1	11.6	34.4	26.1-44.5	4.4	8.7	5.4-13.2	1.2	7.1	2.6-15.5	3.2	9.5	5.4-15.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Female breast**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	2.0	2.4	1.2-4.5	0.0	0.0	0.0-0.9
25-29 years	13.0	10.4	8.0-13.2	0.4	0.3	0.0-1.2
30-34 years	43.2	36.3	31.7-41.5	3.6	3.0	1.8-4.8
35-39 years	74.8	74.4	67.1-82.4	7.8	7.8	5.5-10.6
40-44 years	129.8	151.4	140.0-163.5	9.8	11.4	8.5-15.1
45-49 years	177.0	216.3	202.3-231.1	16.8	20.5	16.4-25.4
50-54 years	189.2	237.4	222.5-253.0	23.8	29.9	24.7-35.7
55-59 years	229.2	283.7	267.5-300.6	37.2	46.1	39.7-53.2
60-64 years	247.8	326.6	308.6-345.3	34.8	45.9	39.3-53.2
65-69 years	240.0	366.2	345.8-387.5	42.8	65.3	56.8-74.7
70-74 years	198.4	395.2	371.0-420.6	32.8	65.3	55.7-76.1
75-79 years	136.0	373.8	346.2-403.0	31.6	86.9	73.8-101.5
80-84 years	92.6	339.4	309.2-371.8	28.0	102.6	86.3-121.1
85+ years	85.8	254.4	230.9-279.7	51.4	152.4	134.4-172.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Cervix uteri**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	0.4	0.5	0.1-1.8	0.0	0.0	0.0-0.9
25-29 years	4.8	3.8	2.5-5.7	0.0	0.0	0.0-0.6
30-34 years	9.4	7.9	5.8-10.5	0.2	0.2	0.0-0.9
35-39 years	11.2	11.1	8.4-14.5	2.4	2.4	1.2-4.2
40-44 years	13.2	15.4	11.9-19.6	2.0	2.3	1.1-4.3
45-49 years	13.8	16.9	13.1-21.3	2.6	3.2	1.7-5.4
50-54 years	13.8	17.3	13.5-21.9	4.4	5.5	3.5-8.4
55-59 years	16.4	20.3	16.1-25.2	3.4	4.2	2.5-6.7
60-64 years	15.2	20.0	15.8-25.1	4.4	5.8	3.6-8.8
65-69 years	11.2	17.1	12.9-22.2	3.2	4.9	2.8-7.9
70-74 years	7.8	15.5	11.0-21.2	3.4	6.8	3.9-10.8
75-79 years	8.6	23.6	17.1-31.8	3.4	9.3	5.4-15.0
80-84 years	4.4	16.1	10.1-24.4	2.4	8.8	4.5-15.4
85+ years	4.2	12.5	7.7-19.0	2.8	8.3	4.5-13.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

Kings (Brooklyn)

Corpus uterus and uterus, not otherwise specified

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.2	0.3	0.0-1.7	0.0	0.0	0.0-1.1
20-24 years	0.4	0.5	0.1-1.8	0.0	0.0	0.0-0.9
25-29 years	1.6	1.3	0.6-2.5	0.0	0.0	0.0-0.6
30-34 years	6.0	5.0	3.4-7.2	0.2	0.2	0.0-0.9
35-39 years	8.2	8.2	5.9-11.1	0.8	0.8	0.2-2.0
40-44 years	13.8	16.1	12.5-20.4	1.4	1.6	0.7-3.4
45-49 years	26.8	32.8	27.4-38.8	2.2	2.7	1.3-4.8
50-54 years	43.8	54.9	47.9-62.7	7.2	9.0	6.3-12.5
55-59 years	70.6	87.4	78.5-97.0	12.0	14.9	11.3-19.1
60-64 years	91.4	120.5	109.7-132.0	17.2	22.7	18.1-28.0
65-69 years	90.2	137.6	125.2-150.9	26.4	40.3	33.7-47.8
70-74 years	63.6	126.7	113.1-141.4	18.8	37.4	30.3-45.8
75-79 years	43.6	119.8	104.5-136.8	16.4	45.1	35.9-56.0
80-84 years	24.6	90.2	74.9-107.6	11.0	40.3	30.4-52.5
85+ years	20.4	60.5	49.3-73.4	15.6	46.3	36.6-57.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Ovary**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.6	0.7	0.2-2.2	0.0	0.0	0.0-0.9
10-14 years	0.6	0.8	0.2-2.4	0.0	0.0	0.0-1.0
15-19 years	1.0	1.5	0.5-3.5	0.0	0.0	0.0-1.1
20-24 years	2.0	2.4	1.2-4.5	0.0	0.0	0.0-0.9
25-29 years	2.4	1.9	1.0-3.3	0.4	0.3	0.0-1.2
30-34 years	4.6	3.9	2.5-5.8	0.4	0.3	0.0-1.2
35-39 years	6.2	6.2	4.2-8.8	0.8	0.8	0.2-2.0
40-44 years	9.6	11.2	8.3-14.8	1.0	1.2	0.4-2.7
45-49 years	12.6	15.4	11.8-19.7	4.0	4.9	3.0-7.6
50-54 years	15.4	19.3	15.2-24.1	7.4	9.3	6.5-12.8
55-59 years	20.8	25.7	21.0-31.2	13.0	16.1	12.4-20.5
60-64 years	19.8	26.1	21.2-31.8	16.0	21.1	16.7-26.2
65-69 years	20.0	30.5	24.8-37.1	14.6	22.3	17.5-28.0
70-74 years	19.2	38.2	31.0-46.7	16.2	32.3	25.6-40.1
75-79 years	10.8	29.7	22.3-38.7	14.6	40.1	31.5-50.5
80-84 years	9.0	33.0	24.1-44.1	6.8	24.9	17.3-34.8
85+ years	12.0	35.6	27.2-45.8	11.0	32.6	24.6-42.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Prostate**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
25-29 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.6
30-34 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-0.7
35-39 years	0.4	0.4	0.1-1.5	0.0	0.0	0.0-0.8
40-44 years	7.4	9.5	6.7-13.1	0.0	0.0	0.0-0.9
45-49 years	28.8	40.1	33.8-47.2	0.6	0.8	0.2-2.4
50-54 years	83.8	122.3	110.8-134.6	2.0	2.9	1.4-5.4
55-59 years	201.2	296.1	278.1-314.9	8.0	11.8	8.4-16.0
60-64 years	322.4	520.7	495.6-546.7	12.0	19.4	14.8-24.9
65-69 years	386.0	746.6	713.6-780.6	20.6	39.8	32.5-48.3
70-74 years	292.2	779.2	739.7-820.2	28.4	75.7	63.8-89.3
75-79 years	170.8	697.4	651.4-745.8	31.6	129.0	109.7-150.8
80-84 years	88.6	520.0	472.7-570.8	36.2	212.5	182.6-245.8
85+ years	49.2	291.3	256.0-330.0	55.0	325.6	288.3-366.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Kings (Brooklyn)
Testis**

Age Group	Incidence		
	Avg Ann Cases	Rate per 100,000	95% CI
0-4 years	0.4	0.4	0.1-1.5
5-9 years	0.0	0.0	0.0-0.9
10-14 years	0.4	0.5	0.1-1.9
15-19 years	2.4	3.5	1.8-6.1
20-24 years	12.6	16.6	12.7-21.2
25-29 years	17.4	15.0	12.0-18.5
30-34 years	12.4	11.0	8.4-14.1
35-39 years	10.8	11.5	8.6-15.0
40-44 years	6.4	8.2	5.6-11.6
45-49 years	2.6	3.6	1.9-6.2
50-54 years	1.4	2.0	0.8-4.2
55-59 years	1.2	1.8	0.6-3.8
60-64 years	0.6	1.0	0.2-2.8
65-69 years	0.4	0.8	0.1-2.8
70-74 years	0.2	0.5	0.0-3.0
75-79 years	0.4	1.6	0.2-5.9
80-84 years	0.2	1.2	0.0-6.5
85+ years	0.2	1.2	0.0-6.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases in one year are unstable and should be used with caution.

Mortality data not provided due to small number of deaths per year.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Urinary bladder (incl. in situ)**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.6	0.3	0.1-0.9	0.6	0.6	0.1-1.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.2	0.1	0.0-0.8	0.2	0.3	0.0-1.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	0.4	0.3	0.0-0.9	0.2	0.3	0.0-1.5	0.2	0.2	0.0-1.4	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9
25-29 years	1.0	0.4	0.1-1.0	0.8	0.7	0.2-1.8	0.2	0.2	0.0-0.9	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.6
30-34 years	1.6	0.7	0.3-1.4	1.0	0.9	0.3-2.1	0.6	0.5	0.1-1.5	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-0.6
35-39 years	2.4	1.2	0.6-2.2	1.8	1.9	0.9-3.6	0.6	0.6	0.1-1.7	0.2	0.1	0.0-0.6	0.0	0.0	0.0-0.8	0.2	0.2	0.0-1.1
40-44 years	5.0	3.1	2.0-4.5	3.8	4.9	2.9-7.6	1.2	1.4	0.5-3.0	0.2	0.1	0.0-0.7	0.2	0.3	0.0-1.4	0.0	0.0	0.0-0.9
45-49 years	8.0	5.2	3.7-7.1	5.0	7.0	4.5-10.3	3.0	3.7	2.1-6.0	1.6	1.0	0.4-2.1	1.6	2.2	1.0-4.4	0.0	0.0	0.0-0.9
50-54 years	18.0	12.1	9.8-14.9	12.0	17.5	13.4-22.5	6.0	7.5	5.1-10.7	1.4	0.9	0.4-1.9	0.6	0.9	0.2-2.6	0.8	1.0	0.3-2.6
55-59 years	29.8	20.0	16.9-23.5	23.6	34.7	28.7-41.6	6.2	7.7	5.2-10.9	2.0	1.3	0.6-2.5	1.2	1.8	0.6-3.8	0.8	1.0	0.3-2.5
60-64 years	48.6	35.3	31.0-40.0	37.0	59.8	51.5-69.0	11.6	15.3	11.6-19.8	4.8	3.5	2.2-5.2	3.0	4.8	2.7-8.0	1.8	2.4	1.1-4.5
65-69 years	63.6	54.2	48.4-60.5	50.8	98.3	86.5-111.1	12.8	19.5	15.0-24.9	6.6	5.6	3.9-7.9	4.8	9.3	5.9-13.8	1.8	2.7	1.3-5.2
70-74 years	66.0	75.3	67.4-83.8	50.6	134.9	118.8-152.6	15.4	30.7	24.2-38.3	10.2	11.6	8.7-15.3	6.8	18.1	12.6-25.3	3.4	6.8	3.9-10.8
75-79 years	69.0	113.3	101.7-126.0	51.0	208.2	183.5-235.4	18.0	49.5	39.8-60.8	10.2	16.8	12.5-22.0	7.0	28.6	19.9-39.7	3.2	8.8	5.0-14.3
80-84 years	50.6	114.2	100.5-129.1	35.4	207.8	178.3-240.7	15.2	55.7	43.9-69.7	13.6	30.7	23.8-38.9	9.0	52.8	38.5-70.7	4.6	16.9	10.7-25.3
85+ years	63.0	124.5	111.1-139.0	46.4	274.7	240.5-312.4	16.6	49.2	39.2-61.0	30.0	59.3	50.2-69.6	20.4	120.8	98.5-146.6	9.6	28.5	21.0-37.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Kidney and renal pelvis**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	3.8	2.0	1.2-3.2	2.2	2.3	1.1-4.1	1.6	1.8	0.8-3.5	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.2	0.1	0.0-0.7	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.6	0.4	0.1-1.2	0.4	0.5	0.1-1.9	0.2	0.3	0.0-1.5	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.2	0.1	0.0-0.8	0.0	0.0	0.0-1.1	0.2	0.3	0.0-1.7	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	1.2	0.8	0.3-1.6	1.0	1.3	0.4-3.1	0.2	0.2	0.0-1.4	0.2	0.1	0.0-0.7	0.2	0.3	0.0-1.5	0.0	0.0	0.0-0.9
25-29 years	2.6	1.1	0.6-1.8	2.0	1.7	0.8-3.2	0.6	0.5	0.1-1.4	0.4	0.2	0.0-0.6	0.2	0.2	0.0-1.0	0.2	0.2	0.0-0.9
30-34 years	5.4	2.3	1.5-3.4	3.6	3.2	1.9-5.0	1.8	1.5	0.7-2.9	0.2	0.1	0.0-0.5	0.2	0.2	0.0-1.0	0.0	0.0	0.0-0.6
35-39 years	10.4	5.3	4.0-7.0	5.4	5.7	3.8-8.3	5.0	5.0	3.2-7.3	0.6	0.3	0.1-0.9	0.6	0.6	0.1-1.9	0.0	0.0	0.0-0.7
40-44 years	16.0	9.8	7.8-12.2	10.4	13.3	10.0-17.5	5.6	6.5	4.3-9.4	0.6	0.4	0.1-1.1	0.4	0.5	0.1-1.9	0.2	0.2	0.0-1.3
45-49 years	26.2	17.1	14.3-20.2	16.2	22.6	17.9-28.0	10.0	12.2	9.1-16.1	2.2	1.4	0.7-2.6	1.8	2.5	1.1-4.8	0.4	0.5	0.1-1.8
50-54 years	35.8	24.1	20.7-28.0	24.8	36.2	30.1-43.1	11.0	13.8	10.4-18.0	3.6	2.4	1.4-3.8	2.6	3.8	2.0-6.5	1.0	1.3	0.4-2.9
55-59 years	48.6	32.7	28.7-37.1	34.4	50.6	43.3-58.8	14.2	17.6	13.7-22.2	5.0	3.4	2.2-5.0	4.6	6.8	4.3-10.2	0.4	0.5	0.1-1.8
60-64 years	67.4	48.9	43.8-54.4	42.2	68.2	59.3-78.0	25.2	33.2	27.7-39.5	6.8	4.9	3.4-6.9	5.2	8.4	5.5-12.3	1.6	2.1	0.9-4.2
65-69 years	66.0	56.3	50.4-62.7	41.0	79.3	68.8-90.9	25.0	38.1	31.8-45.4	6.8	5.8	4.0-8.1	4.6	8.9	5.6-13.3	2.2	3.4	1.7-6.0
70-74 years	47.2	53.8	47.2-61.1	31.4	83.7	71.1-97.9	15.8	31.5	24.9-39.2	8.2	9.3	6.7-12.7	5.8	15.5	10.4-22.2	2.4	4.8	2.5-8.4
75-79 years	32.4	53.2	45.3-62.1	19.4	79.2	64.2-96.6	13.0	35.7	27.6-45.5	7.2	11.8	8.3-16.4	4.0	16.3	10.0-25.2	3.2	8.8	5.0-14.3
80-84 years	23.4	52.8	43.7-63.3	13.4	78.6	61.0-99.9	10.0	36.7	27.2-48.3	6.2	14.0	9.5-19.9	4.6	27.0	17.1-40.5	1.6	5.9	2.5-11.6
85+ years	16.6	32.8	26.1-40.7	8.8	52.1	37.9-69.9	7.8	23.1	16.4-31.6	9.6	19.0	14.0-25.1	5.2	30.8	20.1-45.1	4.4	13.0	8.2-19.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Brain and other central nervous system**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	8.6	4.6	3.3-6.2	4.6	4.8	3.0-7.2	4.0	4.4	2.7-6.8	1.0	0.5	0.2-1.2	1.0	1.0	0.3-2.4	0.0	0.0	0.0-0.8
5-9 years	6.8	4.1	2.9-5.8	2.8	3.3	1.8-5.6	4.0	5.0	3.0-7.7	1.4	0.9	0.3-1.8	0.6	0.7	0.1-2.1	0.8	1.0	0.3-2.6
10-14 years	7.6	5.1	3.6-7.0	4.6	6.0	3.8-9.1	3.0	4.1	2.3-6.8	2.4	1.6	0.8-2.8	1.2	1.6	0.6-3.4	1.2	1.6	0.6-3.6
15-19 years	2.6	1.9	1.0-3.3	1.4	2.0	0.8-4.2	1.2	1.8	0.7-3.9	0.8	0.6	0.2-1.5	0.6	0.9	0.2-2.5	0.2	0.3	0.0-1.7
20-24 years	4.6	2.9	1.8-4.4	2.4	3.2	1.6-5.5	2.2	2.7	1.3-4.8	0.6	0.4	0.1-1.1	0.2	0.3	0.0-1.5	0.4	0.5	0.1-1.8
25-29 years	7.4	3.1	2.2-4.2	3.4	2.9	1.7-4.7	4.0	3.2	2.0-4.9	1.0	0.4	0.1-1.0	0.6	0.5	0.1-1.5	0.4	0.3	0.0-1.2
30-34 years	9.8	4.2	3.1-5.6	6.2	5.5	3.7-7.8	3.6	3.0	1.8-4.8	1.4	0.6	0.2-1.2	1.2	1.1	0.4-2.3	0.2	0.2	0.0-0.9
35-39 years	6.8	3.5	2.4-4.9	4.0	4.2	2.6-6.6	2.8	2.8	1.5-4.7	1.8	0.9	0.4-1.8	1.4	1.5	0.6-3.1	0.4	0.4	0.0-1.4
40-44 years	5.4	3.3	2.2-4.8	3.2	4.1	2.3-6.7	2.2	2.6	1.3-4.6	2.4	1.5	0.8-2.6	1.6	2.1	0.9-4.0	0.8	0.9	0.3-2.4
45-49 years	9.4	6.1	4.5-8.1	5.0	7.0	4.5-10.3	4.4	5.4	3.4-8.1	4.8	3.1	2.0-4.6	2.4	3.3	1.7-5.8	2.4	2.9	1.5-5.1
50-54 years	12.8	8.6	6.6-11.0	7.8	11.4	8.1-15.6	5.0	6.3	4.1-9.3	7.0	4.7	3.3-6.6	3.6	5.3	3.1-8.3	3.4	4.3	2.5-6.8
55-59 years	11.0	7.4	5.6-9.6	6.8	10.0	6.9-14.0	4.2	5.2	3.2-7.9	6.4	4.3	2.9-6.1	4.2	6.2	3.8-9.4	2.2	2.7	1.4-4.9
60-64 years	20.0	14.5	11.8-17.7	10.2	16.5	12.3-21.7	9.8	12.9	9.6-17.1	12.2	8.9	6.8-11.4	7.4	12.0	8.4-16.5	4.8	6.3	4.1-9.4
65-69 years	16.2	13.8	11.0-17.2	9.0	17.4	12.7-23.3	7.2	11.0	7.7-15.2	9.2	7.8	5.7-10.5	4.6	8.9	5.6-13.3	4.6	7.0	4.4-10.5
70-74 years	12.6	14.4	11.0-18.4	6.0	16.0	10.8-22.8	6.6	13.1	9.0-18.5	9.8	11.2	8.3-14.8	4.4	11.7	7.4-17.8	5.4	10.8	7.1-15.7
75-79 years	11.2	18.4	13.9-23.9	6.6	26.9	18.5-37.8	4.6	12.6	8.0-19.0	6.8	11.2	7.7-15.6	3.8	15.5	9.3-24.2	3.0	8.2	4.6-13.6
80-84 years	4.6	10.4	6.6-15.6	2.0	11.7	5.6-21.6	2.6	9.5	5.1-16.3	5.8	13.1	8.8-18.8	3.4	20.0	11.6-32.0	2.4	8.8	4.5-15.4
85+ years	7.0	13.8	9.6-19.2	2.6	15.4	8.2-26.3	4.4	13.0	8.2-19.8	6.8	13.4	9.3-18.8	2.6	15.4	8.2-26.3	4.2	12.5	7.7-19.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Thyroid**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.2	0.1	0.0-0.7	0.0	0.0	0.0-0.9	0.2	0.2	0.0-1.4	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	1.8	1.2	0.6-2.3	0.6	0.8	0.2-2.3	1.2	1.6	0.6-3.6	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	5.2	3.8	2.5-5.6	1.4	2.0	0.8-4.2	3.8	5.6	3.4-8.8	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	18.4	11.6	9.4-14.2	4.2	5.5	3.4-8.4	14.2	17.2	13.5-21.8	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9
25-29 years	44.4	18.4	16.1-21.0	8.0	6.9	4.9-9.4	36.4	29.1	25.0-33.6	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.6	0.2	0.2	0.0-0.9
30-34 years	52.6	22.7	20.0-25.6	10.2	9.0	6.7-11.9	42.4	35.7	31.0-40.8	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-0.6
35-39 years	54.8	28.1	24.9-31.7	12.4	13.2	10.1-16.9	42.4	42.2	36.7-48.3	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
40-44 years	52.4	32.0	28.3-36.1	14.4	18.5	14.5-23.3	38.0	44.3	38.2-51.1	0.2	0.1	0.0-0.7	0.0	0.0	0.0-0.9	0.2	0.2	0.0-1.3
45-49 years	53.0	34.5	30.5-38.9	9.6	13.4	9.9-17.7	43.4	53.0	46.2-60.6	0.4	0.3	0.0-0.9	0.4	0.6	0.1-2.0	0.0	0.0	0.0-0.9
50-54 years	51.8	34.9	30.8-39.5	12.4	18.1	13.9-23.2	39.4	49.4	42.8-56.8	0.4	0.3	0.0-1.0	0.0	0.0	0.0-1.1	0.4	0.5	0.1-1.8
55-59 years	57.0	38.3	34.0-43.0	15.6	23.0	18.1-28.6	41.4	51.2	44.5-58.7	0.4	0.3	0.0-1.0	0.2	0.3	0.0-1.6	0.2	0.2	0.0-1.4
60-64 years	51.0	37.0	32.6-41.8	16.6	26.8	21.4-33.2	34.4	45.3	38.8-52.6	1.4	1.0	0.4-2.1	0.2	0.3	0.0-1.8	1.2	1.6	0.6-3.4
65-69 years	43.4	37.0	32.3-42.3	10.8	20.9	15.7-27.3	32.6	49.7	42.4-58.0	2.2	1.9	0.9-3.4	0.6	1.2	0.2-3.4	1.6	2.4	1.1-4.8
70-74 years	27.0	30.8	25.8-36.4	7.6	20.3	14.3-27.8	19.4	38.6	31.3-47.1	1.6	1.8	0.8-3.6	0.6	1.6	0.3-4.7	1.0	2.0	0.6-4.6
75-79 years	16.6	27.3	21.7-33.8	3.8	15.5	9.3-24.2	12.8	35.2	27.1-44.9	2.0	3.3	1.6-6.0	1.0	4.1	1.3-9.5	1.0	2.7	0.9-6.4
80-84 years	8.6	19.4	14.0-26.1	2.0	11.7	5.6-21.6	6.6	24.2	16.7-34.0	3.0	6.8	3.8-11.2	1.0	5.9	1.9-13.7	2.0	7.3	3.5-13.5
85+ years	4.8	9.5	6.1-14.1	2.0	11.8	5.7-21.8	2.8	8.3	4.5-13.9	3.0	5.9	3.3-9.8	0.2	1.2	0.0-6.6	2.8	8.3	4.5-13.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Hodgkin lymphoma**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.4	0.2	0.0-0.9	0.4	0.5	0.1-1.7	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	1.8	1.2	0.6-2.3	1.2	1.6	0.6-3.4	0.6	0.8	0.2-2.4	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	5.0	3.7	2.4-5.4	3.2	4.6	2.6-7.5	1.8	2.7	1.2-5.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	7.0	4.4	3.1-6.1	3.8	5.0	3.0-7.8	3.2	3.9	2.2-6.3	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9
25-29 years	11.0	4.6	3.4-5.9	5.2	4.5	2.9-6.6	5.8	4.6	3.1-6.7	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.6
30-34 years	11.6	5.0	3.8-6.5	5.6	5.0	3.3-7.2	6.0	5.0	3.4-7.2	0.2	0.1	0.0-0.5	0.2	0.2	0.0-1.0	0.0	0.0	0.0-0.6
35-39 years	7.0	3.6	2.5-5.0	4.0	4.2	2.6-6.6	3.0	3.0	1.7-4.9	0.2	0.1	0.0-0.6	0.0	0.0	0.0-0.8	0.2	0.2	0.0-1.1
40-44 years	7.4	4.5	3.2-6.2	4.6	5.9	3.7-8.9	2.8	3.3	1.8-5.5	0.2	0.1	0.0-0.7	0.0	0.0	0.0-0.9	0.2	0.2	0.0-1.3
45-49 years	4.4	2.9	1.8-4.3	1.6	2.2	1.0-4.4	2.8	3.4	1.9-5.7	0.8	0.5	0.1-1.3	0.4	0.6	0.1-2.0	0.4	0.5	0.1-1.8
50-54 years	5.6	3.8	2.5-5.5	3.8	5.5	3.3-8.7	1.8	2.3	1.0-4.3	0.2	0.1	0.0-0.8	0.0	0.0	0.0-1.1	0.2	0.3	0.0-1.4
55-59 years	6.6	4.4	3.1-6.2	4.4	6.5	4.1-9.8	2.2	2.7	1.4-4.9	0.6	0.4	0.1-1.2	0.4	0.6	0.1-2.1	0.2	0.2	0.0-1.4
60-64 years	4.4	3.2	2.0-4.8	2.0	3.2	1.5-5.9	2.4	3.2	1.6-5.5	0.8	0.6	0.2-1.5	0.4	0.6	0.1-2.3	0.4	0.5	0.1-1.9
65-69 years	2.4	2.0	1.1-3.6	0.8	1.5	0.4-4.0	1.6	2.4	1.1-4.8	0.2	0.2	0.0-1.0	0.0	0.0	0.0-1.4	0.2	0.3	0.0-1.7
70-74 years	2.8	3.2	1.7-5.4	1.4	3.7	1.5-7.7	1.4	2.8	1.1-5.7	0.4	0.5	0.1-1.6	0.2	0.5	0.0-3.0	0.2	0.4	0.0-2.2
75-79 years	1.4	2.3	0.9-4.7	0.6	2.4	0.5-7.2	0.8	2.2	0.6-5.6	0.2	0.3	0.0-1.8	0.2	0.8	0.0-4.5	0.0	0.0	0.0-2.0
80-84 years	1.4	3.2	1.3-6.5	0.6	3.5	0.7-10.3	0.8	2.9	0.8-7.5	1.4	3.2	1.3-6.5	0.8	4.7	1.3-12.0	0.6	2.2	0.5-6.4
85+ years	1.8	3.6	1.6-6.8	1.2	7.1	2.6-15.5	0.6	1.8	0.4-5.2	1.2	2.4	0.9-5.2	0.8	4.7	1.3-12.1	0.4	1.2	0.1-4.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Non-Hodgkin lymphomas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.0	0.5	0.2-1.2	0.6	0.6	0.1-1.8	0.4	0.4	0.1-1.6	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	2.6	1.6	0.8-2.7	2.2	2.6	1.3-4.7	0.4	0.5	0.1-1.8	0.2	0.1	0.0-0.7	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.9
10-14 years	3.8	2.5	1.5-4.0	2.2	2.9	1.4-5.2	1.6	2.2	0.9-4.3	0.2	0.1	0.0-0.7	0.2	0.3	0.0-1.5	0.0	0.0	0.0-1.0
15-19 years	2.6	1.9	1.0-3.3	2.0	2.9	1.4-5.3	0.6	0.9	0.2-2.6	0.2	0.1	0.0-0.8	0.2	0.3	0.0-1.6	0.0	0.0	0.0-1.1
20-24 years	7.8	4.9	3.5-6.7	4.8	6.3	4.0-9.4	3.0	3.6	2.0-6.0	1.2	0.8	0.3-1.6	1.0	1.3	0.4-3.1	0.2	0.2	0.0-1.4
25-29 years	7.8	3.2	2.3-4.4	4.0	3.4	2.1-5.3	3.8	3.0	1.8-4.7	0.2	0.1	0.0-0.5	0.0	0.0	0.0-0.6	0.2	0.2	0.0-0.9
30-34 years	16.2	7.0	5.5-8.7	9.4	8.3	6.1-11.1	6.8	5.7	4.0-8.0	0.4	0.2	0.0-0.6	0.2	0.2	0.0-1.0	0.2	0.2	0.0-0.9
35-39 years	17.8	9.1	7.3-11.2	10.4	11.0	8.2-14.5	7.4	7.4	5.2-10.1	2.0	1.0	0.5-1.9	1.6	1.7	0.7-3.3	0.4	0.4	0.0-1.4
40-44 years	23.6	14.4	11.9-17.3	12.6	16.2	12.4-20.7	11.0	12.8	9.7-16.7	1.6	1.0	0.4-1.9	0.8	1.0	0.3-2.6	0.8	0.9	0.3-2.4
45-49 years	26.0	16.9	14.1-20.1	13.8	19.2	15.0-24.3	12.2	14.9	11.4-19.2	2.8	1.8	1.0-3.1	1.2	1.7	0.6-3.6	1.6	2.0	0.8-3.9
50-54 years	34.8	23.5	20.1-27.2	19.2	28.0	22.7-34.2	15.6	19.6	15.5-24.4	5.8	3.9	2.6-5.6	4.0	5.8	3.6-9.0	1.8	2.3	1.0-4.3
55-59 years	56.0	37.7	33.4-42.3	33.0	48.6	41.4-56.6	23.0	28.5	23.5-34.2	10.2	6.9	5.1-9.0	6.0	8.8	6.0-12.6	4.2	5.2	3.2-7.9
60-64 years	58.2	42.2	37.5-47.4	29.0	46.8	39.5-55.1	29.2	38.5	32.5-45.3	9.2	6.7	4.9-8.9	5.8	9.4	6.3-13.5	3.4	4.5	2.6-7.2
65-69 years	67.8	57.8	51.8-64.3	36.0	69.6	59.8-80.6	31.8	48.5	41.3-56.7	11.8	10.1	7.7-13.0	5.8	11.2	7.5-16.1	6.0	9.2	6.2-13.1
70-74 years	58.6	66.8	59.4-74.9	30.8	82.1	69.7-96.2	27.8	55.4	46.6-65.4	16.0	18.2	14.5-22.7	8.0	21.3	15.2-29.0	8.0	15.9	11.4-21.7
75-79 years	49.2	80.8	71.0-91.6	25.0	102.1	85.0-121.6	24.2	66.5	55.2-79.5	13.2	21.7	16.8-27.6	7.0	28.6	19.9-39.7	6.2	17.0	11.6-24.2
80-84 years	40.4	91.2	79.0-104.6	21.8	128.0	105.1-154.3	18.6	68.2	55.0-83.5	14.6	32.9	25.8-41.4	5.4	31.7	20.9-46.1	9.2	33.7	24.7-45.0
85+ years	37.2	73.5	63.3-84.9	15.2	90.0	70.9-112.6	22.0	65.2	53.6-78.6	21.4	42.3	34.7-51.1	9.6	56.8	41.9-75.4	11.8	35.0	26.6-45.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Myeloma**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
5-9 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
10-14 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
15-19 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
20-24 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9
25-29 years	0.6	0.2	0.1-0.7	0.2	0.2	0.0-1.0	0.4	0.3	0.0-1.2	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-0.6
30-34 years	1.0	0.4	0.1-1.0	0.8	0.7	0.2-1.8	0.2	0.2	0.0-0.9	0.0	0.0	0.0-0.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-0.6
35-39 years	2.0	1.0	0.5-1.9	0.8	0.8	0.2-2.2	1.2	1.2	0.4-2.6	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
40-44 years	4.8	2.9	1.9-4.4	2.2	2.8	1.4-5.1	2.6	3.0	1.6-5.2	1.0	0.6	0.2-1.4	0.6	0.8	0.2-2.3	0.4	0.5	0.1-1.7
45-49 years	10.6	6.9	5.2-9.0	5.8	8.1	5.4-11.6	4.8	5.9	3.8-8.7	0.6	0.4	0.1-1.1	0.4	0.6	0.1-2.0	0.2	0.2	0.0-1.4
50-54 years	17.4	11.7	9.4-14.5	8.6	12.5	9.1-16.9	8.8	11.0	8.0-14.8	2.6	1.8	0.9-3.0	1.6	2.3	1.0-4.6	1.0	1.3	0.4-2.9
55-59 years	27.8	18.7	15.7-22.1	15.8	23.3	18.4-29.0	12.0	14.9	11.3-19.1	4.8	3.2	2.1-4.8	2.6	3.8	2.0-6.5	2.2	2.7	1.4-4.9
60-64 years	31.2	22.6	19.2-26.5	14.6	23.6	18.5-29.6	16.6	21.9	17.4-27.1	10.0	7.3	5.4-9.6	6.4	10.3	7.1-14.6	3.6	4.7	2.8-7.5
65-69 years	39.0	33.3	28.8-38.3	19.6	37.9	30.8-46.2	19.4	29.6	24.0-36.1	11.6	9.9	7.5-12.8	4.2	8.1	5.0-12.4	7.4	11.3	7.9-15.6
70-74 years	37.8	43.1	37.2-49.7	18.6	49.6	40.0-60.8	19.2	38.2	31.0-46.7	13.2	15.1	11.6-19.1	7.0	18.7	13.0-26.0	6.2	12.4	8.4-17.5
75-79 years	32.4	53.2	45.3-62.1	14.8	60.4	47.5-75.9	17.6	48.4	38.8-59.6	9.6	15.8	11.6-20.9	4.6	18.8	11.9-28.2	5.0	13.7	8.9-20.3
80-84 years	22.8	51.4	42.4-61.8	11.2	65.7	49.7-85.4	11.6	42.5	32.3-55.0	9.4	21.2	15.6-28.2	5.2	30.5	19.9-44.7	4.2	15.4	9.5-23.5
85+ years	21.2	41.9	34.3-50.7	10.0	59.2	43.9-78.1	11.2	33.2	25.1-43.1	15.8	31.2	24.7-38.9	7.2	42.6	29.9-59.0	8.6	25.5	18.5-34.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Kings (Brooklyn)
Leukemias**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	10.8	5.8	4.3-7.5	5.6	5.8	3.9-8.4	5.2	5.7	3.7-8.3	0.8	0.4	0.1-1.1	0.2	0.2	0.0-1.2	0.6	0.7	0.1-1.9
5-9 years	6.4	3.9	2.7-5.5	3.2	3.8	2.2-6.1	3.2	4.0	2.3-6.5	0.6	0.4	0.1-1.1	0.4	0.5	0.1-1.7	0.2	0.2	0.0-1.4
10-14 years	4.2	2.8	1.7-4.3	3.2	4.2	2.4-6.8	1.0	1.4	0.4-3.2	0.4	0.3	0.0-1.0	0.0	0.0	0.0-1.0	0.4	0.5	0.1-2.0
15-19 years	7.8	5.7	4.1-7.8	5.2	7.5	4.9-11.0	2.6	3.9	2.1-6.6	1.0	0.7	0.2-1.7	0.8	1.2	0.3-3.0	0.2	0.3	0.0-1.7
20-24 years	6.0	3.8	2.6-5.4	3.2	4.2	2.4-6.8	2.8	3.4	1.9-5.7	1.2	0.8	0.3-1.6	0.8	1.1	0.3-2.7	0.4	0.5	0.1-1.8
25-29 years	6.4	2.7	1.8-3.7	3.0	2.6	1.4-4.3	3.4	2.7	1.6-4.3	1.6	0.7	0.3-1.3	1.0	0.9	0.3-2.0	0.6	0.5	0.1-1.4
30-34 years	8.4	3.6	2.6-4.9	5.0	4.4	2.9-6.5	3.4	2.9	1.7-4.6	0.6	0.3	0.1-0.8	0.2	0.2	0.0-1.0	0.4	0.3	0.0-1.2
35-39 years	8.0	4.1	2.9-5.6	4.4	4.7	2.9-7.1	3.6	3.6	2.1-5.7	3.6	1.8	1.1-2.9	2.0	2.1	1.0-3.9	1.6	1.6	0.7-3.1
40-44 years	14.0	8.6	6.7-10.8	8.2	10.5	7.6-14.3	5.8	6.8	4.5-9.7	3.8	2.3	1.4-3.6	1.2	1.5	0.6-3.4	2.6	3.0	1.6-5.2
45-49 years	10.6	6.9	5.2-9.0	5.4	7.5	5.0-10.9	5.2	6.4	4.2-9.3	3.8	2.5	1.5-3.9	2.0	2.8	1.3-5.1	1.8	2.2	1.0-4.2
50-54 years	19.4	13.1	10.6-16.0	12.8	18.7	14.4-23.8	6.6	8.3	5.7-11.6	4.8	3.2	2.1-4.8	2.2	3.2	1.6-5.7	2.6	3.3	1.7-5.6
55-59 years	28.6	19.2	16.2-22.7	16.4	24.1	19.2-30.0	12.2	15.1	11.6-19.4	9.2	6.2	4.5-8.3	4.4	6.5	4.1-9.8	4.8	5.9	3.8-8.8
60-64 years	34.8	25.3	21.6-29.3	16.2	26.2	20.8-32.5	18.6	24.5	19.8-30.0	10.2	7.4	5.5-9.7	4.4	7.1	4.5-10.8	5.8	7.6	5.1-11.0
65-69 years	48.2	41.1	36.1-46.6	27.6	53.4	44.8-63.1	20.6	31.4	25.7-38.1	15.6	13.3	10.5-16.6	10.2	19.7	14.7-25.9	5.4	8.2	5.4-12.0
70-74 years	40.6	46.3	40.1-53.1	22.0	58.7	48.2-70.7	18.6	37.1	29.9-45.4	15.4	17.6	13.9-21.9	9.8	26.1	19.3-34.5	5.6	11.2	7.4-16.1
75-79 years	36.4	59.8	51.4-69.1	18.2	74.3	59.8-91.2	18.2	50.0	40.3-61.4	17.2	28.3	22.6-34.9	8.6	35.1	25.4-47.3	8.6	23.6	17.1-31.8
80-84 years	30.0	67.7	57.3-79.4	16.4	96.3	76.6-119.5	13.6	49.8	38.7-63.2	16.0	36.1	28.6-44.9	9.0	52.8	38.5-70.7	7.0	25.7	17.9-35.7
85+ years	30.6	60.5	51.3-70.8	15.8	93.5	74.1-116.6	14.8	43.9	34.5-55.1	19.8	39.1	31.8-47.6	8.4	49.7	35.8-67.2	11.4	33.8	25.6-43.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
All Invasive Malignant Tumors**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	20.6	26.7	21.8-32.3	10.6	26.9	20.2-35.2	10.0	26.4	19.6-34.8	2.0	2.6	1.2-4.8	1.0	2.5	0.8-5.9	1.0	2.6	0.9-6.2
5-9 years	10.0	15.4	11.5-20.4	5.8	17.7	11.9-25.4	4.2	13.1	8.1-20.1	1.4	2.2	0.9-4.5	1.2	3.7	1.3-8.0	0.2	0.6	0.0-3.5
10-14 years	12.4	21.5	16.5-27.6	5.8	20.1	13.4-28.8	6.6	22.9	15.8-32.2	2.4	4.2	2.1-7.3	1.2	4.1	1.5-9.0	1.2	4.2	1.5-9.1
15-19 years	19.2	28.2	22.8-34.4	9.6	30.3	22.4-40.2	9.6	26.3	19.4-34.9	2.4	3.5	1.8-6.2	1.8	5.7	2.6-10.8	0.6	1.6	0.3-4.8
20-24 years	54.2	48.8	43.1-54.9	23.6	47.0	38.9-56.3	30.6	50.2	42.6-58.9	4.0	3.6	2.2-5.6	2.8	5.6	3.0-9.4	1.2	2.0	0.7-4.3
25-29 years	137.0	72.7	67.3-78.3	55.2	62.0	54.9-69.8	81.8	82.2	74.5-90.6	4.8	2.5	1.6-3.8	3.4	3.8	2.2-6.1	1.4	1.4	0.6-2.9
30-34 years	180.2	103.5	96.9-110.5	71.4	83.4	75.0-92.5	108.8	123.1	113.0-133.9	14.0	8.0	6.3-10.2	6.8	7.9	5.5-11.1	7.2	8.1	5.7-11.3
35-39 years	188.2	145.6	136.4-155.2	70.2	109.1	98.0-121.1	118.0	181.7	167.3-196.9	16.8	13.0	10.4-16.1	9.0	14.0	10.2-18.7	7.8	12.0	8.5-16.4
40-44 years	253.4	243.1	229.9-256.8	86.6	167.6	152.2-184.1	166.8	317.3	296.1-339.5	25.8	24.7	20.7-29.4	13.4	25.9	20.1-32.9	12.4	23.6	18.1-30.2
45-49 years	394.0	391.1	374.0-408.7	139.8	279.0	258.7-300.5	254.2	501.9	474.7-530.2	47.6	47.2	41.4-53.6	19.4	38.7	31.4-47.2	28.2	55.7	46.9-65.7
50-54 years	573.8	584.6	563.4-606.4	246.2	503.6	475.9-532.5	327.6	665.0	633.1-698.0	89.2	90.9	82.6-99.7	41.0	83.9	72.8-96.2	48.2	97.8	85.9-111.0
55-59 years	782.0	823.3	797.7-849.5	388.4	837.6	800.8-875.7	393.6	809.6	774.3-846.2	136.6	143.8	133.2-155.0	69.0	148.8	133.5-165.4	67.6	139.1	124.6-154.7
60-64 years	1,026.4	1,148.4	1,117.2-1,180.3	534.8	1,288.8	1,240.4-1,338.6	491.6	1,026.8	986.6-1,068.2	201.0	224.9	211.2-239.2	102.0	245.8	224.9-268.1	99.0	206.8	189.0-225.8
65-69 years	1,215.2	1,510.6	1,472.9-1,549.1	651.0	1,846.1	1,783.3-1,910.7	564.2	1,248.8	1,203.1-1,295.7	272.2	338.4	320.6-356.8	133.8	379.4	351.2-409.3	138.4	306.3	283.9-330.0
70-74 years	1,269.6	1,898.5	1,852.1-1,945.8	649.8	2,343.6	2,263.7-2,425.6	619.8	1,583.3	1,528.0-1,640.0	328.2	490.8	467.3-515.1	160.2	577.8	538.5-619.2	168.0	429.2	400.6-459.2
75-79 years	1,031.6	2,086.1	2,029.6-2,143.9	496.2	2,467.5	2,371.3-2,566.5	535.4	1,824.8	1,756.3-1,895.3	328.4	664.1	632.4-697.0	157.8	784.7	730.9-841.4	170.6	581.5	543.1-621.8
80-84 years	703.8	2,043.5	1,976.5-2,112.2	345.8	2,520.1	2,402.7-2,641.7	358.0	1,727.9	1,648.7-1,809.8	312.2	906.5	862.1-952.6	145.0	1,056.7	981.2-1,136.5	167.2	807.0	753.2-863.6
85+ years	730.2	1,842.0	1,782.7-1,902.7	325.8	2,323.6	2,212.1-2,439.3	404.4	1,578.4	1,510.3-1,648.7	514.2	1,297.1	1,247.4-1,348.2	235.0	1,676.0	1,581.6-1,774.7	279.2	1,089.7	1,033.3-1,148.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Oral cavity and pharynx**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.2	0.3	0.0-1.6	0.0	0.0	0.0-2.3	0.2	0.5	0.0-3.1	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0
20-24 years	0.2	0.2	0.0-1.0	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2
25-29 years	3.2	1.7	1.0-2.8	1.8	2.0	0.9-3.8	1.4	1.4	0.6-2.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
30-34 years	3.6	2.1	1.2-3.3	1.8	2.1	1.0-4.0	1.8	2.0	0.9-3.9	0.4	0.2	0.0-0.8	0.4	0.5	0.1-1.7	0.0	0.0	0.0-0.8
35-39 years	4.8	3.7	2.4-5.5	2.6	4.0	2.2-6.9	2.2	3.4	1.7-6.1	0.2	0.2	0.0-0.9	0.2	0.3	0.0-1.7	0.0	0.0	0.0-1.1
40-44 years	4.2	4.0	2.5-6.2	2.8	5.4	3.0-9.1	1.4	2.7	1.1-5.5	0.4	0.4	0.0-1.4	0.4	0.8	0.1-2.8	0.0	0.0	0.0-1.4
45-49 years	10.2	10.1	7.5-13.3	7.2	14.4	10.1-19.9	3.0	5.9	3.3-9.8	0.6	0.6	0.1-1.7	0.4	0.8	0.1-2.9	0.2	0.4	0.0-2.2
50-54 years	15.0	15.3	12.0-19.2	11.0	22.5	17.0-29.3	4.0	8.1	5.0-12.5	1.2	1.2	0.4-2.7	0.6	1.2	0.3-3.6	0.6	1.2	0.3-3.6
55-59 years	24.0	25.3	20.9-30.2	16.4	35.4	28.1-43.9	7.6	15.6	11.1-21.5	3.8	4.0	2.4-6.2	3.4	7.3	4.3-11.7	0.4	0.8	0.1-3.0
60-64 years	29.8	33.3	28.2-39.1	22.2	53.5	44.0-64.4	7.6	15.9	11.2-21.8	3.6	4.0	2.4-6.4	2.6	6.3	3.3-10.7	1.0	2.1	0.7-4.9
65-69 years	34.0	42.3	36.2-49.1	26.0	73.7	61.6-87.6	8.0	17.7	12.7-24.1	7.0	8.7	6.1-12.1	5.0	14.2	9.2-20.9	2.0	4.4	2.1-8.1
70-74 years	34.2	51.1	43.8-59.4	21.4	77.2	63.3-93.3	12.8	32.7	25.2-41.8	4.8	7.2	4.6-10.7	3.2	11.5	6.6-18.7	1.6	4.1	1.8-8.1
75-79 years	24.0	48.5	40.2-58.0	14.0	69.6	54.3-88.0	10.0	34.1	25.3-44.9	7.2	14.6	10.2-20.2	5.0	24.9	16.1-36.7	2.2	7.5	3.7-13.4
80-84 years	15.6	45.3	35.8-56.5	10.0	72.9	54.1-96.1	5.6	27.0	18.0-39.1	4.0	11.6	7.1-17.9	3.2	23.3	13.3-37.9	0.8	3.9	1.1-9.9
85+ years	14.0	35.3	27.5-44.6	7.4	52.8	37.2-72.7	6.6	25.8	17.7-36.2	7.6	19.2	13.6-26.3	3.4	24.2	14.1-38.8	4.2	16.4	10.1-25.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Esophagus

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0
20-24 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2
25-29 years	0.2	0.1	0.0-0.6	0.0	0.0	0.0-0.8	0.2	0.2	0.0-1.1	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
30-34 years	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.8	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.8
35-39 years	0.6	0.5	0.1-1.4	0.4	0.6	0.1-2.2	0.2	0.3	0.0-1.7	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
40-44 years	0.8	0.8	0.2-2.0	0.8	1.5	0.4-4.0	0.0	0.0	0.0-1.4	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.4
45-49 years	0.6	0.6	0.1-1.7	0.6	1.2	0.2-3.5	0.0	0.0	0.0-1.5	0.6	0.6	0.1-1.7	0.6	1.2	0.2-3.5	0.0	0.0	0.0-1.5
50-54 years	3.0	3.1	1.7-5.0	2.2	4.5	2.2-8.1	0.8	1.6	0.4-4.2	1.2	1.2	0.4-2.7	1.2	2.5	0.9-5.3	0.0	0.0	0.0-1.5
55-59 years	4.6	4.8	3.1-7.3	3.2	6.9	3.9-11.2	1.4	2.9	1.2-5.9	2.2	2.3	1.2-4.1	2.0	4.3	2.1-7.9	0.2	0.4	0.0-2.3
60-64 years	9.4	10.5	7.7-14.0	6.2	14.9	10.2-21.2	3.2	6.7	3.8-10.9	4.8	5.4	3.4-8.0	3.4	8.2	4.8-13.1	1.4	2.9	1.2-6.0
65-69 years	10.0	12.4	9.2-16.4	7.0	19.9	13.8-27.6	3.0	6.6	3.7-11.0	7.2	9.0	6.3-12.4	4.6	13.0	8.3-19.6	2.6	5.8	3.1-9.8
70-74 years	9.0	13.5	9.8-18.0	5.4	19.5	12.8-28.3	3.6	9.2	5.5-14.5	7.6	11.4	8.0-15.6	4.8	17.3	11.1-25.8	2.8	7.2	3.9-12.0
75-79 years	9.8	19.8	14.7-26.2	5.8	28.8	19.3-41.4	4.0	13.6	8.3-21.1	6.2	12.5	8.5-17.8	3.4	16.9	9.8-27.1	2.8	9.5	5.2-16.0
80-84 years	7.8	22.6	16.1-31.0	5.2	37.9	24.8-55.5	2.6	12.5	6.7-21.5	6.8	19.7	13.7-27.6	4.2	30.6	18.9-46.8	2.6	12.5	6.7-21.5
85+ years	7.8	19.7	14.0-26.9	4.8	34.2	21.9-50.9	3.0	11.7	6.6-19.3	7.0	17.7	12.3-24.6	5.0	35.7	23.1-52.6	2.0	7.8	3.7-14.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Stomach

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.2	0.3	0.0-1.6	0.0	0.0	0.0-2.3	0.2	0.5	0.0-3.1	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0
20-24 years	0.2	0.2	0.0-1.0	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.2	0.2	0.2	0.0-1.0	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.2
25-29 years	0.8	0.4	0.1-1.1	0.4	0.4	0.1-1.6	0.4	0.4	0.0-1.5	0.8	0.4	0.1-1.1	0.4	0.4	0.1-1.6	0.4	0.4	0.0-1.5
30-34 years	3.0	1.7	1.0-2.8	1.2	1.4	0.5-3.1	1.8	2.0	0.9-3.9	0.6	0.3	0.1-1.0	0.4	0.5	0.1-1.7	0.2	0.2	0.0-1.3
35-39 years	2.6	2.0	1.1-3.4	1.4	2.2	0.9-4.5	1.2	1.8	0.7-4.0	0.8	0.6	0.2-1.6	0.2	0.3	0.0-1.7	0.6	0.9	0.2-2.7
40-44 years	3.2	3.1	1.8-5.0	2.0	3.9	1.9-7.1	1.2	2.3	0.8-5.0	1.6	1.5	0.7-3.0	1.0	1.9	0.6-4.5	0.6	1.1	0.2-3.3
45-49 years	5.6	5.6	3.7-8.0	3.0	6.0	3.4-9.9	2.6	5.1	2.7-8.8	1.4	1.4	0.6-2.9	0.8	1.6	0.4-4.1	0.6	1.2	0.2-3.5
50-54 years	10.0	10.2	7.6-13.4	5.8	11.9	7.9-17.0	4.2	8.5	5.3-13.0	4.2	4.3	2.6-6.5	3.4	7.0	4.1-11.1	0.8	1.6	0.4-4.2
55-59 years	10.8	11.4	8.5-14.8	6.4	13.8	9.4-19.5	4.4	9.1	5.7-13.7	4.4	4.6	2.9-7.0	2.6	5.6	3.0-9.6	1.8	3.7	1.7-7.0
60-64 years	13.6	15.2	11.8-19.3	9.4	22.7	16.6-30.1	4.2	8.8	5.4-13.4	6.4	7.2	4.9-10.1	4.4	10.6	6.6-16.1	2.0	4.2	2.0-7.7
65-69 years	19.0	23.6	19.1-28.9	12.4	35.2	27.0-45.1	6.6	14.6	10.1-20.5	8.8	10.9	7.9-14.7	7.2	20.4	14.3-28.3	1.6	3.5	1.5-7.0
70-74 years	21.6	32.3	26.5-39.0	10.0	36.1	26.8-47.5	11.6	29.6	22.5-38.3	8.6	12.9	9.3-17.3	4.8	17.3	11.1-25.8	3.8	9.7	5.8-15.2
75-79 years	17.8	36.0	28.9-44.3	9.2	45.7	33.5-61.0	8.6	29.3	21.2-39.5	8.2	16.6	11.9-22.5	4.6	22.9	14.5-34.3	3.6	12.3	7.3-19.4
80-84 years	17.6	51.1	41.0-63.0	9.4	68.5	50.3-91.1	8.2	39.6	28.4-53.7	8.4	24.4	17.6-33.0	4.4	32.1	20.1-48.5	4.0	19.3	11.8-29.8
85+ years	16.8	42.4	33.8-52.5	9.0	64.2	46.8-85.9	7.8	30.4	21.6-41.6	13.4	33.8	26.2-42.9	7.4	52.8	37.2-72.7	6.0	23.4	15.8-33.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Colorectal

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.8	1.4	0.4-3.6	0.6	2.1	0.4-6.1	0.2	0.7	0.0-3.9	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.6	0.9	0.2-2.6	0.6	1.9	0.4-5.5	0.0	0.0	0.0-2.0	0.2	0.3	0.0-1.6	0.2	0.6	0.0-3.5	0.0	0.0	0.0-2.0
20-24 years	1.4	1.3	0.5-2.6	0.4	0.8	0.1-2.9	1.0	1.6	0.5-3.8	0.4	0.4	0.0-1.3	0.4	0.8	0.1-2.9	0.0	0.0	0.0-1.2
25-29 years	7.2	3.8	2.7-5.3	3.4	3.8	2.2-6.1	3.8	3.8	2.3-6.0	0.4	0.2	0.0-0.8	0.0	0.0	0.0-0.8	0.4	0.4	0.0-1.5
30-34 years	8.6	4.9	3.6-6.7	4.4	5.1	3.2-7.8	4.2	4.8	2.9-7.3	1.2	0.7	0.3-1.5	0.8	0.9	0.3-2.4	0.4	0.5	0.1-1.6
35-39 years	10.4	8.0	6.0-10.5	6.8	10.6	7.3-14.8	3.6	5.5	3.3-8.8	2.0	1.5	0.7-2.8	1.6	2.5	1.1-4.9	0.4	0.6	0.1-2.2
40-44 years	16.2	15.5	12.3-19.3	9.0	17.4	12.7-23.3	7.2	13.7	9.6-19.0	3.2	3.1	1.8-5.0	2.6	5.0	2.7-8.6	0.6	1.1	0.2-3.3
45-49 years	31.2	31.0	26.3-36.2	17.4	34.7	27.8-42.8	13.8	27.2	21.2-34.5	7.8	7.7	5.5-10.6	5.0	10.0	6.5-14.7	2.8	5.5	3.0-9.3
50-54 years	55.8	56.8	50.4-63.9	31.4	64.2	54.6-75.1	24.4	49.5	41.1-59.1	10.4	10.6	7.9-13.9	6.4	13.1	9.0-18.5	4.0	8.1	5.0-12.5
55-59 years	57.0	60.0	53.2-67.4	31.8	68.6	58.3-80.1	25.2	51.8	43.2-61.7	12.4	13.1	10.0-16.7	6.6	14.2	9.8-20.0	5.8	11.9	8.0-17.1
60-64 years	63.2	70.7	63.1-79.0	32.4	78.1	66.5-91.1	30.8	64.3	54.6-75.3	17.0	19.0	15.2-23.5	10.2	24.6	18.3-32.3	6.8	14.2	9.8-19.8
65-69 years	83.0	103.2	93.5-113.6	46.8	132.7	116.3-150.9	36.2	80.1	68.9-92.7	20.0	24.9	20.2-30.2	10.8	30.6	23.0-40.0	9.2	20.4	14.9-27.2
70-74 years	80.2	119.9	108.5-132.3	37.2	134.2	115.6-154.9	43.0	109.8	95.6-125.5	24.2	36.2	30.0-43.2	12.4	44.7	34.3-57.3	11.8	30.1	22.9-38.9
75-79 years	68.6	138.7	124.4-154.2	32.8	163.1	139.1-190.1	35.8	122.0	104.8-141.3	22.6	45.7	37.7-54.9	11.6	57.7	43.8-74.6	11.0	37.5	28.2-48.8
80-84 years	56.8	164.9	146.3-185.3	29.0	211.3	178.3-248.7	27.8	134.2	112.8-158.4	25.4	73.7	61.5-87.7	12.6	91.8	70.6-117.5	12.8	61.8	47.6-78.9
85+ years	73.6	185.7	167.2-205.6	32.8	233.9	199.5-272.6	40.8	159.2	138.1-182.7	47.8	120.6	105.8-136.9	21.4	152.6	125.1-184.4	26.4	103.0	86.2-122.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Colon excluding rectum**

Age Group	Males and Females			Incidence						Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.8	1.4	0.4-3.6	0.6	2.1	0.4-6.1	0.2	0.7	0.0-3.9	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.6	0.9	0.2-2.6	0.6	1.9	0.4-5.5	0.0	0.0	0.0-2.0	0.2	0.3	0.0-1.6	0.2	0.6	0.0-3.5	0.0	0.0	0.0-2.0
20-24 years	1.0	0.9	0.3-2.1	0.4	0.8	0.1-2.9	0.6	1.0	0.2-2.9	0.4	0.4	0.0-1.3	0.4	0.8	0.1-2.9	0.0	0.0	0.0-1.2
25-29 years	4.8	2.5	1.6-3.8	2.4	2.7	1.4-4.7	2.4	2.4	1.2-4.2	0.4	0.2	0.0-0.8	0.0	0.0	0.0-0.8	0.4	0.4	0.0-1.5
30-34 years	6.2	3.6	2.4-5.1	2.8	3.3	1.8-5.5	3.4	3.8	2.2-6.2	0.4	0.2	0.0-0.8	0.4	0.5	0.1-1.7	0.0	0.0	0.0-0.8
35-39 years	6.8	5.3	3.6-7.3	4.0	6.2	3.8-9.6	2.8	4.3	2.4-7.2	0.8	0.6	0.2-1.6	0.6	0.9	0.2-2.7	0.2	0.3	0.0-1.7
40-44 years	9.8	9.4	7.0-12.4	5.6	10.8	7.2-15.7	4.2	8.0	4.9-12.2	2.0	1.9	0.9-3.5	1.6	3.1	1.3-6.1	0.4	0.8	0.1-2.7
45-49 years	18.2	18.1	14.5-22.2	9.6	19.2	14.1-25.4	8.6	17.0	12.3-22.9	4.4	4.4	2.7-6.6	2.8	5.6	3.1-9.4	1.6	3.2	1.4-6.2
50-54 years	30.6	31.2	26.4-36.5	16.8	34.4	27.4-42.5	13.8	28.0	21.8-35.4	6.4	6.5	4.5-9.2	4.2	8.6	5.3-13.1	2.2	4.5	2.2-8.0
55-59 years	35.4	37.3	32.0-43.2	18.8	40.5	32.8-49.6	16.6	34.1	27.2-42.3	8.8	9.3	6.7-12.4	3.8	8.2	4.9-12.8	5.0	10.3	6.7-15.2
60-64 years	41.0	45.9	39.8-52.6	20.2	48.7	39.6-59.1	20.8	43.4	35.5-52.6	12.8	14.3	11.0-18.3	7.4	17.8	12.6-24.6	5.4	11.3	7.4-16.4
65-69 years	57.0	70.9	62.9-79.6	30.8	87.3	74.1-102.3	26.2	58.0	48.5-68.8	14.6	18.1	14.2-22.8	8.4	23.8	17.2-32.2	6.2	13.7	9.3-19.5
70-74 years	58.4	87.3	77.6-97.9	25.2	90.9	75.7-108.2	33.2	84.8	72.4-98.7	19.4	29.0	23.5-35.4	9.0	32.5	23.7-43.4	10.4	26.6	19.8-34.8
75-79 years	50.4	101.9	89.7-115.3	23.0	114.4	94.4-137.3	27.4	93.4	78.4-110.4	17.6	35.6	28.5-43.8	8.8	43.8	31.8-58.7	8.8	30.0	21.8-40.3
80-84 years	44.4	128.9	112.5-147.0	22.6	164.7	135.7-198.0	21.8	105.2	86.4-126.9	21.0	61.0	49.9-73.8	10.2	74.3	55.3-97.7	10.8	52.1	39.2-68.0
85+ years	56.0	141.3	125.2-158.8	23.8	169.7	140.6-203.1	32.2	125.7	107.0-146.7	37.0	93.3	80.4-107.8	17.4	124.1	99.4-153.1	19.6	76.5	62.1-93.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Rectum & rectosigmoid**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0
20-24 years	0.4	0.4	0.0-1.3	0.0	0.0	0.0-1.5	0.4	0.7	0.1-2.4	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2
25-29 years	2.4	1.3	0.7-2.2	1.0	1.1	0.4-2.6	1.4	1.4	0.6-2.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
30-34 years	2.4	1.4	0.7-2.4	1.6	1.9	0.8-3.7	0.8	0.9	0.2-2.3	0.8	0.5	0.1-1.2	0.4	0.5	0.1-1.7	0.4	0.5	0.1-1.6
35-39 years	3.6	2.8	1.7-4.4	2.8	4.4	2.4-7.3	0.8	1.2	0.3-3.2	1.2	0.9	0.3-2.0	1.0	1.6	0.5-3.6	0.2	0.3	0.0-1.7
40-44 years	6.4	6.1	4.2-8.7	3.4	6.6	3.8-10.5	3.0	5.7	3.2-9.4	1.2	1.2	0.4-2.5	1.0	1.9	0.6-4.5	0.2	0.4	0.0-2.1
45-49 years	13.0	12.9	10.0-16.4	7.8	15.6	11.1-21.3	5.2	10.3	6.7-15.0	3.4	3.4	2.0-5.4	2.2	4.4	2.2-7.9	1.2	2.4	0.9-5.2
50-54 years	25.2	25.7	21.4-30.6	14.6	29.9	23.4-37.6	10.6	21.5	16.1-28.1	4.0	4.1	2.5-6.3	2.2	4.5	2.2-8.1	1.8	3.7	1.7-6.9
55-59 years	21.6	22.7	18.7-27.5	13.0	28.0	21.6-35.7	8.6	17.7	12.8-23.8	3.6	3.8	2.2-6.0	2.8	6.0	3.3-10.1	0.8	1.6	0.4-4.2
60-64 years	22.2	24.8	20.4-29.9	12.2	29.4	22.5-37.8	10.0	20.9	15.5-27.5	4.2	4.7	2.9-7.2	2.8	6.7	3.7-11.3	1.4	2.9	1.2-6.0
65-69 years	26.0	32.3	27.0-38.4	16.0	45.4	36.0-56.5	10.0	22.1	16.4-29.2	5.4	6.7	4.4-9.8	2.4	6.8	3.5-11.9	3.0	6.6	3.7-11.0
70-74 years	21.8	32.6	26.8-39.3	12.0	43.3	33.0-55.7	9.8	25.0	18.5-33.1	4.8	7.2	4.6-10.7	3.4	12.3	7.1-19.6	1.4	3.6	1.4-7.4
75-79 years	18.2	36.8	29.6-45.2	9.8	48.7	36.1-64.4	8.4	28.6	20.6-38.7	5.0	10.1	6.5-14.9	2.8	13.9	7.6-23.4	2.2	7.5	3.7-13.4
80-84 years	12.4	36.0	27.6-46.2	6.4	46.6	31.9-65.8	6.0	29.0	19.5-41.3	4.4	12.8	8.0-19.3	2.4	17.5	9.0-30.6	2.0	9.7	4.6-17.8
85+ years	17.6	44.4	35.6-54.7	9.0	64.2	46.8-85.9	8.6	33.6	24.3-45.2	10.8	27.2	20.5-35.5	4.0	28.5	17.4-44.1	6.8	26.5	18.4-37.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Liver / intrahepatic bile duct

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.4	0.5	0.1-1.9	0.2	0.5	0.0-2.8	0.2	0.5	0.0-2.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0
20-24 years	0.2	0.2	0.0-1.0	0.0	0.0	0.0-1.5	0.2	0.3	0.0-1.8	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2
25-29 years	0.8	0.4	0.1-1.1	0.2	0.2	0.0-1.3	0.6	0.6	0.1-1.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
30-34 years	0.6	0.3	0.1-1.0	0.0	0.0	0.0-0.9	0.6	0.7	0.1-2.0	0.4	0.2	0.0-0.8	0.2	0.2	0.0-1.3	0.2	0.2	0.0-1.3
35-39 years	0.6	0.5	0.1-1.4	0.4	0.6	0.1-2.2	0.2	0.3	0.0-1.7	0.4	0.3	0.0-1.1	0.4	0.6	0.1-2.2	0.0	0.0	0.0-1.1
40-44 years	2.6	2.5	1.3-4.3	2.2	4.3	2.1-7.6	0.4	0.8	0.1-2.7	1.2	1.2	0.4-2.5	0.8	1.5	0.4-4.0	0.4	0.8	0.1-2.7
45-49 years	5.4	5.4	3.5-7.8	4.4	8.8	5.5-13.3	1.0	2.0	0.6-4.6	1.4	1.4	0.6-2.9	1.0	2.0	0.6-4.7	0.4	0.8	0.1-2.9
50-54 years	13.6	13.9	10.8-17.6	9.6	19.6	14.5-26.0	4.0	8.1	5.0-12.5	4.2	4.3	2.6-6.5	3.0	6.1	3.4-10.1	1.2	2.4	0.9-5.3
55-59 years	17.4	18.3	14.7-22.6	13.6	29.3	22.8-37.2	3.8	7.8	4.7-12.2	6.8	7.2	5.0-10.0	4.4	9.5	5.9-14.4	2.4	4.9	2.6-8.6
60-64 years	34.0	38.0	32.5-44.2	26.4	63.6	53.2-75.4	7.6	15.9	11.2-21.8	13.4	15.0	11.6-19.0	9.0	21.7	15.8-29.0	4.4	9.2	5.8-13.9
65-69 years	38.8	48.2	41.7-55.5	27.8	78.8	66.3-93.1	11.0	24.3	18.3-31.7	22.6	28.1	23.2-33.8	17.2	48.8	39.0-60.2	5.4	12.0	7.9-17.4
70-74 years	26.8	40.1	33.6-47.5	17.4	62.8	50.3-77.4	9.4	24.0	17.6-31.9	16.2	24.2	19.2-30.1	10.6	38.2	28.6-50.0	5.6	14.3	9.5-20.7
75-79 years	22.6	45.7	37.7-54.9	13.8	68.6	53.4-86.8	8.8	30.0	21.8-40.3	15.2	30.7	24.2-38.5	9.6	47.7	35.2-63.3	5.6	19.1	12.7-27.6
80-84 years	17.8	51.7	41.5-63.6	9.4	68.5	50.3-91.1	8.4	40.5	29.2-54.8	15.8	45.9	36.3-57.2	9.0	65.6	47.8-87.8	6.8	32.8	22.7-45.9
85+ years	15.4	38.8	30.7-48.6	5.6	39.9	26.5-57.7	9.8	38.2	28.3-50.6	17.4	43.9	35.2-54.1	8.2	58.5	42.0-79.3	9.2	35.9	26.3-47.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Pancreas**

Age Group	Incidence																		Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females											
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI									
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9									
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3									
10-14 years	0.2	0.3	0.0-1.9	0.0	0.0	0.0-2.6	0.2	0.7	0.0-3.9	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6									
15-19 years	0.2	0.3	0.0-1.6	0.2	0.6	0.0-3.5	0.0	0.0	0.0-2.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0									
20-24 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2									
25-29 years	1.8	1.0	0.4-1.8	1.0	1.1	0.4-2.6	0.8	0.8	0.2-2.1	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7									
30-34 years	1.2	0.7	0.3-1.5	0.6	0.7	0.1-2.0	0.6	0.7	0.1-2.0	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.8									
35-39 years	1.6	1.2	0.5-2.4	0.8	1.2	0.3-3.2	0.8	1.2	0.3-3.2	0.4	0.3	0.0-1.1	0.2	0.3	0.0-1.7	0.2	0.3	0.0-1.7									
40-44 years	2.2	2.1	1.1-3.8	1.4	2.7	1.1-5.6	0.8	1.5	0.4-3.9	1.2	1.2	0.4-2.5	0.6	1.2	0.2-3.4	0.6	1.1	0.2-3.3									
45-49 years	6.8	6.7	4.7-9.4	4.0	8.0	4.9-12.3	2.8	5.5	3.0-9.3	2.2	2.2	1.1-3.9	1.2	2.4	0.9-5.2	1.0	2.0	0.6-4.6									
50-54 years	11.4	11.6	8.8-15.0	6.0	12.3	8.3-17.5	5.4	11.0	7.2-15.9	6.4	6.5	4.5-9.2	3.0	6.1	3.4-10.1	3.4	6.9	4.0-11.0									
55-59 years	16.2	17.1	13.5-21.2	10.8	23.3	17.5-30.4	5.4	11.1	7.3-16.2	11.2	11.8	8.9-15.3	6.8	14.7	10.2-20.5	4.4	9.1	5.7-13.7									
60-64 years	29.2	32.7	27.6-38.4	15.6	37.6	29.7-46.9	13.6	28.4	22.1-36.0	18.8	21.0	17.0-25.7	10.0	24.1	17.9-31.8	8.8	18.4	13.4-24.7									
65-69 years	36.0	44.8	38.5-51.8	19.2	54.4	44.1-66.5	16.8	37.2	29.7-46.0	25.2	31.3	26.1-37.3	10.6	30.1	22.5-39.3	14.6	32.3	25.3-40.6									
70-74 years	44.0	65.8	57.4-75.1	18.4	66.4	53.5-81.4	25.6	65.4	54.6-77.8	33.8	50.5	43.2-58.8	16.6	59.9	47.7-74.2	17.2	43.9	35.1-54.3									
75-79 years	41.0	82.9	71.9-95.1	20.8	103.4	84.5-125.3	20.2	68.8	56.1-83.7	29.4	59.5	50.2-69.9	14.2	70.6	55.1-89.1	15.2	51.8	40.8-64.8									
80-84 years	32.4	94.1	80.1-109.7	14.6	106.4	83.4-133.8	17.8	85.9	69.0-105.7	30.8	89.4	75.9-104.7	14.4	104.9	82.1-132.2	16.4	79.2	63.0-98.3									
85+ years	39.0	98.4	85.1-113.2	15.6	111.3	87.9-138.9	23.4	91.3	75.5-109.5	43.6	110.0	95.9-125.6	19.8	141.2	114.8-171.9	23.8	92.9	77.0-111.2									

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Larynx

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0
20-24 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2
25-29 years	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
30-34 years	0.2	0.1	0.0-0.6	0.0	0.0	0.0-0.9	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.8
35-39 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
40-44 years	0.8	0.8	0.2-2.0	0.8	1.5	0.4-4.0	0.0	0.0	0.0-1.4	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
45-49 years	1.2	1.2	0.4-2.6	0.6	1.2	0.2-3.5	0.6	1.2	0.2-3.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
50-54 years	3.4	3.5	2.0-5.5	2.6	5.3	2.8-9.1	0.8	1.6	0.4-4.2	0.4	0.4	0.0-1.5	0.4	0.8	0.1-3.0	0.0	0.0	0.0-1.5
55-59 years	6.8	7.2	5.0-10.0	5.4	11.6	7.7-16.9	1.4	2.9	1.2-5.9	1.0	1.1	0.3-2.5	0.8	1.7	0.5-4.4	0.2	0.4	0.0-2.3
60-64 years	6.0	6.7	4.5-9.6	4.4	10.6	6.6-16.1	1.6	3.3	1.4-6.6	2.2	2.5	1.2-4.4	1.6	3.9	1.7-7.6	0.6	1.3	0.3-3.7
65-69 years	8.2	10.2	7.3-13.8	7.2	20.4	14.3-28.3	1.0	2.2	0.7-5.2	3.2	4.0	2.3-6.5	2.6	7.4	3.9-12.6	0.6	1.3	0.3-3.9
70-74 years	5.4	8.1	5.3-11.7	4.0	14.4	8.8-22.3	1.4	3.6	1.4-7.4	2.0	3.0	1.4-5.5	1.6	5.8	2.5-11.4	0.4	1.0	0.1-3.7
75-79 years	4.8	9.7	6.2-14.4	3.6	17.9	10.6-28.3	1.2	4.1	1.5-8.9	1.0	2.0	0.7-4.7	1.0	5.0	1.6-11.6	0.0	0.0	0.0-2.5
80-84 years	4.2	12.2	7.5-18.6	3.8	27.7	16.7-43.2	0.4	1.9	0.2-7.0	1.6	4.6	2.0-9.2	1.0	7.3	2.4-17.0	0.6	2.9	0.6-8.5
85+ years	2.8	7.1	3.9-11.9	2.0	14.3	6.8-26.2	0.8	3.1	0.9-8.0	2.2	5.5	2.8-9.9	1.4	10.0	4.0-20.6	0.8	3.1	0.9-8.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Lung and bronchus**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0	0.2	0.3	0.0-1.6	0.2	0.6	0.0-3.5	0.0	0.0	0.0-2.0
20-24 years	0.2	0.2	0.0-1.0	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2
25-29 years	1.4	0.7	0.3-1.5	0.8	0.9	0.2-2.3	0.6	0.6	0.1-1.8	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.7
30-34 years	3.8	2.2	1.3-3.4	1.4	1.6	0.7-3.4	2.4	2.7	1.4-4.7	0.4	0.2	0.0-0.8	0.2	0.2	0.0-1.3	0.2	0.2	0.0-1.3
35-39 years	3.2	2.5	1.4-4.0	1.8	2.8	1.3-5.3	1.4	2.2	0.9-4.4	1.0	0.8	0.3-1.8	0.4	0.6	0.1-2.2	0.6	0.9	0.2-2.7
40-44 years	6.6	6.3	4.4-8.9	3.2	6.2	3.5-10.1	3.4	6.5	3.8-10.4	1.4	1.3	0.5-2.8	1.0	1.9	0.6-4.5	0.4	0.8	0.1-2.7
45-49 years	12.6	12.5	9.6-16.0	6.2	12.4	8.4-17.6	6.4	12.6	8.6-17.8	6.0	6.0	4.0-8.5	3.0	6.0	3.4-9.9	3.0	5.9	3.3-9.8
50-54 years	27.2	27.7	23.2-32.8	13.6	27.8	21.6-35.3	13.6	27.6	21.4-35.0	11.6	11.8	9.0-15.3	6.4	13.1	9.0-18.5	5.2	10.6	6.9-15.5
55-59 years	59.6	62.7	55.8-70.3	29.0	62.5	52.8-73.6	30.6	62.9	53.4-73.7	26.2	27.6	23.1-32.7	14.8	31.9	25.1-40.1	11.4	23.4	17.8-30.4
60-64 years	93.4	104.5	95.2-114.4	43.2	104.1	90.7-119.0	50.2	104.8	92.3-118.7	39.4	44.1	38.1-50.7	20.0	48.2	39.2-58.6	19.4	40.5	32.9-49.4
65-69 years	134.8	167.6	155.2-180.7	64.2	182.1	162.7-203.1	70.6	156.3	140.4-173.4	51.0	63.4	55.9-71.7	27.0	76.6	64.2-90.6	24.0	53.1	44.0-63.5
70-74 years	167.8	250.9	234.2-268.5	78.4	282.8	255.5-312.2	89.4	228.4	207.7-250.6	66.0	98.7	88.3-109.9	31.6	114.0	96.9-133.2	34.4	87.9	75.2-102.0
75-79 years	162.0	327.6	305.4-351.0	71.0	353.1	317.3-391.8	91.0	310.2	282.3-340.0	69.6	140.7	126.3-156.3	32.6	162.1	138.2-189.0	37.0	126.1	108.6-145.6
80-84 years	111.0	322.3	296.0-350.3	44.2	322.1	281.0-367.5	66.8	322.4	288.8-358.9	59.8	173.6	154.5-194.5	24.6	179.3	149.0-213.9	35.2	169.9	145.7-196.9
85+ years	98.8	249.2	227.7-272.2	37.8	269.6	232.5-310.9	61.0	238.1	212.1-266.4	90.0	227.0	206.5-249.0	36.0	256.8	220.6-297.1	54.0	210.8	186.4-237.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Melanoma of the skin**

Age Group	Males and Females			Incidence						Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.2	0.3	0.0-1.6	0.0	0.0	0.0-2.3	0.2	0.5	0.0-3.1	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0
20-24 years	4.6	4.1	2.6-6.2	1.0	2.0	0.6-4.6	3.6	5.9	3.5-9.3	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2
25-29 years	11.8	6.3	4.8-8.1	3.4	3.8	2.2-6.1	8.4	8.4	6.1-11.4	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
30-34 years	15.8	9.1	7.2-11.3	6.8	7.9	5.5-11.1	9.0	10.2	7.4-13.6	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.8
35-39 years	12.6	9.7	7.5-12.5	5.6	8.7	5.8-12.6	7.0	10.8	7.5-15.0	0.6	0.5	0.1-1.4	0.4	0.6	0.1-2.2	0.2	0.3	0.0-1.7
40-44 years	12.2	11.7	9.0-15.0	6.6	12.8	8.8-17.9	5.6	10.7	7.1-15.4	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.4
45-49 years	16.6	16.5	13.1-20.4	9.0	18.0	13.1-24.0	7.6	15.0	10.6-20.6	0.2	0.2	0.0-1.1	0.0	0.0	0.0-1.5	0.2	0.4	0.0-2.2
50-54 years	19.6	20.0	16.2-24.3	11.4	23.3	17.7-30.2	8.2	16.6	11.9-22.6	1.4	1.4	0.6-2.9	1.0	2.0	0.7-4.8	0.4	0.8	0.1-2.9
55-59 years	28.8	30.3	25.6-35.7	20.2	43.6	35.5-52.9	8.6	17.7	12.8-23.8	1.2	1.3	0.5-2.7	1.2	2.6	0.9-5.6	0.0	0.0	0.0-1.5
60-64 years	29.8	33.3	28.2-39.1	17.4	41.9	33.6-51.7	12.4	25.9	19.9-33.2	1.2	1.3	0.5-2.9	0.6	1.4	0.3-4.2	0.6	1.3	0.3-3.7
65-69 years	37.4	46.5	40.1-53.7	20.8	59.0	48.2-71.5	16.6	36.7	29.3-45.5	2.8	3.5	1.9-5.8	1.8	5.1	2.3-9.7	1.0	2.2	0.7-5.2
70-74 years	46.8	70.0	61.3-79.5	30.4	109.6	92.9-128.5	16.4	41.9	33.3-52.0	3.4	5.1	3.0-8.1	1.8	6.5	3.0-12.3	1.6	4.1	1.8-8.1
75-79 years	37.6	76.0	65.6-87.7	22.2	110.4	90.8-132.9	15.4	52.5	41.4-65.6	2.4	4.9	2.5-8.5	1.6	8.0	3.4-15.7	0.8	2.7	0.7-7.0
80-84 years	31.4	91.2	77.5-106.6	18.4	134.1	108.1-164.5	13.0	62.7	48.4-80.0	3.6	10.5	6.2-16.5	2.4	17.5	9.0-30.6	1.2	5.8	2.1-12.6
85+ years	35.0	88.3	75.7-102.4	22.0	156.9	129.0-189.1	13.0	50.7	39.2-64.7	5.8	14.6	9.8-21.0	3.0	21.4	12.0-35.3	2.8	10.9	6.0-18.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Female breast**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-2.0	0.0	0.0	0.0-2.0
20-24 years	1.4	2.3	0.9-4.7	0.2	0.3	0.0-1.8
25-29 years	14.4	14.5	11.3-18.2	0.0	0.0	0.0-0.7
30-34 years	33.0	37.3	31.9-43.5	1.2	1.4	0.5-3.0
35-39 years	45.6	70.2	61.4-79.9	2.6	4.0	2.1-6.8
40-44 years	84.2	160.2	145.2-176.2	3.2	6.1	3.5-9.9
45-49 years	126.6	250.0	230.9-270.2	8.2	16.2	11.6-22.0
50-54 years	140.2	284.6	263.9-306.4	11.8	24.0	18.2-30.9
55-59 years	148.6	305.7	284.1-328.5	15.0	30.9	24.3-38.7
60-64 years	165.4	345.5	322.3-369.8	15.6	32.6	25.8-40.7
65-69 years	169.0	374.1	349.3-400.2	20.8	46.0	37.6-55.8
70-74 years	179.0	457.3	427.8-488.2	25.8	65.9	55.0-78.3
75-79 years	142.8	486.7	451.7-523.7	24.8	84.5	70.3-100.8
80-84 years	77.6	374.5	338.2-413.7	20.8	100.4	82.0-121.6
85+ years	71.8	280.2	252.0-310.8	35.8	139.7	120.0-161.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Cervix uteri**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-2.0	0.0	0.0	0.0-2.0
20-24 years	0.2	0.3	0.0-1.8	0.2	0.3	0.0-1.8
25-29 years	1.4	1.4	0.6-2.9	0.2	0.2	0.0-1.1
30-34 years	4.8	5.4	3.5-8.1	1.0	1.1	0.4-2.6
35-39 years	6.2	9.5	6.5-13.5	0.0	0.0	0.0-1.1
40-44 years	4.0	7.6	4.6-11.8	0.8	1.5	0.4-3.9
45-49 years	8.6	17.0	12.3-22.9	1.2	2.4	0.9-5.2
50-54 years	6.6	13.4	9.2-18.8	1.8	3.7	1.7-6.9
55-59 years	6.2	12.8	8.7-18.1	1.4	2.9	1.2-5.9
60-64 years	7.4	15.5	10.9-21.3	1.6	3.3	1.4-6.6
65-69 years	5.6	12.4	8.2-17.9	2.2	4.9	2.4-8.7
70-74 years	2.8	7.2	3.9-12.0	2.4	6.1	3.2-10.7
75-79 years	3.6	12.3	7.3-19.4	1.2	4.1	1.5-8.9
80-84 years	2.4	11.6	6.0-20.2	1.8	8.7	4.0-16.5
85+ years	2.2	8.6	4.3-15.4	1.6	6.2	2.7-12.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

New York (Manhattan)

Corpus uterus and uterus, not otherwise specified

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-2.0	0.0	0.0	0.0-2.0
20-24 years	0.4	0.7	0.1-2.4	0.2	0.3	0.0-1.8
25-29 years	1.4	1.4	0.6-2.9	0.0	0.0	0.0-0.7
30-34 years	3.0	3.4	1.9-5.6	0.4	0.5	0.1-1.6
35-39 years	5.4	8.3	5.5-12.1	0.2	0.3	0.0-1.7
40-44 years	7.4	14.1	9.9-19.4	0.6	1.1	0.2-3.3
45-49 years	15.8	31.2	24.7-38.9	1.0	2.0	0.6-4.6
50-54 years	28.0	56.8	47.8-67.1	2.8	5.7	3.1-9.5
55-59 years	42.6	87.6	76.3-100.2	4.2	8.6	5.3-13.2
60-64 years	48.6	101.5	89.1-115.1	9.2	19.2	14.1-25.6
65-69 years	52.2	115.5	101.9-130.4	10.6	23.5	17.6-30.7
70-74 years	45.0	115.0	100.4-131.0	8.0	20.4	14.6-27.8
75-79 years	34.8	118.6	101.6-137.6	8.4	28.6	20.6-38.7
80-84 years	15.6	75.3	59.5-94.0	6.0	29.0	19.5-41.3
85+ years	15.4	60.1	47.4-75.1	7.6	29.7	21.0-40.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Ovary

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.4	1.4	0.2-5.0	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-2.0	0.0	0.0	0.0-2.0
20-24 years	1.2	2.0	0.7-4.3	0.0	0.0	0.0-1.2
25-29 years	2.8	2.8	1.5-4.7	0.0	0.0	0.0-0.7
30-34 years	3.4	3.8	2.2-6.2	0.4	0.5	0.1-1.6
35-39 years	2.4	3.7	1.9-6.5	0.4	0.6	0.1-2.2
40-44 years	4.2	8.0	4.9-12.2	0.6	1.1	0.2-3.3
45-49 years	7.8	15.4	11.0-21.1	2.4	4.7	2.4-8.3
50-54 years	8.2	16.6	11.9-22.6	3.4	6.9	4.0-11.0
55-59 years	10.4	21.4	16.0-28.1	6.8	14.0	9.7-19.5
60-64 years	14.2	29.7	23.2-37.4	4.4	9.2	5.8-13.9
65-69 years	12.6	27.9	21.4-35.7	10.8	23.9	18.0-31.2
70-74 years	13.0	33.2	25.6-42.3	11.4	29.1	22.1-37.7
75-79 years	11.2	38.2	28.8-49.6	10.0	34.1	25.3-44.9
80-84 years	7.0	33.8	23.5-47.0	10.2	49.2	36.7-64.7
85+ years	6.8	26.5	18.4-37.1	12.0	46.8	35.7-60.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Prostate

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
20-24 years	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
25-29 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
30-34 years	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
35-39 years	0.6	0.9	0.2-2.7	0.0	0.0	0.0-1.1
40-44 years	4.6	8.9	5.6-13.4	0.2	0.4	0.0-2.2
45-49 years	17.4	34.7	27.8-42.8	0.0	0.0	0.0-1.5
50-54 years	59.4	121.5	108.1-136.1	1.4	2.9	1.2-5.9
55-59 years	136.8	295.0	273.3-318.0	3.6	7.8	4.6-12.3
60-64 years	202.4	487.8	458.2-518.8	9.0	21.7	15.8-29.0
65-69 years	248.2	703.9	665.2-744.1	8.8	25.0	18.1-33.5
70-74 years	233.0	840.4	792.8-890.0	19.2	69.2	56.1-84.6
75-79 years	132.2	657.4	608.2-709.5	23.2	115.4	95.3-138.4
80-84 years	65.8	479.5	429.1-534.2	21.8	158.9	130.4-191.6
85+ years	45.2	322.4	281.7-367.3	50.2	358.0	315.1-405.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Testis**

Age Group	Incidence		
	Avg Ann Cases	Rate per 100,000	95% CI
0-4 years	0.2	0.5	0.0-2.8
5-9 years	0.0	0.0	0.0-2.3
10-14 years	0.6	2.1	0.4-6.1
15-19 years	0.4	1.3	0.2-4.6
20-24 years	7.6	15.1	10.7-20.8
25-29 years	13.4	15.1	11.7-19.1
30-34 years	15.4	18.0	14.2-22.5
35-39 years	11.4	17.7	13.4-23.0
40-44 years	5.4	10.5	6.9-15.2
45-49 years	4.4	8.8	5.5-13.3
50-54 years	1.6	3.3	1.4-6.4
55-59 years	2.2	4.7	2.4-8.5
60-64 years	1.6	3.9	1.7-7.6
65-69 years	0.6	1.7	0.4-5.0
70-74 years	0.0	0.0	0.0-2.7
75-79 years	0.2	1.0	0.0-5.5
80-84 years	0.0	0.0	0.0-5.4
85+ years	0.4	2.9	0.3-10.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases in one year are unstable and should be used with caution.

Mortality data not provided due to small number of deaths per year.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Urinary bladder (incl. in situ)**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.3	0.0-1.4	0.0	0.0	0.0-1.9	0.2	0.5	0.0-2.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0
20-24 years	0.2	0.2	0.0-1.0	0.0	0.0	0.0-1.5	0.2	0.3	0.0-1.8	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2
25-29 years	0.6	0.3	0.1-0.9	0.6	0.7	0.1-2.0	0.0	0.0	0.0-0.7	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
30-34 years	1.0	0.6	0.2-1.3	0.8	0.9	0.3-2.4	0.2	0.2	0.0-1.3	0.4	0.2	0.0-0.8	0.0	0.0	0.0-0.9	0.4	0.5	0.1-1.6
35-39 years	2.0	1.5	0.7-2.8	1.4	2.2	0.9-4.5	0.6	0.9	0.2-2.7	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
40-44 years	2.2	2.1	1.1-3.8	1.4	2.7	1.1-5.6	0.8	1.5	0.4-3.9	0.4	0.4	0.0-1.4	0.4	0.8	0.1-2.8	0.0	0.0	0.0-1.4
45-49 years	4.8	4.8	3.1-7.1	4.0	8.0	4.9-12.3	0.8	1.6	0.4-4.0	0.4	0.4	0.0-1.4	0.4	0.8	0.1-2.9	0.0	0.0	0.0-1.5
50-54 years	12.0	12.2	9.3-15.7	7.8	16.0	11.3-21.8	4.2	8.5	5.3-13.0	0.6	0.6	0.1-1.8	0.2	0.4	0.0-2.3	0.4	0.8	0.1-2.9
55-59 years	18.8	19.8	16.0-24.2	13.6	29.3	22.8-37.2	5.2	10.7	7.0-15.7	1.6	1.7	0.7-3.3	0.8	1.7	0.5-4.4	0.8	1.6	0.4-4.2
60-64 years	26.4	29.5	24.7-35.0	19.4	46.8	37.9-57.0	7.0	14.6	10.2-20.3	2.0	2.2	1.1-4.1	1.8	4.3	2.0-8.2	0.2	0.4	0.0-2.3
65-69 years	47.6	59.2	51.9-67.2	34.0	96.4	82.5-112.1	13.6	30.1	23.4-38.2	5.4	6.7	4.4-9.8	2.8	7.9	4.3-13.3	2.6	5.8	3.1-9.8
70-74 years	62.0	92.7	82.7-103.6	44.4	160.1	139.8-182.6	17.6	45.0	36.1-55.4	8.4	12.6	9.1-17.0	6.6	23.8	16.4-33.4	1.8	4.6	2.1-8.7
75-79 years	63.0	127.4	113.7-142.3	44.4	220.8	192.7-251.8	18.6	63.4	51.2-77.7	9.4	19.0	14.0-25.3	6.2	30.8	20.9-43.8	3.2	10.9	6.2-17.7
80-84 years	47.6	138.2	121.2-156.9	33.6	244.9	209.2-284.8	14.0	67.6	52.7-85.4	8.2	23.8	17.1-32.3	5.0	36.4	23.6-53.8	3.2	15.4	8.8-25.1
85+ years	56.6	142.8	126.6-160.4	39.6	282.4	244.5-324.6	17.0	66.4	53.0-82.0	27.8	70.1	59.0-82.8	17.6	125.5	100.7-154.6	10.2	39.8	29.6-52.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Kidney and renal pelvis**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	2.0	2.6	1.2-4.8	0.8	2.0	0.6-5.2	1.2	3.2	1.2-6.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.6	0.9	0.2-2.7	0.2	0.6	0.0-3.4	0.4	1.3	0.2-4.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.2	0.3	0.0-1.6	0.0	0.0	0.0-2.3	0.2	0.5	0.0-3.1	0.2	0.3	0.0-1.6	0.0	0.0	0.0-2.3	0.2	0.5	0.0-3.1
20-24 years	1.2	1.1	0.4-2.3	0.4	0.8	0.1-2.9	0.8	1.3	0.4-3.4	0.6	0.5	0.1-1.6	0.4	0.8	0.1-2.9	0.2	0.3	0.0-1.8
25-29 years	2.0	1.1	0.5-2.0	1.2	1.3	0.5-2.9	0.8	0.8	0.2-2.1	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
30-34 years	5.8	3.3	2.2-4.8	3.8	4.4	2.7-6.9	2.0	2.3	1.1-4.2	0.6	0.3	0.1-1.0	0.4	0.5	0.1-1.7	0.2	0.2	0.0-1.3
35-39 years	5.2	4.0	2.6-5.9	3.4	5.3	3.1-8.5	1.8	2.8	1.3-5.3	0.4	0.3	0.0-1.1	0.4	0.6	0.1-2.2	0.0	0.0	0.0-1.1
40-44 years	9.0	8.6	6.3-11.6	6.4	12.4	8.5-17.5	2.6	4.9	2.6-8.5	0.6	0.6	0.1-1.7	0.6	1.2	0.2-3.4	0.0	0.0	0.0-1.4
45-49 years	15.6	15.5	12.2-19.3	10.4	20.8	15.5-27.2	5.2	10.3	6.7-15.0	0.8	0.8	0.2-2.0	0.6	1.2	0.2-3.5	0.2	0.4	0.0-2.2
50-54 years	17.0	17.3	13.8-21.4	11.0	22.5	17.0-29.3	6.0	12.2	8.2-17.4	1.8	1.8	0.8-3.5	1.2	2.5	0.9-5.3	0.6	1.2	0.3-3.6
55-59 years	24.4	25.7	21.3-30.7	15.2	32.8	25.8-41.0	9.2	18.9	13.9-25.2	1.0	1.1	0.3-2.5	0.8	1.7	0.5-4.4	0.2	0.4	0.0-2.3
60-64 years	31.0	34.7	29.4-40.6	22.4	54.0	44.4-65.0	8.6	18.0	13.0-24.2	2.6	2.9	1.5-5.0	2.2	5.3	2.6-9.5	0.4	0.8	0.1-3.0
65-69 years	35.6	44.3	38.0-51.3	22.4	63.5	52.3-76.4	13.2	29.2	22.6-37.2	4.2	5.2	3.2-8.0	2.6	7.4	3.9-12.6	1.6	3.5	1.5-7.0
70-74 years	34.0	50.8	43.5-59.1	21.0	75.7	61.9-91.7	13.0	33.2	25.6-42.3	3.0	4.5	2.5-7.4	2.4	8.7	4.5-15.1	0.6	1.5	0.3-4.5
75-79 years	24.0	48.5	40.2-58.0	15.2	75.6	59.6-94.6	8.8	30.0	21.8-40.3	5.0	10.1	6.5-14.9	2.2	10.9	5.5-19.6	2.8	9.5	5.2-16.0
80-84 years	15.2	44.1	34.8-55.2	11.4	83.1	62.9-107.6	3.8	18.3	11.0-28.6	4.6	13.4	8.5-20.0	3.0	21.9	12.2-36.1	1.6	7.7	3.3-15.2
85+ years	15.2	38.3	30.2-48.0	8.6	61.3	44.4-82.6	6.6	25.8	17.7-36.2	10.8	27.2	20.5-35.5	5.2	37.1	24.2-54.3	5.6	21.9	14.5-31.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Brain and other central nervous system**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	2.6	3.4	1.8-5.8	1.4	3.6	1.4-7.3	1.2	3.2	1.2-6.9	0.2	0.3	0.0-1.4	0.2	0.5	0.0-2.8	0.0	0.0	0.0-1.9
5-9 years	2.2	3.4	1.7-6.1	1.4	4.3	1.7-8.8	0.8	2.5	0.7-6.4	0.6	0.9	0.2-2.7	0.4	1.2	0.1-4.4	0.2	0.6	0.0-3.5
10-14 years	2.8	4.9	2.7-8.1	1.0	3.5	1.1-8.1	1.8	6.3	2.9-11.9	0.8	1.4	0.4-3.6	0.4	1.4	0.2-5.0	0.4	1.4	0.2-5.0
15-19 years	1.4	2.1	0.8-4.2	1.0	3.2	1.0-7.4	0.4	1.1	0.1-4.0	0.4	0.6	0.1-2.1	0.4	1.3	0.2-4.6	0.0	0.0	0.0-2.0
20-24 years	3.4	3.1	1.8-4.9	2.2	4.4	2.2-7.8	1.2	2.0	0.7-4.3	0.2	0.2	0.0-1.0	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.2
25-29 years	6.2	3.3	2.2-4.7	3.8	4.3	2.6-6.7	2.4	2.4	1.2-4.2	0.4	0.2	0.0-0.8	0.4	0.4	0.1-1.6	0.0	0.0	0.0-0.7
30-34 years	5.8	3.3	2.2-4.8	3.6	4.2	2.5-6.6	2.2	2.5	1.2-4.5	2.2	1.3	0.6-2.3	2.2	2.6	1.3-4.6	0.0	0.0	0.0-0.8
35-39 years	5.2	4.0	2.6-5.9	3.8	5.9	3.6-9.2	1.4	2.2	0.9-4.4	2.8	2.2	1.2-3.6	1.8	2.8	1.3-5.3	1.0	1.5	0.5-3.6
40-44 years	4.4	4.2	2.6-6.4	2.8	5.4	3.0-9.1	1.6	3.0	1.3-6.0	2.4	2.3	1.2-4.0	1.4	2.7	1.1-5.6	1.0	1.9	0.6-4.4
45-49 years	6.0	6.0	4.0-8.5	3.8	7.6	4.6-11.8	2.2	4.3	2.2-7.8	2.4	2.4	1.2-4.2	1.6	3.2	1.4-6.3	0.8	1.6	0.4-4.0
50-54 years	8.4	8.6	6.2-11.6	5.2	10.6	6.9-15.6	3.2	6.5	3.7-10.5	5.0	5.1	3.3-7.5	3.0	6.1	3.4-10.1	2.0	4.1	1.9-7.5
55-59 years	8.8	9.3	6.7-12.4	5.4	11.6	7.7-16.9	3.4	7.0	4.1-11.2	4.6	4.8	3.1-7.3	2.8	6.0	3.3-10.1	1.8	3.7	1.7-7.0
60-64 years	12.8	14.3	11.0-18.3	7.8	18.8	13.4-25.7	5.0	10.4	6.8-15.4	8.4	9.4	6.8-12.7	4.2	10.1	6.3-15.5	4.2	8.8	5.4-13.4
65-69 years	12.8	15.9	12.3-20.3	6.8	19.3	13.4-26.9	6.0	13.3	9.0-19.0	8.4	10.4	7.5-14.1	4.8	13.6	8.7-20.3	3.6	8.0	4.7-12.6
70-74 years	11.6	17.3	13.2-22.4	7.2	26.0	18.2-36.0	4.4	11.2	7.0-17.0	9.6	14.4	10.6-19.0	6.6	23.8	16.4-33.4	3.0	7.7	4.3-12.6
75-79 years	10.8	21.8	16.4-28.5	5.4	26.9	17.7-39.1	5.4	18.4	12.1-26.8	6.4	12.9	8.9-18.3	2.6	12.9	6.9-22.1	3.8	13.0	7.8-20.2
80-84 years	6.2	18.0	12.2-25.6	3.2	23.3	13.3-37.9	3.0	14.5	8.1-23.9	5.0	14.5	9.4-21.4	2.6	18.9	10.1-32.4	2.4	11.6	6.0-20.2
85+ years	5.8	14.6	9.8-21.0	2.8	20.0	10.9-33.5	3.0	11.7	6.6-19.3	5.0	12.6	8.2-18.6	2.2	15.7	7.8-28.1	2.8	10.9	6.0-18.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Thyroid

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.4	0.6	0.1-2.2	0.0	0.0	0.0-2.3	0.4	1.3	0.2-4.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.6	1.0	0.2-3.0	0.0	0.0	0.0-2.6	0.6	2.1	0.4-6.1	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	3.0	4.4	2.5-7.3	0.0	0.0	0.0-2.3	3.0	8.2	4.6-13.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0
20-24 years	13.6	12.2	9.5-15.5	3.4	6.8	3.9-10.8	10.2	16.7	12.5-22.0	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2
25-29 years	28.0	14.9	12.5-17.5	6.0	6.7	4.5-9.6	22.0	22.1	18.2-26.7	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
30-34 years	29.2	16.8	14.2-19.7	6.8	7.9	5.5-11.1	22.4	25.3	20.9-30.5	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.8
35-39 years	28.0	21.7	18.2-25.6	7.6	11.8	8.4-16.2	20.4	31.4	25.6-38.1	0.2	0.2	0.0-0.9	0.2	0.3	0.0-1.7	0.0	0.0	0.0-1.1
40-44 years	28.6	27.4	23.1-32.3	8.0	15.5	11.1-21.1	20.6	39.2	32.0-47.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
45-49 years	29.2	29.0	24.5-34.1	8.0	16.0	11.4-21.7	21.2	41.9	34.3-50.6	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
50-54 years	36.8	37.5	32.3-43.3	11.0	22.5	17.0-29.3	25.8	52.4	43.7-62.2	0.4	0.4	0.0-1.5	0.2	0.4	0.0-2.3	0.2	0.4	0.0-2.3
55-59 years	30.4	32.0	27.1-37.5	8.2	17.7	12.7-24.0	22.2	45.7	37.6-55.0	0.2	0.2	0.0-1.2	0.0	0.0	0.0-1.6	0.2	0.4	0.0-2.3
60-64 years	29.6	33.1	28.0-38.9	8.4	20.2	14.6-27.4	21.2	44.3	36.3-53.6	0.2	0.2	0.0-1.2	0.0	0.0	0.0-1.8	0.2	0.4	0.0-2.3
65-69 years	25.4	31.6	26.3-37.6	6.8	19.3	13.4-26.9	18.6	41.2	33.2-50.4	0.2	0.2	0.0-1.4	0.0	0.0	0.0-2.1	0.2	0.4	0.0-2.5
70-74 years	20.8	31.1	25.4-37.7	6.8	24.5	17.0-34.3	14.0	35.8	27.9-45.2	2.2	3.3	1.6-5.9	1.2	4.3	1.6-9.4	1.0	2.6	0.8-6.0
75-79 years	12.6	25.5	19.6-32.6	4.2	20.9	12.9-31.9	8.4	28.6	20.6-38.7	1.4	2.8	1.1-5.8	0.2	1.0	0.0-5.5	1.2	4.1	1.5-8.9
80-84 years	6.8	19.7	13.7-27.6	2.8	20.4	11.2-34.2	4.0	19.3	11.8-29.8	1.2	3.5	1.3-7.6	0.4	2.9	0.4-10.5	0.8	3.9	1.1-9.9
85+ years	3.4	8.6	5.0-13.7	1.4	10.0	4.0-20.6	2.0	7.8	3.7-14.4	1.8	4.5	2.1-8.6	0.6	4.3	0.9-12.5	1.2	4.7	1.7-10.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Hodgkin lymphoma**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.3	0.0-1.4	0.2	0.5	0.0-2.8	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.4	0.6	0.1-2.2	0.2	0.6	0.0-3.4	0.2	0.6	0.0-3.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.6	1.0	0.2-3.0	0.2	0.7	0.0-3.9	0.4	1.4	0.2-5.0	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	2.8	4.1	2.2-6.9	1.2	3.8	1.4-8.3	1.6	4.4	1.9-8.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0
20-24 years	5.8	5.2	3.5-7.5	1.6	3.2	1.4-6.3	4.2	6.9	4.3-10.5	0.2	0.2	0.0-1.0	0.0	0.0	0.0-1.5	0.2	0.3	0.0-1.8
25-29 years	8.4	4.5	3.2-6.0	3.4	3.8	2.2-6.1	5.0	5.0	3.3-7.4	0.4	0.2	0.0-0.8	0.2	0.2	0.0-1.3	0.2	0.2	0.0-1.1
30-34 years	6.6	3.8	2.6-5.3	4.0	4.7	2.9-7.2	2.6	2.9	1.6-5.0	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.8
35-39 years	4.2	3.2	2.0-5.0	1.8	2.8	1.3-5.3	2.4	3.7	1.9-6.5	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
40-44 years	3.2	3.1	1.8-5.0	2.2	4.3	2.1-7.6	1.0	1.9	0.6-4.4	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.2	0.0	0.0	0.0-1.4
45-49 years	2.0	2.0	1.0-3.7	1.4	2.8	1.1-5.8	0.6	1.2	0.2-3.5	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.5
50-54 years	1.8	1.8	0.8-3.5	1.0	2.0	0.7-4.8	0.8	1.6	0.4-4.2	0.2	0.2	0.0-1.1	0.2	0.4	0.0-2.3	0.0	0.0	0.0-1.5
55-59 years	2.2	2.3	1.2-4.1	1.0	2.2	0.7-5.0	1.2	2.5	0.9-5.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-1.6	0.0	0.0	0.0-1.5
60-64 years	4.2	4.7	2.9-7.2	2.4	5.8	3.0-10.1	1.8	3.8	1.7-7.1	0.4	0.4	0.1-1.6	0.2	0.5	0.0-2.7	0.2	0.4	0.0-2.3
65-69 years	1.4	1.7	0.7-3.6	1.2	3.4	1.2-7.4	0.2	0.4	0.0-2.5	1.0	1.2	0.4-2.9	0.6	1.7	0.4-5.0	0.4	0.9	0.1-3.2
70-74 years	2.4	3.6	1.9-6.3	1.2	4.3	1.6-9.4	1.2	3.1	1.1-6.7	0.2	0.3	0.0-1.7	0.0	0.0	0.0-2.7	0.2	0.5	0.0-2.8
75-79 years	1.4	2.8	1.1-5.8	1.0	5.0	1.6-11.6	0.4	1.4	0.2-4.9	0.2	0.4	0.0-2.3	0.0	0.0	0.0-3.7	0.2	0.7	0.0-3.8
80-84 years	1.6	4.6	2.0-9.2	0.6	4.4	0.9-12.8	1.0	4.8	1.6-11.3	0.2	0.6	0.0-3.2	0.0	0.0	0.0-5.4	0.2	1.0	0.0-5.4
85+ years	1.8	4.5	2.1-8.6	1.0	7.1	2.3-16.6	0.8	3.1	0.9-8.0	1.0	2.5	0.8-5.9	0.8	5.7	1.6-14.6	0.2	0.8	0.0-4.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**New York (Manhattan)
Non-Hodgkin lymphomas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.6	0.8	0.2-2.3	0.4	1.0	0.1-3.7	0.2	0.5	0.0-2.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	1.0	1.5	0.5-3.6	0.8	2.4	0.7-6.3	0.2	0.6	0.0-3.5	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	1.4	2.4	1.0-5.0	1.4	4.8	1.9-10.0	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	1.8	2.6	1.2-5.0	0.8	2.5	0.7-6.5	1.0	2.7	0.9-6.4	0.4	0.6	0.1-2.1	0.2	0.6	0.0-3.5	0.2	0.5	0.0-3.1
20-24 years	4.0	3.6	2.2-5.6	2.2	4.4	2.2-7.8	1.8	3.0	1.4-5.6	0.4	0.4	0.0-1.3	0.4	0.8	0.1-2.9	0.0	0.0	0.0-1.2
25-29 years	8.4	4.5	3.2-6.0	3.8	4.3	2.6-6.7	4.6	4.6	2.9-6.9	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
30-34 years	9.8	5.6	4.2-7.4	5.0	5.8	3.8-8.6	4.8	5.4	3.5-8.1	0.4	0.2	0.0-0.8	0.2	0.2	0.0-1.3	0.2	0.2	0.0-1.3
35-39 years	10.6	8.2	6.1-10.7	6.0	9.3	6.3-13.3	4.6	7.1	4.5-10.6	0.6	0.5	0.1-1.4	0.6	0.9	0.2-2.7	0.0	0.0	0.0-1.1
40-44 years	11.8	11.3	8.6-14.6	5.8	11.2	7.5-16.1	6.0	11.4	7.7-16.3	1.4	1.3	0.5-2.8	1.2	2.3	0.9-5.1	0.2	0.4	0.0-2.1
45-49 years	19.6	19.5	15.8-23.7	11.4	22.8	17.2-29.5	8.2	16.2	11.6-22.0	2.0	2.0	1.0-3.7	1.0	2.0	0.6-4.7	1.0	2.0	0.6-4.6
50-54 years	28.0	28.5	24.0-33.7	14.4	29.5	23.0-37.1	13.6	27.6	21.4-35.0	2.8	2.9	1.6-4.8	1.6	3.3	1.4-6.4	1.2	2.4	0.9-5.3
55-59 years	33.6	35.4	30.2-41.1	17.8	38.4	30.8-47.2	15.8	32.5	25.7-40.5	6.0	6.3	4.3-9.0	4.2	9.1	5.6-13.8	1.8	3.7	1.7-7.0
60-64 years	47.6	53.3	46.7-60.5	25.0	60.2	50.1-71.8	22.6	47.2	38.9-56.7	7.2	8.1	5.6-11.2	5.2	12.5	8.2-18.4	2.0	4.2	2.0-7.7
65-69 years	53.6	66.6	58.9-75.1	27.2	77.1	64.7-91.2	26.4	58.4	48.9-69.3	7.6	9.4	6.7-13.0	4.8	13.6	8.7-20.3	2.8	6.2	3.4-10.4
70-74 years	61.8	92.4	82.4-103.3	29.8	107.5	90.9-126.2	32.0	81.7	69.6-95.4	8.8	13.2	9.6-17.7	4.8	17.3	11.1-25.8	4.0	10.2	6.2-15.8
75-79 years	48.6	98.3	86.3-111.4	25.2	125.3	104.4-149.2	23.4	79.8	66.0-95.6	10.8	21.8	16.4-28.5	7.6	37.8	26.7-51.9	3.2	10.9	6.2-17.7
80-84 years	41.8	121.4	105.5-139.0	21.4	156.0	127.8-188.5	20.4	98.5	80.3-119.5	14.4	41.8	32.7-52.7	7.2	52.5	36.8-72.6	7.2	34.8	24.3-48.1
85+ years	40.8	102.9	89.3-118.1	19.8	141.2	114.8-171.9	21.0	82.0	67.0-99.2	24.2	61.0	50.7-72.9	10.2	72.7	54.2-95.6	14.0	54.6	42.6-69.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Myeloma

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.9
5-9 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.3
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-2.6
15-19 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-2.3	0.0	0.0	0.0-2.0
20-24 years	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.5	0.0	0.0	0.0-1.2
25-29 years	0.2	0.1	0.0-0.6	0.0	0.0	0.0-0.8	0.2	0.2	0.0-1.1	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.7
30-34 years	0.8	0.5	0.1-1.2	0.6	0.7	0.1-2.0	0.2	0.2	0.0-1.3	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.8
35-39 years	1.8	1.4	0.6-2.6	0.8	1.2	0.3-3.2	1.0	1.5	0.5-3.6	0.2	0.2	0.0-0.9	0.2	0.3	0.0-1.7	0.0	0.0	0.0-1.1
40-44 years	3.6	3.5	2.0-5.5	2.4	4.6	2.4-8.1	1.2	2.3	0.8-5.0	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.4
45-49 years	4.2	4.2	2.6-6.4	2.4	4.8	2.5-8.4	1.8	3.6	1.6-6.7	1.4	1.4	0.6-2.9	0.8	1.6	0.4-4.1	0.6	1.2	0.2-3.5
50-54 years	9.0	9.2	6.7-12.3	6.2	12.7	8.6-18.0	2.8	5.7	3.1-9.5	0.6	0.6	0.1-1.8	0.2	0.4	0.0-2.3	0.4	0.8	0.1-2.9
55-59 years	13.4	14.1	10.9-17.9	7.8	16.8	12.0-23.0	5.6	11.5	7.7-16.6	2.0	2.1	1.0-3.9	1.0	2.2	0.7-5.0	1.0	2.1	0.7-4.8
60-64 years	20.0	22.4	18.2-27.2	11.0	26.5	20.0-34.5	9.0	18.8	13.7-25.2	4.2	4.7	2.9-7.2	2.8	6.7	3.7-11.3	1.4	2.9	1.2-6.0
65-69 years	26.2	32.6	27.2-38.6	13.6	38.6	29.9-48.9	12.6	27.9	21.4-35.7	5.8	7.2	4.8-10.4	3.4	9.6	5.6-15.4	2.4	5.3	2.7-9.3
70-74 years	23.8	35.6	29.5-42.6	13.6	49.1	38.1-62.2	10.2	26.1	19.4-34.3	7.6	11.4	8.0-15.6	3.8	13.7	8.3-21.4	3.8	9.7	5.8-15.2
75-79 years	21.4	43.3	35.5-52.3	10.8	53.7	40.3-70.1	10.6	36.1	27.1-47.3	7.6	15.4	10.9-21.1	3.6	17.9	10.6-28.3	4.0	13.6	8.3-21.1
80-84 years	15.2	44.1	34.8-55.2	8.2	59.8	42.9-81.1	7.0	33.8	23.5-47.0	8.2	23.8	17.1-32.3	4.2	30.6	18.9-46.8	4.0	19.3	11.8-29.8
85+ years	15.6	39.4	31.1-49.1	8.8	62.8	45.6-84.3	6.8	26.5	18.4-37.1	9.8	24.7	18.3-32.7	5.4	38.5	25.4-56.0	4.4	17.2	10.8-26.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
New York (Manhattan)
Leukemias

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	6.6	8.5	5.9-12.0	3.2	8.1	4.6-13.2	3.4	9.0	5.2-14.4	0.4	0.5	0.1-1.9	0.2	0.5	0.0-2.8	0.2	0.5	0.0-2.9
5-9 years	2.0	3.1	1.5-5.7	1.2	3.7	1.3-8.0	0.8	2.5	0.7-6.4	0.4	0.6	0.1-2.2	0.4	1.2	0.1-4.4	0.0	0.0	0.0-2.3
10-14 years	2.8	4.9	2.7-8.1	1.4	4.8	1.9-10.0	1.4	4.9	2.0-10.0	0.2	0.3	0.0-1.9	0.2	0.7	0.0-3.9	0.0	0.0	0.0-2.6
15-19 years	2.6	3.8	2.0-6.5	2.0	6.3	3.0-11.6	0.6	1.6	0.3-4.8	0.6	0.9	0.2-2.6	0.6	1.9	0.4-5.5	0.0	0.0	0.0-2.0
20-24 years	3.6	3.2	1.9-5.1	2.0	4.0	1.9-7.3	1.6	2.6	1.1-5.2	0.8	0.7	0.2-1.8	0.6	1.2	0.2-3.5	0.2	0.3	0.0-1.8
25-29 years	7.2	3.8	2.7-5.3	4.6	5.2	3.3-7.8	2.6	2.6	1.4-4.5	1.2	0.6	0.2-1.4	1.0	1.1	0.4-2.6	0.2	0.2	0.0-1.1
30-34 years	6.0	3.4	2.3-4.9	3.4	4.0	2.3-6.4	2.6	2.9	1.6-5.0	1.2	0.7	0.3-1.5	0.4	0.5	0.1-1.7	0.8	0.9	0.2-2.3
35-39 years	5.8	4.5	3.0-6.4	3.8	5.9	3.6-9.2	2.0	3.1	1.5-5.7	0.8	0.6	0.2-1.6	0.4	0.6	0.1-2.2	0.4	0.6	0.1-2.2
40-44 years	7.6	7.3	5.2-10.0	4.8	9.3	6.0-13.8	2.8	5.3	2.9-8.9	1.6	1.5	0.7-3.0	0.4	0.8	0.1-2.8	1.2	2.3	0.8-5.0
45-49 years	9.0	8.9	6.5-12.0	5.8	11.6	7.8-16.6	3.2	6.3	3.6-10.3	1.8	1.8	0.8-3.4	0.8	1.6	0.4-4.1	1.0	2.0	0.6-4.6
50-54 years	12.4	12.6	9.7-16.2	8.8	18.0	13.1-24.2	3.6	7.3	4.3-11.5	4.2	4.3	2.6-6.5	2.0	4.1	2.0-7.5	2.2	4.5	2.2-8.0
55-59 years	18.0	19.0	15.2-23.3	10.2	22.0	16.4-28.9	7.8	16.0	11.4-21.9	3.4	3.6	2.1-5.7	1.8	3.9	1.8-7.4	1.6	3.3	1.4-6.5
60-64 years	25.8	28.9	24.1-34.3	16.0	38.6	30.6-48.0	9.8	20.5	15.1-27.1	5.0	5.6	3.6-8.3	1.8	4.3	2.0-8.2	3.2	6.7	3.8-10.9
65-69 years	35.0	43.5	37.3-50.5	18.4	52.2	42.1-64.0	16.6	36.7	29.3-45.5	7.6	9.4	6.7-13.0	3.8	10.8	6.5-16.8	3.8	8.4	5.1-13.1
70-74 years	36.8	55.0	47.4-63.6	19.8	71.4	58.0-86.9	17.0	43.4	34.7-53.7	12.8	19.1	14.7-24.4	6.6	23.8	16.4-33.4	6.2	15.8	10.8-22.5
75-79 years	36.2	73.2	62.9-84.7	21.0	104.4	85.4-126.4	15.2	51.8	40.8-64.8	16.6	33.6	26.7-41.6	9.4	46.7	34.3-62.2	7.2	24.5	17.2-34.0
80-84 years	23.2	67.4	55.7-80.8	13.6	99.1	77.0-125.6	9.6	46.3	34.2-61.4	14.0	40.6	31.7-51.4	8.4	61.2	44.1-82.7	5.6	27.0	18.0-39.1
85+ years	33.8	85.3	72.9-99.1	15.2	108.4	85.4-135.7	18.6	72.6	58.6-88.9	24.0	60.5	50.2-72.4	10.6	75.6	56.6-98.9	13.4	52.3	40.5-66.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
All Invasive Malignant Tumors**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	29.8	21.2	18.0-24.9	15.6	21.7	17.1-27.1	14.2	20.7	16.2-26.2	2.2	1.6	0.8-2.8	0.8	1.1	0.3-2.8	1.4	2.0	0.8-4.2
5-9 years	15.0	11.8	9.3-14.8	9.0	13.8	10.1-18.5	6.0	9.7	6.5-13.8	2.6	2.0	1.1-3.5	1.4	2.1	0.9-4.4	1.2	1.9	0.7-4.2
10-14 years	23.6	20.0	16.5-23.9	12.4	20.5	15.7-26.2	11.2	19.5	14.7-25.3	3.4	2.9	1.7-4.6	1.8	3.0	1.4-5.6	1.6	2.8	1.2-5.5
15-19 years	36.6	32.0	27.5-36.9	19.4	33.0	26.8-40.3	17.2	30.8	24.7-38.1	3.4	3.0	1.7-4.8	1.8	3.1	1.4-5.8	1.6	2.9	1.2-5.7
20-24 years	71.0	54.4	48.9-60.4	34.0	52.9	45.3-61.5	37.0	55.9	48.1-64.6	4.8	3.7	2.4-5.5	3.2	5.0	2.8-8.1	1.6	2.4	1.0-4.8
25-29 years	122.8	66.4	61.2-71.9	47.2	51.4	45.1-58.4	75.6	81.2	73.2-89.8	11.4	6.2	4.7-8.0	5.6	6.1	4.1-8.8	5.8	6.2	4.2-8.9
30-34 years	183.0	101.3	94.9-108.1	64.0	70.2	62.7-78.3	119.0	133.1	122.6-144.2	17.4	9.6	7.7-11.9	8.6	9.4	6.8-12.7	8.8	9.8	7.2-13.2
35-39 years	256.2	157.8	149.2-166.7	89.0	109.6	99.7-120.3	167.2	205.9	192.2-220.3	29.2	18.0	15.2-21.1	14.2	17.5	13.7-22.1	15.0	18.5	14.5-23.2
40-44 years	374.8	252.2	240.9-263.9	110.8	151.0	138.7-164.1	264.0	350.8	332.2-370.3	47.6	32.0	28.1-36.4	21.6	29.4	24.1-35.5	26.0	34.6	28.9-41.0
45-49 years	556.2	367.3	353.8-381.2	184.6	248.0	232.3-264.6	371.6	482.6	460.9-505.0	86.2	56.9	51.7-62.6	37.6	50.5	43.6-58.3	48.6	63.1	55.4-71.6
50-54 years	861.8	556.6	540.1-573.4	348.8	462.6	441.1-484.8	513.0	645.8	621.0-671.2	145.0	93.6	87.0-100.7	68.4	90.7	81.4-100.9	76.6	96.4	87.0-106.6
55-59 years	1,244.6	796.5	776.9-816.6	612.2	813.4	784.8-842.7	632.4	780.9	753.9-808.6	252.6	161.7	152.9-170.8	128.8	171.1	158.2-184.9	123.8	152.9	141.1-165.4
60-64 years	1,546.6	1089.7	1065.6-1114.3	818.2	1224.2	1186.9-1262.3	728.4	970.0	938.8-1002.1	339.0	238.9	227.6-250.5	179.2	268.1	250.8-286.3	159.8	212.8	198.3-228.1
65-69 years	1,672.4	1441.8	1411.1-1473.1	903.4	1702.4	1653.1-1752.7	769.0	1222.1	1183.8-1261.4	399.0	344.0	329.1-359.4	204.6	385.5	362.3-409.9	194.4	308.9	289.8-329.0
70-74 years	1,486.4	1723.3	1684.4-1762.9	798.6	2093.7	2029.3-2159.7	687.8	1429.6	1382.2-1478.2	418.6	485.3	464.7-506.6	221.0	579.4	545.7-614.6	197.6	410.7	385.5-437.2
75-79 years	1,184.8	1909.7	1861.4-1959.0	618.2	2392.2	2308.6-2478.1	566.6	1565.2	1508.1-1623.9	405.2	653.1	625.0-682.2	207.6	803.3	755.2-853.7	197.6	545.9	512.4-581.0
80-84 years	869.6	1952.8	1895.2-2011.7	427.6	2413.1	2311.9-2517.6	442.0	1648.6	1580.6-1718.8	388.8	873.1	834.7-912.8	195.4	1102.7	1034.7-1174.1	193.4	721.3	676.6-768.3
85+ years	919.2	1812.0	1760.0-1865.2	392.4	2270.7	2171.3-2373.4	526.8	1575.1	1515.5-1636.4	638.0	1257.7	1214.4-1302.1	291.4	1686.2	1600.7-1775.1	346.6	1036.3	988.1-1086.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Oral cavity and pharynx**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.1	0.0-0.8	0.0	0.0	0.0-1.0	0.2	0.3	0.0-1.6	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.2	0.2	0.0-0.9	0.2	0.3	0.0-1.8	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.2	0.2	0.0-1.0	0.0	0.0	0.0-1.3	0.2	0.4	0.0-2.0	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	1.8	1.4	0.6-2.6	1.0	1.6	0.5-3.6	0.8	1.2	0.3-3.1	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	2.6	1.4	0.7-2.4	1.0	1.1	0.4-2.5	1.6	1.7	0.7-3.4	0.8	0.4	0.1-1.1	0.6	0.7	0.1-1.9	0.2	0.2	0.0-1.2
30-34 years	4.2	2.3	1.4-3.6	2.2	2.4	1.2-4.3	2.0	2.2	1.1-4.1	0.4	0.2	0.0-0.8	0.2	0.2	0.0-1.2	0.2	0.2	0.0-1.2
35-39 years	6.4	3.9	2.7-5.6	3.6	4.4	2.6-7.0	2.8	3.4	1.9-5.8	1.2	0.7	0.3-1.6	0.8	1.0	0.3-2.5	0.4	0.5	0.1-1.8
40-44 years	7.8	5.2	3.7-7.2	4.2	5.7	3.5-8.7	3.6	4.8	2.8-7.6	1.0	0.7	0.2-1.6	0.6	0.8	0.2-2.4	0.4	0.5	0.1-1.9
45-49 years	14.8	9.8	7.7-12.3	8.6	11.6	8.4-15.6	6.2	8.1	5.5-11.4	2.0	1.3	0.6-2.4	1.6	2.1	0.9-4.2	0.4	0.5	0.1-1.9
50-54 years	21.0	13.6	11.1-16.4	12.6	16.7	12.8-21.4	8.4	10.6	7.6-14.3	5.4	3.5	2.3-5.1	4.0	5.3	3.2-8.2	1.4	1.8	0.7-3.6
55-59 years	35.4	22.7	19.4-26.3	25.6	34.0	28.4-40.4	9.8	12.1	9.0-16.0	5.8	3.7	2.5-5.3	4.4	5.8	3.7-8.9	1.4	1.7	0.7-3.6
60-64 years	33.8	23.8	20.4-27.7	22.0	32.9	27.1-39.7	11.8	15.7	12.0-20.3	6.6	4.7	3.2-6.5	4.4	6.6	4.1-10.0	2.2	2.9	1.5-5.2
65-69 years	36.2	31.2	26.8-36.1	24.4	46.0	38.2-54.9	11.8	18.8	14.3-24.2	7.6	6.6	4.6-9.0	5.6	10.6	7.0-15.3	2.0	3.2	1.5-5.8
70-74 years	28.4	32.9	27.7-38.8	20.4	53.5	43.6-64.9	8.0	16.6	11.9-22.6	5.0	5.8	3.8-8.6	3.4	8.9	5.2-14.3	1.6	3.3	1.4-6.6
75-79 years	22.2	35.8	29.4-43.1	12.2	47.2	36.1-60.6	10.0	27.6	20.5-36.4	4.6	7.4	4.7-11.1	2.8	10.8	5.9-18.2	1.8	5.0	2.3-9.4
80-84 years	14.0	31.4	24.5-39.7	7.0	39.5	27.5-54.9	7.0	26.1	18.2-36.3	4.6	10.3	6.5-15.5	3.0	16.9	9.5-27.9	1.6	6.0	2.6-11.8
85+ years	19.8	39.0	31.7-47.5	10.0	57.9	42.9-76.3	9.8	29.3	21.7-38.7	7.4	14.6	10.3-20.1	3.4	19.7	11.5-31.5	4.0	12.0	7.3-18.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Esophagus**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	0.2	0.2	0.0-0.9	0.2	0.3	0.0-1.7	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
30-34 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
35-39 years	1.8	1.1	0.5-2.1	1.4	1.7	0.7-3.6	0.4	0.5	0.1-1.8	0.4	0.2	0.0-0.9	0.4	0.5	0.1-1.8	0.0	0.0	0.0-0.9
40-44 years	1.0	0.7	0.2-1.6	1.0	1.4	0.4-3.2	0.0	0.0	0.0-1.0	0.8	0.5	0.1-1.4	0.8	1.1	0.3-2.8	0.0	0.0	0.0-1.0
45-49 years	1.8	1.2	0.5-2.3	1.6	2.1	0.9-4.2	0.2	0.3	0.0-1.4	1.2	0.8	0.3-1.7	1.2	1.6	0.6-3.5	0.0	0.0	0.0-1.0
50-54 years	4.0	2.6	1.6-4.0	4.0	5.3	3.2-8.2	0.0	0.0	0.0-0.9	3.4	2.2	1.3-3.5	2.8	3.7	2.0-6.2	0.6	0.8	0.2-2.2
55-59 years	10.8	6.9	5.2-9.0	8.4	11.2	8.0-15.1	2.4	3.0	1.5-5.2	5.4	3.5	2.3-5.0	4.0	5.3	3.2-8.2	1.4	1.7	0.7-3.6
60-64 years	14.6	10.3	8.1-12.9	10.8	16.2	12.1-21.1	3.8	5.1	3.0-7.9	9.2	6.5	4.7-8.6	7.4	11.1	7.8-15.3	1.8	2.4	1.1-4.6
65-69 years	14.8	12.8	10.0-16.0	11.2	21.1	15.9-27.4	3.6	5.7	3.4-9.0	8.4	7.2	5.2-9.8	6.8	12.8	8.9-17.9	1.6	2.5	1.1-5.0
70-74 years	15.2	17.6	13.9-22.1	12.0	31.5	24.0-40.5	3.2	6.7	3.8-10.8	10.6	12.3	9.2-16.1	8.6	22.5	16.3-30.4	2.0	4.2	2.0-7.6
75-79 years	9.8	15.8	11.7-20.9	5.8	22.4	15.0-32.2	4.0	11.0	6.7-17.1	7.8	12.6	8.9-17.2	4.8	18.6	11.9-27.6	3.0	8.3	4.6-13.7
80-84 years	7.6	17.1	12.1-23.4	4.2	23.7	14.7-36.2	3.4	12.7	7.4-20.3	6.4	14.4	9.8-20.3	4.6	26.0	16.5-39.0	1.8	6.7	3.1-12.7
85+ years	10.2	20.1	15.0-26.4	6.8	39.3	27.3-55.0	3.4	10.2	5.9-16.3	10.6	20.9	15.7-27.3	7.2	41.7	29.2-57.7	3.4	10.2	5.9-16.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Stomach**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.2	0.2	0.0-0.9	0.2	0.3	0.0-1.8	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.6	0.5	0.1-1.5	0.4	0.7	0.1-2.5	0.2	0.4	0.0-2.0	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	0.4	0.3	0.0-1.1	0.4	0.6	0.1-2.2	0.0	0.0	0.0-1.1	0.4	0.3	0.0-1.1	0.4	0.6	0.1-2.2	0.0	0.0	0.0-1.1
25-29 years	1.6	0.9	0.4-1.7	0.6	0.7	0.1-1.9	1.0	1.1	0.3-2.5	0.6	0.3	0.1-0.9	0.4	0.4	0.1-1.6	0.2	0.2	0.0-1.2
30-34 years	4.2	2.3	1.4-3.6	2.0	2.2	1.1-4.0	2.2	2.5	1.2-4.4	1.6	0.9	0.4-1.7	1.0	1.1	0.4-2.6	0.6	0.7	0.1-2.0
35-39 years	6.8	4.2	2.9-5.9	3.4	4.2	2.4-6.7	3.4	4.2	2.4-6.7	1.8	1.1	0.5-2.1	1.0	1.2	0.4-2.9	0.8	1.0	0.3-2.5
40-44 years	12.2	8.2	6.3-10.5	6.2	8.4	5.7-12.0	6.0	8.0	5.4-11.4	3.6	2.4	1.4-3.8	1.6	2.2	0.9-4.3	2.0	2.7	1.3-4.9
45-49 years	15.4	10.2	8.0-12.7	7.6	10.2	7.2-14.0	7.8	10.1	7.2-13.8	5.6	3.7	2.5-5.3	2.8	3.8	2.1-6.3	2.8	3.6	2.0-6.1
50-54 years	27.4	17.7	14.9-20.9	16.0	21.2	16.8-26.4	11.4	14.4	10.9-18.6	8.8	5.7	4.1-7.6	5.2	6.9	4.5-10.1	3.6	4.5	2.7-7.2
55-59 years	31.0	19.8	16.8-23.2	17.6	23.4	18.8-28.8	13.4	16.5	12.8-21.0	9.8	6.3	4.6-8.3	5.6	7.4	4.9-10.8	4.2	5.2	3.2-7.9
60-64 years	41.6	29.3	25.5-33.6	27.2	40.7	34.1-48.1	14.4	19.2	15.0-24.2	14.2	10.0	7.8-12.6	9.6	14.4	10.6-19.0	4.6	6.1	3.9-9.2
65-69 years	42.8	36.9	32.1-42.2	24.8	46.7	38.9-55.7	18.0	28.6	23.0-35.2	15.6	13.4	10.6-16.8	9.8	18.5	13.7-24.4	5.8	9.2	6.2-13.2
70-74 years	37.4	43.4	37.4-50.0	23.8	62.4	51.7-74.7	13.6	28.3	22.0-35.8	13.0	15.1	11.6-19.2	10.4	27.3	20.4-35.8	2.6	5.4	2.9-9.2
75-79 years	39.8	64.2	55.5-73.7	23.4	90.5	74.9-108.5	16.4	45.3	36.0-56.2	15.4	24.8	19.6-31.0	10.4	40.2	30.1-52.8	5.0	13.8	8.9-20.4
80-84 years	29.6	66.5	56.2-78.1	16.4	92.6	73.6-114.9	13.2	49.2	38.1-62.6	13.8	31.0	24.1-39.2	8.4	47.4	34.2-64.1	5.4	20.1	13.3-29.3
85+ years	33.4	65.8	56.2-76.6	15.4	89.1	70.3-111.4	18.0	53.8	43.3-66.2	23.6	46.5	38.5-55.7	10.6	61.3	45.9-80.2	13.0	38.9	30.0-49.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Colorectal**

Age Group	Males and Females			Incidence						Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.2	0.2	0.0-0.9	0.2	0.3	0.0-1.7	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.6	0.5	0.1-1.5	0.4	0.7	0.1-2.4	0.2	0.3	0.0-1.9	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	2.0	1.7	0.8-3.2	1.2	2.0	0.7-4.4	0.8	1.4	0.4-3.7	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	3.6	2.8	1.6-4.4	1.4	2.2	0.9-4.5	2.2	3.3	1.7-5.9	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	6.6	3.6	2.5-5.0	3.2	3.5	2.0-5.7	3.4	3.6	2.1-5.8	1.6	0.9	0.4-1.7	0.4	0.4	0.1-1.6	1.2	1.3	0.5-2.8
30-34 years	10.0	5.5	4.1-7.3	5.0	5.5	3.5-8.1	5.0	5.6	3.6-8.3	1.2	0.7	0.2-1.4	0.6	0.7	0.1-1.9	0.6	0.7	0.1-2.0
35-39 years	21.4	13.2	10.8-15.9	10.4	12.8	9.6-16.8	11.0	13.5	10.2-17.6	3.0	1.8	1.0-3.0	1.8	2.2	1.0-4.2	1.2	1.5	0.5-3.2
40-44 years	32.4	21.8	18.6-25.4	16.6	22.6	18.0-28.0	15.8	21.0	16.6-26.2	6.2	4.2	2.8-5.9	3.8	5.2	3.1-8.1	2.4	3.2	1.6-5.6
45-49 years	49.8	32.9	28.9-37.2	25.8	34.7	28.9-41.2	24.0	31.2	25.8-37.3	12.2	8.1	6.2-10.3	7.4	9.9	7.0-13.7	4.8	6.2	4.0-9.3
50-54 years	93.2	60.2	54.8-65.9	49.0	65.0	57.1-73.7	44.2	55.6	48.5-63.5	17.4	11.2	9.0-13.9	10.4	13.8	10.3-18.1	7.0	8.8	6.1-12.3
55-59 years	101.0	64.6	59.1-70.5	58.8	78.1	69.4-87.6	42.2	52.1	45.3-59.6	24.8	15.9	13.2-18.9	14.4	19.1	15.0-24.1	10.4	12.8	9.6-16.8
60-64 years	120.4	84.8	78.2-91.9	74.0	110.7	99.7-122.6	46.4	61.8	54.1-70.3	32.2	22.7	19.3-26.5	18.4	27.5	22.2-33.8	13.8	18.4	14.3-23.3
65-69 years	133.0	114.7	106.1-123.7	74.8	141.0	127.0-156.0	58.2	92.5	82.2-103.8	32.6	28.1	24.0-32.8	17.2	32.4	25.9-40.0	15.4	24.5	19.3-30.6
70-74 years	119.2	138.2	127.3-149.8	64.0	167.8	149.9-187.2	55.2	114.7	101.6-129.1	34.0	39.4	33.7-45.8	17.2	45.1	36.1-55.7	16.8	34.9	27.9-43.2
75-79 years	102.8	165.7	151.7-180.7	50.0	193.5	170.2-219.0	52.8	145.9	128.8-164.6	32.2	51.9	44.2-60.6	14.0	54.2	42.2-68.4	18.2	50.3	40.5-61.7
80-84 years	93.0	208.8	190.3-228.7	41.6	234.8	203.9-268.9	51.4	191.7	169.0-216.6	41.8	93.9	81.6-107.5	16.0	90.3	71.6-112.4	25.8	96.2	80.3-114.3
85+ years	111.0	218.8	201.0-237.8	43.0	248.8	216.7-284.4	68.0	203.3	182.3-226.1	75.0	147.8	133.3-163.6	31.4	181.7	154.4-212.4	43.6	130.4	113.6-148.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Colon excluding rectum**

Age Group	Incidence																		Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females											
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI									
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1									
5-9 years	0.2	0.2	0.0-0.9	0.2	0.3	0.0-1.7	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2									
10-14 years	0.6	0.5	0.1-1.5	0.4	0.7	0.1-2.4	0.2	0.3	0.0-1.9	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3									
15-19 years	1.8	1.6	0.7-3.0	1.0	1.7	0.6-4.0	0.8	1.4	0.4-3.7	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3									
20-24 years	2.8	2.1	1.2-3.6	1.2	1.9	0.7-4.1	1.6	2.4	1.0-4.8	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1									
25-29 years	4.8	2.6	1.7-3.9	2.4	2.6	1.4-4.6	2.4	2.6	1.3-4.5	1.4	0.8	0.3-1.6	0.4	0.4	0.1-1.6	1.0	1.1	0.3-2.5									
30-34 years	6.8	3.8	2.6-5.3	4.2	4.6	2.9-7.0	2.6	2.9	1.5-5.0	1.0	0.6	0.2-1.3	0.6	0.7	0.1-1.9	0.4	0.4	0.1-1.6									
35-39 years	14.8	9.1	7.2-11.4	7.8	9.6	6.8-13.1	7.0	8.6	6.0-12.0	2.4	1.5	0.8-2.6	1.6	2.0	0.9-3.9	0.8	1.0	0.3-2.5									
40-44 years	19.0	12.8	10.3-15.6	9.0	12.3	8.9-16.4	10.0	13.3	9.9-17.5	4.8	3.2	2.1-4.8	3.2	4.4	2.5-7.1	1.6	2.1	0.9-4.2									
45-49 years	30.4	20.1	17.0-23.5	15.2	20.4	16.1-25.6	15.2	19.7	15.6-24.7	10.0	6.6	4.9-8.7	6.0	8.1	5.4-11.5	4.0	5.2	3.2-8.0									
50-54 years	55.2	35.6	31.6-40.1	27.4	36.3	30.5-43.0	27.8	35.0	29.4-41.3	14.2	9.2	7.2-11.6	8.4	11.1	8.0-15.1	5.8	7.3	4.9-10.5									
55-59 years	70.2	44.9	40.3-49.9	40.8	54.2	47.0-62.2	29.4	36.3	30.7-42.7	17.4	11.1	8.9-13.7	9.0	12.0	8.7-16.0	8.4	10.4	7.5-14.0									
60-64 years	76.0	53.5	48.3-59.2	46.0	68.8	60.2-78.3	30.0	40.0	33.8-46.9	26.4	18.6	15.6-22.1	14.8	22.1	17.4-27.8	11.6	15.4	11.7-20.0									
65-69 years	92.6	79.8	72.7-87.4	50.0	94.2	82.9-106.7	42.6	67.7	58.9-77.4	26.4	22.8	19.0-27.0	13.0	24.5	18.9-31.2	13.4	21.3	16.5-27.0									
70-74 years	86.2	99.9	90.7-109.8	45.2	118.5	103.6-135.0	41.0	85.2	74.0-97.7	27.2	31.5	26.5-37.3	13.6	35.7	27.7-45.2	13.6	28.3	22.0-35.8									
75-79 years	77.0	124.1	112.0-137.1	36.4	140.9	121.1-162.9	40.6	112.2	97.3-128.7	27.2	43.8	36.8-51.9	10.4	40.2	30.1-52.8	16.8	46.4	37.0-57.5									
80-84 years	74.6	167.5	151.0-185.4	30.8	173.8	147.4-203.5	43.8	163.4	142.4-186.5	37.4	84.0	72.4-96.9	14.0	79.0	61.6-99.8	23.4	87.3	72.2-104.6									
85+ years	92.2	181.8	165.5-199.1	34.4	199.1	170.4-231.1	57.8	172.8	153.5-193.9	64.4	127.0	113.5-141.6	27.8	160.9	135.2-189.9	36.6	109.4	94.1-126.5									

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Rectum & rectosigmoid**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.2	0.2	0.0-1.0	0.2	0.3	0.0-1.9	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	0.8	0.6	0.2-1.6	0.2	0.3	0.0-1.7	0.6	0.9	0.2-2.6	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	1.8	1.0	0.4-1.8	0.8	0.9	0.2-2.2	1.0	1.1	0.3-2.5	0.2	0.1	0.0-0.6	0.0	0.0	0.0-0.8	0.2	0.2	0.0-1.2
30-34 years	3.2	1.8	1.0-2.9	0.8	0.9	0.2-2.2	2.4	2.7	1.4-4.7	0.2	0.1	0.0-0.6	0.0	0.0	0.0-0.8	0.2	0.2	0.0-1.2
35-39 years	6.6	4.1	2.8-5.7	2.6	3.2	1.7-5.5	4.0	4.9	3.0-7.6	0.6	0.4	0.1-1.1	0.2	0.2	0.0-1.4	0.4	0.5	0.1-1.8
40-44 years	13.4	9.0	7.0-11.4	7.6	10.4	7.3-14.2	5.8	7.7	5.2-11.1	1.4	0.9	0.4-1.9	0.6	0.8	0.2-2.4	0.8	1.1	0.3-2.7
45-49 years	19.4	12.8	10.4-15.6	10.6	14.2	10.7-18.6	8.8	11.4	8.3-15.3	2.2	1.5	0.7-2.6	1.4	1.9	0.8-3.9	0.8	1.0	0.3-2.7
50-54 years	38.0	24.5	21.2-28.3	21.6	28.6	23.5-34.6	16.4	20.6	16.4-25.6	3.2	2.1	1.2-3.4	2.0	2.7	1.3-4.9	1.2	1.5	0.6-3.3
55-59 years	30.8	19.7	16.7-23.1	18.0	23.9	19.2-29.4	12.8	15.8	12.2-20.2	7.4	4.7	3.3-6.5	5.4	7.2	4.7-10.4	2.0	2.5	1.2-4.5
60-64 years	44.4	31.3	27.3-35.7	28.0	41.9	35.2-49.4	16.4	21.8	17.4-27.1	5.8	4.1	2.7-5.9	3.6	5.4	3.2-8.5	2.2	2.9	1.5-5.2
65-69 years	40.4	34.8	30.2-40.0	24.8	46.7	38.9-55.7	15.6	24.8	19.6-30.9	6.2	5.3	3.6-7.6	4.2	7.9	4.9-12.1	2.0	3.2	1.5-5.8
70-74 years	33.0	38.3	32.6-44.6	18.8	49.3	39.8-60.3	14.2	29.5	23.1-37.2	6.8	7.9	5.5-11.0	3.6	9.4	5.6-14.9	3.2	6.7	3.8-10.8
75-79 years	25.8	41.6	34.7-49.4	13.6	52.6	40.9-66.7	12.2	33.7	25.8-43.3	5.0	8.1	5.2-11.9	3.6	13.9	8.3-22.0	1.4	3.9	1.6-8.0
80-84 years	18.4	41.3	33.3-50.7	10.8	60.9	45.8-79.5	7.6	28.3	20.1-38.9	4.4	9.9	6.2-15.0	2.0	11.3	5.4-20.8	2.4	9.0	4.6-15.6
85+ years	18.8	37.1	29.9-45.4	8.6	49.8	36.0-67.0	10.2	30.5	22.7-40.1	10.6	20.9	15.7-27.3	3.6	20.8	12.3-32.9	7.0	20.9	14.6-29.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Liver / intrahepatic bile duct**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.4	1.0	0.4-2.1	0.8	1.1	0.3-2.8	0.6	0.9	0.2-2.6	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.4	0.3	0.0-1.2	0.2	0.3	0.0-1.8	0.2	0.3	0.0-1.9	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.2	0.2	0.0-1.0	0.2	0.3	0.0-1.9	0.0	0.0	0.0-1.3	0.2	0.2	0.0-1.0	0.2	0.3	0.0-1.9	0.0	0.0	0.0-1.3
20-24 years	0.2	0.2	0.0-0.9	0.0	0.0	0.0-1.1	0.2	0.3	0.0-1.7	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	1.6	0.9	0.4-1.7	1.4	1.5	0.6-3.1	0.2	0.2	0.0-1.2	0.8	0.4	0.1-1.1	0.4	0.4	0.1-1.6	0.4	0.4	0.1-1.6
30-34 years	3.4	1.9	1.1-3.0	2.4	2.6	1.4-4.6	1.0	1.1	0.4-2.6	1.8	1.0	0.5-1.9	0.8	0.9	0.2-2.2	1.0	1.1	0.4-2.6
35-39 years	2.8	1.7	0.9-2.9	1.6	2.0	0.9-3.9	1.2	1.5	0.5-3.2	1.8	1.1	0.5-2.1	1.2	1.5	0.5-3.2	0.6	0.7	0.2-2.2
40-44 years	5.2	3.5	2.3-5.1	3.8	5.2	3.1-8.1	1.4	1.9	0.7-3.8	3.0	2.0	1.1-3.3	2.2	3.0	1.5-5.4	0.8	1.1	0.3-2.7
45-49 years	10.6	7.0	5.2-9.2	7.4	9.9	7.0-13.7	3.2	4.2	2.4-6.7	5.2	3.4	2.2-5.0	3.4	4.6	2.7-7.3	1.8	2.3	1.1-4.4
50-54 years	11.4	7.4	5.6-9.5	9.4	12.5	9.2-16.6	2.0	2.5	1.2-4.6	7.2	4.6	3.3-6.4	5.4	7.2	4.7-10.4	1.8	2.3	1.0-4.3
55-59 years	33.2	21.2	18.1-24.7	26.4	35.1	29.3-41.6	6.8	8.4	5.8-11.7	17.2	11.0	8.8-13.6	12.6	16.7	12.9-21.4	4.6	5.7	3.6-8.5
60-64 years	45.2	31.8	27.8-36.3	35.2	52.7	45.2-61.0	10.0	13.3	9.9-17.6	26.0	18.3	15.3-21.8	19.4	29.0	23.5-35.4	6.6	8.8	6.1-12.3
65-69 years	49.6	42.8	37.6-48.4	36.6	69.0	59.3-79.7	13.0	20.7	15.9-26.3	26.6	22.9	19.2-27.2	20.0	37.7	30.7-45.8	6.6	10.5	7.2-14.7
70-74 years	37.2	43.1	37.2-49.8	27.4	71.8	60.3-84.9	9.8	20.4	15.1-26.9	24.8	28.8	23.9-34.3	16.2	42.5	33.7-52.8	8.6	17.9	12.9-24.1
75-79 years	28.6	46.1	38.9-54.3	16.4	63.5	50.5-78.8	12.2	33.7	25.8-43.3	19.0	30.6	24.8-37.4	12.0	46.4	35.4-59.8	7.0	19.3	13.5-26.9
80-84 years	23.0	51.6	42.6-62.0	14.6	82.4	64.6-103.6	8.4	31.3	22.6-42.3	16.4	36.8	29.3-45.7	10.4	58.7	43.8-77.0	6.0	22.4	15.1-31.9
85+ years	21.4	42.2	34.6-51.0	11.0	63.7	48.0-82.9	10.4	31.1	23.2-40.8	21.0	41.4	33.9-50.1	10.8	62.5	46.9-81.5	10.2	30.5	22.7-40.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Pancreas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.4	0.3	0.0-1.2	0.2	0.3	0.0-1.8	0.2	0.3	0.0-1.9	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.2	0.2	0.0-1.0	0.0	0.0	0.0-1.3	0.2	0.4	0.0-2.0	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	0.4	0.3	0.0-1.1	0.0	0.0	0.0-1.1	0.4	0.6	0.1-2.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	1.0	0.5	0.2-1.3	0.4	0.4	0.1-1.6	0.6	0.6	0.1-1.9	0.2	0.1	0.0-0.6	0.0	0.0	0.0-0.8	0.2	0.2	0.0-1.2
30-34 years	2.0	1.1	0.5-2.0	0.8	0.9	0.2-2.2	1.2	1.3	0.5-2.9	0.8	0.4	0.1-1.1	0.8	0.9	0.2-2.2	0.0	0.0	0.0-0.8
35-39 years	1.8	1.1	0.5-2.1	0.8	1.0	0.3-2.5	1.0	1.2	0.4-2.9	0.8	0.5	0.1-1.3	0.6	0.7	0.2-2.2	0.2	0.2	0.0-1.4
40-44 years	3.6	2.4	1.4-3.8	2.2	3.0	1.5-5.4	1.4	1.9	0.7-3.8	2.0	1.3	0.6-2.5	1.8	2.5	1.1-4.7	0.2	0.3	0.0-1.5
45-49 years	8.8	5.8	4.2-7.8	5.4	7.3	4.8-10.6	3.4	4.4	2.6-7.1	4.4	2.9	1.8-4.4	2.2	3.0	1.5-5.3	2.2	2.9	1.4-5.1
50-54 years	16.6	10.7	8.5-13.3	10.4	13.8	10.3-18.1	6.2	7.8	5.3-11.1	9.8	6.3	4.7-8.4	6.0	8.0	5.4-11.4	3.8	4.8	2.9-7.5
55-59 years	33.4	21.4	18.3-24.9	17.8	23.6	19.0-29.1	15.6	19.3	15.2-24.0	21.8	14.0	11.5-16.8	13.6	18.1	14.0-22.9	8.2	10.1	7.3-13.7
60-64 years	41.4	29.2	25.3-33.4	24.6	36.8	30.6-43.9	16.8	22.4	17.8-27.7	28.6	20.2	17.0-23.7	16.2	24.2	19.2-30.1	12.4	16.5	12.7-21.2
65-69 years	54.2	46.7	41.3-52.6	25.6	48.2	40.2-57.4	28.6	45.5	38.3-53.5	38.2	32.9	28.4-37.9	22.2	41.8	34.4-50.4	16.0	25.4	20.2-31.6
70-74 years	53.8	62.4	55.1-70.3	23.6	61.9	51.2-74.1	30.2	62.8	53.2-73.6	38.4	44.5	38.4-51.3	17.0	44.6	35.6-55.1	21.4	44.5	36.5-53.8
75-79 years	50.8	81.9	72.1-92.6	22.4	86.7	71.4-104.3	28.4	78.5	66.1-92.5	35.2	56.7	48.7-65.8	14.2	54.9	42.9-69.3	21.0	58.0	47.4-70.2
80-84 years	42.4	95.2	82.8-108.9	18.8	106.1	85.7-129.8	23.6	88.0	72.9-105.4	34.2	76.8	65.7-89.2	14.2	80.1	62.6-101.1	20.0	74.6	60.7-90.7
85+ years	58.4	115.1	102.3-129.1	16.6	96.1	76.5-119.1	41.8	125.0	108.6-143.1	53.4	105.3	93.0-118.7	15.8	91.4	72.4-113.9	37.6	112.4	96.9-129.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Larynx**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
30-34 years	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
35-39 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.5	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
40-44 years	0.6	0.4	0.1-1.2	0.4	0.5	0.1-2.0	0.2	0.3	0.0-1.5	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
45-49 years	1.0	0.7	0.2-1.5	1.0	1.3	0.4-3.1	0.0	0.0	0.0-1.0	0.2	0.1	0.0-0.7	0.2	0.3	0.0-1.5	0.0	0.0	0.0-1.0
50-54 years	3.4	2.2	1.3-3.5	3.2	4.2	2.4-6.9	0.2	0.3	0.0-1.4	0.6	0.4	0.1-1.1	0.6	0.8	0.2-2.3	0.0	0.0	0.0-0.9
55-59 years	7.8	5.0	3.5-6.8	5.8	7.7	5.2-11.1	2.0	2.5	1.2-4.5	3.2	2.0	1.2-3.3	1.8	2.4	1.1-4.5	1.4	1.7	0.7-3.6
60-64 years	9.6	6.8	5.0-9.0	8.2	12.3	8.8-16.6	1.4	1.9	0.7-3.8	1.6	1.1	0.5-2.2	1.2	1.8	0.7-3.9	0.4	0.5	0.1-1.9
65-69 years	11.8	10.2	7.7-13.1	10.2	19.2	14.3-25.3	1.6	2.5	1.1-5.0	3.0	2.6	1.4-4.3	2.6	4.9	2.6-8.4	0.4	0.6	0.1-2.3
70-74 years	7.6	8.8	6.2-12.1	6.0	15.7	10.6-22.5	1.6	3.3	1.4-6.6	2.4	2.8	1.4-4.9	2.4	6.3	3.3-11.0	0.0	0.0	0.0-1.5
75-79 years	9.8	15.8	11.7-20.9	8.2	31.7	22.8-43.0	1.6	4.4	1.9-8.7	2.2	3.5	1.8-6.3	2.0	7.7	3.7-14.2	0.2	0.6	0.0-3.1
80-84 years	5.6	12.6	8.4-18.2	4.6	26.0	16.5-39.0	1.0	3.7	1.2-8.7	1.4	3.1	1.3-6.5	1.4	7.9	3.2-16.3	0.0	0.0	0.0-2.8
85+ years	3.4	6.7	3.9-10.7	3.4	19.7	11.5-31.5	0.0	0.0	0.0-2.2	2.0	3.9	1.9-7.3	1.6	9.3	4.0-18.2	0.4	1.2	0.1-4.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Lung and bronchus**

Age Group	Males and Females			Incidence						Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.2	0.2	0.0-0.9	0.0	0.0	0.0-1.1	0.2	0.3	0.0-1.8	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.2	0.2	0.0-0.9	0.0	0.0	0.0-1.2	0.2	0.3	0.0-1.9	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.2	0.2	0.0-1.0	0.2	0.3	0.0-1.9	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	1.0	0.8	0.2-1.8	1.0	1.6	0.5-3.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	1.2	0.6	0.2-1.4	0.2	0.2	0.0-1.2	1.0	1.1	0.3-2.5	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
30-34 years	2.0	1.1	0.5-2.0	0.8	0.9	0.2-2.2	1.2	1.3	0.5-2.9	0.8	0.4	0.1-1.1	0.4	0.4	0.1-1.6	0.4	0.4	0.1-1.6
35-39 years	5.6	3.4	2.3-5.0	3.4	4.2	2.4-6.7	2.2	2.7	1.4-4.8	1.6	1.0	0.4-1.9	1.4	1.7	0.7-3.6	0.2	0.2	0.0-1.4
40-44 years	11.4	7.7	5.8-9.9	5.0	6.8	4.4-10.1	6.4	8.5	5.8-12.0	3.0	2.0	1.1-3.3	1.2	1.6	0.6-3.6	1.8	2.4	1.1-4.5
45-49 years	26.0	17.2	14.3-20.4	11.6	15.6	11.8-20.1	14.4	18.7	14.6-23.6	9.4	6.2	4.6-8.3	5.6	7.5	5.0-10.9	3.8	4.9	3.0-7.7
50-54 years	53.2	34.4	30.4-38.7	27.8	36.9	31.0-43.5	25.4	32.0	26.7-38.0	20.8	13.4	11.0-16.3	11.4	15.1	11.5-19.6	9.4	11.8	8.7-15.7
55-59 years	105.8	67.7	62.1-73.7	58.4	77.6	68.9-87.0	47.4	58.5	51.3-66.5	43.8	28.0	24.4-32.0	25.8	34.3	28.6-40.7	18.0	22.2	17.9-27.3
60-64 years	159.8	112.6	104.9-120.7	83.4	124.8	113.1-137.4	76.4	101.7	91.8-112.5	65.0	45.8	41.0-51.1	36.4	54.5	46.8-63.0	28.6	38.1	32.1-44.9
65-69 years	194.6	167.8	157.4-178.7	101.4	191.1	174.8-208.5	93.2	148.1	135.0-162.2	78.2	67.4	60.9-74.4	44.2	83.3	72.7-95.0	34.0	54.0	46.2-62.8
70-74 years	192.0	222.6	208.7-237.1	100.8	264.3	241.7-288.4	91.2	189.6	172.6-207.8	89.6	103.9	94.5-114.0	52.0	136.3	120.3-153.9	37.6	78.2	67.4-90.2
75-79 years	181.2	292.1	273.4-311.7	96.4	373.0	340.5-407.9	84.8	234.3	212.5-257.7	84.2	135.7	123.1-149.3	49.8	192.7	169.5-218.2	34.4	95.0	81.4-110.3
80-84 years	133.0	298.7	276.4-322.3	69.8	393.9	353.7-437.5	63.2	235.7	210.4-263.2	76.4	171.6	154.8-189.7	43.4	244.9	213.4-279.8	33.0	123.1	105.0-143.4
85+ years	123.0	242.5	223.7-262.4	54.2	313.6	277.4-353.3	68.8	205.7	184.5-228.6	100.4	197.9	181.0-216.0	46.0	266.2	232.9-302.9	54.4	162.6	143.9-183.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Melanoma of the skin**

Age Group	Males and Females			Incidence						Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	1.0	0.8	0.2-1.8	0.4	0.6	0.1-2.2	0.6	0.9	0.2-2.6	0.2	0.2	0.0-0.9	0.0	0.0	0.0-1.1	0.2	0.3	0.0-1.7
25-29 years	3.2	1.7	1.0-2.8	1.4	1.5	0.6-3.1	1.8	1.9	0.9-3.7	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.8
30-34 years	6.2	3.4	2.3-4.9	2.0	2.2	1.1-4.0	4.2	4.7	2.9-7.2	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.8
35-39 years	4.4	2.7	1.7-4.1	2.6	3.2	1.7-5.5	1.8	2.2	1.0-4.2	0.4	0.2	0.0-0.9	0.2	0.2	0.0-1.4	0.2	0.2	0.0-1.4
40-44 years	6.4	4.3	2.9-6.1	2.8	3.8	2.1-6.4	3.6	4.8	2.8-7.6	0.8	0.5	0.1-1.4	0.8	1.1	0.3-2.8	0.0	0.0	0.0-1.0
45-49 years	8.4	5.5	4.0-7.5	3.4	4.6	2.7-7.3	5.0	6.5	4.2-9.6	0.8	0.5	0.1-1.4	0.2	0.3	0.0-1.5	0.6	0.8	0.2-2.3
50-54 years	11.6	7.5	5.7-9.7	5.6	7.4	4.9-10.7	6.0	7.6	5.1-10.8	1.0	0.6	0.2-1.5	0.6	0.8	0.2-2.3	0.4	0.5	0.1-1.8
55-59 years	16.2	10.4	8.2-12.9	9.2	12.2	8.9-16.3	7.0	8.6	6.0-12.0	1.8	1.2	0.5-2.2	1.4	1.9	0.7-3.8	0.4	0.5	0.1-1.8
60-64 years	21.6	15.2	12.5-18.4	13.0	19.5	15.0-24.8	8.6	11.5	8.3-15.4	1.6	1.1	0.5-2.2	1.4	2.1	0.8-4.3	0.2	0.3	0.0-1.5
65-69 years	22.0	19.0	15.6-22.9	12.0	22.6	17.3-29.1	10.0	15.9	11.8-21.0	2.8	2.4	1.3-4.1	1.6	3.0	1.3-5.9	1.2	1.9	0.7-4.2
70-74 years	27.6	32.0	26.9-37.8	17.8	46.7	37.5-57.4	9.8	20.4	15.1-26.9	3.4	3.9	2.3-6.3	1.8	4.7	2.2-9.0	1.6	3.3	1.4-6.6
75-79 years	21.6	34.8	28.6-42.0	12.8	49.5	38.1-63.3	8.8	24.3	17.7-32.6	4.4	7.1	4.4-10.7	2.0	7.7	3.7-14.2	2.4	6.6	3.4-11.6
80-84 years	23.4	52.5	43.5-63.0	13.6	76.8	59.6-97.3	9.8	36.6	27.0-48.3	3.2	7.2	4.1-11.7	2.2	12.4	6.2-22.2	1.0	3.7	1.2-8.7
85+ years	24.8	48.9	40.7-58.3	14.4	83.3	65.2-104.9	10.4	31.1	23.2-40.8	4.2	8.3	5.1-12.7	2.4	13.9	7.2-24.3	1.8	5.4	2.5-10.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Female breast**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
15-19 years	0.2	0.4	0.0-2.0	0.0	0.0	0.0-1.3
20-24 years	2.0	3.0	1.4-5.6	0.0	0.0	0.0-1.1
25-29 years	12.6	13.5	10.4-17.3	0.8	0.9	0.2-2.2
30-34 years	27.2	30.4	25.5-36.0	2.2	2.5	1.2-4.4
35-39 years	59.0	72.7	64.6-81.4	4.4	5.4	3.4-8.2
40-44 years	111.4	148.0	136.0-160.9	7.2	9.6	6.7-13.2
45-49 years	170.0	220.8	206.2-236.1	15.2	19.7	15.6-24.7
50-54 years	201.4	253.5	238.1-269.7	19.4	24.4	19.8-29.8
55-59 years	228.0	281.5	265.4-298.4	26.2	32.4	27.0-38.4
60-64 years	244.6	325.7	307.7-344.5	28.2	37.6	31.6-44.3
65-69 years	241.8	384.3	362.9-406.6	27.6	43.9	36.8-51.8
70-74 years	193.0	401.2	376.2-427.3	29.0	60.3	50.9-70.9
75-79 years	134.2	370.7	343.2-399.9	24.2	66.9	55.5-79.9
80-84 years	90.8	338.7	308.2-371.3	22.0	82.1	67.4-98.9
85+ years	92.2	275.7	251.1-302.0	47.8	142.9	125.4-162.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Cervix uteri**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
15-19 years	0.2	0.4	0.0-2.0	0.0	0.0	0.0-1.3
20-24 years	0.4	0.6	0.1-2.2	0.0	0.0	0.0-1.1
25-29 years	3.4	3.6	2.1-5.8	0.2	0.2	0.0-1.2
30-34 years	9.6	10.7	7.9-14.2	0.6	0.7	0.1-2.0
35-39 years	9.4	11.6	8.5-15.4	0.6	0.7	0.2-2.2
40-44 years	12.4	16.5	12.6-21.1	1.6	2.1	0.9-4.2
45-49 years	12.8	16.6	12.8-21.2	2.4	3.1	1.6-5.4
50-54 years	13.2	16.6	12.9-21.1	4.2	5.3	3.3-8.1
55-59 years	16.4	20.3	16.1-25.1	3.6	4.4	2.6-7.0
60-64 years	13.8	18.4	14.3-23.3	4.0	5.3	3.3-8.2
65-69 years	11.4	18.1	13.7-23.5	3.8	6.0	3.6-9.4
70-74 years	8.0	16.6	11.9-22.6	2.6	5.4	2.9-9.2
75-79 years	5.8	16.0	10.7-23.0	3.4	9.4	5.5-15.0
80-84 years	4.8	17.9	11.5-26.6	2.2	8.2	4.1-14.7
85+ years	3.0	9.0	5.0-14.8	1.8	5.4	2.5-10.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

Queens

Corpus uteris and uterus, not otherwise specified

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2
10-14 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
15-19 years	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	0.4	0.6	0.1-2.2	0.0	0.0	0.0-1.1
25-29 years	2.8	3.0	1.6-5.0	0.2	0.2	0.0-1.2
30-34 years	4.6	5.1	3.3-7.7	0.4	0.4	0.1-1.6
35-39 years	7.8	9.6	6.8-13.1	0.0	0.0	0.0-0.9
40-44 years	13.8	18.3	14.3-23.2	0.6	0.8	0.2-2.3
45-49 years	21.0	27.3	22.3-33.0	2.4	3.1	1.6-5.4
50-54 years	43.6	54.9	47.8-62.7	5.8	7.3	4.9-10.5
55-59 years	67.6	83.5	74.8-92.9	7.6	9.4	6.6-12.9
60-64 years	78.2	104.1	94.1-115.0	14.6	19.4	15.2-24.4
65-69 years	72.8	115.7	104.1-128.2	17.4	27.7	22.1-34.1
70-74 years	63.8	132.6	118.5-148.0	17.0	35.3	28.2-43.7
75-79 years	35.8	98.9	84.9-114.5	13.0	35.9	27.7-45.8
80-84 years	22.6	84.3	69.5-101.3	10.0	37.3	27.7-49.2
85+ years	16.2	48.4	38.5-60.2	10.4	31.1	23.2-40.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Ovary**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.3	0.0-1.6	0.0	0.0	0.0-1.1
5-9 years	0.4	0.6	0.1-2.3	0.0	0.0	0.0-1.2
10-14 years	0.6	1.0	0.2-3.0	0.0	0.0	0.0-1.3
15-19 years	1.4	2.5	1.0-5.2	0.0	0.0	0.0-1.3
20-24 years	2.2	3.3	1.7-5.9	0.0	0.0	0.0-1.1
25-29 years	2.2	2.4	1.2-4.2	0.2	0.2	0.0-1.2
30-34 years	3.8	4.3	2.6-6.6	0.6	0.7	0.1-2.0
35-39 years	5.8	7.1	4.8-10.3	0.6	0.7	0.2-2.2
40-44 years	8.8	11.7	8.5-15.7	0.6	0.8	0.2-2.3
45-49 years	11.8	15.3	11.7-19.8	3.6	4.7	2.8-7.4
50-54 years	20.0	25.2	20.5-30.6	5.4	6.8	4.5-9.9
55-59 years	20.4	25.2	20.5-30.6	11.4	14.1	10.7-18.2
60-64 years	21.4	28.5	23.4-34.4	10.8	14.4	10.8-18.8
65-69 years	16.0	25.4	20.2-31.6	12.4	19.7	15.1-25.3
70-74 years	16.2	33.7	26.7-41.9	10.4	21.6	16.1-28.3
75-79 years	13.0	35.9	27.7-45.8	12.4	34.3	26.3-43.9
80-84 years	8.6	32.1	23.2-43.2	7.6	28.3	20.1-38.9
85+ years	8.4	25.1	18.1-33.9	7.6	22.7	16.1-31.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Prostate**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.0
5-9 years	0.0	0.0	0.0-1.1	0.2	0.3	0.0-1.7
10-14 years	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.2
15-19 years	0.2	0.3	0.0-1.9	0.0	0.0	0.0-1.3
20-24 years	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.8
30-34 years	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
35-39 years	0.4	0.5	0.1-1.8	0.0	0.0	0.0-0.9
40-44 years	6.0	8.2	5.5-11.7	0.2	0.3	0.0-1.5
45-49 years	28.0	37.6	31.6-44.4	0.4	0.5	0.1-1.9
50-54 years	84.2	111.7	101.3-122.9	2.0	2.7	1.3-4.9
55-59 years	199.6	265.2	249.0-282.2	6.2	8.2	5.6-11.7
60-64 years	296.0	442.9	420.6-466.0	11.8	17.7	13.4-22.8
65-69 years	328.4	618.8	589.3-649.5	17.0	32.0	25.6-39.6
70-74 years	272.0	713.1	675.7-752.0	21.8	57.2	46.9-68.9
75-79 years	161.4	624.6	582.2-669.2	27.6	106.8	89.7-126.2
80-84 years	72.0	406.3	365.4-450.5	28.6	161.4	136.0-190.1
85+ years	51.2	296.3	261.1-334.9	61.0	353.0	314.5-394.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Testis**

Age Group	Incidence		
	Avg Ann Cases	Rate per 100,000	95% CI
0-4 years	0.2	0.3	0.0-1.5
5-9 years	0.0	0.0	0.0-1.1
10-14 years	0.0	0.0	0.0-1.2
15-19 years	2.0	3.4	1.6-6.3
20-24 years	7.2	11.2	7.9-15.5
25-29 years	10.4	11.3	8.5-14.9
30-34 years	11.8	12.9	9.8-16.7
35-39 years	10.2	12.6	9.4-16.5
40-44 years	4.4	6.0	3.8-9.1
45-49 years	2.6	3.5	1.9-6.0
50-54 years	1.2	1.6	0.6-3.5
55-59 years	1.6	2.1	0.9-4.2
60-64 years	1.4	2.1	0.8-4.3
65-69 years	1.4	2.6	1.1-5.4
70-74 years	0.0	0.0	0.0-1.9
75-79 years	0.0	0.0	0.0-2.9
80-84 years	0.0	0.0	0.0-4.2
85+ years	0.0	0.0	0.0-4.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases in one year are unstable and should be used with caution.

Mortality data not provided due to small number of deaths per year.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Urinary bladder (incl. in situ)**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.2	0.2	0.0-0.9	0.0	0.0	0.0-1.1	0.2	0.3	0.0-1.8	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.2	0.2	0.0-1.0	0.0	0.0	0.0-1.3	0.2	0.4	0.0-2.0	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	0.4	0.3	0.0-1.1	0.2	0.3	0.0-1.7	0.2	0.3	0.0-1.7	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
30-34 years	1.2	0.7	0.2-1.4	1.2	1.3	0.5-2.9	0.0	0.0	0.0-0.8	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.8
35-39 years	3.4	2.1	1.2-3.4	2.6	3.2	1.7-5.5	0.8	1.0	0.3-2.5	0.2	0.1	0.0-0.7	0.0	0.0	0.0-0.9	0.2	0.2	0.0-1.4
40-44 years	3.8	2.6	1.5-4.0	2.6	3.5	1.9-6.1	1.2	1.6	0.6-3.5	0.2	0.1	0.0-0.7	0.0	0.0	0.0-1.0	0.2	0.3	0.0-1.5
45-49 years	7.2	4.8	3.3-6.6	5.6	7.5	5.0-10.9	1.6	2.1	0.9-4.1	0.4	0.3	0.0-1.0	0.4	0.5	0.1-1.9	0.0	0.0	0.0-1.0
50-54 years	12.6	8.1	6.3-10.4	10.4	13.8	10.3-18.1	2.2	2.8	1.4-5.0	1.4	0.9	0.4-1.9	1.2	1.6	0.6-3.5	0.2	0.3	0.0-1.4
55-59 years	30.0	19.2	16.3-22.5	21.6	28.7	23.5-34.6	8.4	10.4	7.5-14.0	4.2	2.7	1.7-4.1	4.0	5.3	3.2-8.2	0.2	0.2	0.0-1.4
60-64 years	50.2	35.4	31.1-40.0	37.8	56.6	48.8-65.2	12.4	16.5	12.7-21.2	4.6	3.2	2.1-4.9	4.0	6.0	3.7-9.2	0.6	0.8	0.2-2.3
65-69 years	60.2	51.9	46.2-58.1	46.4	87.4	76.5-99.4	13.8	21.9	17.1-27.8	3.6	3.1	1.8-4.9	2.2	4.1	2.1-7.4	1.4	2.2	0.9-4.6
70-74 years	67.4	78.1	70.0-86.9	53.6	140.5	124.2-158.4	13.8	28.7	22.3-36.3	8.4	9.7	7.0-13.2	6.2	16.3	11.0-23.1	2.2	4.6	2.3-8.2
75-79 years	67.6	109.0	97.7-121.2	50.6	195.8	172.4-221.5	17.0	47.0	37.5-58.1	11.0	17.7	13.4-23.1	6.6	25.5	17.6-35.9	4.4	12.2	7.6-18.4
80-84 years	58.2	130.7	116.1-146.6	42.0	237.0	206.0-271.3	16.2	60.4	48.0-75.1	15.2	34.1	26.9-42.7	10.0	56.4	41.9-74.4	5.2	19.4	12.7-28.4
85+ years	68.8	135.6	121.7-150.7	47.4	274.3	240.5-311.5	21.4	64.0	52.4-77.3	28.8	56.8	47.9-66.8	20.8	120.4	98.3-145.8	8.0	23.9	17.1-32.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Kidney and renal pelvis**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	2.6	1.9	1.0-3.2	1.8	2.5	1.1-4.7	0.8	1.2	0.3-3.0	0.2	0.1	0.0-0.8	0.0	0.0	0.0-1.0	0.2	0.3	0.0-1.6
5-9 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.6	0.5	0.1-1.5	0.0	0.0	0.0-1.2	0.6	1.0	0.2-3.0	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.4	0.3	0.0-1.3	0.0	0.0	0.0-1.3	0.4	0.7	0.1-2.6	0.2	0.2	0.0-1.0	0.0	0.0	0.0-1.3	0.2	0.4	0.0-2.0
20-24 years	1.0	0.8	0.2-1.8	0.2	0.3	0.0-1.7	0.8	1.2	0.3-3.1	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	1.8	1.0	0.4-1.8	0.4	0.4	0.1-1.6	1.4	1.5	0.6-3.1	0.6	0.3	0.1-0.9	0.4	0.4	0.1-1.6	0.2	0.2	0.0-1.2
30-34 years	4.8	2.7	1.7-4.0	2.8	3.1	1.7-5.2	2.0	2.2	1.1-4.1	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
35-39 years	10.8	6.7	5.0-8.7	7.4	9.1	6.4-12.6	3.4	4.2	2.4-6.7	0.4	0.2	0.0-0.9	0.4	0.5	0.1-1.8	0.0	0.0	0.0-0.9
40-44 years	15.6	10.5	8.3-13.1	11.2	15.3	11.5-19.8	4.4	5.8	3.7-8.9	0.8	0.5	0.1-1.4	0.4	0.5	0.1-2.0	0.4	0.5	0.1-1.9
45-49 years	23.8	15.7	13.0-18.8	15.2	20.4	16.1-25.6	8.6	11.2	8.1-15.0	1.8	1.2	0.5-2.3	1.2	1.6	0.6-3.5	0.6	0.8	0.2-2.3
50-54 years	36.8	23.8	20.5-27.5	25.2	33.4	27.8-39.8	11.6	14.6	11.1-18.9	2.6	1.7	0.9-2.9	2.4	3.2	1.6-5.6	0.2	0.3	0.0-1.4
55-59 years	50.8	32.5	28.6-36.8	34.2	45.4	38.9-52.8	16.6	20.5	16.3-25.4	3.4	2.2	1.3-3.5	2.4	3.2	1.6-5.6	1.0	1.2	0.4-2.9
60-64 years	54.2	38.2	33.8-43.0	36.6	54.8	47.1-63.3	17.6	23.4	18.8-28.9	4.2	3.0	1.8-4.5	3.6	5.4	3.2-8.5	0.6	0.8	0.2-2.3
65-69 years	61.0	52.6	46.9-58.8	38.2	72.0	62.1-82.9	22.8	36.2	29.9-43.5	8.8	7.6	5.5-10.2	6.0	11.3	7.6-16.1	2.8	4.4	2.4-7.5
70-74 years	46.6	54.0	47.3-61.4	30.0	78.7	66.6-92.3	16.6	34.5	27.5-42.8	7.2	8.3	5.8-11.6	4.6	12.1	7.6-18.1	2.6	5.4	2.9-9.2
75-79 years	42.0	67.7	58.8-77.5	26.4	102.2	85.5-121.1	15.6	43.1	34.1-53.8	9.4	15.2	11.1-20.1	6.0	23.2	15.7-33.1	3.4	9.4	5.5-15.0
80-84 years	22.8	51.2	42.2-61.5	14.2	80.1	62.6-101.1	8.6	32.1	23.2-43.2	7.6	17.1	12.1-23.4	4.4	24.8	15.6-37.6	3.2	11.9	6.8-19.4
85+ years	18.2	35.9	28.9-44.1	7.6	44.0	31.1-60.4	10.6	31.7	23.7-41.5	12.0	23.7	18.1-30.4	6.8	39.3	27.3-55.0	5.2	15.5	10.2-22.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

Queens

Brain and other central nervous system

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	4.4	3.1	2.0-4.7	2.8	3.9	2.1-6.5	1.6	2.3	1.0-4.6	0.6	0.4	0.1-1.2	0.2	0.3	0.0-1.5	0.4	0.6	0.1-2.1
5-9 years	3.4	2.7	1.6-4.3	2.0	3.1	1.5-5.6	1.4	2.3	0.9-4.6	1.6	1.3	0.5-2.5	0.6	0.9	0.2-2.7	1.0	1.6	0.5-3.8
10-14 years	4.6	3.9	2.5-5.8	2.2	3.6	1.8-6.5	2.4	4.2	2.2-7.3	0.8	0.7	0.2-1.7	0.8	1.3	0.4-3.4	0.0	0.0	0.0-1.3
15-19 years	1.6	1.4	0.6-2.8	1.2	2.0	0.7-4.4	0.4	0.7	0.1-2.6	0.8	0.7	0.2-1.8	0.4	0.7	0.1-2.5	0.4	0.7	0.1-2.6
20-24 years	4.4	3.4	2.1-5.1	2.4	3.7	1.9-6.5	2.0	3.0	1.4-5.6	0.6	0.5	0.1-1.3	0.4	0.6	0.1-2.2	0.2	0.3	0.0-1.7
25-29 years	3.6	1.9	1.2-3.1	1.6	1.7	0.8-3.4	2.0	2.1	1.0-3.9	0.6	0.3	0.1-0.9	0.2	0.2	0.0-1.2	0.4	0.4	0.1-1.6
30-34 years	7.0	3.9	2.7-5.4	4.0	4.4	2.7-6.8	3.0	3.4	1.9-5.5	1.6	0.9	0.4-1.7	1.0	1.1	0.4-2.6	0.6	0.7	0.1-2.0
35-39 years	6.2	3.8	2.6-5.4	3.6	4.4	2.6-7.0	2.6	3.2	1.7-5.5	2.2	1.4	0.7-2.4	1.2	1.5	0.5-3.2	1.0	1.2	0.4-2.9
40-44 years	3.4	2.3	1.3-3.7	2.2	3.0	1.5-5.4	1.2	1.6	0.6-3.5	3.0	2.0	1.1-3.3	2.2	3.0	1.5-5.4	0.8	1.1	0.3-2.7
45-49 years	6.4	4.2	2.9-6.0	3.6	4.8	2.9-7.6	2.8	3.6	2.0-6.1	3.4	2.2	1.3-3.6	2.0	2.7	1.3-4.9	1.4	1.8	0.7-3.7
50-54 years	11.8	7.6	5.8-9.8	6.2	8.2	5.6-11.7	5.6	7.0	4.7-10.2	2.6	1.7	0.9-2.9	1.4	1.9	0.7-3.8	1.2	1.5	0.6-3.3
55-59 years	13.2	8.4	6.5-10.7	8.6	11.4	8.3-15.4	4.6	5.7	3.6-8.5	6.4	4.1	2.8-5.8	4.6	6.1	3.9-9.2	1.8	2.2	1.0-4.2
60-64 years	13.0	9.2	7.1-11.7	8.8	13.2	9.6-17.7	4.2	5.6	3.5-8.6	8.4	5.9	4.3-8.0	5.0	7.5	4.8-11.0	3.4	4.5	2.6-7.2
65-69 years	13.4	11.6	9.0-14.7	7.0	13.2	9.2-18.3	6.4	10.2	7.0-14.4	10.6	9.1	6.8-12.0	5.0	9.4	6.1-13.9	5.6	8.9	5.9-12.9
70-74 years	10.8	12.5	9.4-16.3	6.2	16.3	11.0-23.1	4.6	9.6	6.1-14.3	10.4	12.1	9.0-15.8	6.0	15.7	10.6-22.5	4.4	9.1	5.7-13.8
75-79 years	8.6	13.9	10.0-18.7	4.4	17.0	10.7-25.8	4.2	11.6	7.2-17.7	6.8	11.0	7.6-15.3	3.0	11.6	6.5-19.1	3.8	10.5	6.3-16.4
80-84 years	9.4	21.1	15.5-28.1	3.8	21.4	12.9-33.5	5.6	20.9	13.9-30.2	8.0	18.0	12.8-24.5	3.8	21.4	12.9-33.5	4.2	15.7	9.7-23.9
85+ years	7.0	13.8	9.6-19.2	2.0	11.6	5.5-21.3	5.0	14.9	9.7-22.1	8.6	17.0	12.3-22.8	3.6	20.8	12.3-32.9	5.0	14.9	9.7-22.1

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Thyroid**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.1	0.0-0.8	0.0	0.0	0.0-1.0	0.2	0.3	0.0-1.6	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.4	0.3	0.0-1.1	0.4	0.6	0.1-2.2	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	1.2	1.0	0.4-2.2	0.2	0.3	0.0-1.8	1.0	1.7	0.6-4.1	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	6.0	5.2	3.5-7.5	1.2	2.0	0.7-4.4	4.8	8.6	5.5-12.8	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	19.4	14.9	12.1-18.1	4.2	6.5	4.0-10.0	15.2	23.0	18.1-28.7	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	29.4	15.9	13.4-18.7	5.4	5.9	3.9-8.6	24.0	25.8	21.4-30.8	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.8
30-34 years	37.4	20.7	17.8-23.9	6.0	6.6	4.4-9.4	31.4	35.1	29.8-41.1	0.2	0.1	0.0-0.6	0.0	0.0	0.0-0.8	0.2	0.2	0.0-1.2
35-39 years	42.8	26.4	22.9-30.1	9.4	11.6	8.5-15.4	33.4	41.1	35.1-47.9	0.0	0.0	0.0-0.5	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
40-44 years	55.0	37.0	32.8-41.6	10.6	14.4	10.8-18.9	44.4	59.0	51.5-67.3	0.2	0.1	0.0-0.7	0.0	0.0	0.0-1.0	0.2	0.3	0.0-1.5
45-49 years	54.6	36.1	31.9-40.6	13.4	18.0	14.0-22.9	41.2	53.5	46.4-61.3	0.2	0.1	0.0-0.7	0.2	0.3	0.0-1.5	0.0	0.0	0.0-1.0
50-54 years	60.2	38.9	34.6-43.5	13.8	18.3	14.2-23.2	46.4	58.4	51.1-66.4	0.8	0.5	0.1-1.3	0.4	0.5	0.1-1.9	0.4	0.5	0.1-1.8
55-59 years	50.6	32.4	28.5-36.6	12.2	16.2	12.4-20.8	38.4	47.4	40.9-54.6	1.6	1.0	0.4-2.0	1.2	1.6	0.6-3.5	0.4	0.5	0.1-1.8
60-64 years	43.8	30.9	26.9-35.2	12.2	18.3	14.0-23.4	31.6	42.1	35.8-49.2	0.8	0.6	0.2-1.4	0.6	0.9	0.2-2.6	0.2	0.3	0.0-1.5
65-69 years	40.6	35.0	30.4-40.2	10.2	19.2	14.3-25.3	30.4	48.3	40.9-56.6	1.6	1.4	0.6-2.7	0.6	1.1	0.2-3.3	1.0	1.6	0.5-3.7
70-74 years	26.4	30.6	25.6-36.3	8.6	22.5	16.3-30.4	17.8	37.0	29.7-45.5	2.2	2.6	1.3-4.6	1.0	2.6	0.9-6.1	1.2	2.5	0.9-5.4
75-79 years	11.8	19.0	14.5-24.5	4.0	15.5	9.5-23.9	7.8	21.5	15.3-29.5	2.2	3.5	1.8-6.3	1.2	4.6	1.7-10.1	1.0	2.8	0.9-6.4
80-84 years	6.8	15.3	10.6-21.3	2.4	13.5	7.0-23.7	4.4	16.4	10.3-24.8	2.0	4.5	2.2-8.3	1.0	5.6	1.8-13.2	1.0	3.7	1.2-8.7
85+ years	5.8	11.4	7.7-16.4	1.4	8.1	3.3-16.7	4.4	13.2	8.2-19.9	3.2	6.3	3.6-10.2	0.2	1.2	0.0-6.4	3.0	9.0	5.0-14.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Hodgkin lymphoma**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.2	0.1	0.0-0.8	0.0	0.0	0.0-1.0	0.2	0.3	0.0-1.6	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	1.0	0.8	0.3-2.0	0.4	0.7	0.1-2.4	0.6	1.0	0.2-3.0	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	4.2	3.7	2.3-5.6	2.6	4.4	2.4-7.6	1.6	2.9	1.2-5.7	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	6.2	4.8	3.2-6.7	3.6	5.6	3.3-8.9	2.6	3.9	2.1-6.7	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	7.4	4.0	2.8-5.5	3.4	3.7	2.2-5.9	4.0	4.3	2.6-6.6	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.8
30-34 years	7.0	3.9	2.7-5.4	2.6	2.9	1.5-4.9	4.4	4.9	3.1-7.5	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
35-39 years	5.2	3.2	2.1-4.7	3.4	4.2	2.4-6.7	1.8	2.2	1.0-4.2	0.2	0.1	0.0-0.7	0.0	0.0	0.0-0.9	0.2	0.2	0.0-1.4
40-44 years	4.4	3.0	1.9-4.5	2.2	3.0	1.5-5.4	2.2	2.9	1.5-5.2	0.2	0.1	0.0-0.7	0.2	0.3	0.0-1.5	0.0	0.0	0.0-1.0
45-49 years	2.8	1.8	1.0-3.1	1.4	1.9	0.8-3.9	1.4	1.8	0.7-3.7	0.2	0.1	0.0-0.7	0.0	0.0	0.0-1.0	0.2	0.3	0.0-1.4
50-54 years	3.0	1.9	1.1-3.2	2.2	2.9	1.5-5.2	0.8	1.0	0.3-2.6	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-0.9
55-59 years	6.2	4.0	2.7-5.6	3.6	4.8	2.8-7.6	2.6	3.2	1.7-5.5	0.4	0.3	0.0-0.9	0.2	0.3	0.0-1.5	0.2	0.2	0.0-1.4
60-64 years	2.4	1.7	0.9-3.0	1.6	2.4	1.0-4.7	0.8	1.1	0.3-2.7	0.4	0.3	0.0-1.0	0.4	0.6	0.1-2.2	0.0	0.0	0.0-1.0
65-69 years	4.4	3.8	2.4-5.7	3.0	5.7	3.2-9.3	1.4	2.2	0.9-4.6	1.4	1.2	0.5-2.5	1.0	1.9	0.6-4.4	0.4	0.6	0.1-2.3
70-74 years	3.0	3.5	1.9-5.7	2.2	5.8	2.9-10.3	0.8	1.7	0.5-4.3	0.0	0.0	0.0-0.9	0.0	0.0	0.0-1.9	0.0	0.0	0.0-1.5
75-79 years	1.2	1.9	0.7-4.2	0.6	2.3	0.5-6.8	0.6	1.7	0.3-4.8	0.4	0.6	0.1-2.3	0.0	0.0	0.0-2.9	0.4	1.1	0.1-4.0
80-84 years	1.6	3.6	1.6-7.1	1.4	7.9	3.2-16.3	0.2	0.7	0.0-4.2	0.8	1.8	0.5-4.6	0.2	1.1	0.0-6.3	0.6	2.2	0.5-6.5
85+ years	0.6	1.2	0.2-3.5	0.4	2.3	0.3-8.4	0.2	0.6	0.0-3.3	0.6	1.2	0.2-3.5	0.4	2.3	0.3-8.4	0.2	0.6	0.0-3.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Non-Hodgkin lymphomas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	1.6	1.3	0.5-2.5	1.6	2.5	1.1-4.8	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	1.6	1.4	0.6-2.7	1.2	2.0	0.7-4.3	0.4	0.7	0.1-2.5	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	3.6	3.1	1.9-5.0	1.4	2.4	1.0-4.9	2.2	3.9	2.0-7.1	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	4.6	3.5	2.2-5.3	3.0	4.7	2.6-7.7	1.6	2.4	1.0-4.8	0.4	0.3	0.0-1.1	0.2	0.3	0.0-1.7	0.2	0.3	0.0-1.7
25-29 years	7.4	4.0	2.8-5.5	3.8	4.1	2.5-6.5	3.6	3.9	2.3-6.1	0.6	0.3	0.1-0.9	0.4	0.4	0.1-1.6	0.2	0.2	0.0-1.2
30-34 years	10.0	5.5	4.1-7.3	6.4	7.0	4.8-9.9	3.6	4.0	2.4-6.4	0.4	0.2	0.0-0.8	0.2	0.2	0.0-1.2	0.2	0.2	0.0-1.2
35-39 years	14.0	8.6	6.7-10.9	8.4	10.3	7.5-14.0	5.6	6.9	4.6-10.0	1.6	1.0	0.4-1.9	1.2	1.5	0.5-3.2	0.4	0.5	0.1-1.8
40-44 years	13.6	9.2	7.1-11.6	8.0	10.9	7.8-14.8	5.6	7.4	4.9-10.8	1.0	0.7	0.2-1.6	0.6	0.8	0.2-2.4	0.4	0.5	0.1-1.9
45-49 years	21.6	14.3	11.7-17.2	10.4	14.0	10.4-18.3	11.2	14.5	11.0-18.9	1.6	1.1	0.5-2.1	1.4	1.9	0.8-3.9	0.2	0.3	0.0-1.4
50-54 years	33.6	21.7	18.5-25.2	16.6	22.0	17.5-27.3	17.0	21.4	17.1-26.5	4.0	2.6	1.6-4.0	2.8	3.7	2.0-6.2	1.2	1.5	0.6-3.3
55-59 years	45.4	29.1	25.4-33.1	27.6	36.7	30.8-43.3	17.8	22.0	17.7-27.0	6.8	4.4	3.0-6.1	4.8	6.4	4.1-9.5	2.0	2.5	1.2-4.5
60-64 years	63.0	44.4	39.6-49.6	34.0	50.9	43.5-59.1	29.0	38.6	32.6-45.4	9.6	6.8	5.0-9.0	6.2	9.3	6.3-13.2	3.4	4.5	2.6-7.2
65-69 years	60.8	52.4	46.7-58.7	36.4	68.6	59.0-79.3	24.4	38.8	32.2-46.3	14.4	12.4	9.7-15.6	8.2	15.5	11.1-21.0	6.2	9.9	6.7-14.0
70-74 years	63.4	73.5	65.6-82.1	31.0	81.3	69.0-95.1	32.4	67.3	57.4-78.6	12.2	14.1	10.8-18.2	7.6	19.9	14.1-27.3	4.6	9.6	6.1-14.3
75-79 years	54.8	88.3	78.2-99.4	29.8	115.3	97.5-135.4	25.0	69.1	57.5-82.3	17.2	27.7	22.2-34.2	11.6	44.9	34.1-58.0	5.6	15.5	10.3-22.4
80-84 years	45.0	101.1	88.3-115.2	22.2	125.3	103.1-150.9	22.8	85.0	70.1-102.2	15.6	35.0	27.7-43.7	8.8	49.7	36.1-66.7	6.8	25.4	17.6-35.4
85+ years	48.6	95.8	84.1-108.6	22.2	128.5	105.7-154.7	26.4	78.9	66.0-93.6	27.8	54.8	46.1-64.7	12.6	72.9	56.0-93.3	15.2	45.4	35.8-56.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Myeloma**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.5	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.1
5-9 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.2	0.0	0.0	0.0-1.3
15-19 years	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.3	0.0	0.0	0.0-1.3
20-24 years	0.2	0.2	0.0-0.9	0.2	0.3	0.0-1.7	0.0	0.0	0.0-1.1	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.1
25-29 years	1.0	0.5	0.2-1.3	0.6	0.7	0.1-1.9	0.4	0.4	0.1-1.6	0.2	0.1	0.0-0.6	0.0	0.0	0.0-0.8	0.2	0.2	0.0-1.2
30-34 years	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.2	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.4	0.0	0.0	0.0-0.8	0.0	0.0	0.0-0.8
35-39 years	2.4	1.5	0.8-2.6	0.6	0.7	0.2-2.2	1.8	2.2	1.0-4.2	0.0	0.0	0.0-0.5	0.0	0.0	0.0-0.9	0.0	0.0	0.0-0.9
40-44 years	5.6	3.8	2.5-5.4	3.2	4.4	2.5-7.1	2.4	3.2	1.6-5.6	0.6	0.4	0.1-1.2	0.2	0.3	0.0-1.5	0.4	0.5	0.1-1.9
45-49 years	8.6	5.7	4.1-7.7	5.2	7.0	4.6-10.2	3.4	4.4	2.6-7.1	1.0	0.7	0.2-1.5	0.2	0.3	0.0-1.5	0.8	1.0	0.3-2.7
50-54 years	14.8	9.6	7.5-12.0	8.4	11.1	8.0-15.1	6.4	8.1	5.5-11.4	2.6	1.7	0.9-2.9	2.0	2.7	1.3-4.9	0.6	0.8	0.2-2.2
55-59 years	21.6	13.8	11.3-16.7	12.6	16.7	12.9-21.4	9.0	11.1	8.1-14.9	3.8	2.4	1.5-3.8	1.4	1.9	0.7-3.8	2.4	3.0	1.5-5.2
60-64 years	35.2	24.8	21.3-28.7	17.2	25.7	20.6-31.8	18.0	24.0	19.3-29.5	8.6	6.1	4.4-8.2	4.2	6.3	3.9-9.6	4.4	5.9	3.7-8.9
65-69 years	34.2	29.5	25.2-34.3	20.4	38.4	31.3-46.7	13.8	21.9	17.1-27.8	8.4	7.2	5.2-9.8	5.2	9.8	6.4-14.4	3.2	5.1	2.9-8.3
70-74 years	30.0	34.8	29.4-40.8	14.6	38.3	30.0-48.1	15.4	32.0	25.3-40.0	9.0	10.4	7.6-14.0	4.0	10.5	6.4-16.2	5.0	10.4	6.7-15.3
75-79 years	26.4	42.6	35.6-50.5	14.2	54.9	42.9-69.3	12.2	33.7	25.8-43.3	8.4	13.5	9.8-18.3	4.4	17.0	10.7-25.8	4.0	11.0	6.7-17.1
80-84 years	17.0	38.2	30.5-47.2	7.0	39.5	27.5-54.9	10.0	37.3	27.7-49.2	8.8	19.8	14.4-26.5	4.0	22.6	13.8-34.9	4.8	17.9	11.5-26.6
85+ years	18.8	37.1	29.9-45.4	7.2	41.7	29.2-57.7	11.6	34.7	26.3-44.8	17.0	33.5	26.8-41.4	8.0	46.3	33.1-63.0	9.0	26.9	19.6-36.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Queens
Leukemias**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	10.8	7.7	5.8-10.0	5.8	8.1	5.4-11.6	5.0	7.3	4.7-10.8	0.4	0.3	0.0-1.0	0.0	0.0	0.0-1.0	0.4	0.6	0.1-2.1
5-9 years	4.8	3.8	2.4-5.6	2.8	4.3	2.3-7.2	2.0	3.2	1.5-5.9	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.1	0.0	0.0	0.0-1.2
10-14 years	7.2	6.1	4.3-8.4	4.6	7.6	4.8-11.4	2.6	4.5	2.4-7.7	1.0	0.8	0.3-2.0	0.8	1.3	0.4-3.4	0.2	0.3	0.0-1.9
15-19 years	5.6	4.9	3.2-7.1	4.2	7.2	4.4-10.9	1.4	2.5	1.0-5.2	0.8	0.7	0.2-1.8	0.2	0.3	0.0-1.9	0.6	1.1	0.2-3.1
20-24 years	6.4	4.9	3.4-6.9	4.0	6.2	3.8-9.6	2.4	3.6	1.9-6.3	1.2	0.9	0.3-2.0	0.8	1.2	0.3-3.2	0.4	0.6	0.1-2.2
25-29 years	6.8	3.7	2.5-5.1	3.6	3.9	2.3-6.2	3.2	3.4	2.0-5.6	1.2	0.6	0.2-1.4	0.4	0.4	0.1-1.6	0.8	0.9	0.2-2.2
30-34 years	6.8	3.8	2.6-5.3	3.8	4.2	2.5-6.5	3.0	3.4	1.9-5.5	0.8	0.4	0.1-1.1	0.4	0.4	0.1-1.6	0.4	0.4	0.1-1.6
35-39 years	7.2	4.4	3.1-6.1	4.2	5.2	3.2-7.9	3.0	3.7	2.1-6.1	2.0	1.2	0.6-2.3	1.2	1.5	0.5-3.2	0.8	1.0	0.3-2.5
40-44 years	9.2	6.2	4.5-8.3	5.2	7.1	4.6-10.4	4.0	5.3	3.2-8.2	3.0	2.0	1.1-3.3	1.0	1.4	0.4-3.2	2.0	2.7	1.3-4.9
45-49 years	14.4	9.5	7.4-12.0	7.6	10.2	7.2-14.0	6.8	8.8	6.1-12.3	3.6	2.4	1.4-3.8	1.8	2.4	1.1-4.6	1.8	2.3	1.1-4.4
50-54 years	17.2	11.1	8.9-13.7	11.8	15.6	11.9-20.2	5.4	6.8	4.5-9.9	3.2	2.1	1.2-3.4	1.8	2.4	1.1-4.5	1.4	1.8	0.7-3.6
55-59 years	27.8	17.8	15.0-21.0	14.6	19.4	15.2-24.4	13.2	16.3	12.6-20.7	7.6	4.9	3.4-6.7	3.6	4.8	2.8-7.6	4.0	4.9	3.0-7.6
60-64 years	36.2	25.5	21.9-29.5	22.8	34.1	28.1-41.0	13.4	17.8	13.8-22.7	11.6	8.2	6.2-10.6	7.2	10.8	7.5-14.9	4.4	5.9	3.7-8.9
65-69 years	39.0	33.6	29.1-38.7	22.4	42.2	34.8-50.8	16.6	26.4	21.0-32.7	11.6	10.0	7.6-12.9	7.2	13.6	9.5-18.8	4.4	7.0	4.4-10.6
70-74 years	37.6	43.6	37.6-50.3	23.2	60.8	50.3-73.0	14.4	29.9	23.4-37.7	16.4	19.0	15.1-23.6	12.0	31.5	24.0-40.5	4.4	9.1	5.7-13.8
75-79 years	35.8	57.7	49.6-66.8	19.8	76.6	62.3-93.3	16.0	44.2	35.0-55.0	15.8	25.5	20.2-31.7	9.8	37.9	28.1-50.1	6.0	16.6	11.2-23.7
80-84 years	30.6	68.7	58.3-80.5	16.8	94.8	75.6-117.4	13.8	51.5	40.0-65.1	17.2	38.6	30.9-47.7	9.8	55.3	40.9-73.1	7.4	27.6	19.4-38.0
85+ years	38.0	74.9	64.6-86.4	19.8	114.6	93.1-139.5	18.2	54.4	43.8-66.8	30.6	60.3	51.1-70.7	15.0	86.8	68.3-108.8	15.6	46.6	36.9-58.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Richmond (Staten Island)
All Invasive Malignant Tumors**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	10.0	36.7	27.3-48.4	5.2	37.1	24.3-54.4	4.8	36.3	23.3-54.0	0.4	1.5	0.2-5.3	0.2	1.4	0.0-8.0	0.2	1.5	0.0-8.4
5-9 years	5.4	18.9	12.5-27.5	2.6	17.7	9.4-30.3	2.8	20.2	11.1-33.9	0.4	1.4	0.2-5.1	0.2	1.4	0.0-7.6	0.2	1.4	0.0-8.0
10-14 years	5.4	18.2	12.0-26.5	2.8	18.4	10.1-30.9	2.6	17.9	9.6-30.7	0.6	2.0	0.4-5.9	0.4	2.6	0.3-9.5	0.2	1.4	0.0-7.7
15-19 years	11.2	38.4	29.0-49.8	5.8	38.7	25.9-55.6	5.4	38.0	25.1-55.3	0.2	0.7	0.0-3.8	0.2	1.3	0.0-7.4	0.0	0.0	0.0-5.2
20-24 years	17.6	61.0	48.9-75.2	8.2	56.3	40.4-76.3	9.4	65.9	48.4-87.6	1.0	3.5	1.1-8.1	0.8	5.5	1.5-14.1	0.2	1.4	0.0-7.8
25-29 years	21.8	65.5	53.8-79.0	8.8	52.3	38.0-70.1	13.0	79.1	61.0-100.8	1.8	5.4	2.5-10.3	0.8	4.8	1.3-12.2	1.0	6.1	2.0-14.2
30-34 years	37.4	120.2	103.6-138.7	15.4	98.6	77.8-123.3	22.0	142.0	116.7-171.1	2.2	7.1	3.5-12.7	0.8	5.1	1.4-13.1	1.4	9.0	3.6-18.6
35-39 years	54.2	183.0	161.9-206.1	20.4	141.1	115.0-171.2	33.8	223.0	190.7-259.3	6.2	20.9	14.2-29.7	3.6	24.9	14.8-39.3	2.6	17.2	9.1-29.3
40-44 years	94.2	318.1	290.0-348.2	31.8	221.8	188.7-259.1	62.4	408.5	364.4-456.4	9.2	31.1	22.7-41.4	3.6	25.1	14.9-39.7	5.6	36.7	24.4-53.0
45-49 years	149.2	466.7	433.8-501.4	53.0	345.4	305.1-389.6	96.2	578.6	528.0-632.7	20.0	62.6	50.9-76.1	10.2	66.5	49.5-87.4	9.8	58.9	43.6-77.9
50-54 years	220.8	657.0	618.8-696.9	94.8	587.4	535.7-642.7	126.0	721.2	666.0-779.8	33.6	100.0	85.4-116.3	16.4	101.6	80.8-126.1	17.2	98.5	78.7-121.6
55-59 years	324.0	943.4	898.1-990.5	156.8	952.6	887.1-1021.7	167.2	935.0	872.7-1000.6	59.2	172.4	153.3-193.2	29.6	179.8	152.0-211.3	29.6	165.5	139.9-194.4
60-64 years	423.6	1358.0	1300.8-1417.1	227.2	1538.9	1450.7-1631.1	196.4	1195.4	1121.8-1272.6	86.8	278.3	252.7-305.7	45.8	310.2	271.3-353.1	41.0	249.5	216.6-286.1
65-69 years	462.0	1790.3	1718.1-1864.9	249.2	2091.6	1977.0-2211.0	212.8	1531.9	1441.3-1626.8	123.6	479.0	441.9-518.3	63.4	532.1	475.2-594.1	60.2	433.4	385.8-485.2
70-74 years	443.6	2244.9	2152.5-2340.3	225.2	2539.1	2392.9-2691.8	218.4	2005.4	1888.2-2127.9	121.8	616.4	568.4-667.3	60.0	676.5	602.1-757.5	61.8	567.5	505.9-634.4
75-79 years	333.6	2516.3	2397.0-2640.1	173.4	2995.3	2799.2-3201.5	160.2	2145.0	1999.0-2298.9	121.6	917.2	845.8-993.1	60.2	1039.9	925.7-1164.3	61.4	822.1	732.7-919.4
80-84 years	224.4	2565.9	2417.9-2720.5	110.6	3148.7	2891.7-3422.4	113.8	2174.7	1999.6-2360.9	104.0	1189.2	1089.1-1295.9	53.8	1531.6	1354.0-1726.0	50.2	959.3	844.3-1085.6
85+ years	203.2	2069.0	1943.7-2200.2	82.8	2547.4	2307.9-2805.0	120.4	1832.3	1688.8-1984.7	151.6	1543.6	1435.6-1657.5	61.2	1882.8	1677.8-2106.1	90.4	1375.7	1251.8-1508.6

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Richmond (Staten Island)
Oral cavity and pharynx**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.4	1.3	0.2-4.9	0.2	1.3	0.0-7.3	0.2	1.4	0.0-7.7	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.4	1.4	0.2-5.0	0.2	1.3	0.0-7.4	0.2	1.4	0.0-7.8	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.2	0.7	0.0-3.9	0.0	0.0	0.0-5.1	0.2	1.4	0.0-7.8	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.4	1.2	0.1-4.3	0.2	1.2	0.0-6.6	0.2	1.2	0.0-6.8	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	0.6	1.9	0.4-5.6	0.6	3.8	0.8-11.2	0.0	0.0	0.0-4.8	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8
35-39 years	1.2	4.1	1.5-8.8	1.0	6.9	2.2-16.1	0.2	1.3	0.0-7.4	0.2	0.7	0.0-3.8	0.2	1.4	0.0-7.7	0.0	0.0	0.0-4.9
40-44 years	1.4	4.7	1.9-9.7	1.0	7.0	2.3-16.3	0.4	2.6	0.3-9.5	0.2	0.7	0.0-3.8	0.2	1.4	0.0-7.8	0.0	0.0	0.0-4.8
45-49 years	3.2	10.0	5.7-16.3	2.6	16.9	9.0-29.0	0.6	3.6	0.7-10.5	0.0	0.0	0.0-2.3	0.0	0.0	0.0-4.8	0.0	0.0	0.0-4.4
50-54 years	5.8	17.3	11.6-24.8	4.4	27.3	17.1-41.3	1.4	8.0	3.2-16.5	0.2	0.6	0.0-3.3	0.2	1.2	0.0-6.9	0.0	0.0	0.0-4.2
55-59 years	8.4	24.5	17.6-33.1	6.4	38.9	26.6-54.9	2.0	11.2	5.4-20.6	2.0	5.8	2.8-10.7	0.8	4.9	1.3-12.4	1.2	6.7	2.5-14.6
60-64 years	11.2	35.9	27.1-46.6	8.0	54.2	38.7-73.8	3.2	19.5	11.1-31.6	2.0	6.4	3.1-11.8	1.6	10.8	4.7-21.4	0.4	2.4	0.3-8.8
65-69 years	10.6	41.1	30.8-53.7	7.8	65.5	46.6-89.5	2.8	20.2	11.0-33.8	2.2	8.5	4.3-15.3	2.2	18.5	9.2-33.0	0.0	0.0	0.0-5.3
70-74 years	5.6	28.3	18.8-41.0	3.2	36.1	20.6-58.6	2.4	22.0	11.4-38.5	2.0	10.1	4.9-18.6	1.4	15.8	6.3-32.5	0.6	5.5	1.1-16.1
75-79 years	4.2	31.7	19.6-48.4	2.8	48.4	26.4-81.2	1.4	18.7	7.5-38.6	0.8	6.0	1.6-15.5	0.6	10.4	2.1-30.3	0.2	2.7	0.1-14.9
80-84 years	4.2	48.0	29.7-73.4	2.6	74.0	39.4-126.6	1.6	30.6	13.2-60.2	0.6	6.9	1.4-20.0	0.4	11.4	1.4-41.1	0.2	3.8	0.1-21.3
85+ years	2.6	26.5	14.1-45.3	1.0	30.8	10.0-71.8	1.6	24.3	10.5-48.0	1.4	14.3	5.7-29.4	0.6	18.5	3.8-53.9	0.8	12.2	3.3-31.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Richmond (Staten Island)
Esophagus

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8
35-39 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.9	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.9
40-44 years	0.2	0.7	0.0-3.8	0.2	1.4	0.0-7.8	0.0	0.0	0.0-4.8	0.2	0.7	0.0-3.8	0.2	1.4	0.0-7.8	0.0	0.0	0.0-4.8
45-49 years	1.0	3.1	1.0-7.3	0.6	3.9	0.8-11.4	0.4	2.4	0.3-8.7	0.0	0.0	0.0-2.3	0.0	0.0	0.0-4.8	0.0	0.0	0.0-4.4
50-54 years	3.2	9.5	5.4-15.5	2.4	14.9	7.7-26.0	0.8	4.6	1.2-11.7	2.2	6.5	3.3-11.7	1.8	11.2	5.1-21.2	0.4	2.3	0.3-8.3
55-59 years	3.2	9.3	5.3-15.1	2.8	17.0	9.3-28.5	0.4	2.2	0.3-8.1	2.6	7.6	4.0-12.9	2.4	14.6	7.5-25.5	0.2	1.1	0.0-6.2
60-64 years	5.2	16.7	10.9-24.4	4.6	31.2	19.8-46.8	0.6	3.7	0.8-10.7	2.8	9.0	4.9-15.1	2.6	17.6	9.4-30.1	0.2	1.2	0.0-6.8
65-69 years	5.2	20.2	13.2-29.5	4.4	36.9	23.1-55.9	0.8	5.8	1.6-14.7	3.0	11.6	6.5-19.2	2.6	21.8	11.6-37.3	0.4	2.9	0.3-10.4
70-74 years	4.0	20.2	12.4-31.3	3.0	33.8	18.9-55.8	1.0	9.2	3.0-21.4	1.8	9.1	4.2-17.3	1.6	18.0	7.8-35.5	0.2	1.8	0.0-10.2
75-79 years	2.0	15.1	7.2-27.7	1.2	20.7	7.6-45.1	0.8	10.7	2.9-27.4	1.4	10.6	4.2-21.8	0.8	13.8	3.8-35.4	0.6	8.0	1.7-23.5
80-84 years	1.8	20.6	9.4-39.1	1.4	39.9	16.0-82.1	0.4	7.6	0.9-27.6	1.8	20.6	9.4-39.1	1.2	34.2	12.5-74.4	0.6	11.5	2.4-33.5
85+ years	2.6	26.5	14.1-45.3	1.6	49.2	21.3-97.0	1.0	15.2	4.9-35.5	1.8	18.3	8.4-34.8	0.8	24.6	6.7-63.0	1.0	15.2	4.9-35.5

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Richmond (Staten Island)
Stomach

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.2	0.7	0.0-3.9	0.0	0.0	0.0-5.1	0.2	1.4	0.0-7.8	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.8	2.4	0.7-6.2	0.6	3.6	0.7-10.4	0.2	1.2	0.0-6.8	0.6	1.8	0.4-5.3	0.2	1.2	0.0-6.6	0.4	2.4	0.3-8.8
30-34 years	0.4	1.3	0.2-4.6	0.2	1.3	0.0-7.1	0.2	1.3	0.0-7.2	0.2	0.6	0.0-3.6	0.0	0.0	0.0-4.7	0.2	1.3	0.0-7.2
35-39 years	1.2	4.1	1.5-8.8	1.0	6.9	2.2-16.1	0.2	1.3	0.0-7.4	0.2	0.7	0.0-3.8	0.0	0.0	0.0-5.1	0.2	1.3	0.0-7.4
40-44 years	1.6	5.4	2.3-10.6	1.2	8.4	3.1-18.2	0.4	2.6	0.3-9.5	0.4	1.4	0.2-4.9	0.0	0.0	0.0-5.1	0.4	2.6	0.3-9.5
45-49 years	2.8	8.8	4.8-14.7	1.4	9.1	3.7-18.8	1.4	8.4	3.4-17.3	0.6	1.9	0.4-5.5	0.4	2.6	0.3-9.4	0.2	1.2	0.0-6.7
50-54 years	2.4	7.1	3.7-12.5	1.4	8.7	3.5-17.9	1.0	5.7	1.9-13.4	1.0	3.0	1.0-6.9	0.6	3.7	0.8-10.9	0.4	2.3	0.3-8.3
55-59 years	3.2	9.3	5.3-15.1	1.8	10.9	5.0-20.8	1.4	7.8	3.1-16.1	1.4	4.1	1.6-8.4	0.8	4.9	1.3-12.4	0.6	3.4	0.7-9.8
60-64 years	6.4	20.5	14.0-29.0	4.8	32.5	20.8-48.4	1.6	9.7	4.2-19.2	2.4	7.7	4.0-13.4	1.8	12.2	5.6-23.1	0.6	3.7	0.8-10.7
65-69 years	6.2	24.0	16.3-34.1	3.4	28.5	16.6-45.7	2.8	20.2	11.0-33.8	3.0	11.6	6.5-19.2	1.8	15.1	6.9-28.7	1.2	8.6	3.2-18.8
70-74 years	5.6	28.3	18.8-41.0	3.4	38.3	22.3-61.4	2.2	20.2	10.1-36.1	1.8	9.1	4.2-17.3	1.2	13.5	5.0-29.4	0.6	5.5	1.1-16.1
75-79 years	5.8	43.7	29.3-62.8	4.2	72.6	44.9-110.9	1.6	21.4	9.2-42.2	2.8	21.1	11.5-35.4	1.8	31.1	14.2-59.0	1.0	13.4	4.3-31.2
80-84 years	3.8	43.5	26.2-67.9	2.6	74.0	39.4-126.6	1.2	22.9	8.4-49.9	3.4	38.9	22.6-62.2	1.8	51.2	23.4-97.3	1.6	30.6	13.2-60.2
85+ years	6.6	67.2	46.3-94.4	3.0	92.3	51.7-152.2	3.6	54.8	32.5-86.6	4.2	42.8	26.5-65.4	1.8	55.4	25.3-105.1	2.4	36.5	18.9-63.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Richmond (Staten Island)
Colorectal

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.4	1.4	0.2-5.1	0.4	2.7	0.3-9.8	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.2	0.7	0.0-3.8	0.2	1.3	0.0-7.3	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.6	2.1	0.4-6.0	0.2	1.3	0.0-7.4	0.4	2.8	0.3-10.2	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.6	2.1	0.4-6.1	0.2	1.4	0.0-7.6	0.4	2.8	0.3-10.1	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.6	1.8	0.4-5.3	0.2	1.2	0.0-6.6	0.4	2.4	0.3-8.8	0.6	1.8	0.4-5.3	0.2	1.2	0.0-6.6	0.4	2.4	0.3-8.8
30-34 years	1.8	5.8	2.6-11.0	0.6	3.8	0.8-11.2	1.2	7.7	2.8-16.9	0.2	0.6	0.0-3.6	0.2	1.3	0.0-7.1	0.0	0.0	0.0-4.8
35-39 years	1.6	5.4	2.3-10.6	1.2	8.3	3.0-18.1	0.4	2.6	0.3-9.5	1.2	4.1	1.5-8.8	1.2	8.3	3.0-18.1	0.0	0.0	0.0-4.9
40-44 years	6.6	22.3	15.3-31.3	4.4	30.7	19.2-46.5	2.2	14.4	7.2-25.8	0.8	2.7	0.7-6.9	0.4	2.8	0.3-10.1	0.4	2.6	0.3-9.5
45-49 years	14.6	45.7	35.8-57.4	7.4	48.2	34.0-66.5	7.2	43.3	30.3-60.0	2.0	6.3	3.0-11.5	1.4	9.1	3.7-18.8	0.6	3.6	0.7-10.5
50-54 years	19.6	58.3	47.3-71.1	11.8	73.1	55.7-94.3	7.8	44.6	31.7-61.0	4.8	14.3	9.2-21.3	2.8	17.3	9.5-29.1	2.0	11.4	5.5-21.1
55-59 years	24.2	70.5	58.5-84.2	15.6	94.8	74.9-118.3	8.6	48.1	34.8-64.8	5.0	14.6	9.4-21.5	2.8	17.0	9.3-28.5	2.2	12.3	6.1-22.0
60-64 years	30.0	96.2	81.4-112.9	16.4	111.1	88.3-137.9	13.6	82.8	64.3-104.9	9.4	30.1	22.1-40.1	5.8	39.3	26.3-56.4	3.6	21.9	13.0-34.6
65-69 years	29.4	113.9	96.3-133.9	18.8	157.8	127.5-193.1	10.6	76.3	57.2-99.8	10.8	41.9	31.4-54.6	6.4	53.7	36.7-75.8	4.4	31.7	19.9-48.0
70-74 years	37.8	191.3	165.0-220.6	20.2	227.7	185.5-276.7	17.6	161.6	129.6-199.1	11.2	56.7	42.8-73.6	5.8	65.4	43.8-93.9	5.4	49.6	32.7-72.1
75-79 years	27.0	203.7	170.8-241.1	13.6	234.9	182.4-297.8	13.4	179.4	139.1-227.9	9.2	69.4	50.8-92.6	4.8	82.9	53.1-123.4	4.4	58.9	36.9-89.2
80-84 years	21.4	244.7	200.5-295.7	10.0	284.7	211.3-375.3	11.4	217.8	165.0-282.2	8.6	98.3	71.2-132.5	4.6	131.0	83.0-196.5	4.0	76.4	46.7-118.1
85+ years	24.2	246.4	204.5-294.4	9.0	276.9	202.0-370.5	15.2	231.3	182.3-289.5	16.8	171.1	136.4-211.8	6.2	190.7	129.6-270.7	10.6	161.3	120.8-211.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Richmond (Staten Island)
Colon excluding rectum**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.4	1.4	0.2-5.1	0.4	2.7	0.3-9.8	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.2	0.7	0.0-3.8	0.2	1.3	0.0-7.3	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.4	1.4	0.2-5.0	0.2	1.3	0.0-7.4	0.2	1.4	0.0-7.8	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.6	2.1	0.4-6.1	0.2	1.4	0.0-7.6	0.4	2.8	0.3-10.1	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.6	1.8	0.4-5.3	0.2	1.2	0.0-6.6	0.4	2.4	0.3-8.8	0.6	1.8	0.4-5.3	0.2	1.2	0.0-6.6	0.4	2.4	0.3-8.8
30-34 years	0.6	1.9	0.4-5.6	0.2	1.3	0.0-7.1	0.4	2.6	0.3-9.3	0.2	0.6	0.0-3.6	0.2	1.3	0.0-7.1	0.0	0.0	0.0-4.8
35-39 years	1.2	4.1	1.5-8.8	1.0	6.9	2.2-16.1	0.2	1.3	0.0-7.4	1.0	3.4	1.1-7.9	1.0	6.9	2.2-16.1	0.0	0.0	0.0-4.9
40-44 years	3.6	12.2	7.2-19.2	2.6	18.1	9.7-31.0	1.0	6.5	2.1-15.3	0.4	1.4	0.2-4.9	0.0	0.0	0.0-5.1	0.4	2.6	0.3-9.5
45-49 years	8.6	26.9	19.5-36.2	3.6	23.5	13.9-37.1	5.0	30.1	19.5-44.4	1.6	5.0	2.2-9.9	1.2	7.8	2.9-17.0	0.4	2.4	0.3-8.7
50-54 years	13.4	39.9	30.9-50.6	7.6	47.1	33.3-64.6	5.8	33.2	22.2-47.7	3.6	10.7	6.3-16.9	1.8	11.2	5.1-21.2	1.8	10.3	4.7-19.6
55-59 years	15.6	45.4	35.9-56.7	9.6	58.3	43.0-77.3	6.0	33.6	22.6-47.9	4.2	12.2	7.6-18.7	2.4	14.6	7.5-25.5	1.8	10.1	4.6-19.1
60-64 years	21.6	69.2	56.8-83.6	11.4	77.2	58.5-100.0	10.2	62.1	46.2-81.6	7.2	23.1	16.2-32.0	4.2	28.4	17.6-43.5	3.0	18.3	10.2-30.1
65-69 years	21.2	82.2	67.3-99.4	13.6	114.1	88.6-144.7	7.6	54.7	38.7-75.1	8.6	33.3	24.1-44.9	5.2	43.6	28.5-63.9	3.4	24.5	14.3-39.2
70-74 years	30.8	155.9	132.2-182.5	16.2	182.7	145.1-227.0	14.6	134.1	105.1-168.6	8.8	44.5	32.4-59.8	4.4	49.6	31.1-75.1	4.4	40.4	25.3-61.2
75-79 years	20.4	153.9	125.5-186.8	9.8	169.3	125.2-223.8	10.6	141.9	106.3-185.6	8.2	61.9	44.4-83.9	3.8	65.6	39.5-102.5	4.4	58.9	36.9-89.2
80-84 years	18.2	208.1	167.6-255.5	8.4	239.1	172.4-323.2	9.8	187.3	138.5-247.6	7.2	82.3	57.7-114.0	3.6	102.5	60.7-162.0	3.6	68.8	40.8-108.7
85+ years	20.0	203.6	165.7-247.7	7.8	240.0	170.6-328.0	12.2	185.7	142.0-238.5	14.8	150.7	118.3-189.2	5.6	172.3	114.5-249.0	9.2	140.0	102.5-186.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Richmond (Staten Island)
Rectum & rectosigmoid**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.2	0.7	0.0-3.8	0.0	0.0	0.0-4.9	0.2	1.4	0.0-7.8	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	1.2	3.9	1.4-8.4	0.4	2.6	0.3-9.3	0.8	5.2	1.4-13.2	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8
35-39 years	0.4	1.4	0.2-4.9	0.2	1.4	0.0-7.7	0.2	1.3	0.0-7.4	0.2	0.7	0.0-3.8	0.2	1.4	0.0-7.7	0.0	0.0	0.0-4.9
40-44 years	3.0	10.1	5.7-16.7	1.8	12.6	5.7-23.8	1.2	7.9	2.9-17.1	0.4	1.4	0.2-4.9	0.4	2.8	0.3-10.1	0.0	0.0	0.0-4.8
45-49 years	6.0	18.8	12.7-26.8	3.8	24.8	14.9-38.7	2.2	13.2	6.6-23.7	0.4	1.3	0.2-4.5	0.2	1.3	0.0-7.3	0.2	1.2	0.0-6.7
50-54 years	6.2	18.4	12.5-26.2	4.2	26.0	16.1-39.8	2.0	11.4	5.5-21.1	1.2	3.6	1.3-7.8	1.0	6.2	2.0-14.5	0.2	1.1	0.0-6.4
55-59 years	8.6	25.0	18.1-33.7	6.0	36.5	24.6-52.0	2.6	14.5	7.7-24.9	0.8	2.3	0.6-6.0	0.4	2.4	0.3-8.8	0.4	2.2	0.3-8.1
60-64 years	8.4	26.9	19.4-36.4	5.0	33.9	21.9-50.0	3.4	20.7	12.1-33.1	2.2	7.1	3.5-12.6	1.6	10.8	4.7-21.4	0.6	3.7	0.8-10.7
65-69 years	8.2	31.8	22.8-43.1	5.2	43.6	28.5-63.9	3.0	21.6	12.1-35.6	2.2	8.5	4.3-15.3	1.2	10.1	3.7-21.9	1.0	7.2	2.3-16.8
70-74 years	7.0	35.4	24.7-49.3	4.0	45.1	27.5-69.7	3.0	27.5	15.4-45.4	2.4	12.1	6.3-21.2	1.4	15.8	6.3-32.5	1.0	9.2	3.0-21.4
75-79 years	6.6	49.8	34.3-69.9	3.8	65.6	39.5-102.5	2.8	37.5	20.5-62.9	1.0	7.5	2.4-17.6	1.0	17.3	5.6-40.3	0.0	0.0	0.0-9.9
80-84 years	3.2	36.6	20.9-59.4	1.6	45.6	19.7-89.8	1.6	30.6	13.2-60.2	1.4	16.0	6.4-33.0	1.0	28.5	9.2-66.4	0.4	7.6	0.9-27.6
85+ years	4.2	42.8	26.5-65.4	1.2	36.9	13.5-80.4	3.0	45.7	25.6-75.3	2.0	20.4	9.8-37.4	0.6	18.5	3.8-53.9	1.4	21.3	8.6-43.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Richmond (Staten Island)
Liver / intrahepatic bile duct**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.2	0.7	0.0-3.9	0.2	1.4	0.0-7.6	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.2	0.6	0.0-3.3	0.0	0.0	0.0-4.4	0.2	1.2	0.0-6.8	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	0.4	1.3	0.2-4.6	0.4	2.6	0.3-9.3	0.0	0.0	0.0-4.8	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8
35-39 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.9	0.2	0.7	0.0-3.8	0.2	1.4	0.0-7.7	0.0	0.0	0.0-4.9
40-44 years	0.2	0.7	0.0-3.8	0.0	0.0	0.0-5.1	0.2	1.3	0.0-7.3	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.8
45-49 years	0.8	2.5	0.7-6.4	0.8	5.2	1.4-13.3	0.0	0.0	0.0-4.4	0.8	2.5	0.7-6.4	0.4	2.6	0.3-9.4	0.4	2.4	0.3-8.7
50-54 years	3.2	9.5	5.4-15.5	2.4	14.9	7.7-26.0	0.8	4.6	1.2-11.7	1.4	4.2	1.7-8.6	1.2	7.4	2.7-16.2	0.2	1.1	0.0-6.4
55-59 years	9.4	27.4	20.1-36.4	8.2	49.8	35.8-67.6	1.2	6.7	2.5-14.6	4.0	11.6	7.1-18.0	3.2	19.4	11.1-31.6	0.8	4.5	1.2-11.5
60-64 years	10.8	34.6	26.0-45.2	8.6	58.3	42.2-78.5	2.2	13.4	6.7-24.0	5.2	16.7	10.9-24.4	3.8	25.7	15.5-40.2	1.4	8.5	3.4-17.6
65-69 years	12.2	47.3	36.2-60.7	9.2	77.2	56.5-103.0	3.0	21.6	12.1-35.6	7.0	27.1	18.9-37.7	5.2	43.6	28.5-63.9	1.8	13.0	5.9-24.6
70-74 years	10.2	51.6	38.4-67.9	7.6	85.7	60.6-117.6	2.6	23.9	12.7-40.8	6.8	34.4	23.8-48.1	4.4	49.6	31.1-75.1	2.4	22.0	11.4-38.5
75-79 years	7.6	57.3	40.6-78.7	4.6	79.5	50.4-119.2	3.0	40.2	22.5-66.3	5.2	39.2	25.6-57.5	3.2	55.3	31.6-89.8	2.0	26.8	12.8-49.2
80-84 years	5.6	64.0	42.5-92.5	3.4	96.8	56.4-155.0	2.2	42.0	21.0-75.2	4.2	48.0	29.7-73.4	2.0	56.9	27.3-104.7	2.2	42.0	21.0-75.2
85+ years	4.4	44.8	28.1-67.8	1.8	55.4	25.3-105.1	2.6	39.6	21.1-67.7	4.4	44.8	28.1-67.8	1.8	55.4	25.3-105.1	2.6	39.6	21.1-67.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Richmond (Staten Island)
Pancreas

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.2	0.7	0.0-3.8	0.0	0.0	0.0-4.9	0.2	1.4	0.0-7.7	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	0.4	1.3	0.2-4.6	0.2	1.3	0.0-7.1	0.2	1.3	0.0-7.2	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8
35-39 years	0.4	1.4	0.2-4.9	0.2	1.4	0.0-7.7	0.2	1.3	0.0-7.4	0.4	1.4	0.2-4.9	0.4	2.8	0.3-10.0	0.0	0.0	0.0-4.9
40-44 years	1.4	4.7	1.9-9.7	1.2	8.4	3.1-18.2	0.2	1.3	0.0-7.3	0.2	0.7	0.0-3.8	0.0	0.0	0.0-5.1	0.2	1.3	0.0-7.3
45-49 years	3.0	9.4	5.3-15.5	1.6	10.4	4.5-20.5	1.4	8.4	3.4-17.3	1.4	4.4	1.8-9.0	1.0	6.5	2.1-15.2	0.4	2.4	0.3-8.7
50-54 years	4.2	12.5	7.7-19.1	1.8	11.2	5.1-21.2	2.4	13.7	7.1-24.0	3.2	9.5	5.4-15.5	1.6	9.9	4.3-19.5	1.6	9.2	4.0-18.0
55-59 years	7.4	21.5	15.2-29.7	4.4	26.7	16.8-40.5	3.0	16.8	9.4-27.7	4.6	13.4	8.5-20.1	3.2	19.4	11.1-31.6	1.4	7.8	3.1-16.1
60-64 years	12.6	40.4	31.0-51.7	8.2	55.5	39.9-75.3	4.4	26.8	16.8-40.5	7.4	23.7	16.7-32.7	3.2	21.7	12.4-35.2	4.2	25.6	15.8-39.1
65-69 years	17.6	68.2	54.7-84.0	9.4	78.9	58.0-104.9	8.2	59.0	42.4-80.1	14.4	55.8	43.7-70.3	7.8	65.5	46.6-89.5	6.6	47.5	32.7-66.7
70-74 years	16.6	84.0	66.9-104.1	7.4	83.4	58.7-115.0	9.2	84.5	61.8-112.7	12.6	63.8	49.0-81.6	6.2	69.9	47.5-99.2	6.4	58.8	40.2-83.0
75-79 years	12.0	90.5	69.1-116.5	5.2	89.8	58.7-131.6	6.8	91.1	63.1-127.2	11.4	86.0	65.1-111.4	3.6	62.2	36.9-98.3	7.8	104.4	74.3-142.8
80-84 years	8.8	100.6	73.1-135.1	4.0	113.9	69.6-175.9	4.8	91.7	58.8-136.5	6.4	73.2	50.1-103.3	3.8	108.2	65.1-168.9	2.6	49.7	26.5-85.0
85+ years	9.6	97.7	72.1-129.6	3.0	92.3	51.7-152.2	6.6	100.4	69.1-141.1	11.4	116.1	87.9-150.4	4.2	129.2	80.0-197.5	7.2	109.6	76.7-151.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Richmond (Staten Island)
Larynx

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8
35-39 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.9	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.9
40-44 years	0.2	0.7	0.0-3.8	0.2	1.4	0.0-7.8	0.0	0.0	0.0-4.8	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.8
45-49 years	0.8	2.5	0.7-6.4	0.4	2.6	0.3-9.4	0.4	2.4	0.3-8.7	0.0	0.0	0.0-2.3	0.0	0.0	0.0-4.8	0.0	0.0	0.0-4.4
50-54 years	1.0	3.0	1.0-6.9	1.0	6.2	2.0-14.5	0.0	0.0	0.0-4.2	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.6	0.0	0.0	0.0-4.2
55-59 years	1.8	5.2	2.4-9.9	1.6	9.7	4.2-19.2	0.2	1.1	0.0-6.2	0.6	1.7	0.4-5.1	0.4	2.4	0.3-8.8	0.2	1.1	0.0-6.2
60-64 years	3.2	10.3	5.9-16.7	2.8	19.0	10.4-31.8	0.4	2.4	0.3-8.8	0.0	0.0	0.0-2.4	0.0	0.0	0.0-5.0	0.0	0.0	0.0-4.5
65-69 years	2.8	10.9	5.9-18.2	2.0	16.8	8.0-30.9	0.8	5.8	1.6-14.7	1.2	4.7	1.7-10.1	0.8	6.7	1.8-17.2	0.4	2.9	0.3-10.4
70-74 years	2.0	10.1	4.9-18.6	1.4	15.8	6.3-32.5	0.6	5.5	1.1-16.1	0.8	4.0	1.1-10.4	0.6	6.8	1.4-19.8	0.2	1.8	0.0-10.2
75-79 years	2.6	19.6	10.4-33.5	1.8	31.1	14.2-59.0	0.8	10.7	2.9-27.4	0.4	3.0	0.4-10.9	0.0	0.0	0.0-12.7	0.4	5.4	0.6-19.3
80-84 years	1.6	18.3	7.9-36.0	1.4	39.9	16.0-82.1	0.2	3.8	0.1-21.3	0.4	4.6	0.6-16.5	0.2	5.7	0.1-31.7	0.2	3.8	0.1-21.3
85+ years	1.6	16.3	7.0-32.1	1.4	43.1	17.3-88.7	0.2	3.0	0.1-17.0	0.8	8.1	2.2-20.9	0.4	12.3	1.5-44.5	0.4	6.1	0.7-22.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Richmond (Staten Island)
Lung and bronchus

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.2	0.6	0.0-3.3	0.0	0.0	0.0-4.4	0.2	1.2	0.0-6.8	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8
35-39 years	1.4	4.7	1.9-9.7	1.2	8.3	3.0-18.1	0.2	1.3	0.0-7.4	0.6	2.0	0.4-5.9	0.4	2.8	0.3-10.0	0.2	1.3	0.0-7.4
40-44 years	2.8	9.5	5.2-15.9	1.4	9.8	3.9-20.1	1.4	9.2	3.7-18.9	1.4	4.7	1.9-9.7	0.4	2.8	0.3-10.1	1.0	6.5	2.1-15.3
45-49 years	6.2	19.4	13.2-27.5	2.8	18.2	10.0-30.6	3.4	20.4	11.9-32.7	2.0	6.3	3.0-11.5	1.4	9.1	3.7-18.8	0.6	3.6	0.7-10.5
50-54 years	17.6	52.4	42.0-64.5	7.2	44.6	31.2-61.8	10.4	59.5	44.5-78.1	5.6	16.7	11.1-24.1	3.0	18.6	10.4-30.7	2.6	14.9	7.9-25.4
55-59 years	35.2	102.5	87.9-118.8	14.4	87.5	68.5-110.2	20.8	116.3	95.0-140.9	13.0	37.9	29.2-48.2	6.2	37.7	25.6-53.5	6.8	38.0	26.3-53.1
60-64 years	48.0	153.9	135.0-174.6	22.8	154.4	127.4-185.5	25.2	153.4	127.8-182.6	18.8	60.3	48.7-73.8	9.4	63.7	46.8-84.7	9.4	57.2	42.0-76.1
65-69 years	65.2	252.7	226.0-281.6	32.0	268.6	228.6-313.6	33.2	239.0	204.0-278.3	31.0	120.1	102.0-140.6	15.4	129.3	102.0-161.5	15.6	112.3	88.8-140.2
70-74 years	71.0	359.3	322.9-398.7	33.8	381.1	325.8-443.1	37.2	341.6	294.2-394.3	33.4	169.0	144.4-196.7	17.6	198.4	159.2-244.5	15.8	145.1	114.9-180.8
75-79 years	66.0	497.8	445.6-554.6	31.6	545.9	464.1-637.9	34.4	460.6	394.3-534.8	34.8	262.5	224.9-304.5	18.4	317.8	256.2-389.8	16.4	219.6	174.6-272.6
80-84 years	44.8	512.3	447.4-583.9	21.2	603.5	494.1-730.0	23.6	451.0	373.3-540.1	30.0	343.0	290.3-402.5	14.4	410.0	320.8-516.3	15.6	298.1	235.6-372.1
85+ years	26.4	268.8	224.9-318.8	13.6	418.4	324.9-530.4	12.8	194.8	150.0-248.7	26.4	268.8	224.9-318.8	12.8	393.8	303.3-502.9	13.6	207.0	160.7-262.4

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Richmond (Staten Island)
Melanoma of the skin**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.4	1.4	0.2-5.0	0.2	1.3	0.0-7.4	0.2	1.4	0.0-7.8	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.4	1.4	0.2-5.0	0.2	1.4	0.0-7.6	0.2	1.4	0.0-7.8	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.6	1.8	0.4-5.3	0.2	1.2	0.0-6.6	0.4	2.4	0.3-8.8	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	1.2	3.9	1.4-8.4	0.2	1.3	0.0-7.1	1.0	6.5	2.1-15.1	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8
35-39 years	1.6	5.4	2.3-10.6	1.0	6.9	2.2-16.1	0.6	4.0	0.8-11.6	0.4	1.4	0.2-4.9	0.2	1.4	0.0-7.7	0.2	1.3	0.0-7.4
40-44 years	2.4	8.1	4.2-14.2	1.4	9.8	3.9-20.1	1.0	6.5	2.1-15.3	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.8
45-49 years	5.2	16.3	10.6-23.8	2.4	15.6	8.1-27.3	2.8	16.8	9.2-28.3	0.4	1.3	0.2-4.5	0.2	1.3	0.0-7.3	0.2	1.2	0.0-6.7
50-54 years	5.0	14.9	9.6-22.0	2.6	16.1	8.6-27.5	2.4	13.7	7.1-24.0	0.2	0.6	0.0-3.3	0.0	0.0	0.0-4.6	0.2	1.1	0.0-6.4
55-59 years	8.8	25.6	18.6-34.4	4.2	25.5	15.8-39.0	4.6	25.7	16.3-38.6	0.6	1.7	0.4-5.1	0.2	1.2	0.0-6.8	0.4	2.2	0.3-8.1
60-64 years	11.2	35.9	27.1-46.6	6.6	44.7	30.8-62.8	4.6	28.0	17.7-42.0	0.4	1.3	0.2-4.6	0.4	2.7	0.3-9.8	0.0	0.0	0.0-4.5
65-69 years	11.4	44.2	33.5-57.2	6.6	55.4	38.1-77.8	4.8	34.6	22.1-51.4	0.6	2.3	0.5-6.8	0.2	1.7	0.0-9.4	0.4	2.9	0.3-10.4
70-74 years	13.2	66.8	51.7-85.0	7.6	85.7	60.6-117.6	5.6	51.4	34.2-74.3	0.0	0.0	0.0-3.7	0.0	0.0	0.0-8.3	0.0	0.0	0.0-6.8
75-79 years	9.0	67.9	49.5-90.8	4.4	76.0	47.6-115.1	4.6	61.6	39.0-92.4	1.4	10.6	4.2-21.8	0.4	6.9	0.8-25.0	1.0	13.4	4.3-31.2
80-84 years	6.6	75.5	51.9-106.0	4.6	131.0	83.0-196.5	2.0	38.2	18.3-70.3	1.8	20.6	9.4-39.1	1.2	34.2	12.5-74.4	0.6	11.5	2.4-33.5
85+ years	7.2	73.3	51.3-101.5	3.4	104.6	60.9-167.5	3.8	57.8	34.8-90.3	2.6	26.5	14.1-45.3	1.4	43.1	17.3-88.7	1.2	18.3	6.7-39.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

Richmond (Staten Island)

Female breast

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-5.6	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-5.2	0.0	0.0	0.0-5.2
20-24 years	0.0	0.0	0.0-5.2	0.0	0.0	0.0-5.2
25-29 years	1.8	10.9	5.0-20.8	0.0	0.0	0.0-4.5
30-34 years	6.0	38.7	26.1-55.3	0.6	3.9	0.8-11.3
35-39 years	10.2	67.3	50.1-88.5	0.8	5.3	1.4-13.5
40-44 years	25.4	166.3	138.6-197.8	0.8	5.2	1.4-13.4
45-49 years	38.8	233.4	201.7-268.6	2.4	14.4	7.5-25.2
50-54 years	44.8	256.4	224.0-292.3	3.0	17.2	9.6-28.3
55-59 years	55.4	309.8	274.4-348.5	4.4	24.6	15.4-37.3
60-64 years	58.0	353.0	313.6-396.1	6.4	39.0	26.6-55.0
65-69 years	58.8	423.3	376.3-474.6	7.4	53.3	37.5-73.4
70-74 years	54.6	501.3	443.6-564.5	6.6	60.6	41.7-85.1
75-79 years	32.2	431.1	367.1-503.1	5.0	66.9	43.3-98.8
80-84 years	23.2	443.3	366.3-531.7	6.0	114.7	77.4-163.7
85+ years	21.4	325.7	266.9-393.5	17.0	258.7	206.7-319.9

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

Richmond (Staten Island)

Cervix uteri

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-5.6	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-5.2	0.0	0.0	0.0-5.2
20-24 years	0.0	0.0	0.0-5.2	0.0	0.0	0.0-5.2
25-29 years	0.6	3.6	0.8-10.7	0.0	0.0	0.0-4.5
30-34 years	1.2	7.7	2.8-16.9	0.0	0.0	0.0-4.8
35-39 years	2.4	15.8	8.2-27.7	0.2	1.3	0.0-7.4
40-44 years	1.8	11.8	5.4-22.4	0.0	0.0	0.0-4.8
45-49 years	1.4	8.4	3.4-17.3	0.0	0.0	0.0-4.4
50-54 years	2.0	11.4	5.5-21.1	0.6	3.4	0.7-10.0
55-59 years	3.0	16.8	9.4-27.7	0.6	3.4	0.7-9.8
60-64 years	2.0	12.2	5.8-22.4	0.4	2.4	0.3-8.8
65-69 years	2.8	20.2	11.0-33.8	1.0	7.2	2.3-16.8
70-74 years	1.2	11.0	4.0-24.0	0.2	1.8	0.0-10.2
75-79 years	1.6	21.4	9.2-42.2	1.4	18.7	7.5-38.6
80-84 years	1.0	19.1	6.2-44.6	0.4	7.6	0.9-27.6
85+ years	1.2	18.3	6.7-39.7	0.6	9.1	1.9-26.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

Richmond (Staten Island)

Corpus uteris and uterus, not otherwise specified

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-5.6	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-5.2	0.0	0.0	0.0-5.2
20-24 years	0.0	0.0	0.0-5.2	0.0	0.0	0.0-5.2
25-29 years	0.2	1.2	0.0-6.8	0.0	0.0	0.0-4.5
30-34 years	0.6	3.9	0.8-11.3	0.0	0.0	0.0-4.8
35-39 years	1.0	6.6	2.1-15.4	0.2	1.3	0.0-7.4
40-44 years	3.6	23.6	14.0-37.2	0.0	0.0	0.0-4.8
45-49 years	5.4	32.5	21.4-47.3	1.0	6.0	2.0-14.0
50-54 years	10.6	60.7	45.4-79.4	0.8	4.6	1.2-11.7
55-59 years	15.8	88.4	69.9-110.1	1.0	5.6	1.8-13.0
60-64 years	22.2	135.1	111.2-162.7	2.2	13.4	6.7-24.0
65-69 years	20.0	144.0	117.1-175.1	4.2	30.2	18.7-46.2
70-74 years	18.8	172.6	139.5-211.2	4.8	44.1	28.2-65.6
75-79 years	8.4	112.5	81.1-152.0	3.0	40.2	22.5-66.3
80-84 years	5.8	110.8	74.2-159.2	1.8	34.4	15.7-65.3
85+ years	4.0	60.9	37.2-94.0	3.0	45.7	25.6-75.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Richmond (Staten Island)
Ovary**

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-5.6	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-5.2	0.0	0.0	0.0-5.2
20-24 years	0.2	1.4	0.0-7.8	0.0	0.0	0.0-5.2
25-29 years	0.2	1.2	0.0-6.8	0.0	0.0	0.0-4.5
30-34 years	1.4	9.0	3.6-18.6	0.0	0.0	0.0-4.8
35-39 years	1.8	11.9	5.4-22.5	0.2	1.3	0.0-7.4
40-44 years	2.2	14.4	7.2-25.8	0.2	1.3	0.0-7.3
45-49 years	4.6	27.7	17.5-41.5	1.0	6.0	2.0-14.0
50-54 years	4.0	22.9	14.0-35.4	0.8	4.6	1.2-11.7
55-59 years	6.8	38.0	26.3-53.1	1.8	10.1	4.6-19.1
60-64 years	5.0	30.4	19.7-44.9	4.6	28.0	17.7-42.0
65-69 years	5.0	36.0	23.3-53.1	3.0	21.6	12.1-35.6
70-74 years	5.6	51.4	34.2-74.3	3.2	29.4	16.8-47.7
75-79 years	2.8	37.5	20.5-62.9	3.0	40.2	22.5-66.3
80-84 years	2.6	49.7	26.5-85.0	1.6	30.6	13.2-60.2
85+ years	3.4	51.7	30.1-82.8	3.4	51.7	30.1-82.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

Richmond (Staten Island)

Prostate

Age Group	Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.3
5-9 years	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.0
10-14 years	0.0	0.0	0.0-4.9	0.0	0.0	0.0-4.9
15-19 years	0.0	0.0	0.0-4.9	0.0	0.0	0.0-4.9
20-24 years	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.1
25-29 years	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.4
30-34 years	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.7
35-39 years	0.4	2.8	0.3-10.0	0.0	0.0	0.0-5.1
40-44 years	0.6	4.2	0.9-12.2	0.0	0.0	0.0-5.1
45-49 years	4.4	28.7	18.0-43.4	0.2	1.3	0.0-7.3
50-54 years	17.8	110.3	88.6-135.7	0.4	2.5	0.3-9.0
55-59 years	41.2	250.3	217.3-286.9	0.8	4.9	1.3-12.4
60-64 years	76.2	516.1	465.6-570.7	2.2	14.9	7.4-26.7
65-69 years	72.4	607.7	546.7-673.6	3.4	28.5	16.6-45.7
70-74 years	61.0	687.8	612.7-769.4	2.8	31.6	17.3-53.0
75-79 years	44.0	760.1	662.9-867.4	5.6	96.7	64.3-139.8
80-84 years	19.0	540.9	437.6-661.2	8.4	239.1	172.4-323.2
85+ years	10.4	320.0	239.0-419.6	12.0	369.2	281.7-475.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Richmond (Staten Island)
Testis

Age Group	Incidence		
	Avg Ann Cases	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-5.3
5-9 years	0.0	0.0	0.0-5.0
10-14 years	0.0	0.0	0.0-4.9
15-19 years	0.6	4.0	0.8-11.7
20-24 years	1.8	12.4	5.6-23.4
25-29 years	2.0	11.9	5.7-21.8
30-34 years	2.4	15.4	7.9-26.8
35-39 years	2.6	18.0	9.6-30.7
40-44 years	1.4	9.8	3.9-20.1
45-49 years	1.4	9.1	3.7-18.8
50-54 years	0.6	3.7	0.8-10.9
55-59 years	0.8	4.9	1.3-12.4
60-64 years	0.0	0.0	0.0-5.0
65-69 years	0.4	3.4	0.4-12.1
70-74 years	0.0	0.0	0.0-8.3
75-79 years	0.0	0.0	0.0-12.7
80-84 years	0.0	0.0	0.0-21.0
85+ years	0.2	6.2	0.2-34.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
 Rates based on fewer than 4 cases in one year are unstable and should be used with caution.
 Mortality data not provided due to small number of deaths per year.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Richmond (Staten Island)
Urinary bladder (incl. in situ)**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	0.2	0.6	0.0-3.6	0.2	1.3	0.0-7.1	0.0	0.0	0.0-4.8	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8
35-39 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.9	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.9
40-44 years	0.8	2.7	0.7-6.9	0.6	4.2	0.9-12.2	0.2	1.3	0.0-7.3	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.8
45-49 years	3.2	10.0	5.7-16.3	2.8	18.2	10.0-30.6	0.4	2.4	0.3-8.7	0.2	0.6	0.0-3.5	0.0	0.0	0.0-4.8	0.2	1.2	0.0-6.7
50-54 years	6.4	19.0	13.0-26.9	4.8	29.7	19.1-44.3	1.6	9.2	4.0-18.0	0.4	1.2	0.1-4.3	0.4	2.5	0.3-9.0	0.0	0.0	0.0-4.2
55-59 years	9.4	27.4	20.1-36.4	6.8	41.3	28.6-57.7	2.6	14.5	7.7-24.9	0.8	2.3	0.6-6.0	0.6	3.6	0.8-10.7	0.2	1.1	0.0-6.2
60-64 years	16.4	52.6	41.8-65.3	12.4	84.0	64.4-107.7	4.0	24.3	14.9-37.6	1.6	5.1	2.2-10.1	0.8	5.4	1.5-13.9	0.8	4.9	1.3-12.5
65-69 years	24.4	94.6	78.5-112.9	18.4	154.4	124.5-189.4	6.0	43.2	29.1-61.7	2.4	9.3	4.8-16.2	1.6	13.4	5.8-26.5	0.8	5.8	1.6-14.7
70-74 years	26.4	133.6	111.8-158.4	20.4	230.0	187.5-279.2	6.0	55.1	37.2-78.6	4.4	22.3	14.0-33.7	3.2	36.1	20.6-58.6	1.2	11.0	4.0-24.0
75-79 years	22.8	172.0	141.9-206.6	16.8	290.2	231.5-359.3	6.0	80.3	54.2-114.7	4.6	34.7	22.0-52.1	3.0	51.8	29.0-85.5	1.6	21.4	9.2-42.2
80-84 years	18.6	212.7	171.7-260.5	13.0	370.1	285.6-471.7	5.6	107.0	71.1-154.7	4.4	50.3	31.5-76.2	3.4	96.8	56.4-155.0	1.0	19.1	6.2-44.6
85+ years	15.8	160.9	127.4-200.5	10.0	307.7	228.3-405.6	5.8	88.3	59.1-126.8	8.0	81.5	58.2-110.9	5.6	172.3	114.5-249.0	2.4	36.5	18.9-63.8

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Richmond (Staten Island)
Kidney and renal pelvis**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.2	0.7	0.0-3.9	0.0	0.0	0.0-5.0	0.2	1.4	0.0-8.0	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.4	1.4	0.2-5.0	0.2	1.4	0.0-7.6	0.2	1.4	0.0-7.8	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	0.6	1.9	0.4-5.6	0.6	3.8	0.8-11.2	0.0	0.0	0.0-4.8	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8
35-39 years	3.4	11.5	6.7-18.4	2.4	16.6	8.6-29.0	1.0	6.6	2.1-15.4	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.9
40-44 years	5.6	18.9	12.6-27.3	3.6	25.1	14.9-39.7	2.0	13.1	6.3-24.1	0.2	0.7	0.0-3.8	0.0	0.0	0.0-5.1	0.2	1.3	0.0-7.3
45-49 years	7.2	22.5	15.8-31.2	6.0	39.1	26.4-55.8	1.2	7.2	2.6-15.7	0.6	1.9	0.4-5.5	0.6	3.9	0.8-11.4	0.0	0.0	0.0-4.4
50-54 years	10.6	31.5	23.6-41.3	7.2	44.6	31.2-61.8	3.4	19.5	11.3-31.2	0.2	0.6	0.0-3.3	0.2	1.2	0.0-6.9	0.0	0.0	0.0-4.2
55-59 years	18.6	54.2	43.7-66.4	13.4	81.4	63.1-103.4	5.2	29.1	19.0-42.6	1.0	2.9	0.9-6.8	0.8	4.9	1.3-12.4	0.2	1.1	0.0-6.2
60-64 years	17.6	56.4	45.3-69.5	12.0	81.3	62.0-104.6	5.6	34.1	22.6-49.3	2.4	7.7	4.0-13.4	2.0	13.5	6.5-24.9	0.4	2.4	0.3-8.8
65-69 years	22.0	85.3	70.1-102.8	16.4	137.6	109.5-170.9	5.6	40.3	26.8-58.3	2.8	10.9	5.9-18.2	2.2	18.5	9.2-33.0	0.6	4.3	0.9-12.6
70-74 years	18.0	91.1	73.2-112.0	9.6	108.2	79.8-143.5	8.4	77.1	55.6-104.3	2.6	13.2	7.0-22.5	1.4	15.8	6.3-32.5	1.2	11.0	4.0-24.0
75-79 years	11.4	86.0	65.1-111.4	7.8	134.7	95.8-184.2	3.6	48.2	28.6-76.2	3.2	24.1	13.8-39.2	2.2	38.0	19.0-68.0	1.0	13.4	4.3-31.2
80-84 years	5.8	66.3	44.4-95.2	4.0	113.9	69.6-175.9	1.8	34.4	15.7-65.3	2.2	25.2	12.6-45.0	1.8	51.2	23.4-97.3	0.4	7.6	0.9-27.6
85+ years	4.6	46.8	29.7-70.3	2.2	67.7	33.8-121.1	2.4	36.5	18.9-63.8	3.6	36.7	21.7-57.9	2.0	61.5	29.5-113.2	1.6	24.3	10.5-48.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Richmond (Staten Island)
Brain and other central nervous system**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	1.2	4.4	1.6-9.6	0.4	2.9	0.3-10.3	0.8	6.1	1.6-15.5	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.6	2.1	0.4-6.1	0.4	2.7	0.3-9.8	0.2	1.4	0.0-8.0	0.2	0.7	0.0-3.9	0.2	1.4	0.0-7.6	0.0	0.0	0.0-5.3
10-14 years	0.8	2.7	0.7-6.9	0.6	3.9	0.8-11.5	0.2	1.4	0.0-7.7	0.2	0.7	0.0-3.8	0.2	1.3	0.0-7.3	0.0	0.0	0.0-5.1
15-19 years	1.4	4.8	1.9-9.9	0.4	2.7	0.3-9.6	1.0	7.0	2.3-16.4	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	1.4	4.9	2.0-10.0	1.0	6.9	2.2-16.0	0.4	2.8	0.3-10.1	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.6	1.8	0.4-5.3	0.2	1.2	0.0-6.6	0.4	2.4	0.3-8.8	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	1.2	3.9	1.4-8.4	0.6	3.8	0.8-11.2	0.6	3.9	0.8-11.3	0.2	0.6	0.0-3.6	0.2	1.3	0.0-7.1	0.0	0.0	0.0-4.8
35-39 years	1.2	4.1	1.5-8.8	1.0	6.9	2.2-16.1	0.2	1.3	0.0-7.4	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.9
40-44 years	1.4	4.7	1.9-9.7	1.0	7.0	2.3-16.3	0.4	2.6	0.3-9.5	1.2	4.1	1.5-8.8	0.8	5.6	1.5-14.3	0.4	2.6	0.3-9.5
45-49 years	2.2	6.9	3.4-12.3	1.4	9.1	3.7-18.8	0.8	4.8	1.3-12.3	2.2	6.9	3.4-12.3	1.4	9.1	3.7-18.8	0.8	4.8	1.3-12.3
50-54 years	2.6	7.7	4.1-13.2	1.4	8.7	3.5-17.9	1.2	6.9	2.5-15.0	0.8	2.4	0.6-6.1	0.4	2.5	0.3-9.0	0.4	2.3	0.3-8.3
55-59 years	4.6	13.4	8.5-20.1	2.2	13.4	6.7-23.9	2.4	13.4	6.9-23.4	2.4	7.0	3.6-12.2	0.6	3.6	0.8-10.7	1.8	10.1	4.6-19.1
60-64 years	4.0	12.8	7.8-19.8	2.4	16.3	8.4-28.4	1.6	9.7	4.2-19.2	3.4	10.9	6.3-17.5	2.8	19.0	10.4-31.8	0.6	3.7	0.8-10.7
65-69 years	4.8	18.6	11.9-27.7	2.2	18.5	9.2-33.0	2.6	18.7	10.0-32.0	3.2	12.4	7.1-20.1	1.4	11.8	4.7-24.2	1.8	13.0	5.9-24.6
70-74 years	3.2	16.2	9.3-26.3	1.8	20.3	9.3-38.5	1.4	12.9	5.2-26.5	3.8	19.2	11.6-30.0	2.0	22.5	10.8-41.5	1.8	16.5	7.6-31.4
75-79 years	1.8	13.6	6.2-25.8	0.6	10.4	2.1-30.3	1.2	16.1	5.9-35.0	1.2	9.1	3.3-19.7	0.6	10.4	2.1-30.3	0.6	8.0	1.7-23.5
80-84 years	1.8	20.6	9.4-39.1	1.0	28.5	9.2-66.4	0.8	15.3	4.2-39.1	1.4	16.0	6.4-33.0	0.2	5.7	0.1-31.7	1.2	22.9	8.4-49.9
85+ years	1.6	16.3	7.0-32.1	0.4	12.3	1.5-44.5	1.2	18.3	6.7-39.7	1.4	14.3	5.7-29.4	0.6	18.5	3.8-53.9	0.8	12.2	3.3-31.2

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Richmond (Staten Island)
Thyroid

Age Group	Incidence								
	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
0-4 years	0.2	0.7	0.0-4.1	0.0	0.0	0.0-5.3	0.2	1.5	0.0-8.4
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.6	2.0	0.4-5.9	0.2	1.3	0.0-7.3	0.4	2.8	0.3-10.0
15-19 years	2.2	7.5	3.8-13.5	0.6	4.0	0.8-11.7	1.6	11.3	4.9-22.2
20-24 years	5.0	17.3	11.2-25.6	1.2	8.2	3.0-17.9	3.8	26.6	16.0-41.6
25-29 years	6.8	20.4	14.1-28.5	1.4	8.3	3.3-17.1	5.4	32.8	21.6-47.8
30-34 years	8.8	28.3	20.6-38.0	3.4	21.8	12.7-34.9	5.4	34.8	23.0-50.7
35-39 years	14.4	48.6	38.0-61.2	2.8	19.4	10.6-32.5	11.6	76.5	58.1-99.0
40-44 years	15.8	53.4	42.2-66.5	4.4	30.7	19.2-46.5	11.4	74.6	56.5-96.7
45-49 years	18.8	58.8	47.5-72.0	5.0	32.6	21.1-48.1	13.8	83.0	64.6-105.0
50-54 years	21.4	63.7	52.2-76.9	7.0	43.4	30.2-60.3	14.4	82.4	64.5-103.8
55-59 years	17.6	51.2	41.1-63.1	5.0	30.4	19.7-44.8	12.6	70.5	54.1-90.1
60-64 years	19.2	61.6	49.9-75.2	6.2	42.0	28.5-59.6	13.0	79.1	61.1-100.9
65-69 years	15.4	59.7	47.1-74.6	5.4	45.3	29.9-65.9	10.0	72.0	53.4-94.9
70-74 years	11.8	59.7	45.5-77.0	4.0	45.1	27.5-69.7	7.8	71.6	50.9-97.9
75-79 years	3.8	28.7	17.3-44.8	1.0	17.3	5.6-40.3	2.8	37.5	20.5-62.9
80-84 years	1.8	20.6	9.4-39.1	0.6	17.1	3.5-49.9	1.2	22.9	8.4-49.9
85+ years	0.8	8.1	2.2-20.9	0.4	12.3	1.5-44.5	0.4	6.1	0.7-22.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases in one year are unstable and should be used with caution.
Mortality data not provided due to small number of deaths per year.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Richmond (Staten Island)
Hodgkin lymphoma**

Age Group	Incidence								
	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
0-4 years	0.4	1.5	0.2-5.3	0.4	2.9	0.3-10.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.2	0.7	0.0-3.8	0.2	1.3	0.0-7.3	0.0	0.0	0.0-5.1
15-19 years	1.8	6.2	2.8-11.7	1.2	8.0	2.9-17.4	0.6	4.2	0.9-12.3
20-24 years	1.6	5.5	2.4-10.9	0.6	4.1	0.8-12.0	1.0	7.0	2.3-16.4
25-29 years	1.0	3.0	1.0-7.0	0.6	3.6	0.7-10.4	0.4	2.4	0.3-8.8
30-34 years	2.2	7.1	3.5-12.7	1.4	9.0	3.6-18.5	0.8	5.2	1.4-13.2
35-39 years	0.4	1.4	0.2-4.9	0.4	2.8	0.3-10.0	0.0	0.0	0.0-4.9
40-44 years	2.0	6.8	3.2-12.4	1.0	7.0	2.3-16.3	1.0	6.5	2.1-15.3
45-49 years	0.4	1.3	0.2-4.5	0.4	2.6	0.3-9.4	0.0	0.0	0.0-4.4
50-54 years	1.0	3.0	1.0-6.9	0.0	0.0	0.0-4.6	1.0	5.7	1.9-13.4
55-59 years	1.2	3.5	1.3-7.6	0.8	4.9	1.3-12.4	0.4	2.2	0.3-8.1
60-64 years	1.6	5.1	2.2-10.1	0.8	5.4	1.5-13.9	0.8	4.9	1.3-12.5
65-69 years	1.2	4.7	1.7-10.1	0.8	6.7	1.8-17.2	0.4	2.9	0.3-10.4
70-74 years	0.4	2.0	0.2-7.3	0.2	2.3	0.1-12.6	0.2	1.8	0.0-10.2
75-79 years	0.4	3.0	0.4-10.9	0.4	6.9	0.8-25.0	0.0	0.0	0.0-9.9
80-84 years	0.0	0.0	0.0-8.4	0.0	0.0	0.0-21.0	0.0	0.0	0.0-14.1
85+ years	0.2	2.0	0.1-11.3	0.0	0.0	0.0-22.7	0.2	3.0	0.1-17.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases in one year are unstable and should be used with caution.

Mortality data not provided due to small number of deaths per year.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020**

**Richmond (Staten Island)
Non-Hodgkin lymphomas**

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.4	1.4	0.2-5.1	0.4	2.7	0.3-9.8	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.2	0.7	0.0-3.8	0.0	0.0	0.0-4.9	0.2	1.4	0.0-7.7	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.8	2.7	0.7-7.0	0.8	5.3	1.5-13.7	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	1.8	6.2	2.9-11.8	1.0	6.9	2.2-16.0	0.8	5.6	1.5-14.4	0.2	0.7	0.0-3.9	0.2	1.4	0.0-7.6	0.0	0.0	0.0-5.2
25-29 years	1.4	4.2	1.7-8.7	0.8	4.8	1.3-12.2	0.6	3.6	0.8-10.7	0.2	0.6	0.0-3.3	0.2	1.2	0.0-6.6	0.0	0.0	0.0-4.5
30-34 years	2.8	9.0	4.9-15.1	1.6	10.2	4.4-20.2	1.2	7.7	2.8-16.9	0.4	1.3	0.2-4.6	0.2	1.3	0.0-7.1	0.2	1.3	0.0-7.2
35-39 years	3.4	11.5	6.7-18.4	2.2	15.2	7.6-27.2	1.2	7.9	2.9-17.2	0.4	1.4	0.2-4.9	0.2	1.4	0.0-7.7	0.2	1.3	0.0-7.4
40-44 years	4.0	13.5	8.3-20.9	2.2	15.3	7.7-27.5	1.8	11.8	5.4-22.4	0.4	1.4	0.2-4.9	0.4	2.8	0.3-10.1	0.0	0.0	0.0-4.8
45-49 years	5.6	17.5	11.6-25.3	2.6	16.9	9.0-29.0	3.0	18.0	10.1-29.8	0.6	1.9	0.4-5.5	0.4	2.6	0.3-9.4	0.2	1.2	0.0-6.7
50-54 years	11.6	34.5	26.2-44.6	7.0	43.4	30.2-60.3	4.6	26.3	16.7-39.5	1.4	4.2	1.7-8.6	0.6	3.7	0.8-10.9	0.8	4.6	1.2-11.7
55-59 years	9.8	28.5	21.1-37.7	5.4	32.8	21.6-47.7	4.4	24.6	15.4-37.3	1.0	2.9	0.9-6.8	0.2	1.2	0.0-6.8	0.8	4.5	1.2-11.5
60-64 years	17.4	55.8	44.7-68.8	9.4	63.7	46.8-84.7	8.0	48.7	34.8-66.3	2.4	7.7	4.0-13.4	1.4	9.5	3.8-19.5	1.0	6.1	2.0-14.2
65-69 years	20.8	80.6	65.9-97.7	10.6	89.0	66.6-116.4	10.2	73.4	54.7-96.5	2.4	9.3	4.8-16.2	1.6	13.4	5.8-26.5	0.8	5.8	1.6-14.7
70-74 years	21.2	107.3	87.8-129.8	10.0	112.7	83.7-148.6	11.2	102.8	77.7-133.5	3.2	16.2	9.3-26.3	2.4	27.1	14.0-47.3	0.8	7.3	2.0-18.8
75-79 years	16.2	122.2	97.0-151.9	8.8	152.0	110.5-204.1	7.4	99.1	69.8-136.6	5.6	42.2	28.1-61.0	3.6	62.2	36.9-98.3	2.0	26.8	12.8-49.2
80-84 years	10.4	118.9	88.8-155.9	5.0	142.3	92.1-210.1	5.4	103.2	68.0-150.1	2.4	27.4	14.2-47.9	1.8	51.2	23.4-97.3	0.6	11.5	2.4-33.5
85+ years	10.6	107.9	80.8-141.2	4.4	135.4	84.8-204.9	6.2	94.4	64.1-133.9	5.2	52.9	34.6-77.6	1.4	43.1	17.3-88.7	3.8	57.8	34.8-90.3

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Richmond (Staten Island)
Myeloma

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.6
5-9 years	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	0.2	0.7	0.0-3.9	0.2	1.4	0.0-7.6	0.0	0.0	0.0-5.2	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.1	0.0	0.0	0.0-5.2
25-29 years	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5	0.0	0.0	0.0-2.2	0.0	0.0	0.0-4.4	0.0	0.0	0.0-4.5
30-34 years	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8	0.0	0.0	0.0-2.4	0.0	0.0	0.0-4.7	0.0	0.0	0.0-4.8
35-39 years	0.4	1.4	0.2-4.9	0.0	0.0	0.0-5.1	0.4	2.6	0.3-9.5	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.9
40-44 years	1.2	4.1	1.5-8.8	0.8	5.6	1.5-14.3	0.4	2.6	0.3-9.5	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.8
45-49 years	1.8	5.6	2.6-10.7	0.8	5.2	1.4-13.3	1.0	6.0	2.0-14.0	0.4	1.3	0.2-4.5	0.2	1.3	0.0-7.3	0.2	1.2	0.0-6.7
50-54 years	3.4	10.1	5.9-16.2	2.6	16.1	8.6-27.5	0.8	4.6	1.2-11.7	0.8	2.4	0.6-6.1	0.4	2.5	0.3-9.0	0.4	2.3	0.3-8.3
55-59 years	5.6	16.3	10.8-23.6	3.6	21.9	13.0-34.6	2.0	11.2	5.4-20.6	1.2	3.5	1.3-7.6	1.0	6.1	2.0-14.2	0.2	1.1	0.0-6.2
60-64 years	5.8	18.6	12.5-26.7	2.8	19.0	10.4-31.8	3.0	18.3	10.2-30.1	1.2	3.8	1.4-8.4	0.8	5.4	1.5-13.9	0.4	2.4	0.3-8.8
65-69 years	10.0	38.8	28.8-51.1	4.6	38.6	24.5-57.9	5.4	38.9	25.6-56.6	2.6	10.1	5.4-17.2	1.8	15.1	6.9-28.7	0.8	5.8	1.6-14.7
70-74 years	8.8	44.5	32.4-59.8	4.8	54.1	34.7-80.5	4.0	36.7	22.4-56.7	2.8	14.2	7.7-23.8	1.6	18.0	7.8-35.5	1.2	11.0	4.0-24.0
75-79 years	8.8	66.4	48.2-89.1	4.6	79.5	50.4-119.2	4.2	56.2	34.8-86.0	2.2	16.6	8.3-29.7	1.6	27.6	11.9-54.5	0.6	8.0	1.7-23.5
80-84 years	4.8	54.9	35.2-81.7	2.8	79.7	43.6-133.7	2.0	38.2	18.3-70.3	1.2	13.7	5.0-29.9	0.4	11.4	1.4-41.1	0.8	15.3	4.2-39.1
85+ years	4.2	42.8	26.5-65.4	1.8	55.4	25.3-105.1	2.4	36.5	18.9-63.8	2.4	24.4	12.6-42.7	0.8	24.6	6.7-63.0	1.6	24.3	10.5-48.0

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Age at Diagnosis/Death and Sex, 2016-2020
Richmond (Staten Island)
Leukemias

Age Group	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
0-4 years	2.4	8.8	4.6-15.4	2.0	14.3	6.8-26.3	0.4	3.0	0.4-10.9	0.2	0.7	0.0-4.1	0.0	0.0	0.0-5.3	0.2	1.5	0.0-8.4
5-9 years	1.6	5.6	2.4-11.1	0.8	5.5	1.5-14.0	0.8	5.8	1.6-14.8	0.0	0.0	0.0-2.6	0.0	0.0	0.0-5.0	0.0	0.0	0.0-5.3
10-14 years	1.2	4.0	1.5-8.8	0.2	1.3	0.0-7.3	1.0	6.9	2.2-16.1	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.1
15-19 years	1.6	5.5	2.4-10.8	1.0	6.7	2.2-15.6	0.6	4.2	0.9-12.3	0.0	0.0	0.0-2.5	0.0	0.0	0.0-4.9	0.0	0.0	0.0-5.2
20-24 years	1.4	4.9	2.0-10.0	0.6	4.1	0.8-12.0	0.8	5.6	1.5-14.4	0.6	2.1	0.4-6.1	0.4	2.7	0.3-9.9	0.2	1.4	0.0-7.8
25-29 years	1.2	3.6	1.3-7.8	0.4	2.4	0.3-8.6	0.8	4.9	1.3-12.5	0.2	0.6	0.0-3.3	0.2	1.2	0.0-6.6	0.0	0.0	0.0-4.5
30-34 years	1.0	3.2	1.0-7.5	0.8	5.1	1.4-13.1	0.2	1.3	0.0-7.2	0.2	0.6	0.0-3.6	0.0	0.0	0.0-4.7	0.2	1.3	0.0-7.2
35-39 years	0.8	2.7	0.7-6.9	0.6	4.1	0.9-12.1	0.2	1.3	0.0-7.4	0.0	0.0	0.0-2.5	0.0	0.0	0.0-5.1	0.0	0.0	0.0-4.9
40-44 years	3.6	12.2	7.2-19.2	1.8	12.6	5.7-23.8	1.8	11.8	5.4-22.4	0.8	2.7	0.7-6.9	0.2	1.4	0.0-7.8	0.6	3.9	0.8-11.5
45-49 years	3.6	11.3	6.7-17.8	2.6	16.9	9.0-29.0	1.0	6.0	2.0-14.0	0.8	2.5	0.7-6.4	0.6	3.9	0.8-11.4	0.2	1.2	0.0-6.7
50-54 years	8.2	24.4	17.5-33.1	5.4	33.5	22.0-48.7	2.8	16.0	8.8-26.9	1.6	4.8	2.1-9.4	1.0	6.2	2.0-14.5	0.6	3.4	0.7-10.0
55-59 years	7.8	22.7	16.2-31.0	5.8	35.2	23.6-50.6	2.0	11.2	5.4-20.6	2.2	6.4	3.2-11.5	1.6	9.7	4.2-19.2	0.6	3.4	0.7-9.8
60-64 years	11.0	35.3	26.6-45.9	6.8	46.1	31.9-64.4	4.2	25.6	15.8-39.1	3.0	9.6	5.4-15.9	1.4	9.5	3.8-19.5	1.6	9.7	4.2-19.2
65-69 years	11.6	45.0	34.1-58.1	6.8	57.1	39.5-79.8	4.8	34.6	22.1-51.4	3.2	12.4	7.1-20.1	1.2	10.1	3.7-21.9	2.0	14.4	6.9-26.5
70-74 years	14.0	70.8	55.2-89.5	8.4	94.7	68.3-128.0	5.6	51.4	34.2-74.3	5.0	25.3	16.4-37.4	2.8	31.6	17.3-53.0	2.2	20.2	10.1-36.1
75-79 years	11.0	83.0	62.5-108.0	5.6	96.7	64.3-139.8	5.4	72.3	47.6-105.2	6.2	46.8	31.8-66.4	3.6	62.2	36.9-98.3	2.6	34.8	18.5-59.5
80-84 years	7.4	84.6	59.6-116.6	3.0	85.4	47.8-140.9	4.4	84.1	52.7-127.3	4.8	54.9	35.2-81.7	2.2	62.6	31.3-112.1	2.6	49.7	26.5-85.0
85+ years	8.8	89.6	65.1-120.3	4.2	129.2	80.0-197.5	4.6	70.0	44.4-105.0	8.4	85.5	61.6-115.6	3.6	110.8	65.6-175.0	4.8	73.0	46.8-108.7

Rates are per 100,000 persons, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases or deaths in one year are unstable and should be used with caution.