


Niagara County Fishing Waters

NYS Department of Health Fish Advisories & Publicly Accessible Waters



All outlined waters are NYS DEC public access waters; there may be other fishing access sites in your county.































- Statewide Advisory Applies
Best choice waters
- Specific Advisory Applies
Some fish from these waters have higher levels of chemicals.
- Don't Eat Water
The Sensitive Population should avoid eating fish. The General Population should follow the specific advice.
- Dam Location - - - - - Breached Dam
- Stream Flow ~ Waterfall
- Connected Tributary, Advisory Applies



www.health.ny.gov/fish
 HRFA@health.ny.gov
 Map data © 2015 Google
 8/16/24

Niagara County Fishing Waters

Page 2

 General Population	Follow the Statewide Advisory for waters in blue:	 Sensitive Population
4 meals a month	<p style="text-align: center;">*Best Choice Fish*</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Brook trout </div> <div style="text-align: center;">  Brown trout less than 20" </div> <div style="text-align: center;">  Rainbow trout </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">  Bluegill </div> <div style="text-align: center;">  Pumpkinseed/ Sunfish </div> <div style="text-align: center;">  White sucker </div> <div style="text-align: center;">  Yellow perch less than 10" </div> </div>	4 meals a month
4 meals a month	<p style="text-align: center;">Good Choice</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Black crappie </div> <div style="text-align: center;">  Brown trout greater than 20" </div> <div style="text-align: center;">  Bullhead </div> <div style="text-align: center;">  Chain pickerel less than 20" </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">  Carp </div> <div style="text-align: center;">  Lake trout </div> <div style="text-align: center;">  Largemouth bass less than 15" </div> <div style="text-align: center;">  Northern pike less than 26" </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">  Rock bass </div> <div style="text-align: center;">  Walleye less than 19" </div> <div style="text-align: center;">  Yellow perch greater than 10" </div> <div style="text-align: center;">  any fish not listed </div> </div>	1 meal a month
1 meal a month	<p style="text-align: center;">Eat Less</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Chain pickerel greater than 20" </div> <div style="text-align: center;">  Channel catfish </div> <div style="text-align: center;">  Freshwater drum </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">  Largemouth bass greater than 15" </div> <div style="text-align: center;">  Smallmouth bass less than 15" </div> <div style="text-align: center;">  White perch </div> </div>	1 meal a month
1 meal a month	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Northern pike greater than 26" </div> <div style="text-align: center;">  Smallmouth bass greater than 15" </div> <div style="text-align: center;">  Walleye greater than 19" </div> </div>	0 DON'T EAT

The Sensitive Population refers to people who can become pregnant (under age 50) and children under 15.
 The General Population refers to everyone else.

==== For waters in red, check advisories at www.health.ny.gov/fish

Visit www.health.ny.gov/fish for a listing of all fish advisories.

Niagara County Fishing Waters

==== Follow these specific advisories for waters in purple

Waterbody	Fish	General Population	Sensitive Population
Cayuga Creek	All fish	DON'T EAT	DON'T EAT
Erie Canal, mouth of Niagara River to Lockport & Tonawanda Creek downstream of Pendleton	Bluegill, Pumpkinseed/sunfish, White sucker, Yellow perch	Up to 4 meals/month	Up to 1 meal/month
	Carp	DON'T EAT	DON'T EAT
	All other fish	See Statewide Advice	
Erie Canal, between Lockport and Lock 21	Yellow perch	Greater than 10", up to 1 meal/month; Less than 10", up to 4 meals/month	Up to 1 meal/month
	All other fish	See Statewide Advice	
Lake Ontario	Atlantic salmon, Bluegill, Chinook salmon, Coho salmon, Pumpkinseed/sunfish, Rainbow trout, Smallmouth bass	Up to 4 meals/month	Up to 1 meal/month
	Brown trout	Greater than 20", up to 1 meal/month; Less than 20", up to 4 meals/month	Greater than 20", up to 1 meal/month; Less than 20", up to 1 meal/month
	Carp	Up to 1 meal/month	DON'T EAT
	Lake trout	Greater than 25", up to 1 meal/month; Less than 25", up to 4 meals/month	Greater than 25", up to 1 meal/month; Less than 25", up to 1 meal/month
	Walleye	Up to 1 meal/month	Up to 1 meal/month
	All other fish	See Statewide Advice	
Niagara River, downstream of Niagara Falls	Atlantic salmon, Bluegill, Chinook salmon, Coho salmon, Pumpkinseed/sunfish, Rainbow trout, Smallmouth bass	Up to 4 meals/month	Up to 1 meal/month
	Brown trout	Greater than 20", up to 1 meal/month; Less than 20", up to 4 meals/month	Greater than 20", up to 1 meal/month; Less than 20", up to 1 meal/month
	Carp	Up to 1 meal/month	DON'T EAT
	Walleye	Up to 1 meal/month	Up to 1 meal/month
	Lake trout	DON'T EAT	DON'T EAT
	All other fish	See Statewide Advice	

The Sensitive Population refers to people who can become pregnant (under age 50) and children under 15.
The General Population refers to everyone else.



Niagara County Fishing Waters

Page 4

Niagara River, upstream of Niagara Falls	Brown bullhead, Rock bass, Yellow perch	Up to 4 meals/month	Up to 4 meals/month
	Bluegill, Brown trout, Chinook salmon, Coho salmon, Pumpkinseed/sunfish, Rainbow smelt, Rainbow trout, Smallmouth bass, Walleye White sucker	Up to 4 meals/month	Up to 1 meal/month
	Carp	DON'T EAT	DON'T EAT
	All other fish	See Statewide Advice	
Eighteenmile Creek, downstream of Burt Dam	Brown trout, Chinook salmon, Coho salmon, Rainbow trout	Up to 1 meal/month	Up to 1 meal/month
	All other fish	DON'T EAT	DON'T EAT
Eighteenmile Creek, upstream of Burt Dam	All fish	DON'T EAT	DON'T EAT
Lewiston Reservoir/Power Reservoir	Carp	DON'T EAT	DON'T EAT
	All other fish	See Statewide Advice (general population only)	DON'T EAT

The Sensitive Population refers to people who can become pregnant (under age 50) and children under 15.
The General Population refers to everyone else.

Visit www.health.ny.gov/fish for a listing of all fish advisories.