

# NYS MY2023 Patient-Level Detail File Specifications

## COMMERCIAL

Revision date:  
2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	CPPO, CEPO, CHMO, EP
GENERAL INFO	30	25	54	Member ID	Member ID should be the health plan's internal, individual member identifier. Do not report a family identifier, and do not report the identifier used in HEDIS. <b>For Essential Plans plans, please report the member's NYHX Member ID.</b>
GENERAL INFO	8	55	62	Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	63	64	Member Months	The member month contribution this member adds according to the Enrollment by Product Line measure. Valid values are between 0 - 12.
GENERAL INFO	1	65	65	Sex	Enter: The sex assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed
GENERAL INFO	2	66	67	Race	Enter the member's race: 01=White 02=Black or African American 03=American Indian/Alaskan Native 04=Asian 05=Native Hawaiian/Pacific Islander 06=Some Other Race 07=Two or more races 08=Asked But No Answer 09=Unknown
GENERAL INFO	2	68	69	Source of Race Data	Provide the source of race data: 20 = Health Plan Direct (Direct) 21 = CMS databases (Direct) 22 = State Databases (Direct) 23 = Surname Analysis (Indirect) 24 = Geo-coding Analysis (Indirect) 28 = Unknown – Use this as the race source value when the member's race is "UNK" for Unknown Race 29 = Other (Direct) 30 = Other (Indirect)
GENERAL INFO	1	70	70	Ethnicity	Enter the Member's ethnicity: 1=Hispanic or Latino 2=Non-Hispanic or Latino 9=Unknown 0=Asked but not answered

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	2	71	72	Source of Ethnicity Data	Provide the source of ethnicity data: 20 = Health Plan Direct (Direct) 21 = CMS databases (Direct) 22 = State Databases (Direct) 23 = Surname Analysis (Indirect) 24 = Geo-coding Analysis (Indirect) 28 = Unknown – Use this as the race source value when the member's race is "UNK" for Unknown Ethnicity 29 = Other (Direct) 30 = Other (Indirect)
GENERAL INFO	2	73	74	Asian American Subgroups	If member is Asian then identify the specific subgroup: 01=Chinese 02=Japanese 03=Filipino 04=Korean 05=Vietnamese 06=Asian Indian 07=Laotian 08=Cambodian 09=Bangladeshi 10=Hmong 11=Indonesian 12=Malaysian 13=Pakistani 14=Sri Lankan 15=Taiwanese 16=Nepalese 17=Burmese 18=Thai 19=Unknown 20=Declined 00=Not Asian
GENERAL INFO	1	75	75	Native Hawaiian/Pacific Islander Subgroups	If member is Native Hawaiian or Pacific Islander then identify the subgroup: 1=Hawaiian 2=Guamanian/Chamorro 3=Samoa 4=Fijian 5=Tongan 6=Unknown 7=Declined 0=Not Native Hawaiian/Pacific Islander

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	3	76	78	Language Spoken	Enter the member's spoken language: 001=English *For all other languages other than English see the Language Value Set on the <a href="#">Managed Care &gt; Information for Health Plans &gt; Quality Assurance Reporting Requirements (QARR)&gt; 2023&gt; NYS QARR Language Value Set</a> webpage.  197=Unknown 199=Declined
GENERAL INFO	3	79	81	County of Residence	Enter the 3-digit county FIPS code for each member's residence of county. See the attachment for codes and values to enter here. ### = FIPS Code 000= Outside of NYS 999 = Unknown
PLAN CATEGORY	1	82	82	Essential Plan category for the member. This field only applies to members enrolled in an Essential Plan product. Enter '0' for members enrolled in Commercial HMO and PPO products.	0 = Not Applicable 1 = Essential Plan 1: Individuals with income greater than 150 percent of the FPL and less than or equal to 200 percent of the FPL. 2 = Essential Plan 2: Individuals with income greater than 138 percent of the FPL and less than or equal to 150 percent of the FPL. 3 = Essential Plan 3: Individuals with income equal to or greater than 100 percent of the FPL and less than or equal to 138 percent of the FPL and not eligible for Medicaid due to immigration status. 4 = Essential Plan 4: Individuals with income below 100 percent of the FPL and not eligible for Medicaid due to immigration status. 9 = Unknown
AAB	2	83	84	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	85	86	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	87	88	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	89	90	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	91	92	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	93	94	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAP	1	95	95	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AAP	1	96	96	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	97	97	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	98	98	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	99	99	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	100	100	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	101	101	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	102	102	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	103	103	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	104	104	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	105	105	Denominator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	106	106	Numerator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	107	107	Denominator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	108	108	Numerator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AIS-E	1	109	109	Denominator 1 for Adult Immunization Status (AIS-E): Influenza and Td/Tdap (Population Criteria 1) [Members 19 -65 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	110	110	Numerator for Adult Immunization Status (AIS-E): Influenza (Population Criteria 1) [Members 19 -65 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	111	111	Numerator for Adult Immunization Status (AIS-E): Td/Tdap (Population Criteria 2) [Members 19 -65 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	112	112	Denominator 3 for Adult Immunization Status (AIS-E): Zoster (Population Criteria 3) [Members 50 - 65 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	113	113	Numerator for Adult Immunization Status (AIS-E): Zoster (Population Criteria 3) [Members 50 - 65 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	114	114	Denominator 4 for Adult Immunization Status (AIS-E): Pneumococcal (Population Criteria 4) [Members 66 years and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	115	115	Numerator for Adult Immunization Status (AIS-E): Pneumococcal (Population Criteria 4) [Members 66 years and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	116	116	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMM	1	117	117	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	118	118	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	119	119	Denominator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	120	120	Numerator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	121	121	Denominator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AMR	1	122	122	Numerator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	123	123	Denominator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	124	124	Numerator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	125	125	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	126	126	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	127	127	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	128	128	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	129	129	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	130	130	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	131	131	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	132	132	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	133	133	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	134	134	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
APP	1	135	135	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	136	136	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	2	137	138	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	139	140	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	141	142	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	143	144	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	145	146	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	147	148	Numerator for Antibiotic Utilization for Respiratory Conditions 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
BCS-E	1	149	149	Denominator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS-E	1	150	150	Numerator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPD	1	151	151	Denominator for Blood Pressure Control for Patients with Diabetes (BPD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPD	1	152	152	Numerator for Blood Pressure Control for Patients with Diabetes (BPD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CBP	1	153	153	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	154	154	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CCS	1	155	155	Denominator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS	1	156	156	Numerator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS-E	1	157	157	Denominator for Cervical Cancer Screening Electronic (CCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS-E	1	158	158	Numerator for Cervical Cancer Screening Electronic (CCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	159	159	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	160	160	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	161	161	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	162	162	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	163	163	Denominator for Childhood Immunization Status (CIS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS	1	164	164	Numerator for Childhood Immunization Status (CIS): DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	165	165	Numerator for Childhood Immunization Status (CIS): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	166	166	Numerator for Childhood Immunization Status (CIS): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS	1	167	167	Numerator for Childhood Immunization Status (CIS): HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	168	168	Numerator for Childhood Immunization Status (CIS): HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	169	169	Numerator for Childhood Immunization Status (CIS): VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	170	170	Numerator for Childhood Immunization Status (CIS): PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	171	171	Numerator for Childhood Immunization Status (CIS): HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	172	172	Numerator for Childhood Immunization Status (CIS): RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	173	173	Numerator for Childhood Immunization Status (CIS): Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	174	174	Numerator for Childhood Immunization Status (CIS): Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	175	175	Numerator for Childhood Immunization Status (CIS): Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	176	176	Numerator for Childhood Immunization Status (CIS): Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	177	177	Denominator for Childhood Immunization Status Electronic (CIS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS-E	1	178	178	Numerator for Childhood Immunization Status Electronic (CIS-E) : DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS-E	1	179	179	Numerator for Childhood Immunization Status Electronic (CIS-E): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	180	180	Numerator for Childhood Immunization Status Electronic (CIS-E): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	181	181	Numerator for Childhood Immunization Status Electronic (CIS-E) : HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	182	182	Numerator for Childhood Immunization Status Electronic (CIS-E) : HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	183	183	Numerator for Childhood Immunization Status Electronic (CIS-E) : VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	184	184	Numerator for Childhood Immunization Status Electronic (CIS-E) : PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	185	185	Numerator for Childhood Immunization Status Electronic (CIS-E) : HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	186	186	Numerator for Childhood Immunization Status Electronic (CIS-E) : RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	187	187	Numerator for Childhood Immunization Status Electronic (CIS-E) : Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	188	188	Numerator for Childhood Immunization Status Electronic (CIS-E) : Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	189	189	Numerator for Childhood Immunization Status Electronic (CIS-E) : Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS-E	1	190	190	Numerator for Childhood Immunization Status Electronic (CIS-E) : Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL	1	191	191	Denominator for Colorectal Cancer Screening (COL): 46-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL	1	192	192	Numerator for Colorectal Cancer Screening (COL): 46-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL	1	193	193	Denominator for Colorectal Cancer Screening (COL): 51-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL	1	194	194	Numerator for Colorectal Cancer Screening (COL): 51-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	195	195	Denominator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	196	196	Numerator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	197	197	Denominator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	198	198	Numerator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	199	199	Denominator for Cardiac Rehabilitation Initiation 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	200	200	Numerator Initiation (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	201	201	Denominator for Cardiac Rehabilitation Initiation 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	202	202	Numerator Initiation (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CRE	1	203	203	Denominator for Cardiac Rehabilitation Engagement 1 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	204	204	Numerator Engagement 1 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	205	205	Denominator for Cardiac Rehabilitation Engagement 1 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	206	206	Numerator Engagement 1 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	207	207	Denominator for Cardiac Rehabilitation Engagement 2 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	208	208	Numerator Engagement 2 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	209	209	Denominator for Cardiac Rehabilitation Engagement 2 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	210	210	Numerator Engagement 2 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	211	211	Denominator for Cardiac Rehabilitation Achievement 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	212	212	Numerator Achievement (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	213	213	Denominator for Cardiac Rehabilitation Achievement 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	214	214	Numerator Achievement (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	215	215	Denominator for COVID-19 Vaccination Status (CVS): Primary Series 6 months - 4 years old	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CVS	1	216	216	Numerator for COVID-19 Vaccination Status (CVS): Primary Series 6 months - 4 years old	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	217	217	Denominator for COVID-19 Vaccination Status (CVS): Primary Series 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	218	218	Numerator for COVID-19 Vaccination Status (CVS): Primary Series 5-11 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	219	219	Denominator for COVID-19 Vaccination Status (CVS): Primary Series 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	220	220	Numerator for COVID-19 Vaccination Status (CVS): Primary Series 12-17 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	221	221	Denominator for COVID-19 Vaccination Status (CVS): Primary Series 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	222	222	Numerator for COVID-19 Vaccination Status (CVS): Primary Series 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	223	223	Denominator for COVID-19 Vaccination Status (CVS): Booster 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	224	224	Numerator for COVID-19 Vaccination Status (CVS): Booster 5-11 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	225	225	Denominator for COVID-19 Vaccination Status (CVS): Booster 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	226	226	Numerator for COVID-19 Vaccination Status (CVS): Booster 12-17 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	227	227	Denominator for COVID-19 Vaccination Status (CVS): Booster 18- 64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	228	228	Numerator for COVID-19 Vaccination Status (CVS): Booster 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	2	229	230	Denominator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CWP	2	231	232	Numerator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	233	234	Denominator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	235	236	Numerator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	237	238	Denominator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	239	240	Numerator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DEV-N	1	241	241	Denominator for Development Screening 1 (DEV-N): The children in the eligible population who turned 1 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	242	242	Numerator (DEV-N): First Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	243	243	Denominator for Development Screening 2 (DEV-N): The children in the eligible population who turned 2 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	244	244	Numerator (DEV-N): Second Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is
DEV-N	1	245	245	Denominator for Development Screening 3 (DEV-N): The children in the eligible population who turned 3 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	246	246	Numerator (DEV-N): Third Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	247	247	Denominator 1 for Depression Screening and Follow-up (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	248	248	Numerator Depression Screening (Population Criteria 1) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	249	249	Denominator 1 for Depression Screening and Follow-up (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DSF-E	1	250	250	Numerator Depression Screening (Population Criteria 1) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	251	251	Denominator 1 for Depression Screening and Follow-up (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	252	252	Numerator Depression Screening (Population Criteria 1) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	253	253	Denominator 2 for Depression Screening and Follow-up (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	254	254	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	255	255	Denominator 2 for Depression Screening and Follow-up (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	256	256	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	257	257	Denominator 2 for Depression Screening and Follow-up (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	258	258	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
EED	1	259	259	Denominator for Eye Exam for Patients with Diabetes (EED)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
EED	1	260	260	Numerator for Eye Exam for Patients with Diabetes (EED)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUA	2	261	262	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	263	264	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUA	2	265	266	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	267	268	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	269	270	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	271	272	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	273	274	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	275	276	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	277	278	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	279	280	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	281	282	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	283	284	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	285	286	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	287	288	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	289	290	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	291	292	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	293	294	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUI	2	295	296	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	297	298	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	299	300	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	301	302	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	303	304	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	305	306	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	307	308	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	309	310	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	311	312	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	313	314	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUM	2	315	316	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	317	318	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	319	320	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	321	322	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	323	324	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	325	326	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
HBD	1	327	327	Denominator for Hemoglobin A1c Control for Patients with Diabetes (HBD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HBD	1	328	328	Numerator for HbA1c Control <8% (HBD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HBD	1	329	329	Numerator for HbA1c Poor Control >9% (HBD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HDO	1	330	330	Denominator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
HDO	1	331	331	Numerator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	2	332	333	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	334	335	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	336	337	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	338	339	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	340	341	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	342	343	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	344	345	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	346	347	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	348	349	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	350	351	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	352	353	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	354	355	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	356	357	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	2	358	359	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	360	361	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	362	363	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	364	365	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	366	367	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	368	369	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	370	371	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	372	373	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	374	375	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	376	377	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	378	379	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	380	381	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	382	383	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	384	385	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IMA	1	386	386	Denominator for Immunizations for Adolescents (IMA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IMA	1	387	387	Numerator for Immunizations for Adolescents (IMA): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	388	388	Numerator for Immunizations for Adolescents (IMA): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	389	389	Numerator for Immunizations for Adolescents (IMA): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	390	390	Numerator for Immunizations for Adolescents (IMA): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	391	391	Numerator for Immunizations for Adolescents (IMA): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	392	392	Denominator for Immunizations for Adolescents Electronic (IMA-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA-E	1	393	393	Numerator for Immunizations for Adolescents Electronic (IMA-E): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	394	394	Numerator for Immunizations for Adolescents Electronic (IMA-E): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	395	395	Numerator for Immunizations for Adolescents Electronic (IMA-E): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	396	396	Numerator for Immunizations for Adolescents Electronic (IMA-E): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	397	397	Numerator for Immunizations for Adolescents Electronic (IMA-E): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	398	398	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
KED	1	399	399	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	400	400	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	401	401	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	402	402	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	403	403	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	404	404	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	405	405	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	406	406	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	407	407	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LSC	1	408	408	Denominator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LSC	1	409	409	Numerator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
NCS	1	410	410	Denominator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
NCS	1	411	411	Numerator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PBH	1	412	412	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PBH	1	413	413	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PCE	2	414	415	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
PCE	2	416	417	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PCE	2	418	419	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PDS-E	2	420	421	Denominator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	422	423	Numerator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PDS-E	2	424	425	Denominator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	426	427	Numerator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	428	429	Denominator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Denominator 1 Initial Population	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	430	431	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 1 Depression Screening	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	432	433	Denominator for Prenatal Depression Screening and Follow Up Electronic (PND-E): Denominator 2 All deliveries from Numerator 1 with a positive finding for depression during pregnancy	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	434	435	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 2—Follow-Up on Positive Screen	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	436	437	Denominator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
POD	2	438	439	Numerator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	440	441	Denominator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	442	443	Numerator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	444	445	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	446	447	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	448	449	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	450	451	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	452	453	Denominator for Prenatal Immunization Status (PRS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PRS-E	2	454	455	Numerator for Prenatal Immunization Status (PRS-E): Influenza (Population Criteria 1)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	456	457	Numerator for Prenatal Immunization Status (PRS-E): Td/Tdap (Population Criteria 2)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
SAA	1	458	458	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SAA	1	459	459	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	460	460	Social Need Screening and Intervention (SNS-E) Denominator 1: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	461	461	Social Need Screening and Intervention (SNS-E) Numerator 1— Total Number of Members in denominator 1 with a documented result for food insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	462	462	Social Need Screening and Intervention (SNS-E) Denominator 2: All members in numerator 1 with a positive food insecurity screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SNS-E	1	463	463	Social Need Screening and Intervention (SNS-E) Numerator 2: Total Number of Members in denominator 2 receiving a food insecurity intervention on or up to 30 days after the date of the first positive food insecurity screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	464	464	Social Need Screening and Intervention (SNS-E) Denominator 3 : The initial population, minus exclusions	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	465	465	Social Need Screening and Intervention (SNS-E) Numerator 3: Total Number of Members in denominator 1 with a documented result for housing instability, homelessness or housing inadequacy screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	466	466	Social Need Screening and Intervention (SNS-E) Denominator 4: All members in numerator 3 with a positive housing instability, homelessness or housing inadequacy screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	467	467	Social Need Screening and Intervention (SNS-E) Numerator 4: Total Number of Members in denominator 4 receiving an intervention corresponding to the type of housing need identified on or up to 30 days after the date of the first positive housing screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	468	468	Social Need Screening and Intervention (SNS-E) Denominator 5: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	469	469	Social Need Screening and Intervention (SNS-E) Numerator 5: Total Number of Members in denominator 5 with a documented result for transportation insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	470	470	Social Need Screening and Intervention (SNS-E) Denominator 6: All members in numerator 5 with a positive transportation insecurity screen finding between January 1 and December 1 of the measurement period	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	471	471	Social Need Screening and Intervention (SNS-E) Numerator 6: Total Number of Members in denominator 6 receiving a transportation insecurity intervention on or up to 30 days after the date of the first positive transportation screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SPC	1	472	472	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	473	473	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	474	474	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	475	475	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	476	476	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	477	477	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	478	478	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	479	479	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	480	480	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	481	481	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	482	482	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	483	483	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPR	1	484	484	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SPR	1	485	485	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	486	486	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	487	487	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	488	488	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	489	489	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	2	490	491	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	492	493	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	494	495	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	496	497	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	498	499	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	500	501	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
W30	1	502	502	Denominator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY (W30): Six or more well-child visits	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	503	503	Numerator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY (W30): Six or more well-child visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
W30	1	504	504	Denominator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY (W30): Two or more well-child visits.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	505	505	Numerator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY (W30): Two or more well-child visits.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	506	506	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	507	507	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	508	508	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	509	509	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	510	510	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	511	511	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	512	512	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	513	513	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	514	514	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	515	515	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	516	516	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2023 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 2/14/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	517	517	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	518	518	Denominator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	519	519	Numerator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	520	520	Denominator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	521	521	Numerator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	522	522	Denominator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	523	523	Numerator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	524	524	Denominator 2 for Adult Immunization Status (AIS-E): Influenza and Td/Tdap (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	525	525	Numerator for Adult Immunization Status (AIS-E): Influenza (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	526	526	Numerator for Adult Immunization Status (AIS-E): Td/Tdap (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	527	527	Denominator 4 for Adult Immunization Status (AIS-E): Zoster (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	528	528	Numerator for Adult Immunization Status (AIS-E): Zoster (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2023 Patient-Level Detail File Change Log

## COMMERCIAL

Version	Date	Data Element	Change Summary
Specification Release MY2023	1/9/2023	Multiple	Initial MY2023 update per HEDIS 2022 specifications: This included removal of all unused columns either due to retirement or unnecessary totaling. These include the measure ABA, BCS, CWP, MMA, CDC, AAB total, CAP, WC, AWL ADL, and ADV. There was a combining of measure columns when they were separated which impacted COL, COL-E, DEV-N, and IET. Pneumococcal was added as a numerator for AIS-E. General information was grouped together at the top of the file. We have added requests for Asian American subgroup, Pacific Island group, and more detailed information for language other than English. The word gender was removed and has been replaced by sex. The full name of FUA has been updated to remove the word abuse. We have removed the proportion indirect estimate and added a place for information on the direct or indirect estimate of race and ethnicity. There were excess denominators and repetitive denominators for follow up measures that have now been condensed. <b>Measures are alphabetically arranged by short name. Changes or additions will be added to the bottom of the file for 2023. The file will be re-sorted alphabetically for 2024.</b>
Clarification #1	6/5/2023	Multiple	<p>Field Member ID: The following note was added as a note for Essential Plans reporting member ID in the PLD, "<b>For Essential Plans plans, please report the member's NYHX Member ID.</b>"</p> <p>Field Source of Race Data: 22 = State Databases (Direct) was added as a response option.</p> <p>Field Source of Ethnicity Data: 22 = State Databases (Direct) was added as a response option.</p> <p>Measure COL (non-electronic version): Age bands were incorrect in the original release and have been corrected.</p> <p>Column Start and Column End numbering was corrected.</p>
			Column Length Changed = 2 for <b>Race</b>
			Column Length Changed = 2 for <b>Source of Race Data</b>

# NYS MY2023 Patient-Level Detail File Change Log

## COMMERCIAL

Version	Date	Data Element	Change Summary
Clarification #2	8/28/2023	Multiple	<p><b>Source of Race Data</b> field, valid values have been updated to align with NCQA/HEDIS specifications.</p> <p>Column Length Changed = 2 for <b>Source of Ethnicity Data</b></p> <p><b>Source of Ethnicity Data</b> field, valid values have been updated to align with NCQA/HEDIS specifications.</p> <p>The Language Spoken field has been updated to include a link to Language Value Set on the NYS QARR Language Value Set webpage.</p> <p>Column Start and Column End numbering was corrected.</p>
Clarification #3	10/17/2023	Multiple	<p><b><u>General Info</u></b>            Native Hawaiian/Pacific Islander Subgroups: Updated            0=Not Native Hawaiian/Pacific Islander</p> <p><b><u>Measure CIS-E (electronic version):</u></b>            Combo 2 – is Not required to be reported and has been removed            Column Start and Column End numbering has been corrected.</p> <p><b><u>Measure COL:</u></b>            Denominator and Numerator specifications have been updated for 46-50 and 51-75 age-bands for this measure.</p> <p><b><u>Measure COL-E (electronic version):</u></b>            Denominator and Numerator specifications have been updated for 46-50 and 51-75 age-bands for this measure.</p>

# NYS MY2023 Patient-Level Detail File Change Log

## COMMERCIAL

Version	Date	Data Element	Change Summary
Clarification #4	11/7/2023	Multiple	<p><b><u>Measure AIS-E (electronic version):</u></b> Labels and descriptions updated to match HEDIS numerator and denominator population criteria.</p> <p><b><u>Measure SNS-E (electronic version)</u></b> Updated numerator labels to include "<b>Total Number of Members</b>", per HEDIS Reporting specifications: The total is the sum of the age stratifications.</p>

# NYS MY2023 Patient-Level Detail File Change Log

## COMMERCIAL

Version	Date	Data Element	Change Summary
Clarification #5	11/21/2023	AIS-E	<p><b>Measure AIS-E (electronic version):</b>            Label and description for Influenza and Td/Tdap <b>denominator 1</b> has been updated to represent the 19-65 year old age band [column start 109].</p> <p>Labels and descriptions for Influenza and Td/Tdap <b>numerators</b> have been updated to represent the 19-65 year old age band [column starts 110-111].</p> <p>Label and description for Zoster <b>denominator 3</b> has been updated to represent the 50-65 year old age band [column start 112].</p> <p>Label and description for Zoster <b>numerator</b> has been updated to represent the 50-65 year old age band [column start 113].</p> <p><b>Denominator 2</b> for Influenza and Td/Tdap has been added for the 66 years and older age band [column start 524].</p> <p><b>Numerators</b> for Influenza and Td/Tdap have been added for the age band of 66 years and older [column starts 525-526].</p> <p><b>Denominator 4</b> for for Zoster has been added for the 66 years and older age band [column start 527].</p> <p><b>Numerator</b> for Zoster has been added for the 66 years and older age band [column start 528].</p>
Clarification #6	12/14/2023	SNS-E	<p><b>Measure Social Need Screening and Intervention (SNS-E):</b>            Label and description for <b>numerator 5</b> has been updated to represent transportation insecurity screening</p>

**NYS MY2023 Patient-Level Detail File Change Log  
COMMERCIAL**

<b>Version</b>	<b>Date</b>	<b>Data Element</b>	<b>Change Summary</b>
Clarification #7	2/14/2024	<b>Source of Race Data</b>	<b>Updated: 28 = Unknown</b> – Use this as the race source value when the member's race is "UNK" for Unknown Race  <b>Updated: 30 = Other (Indirect)</b> - Use when "other" indirect method is used to determine Race
		<b>Source of Ethnicity Data</b>	<b>Updated: 28 = Unknown</b> – Use this as the race source value when the member's race is "UNK" for Unknown Ethnicity  <b>Updated: 30 = Other (Indirect)</b> - Use when "other" indirect method is used to determine Ethnicity