

Clinical Criteria – Drug Information

Drug Administration:

Provide the date of drug administration (MM/DD/YYYY):

		/			/				
--	--	---	--	--	---	--	--	--	--

Provide the expiration date of the drug if the invoice date is greater than 6 months from the date of drug administration (MM/DD/YYYY):

		/			/				
--	--	---	--	--	---	--	--	--	--

Drug Name and Strength:

- Spravato 56 mg Dose Kit: Two 28 mg nasal spray devices
- Spravato 84 mg Dose Kit: Three 28 mg nasal spray devices

Directions: _____

Quantity: _____

Initiation of Therapy: Yes No

Date therapy initiated: _____

Continuation of Therapy: Yes No

Clinical Criteria – Diagnosis

1. Treatment-resistant depression (TRD) OR
- Depressive symptoms associated with acute suicidal ideation or behavior

Enrollee Last Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Enrollee First Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Clinical Criteria – Initiation of Therapy

1. Before initiating esketamine nasal therapy, was a baseline score on a depression assessment tool (e.g., 17-item Hamilton Rating Scale for Depression [HAMD17], 16-item Quick Inventory of Depressive Symptomatology [QIDS-C16], 10-item Montgomery-Asberg Depression Rating Scale [MADRS]) obtained?

Yes No

2. Has the healthcare outpatient site and the patient been enrolled in the Spravato Risk Evaluation and Mitigation Strategy (REMS)?

Yes No

3. Before prescribing esketamine nasal spray was the New York State Prescription Monitoring Program reviewed?

Yes No

4. For the initial request for patients with a diagnosis of **TRD**, has the patient had a trial of at least two oral antidepressants prior to initiating esketamine intranasal therapy?

Yes No

Please provide the names of the most recent antidepressant therapies and dates of the trials:

Antidepressant and strength: _____

Date of use: _____

Antidepressant and strength: _____

Date of use: _____

5. Confirm patient observation by a healthcare practitioner for 2 hours during and after esketamine administration.

Yes No

6. Is the patient on an oral antidepressant in conjunction with esketamine nasal spray?

Yes No

Antidepressant and Strength: _____

Directions for Use: _____

Clinical Criteria – Continuation of Therapy

1. Utilizing the same baseline depression assessment tool, was there an improvement in the patient's score while receiving esketamine treatment?

Yes No

2. Before prescribing esketamine nasal spray was the New York State Prescription Monitoring Program reviewed?

Yes No

3. Confirm patient observation by a healthcare practitioner for 2 hours during and after esketamine administration.

Yes No

4. Is the patient on an antidepressant in conjunction with esketamine intranasal therapy?

Yes No

Please provide the patient's current antidepressant therapy and directions for use:

Antidepressant and Strength: _____

Directions for use: _____

Attestation

I attest that this drug is medically necessary for this patient and that all of the information on this form is accurate to the best of my knowledge. I attest that documentation of the above diagnosis and medical necessity is available for review if requested by the New York State Medicaid Program.

Prescriber Signature (Required)

Date (MM/DD/YYYY)