



Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Fulton	65	Otsego	<30
Montgomery	53	Schoharie	<30
Herkimer	<30		



Mohawk Valley

Adherence to Antipsychotic Medications for People Living With Schizophrenia




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of recipients living with schizophrenia, ages 19 to 64 years, during the measurement year who were dispensed and remained on an antipsychotic medication for at least 80% of their treatment period.

ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Montgomery	50	Otsego	<30
Fulton	39	Schoharie	<30
Herkimer	<30		



Mohawk Valley Antidepressant Medication Management - Effective Treatment for Acute Phase




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012

The percentage of recipients who remained on antidepressant medication during the entire 12-week acute treatment phase.

ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Fulton	<30	Schoharie	<30
Montgomery	<30	Otsego	<30
Herkimer	<30		



Mohawk Valley Diabetes Monitoring for People Living With Diabetes and Schizophrenia




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of recipients living with schizophrenia and diabetes, ages 18 to 64 years, who had both an LDL-C test and an HbA1c test during the measurement year.

ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Fulton	58	Otsego	30
Herkimer	41	Schoharie	<30
Montgomery	31		



Mohawk Valley Diabetes Screening for People Living With Schizophrenia or Bipolar Disorder Who Are




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


The percentage of recipients living with schizophrenia or bipolar disorder, ages 18 to 64 years, who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement year.

*ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH*

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Fulton	240	Otsego	102
Montgomery	176	Schoharie	78
Herkimer	151		



Mohawk Valley

Follow-up After Hospitalization for Mental Illness within 30 Days




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of recipients who were seen on an ambulatory basis or who were in intermediate treatment with a mental health provider within 30 days of discharge following a mental health related admission.

ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Fulton	105	Schoharie	<30
Herkimer	80	Otsego	<30
Montgomery	69		



Mohawk Valley

Follow-Up Care for Children Prescribed ADHD Medication- Initiation Phase




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


The percentage of children with a new prescription for ADHD medication and who had one follow-up visit with a practitioner within the 30 days after starting the medication.

ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Fulton	378	Otsego	224
Herkimer	358	Schoharie	130
Montgomery	292		



Mohawk Valley

Initiation of Alcohol and Other Drug Dependence Treatment




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


The percentage of recipients who initiated treatment within 14 days of the diagnosis after the first new episode of alcohol or drug dependence, .

*ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH*

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent



Number of recipients included in these data



Montgomery	475	Otsego	270
Herkimer	418	Schoharie	176
Fulton	342		



Mohawk Valley

Comprehensive Diabetes Care

HbA1c Testing




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics C. Diabetes

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


*The percentage of recipients living with diabetes who received
at least one Hemoglobin A1c (HbA1c) test within the past year.*

*ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH*

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Montgomery	2,452	Otsego	1,618
Herkimer	2,427	Schoharie	1,016
Fulton	1,942		



Mohawk Valley Cervical Cancer Screening




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of women, ages 24 to 64 years, who had had cervical cytology performed every 3 years or women, ages 30 to 64 years, who had cervical cytology/human papillomavirus (HPV) co-testing performed every 5 years.

*ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH*

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Herkimer	658	Otsego	407
Montgomery	630	Schoharie	301
Fulton	601		



Mohawk Valley

Chlamydia Screening Among Young Women




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of sexually active young women, ages 16 to 24 years, who had at least one test for chlamydia during the measurement year.

*ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH*

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Montgomery	<30	Herkimer	<30
Otsego	<30	Schoharie	<30
Fulton	<30		



Mohawk Valley

Comprehensive Care for People Living with HIV or AIDS - Engagement in Care




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with HIV/AIDS, ages 2 years and older, who had two visits for primary care or HIV related care with at least one visit during each half of the past year.

ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Montgomery	<30	Herkimer	<30
Otsego	<30	Schoharie	<30
Fulton	<30		



Mohawk Valley

Comprehensive Care for People Living with HIV or AIDS - Syphilis Screening




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with HIV/AIDS, ages 19 years and older, who were screened for syphilis in the past year.

ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Montgomery	<30	Herkimer	<30
Otsego	<30	Schoharie	<30
Fulton	<30		



Mohawk Valley

Comprehensive Care for People Living with HIV or AIDS - Viral Load Monitoring




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


The percentage of recipients living with HIV/AIDS, ages 2 years and older, who had two viral load tests performed with at least one test during each half of the past year.

ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Montgomery	320	Otsego	228
Herkimer	306	Schoharie	122
Fulton	291		



Mohawk Valley

Well-Child Visits in the First 15 Months of Life




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics F. Perinatal Care


Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of children who had five or more well-child visits with a primary care provider in their first 15 months of life.

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Herkimer	799	Otsego	529
Montgomery	780	Schoharie	352
Fulton	635		



Mohawk Valley Breast Cancer Screening Among Women




Delivery System Reform Incentive Payment Other Clinical Improvement Process Metrics

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of women, ages 50 to 74 years, who had a mammogram anytime on or between October 1 two years prior to the measurement year and December 31 of the measurement year.

ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile




Countywide Percent





Number of recipients included in these data

Herkimer	700	Otsego	477
Montgomery	638	Schoharie	299
Fulton	510		



Mohawk Valley Colorectal Cancer Screening



Delivery System Reform Incentive Payment Other Clinical Improvement Process Metrics

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012

The percentage of adults, ages 50 to 75 years, who had appropriate screening for colorectal cancer.

*ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH*