

Agenda Item #1: What activities/services should remain FFS and will be considered VBP such as preventative care?

The tables below detail the preventative health coverage services addressed in 45 CFR 147.130.

Table 1 -- Preventive Care Services as per the United States Preventive Services Task Force ¹

#	Recipient	Preventative Service
1	Adults	Abdominal Aortic Aneurysm one-time screening for men of specified ages who have ever smoked
2	Adults	Alcohol Misuse screening and counseling
3	Adults	Aspirin use to prevent cardiovascular disease for men and women of certain ages
4	Adults	Blood Pressure screening for all adults
5	Adults	Cholesterol screening for adults of certain ages or at higher risk
6	Adults	Colorectal Cancer screening for adults over 50
7	Adults	Depression screening for adults
8	Adults	Diabetes (Type 2) screening for adults with high blood pressure
9	Adults	Diet counseling for adults at higher risk for chronic disease
10	Adults	Hepatitis C screening for adults at increased risk, and one time for everyone born 1945 – 1965
11	Adults	HIV screening for everyone ages 15 to 65, and other ages at increased risk
12	Adults	Immunization vaccines for adults — doses, recommended ages, and recommended populations vary:
13	Adults	Hepatitis A
14	Adults	Hepatitis B
15	Adults	Herpes Zoster
16	Adults	Human Papillomavirus
17	Adults	Influenza (Flu Shot)
18	Adults	Measles, Mumps, Rubella
19	Adults	Meningococcal
20	Adults	Pneumococcal
21	Adults	Tetanus, Diphtheria, Pertussis
22	Adults	Varicella
23	Adults	Lung cancer screening: for adults 55 - 80 at high risk for lung cancer because they're heavy smokers or have quit in the past 15 years

¹ CMS. *Preventive health services for adults*. Retrieved from <https://www.healthcare.gov/preventive-care-benefits/adults/> on June 22, 2015

Technical Design II Subcommittee
Meeting #2

#	Recipient	Preventative Service
24	Adults	Obesity screening and counseling for all adults
25	Adults	Sexually Transmitted Infection (STI) prevention counseling for adults at higher r
26	Adults	Syphilis screening for all adults at higher risk
27	Adults	Tobacco Use screening for all adults and cessation interventions for tobacco users
1	Women	Anemia screening on a routine basis for pregnant women
2	Women	Breast Cancer Genetic Test Counseling (BRCA) for women at higher risk for breast cancer
3	Women	Breast Cancer Mammography screenings every 1 to 2 years for women over 40
4	Women	Breast Cancer Chemoprevention counseling for women at higher risk
5	Women	Breastfeeding comprehensive support and counseling from trained providers, and access to breastfeeding supplies, for pregnant and nursing women
6	Women	Cervical Cancer screening for sexually active women
7	Women	Chlamydia Infection screening for younger women and other women at higher risk
8	Women	Contraception: Food and Drug Administration-approved contraceptive methods, sterilization procedures, and patient education and counseling, as prescribed by a health care provider for women with reproductive capacity (not including abortifacient drugs). This does not apply to health plans sponsored by certain exempt "religious employers."
9	Women	Domestic and interpersonal violence screening and counseling for all women
10	Women	Folic Acid supplements for women who may become pregnant
11	Women	Gestational diabetes screening for women 24 to 28 weeks pregnant and those at high risk of developing gestational diabetes
12	Women	Gonorrhea screening for all women at higher risk
13	Women	Hepatitis B screening for pregnant women at their first prenatal visit
14	Women	HIV screening and counseling for sexually active women
15	Women	Human Papillomavirus (HPV) DNA Test every 3 years for women with normal cytology results who are 30 or older
16	Women	Osteoporosis screening for women over age 60 depending on risk factors
17	Women	Rh Incompatibility screening for all pregnant women and follow-up testing for women at higher risk
18	Women	Sexually Transmitted Infections counseling for sexually active women
19	Women	Syphilis screening for all pregnant women or other women at increased ris
20	Women	Tobacco Use screening and interventions for all women, and expanded counseling for pregnant tobacco users
21	Women	Urinary tract or other infection screening for pregnant women
22	Women	Well-woman visits to get recommended services for women under 65
1	Children	Alcohol and Drug Use assessments for adolescents
2	Children	Autism screening for children at 18 and 24 months

Technical Design II Subcommittee
Meeting #2

#	Recipient	Preventative Service
3	Children	Behavioral assessments for children at the following ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
4	Children	Blood Pressure screening for children at the following ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
5	Children	Cervical Dysplasia screening for sexually active females
6	Children	Depression screening for adolescents
7	Children	Developmental screening for children under age 3
8	Children	Dyslipidemia screening for children at higher risk of lipid disorders at the following ages: 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
9	Children	Fluoride Chemoprevention supplements for children without fluoride in their water source
10	Children	Gonorrhea preventive medication for the eyes of all newborns
11	Children	Hearing screening for all newborns
12	Children	Height, Weight and Body Mass Index measurements for children at the following ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
13	Children	Hematocrit or Hemoglobin screening for children
14	Children	Hemoglobinopathies or sickle cell screening for newborns
15	Children	HIV screening for adolescents at higher risk
16	Children	Hypothyroidism screening for newborns
17	Children	Immunization vaccines for children from birth to age 18 —doses, recommended ages, and recommended populations vary:
18	Children	Diphtheria, Tetanus, Pertussis
19	Children	Haemophilus influenzae type b
20	Children	Hepatitis A
21	Children	Hepatitis B
22	Children	Human Papillomavirus
23	Children	Inactivated Poliovirus
24	Children	Influenza (Flu Shot)
25	Children	Measles
26	Children	Meningococcal
27	Children	Pneumococcal
28	Children	Rotavirus
29	Children	Varicella
30	Children	Iron supplements for children ages 6 to 12 months at risk for anemia
31	Children	Lead screening for children at risk of exposure
32	Children	Medical History for all children throughout development at the following ages: 0 to 11 months, 1 to 4 years , 5 to 10 years , 11 to 14 years , 15 to 17 years.
33	Children	Obesity screening and counseling

Technical Design II Subcommittee
Meeting #2

#	Recipient	Preventative Service
34	Children	Oral Health risk assessment for young children Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years.
35	Children	Phenylketonuria (PKU) screening for this genetic disorder in newborns
36	Children	Sexually Transmitted Infection (STI) prevention counseling and screening for adolescents at higher risk
37	Children	Tuberculin testing for children at higher risk of tuberculosis at the following ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
38	Children	Vision screening for all children.

Table 2 -- Immunizations for routine use in children, adolescents, and adults that have in effect a recommendation from the Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control and Prevention²

#	Vaccine-Specific ACIP Recommendations
1	Anthrax
2	BCG
3	DTaP
4	Hepatitis A
5	Hepatitis B
6	Hib
7	HPV UPDATED
8	Influenza
9	Japanese Encephalitis
10	Measles, Mumps and Rubella
11	MMRV
12	Meningococcal
13	Pneumococcal
14	Polio
15	Rabies
16	Rotavirus
17	Smallpox (Vaccinia)
18	Tdap/Td
19	Typhoid
20	Varicella (Chickenpox)
21	Yellow Fever
22	Zoster (Shingles)

² Center for Disease Control and Prevention. *Vaccine Recommendations of the ACIP*. Retrieved from <http://www.cdc.gov/vaccines/hcp/acip-recs/vacc-specific/index.html> on July 8, 2015

Table 3.1 -- With respect to infants, children, and adolescents, evidence-informed preventive care and screenings provided for in comprehensive guidelines supported by the Health Resources and Services Administration: *Recommendations for Preventive Pediatric Health Care*³

#	Category	Recommendations for Preventive Pediatric Health Care
1	Measurements	Length/Height and Weight
2	Measurements	Head Circumference
3	Measurements	Weight for Length
4	Measurements	Body Mass Index
5	Measurements	Blood Pressure
6	Sensory Screening	Vision
7	Sensory Screening	Hearing
8	Developmental/Behavioral Assessment	Developmental Screening
9	Developmental/Behavioral Assessment	Autism Screening
10	Developmental/Behavioral Assessment	Developmental Surveillance
11	Developmental/Behavioral Assessment	Psychosocial/Behavioral Assessment
12	Developmental/Behavioral Assessment	Alcohol and Drug Use Assessment
13	Developmental/Behavioral Assessment	Depression Screening
14	Physical Examination	Physical Examination
15	Procedures	Newborn Blood Screening
16	Procedures	Critical Congenital Heart Defect Screening
17	Procedures	Immunization
18	Procedures	Hematocrit or Hemoglobin
19	Procedures	Lead Screening
20	Procedures	Tuberculosis Testing
21	Procedures	Dyslipidemia Screening
22	Procedures	STI/HIV Screening
23	Procedures	Cervical Dysplasia Screening
24	Oral Health	Oral Health
25	Anticipatory Guidance	Anticipatory Guidance

Table 3.2 -- With respect to infants, children, and adolescents, evidence-informed preventive care and screenings provided for in comprehensive guidelines supported by the Health Resources and Services

³ American Academy of Pediatrics. *Recommendations for Preventive Pediatric Health Care*. Retrieved from <http://www.cdc.gov/vaccines/hcp/acip-recs/vacc-specific/index.html> on July 8, 2015

Administration: Recommendations of the Secretary's Advisory Committee on Heritable Disorders in Newborns and Children - Core Conditions⁴

ACMG Code	Core Condition	Metabolic Disorder			Endocrine Disorder	Hemoglobin Disorder	Other Disorder
		Organic acid condition	Fatty acid oxidation disorder	Amino acid disorder			
PROP	Propionic Acidemia	X					
MUT	Methylmalonic Acidemia (methylmalonyl-CoA mutase)	X					
Cbl A,B	Methylmalonic Acidemia (Cobalamin disorders)	X					
IVA	Isovaleric Acidemia	X					
3-MCC	3-Methylcrotonyl-CoA Carboxylase Deficiency	X					
HMG	3-Hydroxy-3-Methylglutaric Aciduria	X					
MCD	Holocarboxylase Synthase Deficiency	X					
BKT	β-Ketothiolase Deficiency	X					
GA1	Glutaric Acidemia Type I	X					
CUD	Carnitine Uptake Defect/Carnitine Transport Defect		X				
MCAD	Medium-chain Acyl-CoA Dehydrogenase Deficiency		X				
VLCAD	Very Long-chain Acyl-CoA Dehydrogenase Deficiency		X				
LCHAD	Long-chain L-3 Hydroxyacyl-CoA Dehydrogenase Deficiency		X				
TFP	Trifunctional Protein Deficiency		X				
ASA	Argininosuccinic Aciduria			X			
CIT	Citrullinemia, Type I			X			
MSUD	Maple Syrup Urine Disease			X			
HCY	Homocystinuria			X			
PKU	Classic Phenylketonuria			X			
TYR I	Tyrosinemia, Type I			X			
CH	Primary Congenital Hypothyroidism				X		
CAH	Congenital adrenal hyperplasia				X		
Hb SS	S,S Disease (Sickle Cell Anemia)					X	
Hb S/βTh	S, β-thalassemia					X	
Hb S/C	S,C Disease					X	
BIOT	Biotinidase Deficiency						X
CCHD	Critical Congenital Heart Disease						X
CF	Cystic Fibrosis						X
GALT	Classic Galactosemia						X
GSD II	Glycogen Storage Disease Type II (Pompe)						X
HEAR	Hearing Loss						X
SCID	Severe Combined Immunodeficiencies						X

Table 3.3 -- With respect to infants, children, and adolescents, evidence-informed preventive care and screenings provided for in comprehensive guidelines supported by the Health Resources and Services

⁴ U.S. Department of Health and Human Services. *Advisory Committee on Heritable Disorders in Newborns and Children*. Retrieved from <http://www.hrsa.gov/advisorycommittees/mchbadvisory/heritabledisorders/recommendedpanel/uniformscreeningpanel.pdf> on July 8, 2015

Administration: Recommendations of the Secretary's Advisory Committee on Heritable Disorders in Newborns and Children - Secondary Conditions⁵

ACMG Code	Secondary Condition	Metabolic Disorder			Hemoglobin Disorder	Other Disorder
		Organic acid condition	Fatty acid oxidation disorders	Amino acid disorders		
Cbl C,D	Methylmalonic acidemia with homocystinuria	X				
MAL	Malonic acidemia	X				
IBG	Isobutyrylglycinuria	X				
2MBG	2-Methylbutyrylglycinuria	X				
3MGA	3-Methylglutaconic aciduria	X				
2M3HBA	2-Methyl-3-hydroxybutyric aciduria	X				
SCAD	Short-chain acyl-CoA dehydrogenase deficiency		X			
M/SCHAD	Medium/short-chain L-3-hydroxyacyl-CoA dehydrogenase deficiency		X			
GA2	Glutaric acidemia type II		X			
MCAT	Medium-chain ketoacyl-CoA thiolase deficiency		X			
DE RED	2,4 Dienoyl-CoA reductase deficiency		X			
CPT IA	Carnitine palmitoyltransferase type I deficiency		X			
CPT II	Carnitine palmitoyltransferase type II deficiency		X			
CACT	Carnitine acylcarnitine translocase deficiency		X			
ARG	Argininemia			X		
CIT II	Citrullinemia, type II			X		
MET	Hypermethioninemia			X		
H-PHE	Benign hyperphenylalaninemia			X		
BIOPT (BS)	Biopterin defect in cofactor biosynthesis			X		
BIOPT (REG)	Biopterin defect in cofactor regeneration			X		
TYR II	Tyrosinemia, type II			X		
TYR III	Tyrosinemia, type III			X		
Var Hb	Various other hemoglobinopathies				X	
GALE	Galactosepimerase deficiency					X
GALK	Galactokinase deficiency					X
	T-cell related lymphocyte deficiencies					X

⁵ U.S. Department of Health and Human Services. *Advisory Committee on Heritable Disorders in Newborns and Children*. Retrieved from <http://www.hrsa.gov/advisorycommittees/mchbadvisory/heritabledisorders/recommendedpanel/uniformscreeningpanel.pdf> on July 8, 2015

Table 4 -- With respect to women, evidence-informed preventive care and screenings provided for in binding comprehensive health plan coverage guidelines supported by the Health Resources and Services Administration: *Health Resources and Services Administration Women's Preventive Services Guidelines*⁶

#	Type of Preventive Service
1	Well-woman visits
2	Screening for gestational diabetes
3	Human papillomavirus testing
4	Counseling for sexually transmitted infections
5	Counseling and screening for human immune-deficiency virus
6	Contraceptive methods and counseling*
7	Breastfeeding support, supplies, and counseling
8	Screening and counseling for interpersonal and domestic violence

**The guidelines concerning contraceptive methods and counseling described above do not apply to women who are participants or beneficiaries in group health plans sponsored by religious employer*

⁶ U.S. Department of Health and Human Services. *Women's Preventive Services Guidelines*. Retrieved from <http://www.hrsa.gov/womensguidelines/> on July 8, 2015