

Expanded BRFSS, 2003

Suffolk Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	1
Core 2: Health Care Access	4
Core 3: Exercise	8
Core 4: Diabetes	9
Core 5: Asthma	10
Core 6: Arthritis	12
Core 7: Tobacco Use	14
Core 8: Tobacco ETS	17
Core 9: Alcohol Consumption	19
Core 10: Weight Status	21
Core 11: Mammography	23
Core 12: Sexual Behavior	25
Core 13: Family Planning	28
Core 14: Cardiovascular Disease	29
Core 15: Prostate Cancer Screening	31
Core 16: Colorectal Cancer Screening	37

New York State Department Of Health

Expanded BRFSS, 2003 - New York State Department of Health

Self-rated Health Status

Suffolk

Demographic Groups	n ¹	Fair or Poor % ²	n	Good to Excellent %	C.I. ³
Total	78	10.2	560	89.8	2.4
Gender					
Male	28	9.6	218	90.4	3.7
Female	50	10.7	342	89.3	3.2
Age					
18-34	8	4.3	125	95.7	3.2
35-54	18	5.9	260	94.1	2.9
≥55	52	22.1	162	77.9	6.0
Education					
≤High School	43	16.8	172	83.2	5.2
>High School	35	6.6	386	93.4	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Physical Distress Days in the Past Month

Suffolk

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	50	7.0	580	93.0	2.2
Gender					
Male	16	6.9	227	93.1	3.6
Female	34	7.1	353	92.9	2.6
Age					
18-34	7	6.0	126	94.0	4.6
35-54	16	4.7	262	95.3	2.7
≥55	27	11.5	178	88.5	4.8
Education					
≤High School	25	11.4	183	88.6	4.9
>High School	25	4.6	395	95.4	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Mental Distress Days in the Past Month

Suffolk

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	58	8.9	576	91.1	2.6
Gender					
Male	16	7.8	230	92.2	4.3
Female	42	9.9	346	90.1	3.2
Age					
18-34	18	10.1	117	89.9	5.3
35-54	23	9.4	252	90.6	4.5
≥55	17	7.6	193	92.4	3.9
Education					
≤High School	24	12.0	188	88.0	5.4
>High School	34	7.2	386	92.8	2.8

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent

³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, 18-64 Years of Age

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	445	86.6	56	13.4	3.9
Gender					
Male	180	83.5	25	16.5	6.7
Female	265	89.6	31	10.4	3.9
Age					
18-34	106	75.6	27	24.4	9.2
35-54	252	90.1	27	9.9	3.9
55-64	87	98.3	2	1.7	2.5
Education					
≤High School	124	74.3	31	25.7	9.0
>High School	321	92.9	25	7.1	3.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, Aged 18 and Older

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	582	88.4	59	11.6	3.3
Gender					
Male	222	85.5	26	14.5	5.8
Female	360	91.2	33	8.8	3.2
Age					
18-34	106	75.6	27	24.4	9.2
35-54	252	90.1	27	9.9	3.9
≥55	212	98.5	3	1.5	1.7
Education					
≤High School	184	79.3	32	20.7	7.4
>High School	396	93.5	27	6.5	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Having a Routine Physical Exam in Past Two Years

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	569	87.6	65	12.4	3.2
Gender					
Male	215	84.4	32	15.6	5.5
Female	354	90.7	33	9.3	3.4
Age					
18-34	118	85.9	17	14.1	7.1
35-54	236	83.6	38	16.4	5.3
≥55	205	94.8	9	5.2	3.8
Education					
≤High School	192	84.5	24	15.5	6.3
>High School	376	89.3	41	10.7	3.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Time in Past 12 Months when Needed Medical Care but Could Not Get It

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	35	5.6	607	94.4	2.0
Gender					
Male	11	5.2	238	94.8	3.1
Female	24	6.0	369	94.0	2.6
Age					
18-34	16	11.1	119	88.9	5.6
35-54	15	4.7	263	95.3	2.5
≥55	4	2.1	211	97.9	2.3
Education					
≤High School	20	9.4	196	90.6	4.4
>High School	15	3.6	409	96.4	2.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	515	78.3	128	21.7	3.8
Gender					
Male	196	76.8	53	23.2	6.1
Female	319	79.7	75	20.3	4.6
Age					
18-34	111	82.1	24	17.9	7.4
35-54	229	80.9	50	19.1	5.3
≥55	162	70.5	53	29.5	7.4
Education					
≤High School	153	68.8	64	31.2	7.2
>High School	360	83.5	64	16.5	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Diabetes

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	37	5.9	605	94.1	2.2
Gender					
Male	22	9.1	226	90.9	4.1
Female	15	2.9	379	97.1	1.6
Age					
18-34	3	2.7	132	97.3	3.2
35-54	5	1.6	274	98.4	1.6
≥55	28	14.9	187	85.1	5.9
Education					
≤High School	13	6.4	203	93.6	4.1
>High School	24	5.6	400	94.4	2.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Lifetime Asthma Diagnosed by a Medical Professional

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	71	9.7	571	90.3	2.5
Gender					
Male	20	7.9	228	92.1	3.7
Female	51	11.4	343	88.6	3.4
Age					
18-34	17	11.8	118	88.2	5.9
35-54	37	11.5	242	88.5	4.1
≥55	17	5.9	197	94.1	3.0
Education					
≤High School	27	10.8	189	89.2	4.6
>High School	44	9.2	380	90.8	3.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Asthma Diagnosed by a Medical Professional

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	46	5.9	596	94.1	1.9
Gender					
Male	9	3.5	239	96.5	2.4
Female	37	8.2	357	91.8	2.9
Age					
18-34	10	6.6	125	93.4	4.6
35-54	21	6.3	258	93.7	2.9
≥55	15	5.2	199	94.8	2.8
Education					
≤High School	21	7.8	195	92.2	3.7
>High School	25	4.9	399	95.1	2.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Arthritis Diagnosed by a Medical Professional

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	184	23.6	457	76.4	3.5
Gender					
Male	54	18.3	194	81.7	5.0
Female	130	28.6	263	71.4	4.9
Age					
18-34	15	9.5	120	90.5	5.2
35-54	60	18.9	218	81.1	4.9
≥55	108	44.7	106	55.3	7.5
Education					
≤High School	72	27.9	144	72.1	6.5
>High School	111	21.2	312	78.8	4.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)***Suffolk***

Demographic Groups	n¹	Doctor Diagnosed %²	C.I.³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	184	23.6	3.5	98	14.6	3.0	359	61.8	4.2
Gender									
Male	54	18.3	5.0	44	16.7	5.0	150	65.0	6.4
Female	130	28.6	4.9	54	12.6	3.6	209	58.8	5.4
Age									
18-34	15	9.5	5.2	17	10.5	5.3	103	80.0	7.1
35-54	60	18.9	4.9	50	18.3	5.2	168	62.8	6.3
≥55	108	44.7	7.5	30	14.0	5.2	76	41.2	7.7
Education									
≤High School	72	27.9	6.5	27	10.4	4.4	117	61.7	7.3
>High School	111	21.2	4.1	71	16.9	4.0	241	61.8	5.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Smoked 100 Cigarettes in Lifetime

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	324	48.8	316	51.2	4.5
Gender					
Male	138	52.8	111	47.2	7.1
Female	186	45.0	205	55.0	5.5
Age					
18-34	64	44.7	71	55.3	9.5
35-54	130	45.9	149	54.1	6.5
≥55	122	55.7	90	44.3	7.7
Education					
≤High School	119	52.4	96	47.6	7.9
>High School	204	46.9	219	53.1	5.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Smoker

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	125	19.9	515	80.1	3.6
Gender					
Male	52	21.7	197	78.3	5.8
Female	73	18.1	318	81.9	4.4
Age					
18-34	45	32.1	90	67.9	8.9
35-54	52	17.9	227	82.1	5.1
≥55	26	11.5	186	88.5	4.7
Education					
≤High School	57	25.9	158	74.1	6.8
>High School	68	16.7	355	83.3	4.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Status of Cigarette Smoking*Suffolk*

Demographic Groups	n¹	Everyday Smoker %²	C.I.³	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Total	92	15.3	3.3	33	4.6	1.7	515	80.1	3.6
Gender									
Male	38	16.6	5.3	14	5.1	2.9	197	78.3	5.8
Female	54	14.1	4.0	19	4.1	2.0	318	81.9	4.4
Age									
18-34	32	24.6	8.4	13	7.5	4.3	90	67.9	8.9
35-54	36	12.9	4.5	16	5.0	2.9	227	82.1	5.1
≥55	23	10.3	4.5	3	1.2	1.4	186	88.5	4.7
Education									
≤High School	47	21.5	6.4	10	4.3	3.1	158	74.1	6.8
>High School	45	12.0	3.7	23	4.7	2.1	355	83.3	4.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking Policies*Suffolk*

Demographic Groups	n¹	Not Allowed %²	C.I.³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere %	C.I.
Total	472	74.3	3.9	66	10.8	2.8	102	14.9	3.2
Gender									
Male	182	73.6	6.3	20	8.6	3.9	46	17.8	5.5
Female	290	75.0	4.8	46	12.8	3.9	56	12.2	3.5
Age									
18-34	102	72.3	8.9	18	15.0	6.9	15	12.7	6.9
35-54	210	76.0	5.7	30	10.2	3.7	37	13.8	4.8
≥55	151	74.1	6.5	16	7.4	4.0	47	18.4	5.7
Education									
≤High School	158	75.8	6.4	20	8.2	3.9	37	16.0	5.5
>High School	312	73.4	5.0	46	12.2	3.7	65	14.4	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	117	17.8	526	82.2	3.4
Gender					
Male	44	16.5	205	83.5	5.1
Female	73	19.1	321	80.9	4.5
Age					
18-34	25	21.3	110	78.7	8.2
35-54	55	17.8	224	82.2	4.8
≥55	34	14.7	181	85.3	5.1
Education					
≤High School	43	19.0	174	81.0	5.8
>High School	74	17.3	350	82.7	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	83	16.2	554	83.8	3.5
Gender					
Male	56	23.6	190	76.4	6.1
Female	27	9.3	364	90.7	3.7
Age					
18-34	37	30.8	97	69.2	9.1
35-54	34	14.0	242	86.0	4.8
≥55	12	6.3	202	93.7	3.8
Education					
≤High School	29	16.3	188	83.7	6.1
>High School	54	16.1	364	83.9	4.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	24	4.1	615	95.9	2.0
Gender					
Male	7	3.6	240	96.4	3.1
Female	17	4.7	375	95.3	2.6
Age					
18-34	7	7.5	126	92.5	5.9
35-54	9	3.2	269	96.8	2.4
≥55	8	2.6	207	97.4	1.8
Education					
≤High School	3	1.6	213	98.4	2.0
>High School	21	5.6	400	94.4	2.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Overweight or Obese, BMI(Body Mass Index) 25 or More

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	326	57.0	281	43.0	4.5
Gender					
Male	183	73.9	63	26.1	6.3
Female	143	39.9	218	60.1	5.7
Age					
18-34	54	46.7	77	53.3	9.8
35-54	154	62.2	110	37.8	6.4
≥55	115	60.5	88	39.5	7.6
Education					
≤High School	113	58.6	90	41.4	8.0
>High School	213	56.2	190	43.8	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)

Suffolk

Demographic Groups	n¹	Underweight\ Normal %²	C.I.³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	281	43.0	4.5	226	40.4	4.5	100	16.6	3.5
Gender									
Male	63	26.1	6.3	137	54.4	7.1	46	19.5	5.8
Female	218	60.1	5.7	89	26.2	5.2	54	13.7	3.9
Age									
18-34	77	53.3	9.8	35	30.2	9.1	19	16.4	7.8
35-54	110	37.8	6.4	107	44.7	6.8	47	17.5	5.0
≥55	88	39.5	7.6	82	44.6	7.9	33	16.0	6.0
Education									
≤High School	90	41.4	8.0	73	36.9	7.8	40	21.7	7.0
>High School	190	43.8	5.5	153	42.3	5.5	60	13.9	3.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Mammography Screening, Women Aged 40 Years and Older

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Female	235	90.8	21	9.2	4.4
Age					
40-64	157	90.1	14	9.9	5.8
≥65	78	92.2	7	7.8	6.1
Education					
≤High School	83	87.9	10	12.1	7.9
>High School	152	92.6	11	7.4	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Female	198	74.4	56	25.6	6.5
Age					
40-64	135	75.4	35	24.6	7.9
≥65	63	72.3	21	27.7	11.5
Education					
≤High School	74	75.7	18	24.3	10.7
>High School	124	73.6	38	26.4	8.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	65	15.3	425	84.7	4.0
Gender					
Male	20	13.0	180	87.0	6.2
Female	45	17.6	245	82.4	5.2
Age					
18-34	40	31.3	92	68.7	9.4
35-54	21	7.3	251	92.7	3.3
55-64	4	5.8	82	94.2	6.3
Education					
≤High School	35	24.4	118	75.6	8.6
>High School	30	10.6	307	89.4	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Sexually Active, Age 18-64 Years Old

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	379	86.0	75	14.0	3.6
Gender					
Male	155	86.4	26	13.6	5.4
Female	224	85.6	49	14.4	4.6
Age					
18-34	108	83.2	20	16.8	7.4
35-54	220	89.8	33	10.2	3.9
55-64	51	79.8	22	20.2	9.4
Education					
≤High School	114	84.8	25	15.2	6.5
>High School	265	86.6	50	13.4	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	91	24.5	299	75.5	5.1
Gender					
Male	41	25.7	124	74.3	7.9
Female	50	23.2	175	76.8	6.3
Age					
18-34	43	42.7	67	57.3	10.9
35-54	42	16.4	185	83.6	5.0
55-64	6	9.4	47	90.6	8.2
Education					
≤High School	32	28.8	92	71.2	10.0
>High School	59	22.2	207	77.8	5.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Suffolk

Demographic Groups	Use BC			No BC at risk			No BC		
	n ¹	% ²	C.I. ³	n	%	C.I.	n	%	C.I.
Total	207	58.0	6.0	65	20.6	5.0	74	21.4	5.0
Gender									
Male	98	53.4	8.3	43	25.8	7.3	39	20.8	6.5
Female	109	65.1	8.3	22	12.6	5.3	35	22.3	7.6
Age									
18-34	80	61.1	9.5	21	17.2	7.4	30	21.7	8.0
35-59	127	55.5	7.5	44	23.4	6.7	44	21.1	6.2
Education									
≤High School	69	59.9	10.7	19	20.4	9.0	22	19.7	8.6
>High School	138	57.0	7.2	46	20.7	6.0	52	22.3	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Heart Attack, Angina or Stroke

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	41	5.8	589	94.2	1.9
Gender					
Male	23	7.7	221	92.3	3.2
Female	18	4.0	368	96.0	2.0
Age					
18-64	16	2.9	478	97.1	1.5
≥65	25	20.5	101	79.5	7.8
Education					
≤High School	19	7.6	197	92.4	3.6
>High School	22	4.8	390	95.2	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	36	5.4	593	94.6	1.9
Gender					
Male	21	7.3	223	92.7	3.2
Female	15	3.6	370	96.4	2.0
Age					
18-64	14	2.8	479	97.2	1.5
≥65	22	19.1	104	80.9	7.7
Education					
≤High School	17	7.2	198	92.8	3.6
>High School	19	4.4	393	95.6	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	99	64.3	55	35.7	8.4
Age					
40-64	66	58.4	47	41.6	10.2
≥65	33	82.2	8	17.8	12.0
Education					
≤High School	26	56.8	17	43.2	17.0
>High School	72	67.2	38	32.8	9.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	91	58.7	63	41.3	8.6
Age					
40-64	59	51.7	54	48.3	10.3
≥65	32	80.2	9	19.8	12.4
Education					
≤High School	21	43.2	22	56.8	16.7
>High School	69	64.8	41	35.2	9.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	126	79.3	32	20.7	7.0
Age					
40-64	90	76.4	27	23.6	8.6
≥65	36	88.8	5	11.2	9.6
Education					
≤High School	30	66.5	14	33.5	15.9
>High School	95	84.2	18	15.8	7.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Used a Blood Stool Test at Home, Aged 50 and Older

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	125	43.1	151	56.9	6.6
Gender					
Male	49	44.8	51	55.2	10.7
Female	76	41.6	100	58.4	8.2
Age					
50-64	59	36.7	91	63.3	8.6
≥65	66	52.5	60	47.5	9.8
Education					
≤High School	46	42.1	54	57.9	10.8
>High School	78	43.5	97	56.5	8.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	54	19.9	219	80.1	5.3
Gender					
Male	21	20.5	79	79.5	8.5
Female	33	19.4	140	80.6	6.6
Age					
50-64	34	20.5	116	79.5	6.9
≥65	20	19.0	103	81.0	8.3
Education					
≤High School	23	22.5	75	77.5	9.0
>High School	31	18.6	143	81.4	6.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

Suffolk

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	83	30.2	190	69.8	6.1
Gender					
Male	37	34.7	63	65.3	10.1
Female	46	26.2	127	73.8	7.3
Age					
50-64	44	27.2	106	72.8	7.8
≥65	39	34.5	84	65.5	9.6
Education					
≤High School	32	30.8	66	69.2	10.0
>High School	50	29.6	124	70.4	7.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	153	53.6	123	46.4	6.8
Gender					
Male	62	60.8	39	39.2	10.7
Female	91	47.4	84	52.6	8.4
Age					
50-64	74	49.2	77	50.8	9.2
≥65	79	60.2	46	39.8	9.8
Education					
≤High School	56	52.7	44	47.3	11.2
>High School	96	54.0	79	46.0	8.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	142	49.7	134	50.3	6.8
Gender					
Male	58	56.7	43	43.3	10.8
Female	84	43.5	91	56.5	8.3
Age					
50-64	69	46.0	82	54.0	9.1
≥65	73	55.2	52	44.8	9.9
Education					
≤High School	55	51.6	45	48.4	11.2
>High School	86	48.5	89	51.5	8.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Suffolk

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	162	57.5	115	42.5	6.7
Gender					
Male	64	62.0	37	38.0	10.7
Female	98	53.5	78	46.5	8.4
Age					
50-64	80	53.1	71	46.9	9.2
≥65	82	63.9	44	36.1	9.5
Education					
≤High School	61	57.5	39	42.5	11.2
>High School	100	57.3	76	42.7	8.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval