

**Expanded BRFSS, 2003**

**Monroe Locality Tables**

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days .....	1
Core 2: Health Care Access .....	4
Core 3: Exercise .....	8
Core 4: Diabetes .....	9
Core 5: Asthma .....	10
Core 6: Arthritis .....	12
Core 7: Tobacco Use .....	14
Core 8: Tobacco ETS .....	17
Core 9: Alcohol Consumption .....	19
Core 10: Weight Status .....	21
Core 11: Mammography .....	23
Core 12: Sexual Behavior .....	25
Core 13: Family Planning .....	28
Core 14: Cardiovascular Disease .....	29
Core 15: Prostate Cancer Screening .....	31
Core 16: Colorectal Cancer Screening .....	37

**New York State Department Of Health**

Expanded BRFSS, 2003 - New York State Department of Health

## Self-rated Health Status

*Monroe*

Demographic Groups	n <sup>1</sup>	Fair or Poor % <sup>2</sup>	n	Good to Excellent %	C.I. <sup>3</sup>
Total	83	11.1	538	88.9	2.6
Gender					
Male	31	10.8	210	89.2	4.0
Female	52	11.4	328	88.6	3.3
Age					
18-34	8	4.5	153	95.5	3.6
35-54	26	10.5	218	89.5	4.2
≥55	48	18.9	159	81.1	5.5
Education					
≤High School	50	21.0	154	79.0	5.9
>High School	33	6.7	384	93.3	2.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Number of Physical Distress Days in the Past Month

*Monroe*

Demographic Groups	n <sup>1</sup>	≥14 days % <sup>2</sup>	n	< 14 days %	C.I. <sup>3</sup>
Total	56	7.8	557	92.2	2.2
Gender					
Male	18	6.1	225	93.9	3.1
Female	38	9.3	332	90.7	3.1
Age					
18-34	7	4.0	152	96.0	3.2
35-54	23	9.0	221	91.0	3.9
≥55	25	9.8	176	90.2	4.1
Education					
≤High School	32	14.8	164	85.2	5.3
>High School	24	4.7	393	95.3	2.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Number of Mental Distress Days in the Past Month

*Monroe*

Demographic Groups	n <sup>1</sup>	≥14 days % <sup>2</sup>	n	< 14 days %	C.I. <sup>3</sup>
Total	65	12.1	550	87.9	3.1
Gender					
Male	22	10.9	220	89.1	4.6
Female	43	13.2	330	86.8	4.1
Age					
18-34	20	15.2	140	84.8	6.8
35-54	33	15.2	212	84.8	5.2
≥55	12	5.3	190	94.7	3.3
Education					
≤High School	31	16.6	166	83.4	5.9
>High School	34	10.2	384	89.8	3.6

<sup>1</sup> Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup> Weighted Percent

<sup>3</sup> 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Health Insurance Coverage, 18-64 Years of Age

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	440	88.9	52	11.1	3.3
Gender					
Male	171	90.1	20	9.9	4.8
Female	269	87.8	32	12.2	4.6
Age					
18-34	134	82.3	27	17.7	6.8
35-54	225	91.0	22	9.0	4.3
55-64	81	98.1	3	1.9	2.2
Education					
≤High School	117	84.6	24	15.4	6.4
>High School	323	90.5	28	9.5	3.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Health Insurance Coverage, Aged 18 and Older

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	567	90.3	56	9.7	2.8
Gender					
Male	222	91.1	22	8.9	4.1
Female	345	89.7	34	10.3	3.8
Age					
18-34	134	82.3	27	17.7	6.8
35-54	225	91.0	22	9.0	4.3
≥55	201	97.1	7	2.9	2.5
Education					
≤High School	176	87.0	27	13.0	5.1
>High School	391	91.8	29	8.2	3.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Having a Routine Physical Exam in Past Two Years

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	537	86.0	87	14.0	3.0
Gender					
Male	198	81.0	47	19.0	5.3
Female	339	90.6	40	9.4	3.1
Age					
18-34	133	82.1	29	17.9	6.3
35-54	197	81.6	48	18.4	5.3
≥55	199	95.5	9	4.5	3.1
Education					
≤High School	189	90.7	17	9.3	4.5
>High School	348	83.9	70	16.1	3.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Time in Past 12 Months when Needed Medical Care but Could Not Get It

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	29	5.0	596	95.0	2.0
Gender					
Male	6	2.2	238	97.8	2.0
Female	23	7.5	358	92.5	3.3
Age					
18-34	10	6.1	152	93.9	3.8
35-54	16	7.4	231	92.6	4.0
≥55	3	0.9	204	99.1	1.0
Education					
≤High School	13	6.7	192	93.3	3.7
>High School	16	4.2	404	95.8	2.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	505	83.5	121	16.5	3.1
Gender					
Male	210	87.7	35	12.3	4.3
Female	295	79.8	86	20.2	4.3
Age					
18-34	139	87.7	23	12.3	5.5
35-54	208	86.3	39	13.7	4.4
≥55	151	76.3	57	23.7	6.1
Education					
≤High School	139	71.3	67	28.7	6.8
>High School	366	89.0	54	11.0	3.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Physician Diagnosed Diabetes

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	53	7.9	572	92.1	2.3
Gender					
Male	21	7.6	223	92.4	3.4
Female	32	8.2	349	91.8	3.1
Age					
18-34	4	2.8	158	97.2	3.0
35-54	16	6.6	231	93.4	3.4
≥55	33	15.3	174	84.7	5.3
Education					
≤High School	24	12.1	182	87.9	5.1
>High School	29	6.1	390	93.9	2.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Lifetime Asthma Diagnosed by a Medical Professional

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	77	12.1	547	87.9	2.9
Gender					
Male	22	8.9	222	91.1	4.0
Female	55	15.0	325	85.0	4.1
Age					
18-34	21	13.4	141	86.6	6.0
35-54	36	14.9	210	85.1	5.0
≥55	20	7.5	187	92.5	3.5
Education					
≤High School	34	15.5	171	84.5	5.5
>High School	43	10.6	376	89.4	3.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Current Asthma Diagnosed by a Medical Professional

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	59	9.2	562	90.8	2.5
Gender					
Male	18	7.1	226	92.9	3.6
Female	41	11.0	336	89.0	3.6
Age					
18-34	18	11.0	144	89.0	5.5
35-54	27	11.2	218	88.8	4.4
≥55	14	5.0	191	95.0	2.8
Education					
≤High School	29	12.6	175	87.4	4.9
>High School	30	7.7	387	92.3	3.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Arthritis Diagnosed by a Medical Professional

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	216	30.8	408	69.2	3.9
Gender					
Male	73	26.5	172	73.5	5.9
Female	143	34.7	236	65.3	5.2
Age					
18-34	13	7.9	148	92.1	4.9
35-54	80	32.0	167	68.0	6.4
≥55	121	53.3	86	46.7	7.6
Education					
≤High School	97	42.1	109	57.9	7.5
>High School	119	25.7	299	74.3	4.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

### Monroe

Demographic Groups	n <sup>1</sup>	Doctor Diagnosed % <sup>2</sup>	C.I. <sup>3</sup>	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	216	30.8	3.9	94	15.3	3.1	314	53.9	4.4
Gender									
Male	73	26.5	5.9	40	15.8	4.9	132	57.8	6.8
Female	143	34.7	5.2	54	14.8	3.9	182	50.5	5.6
Age									
18-34	13	7.9	4.9	29	15.9	5.8	119	76.2	7.1
35-54	80	32.0	6.4	43	17.7	5.3	124	50.4	7.0
≥55	121	53.3	7.6	20	11.1	4.8	66	35.6	7.4
Education									
≤High School	97	42.1	7.5	28	14.4	5.3	81	43.5	7.9
>High School	119	25.7	4.6	66	15.6	3.8	233	58.6	5.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Smoked 100 Cigarettes in Lifetime

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	298	46.7	328	53.3	4.4
Gender					
Male	126	49.0	119	51.0	6.9
Female	172	44.5	209	55.5	5.5
Age					
18-34	65	42.1	97	57.9	8.5
35-54	114	45.3	133	54.7	6.9
≥55	115	53.5	93	46.5	7.5
Education					
≤High School	114	56.3	92	43.7	7.8
>High School	184	42.3	236	57.7	5.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Current Smoker

### Monroe

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	113	19.0	513	81.0	3.5
Gender					
Male	47	19.8	198	80.2	5.6
Female	66	18.3	315	81.7	4.4
Age					
18-34	37	25.0	125	75.0	7.5
35-54	52	21.6	195	78.4	5.8
≥55	22	9.4	186	90.6	4.4
Education					
≤High School	52	26.9	154	73.1	6.9
>High School	61	15.5	359	84.5	4.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

**Status of Cigarette Smoking****Monroe**

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Everyday Smoker %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Someday Smoker %</b>	<b>C.I.</b>	<b>n</b>	<b>Former or Never Smoked %</b>	<b>C.I.</b>
Total	91	15.4	3.2	22	3.7	1.7	513	81.0	3.5
Gender									
Male	39	15.8	5.1	8	4.0	2.8	198	80.2	5.6
Female	52	15.0	4.1	14	3.4	1.9	315	81.7	4.4
Age									
18-34	31	20.8	7.1	6	4.2	3.5	125	75.0	7.5
35-54	42	17.6	5.4	10	4.0	2.6	195	78.4	5.8
≥55	17	6.9	3.6	5	2.5	2.7	186	90.6	4.4
Education									
≤High School	40	20.8	6.4	12	6.1	3.7	154	73.1	6.9
>High School	51	12.9	3.7	10	2.6	1.7	359	84.5	4.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution<sup>2</sup>Weighted Percent<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Home Smoking Policies****Monroe**

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Not Allowed %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Allowed Some Places %</b>	<b>C.I.</b>	<b>n</b>	<b>Allowed Anywhere %</b>	<b>C.I.</b>
Total	444	72.3	3.9	65	11.5	2.9	117	16.1	3.0
Gender									
Male	173	74.2	5.9	21	9.8	4.2	51	16.0	4.6
Female	271	70.7	5.1	44	13.1	3.9	66	16.2	4.0
Age									
18-34	127	79.4	6.9	16	10.1	5.3	19	10.5	5.1
35-54	171	70.0	6.3	36	16.3	5.2	40	13.7	4.4
≥55	140	68.5	7.0	13	7.1	4.0	55	24.4	6.4
Education									
≤High School	126	60.0	7.6	32	17.4	5.9	48	22.6	6.4
>High School	318	77.9	4.3	33	8.9	3.2	69	13.2	3.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution<sup>2</sup>Weighted Percent<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Home Smoking

### *Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	126	19.6	499	80.4	3.4
Gender					
Male	48	17.1	197	82.9	5.0
Female	78	21.9	302	78.1	4.7
Age					
18-34	32	19.7	130	80.3	6.8
35-54	63	24.7	184	75.3	5.9
≥55	30	13.2	177	86.8	5.0
Education					
≤High School	53	27.0	153	73.0	6.9
>High School	73	16.3	346	83.7	3.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)**

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	88	16.9	533	83.1	3.5
Gender					
Male	61	27.0	183	73.0	6.3
Female	27	7.8	350	92.2	3.1
Age					
18-34	42	29.9	118	70.1	8.3
35-54	30	13.7	216	86.3	5.0
≥55	15	8.5	191	91.5	4.5
Education					
≤High School	25	15.3	176	84.7	6.0
>High School	63	17.6	357	82.4	4.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)**

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	29	5.2	592	94.8	2.1
Gender					
Male	14	6.5	229	93.5	3.7
Female	15	4.1	363	95.9	2.3
Age					
18-34	13	8.9	147	91.1	5.4
35-54	7	2.8	239	97.2	2.3
≥55	8	4.8	198	95.2	3.5
Education					
≤High School	13	8.0	189	92.0	4.5
>High School	16	4.0	403	96.0	2.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Overweight or Obese, BMI(Body Mass Index) 25 or More**

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	347	59.3	252	40.7	4.4
Gender					
Male	173	69.2	71	30.8	6.6
Female	174	50.0	181	50.0	5.7
Age					
18-34	84	53.2	73	46.8	8.8
35-54	141	63.0	97	37.0	6.7
≥55	120	61.2	78	38.8	7.4
Education					
≤High School	117	60.4	78	39.6	7.9
>High School	230	58.9	174	41.1	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)**

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Underweight\ Normal %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Overweight %</b>	<b>C.I.</b>	<b>n</b>	<b>Obese %</b>	<b>C.I.</b>
Total	252	40.7	4.4	212	36.3	4.3	135	23.1	3.8
Gender									
Male	71	30.8	6.6	109	42.9	6.8	64	26.2	6.1
Female	181	50.0	5.7	103	29.9	5.3	71	20.1	4.7
Age									
18-34	73	46.8	8.8	57	35.4	8.3	27	17.8	6.5
35-54	97	37.0	6.7	85	37.5	6.9	56	25.5	6.5
≥55	78	38.8	7.4	69	35.4	7.5	51	25.8	6.8
Education									
≤High School	78	39.6	7.9	70	35.7	7.6	47	24.8	6.9
>High School	174	41.1	5.3	142	36.5	5.3	88	22.3	4.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Ever Had Mammography Screening, Women Aged 40 Years and Older**

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Female	217	91.9	20	8.1	3.7
Age					
40-64	151	91.6	15	8.4	4.5
≥65	66	92.6	5	7.4	6.7
Education					
≤High School	92	89.9	10	10.1	6.5
>High School	125	93.3	10	6.7	4.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

**Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older**

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Female	189	76.9	47	23.1	6.6
Age					
40-64	134	76.7	32	23.3	8.0
≥65	55	77.3	15	22.7	11.7
Education					
≤High School	78	73.4	23	26.6	10.5
>High School	111	79.3	24	20.7	8.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger**

***Monroe***

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	64	12.5	421	87.5	3.3
Gender					
Male	15	7.7	174	92.3	4.3
Female	49	17.3	247	82.7	4.9
Age					
18-34	42	25.5	117	74.5	7.6
35-54	20	5.8	225	94.2	2.8
55-64	2	2.0	79	98.0	2.8
Education					
≤High School	26	16.6	114	83.4	6.5
>High School	38	11.0	307	89.0	3.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Sexually Active, Age 18-64 Years Old**

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	368	84.3	94	15.7	3.5
Gender					
Male	156	89.1	23	10.9	4.8
Female	212	79.6	71	20.4	5.1
Age					
18-34	132	88.4	19	11.6	5.8
35-54	195	86.1	42	13.9	4.7
55-64	41	67.1	33	32.9	11.4
Education					
≤High School	96	78.8	38	21.2	7.1
>High School	272	86.4	56	13.6	4.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	78	20.9	295	79.1	4.7
Gender					
Male	37	24.3	122	75.7	7.5
Female	41	17.1	173	82.9	5.2
Age					
18-34	49	36.4	86	63.6	9.2
35-54	27	12.8	168	87.2	5.0
55-64	2	2.1	41	97.9	3.0
Education					
≤High School	23	22.0	75	78.0	9.2
>High School	55	20.4	220	79.6	5.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)**

*Monroe*

Demographic Groups	Use BC			No BC at risk			No BC		
	n <sup>1</sup>	% <sup>2</sup>	C.I. <sup>3</sup>	n	%	C.I.	n	%	C.I.
Total	225	65.0	5.7	36	12.1	4.0	80	22.9	4.9
Gender									
Male	112	67.4	7.8	19	12.6	5.7	38	20.1	6.6
Female	113	61.6	8.0	17	11.4	5.4	42	27.0	7.4
Age									
18-34	101	65.6	8.3	13	9.6	5.2	40	24.8	7.6
35-59	124	64.4	7.7	23	14.3	6.1	40	21.2	6.5
Education									
≤High School	60	64.4	10.8	11	13.7	7.8	21	21.9	9.0
>High School	165	65.2	6.7	25	11.5	4.7	59	23.3	5.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Physician Diagnosed Heart Attack, Angina or Stroke**

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	60	8.1	555	91.9	2.3
Gender					
Male	32	9.3	208	90.7	3.5
Female	28	7.1	347	92.9	3.1
Age					
18-64	20	3.4	462	96.6	1.7
≥65	40	30.2	84	69.8	8.9
Education					
≤High School	27	12.0	175	88.0	5.0
>High School	33	6.4	380	93.6	2.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	47	6.7	567	93.3	2.1
Gender					
Male	25	8.0	215	92.0	3.3
Female	22	5.5	352	94.5	2.7
Age					
18-64	16	2.8	466	97.2	1.5
≥65	31	24.9	92	75.1	8.7
Education					
≤High School	23	10.8	178	89.2	4.9
>High School	24	4.8	389	95.2	2.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Male	87	56.6	60	43.4	8.9
Age					
40-64	46	47.4	52	52.6	10.7
≥65	41	83.8	8	16.2	10.7
Education					
≤High School	21	55.3	16	44.7	17.6
>High School	66	57.1	44	42.9	10.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Male	66	43.0	81	57.0	8.7
Age					
40-64	35	35.9	63	64.1	10.3
≥65	31	63.8	18	36.2	14.2
Education					
≤High School	16	41.5	21	58.5	17.2
>High School	50	43.5	60	56.5	10.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Digital Rectal Exam, Men Aged 40 and Older

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Male	136	89.6	17	10.4	5.2
Age					
40-64	90	90.2	11	9.8	6.0
≥65	46	87.9	6	12.1	9.9
Education					
≤High School	32	86.4	6	13.6	10.9
>High School	104	90.7	11	9.3	5.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Used a Blood Stool Test at Home, Aged 50 and Older

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	126	47.8	132	52.2	6.8
Gender					
Male	55	52.0	49	48.0	10.7
Female	71	44.3	83	55.7	8.8
Age					
50-64	64	44.8	71	55.2	9.5
≥65	62	51.3	61	48.7	9.6
Education					
≤High School	40	38.8	61	61.2	10.8
>High School	86	52.8	71	47.2	8.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	50	18.4	206	81.6	5.4
Gender					
Male	20	17.0	82	83.0	7.7
Female	30	19.6	124	80.4	7.4
Age					
50-64	25	15.6	110	84.4	6.6
≥65	25	21.9	96	78.1	8.6
Education					
≤High School	16	16.2	85	83.8	9.0
>High School	34	19.7	121	80.3	6.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

*Monroe*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	70	26.2	186	73.8	6.0
Gender					
Male	30	27.9	72	72.1	9.4
Female	40	24.9	114	75.1	7.8
Age					
50-64	39	26.0	96	74.0	8.1
≥65	31	26.5	90	73.5	8.9
Education					
≤High School	23	23.1	78	76.9	9.7
>High School	47	28.0	108	72.0	7.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	135	53.5	120	46.5	6.9
Gender					
Male	62	58.1	41	41.9	10.7
Female	73	49.5	79	50.5	8.9
Age					
50-64	65	48.0	69	52.0	9.7
≥65	70	59.9	51	40.1	9.4
Education					
≤High School	48	49.1	52	50.9	11.1
>High School	87	56.0	68	44.0	8.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	125	49.6	130	50.4	6.9
Gender					
Male	58	53.9	45	46.1	10.7
Female	67	45.9	85	54.1	8.9
Age					
50-64	59	43.6	75	56.4	9.6
≥65	66	56.5	55	43.5	9.6
Education					
≤High School	44	45.6	56	54.4	11.1
>High School	81	51.9	74	48.1	8.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older**

*Monroe*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	139	53.4	119	46.6	6.9
Gender					
Male	62	57.0	42	43.0	10.6
Female	77	50.5	77	49.5	8.9
Age					
50-64	66	47.0	69	53.0	9.6
≥65	73	61.0	50	39.0	9.3
Education					
≤High School	49	49.4	52	50.6	11.0
>High School	90	55.7	67	44.3	8.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval