

Expanded BRFSS, 2003

Kings Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days.....	1
Core 2: Health Care Access.....	4
Core 3: Exercise.....	8
Core 4: Diabetes.....	9
Core 5: Asthma.....	10
Core 6: Arthritis.....	12
Core 7: Tobacco Use.....	14
Core 8: Tobacco ETS.....	17
Core 9: Alcohol Consumption.....	19
Core 10: Weight Status.....	21
Core 11: Mammography.....	23
Core 12: Sexual Behavior.....	25
Core 13: Family Planning.....	28
Core 14: Cardiovascular Disease.....	29
Core 15: Prostate Cancer Screening.....	31
Core 16: Colorectal Cancer Screening.....	37

New York State Department Of Health

Expanded BRFSS, 2003 - New York State Department of Health

Self-rated Health Status

Kings

Demographic Groups	n¹	Fair or Poor %²	n	Good to Excellent %	C.I.³
Total	142	24.1	495	75.9	4.0
Gender					
Male	51	25.1	176	74.9	6.6
Female	91	23.2	319	76.8	4.8
Age					
18-34	24	13.3	193	86.7	5.8
35-54	52	22.3	199	77.7	6.0
≥55	64	41.2	96	58.8	9.1
Education					
≤High School	88	32.3	183	67.7	6.5
>High School	51	15.8	308	84.2	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Physical Distress Days in the Past Month

Kings

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	73	12.0	544	88.0	3.1
Gender					
Male	21	10.3	201	89.7	4.9
Female	52	13.4	343	86.6	3.9
Age					
18-34	7	4.8	204	95.2	4.2
35-54	30	12.7	217	87.3	4.9
≥55	35	20.9	115	79.1	7.4
Education					
≤High School	38	13.8	218	86.2	5.0
>High School	34	10.0	321	90.0	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Mental Distress Days in the Past Month

Kings

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	84	11.7	542	88.3	2.8
Gender					
Male	23	9.5	201	90.5	4.1
Female	61	13.6	341	86.4	3.7
Age					
18-34	23	9.6	188	90.4	4.3
35-54	41	16.0	210	84.0	5.2
≥55	19	8.7	137	91.3	4.5
Education					
≤High School	37	13.0	226	87.0	4.4
>High School	47	10.9	310	89.1	3.5

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent

³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, 18-64 Years of Age

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	456	78.8	97	21.2	4.2
Gender					
Male	156	74.2	48	25.8	7.1
Female	300	82.8	49	17.2	4.9
Age					
18-34	169	72.9	47	27.1	7.3
35-54	213	81.3	41	18.7	5.8
55-64	74	89.3	9	10.7	7.5
Education					
≤High School	159	66.4	63	33.6	7.5
>High School	294	89.1	32	10.9	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, Aged 18 and Older

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	541	82.1	99	17.9	3.6
Gender					
Male	179	77.8	48	22.2	6.3
Female	362	85.6	51	14.4	4.1
Age					
18-34	169	72.9	47	27.1	7.3
35-54	213	81.3	41	18.7	5.8
≥55	150	94.7	11	5.3	3.4
Education					
≤High School	208	72.9	65	27.1	6.3
>High School	329	90.5	32	9.5	3.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Having a Routine Physical Exam in Past Two Years

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	573	89.8	64	10.2	2.8
Gender					
Male	193	86.9	34	13.1	4.8
Female	380	92.3	30	7.7	3.2
Age					
18-34	186	84.5	30	15.5	5.9
35-54	230	91.1	22	8.9	4.1
≥55	148	94.7	12	5.3	3.4
Education					
≤High School	243	88.1	29	11.9	4.6
>High School	325	91.5	33	8.5	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Time in Past 12 Months when Needed Medical Care but Could Not Get It

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	64	10.3	576	89.7	2.7
Gender					
Male	17	6.6	212	93.4	3.4
Female	47	13.5	364	86.5	4.0
Age					
18-34	30	14.0	186	86.0	5.2
35-54	26	11.6	230	88.4	4.7
≥55	7	3.3	152	96.7	2.7
Education					
≤High School	28	10.6	243	89.4	4.1
>High School	35	10.2	327	89.8	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	450	70.1	193	29.9	4.1
Gender					
Male	174	75.8	56	24.2	6.5
Female	276	65.3	137	34.7	5.2
Age					
18-34	167	74.6	50	25.4	6.9
35-54	170	67.0	85	33.0	6.6
≥55	108	68.9	54	31.1	8.4
Education					
≤High School	164	64.1	111	35.9	6.4
>High School	281	75.8	80	24.2	5.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Diabetes

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	50	7.9	592	92.1	2.4
Gender					
Male	15	6.5	213	93.5	3.6
Female	35	9.0	379	91.0	3.1
Age					
18-34	1	0.5	214	99.5	0.9
35-54	19	8.7	237	91.3	4.2
≥55	29	16.0	133	84.0	6.2
Education					
≤High School	33	10.0	241	90.0	3.7
>High School	16	5.5	345	94.5	2.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Lifetime Asthma Diagnosed by a Medical Professional

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	81	11.4	561	88.6	2.7
Gender					
Male	21	9.2	209	90.8	4.1
Female	60	13.2	352	86.8	3.5
Age					
18-34	29	14.1	186	85.9	5.4
35-54	33	11.1	223	88.9	4.0
≥55	19	8.7	143	91.3	4.3
Education					
≤High School	34	10.8	241	89.2	3.9
>High School	47	12.2	313	87.8	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Asthma Diagnosed by a Medical Professional

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	59	7.9	582	92.1	2.2
Gender					
Male	11	4.5	219	95.5	3.0
Female	48	10.7	363	89.3	3.2
Age					
18-34	18	8.4	197	91.6	4.3
35-54	24	7.6	231	92.4	3.2
≥55	17	8.0	145	92.0	4.2
Education					
≤High School	26	8.5	248	91.5	3.6
>High School	33	7.5	327	92.5	2.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Arthritis Diagnosed by a Medical Professional

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	153	24.1	488	75.9	3.9
Gender					
Male	45	22.3	184	77.7	6.5
Female	108	25.5	304	74.5	4.7
Age					
18-34	13	4.7	202	95.3	2.9
35-54	56	21.0	199	79.0	5.7
≥55	80	52.7	82	47.3	9.1
Education					
≤High School	80	27.3	195	72.7	5.9
>High School	71	21.2	288	78.8	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Kings

Demographic Groups	n¹	Doctor Diagnosed %²	C.I.³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	153	24.1	3.9	105	16.0	3.3	382	59.9	4.4
Gender									
Male	45	22.3	6.5	41	15.7	5.2	143	62.0	7.3
Female	108	25.6	4.7	64	16.3	4.2	239	58.1	5.4
Age									
18-34	13	4.7	2.9	29	13.6	5.3	173	81.8	5.8
35-54	56	21.0	5.7	50	20.7	5.9	149	58.3	7.0
≥55	80	53.2	9.1	25	12.9	5.7	56	33.9	8.6
Education									
≤High School	80	27.4	6.0	37	14.2	4.9	157	58.4	6.7
>High School	71	21.2	5.3	67	17.9	4.6	221	60.9	6.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Smoked 100 Cigarettes in Lifetime

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	260	38.2	382	61.8	4.4
Gender					
Male	103	43.2	125	56.8	7.4
Female	157	34.0	257	66.0	5.0
Age					
18-34	68	28.2	149	71.8	6.6
35-54	110	41.9	145	58.1	7.0
≥55	81	47.4	80	52.6	9.2
Education					
≤High School	109	37.6	164	62.4	6.6
>High School	148	38.1	214	61.9	5.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Smoker

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	126	18.0	515	82.0	3.3
Gender					
Male	52	20.6	175	79.4	5.7
Female	74	15.8	340	84.2	3.8
Age					
18-34	41	17.9	176	82.1	5.7
35-54	58	21.1	196	78.9	5.6
≥55	27	14.4	134	85.6	5.9
Education					
≤High School	60	18.6	213	81.4	4.9
>High School	64	17.0	297	83.0	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Status of Cigarette Smoking***Kings***

Demographic Groups	n¹	Everyday Smoker %²	C.I.³	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Total	81	10.9	2.6	45	7.1	2.3	515	82.0	3.3
Gender									
Male	27	10.5	4.3	25	10.2	4.2	175	79.4	5.7
Female	54	11.3	3.2	20	4.5	2.3	340	84.2	3.8
Age									
18-34	29	11.2	4.4	12	6.8	4.1	176	82.1	5.7
35-54	33	11.5	4.3	25	9.7	4.1	196	78.9	5.6
≥55	19	10.2	5.1	8	4.2	3.3	134	85.6	5.9
Education									
≤High School	37	10.2	3.6	23	8.4	3.6	213	81.4	4.9
>High School	43	11.6	3.8	21	5.4	2.7	297	83.0	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking Policies***Kings***

Demographic Groups	n¹	Not Allowed %²	C.I.³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere %	C.I.
Total	419	68.3	4.1	76	10.8	2.6	143	20.9	3.7
Gender									
Male	138	66.2	6.9	28	10.5	4.1	60	23.3	6.3
Female	281	70.1	5.0	48	11.0	3.3	83	18.9	4.3
Age									
18-34	140	65.9	7.3	33	13.5	4.8	42	20.7	6.5
35-54	172	72.5	5.9	30	10.8	4.1	52	16.7	4.8
≥55	102	65.8	8.8	13	7.7	4.7	45	26.5	8.3
Education									
≤High School	184	72.2	5.8	25	8.9	3.7	63	18.9	5.0
>High School	229	64.2	5.9	50	12.6	3.7	80	23.2	5.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	138	19.8	506	80.2	3.4
Gender					
Male	61	22.3	169	77.7	5.8
Female	77	17.8	337	82.2	4.1
Age					
18-34	49	21.0	168	79.0	6.0
35-54	59	22.2	197	77.8	5.8
≥55	30	15.7	132	84.3	6.2
Education					
≤High School	55	18.1	220	81.9	4.9
>High School	83	21.9	279	78.1	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	76	11.5	563	88.5	2.8
Gender					
Male	45	17.3	181	82.7	5.2
Female	31	6.8	382	93.2	2.6
Age					
18-34	43	18.8	173	81.2	5.7
35-54	25	10.9	228	89.1	4.7
≥55	8	3.3	153	96.7	2.4
Education					
≤High School	17	6.6	255	93.4	3.4
>High School	59	16.3	301	83.7	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	29	3.8	606	96.2	1.5
Gender					
Male	8	3.0	218	97.0	2.2
Female	21	4.4	388	95.6	2.0
Age					
18-34	9	2.9	205	97.1	2.2
35-54	15	5.9	236	94.1	3.2
≥55	5	2.1	157	97.9	1.9
Education					
≤High School	4	1.2	267	98.8	1.3
>High School	25	6.1	332	93.9	2.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Overweight or Obese, BMI(Body Mass Index) 25 or More

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	362	58.6	256	41.4	4.5
Gender					
Male	142	62.1	81	37.9	7.4
Female	220	55.7	175	44.3	5.5
Age					
18-34	96	49.0	111	51.0	7.8
35-54	169	70.2	80	29.8	6.4
≥55	94	55.4	61	44.6	9.4
Education					
≤High School	175	63.6	83	36.4	6.9
>High School	183	54.5	170	45.5	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)

Kings

Demographic Groups	n ¹	Underweight\ Normal % ²	C.I. ³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	256	41.4	4.5	203	35.6	4.5	159	23.0	3.7
Gender									
Male	81	37.9	7.4	99	44.9	7.6	43	17.2	5.5
Female	175	44.3	5.5	104	27.8	5.1	116	27.9	4.9
Age									
18-34	111	51.0	7.8	54	29.9	7.3	42	19.1	5.9
35-54	80	29.8	6.4	89	39.1	7.2	80	31.1	6.6
≥55	61	44.6	9.4	58	38.7	9.3	36	16.7	5.8
Education									
≤High School	83	36.4	6.9	96	38.9	6.9	79	24.8	5.6
>High School	170	45.5	6.1	106	33.6	6.0	77	20.9	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Mammography Screening, Women Aged 40 Years and Older

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Female	195	87.0	26	13.0	5.2
Age					
40-64	144	84.4	21	15.6	6.7
≥65	51	92.5	5	7.5	7.2
Education					
≤High School	96	87.2	13	12.8	7.1
>High School	96	86.5	13	13.5	7.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Female	159	71.3	59	28.7	7.0
Age					
40-64	121	71.3	44	28.7	7.9
≥65	38	71.5	15	28.5	14.1
Education					
≤High School	77	71.4	29	28.6	10.1
>High School	80	71.9	29	28.1	9.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	150	26.5	382	73.5	4.2
Gender					
Male	28	13.2	170	86.8	5.2
Female	122	38.3	212	61.7	6.0
Age					
18-34	83	36.0	124	64.0	7.4
35-54	58	22.0	186	78.0	5.7
55-64	9	11.3	72	88.7	7.9
Education					
≤High School	74	31.7	142	68.3	7.0
>High School	76	22.5	236	77.5	5.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Sexually Active, Age 18-64 Years Old

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	380	79.8	113	20.2	4.0
Gender					
Male	143	84.5	31	15.5	6.1
Female	237	75.8	82	24.2	5.2
Age					
18-34	163	84.7	27	15.3	6.2
35-54	175	79.4	56	20.6	5.8
55-64	42	65.4	30	34.6	12.4
Education					
≤High School	145	76.9	54	23.1	6.5
>High School	231	81.8	58	18.2	5.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	153	38.0	243	62.0	5.6
Gender					
Male	70	43.6	87	56.4	8.9
Female	83	32.3	156	67.7	6.6
Age					
18-34	81	48.3	92	51.7	8.6
35-54	65	32.9	112	67.1	7.8
55-64	7	15.5	39	84.5	11.9
Education					
≤High School	58	39.9	92	60.1	9.1
>High School	94	36.4	148	63.6	7.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Kings

Demographic Groups	Use BC			n	No BC at risk			No BC		
	n ¹	% ²	C.I. ³		%	C.I.	n	%	C.I.	
Total	227	59.2	5.6	59	16.1	4.2	108	24.7	4.9	
Gender										
Male	102	61.9	8.1	24	14.2	5.8	52	23.9	7.0	
Female	125	55.9	7.4	35	18.5	5.9	56	25.7	6.6	
Age										
18-34	124	61.1	7.7	28	14.7	5.4	51	24.3	6.8	
35-59	103	57.2	8.2	31	17.7	6.4	57	25.1	7.0	
Education										
≤High School	83	58.3	8.9	24	16.1	6.4	44	25.6	7.7	
>High School	142	59.3	7.2	35	16.3	5.5	64	24.3	6.3	

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Heart Attack, Angina or Stroke

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	41	6.4	588	93.6	2.2
Gender					
Male	15	5.7	208	94.3	3.4
Female	26	7.1	380	92.9	3.0
Age					
18-64	28	5.4	514	94.6	2.4
≥65	13	11.9	65	88.1	6.5
Education					
≤High School	22	7.5	245	92.5	3.7
>High School	19	5.6	337	94.4	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	34	5.5	595	94.5	2.1
Gender					
Male	12	4.6	211	95.4	3.2
Female	22	6.2	384	93.8	2.8
Age					
18-64	25	5.1	517	94.9	2.3
≥65	9	8.0	69	92.0	5.3
Education					
≤High School	19	6.7	248	93.3	3.6
>High School	15	4.6	341	95.4	2.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	68	63.8	46	36.2	10.0
Age					
40-64	51	55.4	43	44.6	11.7
≥65	17	87.0	3	13.0	14.8
Education					
≤High School	28	57.5	23	42.5	15.3
>High School	39	70.2	22	29.8	12.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	62	58.8	52	41.2	10.4
Age					
40-64	46	49.3	48	50.7	11.9
≥65	16	84.9	4	15.1	15.3
Education					
≤High School	24	48.8	27	51.2	15.6
>High School	37	68.3	24	31.7	13.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	89	73.2	31	26.8	9.4
Age					
40-64	71	69.1	28	30.9	11.0
≥65	18	84.7	3	15.3	16.6
Education					
≤High School	30	56.3	22	43.7	15.4
>High School	58	88.6	8	11.4	9.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Used a Blood Stool Test at Home, Aged 50 and Older

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	64	27.1	149	72.9	6.8
Gender					
Male	20	24.4	51	75.6	11.0
Female	44	29.2	98	70.8	8.4
Age					
50-64	36	21.0	101	79.0	7.3
≥65	28	34.6	48	65.4	11.9
Education					
≤High School	31	25.8	80	74.2	9.2
>High School	33	30.6	64	69.4	10.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	26	11.7	186	88.3	4.8
Gender					
Male	8	10.5	63	89.5	7.9
Female	18	12.6	123	87.4	6.0
Age					
50-64	11	6.4	126	93.6	4.0
≥65	15	18.3	60	81.7	9.4
Education					
≤High School	13	11.7	97	88.3	7.0
>High School	13	12.5	84	87.5	7.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	44	19.0	168	81.0	6.0
Gender					
Male	13	17.0	58	83.0	9.5
Female	31	20.6	110	79.4	7.6
Age					
50-64	24	14.4	113	85.6	6.3
≥65	20	24.7	55	75.3	10.7
Education					
≤High School	23	19.6	87	80.4	8.5
>High School	21	19.7	76	80.3	8.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	100	46.7	113	53.3	8.0
Gender					
Male	31	40.7	39	59.3	13.3
Female	69	51.1	74	48.9	9.4
Age					
50-64	56	35.9	79	64.1	9.2
≥65	44	59.4	34	40.6	12.5
Education					
≤High School	49	48.8	62	51.2	10.8
>High School	49	44.2	48	55.8	11.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

Kings

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	94	44.2	116	55.8	8.0
Gender					
Male	29	37.4	40	62.6	13.1
Female	65	49.4	76	50.6	9.5
Age					
50-64	53	34.6	81	65.4	9.2
≥65	41	55.8	35	44.2	12.8
Education					
≤High School	47	47.6	62	52.4	11.0
>High School	46	42.7	50	57.3	11.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Kings

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	105	49.1	109	50.9	8.0
Gender					
Male	32	40.4	39	59.6	13.1
Female	73	55.8	70	44.2	9.2
Age					
50-64	57	36.7	80	63.3	9.2
≥65	48	64.3	29	35.7	12.4
Education					
≤High School	53	51.7	59	48.3	10.7
>High School	51	48.8	46	51.2	12.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval