

Expanded BRFSS, 2003

Erie Locality

Table of Contents:

Optional Module 6: Disability 3
Optional Module 9: Fruits and Vegetables 4
Optional Module 10: Health Care Coverage 5
Optional Module 16: Physical Activity 7
Optional Module 19: Tobacco Consumption 12
Optional Module 22: Tobacco – Work site ETS 13
Optional Module 25: Cervical Cancer 15

New York State Department of Health

This page left blank intentionally

Expanded BRFSS, 2003 - New York State Department of Health

Children in Household Who Still Have Asthma

Erie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	37	15.4	167	84.6	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with a Disability

Erie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	122	18.5	487	81.5	3.3
Gender					
Male	49	17.6	197	82.4	5.0
Female	73	19.3	290	80.7	4.3
Age					
18-34	10	6.8	122	93.2	4.4
35-54	57	22.9	193	77.1	5.7
≥55	54	23.5	164	76.5	6.0
Education					
≤High School	62	25.1	172	74.9	6.0
>High School	59	14.1	315	85.9	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eat Five Fruits or Vegetable Servings per Day

Erie

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	162	24.5	443	75.5	3.7
Gender					
Male	54	20.5	192	79.5	5.3
Female	108	28.0	251	72.0	5.1
Age					
18-34	34	23.9	98	76.1	7.9
35-54	53	18.9	196	81.1	5.0
≥55	73	32.3	142	67.7	6.7
Education					
≤High School	48	17.9	183	82.1	5.2
>High School	114	28.4	259	71.6	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Main Reason for Not Having Health Care Coverage

Erie

Demographic Groups	n ¹	Changed or lost job % ²	C.I. ³	n	Could not afford %	C.I.	n	Other %	C.I.
Total	11	20.7	12.7	9	25.6	16.7	17	53.7	18.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

No Health Care Coverage for Past Two Years Among Uninsured

Erie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	23	57.9	14	42.1	18.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Work-Related Physical Activity

Erie

Demographic Groups	n ¹	Mostly sitting or standing % ²	C.I. ³	n	Mostly walking %	C.I.	n	Mostly heavy labor %	C.I.
Total	211	64.0	6.0	68	21.9	5.1	42	14.1	4.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Moderate Physical Activity (Moderate Exercise: 30 or more minutes per day and 5 or more days per week)

Erie

Demographic Groups	n ¹	Meet Mod. Objective			Insufficient Mod. Activity			No Mod. Activity		
		% ²	C.I. ³	n	%	C.I.	n	%	C.I.	
Total	212	40.0	4.6	258	44.1	4.6	101	15.9	3.3	
Gender										
Male	91	42.8	7.3	104	42.4	7.1	38	14.9	5.2	
Female	121	37.6	5.8	154	45.5	6.0	63	16.8	4.2	
Age										
18-64	171	41.8	5.3	190	43.3	5.3	69	14.8	3.8	
≥65	38	32.4	9.1	63	46.5	9.4	32	21.2	7.2	
Education										
≤High School	75	40.6	7.6	89	37.0	7.2	55	22.4	5.9	
>High School	137	39.7	5.8	169	48.2	5.9	46	12.1	4.0	

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Vigorous Physical Activity (Vigorous Exercise: 20 or more minutes per day and 3 or more days per week)

Erie

Demographic Groups	n ¹	Meet Vig. Objective	C.I. ³	n	Insufficient Vig. Activity	C.I.	n	No Vig. Activity	C.I.
		% ²			%			%	
Total	171	31.0	4.4	96	18.5	3.7	317	50.6	4.6
Gender									
Male	84	38.5	7.2	49	21.2	5.7	105	40.3	6.9
Female	87	24.3	4.9	47	16.0	4.7	212	59.7	5.8
Age									
18-64	147	34.8	5.2	81	20.0	4.3	209	45.2	5.3
≥65	20	14.9	6.6	15	13.9	7.1	104	71.2	8.7
Education									
≤High School	54	26.8	7.0	31	16.2	5.6	136	57.0	7.5
>High School	116	32.9	5.6	65	19.9	4.8	181	47.2	5.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Meet Recommendations for Moderate or Vigorous Physical Activity*Erie*

Demographic Groups	n¹	Meet Objective %²	C.I.³	n	Insufficient Activity %	C.I.	n	No Activity %	C.I.
Total	278	51.0	4.6	212	36.0	4.4	89	13.0	2.8
Gender									
Male	125	57.9	6.9	82	32.6	6.5	29	9.5	3.6
Female	153	44.8	5.9	130	39.1	5.9	60	16.2	4.1
Age									
18-64	229	54.6	5.3	150	34.2	5.0	57	11.2	3.0
≥65	45	36.5	9.1	58	42.5	9.2	32	21.0	7.1
Education									
≤High School	95	48.5	7.5	79	33.2	6.9	48	18.4	5.3
>High School	182	52.1	5.9	133	37.9	5.7	41	10.0	3.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Any Physical Activity or Exercise

Erie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	555	89.1	77	10.9	2.5
Gender					
Male	233	92.3	24	7.7	3.2
Female	322	86.3	53	13.7	3.7
Age					
18-64	424	91.3	47	8.7	2.6
≥65	120	81.7	28	18.3	6.8
Education					
≤High School	197	83.6	44	16.4	4.9
>High School	357	92.3	33	7.7	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Number of Cigarettes Smoked per day among Everyday Smokers

Erie

Demographic Groups	n¹	1-10 cigarettes %²	n	≥11 cigarettes %	C.I.³
Total	35	40.5	63	59.5	11.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Work Indoors Most of the Time

Erie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	288	86.6	38	13.4	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Smoking Policy at Place of Work among Indoor Workers*Erie*

Demographic Groups	n¹	Not allowed anywhere %²	C.I.³	n	Allowed in some or all places %	C.I.	n	No official policy %	C.I.
Total	243	82.7	5.3	29	11.7	4.6	14	5.6	3.2
Gender									
Male	91	75.6	9.0	15	15.1	7.8	12	9.3	5.7
Female	152	88.8	6.0	14	8.8	5.3	2	2.4	3.2
Age									
18-34	69	78.3	11.1	9	13.8	9.7	5	7.9	6.9
35-54	141	86.6	5.6	15	9.9	5.1	7	3.5	2.7
≥55	29	81.6	14.0	5	16.0	13.5	1	2.5	4.8
Education									
≤High School	61	76.4	10.7	13	18.4	9.8	4	5.2	5.6
>High School	182	85.0	6.1	16	9.3	5.2	10	5.7	3.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pap Smear

Erie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	265	97.5	7	2.5	2.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Pap Smear in Past 3 Years

Erie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	240	90.0	31	10.0	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval