

**Expanded BRFSS, 2003**

**Chenango, Madison**

Table of Contents:

Optional Module 4: Cholesterol Awareness.....	1
Optional Module 6: Disability.....	3
Optional Module 9: Fruits and Vegetables.....	4
Optional Module 12: Hypertension Awareness.....	5
Optional Module 13: Injury Control - Falls.....	6
Optional Module 14: Immunization.....	7
Optional Module 15: Oral Health.....	11
Optional Module 24: Weight Control.....	13
Optional Module 25: Cervical Cancer.....	17

Expanded BRFSS, 2003 - New York State Department of Health

## Ever had Blood Cholesterol Checked

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	505	75.8	129	24.2	4.2
Gender					
Male	202	74.8	53	25.2	6.6
Female	303	76.7	76	23.3	5.3
Age					
18-34	55	48.3	54	51.7	10.3
35-54	217	81.3	57	18.7	5.2
≥55	230	93.6	15	6.4	3.7
Education					
≤High School	238	69.8	75	30.2	6.5
>High School	264	81.6	53	18.4	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had Blood Cholesterol Checked in the Past Five Years

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	465	70.5	162	29.5	4.4
Gender					
Male	180	68.6	71	31.4	6.9
Female	285	72.3	91	27.7	5.6
Age					
18-34	50	44.3	57	55.7	10.3
35-54	197	75.5	74	24.5	5.6
≥55	215	87.5	28	12.5	5.1
Education					
≤High School	222	64.7	90	35.3	6.6
>High School	240	76.1	71	23.9	5.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Adults with a Disability

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	153	19.5	493	80.5	3.2
Gender					
Male	55	16.2	201	83.8	4.5
Female	98	22.5	292	77.5	4.4
Age					
18-34	14	10.4	102	89.6	5.4
35-54	60	17.9	216	82.1	4.6
≥55	78	30.4	170	69.6	6.2
Education					
≤High School	74	17.3	249	82.7	4.1
>High School	79	22.0	241	78.0	4.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Eat Five Fruits or Vegetable Servings per Day

*Chenango, Madison*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	149	20.6	501	79.4	3.5
Gender					
Male	35	13.7	223	86.3	4.9
Female	114	27.1	278	72.9	4.9
Age					
18-34	21	18.5	95	81.5	8.1
35-54	47	15.4	230	84.6	4.7
≥55	80	29.6	171	70.4	6.1
Education					
≤High School	56	15.1	267	84.9	4.4
>High School	92	26.3	231	73.7	5.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Been Told Have High Blood Pressure by a Medical Professional

*Chenango, Madison*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	199	27.3	446	72.7	3.7
Gender					
Male	82	29.0	174	71.0	6.0
Female	117	25.6	272	74.4	4.6
Age					
18-34	11	10.8	105	89.2	6.3
35-54	61	22.0	215	78.0	5.3
≥55	125	49.6	122	50.4	6.9
Education					
≤High School	112	29.9	210	70.1	5.5
>High School	86	24.9	233	75.1	5.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Fall in Past Three Months

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	No fall % <sup>2</sup>	C.I. <sup>3</sup>	n	Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	315	81.8	4.0	26	5.8	2.3	52	12.5	3.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flu Shot in the Past 12 Months, Aged 65 and Older

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	97	69.9	51	30.1	7.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flu Shot in the Past 12 Months

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	226	32.6	418	67.4	4.0
Gender					
Male	86	32.6	170	67.4	6.4
Female	140	32.5	248	67.5	5.0
Age					
18-64	126	24.3	364	75.7	4.3
≥65	97	69.9	51	30.1	7.9
Education					
≤High School	100	27.1	221	72.9	5.3
>High School	125	38.4	195	61.6	6.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pneumonia Shot, Aged 65 and Older

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	108	76.9	37	23.1	7.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pneumonia Shot

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	192	29.5	411	70.5	4.1
Gender					
Male	78	33.2	156	66.8	6.9
Female	114	26.2	255	73.8	4.7
Age					
18-64	81	18.3	371	81.7	4.3
≥65	108	76.9	37	23.1	7.3
Education					
≤High School	94	26.7	215	73.3	5.5
>High School	97	32.8	194	67.2	6.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	382	55.8	251	44.2	4.5
Gender					
Male	153	56.2	100	43.8	7.1
Female	229	55.4	151	44.6	5.7
Age					
18-34	37	30.4	79	69.6	9.0
35-54	151	55.2	123	44.8	6.6
≥55	192	81.8	46	18.2	5.2
Education					
≤High School	226	66.4	91	33.6	6.3
>High School	155	45.1	159	54.9	6.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Having Seen a Dental Professional in the Past 12 Months

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	387	68.7	163	31.3	4.5
Gender					
Male	154	68.3	69	31.7	7.0
Female	233	69.1	94	30.9	5.8
Age					
18-34	70	61.8	43	38.2	9.9
35-54	180	69.9	74	30.1	6.4
≥55	135	76.1	43	23.9	6.9
Education					
≤High School	163	62.4	88	37.6	7.1
>High School	223	74.2	74	25.8	5.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Trying to Lose Weight

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	289	42.7	354	57.3	4.4
Gender					
Male	85	32.1	170	67.9	6.4
Female	204	52.5	184	47.5	5.6
Age					
18-34	46	38.2	70	61.8	9.7
35-54	128	44.5	146	55.5	6.5
≥55	113	44.4	135	55.6	6.8
Education					
≤High School	145	40.6	177	59.4	6.1
>High School	144	45.2	175	54.8	6.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Trying to Maintain Current Weight of Those not Trying to Lose Weight**

*Chenango, Madison*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	213	60.4	142	39.6	5.9
Gender					
Male	94	56.1	77	43.9	8.5
Female	119	66.3	65	33.7	7.6
Age					
18-34	40	56.8	30	43.2	12.8
35-54	90	62.5	57	37.5	8.9
≥55	81	61.2	54	38.8	9.0
Education					
≤High School	104	61.7	73	38.3	8.3
>High School	109	60.3	67	39.7	8.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Eating Fewer Calories or Less Fat to Lose or Maintain Weight

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	386	76.3	110	23.7	4.4
Gender					
Male	131	71.7	47	28.3	7.6
Female	255	79.9	63	20.1	5.0
Age					
18-34	58	67.8	27	32.2	10.7
35-54	175	79.7	42	20.3	6.3
≥55	151	79.5	39	20.5	6.3
Education					
≤High School	188	75.5	58	24.5	6.2
>High School	198	77.2	52	22.8	6.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Using Physical Exercise to Lose or Maintain Weight

*Chenango, Madison*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	345	69.6	157	30.4	4.5
Gender					
Male	123	68.6	56	31.4	7.5
Female	222	70.5	101	29.5	5.5
Age					
18-34	68	78.5	18	21.5	9.2
35-54	153	68.5	65	31.5	7.0
≥55	121	63.1	73	36.9	7.5
Education					
≤High School	159	65.2	90	34.8	6.7
>High School	186	74.1	67	25.9	6.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pap Smear

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	284	96.6	10	3.4	2.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Pap Smear in Past 3 Years

*Chenango, Madison*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	251	85.0	41	15.0	4.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval