

Expanded BRFSS, 2003

Cattaraugus, Chautauqua

Table of Contents:

Optional Module 4: Cholesterol Awareness.....	1
Optional Module 6: Disability.....	3
Optional Module 9: Fruits and Vegetables.....	4
Optional Module 12: Hypertension Awareness.....	5
Optional Module 13: Injury Control - Falls.....	6
Optional Module 14: Immunization.....	7
Optional Module 15: Oral Health.....	11
Optional Module 24: Weight Control.....	13
Optional Module 25: Cervical Cancer.....	17

Expanded BRFSS, 2003 - New York State Department of Health

Ever had Blood Cholesterol Checked

Cattaraugus, Chautauqua

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	497	77.8	107	22.2	4.2
Gender					
Male	180	74.5	47	25.5	6.9
Female	317	80.9	60	19.1	4.8
Age					
18-34	54	48.7	51	51.3	10.8
35-54	204	84.1	38	15.9	5.1
≥55	236	92.8	18	7.2	3.8
Education					
≤High School	242	73.3	62	26.7	6.5
>High School	255	82.6	45	17.4	5.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had Blood Cholesterol Checked in the Past Five Years

Cattaraugus, Chautauqua

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	465	73.0	130	27.0	4.4
Gender					
Male	166	68.3	59	31.7	7.3
Female	299	77.4	71	22.6	5.1
Age					
18-34	49	43.4	55	56.6	10.7
35-54	191	77.6	51	22.4	5.9
≥55	222	90.6	24	9.4	4.2
Education					
≤High School	227	70.0	71	30.0	6.6
>High School	238	76.2	59	23.8	5.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with a Disability

Cattaraugus, Chautauqua

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	156	23.0	462	77.0	3.7
Gender					
Male	53	22.2	181	77.8	5.9
Female	103	23.6	281	76.4	4.6
Age					
18-34	15	14.4	99	85.6	7.5
35-54	55	21.7	189	78.3	5.5
≥55	85	31.4	173	68.6	6.4
Education					
≤High School	80	22.2	233	77.8	5.2
>High School	76	23.8	229	76.2	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eat Five Fruits or Vegetable Servings per Day

Cattaraugus, Chautauqua

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	162	23.5	459	76.5	3.7
Gender					
Male	42	16.5	192	83.5	5.0
Female	120	29.9	267	70.1	5.1
Age					
18-34	19	14.5	96	85.5	7.0
35-54	68	28.1	176	71.9	6.1
≥55	75	26.0	184	74.0	5.8
Education					
≤High School	64	17.1	251	82.9	4.5
>High School	98	30.3	208	69.7	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Been Told Have High Blood Pressure by a Medical Professional

Cattaraugus, Chautauqua

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	234	33.2	384	66.8	4.2
Gender					
Male	84	33.7	150	66.3	6.7
Female	150	32.7	234	67.3	5.1
Age					
18-34	12	10.7	102	89.3	7.0
35-54	72	28.7	172	71.3	6.1
≥55	150	58.1	107	41.9	6.8
Education					
≤High School	129	35.4	184	64.6	6.0
>High School	105	30.8	200	69.2	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Fall in Past Three Months

Cattaraugus, Chautauqua

Demographic Groups	n ¹	No fall % ²	C.I. ³	n	Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	311	80.5	4.5	23	5.8	2.6	49	13.7	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flu Shot in the Past 12 Months, Aged 65 and Older

Cattaraugus, Chautauqua

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	126	71.8	51	28.2	7.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flu Shot in the Past 12 Months

Cattaraugus, Chautauqua

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	236	32.9	381	67.1	4.1
Gender					
Male	82	30.9	152	69.1	6.3
Female	154	34.9	229	65.1	5.3
Age					
18-64	109	22.7	329	77.3	4.2
≥65	126	71.8	51	28.2	7.5
Education					
≤High School	119	30.9	193	69.1	5.6
>High School	117	35.1	188	64.9	5.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot, Aged 65 and Older

Cattaraugus, Chautauqua

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	122	71.6	50	28.4	7.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot

Cattaraugus, Chautauqua

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	187	28.1	390	71.9	4.1
Gender					
Male	63	30.2	141	69.8	6.9
Female	124	26.3	249	73.7	4.7
Age					
18-64	65	16.1	338	83.9	4.1
≥65	122	71.6	50	28.4	7.7
Education					
≤High School	112	33.0	178	67.0	6.1
>High School	75	23.0	212	77.0	5.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease

Cattaraugus, Chautauqua

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	392	58.3	218	41.7	4.6
Gender					
Male	142	56.8	89	43.2	7.3
Female	250	59.8	129	40.2	5.7
Age					
18-34	37	30.6	77	69.4	9.3
35-54	136	55.5	103	44.5	6.9
≥55	218	85.4	37	14.6	4.7
Education					
≤High School	229	66.8	79	33.2	6.6
>High School	163	49.3	139	50.7	6.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Having Seen a Dental Professional in the Past 12 Months

Cattaraugus, Chautauqua

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	379	67.6	159	32.4	4.7
Gender					
Male	141	62.8	71	37.2	7.5
Female	238	72.3	88	27.7	5.6
Age					
18-34	64	56.9	46	43.1	10.6
35-54	176	72.2	61	27.8	6.3
≥55	137	72.0	52	28.0	7.3
Education					
≤High School	165	62.3	89	37.7	7.1
>High School	214	72.8	70	27.2	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Lose Weight

Cattaraugus, Chautauqua

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	292	47.8	323	52.2	4.6
Gender					
Male	93	42.3	139	57.7	7.2
Female	199	52.9	184	47.1	5.7
Age					
18-34	52	45.9	60	54.1	10.5
35-54	127	52.1	117	47.9	6.8
≥55	112	44.3	145	55.7	6.8
Education					
≤High School	144	46.3	167	53.7	6.5
>High School	148	49.4	156	50.6	6.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Maintain Current Weight of Those not Trying to Lose Weight

Cattaraugus, Chautauqua

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	212	66.0	110	34.0	6.0
Gender					
Male	85	61.2	55	38.8	9.1
Female	127	71.7	55	28.3	7.3
Age					
18-34	35	57.1	27	42.9	13.8
35-54	78	64.7	39	35.3	9.5
≥55	98	74.9	44	25.1	7.4
Education					
≤High School	102	61.5	64	38.5	8.6
>High School	110	71.2	46	28.8	8.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eating Fewer Calories or Less Fat to Lose or Maintain Weight

Cattaraugus, Chautauqua

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	382	73.7	117	26.3	4.7
Gender					
Male	122	67.3	54	32.7	8.0
Female	260	79.1	63	20.9	5.3
Age					
18-34	63	67.3	24	32.7	11.8
35-54	150	70.7	54	29.3	7.1
≥55	167	81.9	39	18.1	5.9
Education					
≤High School	190	75.6	54	24.4	6.8
>High School	192	71.8	63	28.2	6.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Using Physical Exercise to Lose or Maintain Weight

Cattaraugus, Chautauqua

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	346	72.3	158	27.7	4.3
Gender					
Male	122	70.4	56	29.6	7.3
Female	224	74.0	102	26.0	5.0
Age					
18-34	71	83.9	16	16.1	8.4
35-54	141	69.5	64	30.5	6.7
≥55	132	66.4	78	33.6	7.2
Education					
≤High School	150	66.8	96	33.2	6.7
>High School	196	77.8	62	22.2	5.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pap Smear

Cattaraugus, Chautauqua

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	266	93.3	19	6.7	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Pap Smear in Past 3 Years

Cattaraugus, Chautauqua

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	223	79.2	60	20.8	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval