



*New York State
HIV/AIDS Surveillance
Annual Report*

*For Cases Diagnosed
Through December 2009*

*Bureau of HIV/AIDS Epidemiology
AIDS Institute
New York State Department of Health*

August 2011

TABLE OF CONTENTS

	Page
Introduction to the New York State HIV/AIDS Annual Surveillance Report.....	4-6
Technical Notes on the New York State HIV/AIDS Annual Surveillance Report.....	7-11
Definition of Terms Used in this Report.....	12-15
Guide to the Tables	16-20

STATEWIDE

Table 1	Newly Diagnosed HIV and AIDS cases by Region and Year of Diagnosis.....	21
Table 2A	Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	22
Table 2B	HIV Cases Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk.....	23
Table 2C	AIDS Cases Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk.....	24

REGIONAL

Table 3A	NYC – Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	25
Table 3B	NYC – HIV Cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk.....	26
Table 3C	NYC – AIDS Cases, Newly Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk.....	27
Table 4A	Rest of State (NYS excluding NYC) - Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	28
Table 4B	Rest of State (NYS excluding NYC) – HIV Cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk.....	29
Table 4C	Rest of State (NYS excluding NYC) –AIDS Cases, Newly Diagnosed and Cumulative By Gender, Age, Race/Ethnicity and Risk.....	30

NYS, EXCLUDING NYC, by COUNTY

Table 5A	Living HIV and AIDS Cases by County.....	31-32
Table 5B	Newly Diagnosed HIV and AIDS cases and Cumulative AIDS by County.....	33-34

NYC by GENDER

Table 6A	Males – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk.....	35
Table 6B	Males – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk.....	36
Table 6C	Males – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk.....	37
Table 6D	Females – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk.....	38
Table 6E	Females – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk.....	39
Table 6F	Females – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk.....	40

NYS, EXCLUDING NYC, by GENDER (EXCLUDES PRISONERS)

Table 7A	Males – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk.....	41
Table 7B	Males – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk.....	42
Table 7C	Males – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk.....	43

Table 7D	Females – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk.....	44
Table 7E	Females – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk.....	45
Table 7F	Females – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk.....	46

PRISONERS - (NYS, EXCLUDING NYC)

Table 8A	Living HIV and AIDS cases by Gender, Age and Race/Ethnicity	47
Table 8B	Newly Diagnosed HIV and AIDS cases by Gender, Age and Race/Ethnicity	48

NYS, EXCLUDING NYC, by RYAN WHITE REGION

Table 9A	Living HIV and AIDS cases by RWR	49
Table 9B	Newly Diagnosed HIV and AIDS cases and Cumulative AIDS by RWR	50

NYS, EXCLUDING NYC - RYAN WHITE REGIONS

The following three tables have been generated for each of the Ryan White Regions:

- A** – Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** – HIV cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk
- C** – AIDS Cases, Newly Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk

Table 10 – A, B, C	Albany Ryan White Region	51-53
Table 11 – A, B, C	Binghamton Ryan White Region.....	54-56
Table 12 – A, B, C	Buffalo Ryan White Region	57-59
Table 13 – A, B, C	Lower Hudson Ryan White Region	60-62
Table 14 – A, B, C	Mid-Hudson Ryan White Region	63-65
Table 15 – A, B, C	Nassau/Suffolk Ryan White Region	66-68
Table 16 – A, B, C	Rochester Ryan White Region.....	69-71
Table 17 – A, B, C	Syracuse Ryan White Region.....	72-74

NYC – BOROUGHS

Table 18A	Living HIV and AIDS Cases by Borough	75
Table 18B	Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS by Borough.....	76

The following three tables have been generated for each of the Boroughs:

- A** – Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** – HIV cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk
- C** – AIDS Cases, Newly Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk

Table 19 - A, B, C	Bronx	77-79
Table 20 - A, B, C	Brooklyn	80-82
Table 21 - A, B, C	Manhattan	83-85
Table 22 - A, B, C	Queens	86-88
Table 23 - A, B, C	Staten Island	89-91

Introduction to the New York State HIV/AIDS Annual Surveillance Report

Overview

The Annual Surveillance Report presents recent data on newly diagnosed HIV cases and persons living with diagnosed HIV infection in New York State. Twenty-two sets of tables are grouped by major geographic division (New York State (NYS), New York City (NYC), NYS excluding NYC, Ryan White Regions¹, NYC boroughs). Most sets feature three tables on separate pages – (A) living HIV and AIDS cases, (B) new HIV diagnoses and (C) new AIDS diagnoses. The historical table (Table 1) includes HIV and AIDS diagnoses.

A) Living HIV (not AIDS), Living AIDS Cases and Living HIV/AIDS Cases

- The table features age-adjusted **prevalence rates** (living cases per 100,000 population) and shows the population. This allows comparison of rates between demographic groups and between geographic areas.
- Age is **current age** for the time point being reported, e.g. December 2009.

B) Newly Diagnosed HIV Cases

- **All** HIV cases newly diagnosed during the reporting period are counted, regardless of concurrent or subsequent AIDS diagnosis or vital status.
- Total new HIV diagnoses are subcategorized by AIDS diagnosis status. "Late" diagnoses are defined as HIV diagnoses followed by an AIDS diagnosis within 12 months. "Late" diagnoses are further subdivided into "concurrent" (AIDS diagnosis within one month of HIV diagnosis), or "other late" (AIDS diagnosis within 1 to 12 months). Remaining HIV diagnoses – those who have not developed AIDS to date or developed AIDS more than 12 months after HIV diagnosis are reported as "other".

¹ This report presents tabulations for eight Ryan White regions covering New York State, exclusive of New York City: Albany, Binghamton, Buffalo, Lower Hudson, Mid-Hudson, Nassau/Suffolk, Rochester and Syracuse. For administrative purposes in certain Ryan White programs, Binghamton and Syracuse Regions are combined into Central New York Region, and Mid Hudson and Lower Hudson are combined into Hudson Valley Region,

- Age-adjusted **case rates** (cases per 100,000 population per year) are given for new HIV diagnoses.
- Late and concurrent diagnoses are also presented as a percent of total new HIV diagnoses.

C) Newly Diagnosed AIDS Cases

- Age-adjusted case rates are given.
- Cumulative AIDS cases are shown next to new AIDS diagnoses.

Observations from the Current Report

- As of December 2009 more than **127,000** New Yorkers were living with HIV/AIDS. While the burden of HIV is heaviest in New York City, 22 percent of persons living with diagnosed HIV infection reside outside the five boroughs.
- Statewide, **26 percent** of newly diagnosed HIV cases have a **concurrent AIDS diagnosis**, and an additional 7 percent show an AIDS diagnosis within 12 months.
- The tabulation of living cases by current age show that HIV/AIDS should no longer be thought of as a young persons' disease. While the majority of HIV diagnoses occur before age 40, **76 percent of persons living with HIV/AIDS are age 40 or older.**

Special Note

This issue of the Surveillance Report incorporates a new transmission risk category: 'Female Presumed Heterosexual Contact'(FPHC). For a case to be classified as FPHC the HIV Surveillance record for the case must show *all* of the following:

- (a) Sex at birth is female
- (b) Case does not meet requirements for any other transmission risk group.
- (c) No positive indication of injection drug use (i.e., 'inject drug'= no, unknown or blank)
- (d) Positive indication of heterosexual contact (i.e., 'sex with male' = yes)

The FPHC definition is consistent with the recommendation by a work group convened by the Centers for Disease Control (CDC) in 2008 to study the addition of a presumed heterosexual transmission category to CDC's existing transmission risk hierarchy. CDC accepted the group's

recommendation and announced plans to implement it in 2012. Starting in 2011, BHAIE data products will feature the FPHC category. The new risk categorization applies to all cases in the surveillance registry, regardless of date of diagnosis or initial report.

The introduction of the FPHC category has a substantial impact on the transmission risk profile of HIV in New York State. Of the 39,000 females living with diagnosed HIV infection as of December 2009, about 15,000 (38%) are classified as FPHC in this Annual Surveillance Report. Before the introduction of the FPHC category all of these would have been classified as being of unknown risk.

Technical Notes on the New York State HIV/AIDS Annual Surveillance Report

Introduction

This is the HIV/AIDS Annual Surveillance Report, which is produced by the Bureau of HIV/AIDS Epidemiology (BHAЕ), AIDS Institute, New York State Department of Health (NYSDOH). Access to this publication is available through the Internet at the following address:

<http://www.nyhealth.gov/diseases/aids/statistics/index.htm>.

Printed copies can be obtained by writing to:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany NY 12220-0073

Information presented in this report is generated from data collected and maintained by BHAЕ and the HIV Epidemiology and Field Services (HEFS) Program of the NYC Department of Health and Mental Hygiene (NYCDOHMH). More finely delineated breakouts may be obtained through the BHAЕ data request unit by calling 518-474-4284.

Source Data

This report was produced using the May 2011 BHAЕ Statewide Analysis file. The Analysis file combines surveillance data from the New York State and New York City HIV/AIDS surveillance registries.

In 2006 and 2007 both New York State and New York City began using eHARS, an updated version of the HARS (HIV/AIDS Registry System) database that is used by all U.S. HIV surveillance registries. Through 2009, NYS HIV/AIDS analysis files were based on the format and data content of the older system. Before the transition to complete use of the newer system in early 2010, NYS reviewed and enhanced several auxiliary data sources that are used in preparation of the analysis files. In addition, starting in 2008 and continuing through 2010, the NYS and NYC registries underwent substantial data cleaning and updating. As a result of both activities, tabulations of historical data may differ from those in earlier reports.

Reporting Procedures

On June 1, 2000, the NYSDOH implemented the HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III). This law enhanced the existing AIDS case reporting by requiring health care providers to report all initial determinations of HIV infection, HIV-related illness and AIDS to the NYS Commissioner of Health.² Until June 2005, laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 cells/mm³ or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests and genotype results of antiretroviral drug resistance tests.

Laboratories conducting HIV-related testing must report directly to the NYSDOH. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 03/09. Copies can be obtained by calling 518-474-4284. Additional information about provider reporting is available at <http://www.health.state.ny.us/diseases/aids>.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

Record Updates:

HIV/AIDS surveillance files are never closed. When additional information is received on a case after the initial confirmation, data for that case may be updated, resulting in changes in the data

² HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at (518) 474-4845.

reported to the public. For example, new information may indicate that two surveillance cases in fact refer to a single individual. Surveillance system records for the two cases will be combined, reducing the case count for the geographic area, demographic or risk group of the combined cases.

HIV/AIDS Surveillance Case Definition:

A uniform surveillance case definition for AIDS was established by the Centers for Disease Control and Prevention (CDC) in the early 1980s, and has since been modified three times to expand the range of AIDS-indicator diseases and conditions and to incorporate HIV diagnostic tests. Modifications in 1985 and in 1987 were followed by the 1993 expansion of the AIDS case definition for adults and adolescents, which includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOHMH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

In 2008 CDC revised the HIV case definition³, designating AIDS as “stage 3 HIV infection.” This Annual Report continues to use the term AIDS to refer to this stage of disease. The 2008 case definition also requires laboratory-confirmed evidence of HIV infection. Since virtually all HIV cases entered into the NYS surveillance system meet this requirement it is not expected to affect case counts.

³ Revised Surveillance Case Definitions for HIV Infection Among Adults, Adolescents, and Children Aged <18 Months and for HIV Infection and AIDS Among Children Aged 18 Months to <13 Years — United States, 2008;MMWR, Dec. 5 2008, vol. 57, No. RR-10

Deduplication:

The HIV/AIDS case data used in this Annual Report have undergone both inter- and intra-state deduplication.

In 2004 the CDC completed the Interstate Duplication Evaluation Project (IDEP) in which all states were required to participate. The purpose of the project was to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases were only counted once. If a case was reported by two or more states, the earliest date of diagnosis was used to determine which state the case was assigned to. CDC estimated that 30,000 of the AIDS cases in the national surveillance system were duplicates, representing less than 5% of the almost 1 million cases that were reported to CDC over the history of the epidemic through 2002.

The percent of AIDS cases that were removed from the NYS registry through this process was approximately 3%, somewhat less than the national average of 5%. The data presented in the Semiannual and Annual report series since June 2004 reflect this change in the AIDS case count for NYS. The December 2003, 2002 and 2001 reports were also updated to reflect this change. CDC's deduplication of HIV/AIDS cases, known as Routine Interstate Duplicate Review (RIDR), is now conducted on an ongoing basis.

The Annual Report case data have also been deduplicated between NYC and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's BHAE. In NYC, HIV/AIDS surveillance is conducted by the NYCDOHMH HEFS Program. Often, the same case will be reported to both jurisdictions. The NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. At the national level, CDC deduplicates the data between the two jurisdictions for its own use. The goal of CDC's process is to ensure that each case is only counted once and is credited to the case's state of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal funding to NYS. The data used in this report have been deduplicated by BHAE following an algorithm similar to that used by CDC. Since May 2010, BHAE has also performed further adjustments to the data using information from an intrastate extension of the RIDR process. This removes several hundred additional duplicate

records, but, importantly, returns to the analysis file some 3,000 unique cases that are excluded by the standard procedure.

On-going refinement of the data may also contribute to geographical reassignment of cases at the state, regional and/or county and local levels.

Age Adjustment:

The diagnosis and prevalence rates for total population, gender and race/ethnicity in the report are age-adjusted to the U.S. 2000 Census population. The purpose of the adjustment is to enable comparisons of rates between areas or demographic groups which differ in age structure. In general, the adjusted rates in this report are similar to the crude (unadjusted) ones. Readers interested in the crude rates may derive them by dividing the case counts by the 2009 populations (U.S. Bureau of the Census, Annual County Resident Population Estimates by Age, Sex, Race and Hispanic Origin, 2010) which are given in the Living Cases table for each geographic region.

Data Completeness:

Newly diagnosed HIV and AIDS cases: Historical data indicate that counts of new HIV and AIDS diagnoses are approximately 94% complete by one calendar year after the close of the reporting period.

Living HIV and AIDS Cases: Because living cases include cases diagnosed in previous years as well as newly-diagnosed cases, delays in case reporting and ascertainment have little practical effect on the count. However, counts of living cases may be affected by delays in death reporting and incompleteness of matching death records to surveillance data.

Definition of Terms Used in this Report

Case: “Case” refers to a report for which confirmatory clinical and demographic data required by the CDC have been obtained. Reports received without sufficient information to confirm the suspected case or a confirmed case reported without required demographic variables or risk are investigated by NYS or NYC public health representatives who examine medical records to obtain demographic information, clinical status and reported HIV exposure (risk).

HIV and AIDS Case Categories:

- ***Living HIV Cases*** - All reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases reported by a provider indicating an HIV diagnosis or an HIV illness and/or by a laboratory reporting a confirmatory test result.
- ***Newly Diagnosed HIV Cases*** - HIV cases that have been reported for the first time by a laboratory reporting a confirmatory test result or by a physician reporting an initial HIV diagnosis, regardless of concurrent or subsequent AIDS diagnosis. Although DOH staff seek to obtain an accurate diagnosis date, please note that HIV reporting began in June 2000, so cases diagnosed before then by a provider other than the provider reporting the case may be misclassified as newly diagnosed. (See **Diagnosis date**, below.)
- ***Living AIDS Cases*** - All reported individuals living with AIDS.
- ***Newly Diagnosed AIDS Cases*** – Cases reported with AIDS for the first time. This includes HIV cases that have never been reported before and cases initially reported with HIV infection that have subsequently developed AIDS.
- ***Cumulative AIDS Cases*** - All AIDS cases reported since 1983, both living and deceased. There is no corresponding category for HIV cases.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically gathered by health care providers during routine medical history taking and is obtained from

review of the patient's medical records. An individual could have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Female presumed heterosexual contact (new for 2009 – see discussion in “Special Technical Notes”, page 5)
- Adult with undetermined mode of exposure

Children:

CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive
- Transfusion or transplant recipient
- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure is ranked higher than heterosexual contact on the hierarchy.

Under the standard CDC risk hierarchy, an individual for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if the partner's risk and/or HIV status is documented. In the absence of such information, the case is classified as having an undetermined exposure category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. The Female Presumed Heterosexual Contact categorization addresses this issue in women whose surveillance record indicates heterosexual activity. There is no corresponding classification for males; thus, a proportion of male cases with an undetermined exposure category may be heterosexually exposed.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Age:

Age at Diagnosis: The individual's age at the initial diagnosis of the condition in question (i.e. HIV or AIDS). As noted above, CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Current Age: The individual's age at the end of the reporting period.

Living Cases: Vital status of cases is determined from updated case reports, medical record review, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and

Social Security death data. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed and/or reported while incarcerated in city or county jails or one of the NYS Department of Corrections and Community Supervision (DOCCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCCS facility. Prison cases are often presented separately from general population data because, if diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than the pre-incarceration home address. In this report, tabulations for the whole state, NYC and its boroughs, and NYS excluding NYC (Tables 4A, 4B and 4C) include prisoners. In other geographic areas, prisoners make up a significant but shifting proportion of new diagnoses and living cases, and are excluded from those tables. Refer to table titles and footnotes to determine inclusion or exclusion of prisoner cases.

Residence: In this report, new HIV and AIDS diagnoses are presented by county of residence at the time of diagnosis, as reported in the surveillance record. Similarly, living AIDS cases are assigned to the county of AIDS diagnosis. Living HIV cases diagnosed with AIDS after the close of the report period are presented by county of HIV diagnosis. For example, a case diagnosed with HIV in Albany County in 2008 and diagnosed with AIDS in Monroe County in 2010, would be included among living HIV cases in Albany County in the annual report for December 2009.

Guide to the Tables

Most of the tables in this report are in one of three formats: (A) Living Cases, (B) Newly Diagnosed HIV Cases or (C) Newly Diagnosed and Cumulative AIDS Cases. Each geographic region – State, substate (NYC, NYS excluding NYC), Ryan White Region, NYC borough – is represented by a set of three tables, one in each format. These main formats are presented in detail below.

Counties:

Except for the boroughs of NYC, individual counties lack sufficient cases for statistically reliable display in the main table format. The county tables (5A, 5B) show new and living cases without demographic breakouts. Readers may contact BHAЕ to obtain more detailed county information.

Prisoners:

The tables for NYS excluding NYC by gender (Tables 7A-7F) and the Ryan White Regions exclude prisoners, as noted in the table titles. The prisoner tables (8A, 8B) show prisoners in state correctional facilities outside NYC. Because of the way cases are reported, the county of residence of these cases reflects the county of incarceration at the time of diagnosis, not necessarily the individual's home county. Since the movement of prisoners between facilities is not recorded in the HIV surveillance system, accurate county and regional tabulations of inmates living with diagnosed HIV infection cannot be developed using HIV surveillance data. The county tables (5A, 5B) and Ryan White Region summary tables (9A, 9B) present counts both with and without prisoners in order to show the general effect of prisoners on case counts at the county level.

Guide to the Tables

The "A" Tables (Example: Table 2A)

Table 2A

***NEW YORK STATE: Includes all 62 Counties
Living HIV and AIDS Cases as of December 2009*, by Gender, Age, Race/Ethnicity and Risk***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		49,367	100.0	249.6	78,017	100.0	375.7	127,384	100.0	625.3	19,541,453
Gender	Male	33,759	68.4	347.1	54,843	70.3	540.1	88,602	69.6	887.2	9,499,163
	Female	15,602	31.6	155.9	23,174	29.7	222.1	38,776	30.4	378.0	10,042,290
	Unk	6	0.0	6	0.0	.	.

Living Cases: Persons living with HIV (not AIDS) and AIDS at the end of the report period (in this case December 2009). These are summed to produce a total count of people living with HIV/AIDS.

Prevalence Rate: The number of living cases per 100,000 population, age-adjusted to the U. S. 2000 Census population. The purpose of age-adjustment is to allow comparison of rates among populations with differing age distributions. The crude (unadjusted) rate can be derived by dividing living cases by the area population. In the example above, the crude prevalence rate of total living HIV and AIDS cases in NYS is $(127,384 \div 19,541,453) \times 100,000 = 651.9$ per 100,000, slightly higher than the age-adjusted rate.

Area Population: Estimated population in 2009. Source: U.S. Bureau of the Census, Annual County Resident Population Estimates by Age, Sex, Race and Hispanic Origin, 2010.

Guide to the Tables

The "B" Tables (Example: Table 2B)

Table 2B
NEW YORK STATE: Includes all 62 Counties
HIV Cases*, Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		1,062	100.0	283	100.0	1,345	100.0	2,807	100.0	4,152	100.0	21.3	25.6	32.4
Gender	Male	791	74.5	211	74.6	1,002	74.5	2,070	73.7	3,072	74.0	31.9	25.7	32.6
	Female	271	25.5	72	25.4	343	25.5	737	26.3	1,080	26.0	10.8	25.1	31.8

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period (in this case, January-December 2009), and those AIDS diagnoses will be reported in the accompanying AIDS diagnosis table (Table 2C).

Late Diagnoses: Late diagnoses are defined as those with an AIDS diagnosis within 12 months of the HIV diagnosis.

Concurrent HIV & AIDS: Newly diagnosed HIV cases with an AIDS diagnosis within a month of the HIV diagnosis date.

Other Late: Newly diagnosed HIV cases with an AIDS diagnosis 2 to 12 months after the HIV diagnosis date.

Other HIV Diagnoses: Newly diagnosed HIV cases without a subsequent AIDS diagnosis or with an AIDS diagnosis more than 12 months after the HIV diagnosis date. Such AIDS diagnoses would not be shown in this report since they occur after the calendar year covered by the report.

Case (diagnosis) Rate: The number newly diagnosed cases per 100,000 population, age-adjusted to the U. S. 2000 Census population. The purpose of age-adjustment is to allow comparison of rates among populations with differing age structures. The crude (unadjusted) rate can be derived by dividing new diagnoses by the area population. Following the previous example, the crude diagnosis case rate in NYS is $(4,152 \div 19,541,453) \times 100,000 = 21.2$ per 100,000, almost the same as the age-adjusted rate.

Percent Concurrent: The percent of newly diagnosed cases that are also diagnosed with AIDS within one month of the HIV diagnosis date.

Percent Late: The percent of newly diagnosed cases that are also diagnosed with AIDS within twelve months of the HIV diagnosis date. This includes concurrent diagnoses.

Guide to the Tables

The "C" Tables (Example: Table 2C)

Table 2C

***NEW YORK STATE: Includes all 62 Counties
AIDS Cases*, Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk***

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		3,466	100.0	17.6	191,360	100.0
Gender	Male	2,424	69.9	25.1	141,649	74.0
	Female	1,042	30.1	10.4	49,711	26.0

AIDS Diagnoses: AIDS diagnoses may occur among persons newly diagnosed with HIV (i.e., within the report period) as well as among those diagnosed earlier. HIV diagnoses and AIDS diagnoses **cannot** be added in a meaningful way.

For concurrent cases with an HIV diagnosis in the last month of the reporting period, the accompanying AIDS diagnosis may occur in the next reporting period. For example, some concurrent cases diagnosed with HIV December 2009 were diagnosed with AIDS in January 2010. The January-December 2009 report will not count their AIDS diagnosis in this table; on the other hand, it *will* count the AIDS diagnoses of some concurrent cases diagnosed with HIV in December 2008. This is of little practical significance.

Case Rate: The AIDS case (diagnosis) rate is calculated the same way as the HIV case (diagnosis) rate (see Guide to "B" Tables).

Table 1

NEW YORK STATE: Includes all 62 Counties
Newly Diagnosed HIV and AIDS Cases by Region and Year of Diagnosis*

Year	HIV Diagnoses**			AIDS Diagnoses		
	NYC	ROS	Total	NYC	ROS	Total
Prior to 1981	.	.	.	49	0	49
1981	.	.	.	148	6	154
1982	.	.	.	492	33	525
1983	.	.	.	1,053	123	1,176
1984	.	.	.	1,771	247	2,018
1985	.	.	.	2,720	453	3,173
1986	.	.	.	3,918	710	4,628
1987	.	.	.	4,897	1,032	5,929
1988	.	.	.	6,040	1,300	7,340
1989	.	.	.	6,386	1,600	7,986
1990	.	.	.	7,268	1,780	9,048
1991	.	.	.	8,373	2,156	10,529
1992	.	.	.	10,100	2,672	12,772
1993	.	.	.	11,726	2,852	14,578
1994	.	.	.	11,537	2,610	14,147
1995	.	.	.	10,388	2,645	13,033
1996	.	.	.	8,633	2,195	10,828
1997	.	.	.	6,868	1,576	8,444
1998	.	.	.	5,235	1,304	6,539
1999	.	.	.	4,974	1,240	6,214
2000***	4,613	1,120	5,733	5,760	1,421	7,181
2001	5,557	1,177	6,734	5,221	1,344	6,565
2002	4,954	1,115	6,069	4,333	1,234	5,567
2003	4,452	1,063	5,515	5,044	1,214	6,258
2004	4,057	1,074	5,131	4,099	1,075	5,174
2005	4,147	1,007	5,154	4,016	1,123	5,139
2006	3,905	963	4,868	3,628	883	4,511
2007	3,807	945	4,752	3,516	911	4,427
2008	3,657	945	4,602	3,157	805	3,962
2009	3,303	849	4,152	2,792	674	3,466
Total	42,452	10,258	52,710	154,142	37,218	191,360

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***HIV reporting started in June 2000. No earlier data are available.

Table 2A

NEW YORK STATE: Includes all 62 Counties
Living HIV and AIDS Cases as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		49,367	100.0	249.6	78,017	100.0	375.7	127,384	100.0	625.3	19,541,453
Gender	Male	33,759	68.4	347.1	54,843	70.3	540.1	88,602	69.6	887.2	9,499,163
	Female	15,602	31.6	155.9	23,174	29.7	222.1	38,776	30.4	378.0	10,042,290
	Unk	6	0.0	6	0.0	.	.
Current Age	12 & under	473	1.0	15.1	28	0.0	0.9	501	0.4	16.0	3,131,651
	13-19	1,037	2.1	55.5	710	0.9	38.0	1,747	1.4	93.5	1,867,941
	20-24	2,214	4.5	164.2	1,144	1.5	84.8	3,358	2.6	249.0	1,348,378
	25-29	3,529	7.1	258.9	1,872	2.4	137.3	5,401	4.2	396.2	1,363,221
	30-39	10,357	21.0	400.3	9,369	12.0	362.1	19,726	15.5	762.4	2,587,290
	40-49	17,074	34.6	585.4	28,680	36.8	983.4	45,754	35.9	1568.8	2,916,557
	50-59	10,773	21.8	404.0	25,669	32.9	962.6	36,442	28.6	1366.6	2,666,708
	60+	3,896	7.9	106.5	10,540	13.5	288.0	14,436	11.3	394.5	3,659,707
	Unk	14	0.0	.	5	0.0	.	19	0.0	.	.
Race/Ethnicity	White	11,586	23.5	96.7	14,991	19.2	112.2	26,577	20.9	208.9	11,813,166
	Black	20,899	42.3	706.3	33,956	43.5	1136	54,855	43.1	1842.6	2,962,374
	Hispanic	14,523	29.4	463.6	25,878	33.2	865.2	40,401	31.7	1328.8	3,274,385
	Asian/PI	699	1.4	45.6	794	1.0	52.4	1,493	1.2	98.0	1,417,450
	Native Am	45	0.1	62.2	58	0.1	79.3	103	0.1	141.5	74,078
	Multi Race***	1,241	2.5	.	2,303	3.0	.	3,544	2.8	.	.
	Unk	374	0.8	.	37	0.0	.	411	0.3	.	.
Risk	MSM	17,312	35.1	.	21,886	28.1	.	39,198	30.8	.	.
	IDU	5,714	11.6	.	18,594	23.8	.	24,308	19.1	.	.
	MSM/IDU	916	1.9	.	2,490	3.2	.	3,406	2.7	.	.
	Heterosexual	8,037	16.3	.	13,241	17.0	.	21,278	16.7	.	.
	Fem. Presumed Het.	7,017	14.2	.	7,778	10.0	.	14,795	11.6	.	.
	Blood Prod.	53	0.1	.	258	0.3	.	311	0.2	.	.
	Pediatric Risk	1,545	3.1	.	1,370	1.8	.	2,915	2.3	.	.
	Unk	8,773	17.8	.	12,400	15.9	.	21,173	16.6	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 2B

NEW YORK STATE: Includes all 62 Counties

HIV Cases*, Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		1,062	100.0	283	100.0	1,345	100.0	2,807	100.0	4,152	100.0	21.3	25.6	32.4
Gender	Male	791	74.5	211	74.6	1,002	74.5	2,070	73.7	3,072	74.0	31.9	25.7	32.6
	Female	271	25.5	72	25.4	343	25.5	737	26.3	1,080	26.0	10.8	25.1	31.8
Age at Diagnosis	12 & under	8	0.3	8	0.2	0.3	.	.
	13-19	18	1.7	13	4.6	31	2.3	150	5.3	181	4.4	9.7	9.9	17.1
	20-24	58	5.5	30	10.6	88	6.5	474	16.9	562	13.5	41.7	10.3	15.7
	25-29	103	9.7	51	18.0	154	11.4	431	15.4	585	14.1	42.9	17.6	26.3
	30-39	256	24.1	53	18.7	309	23.0	728	25.9	1,037	25.0	40.1	24.7	29.8
	40-49	326	30.7	76	26.9	402	29.9	642	22.9	1,044	25.1	35.8	31.2	38.5
	50-59	216	20.3	50	17.7	266	19.8	286	10.2	552	13.3	20.7	39.1	48.2
	60+	85	8.0	10	3.5	95	7.1	88	3.1	183	4.4	5.0	46.4	51.9
Race/Ethnicity	White	167	15.7	37	13.1	204	15.2	556	19.8	760	18.3	6.7	22.0	26.8
	Black	504	47.5	151	53.4	655	48.7	1,280	45.6	1,935	46.6	64.6	26.0	33.9
	Hispanic	326	30.7	79	27.9	405	30.1	825	29.4	1,230	29.6	36.9	26.5	32.9
	Asian/PI	21	2.0	7	2.5	28	2.1	72	2.6	100	2.4	6.4	21.0	28.0
	Native Am	1	0.1	.	.	1	0.1	2	0.1	3	0.1	4.5	33.3	33.3
	Multi Race****	43	4.0	9	3.2	52	3.9	72	2.6	124	3.0	.	34.7	41.9
Risk	MSM	332	31.3	101	35.7	433	32.2	1,314	46.8	1,747	42.1	.	19.0	24.8
	IDU	63	5.9	17	6.0	80	5.9	131	4.7	211	5.1	.	29.9	37.9
	MSM/IDU	13	1.2	4	1.4	17	1.3	34	1.2	51	1.2	.	25.5	33.3
	Heterosexual	208	19.6	74	26.1	282	21.0	412	14.7	694	16.7	.	30.0	40.6
	Fem. Presumed Het.	147	13.8	28	9.9	175	13.0	392	14.0	567	13.7	.	25.9	30.9
	Pediatric Risk	2	0.2	.	.	2	0.1	8	0.3	10	0.2	.	20.0	20.0
	Unk	297	28.0	59	20.8	356	26.5	516	18.4	872	21.0	.	34.1	40.8

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 2C

NEW YORK STATE: Includes all 62 Counties
AIDS Cases*, Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		3,466	100.0	17.6	191,360	100.0
Gender	Male	2,424	69.9	25.1	141,649	74.0
	Female	1,042	30.1	10.4	49,711	26.0
Age at Diagnosis	12 & under	.	.	.	2,383	1.2
	13-19	75	2.2	4.0	1,418	0.7
	20-24	209	6.0	15.5	5,297	2.8
	25-29	309	8.9	22.7	18,083	9.4
	30-39	809	23.3	31.3	75,336	39.4
	40-49	1,132	32.7	38.8	60,363	31.5
	50-59	703	20.3	26.4	21,436	11.2
	60+	229	6.6	6.3	7,044	3.7
Race/Ethnicity	White	511	14.7	4.3	44,502	23.3
	Black	1,662	48.0	56.6	81,461	42.6
	Hispanic	1,111	32.1	35.0	59,319	31.0
	Asian/PI	45	1.3	2.9	1,305	0.7
	Native Am	2	0.1	2.7	87	0.0
	Multi Race****	135	3.9	.	4,639	2.4
	Unk	.	.	.	47	0.0
Risk	MSM	1,077	31.1	.	54,770	28.6
	IDU	384	11.1	.	69,247	36.2
	MSM/IDU	91	2.6	.	6,607	3.5
	Heterosexual	690	19.9	.	23,188	12.1
	Fem. Presumed Het.	463	13.4	.	11,943	6.2
	Blood Prod.	4	0.1	.	1,134	0.6
	Pediatric Risk	51	1.5	.	3,015	1.6
	Unk	706	20.4	.	21,456	11.2

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 3A

NEW YORK CITY

Living HIV and AIDS Cases as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		38,451	100.0	449.8	61,142	100.0	708.7	99,593	100.0	1158.5	8,391,881
Gender	Male	26,386	68.6	640.5	42,671	69.8	1039	69,057	69.3	1679.2	4,011,243
	Female	12,060	31.4	274.1	18,471	30.2	415.2	30,531	30.7	689.3	4,380,638
	Unk	5	0.0	5	0.0	.	.
Current Age	12 & under	385	1.0	27.8	22	0.0	1.6	407	0.4	29.4	1,384,629
	13-19	837	2.2	117.1	611	1.0	85.5	1,448	1.5	202.7	714,498
	20-24	1,787	4.6	319.0	920	1.5	164.2	2,707	2.7	483.2	560,258
	25-29	2,863	7.4	395.4	1,534	2.5	211.9	4,397	4.4	607.3	724,036
	30-39	8,448	22.0	634.4	7,470	12.2	560.9	15,918	16.0	1195.3	1,331,755
	40-49	13,207	34.3	1099	22,210	36.3	1849	35,417	35.6	2948.4	1,201,208
	50-59	7,942	20.7	760.7	19,867	32.5	1903	27,809	27.9	2663.7	1,044,017
	60+	2,980	7.8	208.2	8,506	13.9	594.2	11,486	11.5	802.4	1,431,480
	Unk	2	0.0	.	2	0.0	.	4	0.0	.	.
Race/Ethnicity	White	8,048	20.9	255.6	10,056	16.4	306.1	18,104	18.2	561.6	3,018,880
	Black	16,964	44.1	845.4	27,520	45.0	1345	44,484	44.7	2190.0	1,992,165
	Hispanic	11,825	30.8	529.3	21,597	35.3	1002	33,422	33.6	1531.4	2,315,041
	Asian/PI	620	1.6	54.9	733	1.2	65.5	1,353	1.4	120.4	1,037,261
	Native Am	36	0.1	123.7	39	0.1	136.0	75	0.1	259.8	28,534
	Multi Race***	588	1.5	.	1,160	1.9	.	1,748	1.8	.	.
	Unk	370	1.0	.	37	0.1	.	407	0.4	.	.
Risk	MSM	14,117	36.7	.	17,529	28.7	.	31,646	31.8	.	.
	IDU	3,499	9.1	.	13,640	22.3	.	17,139	17.2	.	.
	MSM/IDU	609	1.6	.	1,641	2.7	.	2,250	2.3	.	.
	Heterosexual	5,825	15.1	.	10,001	16.4	.	15,826	15.9	.	.
	Fem. Presumed Het.	5,931	15.4	.	6,734	11.0	.	12,665	12.7	.	.
	Blood Prod.	29	0.1	.	156	0.3	.	185	0.2	.	.
	Pediatric Risk	1,277	3.3	.	1,144	1.9	.	2,421	2.4	.	.
	Unk	7,164	18.6	.	10,297	16.8	.	17,461	17.5	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

**Table 3B
NEW YORK CITY**

HIV Cases*, Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		808	100.0	206	100.0	1,014	100.0	2,289	100.0	3,303	100.0	38.1	24.5	30.7
Gender	Male	606	75.0	152	73.8	758	74.8	1,698	74.2	2,456	74.4	58.2	24.7	30.9
	Female	202	25.0	54	26.2	256	25.2	591	25.8	847	25.6	19.1	23.8	30.2
Age at Diagnosis	12 & under	7	0.3	7	0.2	0.5	.	.
	13-19	17	2.1	11	5.3	28	2.8	118	5.2	146	4.4	20.4	11.6	19.2
	20-24	43	5.3	21	10.2	64	6.3	375	16.4	439	13.3	78.4	9.8	14.6
	25-29	78	9.7	34	16.5	112	11.0	357	15.6	469	14.2	64.8	16.6	23.9
	30-39	195	24.1	44	21.4	239	23.6	613	26.8	852	25.8	64.0	22.9	28.1
	40-49	247	30.6	60	29.1	307	30.3	517	22.6	824	24.9	68.6	30.0	37.3
	50-59	158	19.6	29	14.1	187	18.4	230	10.0	417	12.6	39.9	37.9	44.8
	60+	70	8.7	7	3.4	77	7.6	72	3.1	149	4.5	10.4	47.0	51.7
Race/Ethnicity	White	88	10.9	18	8.7	106	10.5	364	15.9	470	14.2	14.6	18.7	22.6
	Black	406	50.2	113	54.9	519	51.2	1,092	47.7	1,611	48.8	79.8	25.2	32.2
	Hispanic	261	32.3	64	31.1	325	32.1	730	31.9	1,055	31.9	44.6	24.7	30.8
	Asian/PI	18	2.2	6	2.9	24	2.4	59	2.6	83	2.5	7.2	21.7	28.9
	Native Am	1	0.1	.	.	1	0.1	1	0.0	2	0.1	6.2	50.0	50.0
	Multi Race****	34	4.2	5	2.4	39	3.8	43	1.9	82	2.5	.	41.5	47.6
Risk	MSM	236	29.2	66	32.0	302	29.8	1,061	46.4	1,363	41.3	.	17.3	22.2
	IDU	42	5.2	12	5.8	54	5.3	95	4.2	149	4.5	.	28.2	36.2
	MSM/IDU	8	1.0	3	1.5	11	1.1	22	1.0	33	1.0	.	24.2	33.3
	Heterosexual	135	16.7	52	25.2	187	18.4	291	12.7	478	14.5	.	28.2	39.1
	Fem. Presumed Het.	128	15.8	22	10.7	150	14.8	346	15.1	496	15.0	.	25.8	30.2
	Pediatric Risk	1	0.1	.	.	1	0.1	7	0.3	8	0.2	.	12.5	12.5
	Unk	258	31.9	51	24.8	309	30.5	467	20.4	776	23.5	.	33.2	39.8

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY
AIDS Cases*, Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		2,792	100.0	32.5	154,142	100.0
Gender	Male	1,959	70.2	47.3	113,105	73.4
	Female	833	29.8	18.9	41,037	26.6
Age at Diagnosis	12 & under	.	.	.	2,055	1.3
	13-19	63	2.3	8.8	1,108	0.7
	20-24	167	6.0	29.8	4,238	2.7
	25-29	257	9.2	35.5	14,271	9.3
	30-39	655	23.5	49.2	60,092	39.0
	40-49	919	32.9	76.5	48,714	31.6
	50-59	543	19.4	52.0	17,777	11.5
	60+	188	6.7	13.1	5,887	3.8
Race/Ethnicity	White	330	11.8	10.4	31,225	20.3
	Black	1,359	48.7	68.2	67,349	43.7
	Hispanic	964	34.5	42.7	51,138	33.2
	Asian/PI	40	1.4	3.5	1,203	0.8
	Native Am	2	0.1	6.5	48	0.0
	Multi Race****	97	3.5	.	3,133	2.0
	Unk	.	.	.	46	0.0
Risk	MSM	856	30.7	.	44,899	29.1
	IDU	288	10.3	.	54,824	35.6
	MSM/IDU	66	2.4	.	4,698	3.0
	Heterosexual	499	17.9	.	18,097	11.7
	Fem. Presumed Het.	409	14.6	.	10,406	6.8
	Blood Prod.	4	0.1	.	729	0.5
	Pediatric Risk	38	1.4	.	2,544	1.7
	Unk	632	22.6	.	17,945	11.6

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 4A

**REST OF STATE (NEW YORK STATE Excluding NYC)
Living HIV and AIDS Cases as of December 2009*, by Gender, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		10,916	100.0	96.8	16,875	100.0	140.1	27,791	100.0	236.9	11,149,572
Gender	Male	7,373	67.5	129.4	12,172	72.1	202.0	19,545	70.3	331.4	5,487,920
	Female	3,542	32.4	64.8	4,703	27.9	80.3	8,245	29.7	145.2	5,661,652
	Unk	1	0.0	1	0.0	.	.
Current Age	12 & under	88	0.8	5.0	6	0.0	0.3	94	0.3	5.4	1,747,022
	13-19	200	1.8	17.3	99	0.6	8.6	299	1.1	25.9	1,153,443
	20-24	427	3.9	54.2	224	1.3	28.4	651	2.3	82.6	788,120
	25-29	666	6.1	104.2	338	2.0	52.9	1,004	3.6	157.1	639,185
	30-39	1,909	17.5	152.0	1,899	11.3	151.3	3,808	13.7	303.3	1,255,535
	40-49	3,867	35.4	225.4	6,470	38.3	377.2	10,337	37.2	602.6	1,715,349
	50-59	2,831	25.9	174.5	5,802	34.4	357.6	8,633	31.1	532.0	1,622,691
	60+	916	8.4	41.1	2,034	12.1	91.3	2,950	10.6	132.4	2,228,227
	Unk	12	0.1	.	3	0.0	.	15	0.1	.	.
Race/Ethnicity	White	3,538	32.4	40.2	4,935	29.2	50.6	8,473	30.5	90.8	8,794,286
	Black	3,935	36.0	419.6	6,436	38.1	690.1	10,371	37.3	1109.7	970,209
	Hispanic	2,698	24.7	316.6	4,281	25.4	524.5	6,979	25.1	841.1	959,344
	Asian/PI	79	0.7	20.3	61	0.4	15.3	140	0.5	35.6	380,189
	Native Am	9	0.1	22.4	19	0.1	43.5	28	0.1	65.9	45,544
	Multi Race***	653	6.0	.	1,143	6.8	.	1,796	6.5	.	.
	Unk	4	0.0	4	0.0	.	.
Risk	MSM	3,195	29.3	.	4,357	25.8	.	7,552	27.2	.	.
	IDU	2,215	20.3	.	4,954	29.4	.	7,169	25.8	.	.
	MSM/IDU	307	2.8	.	849	5.0	.	1,156	4.2	.	.
	Heterosexual	2,212	20.3	.	3,240	19.2	.	5,452	19.6	.	.
	Fem. Presumed Het.	1,086	9.9	.	1,044	6.2	.	2,130	7.7	.	.
	Blood Prod.	24	0.2	.	102	0.6	.	126	0.5	.	.
	Pediatric Risk	268	2.5	.	226	1.3	.	494	1.8	.	.
	Unk	1,609	14.7	.	2,103	12.5	.	3,712	13.4	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 4B

**REST OF STATE (NEW YORK STATE Excluding NYC)
HIV Cases*, Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk**

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		254	100.0	77	100.0	331	100.0	518	100.0	849	100.0	7.9	29.9	39.0
Gender	Male	185	72.8	59	76.6	244	73.7	372	71.8	616	72.6	11.5	30.0	39.6
	Female	69	27.2	18	23.4	87	26.3	146	28.2	233	27.4	4.3	29.6	37.3
Age at Diagnosis	12 & under	1	0.2	1	0.1	0.1	.	.
	13-19	1	0.4	2	2.6	3	0.9	32	6.2	35	4.1	3.0	2.9	8.6
	20-24	15	5.9	9	11.7	24	7.3	99	19.1	123	14.5	15.6	12.2	19.5
	25-29	25	9.8	17	22.1	42	12.7	74	14.3	116	13.7	18.1	21.6	36.2
	30-39	61	24.0	9	11.7	70	21.1	115	22.2	185	21.8	14.7	33.0	37.8
	40-49	79	31.1	16	20.8	95	28.7	125	24.1	220	25.9	12.8	35.9	43.2
	50-59	58	22.8	21	27.3	79	23.9	56	10.8	135	15.9	8.3	43.0	58.5
	60+	15	5.9	3	3.9	18	5.4	16	3.1	34	4.0	1.5	44.1	52.9
Race/Ethnicity	White	79	31.1	19	24.7	98	29.6	192	37.1	290	34.2	3.5	27.2	33.8
	Black	98	38.6	38	49.4	136	41.1	188	36.3	324	38.2	33.7	30.2	42.0
	Hispanic	65	25.6	15	19.5	80	24.2	95	18.3	175	20.6	18.2	37.1	45.7
	Asian/PI	3	1.2	1	1.3	4	1.2	13	2.5	17	2.0	4.3	17.6	23.5
	Native Am	1	0.2	1	0.1	3.0	.	.
	Multi Race****	9	3.5	4	5.2	13	3.9	29	5.6	42	4.9	.	21.4	31.0
Risk	MSM	96	37.8	35	45.5	131	39.6	253	48.8	384	45.2	.	25.0	34.1
	IDU	21	8.3	5	6.5	26	7.9	36	6.9	62	7.3	.	33.9	41.9
	MSM/IDU	5	2.0	1	1.3	6	1.8	12	2.3	18	2.1	.	27.8	33.3
	Heterosexual	73	28.7	22	28.6	95	28.7	121	23.4	216	25.4	.	33.8	44.0
	Fem. Presumed Het.	19	7.5	6	7.8	25	7.6	46	8.9	71	8.4	.	26.8	35.2
	Pediatric Risk	1	0.4	.	.	1	0.3	1	0.2	2	0.2	.	50.0	50.0
	Unk	39	15.4	8	10.4	47	14.2	49	9.5	96	11.3	.	40.6	49.0

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 4C

**REST OF STATE (NEW YORK STATE Excluding NYC)
AIDS Cases*, Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		674	100.0	6.2	37,218	100.0
Gender	Male	465	69.0	8.4	28,544	76.7
	Female	209	31.0	3.9	8,674	23.3
Age at Diagnosis	12 & under	.	.	.	328	0.9
	13-19	12	1.8	1.0	310	0.8
	20-24	42	6.2	5.3	1,059	2.8
	25-29	52	7.7	8.1	3,812	10.2
	30-39	154	22.8	12.3	15,244	41.0
	40-49	213	31.6	12.4	11,649	31.3
	50-59	160	23.7	9.9	3,659	9.8
	60+	41	6.1	1.8	1,157	3.1
Race/Ethnicity	White	181	26.9	2.0	13,277	35.7
	Black	303	45.0	32.4	14,112	37.9
	Hispanic	147	21.8	16.0	8,181	22.0
	Asian/PI	5	0.7	1.2	102	0.3
	Native Am	.	.	.	39	0.1
	Multi Race****	38	5.6	.	1,506	4.0
	Unk	.	.	.	1	0.0
Risk	MSM	221	32.8	.	9,871	26.5
	IDU	96	14.2	.	14,423	38.8
	MSM/IDU	25	3.7	.	1,909	5.1
	Heterosexual	191	28.3	.	5,091	13.7
	Fem. Presumed Het.	54	8.0	.	1,537	4.1
	Blood Prod.	.	.	.	405	1.1
	Pediatric Risk	13	1.9	.	471	1.3
	Unk	74	11.0	.	3,511	9.4

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 5A**NEW YORK STATE: (Excluding NYC) by County
Living HIV and AIDS Cases as of December 2009***

County	Including Prisoners**			Excluding Prisoners**		
	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Albany	463	636	1,099	424	553	977
Allegany	10	17	27	9	16	25
Broome	140	220	360	134	208	342
Cattaraugus	36	57	93	19	29	48
Cayuga	94	145	239	34	53	87
Chautauqua	132	115	247	87	84	171
Chemung	118	119	237	60	43	103
Chenango	25	35	60	22	26	48
Clinton	103	222	325	30	36	66
Columbia	76	70	146	46	45	91
Cortland	12	14	26	11	14	25
Delaware	19	34	53	19	30	49
Dutchess	495	763	1,258	237	388	625
Erie	880	1,126	2,006	788	996	1,784
Essex	54	71	125	11	10	21
Franklin	180	219	399	11	19	30
Fulton	28	35	63	25	31	56
Genessee	28	40	68	21	30	51
Greene	69	114	183	30	39	69
Hamilton	1	3	4	1	3	4
Herkimer	18	22	40	18	20	38
Jefferson	191	161	352	29	42	71
Lewis	23	4	27	23	4	27
Livingston	91	91	182	21	28	49
Madison	21	26	47	18	19	37
Monroe	915	1,330	2,245	867	1,226	2,093
Montgomery	33	36	69	32	32	64
Nassau	1,082	1,843	2,925	1,059	1,768	2,827
Niagara	83	104	187	78	98	176
Oneida	327	473	800	110	172	282
Onondaga	349	602	951	328	563	891
Ontario	41	42	83	39	39	78
Orange	374	673	1,047	294	523	817
Orleans	158	218	376	11	20	31
Oswego	38	50	88	37	49	86

*Cases reported and confirmed through December 2010

**"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

Table 5A

**NEW YORK STATE: (Excluding NYC) by County
Living HIV and AIDS Cases as of December 2009***

County	Including Prisoners**			Excluding Prisoners**		
	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Otsego	22	37	59	22	36	58
Putnam	40	88	128	39	86	125
Rensselaer	99	158	257	92	141	233
Rockland	241	547	788	233	483	716
St Lawrence	137	190	327	26	45	71
Saratoga	106	140	246	70	90	160
Schenectady	181	231	412	167	207	374
Schoharie	19	21	40	10	16	26
Schuyler	8	5	13	4	3	7
Seneca	58	62	120	15	8	23
Steuben	35	38	73	33	35	68
Suffolk	1,117	1,871	2,988	1,067	1,779	2,846
Sullivan	160	284	444	100	184	284
Tioga	15	19	34	15	19	34
Tompkins	49	87	136	48	79	127
Ulster	283	477	760	146	260	406
Warren	28	38	66	27	37	64
Washington	73	112	185	12	17	29
Wayne	66	61	127	54	49	103
Westchester	1,370	2,516	3,886	1,085	2,158	3,243
Wyoming	93	157	250	5	6	11
Yates	9	6	15	9	6	15
	10,916	16,875	27,791	8,262	13,000	21,262

*Cases reported and confirmed through December 2010

**"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

Table 5B

**NEW YORK STATE: (Excluding NYC) by County
Newly Diagnosed HIV and AIDS Cases, 2009*
and Cumulative AIDS Diagnosed through December 2009**

County	Including Prisoners**			Excluding Prisoners**		
	HIV Diagnoses***	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses***	AIDS Diagnoses	Cumulative AIDS Diagnoses
Albany	35	25	1,281	34	21	1,159
Allegany	2	3	28	2	3	27
Broome	14	15	394	14	15	378
Cattaraugus	3	3	92	3	2	56
Cayuga	10	4	327	9	2	93
Chautauqua	8	8	183	7	7	147
Chemung	3	3	292	2	2	136
Chenango	2	2	64	2	2	45
Clinton	1	2	490	0	1	69
Columbia	4	5	151	4	3	99
Cortland	2	1	29	2	1	29
Delaware	1	0	55	1	0	51
Dutchess	23	20	1,807	19	17	975
Erie	102	61	2,464	101	60	2,194
Essex	4	0	185	1	0	33
Franklin	4	3	409	4	2	38
Fulton	1	1	61	1	1	54
Genessee	3	5	67	1	3	55
Greene	9	2	245	5	1	79
Hamilton	0	0	4	0	0	4
Herkimer	0	0	42	0	0	40
Jefferson	2	6	302	1	5	80
Lewis	0	0	13	0	0	12
Livingston	3	1	221	3	1	64
Madison	2	1	55	2	1	40
Monroe	91	66	2,671	90	61	2,499
Montgomery	2	0	83	2	0	78
Nassau	100	90	4,459	97	89	4,316
Niagara	7	2	268	7	2	255
Oneida	17	19	1,019	13	12	387
Onondaga	33	27	1,298	33	26	1,240

*Cases reported and confirmed through December 2010

**"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

Table 5B

NEW YORK STATE: (Excluding NYC) by County
Newly Diagnosed HIV and AIDS Cases, 2009*
and Cumulative AIDS Diagnosed through December 2009

County	Including Prisoners**			Excluding Prisoners**		
	HIV Diagnoses***	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses***	AIDS Diagnoses	Cumulative AIDS Diagnoses
Ontario	3	2	70	3	2	67
Orange	34	32	1,561	33	30	1,268
Orleans	2	3	380	1	1	43
Oswego	8	3	98	8	3	96
Otsego	0	2	83	0	2	81
Putnam	9	3	192	9	3	188
Rensselaer	9	5	316	8	3	291
Rockland	23	19	1,082	23	19	998
St Lawrence	4	4	343	2	3	80
Saratoga	8	3	327	8	3	199
Schenectady	7	4	485	7	4	453
Schoharie	0	2	47	0	2	41
Schuyler	0	0	15	0	0	13
Seneca	0	4	88	0	0	20
Steuben	3	1	91	3	1	87
Suffolk	106	83	4,435	103	78	4,263
Sullivan	4	6	716	2	4	514
Tioga	1	1	36	1	1	36
Tompkins	4	4	152	4	4	144
Ulster	11	14	1,030	11	13	634
Warren	1	2	76	1	2	75
Washington	2	3	306	1	1	43
Wayne	6	5	121	5	4	100
Westchester	116	91	5,742	115	86	5,065
Wyoming	0	3	354	0	0	15
Yates	0	0	13	0	0	13
Total	849	674	37,218	808	609	29,559

*Cases reported and confirmed through December 2010

**"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

Table 6A

NEW YORK CITY - Males
Living HIV and AIDS Cases as of December 2009*, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Area Population
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	
Total		26,386	100.0	640.5	42,671	100.0	1038.7	69,057	100.0	1679.2	4,011,243
Current Age	12 & under	181	0.7	25.6	12	0.0	1.7	193	0.3	27.3	706,851
	13-19	438	1.7	120.9	298	0.7	82.2	736	1.1	203.1	362,348
	20-24	1,298	4.9	470.9	602	1.4	218.4	1,900	2.8	689.3	275,626
	25-29	2,069	7.8	580.9	1,092	2.6	306.6	3,161	4.6	887.4	356,192
	30-39	5,847	22.2	905.2	4,870	11.4	753.9	10,717	15.5	1659.1	645,965
	40-49	9,172	34.8	1565.6	15,072	35.3	2572.7	24,244	35.1	4138.3	585,839
	50-59	5,346	20.3	1087.4	14,230	33.3	2894.4	19,576	28.3	3981.8	491,642
	60+	2,033	7.7	346.5	6,494	15.2	1106.7	8,527	12.3	1453.2	586,780
	Unk	2	0.0	.	1	0.0	.	3	0.0	.	.
Race/Ethnicity	White	7,234	27.4	455.4	8,830	20.7	536.4	16,064	23.3	991.9	1,461,565
	Black	9,792	37.1	1098.4	17,126	40.1	1930.5	26,918	39.0	3028.9	899,214
	Hispanic	8,127	30.8	755.6	15,223	35.7	1514.4	23,350	33.8	2270.0	1,127,880
	Asian/PI	506	1.9	91.8	616	1.4	111.5	1,122	1.6	203.3	508,961
	Native Am	29	0.1	208.5	33	0.1	247.6	62	0.1	456.2	13,623
	Multi Race***	417	1.6	.	813	1.9	.	1,230	1.8	.	.
	Unk	281	1.1	.	30	0.1	.	311	0.5	.	.
Risk	MSM	14,117	53.5	.	17,529	41.1	.	31,646	45.8	.	.
	IDU	2,166	8.2	.	9,155	21.5	.	11,321	16.4	.	.
	MSM/IDU	609	2.3	.	1,641	3.8	.	2,250	3.3	.	.
	Heterosexual	1,715	6.5	.	3,442	8.1	.	5,157	7.5	.	.
	Blood Prod.	12	0.0	.	68	0.2	.	80	0.1	.	.
	Pediatric Risk	620	2.3	.	569	1.3	.	1,189	1.7	.	.
	Unk	7,147	27.1	.	10,267	24.1	.	17,414	25.2	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 6B

NEW YORK CITY - Males
HIV Cases*, Newly Diagnosed (January-December 2009), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		606	100.0	152	100.0	758	100.0	1,698	100.0	2,456	100.0	58.2	24.7	30.9
Age at Diagnosis	12 & under	2	0.1	2	0.1	0.3	.	.
	13-19	12	2.0	8	5.3	20	2.6	86	5.1	106	4.3	29.3	11.3	18.9
	20-24	42	6.9	18	11.8	60	7.9	308	18.1	368	15.0	133.5	11.4	16.3
	25-29	62	10.2	32	21.1	94	12.4	296	17.4	390	15.9	109.5	15.9	24.1
	30-39	155	25.6	30	19.7	185	24.4	463	27.3	648	26.4	100.3	23.9	28.5
	40-49	187	30.9	39	25.7	226	29.8	356	21.0	582	23.7	99.3	32.1	38.8
	50-59	103	17.0	19	12.5	122	16.1	144	8.5	266	10.8	54.1	38.7	45.9
	60+	45	7.4	6	3.9	51	6.7	43	2.5	94	3.8	16.0	47.9	54.3
Race/Ethnicity	White	83	13.7	16	10.5	99	13.1	340	20.0	439	17.9	27.3	18.9	22.6
	Black	281	46.4	81	53.3	362	47.8	722	42.5	1,084	44.1	118.9	25.9	33.4
	Hispanic	201	33.2	46	30.3	247	32.6	549	32.3	796	32.4	67.6	25.3	31.0
	Asian/PI	16	2.6	4	2.6	20	2.6	52	3.1	72	2.9	13.1	22.2	27.8
	Native Am	1	0.2	.	.	1	0.1	1	0.1	2	0.1	13.6	50.0	50.0
	Multi Race****	24	4.0	5	3.3	29	3.8	34	2.0	63	2.6	.	38.1	46.0
	Unk
Risk	MSM	236	38.9	66	43.4	302	39.8	1,061	62.5	1,363	55.5	.	17.3	22.2
	IDU	30	5.0	8	5.3	38	5.0	55	3.2	93	3.8	.	32.3	40.9
	MSM/IDU	8	1.3	3	2.0	11	1.5	22	1.3	33	1.3	.	24.2	33.3
	Heterosexual	75	12.4	25	16.4	100	13.2	96	5.7	196	8.0	.	38.3	51.0
	Blood Prod.
	Pediatric Risk	2	0.1	2	0.1	.	.	.
	Unk	257	42.4	50	32.9	307	40.5	462	27.2	769	31.3	.	33.4	39.9

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 6C

NEW YORK CITY - Males
AIDS Cases*, Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		1,959	100.0	47.3	113,105	100.0
Age at Diagnosis	12 & under	.	.	.	1,020	0.9
	13-19	34	1.7	9.4	608	0.5
	20-24	142	7.2	51.5	2,737	2.4
	25-29	199	10.2	55.9	9,887	8.7
	30-39	470	24.0	72.8	43,639	38.6
	40-49	626	32.0	106.9	36,833	32.6
	50-59	365	18.6	74.2	13,847	12.2
	60+	123	6.3	21.0	4,534	4.0
Race/Ethnicity	White	305	15.6	19.1	27,848	24.6
	Black	862	44.0	98.1	44,680	39.5
	Hispanic	690	35.2	62.9	37,187	32.9
	Asian/PI	33	1.7	6.0	1,033	0.9
	Native Am	2	0.1	14.0	40	0.0
	Multi Race****	67	3.4	.	2,279	2.0
	Unk	.	.	.	38	0.0
Risk	MSM	856	43.7	.	44,899	39.7
	IDU	184	9.4	.	38,591	34.1
	MSM/IDU	66	3.4	.	4,698	4.2
	Heterosexual	206	10.5	.	5,361	4.7
	Blood Prod.	3	0.2	.	398	0.4
	Pediatric Risk	15	0.8	.	1,264	1.1
	Unk	629	32.1	.	17,894	15.8

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 6D

NEW YORK CITY - Females
Living HIV and AIDS Cases as of December 2009*, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		12,060	100.0	274.1	18,471	100.0	415.2	30,531	100.0	689.3	4,380,638
Current Age	12 & under	204	1.7	30.1	10	0.1	1.5	214	0.7	31.6	677,778
	13-19	399	3.3	113.3	313	1.7	88.9	712	2.3	202.2	352,150
	20-24	489	4.1	171.8	318	1.7	111.7	807	2.6	283.5	284,632
	25-29	794	6.6	215.9	442	2.4	120.2	1,236	4.0	336.0	367,844
	30-39	2,599	21.6	379.0	2,600	14.1	379.1	5,199	17.0	758.1	685,790
	40-49	4,034	33.4	655.5	7,138	38.6	1160.0	11,172	36.6	1815.5	615,369
	50-59	2,595	21.5	469.8	5,637	30.5	1020.5	8,232	27.0	1490.3	552,375
	60+	946	7.8	112.0	2,012	10.9	238.2	2,958	9.7	350.2	844,700
	Unk	.	.	.	1	0.0	.	1	0.0	.	.
Race/Ethnicity	White	814	6.7	52.5	1,226	6.6	77.4	2,040	6.7	129.9	1,557,315
	Black	7,171	59.5	648.6	10,394	56.3	914.1	17,565	57.5	1562.8	1,092,951
	Hispanic	3,697	30.7	320.5	6,374	34.5	559.5	10,071	33.0	880.0	1,187,161
	Asian/PI	114	0.9	19.7	117	0.6	20.8	231	0.8	40.5	528,300
	Native Am	7	0.1	46.0	6	0.0	33.3	13	0.0	79.3	14,911
	Multi Race***	171	1.4	.	347	1.9	.	518	1.7	.	.
	Unk	86	0.7	.	7	0.0	.	93	0.3	.	.
Risk	IDU	1,333	11.1	.	4,485	24.3	.	5,818	19.1	.	.
	Heterosexual	4,110	34.1	.	6,559	35.5	.	10,669	34.9	.	.
	Fem. Presumed Het.	5,931	49.2	.	6,734	36.5	.	12,665	41.5	.	.
	Blood Prod.	17	0.1	.	88	0.5	.	105	0.3	.	.
	Pediatric Risk	657	5.4	.	575	3.1	.	1,232	4.0	.	.
	Unk	12	0.1	.	30	0.2	.	42	0.1	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 6E

NEW YORK CITY - Females
HIV Cases*, Newly Diagnosed (January-December 2009), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		202	100.0	54	100.0	256	100.0	591	100.0	847	100.0	19.1	23.8	30.2
Age at Diagnosis	12 & under	5	0.8	5	0.6	0.7	.	.
	13-19	5	2.5	3	5.6	8	3.1	32	5.4	40	4.7	11.4	12.5	20.0
	20-24	1	0.5	3	5.6	4	1.6	67	11.3	71	8.4	24.9	1.4	5.6
	25-29	16	7.9	2	3.7	18	7.0	61	10.3	79	9.3	21.5	20.3	22.8
	30-39	40	19.8	14	25.9	54	21.1	150	25.4	204	24.1	29.7	19.6	26.5
	40-49	60	29.7	21	38.9	81	31.6	161	27.2	242	28.6	39.3	24.8	33.5
	50-59	55	27.2	10	18.5	65	25.4	86	14.6	151	17.8	27.3	36.4	43.0
	60+	25	12.4	1	1.9	26	10.2	29	4.9	55	6.5	6.5	45.5	47.3
Race/Ethnicity	White	5	2.5	2	3.7	7	2.7	24	4.1	31	3.7	1.9	16.1	22.6
	Black	125	61.9	32	59.3	157	61.3	370	62.6	527	62.2	47.8	23.7	29.8
	Hispanic	60	29.7	18	33.3	78	30.5	181	30.6	259	30.6	22.0	23.2	30.1
	Asian/PI	2	1.0	2	3.7	4	1.6	7	1.2	11	1.3	1.6	18.2	36.4
	Native Am
	Multi Race****	10	5.0	.	.	10	3.9	9	1.5	19	2.2	.	52.6	52.6
	Unk
Risk	IDU	12	5.9	4	7.4	16	6.3	40	6.8	56	6.6	.	21.4	28.6
	Heterosexual	60	29.7	27	50.0	87	34.0	195	33.0	282	33.3	.	21.3	30.9
	Fem. Presumed Het.	128	63.4	22	40.7	150	58.6	346	58.5	496	58.6	.	25.8	30.2
	Blood Prod.
	Pediatric Risk	1	0.5	.	.	1	0.4	5	0.8	6	0.7	.	16.7	16.7
	Unk	1	0.5	1	1.9	2	0.8	5	0.8	7	0.8	.	14.3	28.6

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 6F

NEW YORK CITY - Females
AIDS Cases*, Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		833	100.0	18.9	41,037	100.0
Age at Diagnosis	12 & under	.	.	.	1,035	2.5
	13-19	29	3.5	8.2	500	1.2
	20-24	25	3.0	8.8	1,501	3.7
	25-29	58	7.0	15.8	4,384	10.7
	30-39	185	22.2	27.0	16,453	40.1
	40-49	293	35.2	47.6	11,881	29.0
	50-59	178	21.4	32.2	3,930	9.6
	60+	65	7.8	7.7	1,353	3.3
Race/Ethnicity	White	25	3.0	1.6	3,377	8.2
	Black	497	59.7	44.9	22,669	55.2
	Hispanic	274	32.9	23.9	13,951	34.0
	Asian/PI	7	0.8	1.1	170	0.4
	Native Am	.	.	.	8	0.0
	Multi Race****	30	3.6	.	854	2.1
	Unk	.	.	.	8	0.0
Risk	IDU	104	12.5	.	16,233	39.6
	Heterosexual	293	35.2	.	12,736	31.0
	Fem. Presumed Het.	409	49.1	.	10,406	25.4
	Blood Prod.	1	0.1	.	331	0.8
	Pediatric Risk	23	2.8	.	1,280	3.1
	Unk	3	0.4	.	51	0.1

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7A

NEW YORK STATE (Excluding NYC) - Males
Living HIV and AIDS Cases (excluding prisoners) as of December 2009*, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		5,257	100.0	94.1	8,819	100.0	147.1	14,076	100.0	241.1	5,487,920
Current Age	12 & under	36	0.7	4.0	3	0.0	0.3	39	0.3	4.4	893,528
	13-19	114	2.2	19.3	48	0.5	8.1	162	1.2	27.4	591,888
	20-24	252	4.8	62.4	130	1.5	31.2	378	2.7	93.6	403,905
	25-29	415	7.9	125.4	192	2.2	56.8	603	4.3	182.2	330,984
	30-39	930	17.7	144.8	938	10.7	144.0	1,855	13.2	288.8	642,251
	40-49	1,829	34.8	215.6	3,141	36.0	376.7	5,025	35.7	592.3	848,328
	50-59	1,228	23.4	153.7	3,051	34.9	387.0	4,321	30.7	540.7	799,212
	60+	447	8.5	45.7	1,229	14.1	126.6	1,685	12.0	172.3	977,824
	Unk	6	0.1	.	2	0.0	.	8	0.1	.	.
Race/Ethnicity	White	2,438	46.4	55.2	3,579	41.0	73.9	6,033	42.9	129.1	4,294,111
	Black	1,493	28.4	322.0	2,798	32.0	642.0	4,336	30.8	964.0	480,414
	Hispanic	936	17.8	199.2	1,723	19.7	415.0	2,675	19.0	614.3	504,075
	Asian/PI	50	1.0	26.7	47	0.5	23.2	94	0.7	49.9	186,962
	Native Am	4	0.1	21.1	10	0.1	45.5	14	0.1	66.6	22,358
	Multi Race***	334	6.4	.	577	6.6	.	922	6.6	.	.
	Unk	2	0.0	2	0.0	.	.
Risk	MSM	3,024	57.5	.	4,058	46.5	.	7,087	50.3	.	.
	IDU	570	10.8	.	1,874	21.5	.	2,478	17.6	.	.
	MSM/IDU	224	4.3	.	545	6.2	.	807	5.7	.	.
	Heterosexual	458	8.7	.	845	9.7	.	1,323	9.4	.	.
	Blood Prod.	16	0.3	.	69	0.8	.	86	0.6	.	.
	Pediatric Risk	130	2.5	.	109	1.2	.	240	1.7	.	.
	Unk	835	15.9	.	1,234	14.1	.	2,055	14.6	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7B

NEW YORK STATE (Excluding NYC) -Males
HIV Cases* (excluding prisoners), Newly Diagnosed (January-December 2009), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		172	100.0	56	100.0	228	100.0	351	100.0	579	100.0	10.8	29.7	39.4
Age at Diagnosis	12 & under	1	0.3	1	0.2	0.1	.	.
	13-19	.	.	2	3.6	2	0.9	26	7.4	28	4.8	4.7	.	7.1
	20-24	11	6.4	7	12.5	18	7.9	72	20.5	90	15.5	22.3	12.2	20.0
	25-29	18	10.5	14	25.0	32	14.0	56	16.0	88	15.2	26.6	20.5	36.4
	30-39	37	21.5	8	14.3	45	19.7	70	19.9	115	19.9	17.9	32.2	39.1
	40-49	61	35.5	10	17.9	71	31.1	88	25.1	159	27.5	18.7	38.4	44.7
	50-59	38	22.1	13	23.2	51	22.4	30	8.5	81	14.0	10.1	46.9	63.0
	60+	7	4.1	2	3.6	9	3.9	8	2.3	17	2.9	1.7	41.2	52.9
Race/Ethnicity	White	62	36.0	15	26.8	77	33.8	152	43.3	229	39.6	5.5	27.1	33.6
	Black	56	32.6	25	44.6	81	35.5	103	29.3	184	31.8	37.6	30.4	44.0
	Hispanic	45	26.2	12	21.4	57	25.0	67	19.1	124	21.4	22.6	36.3	46.0
	Asian/PI	1	0.6	1	1.8	2	0.9	11	3.1	13	2.2	6.8	7.7	15.4
	Native Am
	Multi Race****	8	4.7	3	5.4	11	4.8	18	5.1	29	5.0	.	27.6	37.9
	Unk
Risk	MSM	96	55.8	34	60.7	130	57.0	246	70.1	376	64.9	.	25.5	34.6
	IDU	13	7.6	2	3.6	15	6.6	19	5.4	34	5.9	.	38.2	44.1
	MSM/IDU	3	1.7	1	1.8	4	1.8	11	3.1	15	2.6	.	20.0	26.7
	Heterosexual	28	16.3	12	21.4	40	17.5	33	9.4	73	12.6	.	38.4	54.8
	Blood Prod.
	Pediatric Risk	1	0.3	1	0.2	.	.	.
	Unk	32	18.6	7	12.5	39	17.1	41	11.7	80	13.8	.	40.0	48.8

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7C

NEW YORK STATE (Excluding NYC) -Males
AIDS Cases* (excluding prisoners), Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		406	100.0	7.4	21,693	100.0
Age at Diagnosis	12 & under	.	.	.	173	0.8
	13-19	4	1.0	0.7	153	0.7
	20-24	25	6.2	6.2	540	2.5
	25-29	38	9.4	11.5	1,936	8.9
	30-39	84	20.7	13.1	8,458	39.0
	40-49	132	32.5	15.6	7,100	32.7
	50-59	101	24.9	12.6	2,508	11.6
	60+	22	5.4	2.2	825	3.8
Race/Ethnicity	White	139	34.2	3.1	10,248	47.2
	Black	156	38.4	33.9	7,149	33.0
	Hispanic	85	20.9	17.0	3,424	15.8
	Asian/PI	3	0.7	1.5	75	0.3
	Native Am	.	.	.	24	0.1
	Multi Race****	23	5.7	.	772	3.6
	Unk	.	.	.	1	0.0
Risk	MSM	211	52.0	.	9,443	43.5
	IDU	41	10.1	.	6,736	31.1
	MSM/IDU	19	4.7	.	1,398	6.4
	Heterosexual	71	17.5	.	1,319	6.1
	Blood Prod.	.	.	.	302	1.4
	Pediatric Risk	3	0.7	.	243	1.1
	Unk	61	15.0	.	2,252	10.4

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7D

NEW YORK STATE (Excluding NYC) - Females
Living HIV and AIDS Cases (excluding prisoners) as of December 2009*, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		3,004	100.0	55.8	4,181	100.0	71.5	7,185	100.0	127.2	5,661,652
Current Age	12 & under	49	1.6	5.7	3	0.1	0.4	52	0.7	6.1	853,494
	13-19	84	2.8	15.0	50	1.2	8.7	133	1.9	23.7	561,555
	20-24	147	4.9	38.3	85	2.1	22.1	232	3.2	60.4	384,215
	25-29	200	6.7	64.9	110	2.7	36.7	313	4.4	101.6	308,201
	30-39	701	23.3	114.3	628	15.2	103.2	1,334	18.6	217.5	613,284
	40-49	963	32.1	111.1	1,630	39.3	189.8	2,609	36.3	300.9	867,021
	50-59	636	21.2	77.2	1,226	29.6	149.9	1,870	26.0	227.1	823,479
	60+	221	7.4	17.7	411	9.9	33.3	638	8.9	51.0	1,250,403
	Unk	3	0.1	.	1	0.0	.	4	0.1	.	.
Race/Ethnicity	White	854	28.4	20.3	1,049	25.3	22.3	1,905	26.5	42.6	4,500,175
	Black	1,330	44.3	284.2	1,907	46.0	403.2	3,252	45.3	687.4	489,795
	Hispanic	573	19.1	137.3	850	20.5	215.7	1,439	20.0	353.0	455,269
	Asian/PI	26	0.9	12.8	16	0.4	7.2	41	0.6	20.0	193,227
	Native Am	3	0.1	15.9	5	0.1	29.3	9	0.1	45.2	23,186
	Multi Race***	216	7.2	.	317	7.6	.	537	7.5	.	.
	Unk	2	0.1	2	0.0	.	.
Risk	IDU	408	13.6	.	1,023	24.7	.	1,439	20.0	.	.
	Heterosexual	1,550	51.6	.	2,075	50.1	.	3,638	50.6	.	.
	Fem. Presumed Het.	907	30.2	.	907	21.9	.	1,831	25.5	.	.
	Blood Prod.	6	0.2	.	27	0.7	.	33	0.5	.	.
	Pediatric Risk	129	4.3	.	107	2.6	.	235	3.3	.	.
	Unk	4	0.1	.	5	0.1	.	9	0.1	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7E

NEW YORK STATE (Excluding NYC) -Females
HIV Cases* (excluding prisoners), Newly Diagnosed (January-December 2009), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		69	100.0	18	100.0	87	100.0	142	100.0	229	100.0	4.3	30.1	38.0
Age at Diagnosis	12 & under
	13-19	1	1.4	.	.	1	1.1	6	4.2	7	3.1	1.2	14.3	14.3
	20-24	4	5.8	2	11.1	6	6.9	23	16.2	29	12.7	7.5	13.8	20.7
	25-29	7	10.1	3	16.7	10	11.5	12	8.5	22	9.6	7.1	31.8	45.5
	30-39	18	26.1	.	.	18	20.7	39	27.5	57	24.9	9.3	31.6	31.6
	40-49	15	21.7	5	27.8	20	23.0	31	21.8	51	22.3	5.9	29.4	39.2
	50-59	16	23.2	7	38.9	23	26.4	23	16.2	46	20.1	5.6	34.8	50.0
	60+	8	11.6	1	5.6	9	10.3	8	5.6	17	7.4	1.4	47.1	52.9
Race/Ethnicity	White	15	21.7	4	22.2	19	21.8	34	23.9	53	23.1	1.2	28.3	35.8
	Black	33	47.8	10	55.6	43	49.4	75	52.8	118	51.5	25.1	28.0	36.4
	Hispanic	18	26.1	3	16.7	21	24.1	22	15.5	43	18.8	10.4	41.9	48.8
	Asian/PI	2	2.9	.	.	2	2.3	1	0.7	3	1.3	1.4	66.7	66.7
	Native Am	1	0.7	1	0.4	5.9	.	.
	Multi Race****	1	1.4	1	5.6	2	2.3	9	6.3	11	4.8	.	9.1	18.2
	Unk
Risk	IDU	3	4.3	3	16.7	6	6.9	12	8.5	18	7.9	.	16.7	33.3
	Heterosexual	43	62.3	9	50.0	52	59.8	83	58.5	135	59.0	.	31.9	38.5
	Fem. Presumed Het.	19	27.5	6	33.3	25	28.7	45	31.7	70	30.6	.	27.1	35.7
	Blood Prod.
	Pediatric Risk	1	1.4	.	.	1	1.1	.	.	1	0.4	.	100.0	100.0
	Unk	3	4.3	.	.	3	3.4	2	1.4	5	2.2	.	60.0	60.0

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7F

**NEW YORK STATE (Excluding NYC) -Females
AIDS Cases* (excluding prisoners), Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		203	100.0	3.8	7,866	100.0
Age at Diagnosis	12 & under	.	.	.	151	1.9
	13-19	8	3.9	1.4	135	1.7
	20-24	13	6.4	3.4	326	4.1
	25-29	12	5.9	3.9	956	12.2
	30-39	54	26.6	8.8	3,122	39.7
	40-49	61	30.0	7.0	2,217	28.2
	50-59	38	18.7	4.6	695	8.8
	60+	17	8.4	1.4	264	3.4
Race/Ethnicity	White	37	18.2	0.9	2,359	30.0
	Black	107	52.7	22.7	3,705	47.1
	Hispanic	46	22.7	10.9	1,368	17.4
	Asian/PI	2	1.0	1.0	24	0.3
	Native Am	.	.	.	12	0.2
	Multi Race****	11	5.4	.	398	5.1
	Unk
Risk	IDU	31	15.3	.	2,757	35.0
	Heterosexual	105	51.7	.	3,397	43.2
	Fem. Presumed Het.	53	26.1	.	1,391	17.7
	Blood Prod.	.	.	.	93	1.2
	Pediatric Risk	10	4.9	.	218	2.8
	Unk	4	2.0	.	10	0.1

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 8A

NEW YORK STATE (Excluding NYC) -PRISONERS*
Living HIV and AIDS Cases as of December 2009, by Gender, Age and Race/Ethnicity**

		Living HIV (not AIDS) Cases		Living AIDS Cases		Living HIV and AIDS Cases	
		Number	Column Percent	Number	Column Percent	Number	Column Percent
Total		2,654	100.0	3,875	100.0	6,529	100.0
Gender	Male	2,116	79.7	3,353	86.5	5,469	83.8
	Female	538	20.3	522	13.5	1,060	16.2
Current Age	12 & under	3	0.1	0	0.0	3	0.0
	13-19	2	0.1	2	0.1	4	0.1
	20-24	28	1.1	13	0.3	41	0.6
	25-29	51	1.9	37	1.0	88	1.3
	30-39	278	10.5	341	8.8	619	9.5
	40-49	1,075	40.5	1,628	42.0	2,703	41.4
	50-59	966	36.4	1,475	38.1	2,441	37.4
	60+	248	9.3	379	9.8	627	9.6
	Unk	3	0.1	0	0.0	3	0.0
Race/Ethnicity	White	246	9.3	289	7.5	535	8.2
	Black	1,111	41.9	1,671	43.1	2,782	42.6
	Hispanic	1,189	44.8	1,676	43.3	2,865	43.9
	Asian/PI	3	0.1	2	0.1	5	0.1
	Native Am	2	0.1	3	0.1	5	0.1
	Multi Race	103	3.9	234	6.0	337	5.2

***Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.*

***Cases reported and confirmed through December 2010*

Table 8B

NEW YORK STATE (Excluding NYC) -PRISONERS*
Newly Diagnosed HIV and AIDS Cases, 2009 by Gender, Age and Race/Ethnicity**

		HIV Diagnoses***		AIDS Diagnoses	
		Number	Column Percent	Number	Column Percent
Total		41	100.0	65	100.0
Gender	Male	37	90.2	59	90.8
	Female	4	9.8	6	9.2
Age at Diagnosis	12 & under	0	0.0	0	0.0
	13-19	0	0.0	3	4.6
	20-24	4	9.8	5	7.7
	25-29	6	14.6	11	16.9
	30-39	13	31.7	19	29.2
	40-49	10	24.4	19	29.2
	50-59	8	19.5	8	12.3
	60+	0	0.0	0	0.0
Race/Ethnicity	White	8	19.5	5	7.7
	Black	22	53.7	40	61.5
	Hispanic	8	19.5	16	24.6
	Asian/PI	1	2.4	0	0.0
	Native Am	0	0.0	0	0.0
	Multi Race	2	4.9	4	6.2
	Unk	0	0.0	0	0.0

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

**Cases reported and confirmed through December 2010

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

Table 9A**NEW YORK STATE: (Excluding NYC) by Ryan White Region
Living HIV and AIDS Cases as of December 2009***

Ryan White Region	Including Prisoners**			Excluding Prisoners**		
	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Albany	1,554	2,177	3,731	1,029	1,342	2,371
Binghamton	180	274	454	171	253	424
Buffalo	1,420	1,834	3,254	1,018	1,279	2,297
Lower Hudson	1,651	3,151	4,802	1,357	2,727	4,084
Mid Hudson	1,312	2,197	3,509	777	1,355	2,132
Nassau/Suffolk	2,199	3,714	5,913	2,126	3,547	5,673
Rochester	1,341	1,754	3,095	1,102	1,437	2,539
Syracuse	1,259	1,774	3,033	682	1,060	1,742
Total	<i>10,916</i>	<i>16,875</i>	<i>27,791</i>	<i>8,262</i>	<i>13,000</i>	<i>21,262</i>

*Cases reported and confirmed through December 2010

**"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

Table 9B

**NEW YORK STATE: (Excluding NYC) by Ryan White Region
Newly Diagnosed HIV and AIDS Cases, 2009*
and Cumulative AIDS Diagnosed through December 2009**

	Including Prisoners**			Excluding Prisoners**		
Ryan White Region	HIV Diagnoses***	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses***	AIDS Diagnoses	Cumulative AIDS Diagnoses
Albany	88	59	4,604	77	46	2,847
Binghamton	17	18	494	17	18	459
Buffalo	127	88	3,836	122	78	2,792
Lower Hudson	148	113	7,016	147	108	6,251
Mid Hudson	72	72	5,114	65	64	3,391
Nassau/Suffolk	206	173	8,894	200	167	8,579
Rochester	109	82	3,582	106	71	2,999
Syracuse	82	69	3,678	74	57	2,241
Total	849	674	37,218	808	609	29,559

*Cases reported and confirmed through December 2010

**"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

Table 10A

NEW YORK STATE RYAN WHITE REGION: ALBANY
(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)
Living HIV and AIDS Cases (excluding prisoners) as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		1,029	100.0	70.0	1,342	100.0	85.5	2,371	100.0	155.5	1,482,217
Gender	Male	652	63.4	85.6	906	67.5	112.9	1,558	65.7	198.6	734,789
	Female	377	36.6	54.3	436	32.5	58.7	813	34.3	113.1	747,428
Current Age	12 & under	16	1.6	7.6	1	0.1	0.5	17	0.7	8.1	209,681
	13-19	24	2.3	15.9	8	0.6	5.3	32	1.3	21.2	150,878
	20-24	43	4.2	37.3	15	1.1	13.0	58	2.4	50.2	115,434
	25-29	47	4.6	53.1	25	1.9	28.3	72	3.0	81.4	88,466
	30-39	208	20.2	124.6	188	14.0	112.7	396	16.7	237.3	166,874
	40-49	371	36.1	167.0	524	39.0	235.9	895	37.7	402.9	222,122
	50-59	239	23.2	108.9	448	33.4	204.0	687	29.0	312.9	219,556
	60+	80	7.8	25.9	133	9.9	43.0	213	9.0	68.9	309,206
	Unk	1	0.1	1	0.0	.	.
Race/Ethnicity	White	519	50.4	39.6	629	46.9	44.8	1,148	48.4	84.3	1,305,293
	Black	272	26.4	342.7	377	28.1	521.4	649	27.4	864.2	85,914
	Hispanic	135	13.1	325.9	202	15.1	503.9	337	14.2	829.8	51,696
	Asian/PI	11	1.1	37.2	5	0.4	18.6	16	0.7	55.9	32,094
	Native Am	1	0.1	25.0	1	0.1	16.3	2	0.1	41.3	7,220
	Multi Race***	91	8.8	.	128	9.5	.	219	9.2	.	.
	Unk
Risk	MSM	416	40.4	.	471	35.1	.	887	37.4	.	.
	IDU	113	11.0	.	275	20.5	.	388	16.4	.	.
	MSM/IDU	26	2.5	.	55	4.1	.	81	3.4	.	.
	Heterosexual	230	22.4	.	271	20.2	.	501	21.1	.	.
	Fem. Presumed Het.	121	11.8	.	117	8.7	.	238	10.0	.	.
	Blood Prod.	2	0.2	.	12	0.9	.	14	0.6	.	.
	Pediatric Risk	38	3.7	.	20	1.5	.	58	2.4	.	.
	Unk	83	8.1	.	121	9.0	.	204	8.6	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 10B

NEW YORK STATE RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

HIV Cases* (excluding prisoners), Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV & AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		21	100.0	6	100.0	27	100.0	50	100.0	77	100.0	5.3	27.3	35.1
Gender	Male	14	66.7	6	100.0	20	74.1	33	66.0	53	68.8	7.5	26.4	37.7
	Female	7	33.3	.	.	7	25.9	17	34.0	24	31.2	3.1	29.2	29.2
Age at Diagnosis	12 & under	1	2.0	1	1.3	0.5	.	.
	13-19	3	6.0	3	3.9	2.0	.	.
	20-24	1	4.8	1	16.7	2	7.4	6	12.0	8	10.4	6.9	12.5	25.0
	25-29	2	9.5	2	33.3	4	14.8	6	12.0	10	13.0	11.3	20.0	40.0
	30-39	4	19.0	1	16.7	5	18.5	12	24.0	17	22.1	10.2	23.5	29.4
	40-49	7	33.3	1	16.7	8	29.6	12	24.0	20	26.0	9.0	35.0	40.0
	50-59	7	33.3	1	16.7	8	29.6	8	16.0	16	20.8	7.3	43.8	50.0
	60+	2	4.0	2	2.6	0.6	.	.
Race/Ethnicity	White	7	33.3	2	33.3	9	33.3	27	54.0	36	46.8	2.7	19.4	25.0
	Black	7	33.3	2	33.3	9	33.3	11	22.0	20	26.0	23.8	35.0	45.0
	Hispanic	4	19.0	1	16.7	5	18.5	5	10.0	10	13.0	17.7	40.0	50.0
	Asian/PI	3	6.0	3	3.9	8.5	.	.
	Native Am
	Multi Race****	3	14.3	1	16.7	4	14.8	4	8.0	8	10.4	.	37.5	50.0
	Unk
Risk	MSM	8	38.1	4	66.7	12	44.4	23	46.0	35	45.5	.	22.9	34.3
	IDU	3	14.3	.	.	3	11.1	4	8.0	7	9.1	.	42.9	42.9
	MSM/IDU	1	2.0	1	1.3	.	.	.
	Heterosexual	7	33.3	1	16.7	8	29.6	14	28.0	22	28.6	.	31.8	36.4
	Fem. Presumed Het.	5	10.0	5	6.5	.	.	.
	Blood Prod.
	Pediatric Risk	1	2.0	1	1.3	.	.	.
	Unk	3	14.3	1	16.7	4	14.8	2	4.0	6	7.8	.	50.0	66.7

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 10C

NEW YORK STATE RYAN WHITE REGION: ALBANY
(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

AIDS Cases* (excluding prisoners), Newly Diagnosed (January-December 2009) and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		46	100.0	3.1	2,847	100.0
Gender	Male	35	76.1	4.6	2,117	74.4
	Female	11	23.9	1.6	730	25.6
Age at Diagnosis	12 & under	.	.	.	31	1.1
	13-19	.	.	.	26	0.9
	20-24	.	.	.	84	3.0
	25-29	3	6.5	3.4	342	12.0
	30-39	10	21.7	6.0	1,092	38.4
	40-49	15	32.6	6.8	909	31.9
	50-59	16	34.8	7.3	300	10.5
	60+	2	4.3	0.6	63	2.2
Race/Ethnicity	White	21	45.7	1.5	1,513	53.1
	Black	15	32.6	19.8	782	27.5
	Hispanic	8	17.4	17.6	384	13.5
	Asian/PI	.	.	.	7	0.2
	Native Am	.	.	.	3	0.1
	Multi Race****	2	4.3	.	158	5.5
	Unk
Risk	MSM	17	37.0	.	1,061	37.3
	IDU	5	10.9	.	753	26.4
	MSM/IDU	2	4.3	.	129	4.5
	Heterosexual	13	28.3	.	413	14.5
	Fem. Presumed Het.	2	4.3	.	175	6.1
	Blood Prod.	.	.	.	46	1.6
	Pediatric Risk	.	.	.	41	1.4
	Unk	7	15.2	.	229	8.0

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 11A

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON

(Includes counties of: Broome, Chenango, Tioga)

Living HIV and AIDS Cases (excluding prisoners) as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		171	100.0	60.7	253	100.0	85.7	424	100.0	146.3	295,314
Gender	Male	105	61.4	74.1	178	70.4	121.0	283	66.7	195.1	144,343
	Female	66	38.6	47.3	75	29.6	51.0	141	33.3	98.3	150,971
Current Age	12 & under	42,900
	13-19	6	3.5	19.6	1	0.4	3.3	7	1.7	22.9	30,618
	20-24	9	5.3	44.0	6	2.4	29.4	15	3.5	73.4	20,440
	25-29	13	7.6	72.5	9	3.6	50.2	22	5.2	122.7	17,927
	30-39	35	20.5	110.1	47	18.6	147.8	82	19.3	257.9	31,794
	40-49	56	32.7	131.7	94	37.2	221.0	150	35.4	352.6	42,537
	50-59	39	22.8	89.7	69	27.3	158.6	108	25.5	248.3	43,499
	60+	13	7.6	19.8	27	10.7	41.2	40	9.4	61.0	65,599
Race/Ethnicity	White	98	57.3	37.5	142	56.1	51.6	240	56.6	89.1	269,755
	Black	39	22.8	449.7	51	20.2	603.7	90	21.2	1053.3	10,631
	Hispanic	24	14.0	443.4	42	16.6	879.8	66	15.6	1323.2	6,908
	Asian/PI	1	0.6	23.0	.	.	.	1	0.2	23.0	7,271
	Native Am	749
	Multi Race***	9	5.3	.	18	7.1	.	27	6.4	.	.
	Unk
Risk	MSM	58	33.9	.	95	37.5	.	153	36.1	.	.
	IDU	30	17.5	.	46	18.2	.	76	17.9	.	.
	MSM/IDU	3	1.8	.	17	6.7	.	20	4.7	.	.
	Heterosexual	33	19.3	.	37	14.6	.	70	16.5	.	.
	Fem. Presumed Het.	24	14.0	.	21	8.3	.	45	10.6	.	.
	Blood Prod.	1	0.6	.	1	0.4	.	2	0.5	.	.
	Pediatric Risk	6	3.5	.	4	1.6	.	10	2.4	.	.
	Unk	16	9.4	.	32	12.6	.	48	11.3	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 11B

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

HIV Cases* (excluding prisoners), Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV & AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		8	100.0	2	100.0	10	100.0	7	100.0	17	100.0	6.4	47.1	58.8
Gender	Male	7	87.5	2	100.0	9	90.0	4	57.1	13	76.5	10.0	53.8	69.2
	Female	1	12.5	.	.	1	10.0	3	42.9	4	23.5	2.8	25.0	25.0
Age at Diagnosis	12 & under
	13-19	1	14.3	1	5.9	3.3	.	.
	20-24	1	12.5	.	.	1	10.0	1	14.3	2	11.8	9.8	50.0	50.0
	25-29	.	.	1	50.0	1	10.0	.	.	1	5.9	5.6	.	100.0
	30-39	5	62.5	.	.	5	50.0	1	14.3	6	35.3	18.9	83.3	83.3
	40-49	1	12.5	1	50.0	2	20.0	1	14.3	3	17.6	7.1	33.3	66.7
	50-59	3	42.9	3	17.6	6.9	.	.
	60+	1	12.5	.	.	1	10.0	.	.	1	5.9	1.5	100.0	100.0
Race/Ethnicity	White	5	62.5	.	.	5	50.0	4	57.1	9	52.9	3.5	55.6	55.6
	Black	2	28.6	2	11.8	16.7	.	.
	Hispanic	3	37.5	2	100.0	5	50.0	1	14.3	6	35.3	96.2	50.0	83.3
	Asian/PI
	Native Am
	Multi Race****
	Unk
Risk	MSM	3	37.5	1	50.0	4	40.0	3	42.9	7	41.2	.	42.9	57.1
	IDU	1	12.5	.	.	1	10.0	1	14.3	2	11.8	.	50.0	50.0
	MSM/IDU	1	12.5	.	.	1	10.0	.	.	1	5.9	.	100.0	100.0
	Heterosexual	.	.	1	50.0	1	10.0	1	14.3	2	11.8	.	.	50.0
	Fem. Presumed Het.	1	14.3	1	5.9	.	.	.
	Blood Prod.
	Pediatric Risk
	Unk	3	37.5	.	.	3	30.0	1	14.3	4	23.5	.	75.0	75.0

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 11C

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

**AIDS Cases* (excluding prisoners), Newly Diagnosed (January-December 2009)
 and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		18	100.0	7.2	459	100.0
Gender	Male	15	83.3	11.7	339	73.9
	Female	3	16.7	2.8	120	26.1
Age at Diagnosis	12 & under	.	.	.	2	0.4
	13-19	1	5.6	3.3	7	1.5
	20-24	1	5.6	4.9	20	4.4
	25-29	1	5.6	5.6	51	11.1
	30-39	7	38.9	22.0	191	41.6
	40-49	6	33.3	14.1	133	29.0
	50-59	1	5.6	2.3	46	10.0
	60+	1	5.6	1.5	9	2.0
Race/Ethnicity	White	10	55.6	4.4	284	61.9
	Black	3	16.7	25.7	88	19.2
	Hispanic	4	22.2	74.9	64	13.9
	Asian/PI
	Native Am
	Multi Race****	1	5.6	.	23	5.0
	Unk
Risk	MSM	6	33.3	.	184	40.1
	IDU	2	11.1	.	99	21.6
	MSM/IDU	3	16.7	.	33	7.2
	Heterosexual	1	5.6	.	57	12.4
	Fem. Presumed Het.	.	.	.	30	6.5
	Blood Prod.	.	.	.	3	0.7
	Pediatric Risk	1	5.6	.	7	1.5
	Unk	5	27.8	.	46	10.0

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 12A

NEW YORK STATE RYAN WHITE REGION: BUFFALO
(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

Living HIV and AIDS Cases (excluding prisoners) as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		1,018	100.0	69.7	1,279	100.0	81.3	2,297	100.0	151.0	1,527,470
Gender	Male	655	64.3	88.0	905	70.8	114.4	1,560	67.9	202.4	744,162
	Female	363	35.7	51.9	374	29.2	49.7	737	32.1	101.6	783,308
Current Age	12 & under	10	1.0	4.4	3	0.2	1.3	13	0.6	5.8	225,844
	13-19	18	1.8	11.8	7	0.5	4.6	25	1.1	16.4	152,637
	20-24	55	5.4	52.4	16	1.3	15.2	71	3.1	67.6	105,012
	25-29	117	11.5	122.9	37	2.9	38.9	154	6.7	161.7	95,219
	30-39	246	24.2	142.0	183	14.3	105.7	429	18.7	247.7	173,202
	40-49	323	31.7	145.1	521	40.7	234.1	844	36.7	379.2	222,579
	50-59	189	18.6	83.2	380	29.7	167.3	569	24.8	250.5	227,179
	60+	60	5.9	18.4	132	10.3	40.5	192	8.4	58.9	325,798
Race/Ethnicity	White	385	37.8	30.8	494	38.6	36.2	879	38.3	67.1	1,288,186
	Black	374	36.7	269.1	499	39.0	364.5	873	38.0	633.6	149,903
	Hispanic	156	15.3	348.7	178	13.9	433.4	334	14.5	782.2	53,421
	Asian/PI	9	0.9	39.6	8	0.6	35.4	17	0.7	75.0	22,985
	Native Am	1	0.1	8.4	6	0.5	53.2	7	0.3	61.6	12,975
	Multi Race***	93	9.1	.	94	7.3	.	187	8.1	.	.
	Unk
Risk	MSM	428	42.0	.	541	42.3	.	969	42.2	.	.
	IDU	137	13.5	.	227	17.7	.	364	15.8	.	.
	MSM/IDU	41	4.0	.	76	5.9	.	117	5.1	.	.
	Heterosexual	292	28.7	.	325	25.4	.	617	26.9	.	.
	Fem. Presumed Het.	61	6.0	.	41	3.2	.	102	4.4	.	.
	Blood Prod.	4	0.4	.	9	0.7	.	13	0.6	.	.
	Pediatric Risk	18	1.8	.	17	1.3	.	35	1.5	.	.
	Unk	37	3.6	.	43	3.4	.	80	3.5	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 12B

NEW YORK STATERYAN WHITE REGION: BUFFALO

(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

HIV Cases* (excluding prisoners), Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV & AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		29	100.0	14	100.0	43	100.0	79	100.0	122	100.0	8.4	23.8	35.2
Gender	Male	21	72.4	11	78.6	32	74.4	57	72.2	89	73.0	12.1	23.6	36.0
	Female	8	27.6	3	21.4	11	25.6	22	27.8	33	27.0	4.7	24.2	33.3
Age at Diagnosis	12 & under
	13-19	5	6.3	5	4.1	3.3	.	.
	20-24	2	6.9	2	14.3	4	9.3	20	25.3	24	19.7	22.9	8.3	16.7
	25-29	2	6.9	3	21.4	5	11.6	9	11.4	14	11.5	14.7	14.3	35.7
	30-39	6	20.7	1	7.1	7	16.3	18	22.8	25	20.5	14.4	24.0	28.0
	40-49	12	41.4	4	28.6	16	37.2	20	25.3	36	29.5	16.2	33.3	44.4
	50-59	6	20.7	3	21.4	9	20.9	6	7.6	15	12.3	6.6	40.0	60.0
	60+	1	3.4	1	7.1	2	4.7	1	1.3	3	2.5	0.9	33.3	66.7
Race/Ethnicity	White	10	34.5	4	28.6	14	32.6	35	44.3	49	40.2	4.0	20.4	28.6
	Black	13	44.8	8	57.1	21	48.8	22	27.8	43	35.2	29.8	30.2	48.8
	Hispanic	5	17.2	.	.	5	11.6	12	15.2	17	13.9	33.5	29.4	29.4
	Asian/PI	.	.	1	7.1	1	2.3	4	5.1	5	4.1	22.2	.	20.0
	Native Am
	Multi Race****	1	3.4	1	7.1	2	4.7	6	7.6	8	6.6	.	12.5	25.0
	Unk
Risk	MSM	11	37.9	6	42.9	17	39.5	38	48.1	55	45.1	.	20.0	30.9
	IDU	3	10.3	1	7.1	4	9.3	11	13.9	15	12.3	.	20.0	26.7
	MSM/IDU	1	3.4	.	.	1	2.3	4	5.1	5	4.1	.	20.0	20.0
	Heterosexual	10	34.5	4	28.6	14	32.6	21	26.6	35	28.7	.	28.6	40.0
	Fem. Presumed Het.	1	3.4	1	7.1	2	4.7	1	1.3	3	2.5	.	33.3	66.7
	Blood Prod.
	Pediatric Risk
	Unk	3	10.3	2	14.3	5	11.6	4	5.1	9	7.4	.	33.3	55.6

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 12C

NEW YORK STATE RYAN WHITE REGION: BUFFALO*(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)***AIDS Cases* (excluding prisoners), Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		78	100.0	5.4	2,792	100.0
Gender	Male	50	64.1	6.9	2,106	75.4
	Female	28	35.9	3.8	686	24.6
Age at Diagnosis	12 & under	.	.	.	21	0.8
	13-19	1	1.3	0.7	32	1.1
	20-24	6	7.7	5.7	116	4.2
	25-29	3	3.8	3.2	301	10.8
	30-39	21	26.9	12.1	1,042	37.3
	40-49	24	30.8	10.8	861	30.8
	50-59	19	24.4	8.4	322	11.5
	60+	4	5.1	1.2	97	3.5
Race/Ethnicity	White	23	29.5	1.8	1,179	42.2
	Black	36	46.2	26.3	1,152	41.3
	Hispanic	10	12.8	20.7	323	11.6
	Asian/PI	1	1.3	2.5	10	0.4
	Native Am	.	.	.	9	0.3
	Multi Race****	8	10.3	.	119	4.3
	Unk
Risk	MSM	29	37.2	.	1,230	44.1
	IDU	11	14.1	.	684	24.5
	MSM/IDU	3	3.8	.	143	5.1
	Heterosexual	23	29.5	.	522	18.7
	Fem. Presumed Het.	4	5.1	.	60	2.1
	Blood Prod.	.	.	.	36	1.3
	Pediatric Risk	1	1.3	.	33	1.2
	Unk	7	9.0	.	84	3.0

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 13A

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON

(Includes counties of: Putnam, Rockland, Westchester)

Living HIV and AIDS Cases (excluding prisoners) as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		1,357	100.0	101.2	2,727	100.0	184.3	4,084	100.0	285.5	1,355,400
Gender	Male	820	60.4	122.6	1,764	64.7	242.1	2,584	63.3	364.7	662,596
	Female	537	39.6	80.5	963	35.3	130.6	1,500	36.7	211.1	692,804
Current Age	12 & under	20	1.5	8.4	1	0.0	0.4	21	0.5	8.8	237,310
	13-19	30	2.2	21.9	21	0.8	15.3	51	1.2	37.2	136,918
	20-24	62	4.6	74.8	38	1.4	45.8	100	2.4	120.6	82,903
	25-29	90	6.6	125.9	60	2.2	83.9	150	3.7	209.8	71,503
	30-39	267	19.7	169.4	311	11.4	197.3	578	14.2	366.8	157,595
	40-49	456	33.6	212.7	944	34.6	440.2	1,400	34.3	652.9	214,432
	50-59	302	22.3	156.9	950	34.8	493.6	1,252	30.7	650.5	192,482
	60+	128	9.4	48.8	400	14.7	152.5	528	12.9	201.3	262,257
	Unk	2	0.1	.	2	0.1	.	4	0.1	.	.
Race/Ethnicity	White	328	24.2	37.3	579	21.2	56.7	907	22.2	94.1	864,665
	Black	594	43.8	356.6	1,230	45.1	697.0	1,824	44.7	1053.5	166,117
	Hispanic	346	25.5	143.6	732	26.8	339.3	1,078	26.4	482.9	241,550
	Asian/PI	7	0.5	8.3	5	0.2	5.3	12	0.3	13.5	80,598
	Native Am	2	0.1	129.8	2	0.1	100.8	4	0.1	230.6	2,470
	Multi Race***	80	5.9	.	179	6.6	.	259	6.3	.	.
	Unk
Risk	MSM	419	30.9	.	644	23.6	.	1,063	26.0	.	.
	IDU	154	11.3	.	770	28.2	.	924	22.6	.	.
	MSM/IDU	23	1.7	.	126	4.6	.	149	3.6	.	.
	Heterosexual	456	33.6	.	827	30.3	.	1,283	31.4	.	.
	Fem. Presumed Het.	128	9.4	.	126	4.6	.	254	6.2	.	.
	Blood Prod.	1	0.1	.	12	0.4	.	13	0.3	.	.
	Pediatric Risk	46	3.4	.	42	1.5	.	88	2.2	.	.
	Unk	130	9.6	.	180	6.6	.	310	7.6	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 13B

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

HIV Cases* (excluding prisoners), Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV & AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		38	100.0	14	100.0	52	100.0	95	100.0	147	100.0	11.4	25.9	35.4
Gender	Male	26	68.4	10	71.4	36	69.2	58	61.1	94	63.9	14.7	27.7	38.3
	Female	12	31.6	4	28.6	16	30.8	37	38.9	53	36.1	8.0	22.6	30.2
Age at Diagnosis	12 & under
	13-19	1	2.6	.	.	1	1.9	2	2.1	3	2.0	2.2	33.3	33.3
	20-24	1	2.6	.	.	1	1.9	13	13.7	14	9.5	16.9	7.1	7.1
	25-29	3	7.9	2	14.3	5	9.6	13	13.7	18	12.2	25.2	16.7	27.8
	30-39	12	31.6	3	21.4	15	28.8	18	18.9	33	22.4	20.9	36.4	45.5
	40-49	8	21.1	3	21.4	11	21.2	31	32.6	42	28.6	19.6	19.0	26.2
	50-59	8	21.1	6	42.9	14	26.9	13	13.7	27	18.4	14.0	29.6	51.9
	60+	5	13.2	.	.	5	9.6	5	5.3	10	6.8	3.8	50.0	50.0
Race/Ethnicity	White	5	13.2	3	21.4	8	15.4	22	23.2	30	20.4	3.6	16.7	26.7
	Black	21	55.3	6	42.9	27	51.9	38	40.0	65	44.2	39.3	32.3	41.5
	Hispanic	10	26.3	5	35.7	15	28.8	29	30.5	44	29.9	17.2	22.7	34.1
	Asian/PI	1	1.1	1	0.7	1.1	.	.
	Native Am	1	1.1	1	0.7	58.7	.	.
	Multi Race****	2	5.3	.	.	2	3.8	4	4.2	6	4.1	.	33.3	33.3
	Unk
Risk	MSM	11	28.9	5	35.7	16	30.8	34	35.8	50	34.0	.	22.0	32.0
	IDU	3	7.9	1	7.1	4	7.7	3	3.2	7	4.8	.	42.9	57.1
	MSM/IDU	1	1.1	1	0.7	.	.	.
	Heterosexual	19	50.0	8	57.1	27	51.9	36	37.9	63	42.9	.	30.2	42.9
	Fem. Presumed Het.	1	2.6	.	.	1	1.9	12	12.6	13	8.8	.	7.7	7.7
	Blood Prod.
	Pediatric Risk	1	2.6	.	.	1	1.9	.	.	1	0.7	.	100.0	100.0
	Unk	3	7.9	.	.	3	5.8	9	9.5	12	8.2	.	25.0	25.0

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 13C

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

**AIDS Cases* (excluding prisoners), Newly Diagnosed (January-December 2009)
 and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		108	100.0	8.0	6,251	100.0
Gender	Male	75	69.4	11.5	4,423	70.8
	Female	33	30.6	4.6	1,828	29.2
Age at Diagnosis	12 & under	.	.	.	85	1.4
	13-19	2	1.9	1.5	53	0.8
	20-24	7	6.5	8.4	153	2.4
	25-29	5	4.6	7.0	523	8.4
	30-39	28	25.9	17.8	2,357	37.7
	40-49	29	26.9	13.5	2,070	33.1
	50-59	26	24.1	13.5	723	11.6
	60+	11	10.2	4.2	287	4.6
Race/Ethnicity	White	14	13.0	1.6	1,874	30.0
	Black	58	53.7	34.7	2,841	45.4
	Hispanic	29	26.9	12.4	1,280	20.5
	Asian/PI	.	.	.	16	0.3
	Native Am	.	.	.	4	0.1
	Multi Race****	7	6.5	.	236	3.8
	Unk
Risk	MSM	32	29.6	.	1,570	25.1
	IDU	14	13.0	.	2,398	38.4
	MSM/IDU	1	0.9	.	288	4.6
	Heterosexual	47	43.5	.	1,290	20.6
	Fem. Presumed Het.	3	2.8	.	200	3.2
	Blood Prod.	.	.	.	57	0.9
	Pediatric Risk	3	2.8	.	106	1.7
	Unk	8	7.4	.	342	5.5

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 14A

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON

(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Living HIV and AIDS Cases (excluding prisoners) as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		777	100.0	80.0	1,355	100.0	130.1	2,132	100.0	210.1	934,362
Gender	Male	467	60.1	93.1	902	66.6	169.2	1,369	64.2	262.3	470,443
	Female	310	39.9	67.1	453	33.4	91.9	763	35.8	159.0	463,919
Current Age	12 & under	9	1.2	5.9	.	.	.	9	0.4	5.9	153,783
	13-19	23	3.0	22.4	17	1.3	16.6	40	1.9	39.0	102,596
	20-24	33	4.2	49.4	20	1.5	29.9	53	2.5	79.3	66,866
	25-29	55	7.1	107.8	18	1.3	35.3	73	3.4	143.1	51,022
	30-39	122	15.7	111.4	112	8.3	102.3	234	11.0	213.7	109,474
	40-49	272	35.0	180.0	480	35.4	317.6	752	35.3	497.6	151,117
	50-59	191	24.6	143.2	506	37.3	379.3	697	32.7	522.5	133,399
	60+	71	9.1	42.7	202	14.9	121.6	273	12.8	164.4	166,105
	Unk	1	0.1	1	0.0	.	.
Race/Ethnicity	White	327	42.1	44.6	438	32.3	54.2	765	35.9	98.7	703,340
	Black	231	29.7	259.8	451	33.3	544.3	682	32.0	804.2	87,470
	Hispanic	155	19.9	146.1	337	24.9	366.6	492	23.1	512.7	116,361
	Asian/PI	6	0.8	23.9	1	0.1	3.6	7	0.3	27.4	24,673
	Native Am	1	0.1	39.1	1	0.1	33.5	2	0.1	72.6	2,518
	Multi Race***	56	7.2	.	127	9.4	.	183	8.6	.	.
	Unk	1	0.1	1	0.0	.	.
Risk	MSM	224	28.8	.	285	21.0	.	509	23.9	.	.
	IDU	144	18.5	.	427	31.5	.	571	26.8	.	.
	MSM/IDU	27	3.5	.	62	4.6	.	89	4.2	.	.
	Heterosexual	247	31.8	.	379	28.0	.	626	29.4	.	.
	Fem. Presumed Het.	52	6.7	.	68	5.0	.	120	5.6	.	.
	Blood Prod.	2	0.3	.	7	0.5	.	9	0.4	.	.
	Pediatric Risk	28	3.6	.	28	2.1	.	56	2.6	.	.
	Unk	53	6.8	.	99	7.3	.	152	7.1	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 14B

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

HIV Cases* (excluding prisoners), Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV & AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		20	100.0	11	100.0	31	100.0	34	100.0	65	100.0	6.9	30.8	47.7
Gender	Male	15	75.0	6	54.5	21	67.7	24	70.6	45	69.2	9.2	33.3	46.7
	Female	5	25.0	5	45.5	10	32.3	10	29.4	20	30.8	4.5	25.0	50.0
Age at Diagnosis	12 & under
	13-19	4	11.8	4	6.2	3.9	.	.
	20-24	1	5.0	.	.	1	3.2	6	17.6	7	10.8	10.5	14.3	14.3
	25-29	2	10.0	3	27.3	5	16.1	9	26.5	14	21.5	27.4	14.3	35.7
	30-39	1	5.0	1	9.1	2	6.5	7	20.6	9	13.8	8.2	11.1	22.2
	40-49	10	50.0	3	27.3	13	41.9	4	11.8	17	26.2	11.2	58.8	76.5
	50-59	5	25.0	4	36.4	9	29.0	3	8.8	12	18.5	9.0	41.7	75.0
	60+	1	5.0	.	.	1	3.2	1	2.9	2	3.1	1.2	50.0	50.0
Race/Ethnicity	White	8	40.0	2	18.2	10	32.3	8	23.5	18	27.7	2.2	44.4	55.6
	Black	5	25.0	4	36.4	9	29.0	13	38.2	22	33.8	24.3	22.7	40.9
	Hispanic	7	35.0	5	45.5	12	38.7	10	29.4	22	33.8	18.6	31.8	54.5
	Asian/PI
	Native Am
	Multi Race****	3	8.8	3	4.6	.	.	.
	Unk
Risk	MSM	7	35.0	3	27.3	10	32.3	15	44.1	25	38.5	.	28.0	40.0
	IDU	3	15.0	3	27.3	6	19.4	3	8.8	9	13.8	.	33.3	66.7
	MSM/IDU
	Heterosexual	9	45.0	4	36.4	13	41.9	12	35.3	25	38.5	.	36.0	52.0
	Fem. Presumed Het.	.	.	1	9.1	1	3.2	1	2.9	2	3.1	.	.	50.0
	Blood Prod.
	Pediatric Risk
	Unk	1	5.0	.	.	1	3.2	3	8.8	4	6.2	.	25.0	25.0

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 14C

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

**AIDS Cases* (excluding prisoners), Newly Diagnosed (January-December 2009)
 and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		64	100.0	6.5	3,391	100.0
Gender	Male	38	59.4	7.3	2,513	74.1
	Female	26	40.6	5.8	878	25.9
Age at Diagnosis	12 & under	.	.	.	40	1.2
	13-19	3	4.7	2.9	30	0.9
	20-24	4	6.3	6.0	69	2.0
	25-29	5	7.8	9.8	284	8.4
	30-39	10	15.6	9.1	1,336	39.4
	40-49	22	34.4	14.6	1,116	32.9
	50-59	16	25.0	12.0	395	11.6
	60+	4	6.3	2.4	121	3.6
Race/Ethnicity	White	18	28.1	2.4	1,259	37.1
	Black	25	39.1	28.5	1,141	33.6
	Hispanic	20	31.3	19.1	814	24.0
	Asian/PI	.	.	.	4	0.1
	Native Am	.	.	.	4	0.1
	Multi Race****	1	1.6	.	169	5.0
	Unk
Risk	MSM	13	20.3	.	749	22.1
	IDU	16	25.0	.	1,484	43.8
	MSM/IDU	.	.	.	152	4.5
	Heterosexual	25	39.1	.	591	17.4
	Fem. Presumed Het.	5	7.8	.	114	3.4
	Blood Prod.	.	.	.	38	1.1
	Pediatric Risk	3	4.7	.	55	1.6
	Unk	2	3.1	.	208	6.1

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 15A

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK

(Includes counties of: Nassau, Suffolk)

Living HIV and AIDS Cases (excluding prisoners) as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		2,126	100.0	73.8	3,547	100.0	112.4	5,673	100.0	186.2	2,875,904
Gender	Male	1,354	63.7	94.4	2,419	68.2	155.2	3,773	66.5	249.6	1,412,064
	Female	771	36.3	53.4	1,128	31.8	71.5	1,899	33.5	124.9	1,463,840
	Unk	1	0.0	1	0.0	.	.
Current Age	12 & under	24	1.1	5.1	.	.	.	24	0.4	5.1	469,865
	13-19	59	2.8	20.2	29	0.8	10.0	88	1.6	30.2	291,421
	20-24	114	5.4	63.8	76	2.1	42.6	190	3.3	106.4	178,556
	25-29	140	6.6	91.1	94	2.7	61.2	234	4.1	152.2	153,705
	30-39	393	18.5	124.0	394	11.1	124.3	787	13.9	248.2	317,024
	40-49	706	33.2	149.9	1,296	36.5	275.2	2,002	35.3	425.1	470,920
	50-59	503	23.7	119.1	1,172	33.0	277.5	1,675	29.5	396.6	422,291
	60+	183	8.6	32.0	485	13.7	84.8	668	11.8	116.8	572,122
	Unk	4	0.2	.	1	0.0	.	5	0.1	.	.
Race/Ethnicity	White	817	38.4	38.7	1,245	35.1	50.9	2,062	36.3	89.6	2,065,949
	Black	718	33.8	276.3	1,269	35.8	473.8	1,987	35.0	750.1	261,040
	Hispanic	457	21.5	124.9	788	22.2	224.0	1,245	21.9	348.9	387,695
	Asian/PI	25	1.2	15.2	25	0.7	14.3	50	0.9	29.6	154,552
	Native Am	.	.	.	2	0.1	23.8	2	0.0	23.8	6,668
	Multi Race***	106	5.0	.	218	6.1	.	324	5.7	.	.
	Unk	3	0.1	3	0.1	.	.
Risk	MSM	740	34.8	.	1,103	31.1	.	1,843	32.5	.	.
	IDU	207	9.7	.	704	19.8	.	911	16.1	.	.
	MSM/IDU	54	2.5	.	144	4.1	.	198	3.5	.	.
	Heterosexual	410	19.3	.	661	18.6	.	1,071	18.9	.	.
	Fem. Presumed Het.	292	13.7	.	335	9.4	.	627	11.1	.	.
	Blood Prod.	11	0.5	.	31	0.9	.	42	0.7	.	.
	Pediatric Risk	93	4.4	.	76	2.1	.	169	3.0	.	.
	Unk	319	15.0	.	493	13.9	.	812	14.3	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 15B

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

HIV Cases* (excluding prisoners), Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV & AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		76	100.0	14	100.0	90	100.0	110	100.0	200	100.0	7.4	38.0	45.0
Gender	Male	52	68.4	10	71.4	62	68.9	87	79.1	149	74.5	11.1	34.9	41.6
	Female	24	31.6	4	28.6	28	31.1	23	20.9	51	25.5	3.8	47.1	54.9
Age at Diagnosis	12 & under
	13-19	.	.	1	7.1	1	1.1	10	9.1	11	5.5	3.8	.	9.1
	20-24	6	7.9	4	28.6	10	11.1	24	21.8	34	17.0	19.0	17.6	29.4
	25-29	10	13.2	2	14.3	12	13.3	9	8.2	21	10.5	13.7	47.6	57.1
	30-39	18	23.7	1	7.1	19	21.1	22	20.0	41	20.5	12.9	43.9	46.3
	40-49	26	34.2	2	14.3	28	31.1	30	27.3	58	29.0	12.3	44.8	48.3
	50-59	14	18.4	4	28.6	18	20.0	11	10.0	29	14.5	6.9	48.3	62.1
	60+	2	2.6	.	.	2	2.2	4	3.6	6	3.0	1.0	33.3	33.3
Race/Ethnicity	White	20	26.3	3	21.4	23	25.6	37	33.6	60	30.0	3.1	33.3	38.3
	Black	25	32.9	10	71.4	35	38.9	46	41.8	81	40.5	30.1	30.9	43.2
	Hispanic	28	36.8	.	.	28	31.1	20	18.2	48	24.0	12.6	58.3	58.3
	Asian/PI	2	2.6	.	.	2	2.2	3	2.7	5	2.5	3.0	40.0	40.0
	Native Am
	Multi Race****	1	1.3	1	7.1	2	2.2	4	3.6	6	3.0	.	16.7	33.3
	Unk
Risk	MSM	32	42.1	7	50.0	39	43.3	68	61.8	107	53.5	.	29.9	36.4
	IDU	1	1.3	.	.	1	1.1	3	2.7	4	2.0	.	25.0	25.0
	MSM/IDU	.	.	1	7.1	1	1.1	2	1.8	3	1.5	.	.	33.3
	Heterosexual	14	18.4	2	14.3	16	17.8	15	13.6	31	15.5	.	45.2	51.6
	Fem. Presumed Het.	15	19.7	2	14.3	17	18.9	10	9.1	27	13.5	.	55.6	63.0
	Blood Prod.
	Pediatric Risk
	Unk	14	18.4	2	14.3	16	17.8	12	10.9	28	14.0	.	50.0	57.1

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 15C

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

**AIDS Cases* (excluding prisoners), Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		167	100.0	6.1	8,579	100.0
Gender	Male	108	64.7	7.8	6,276	73.2
	Female	59	35.3	4.4	2,303	26.8
Age at Diagnosis	12 & under	.	.	.	113	1.3
	13-19	1	0.6	0.3	88	1.0
	20-24	13	7.8	7.3	240	2.8
	25-29	21	12.6	13.7	802	9.3
	30-39	37	22.2	11.7	3,451	40.2
	40-49	56	33.5	11.9	2,644	30.8
	50-59	33	19.8	7.8	902	10.5
	60+	6	3.6	1.0	339	4.0
Race/Ethnicity	White	41	24.6	2.0	3,822	44.6
	Black	73	43.7	28.2	3,080	35.9
	Hispanic	45	26.9	11.9	1,339	15.6
	Asian/PI	2	1.2	1.3	43	0.5
	Native Am	.	.	.	6	0.1
	Multi Race****	6	3.6	.	288	3.4
	Unk	.	.	.	1	0.0
Risk	MSM	62	37.1	.	2,597	30.3
	IDU	10	6.0	.	2,746	32.0
	MSM/IDU	6	3.6	.	398	4.6
	Heterosexual	36	21.6	.	1,124	13.1
	Fem. Presumed Het.	28	16.8	.	515	6.0
	Blood Prod.	.	.	.	129	1.5
	Pediatric Risk	2	1.2	.	163	1.9
	Unk	23	13.8	.	907	10.6

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 16A

NEW YORK STATE RYAN WHITE REGION: ROCHESTER

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylar, Seneca, Steuben, Wayne, Yates)

Living HIV and AIDS Cases (excluding prisoners) as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		1,102	100.0	89.3	1,437	100.0	107.6	2,539	100.0	196.9	1,255,649
Gender	Male	770	69.9	124.4	1,000	69.6	150.3	1,770	69.7	274.7	615,712
	Female	332	30.1	55.2	437	30.4	66.6	769	30.3	121.8	639,937
Current Age	12 & under	3	0.3	1.6	1	0.1	0.5	4	0.2	2.1	192,524
	13-19	21	1.9	15.8	7	0.5	5.3	28	1.1	21.0	133,034
	20-24	46	4.2	49.1	22	1.5	23.5	68	2.7	72.5	93,768
	25-29	80	7.3	111.1	33	2.3	45.8	113	4.5	156.9	72,032
	30-39	219	19.9	155.7	163	11.3	115.9	382	15.0	271.6	140,669
	40-49	375	34.0	200.6	558	38.8	298.5	933	36.7	499.2	186,909
	50-59	265	24.0	143.5	489	34.0	264.8	754	29.7	408.3	184,658
	60+	92	8.3	36.5	164	11.4	65.1	256	10.1	101.6	252,055
	Unk	1	0.1	1	0.0	.	.
Race/Ethnicity	White	458	41.6	44.2	554	38.6	48.5	1,012	39.9	92.7	1,042,108
	Black	408	37.0	359.4	579	40.3	517.6	987	38.9	877.0	124,208
	Hispanic	163	14.8	339.1	216	15.0	479.0	379	14.9	818.1	58,516
	Asian/PI	2	0.2	7.0	5	0.3	20.6	7	0.3	27.6	27,102
	Native Am	1	0.1	34.8	.	.	.	1	0.0	34.8	3,715
	Multi Race***	70	6.4	.	83	5.8	.	153	6.0	.	.
	Unk
Risk	MSM	458	41.6	.	505	35.1	.	963	37.9	.	.
	IDU	129	11.7	.	324	22.5	.	453	17.8	.	.
	MSM/IDU	35	3.2	.	50	3.5	.	85	3.3	.	.
	Heterosexual	169	15.3	.	220	15.3	.	389	15.3	.	.
	Fem. Presumed Het.	155	14.1	.	151	10.5	.	306	12.1	.	.
	Blood Prod.	.	.	.	10	0.7	.	10	0.4	.	.
	Pediatric Risk	17	1.5	.	14	1.0	.	31	1.2	.	.
	Unk	139	12.6	.	163	11.3	.	302	11.9	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 16B

NEW YORK STATE RYAN WHITE REGION: ROCHESTER

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)

HIV Cases* (excluding prisoners), Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV & AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		27	100.0	6	100.0	33	100.0	73	100.0	106	100.0	8.9	25.5	31.1
Gender	Male	23	85.2	5	83.3	28	84.8	53	72.6	81	76.4	13.7	28.4	34.6
	Female	4	14.8	1	16.7	5	15.2	20	27.4	25	23.6	4.1	16.0	20.0
Age at Diagnosis	12 & under
	13-19	5	6.8	5	4.7	3.8	.	.
	20-24	2	7.4	1	16.7	3	9.1	15	20.5	18	17.0	19.2	11.1	16.7
	25-29	3	11.1	2	33.3	5	15.2	11	15.1	16	15.1	22.2	18.8	31.3
	30-39	5	18.5	.	.	5	15.2	20	27.4	25	23.6	17.8	20.0	20.0
	40-49	8	29.6	1	16.7	9	27.3	15	20.5	24	22.6	12.8	33.3	37.5
	50-59	6	22.2	.	.	6	18.2	5	6.8	11	10.4	6.0	54.5	54.5
	60+	3	11.1	2	33.3	5	15.2	2	2.7	7	6.6	2.8	42.9	71.4
Race/Ethnicity	White	12	44.4	3	50.0	15	45.5	23	31.5	38	35.8	4.0	31.6	39.5
	Black	10	37.0	2	33.3	12	36.4	39	53.4	51	48.1	43.7	19.6	23.5
	Hispanic	4	14.8	.	.	4	12.1	10	13.7	14	13.2	28.1	28.6	28.6
	Asian/PI
	Native Am
	Multi Race****	1	3.7	1	16.7	2	6.1	1	1.4	3	2.8	.	33.3	66.7
	Unk
Risk	MSM	16	59.3	4	66.7	20	60.6	39	53.4	59	55.7	.	27.1	33.9
	IDU	2	7.4	.	.	2	6.1	3	4.1	5	4.7	.	40.0	40.0
	MSM/IDU	1	1.4	1	0.9	.	.	.
	Heterosexual	6	22.2	1	16.7	7	21.2	11	15.1	18	17.0	.	33.3	38.9
	Fem. Presumed Het.	1	3.7	1	16.7	2	6.1	10	13.7	12	11.3	.	8.3	16.7
	Blood Prod.
	Pediatric Risk
	Unk	2	7.4	.	.	2	6.1	9	12.3	11	10.4	.	18.2	18.2

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 16C

NEW YORK STATE RYAN WHITE REGION: ROCHESTER

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylar, Seneca, Steuben, Wayne, Yates)

**AIDS Cases* (excluding prisoners), Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		71	100.0	5.8	2,999	100.0
Gender	Male	52	73.2	8.5	2,221	74.1
	Female	19	26.8	3.0	778	25.9
Age at Diagnosis	12 & under	.	.	.	20	0.7
	13-19	1	1.4	0.8	21	0.7
	20-24	4	5.6	4.3	87	2.9
	25-29	6	8.5	8.3	327	10.9
	30-39	15	21.1	10.7	1,178	39.3
	40-49	21	29.6	11.2	944	31.5
	50-59	15	21.1	8.1	311	10.4
	60+	9	12.7	3.6	111	3.7
Race/Ethnicity	White	25	35.2	2.4	1,383	46.1
	Black	32	45.1	27.8	1,124	37.5
	Hispanic	9	12.7	19.4	385	12.8
	Asian/PI	.	.	.	7	0.2
	Native Am	.	.	.	2	0.1
	Multi Race****	5	7.0	.	98	3.3
	Unk
Risk	MSM	34	47.9	.	1,128	37.6
	IDU	9	12.7	.	850	28.3
	MSM/IDU	3	4.2	.	123	4.1
	Heterosexual	14	19.7	.	342	11.4
	Fem. Presumed Het.	8	11.3	.	201	6.7
	Blood Prod.	.	.	.	34	1.1
	Pediatric Risk	.	.	.	28	0.9
	Unk	3	4.2	.	293	9.8

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 17A

NEW YORK STATE RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Living HIV and AIDS Cases (excluding prisoners) as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		682	100.0	49.8	1,060	100.0	74.5	1,742	100.0	124.3	1,423,256
Gender	Male	434	63.6	62.3	745	70.3	103.2	1,179	67.7	165.5	703,811
	Female	248	36.4	37.4	315	29.7	46.3	563	32.3	83.6	719,445
Current Age	12 & under	3	0.4	1.4	.	.	.	3	0.2	1.4	215,115
	13-19	17	2.5	10.9	7	0.7	4.5	24	1.4	15.4	155,341
	20-24	37	5.4	29.6	18	1.7	14.4	55	3.2	44.0	125,141
	25-29	73	10.7	81.7	25	2.4	28.0	98	5.6	109.7	89,311
	30-39	141	20.7	88.7	160	15.1	100.7	301	17.3	189.4	158,903
	40-49	233	34.2	113.8	425	40.1	207.6	658	37.8	321.4	204,733
	50-59	137	20.1	68.6	313	29.5	156.8	450	25.8	225.4	199,627
	60+	41	6.0	14.9	112	10.6	40.7	153	8.8	55.6	275,085
Race/Ethnicity	White	360	52.8	30.1	565	53.3	44.3	925	53.1	74.4	1,254,990
	Black	188	27.6	252.9	309	29.2	464.3	497	28.5	717.1	84,926
	Hispanic	73	10.7	235.6	110	10.4	415.0	183	10.5	650.6	43,197
	Asian/PI	15	2.2	46.9	10	0.9	36.9	25	1.4	83.8	30,914
	Native Am	1	0.1	10.6	4	0.4	55.1	5	0.3	65.7	9,229
	Multi Race***	45	6.6	.	62	5.8	.	107	6.1	.	.
	Unk
Risk	MSM	281	41.2	.	419	39.5	.	700	40.2	.	.
	IDU	64	9.4	.	166	15.7	.	230	13.2	.	.
	MSM/IDU	15	2.2	.	53	5.0	.	68	3.9	.	.
	Heterosexual	171	25.1	.	233	22.0	.	404	23.2	.	.
	Fem. Presumed Het.	74	10.9	.	65	6.1	.	139	8.0	.	.
	Blood Prod.	1	0.1	.	15	1.4	.	16	0.9	.	.
	Pediatric Risk	13	1.9	.	15	1.4	.	28	1.6	.	.
	Unk	63	9.2	.	94	8.9	.	157	9.0	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 17B

NEW YORK STATE RYAN WHITE REGION: SYRACUSE

(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)
 HIV Cases* (excluding prisoners), Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV & AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		22	100.0	7	100.0	29	100.0	45	100.0	74	100.0	5.3	29.7	39.2
Gender	Male	14	63.6	6	85.7	20	69.0	35	77.8	55	74.3	7.8	25.5	36.4
	Female	8	36.4	1	14.3	9	31.0	10	22.2	19	25.7	2.8	42.1	47.4
Age at Diagnosis	12 & under
	13-19	.	.	1	14.3	1	3.4	2	4.4	3	4.1	1.9	.	33.3
	20-24	1	4.5	1	14.3	2	6.9	10	22.2	12	16.2	9.6	8.3	16.7
	25-29	3	13.6	2	28.6	5	17.2	11	24.4	16	21.6	17.9	18.8	31.3
	30-39	4	18.2	1	14.3	5	17.2	11	24.4	16	21.6	10.1	25.0	31.3
	40-49	4	18.2	.	.	4	13.8	6	13.3	10	13.5	4.9	40.0	40.0
	50-59	8	36.4	2	28.6	10	34.5	4	8.9	14	18.9	7.0	57.1	71.4
	60+	2	9.1	.	.	2	6.9	1	2.2	3	4.1	1.1	66.7	66.7
Race/Ethnicity	White	10	45.5	2	28.6	12	41.4	30	66.7	42	56.8	3.6	23.8	28.6
	Black	8	36.4	3	42.9	11	37.9	7	15.6	18	24.3	21.8	44.4	61.1
	Hispanic	2	9.1	2	28.6	4	13.8	2	4.4	6	8.1	19.4	33.3	66.7
	Asian/PI	1	4.5	.	.	1	3.4	1	2.2	2	2.7	5.7	50.0	50.0
	Native Am
	Multi Race****	1	4.5	.	.	1	3.4	5	11.1	6	8.1	.	16.7	16.7
	Unk
Risk	MSM	8	36.4	4	57.1	12	41.4	26	57.8	38	51.4	.	21.1	31.6
	IDU	3	6.7	3	4.1	.	.	.
	MSM/IDU	1	4.5	.	.	1	3.4	2	4.4	3	4.1	.	33.3	33.3
	Heterosexual	6	27.3	.	.	6	20.7	6	13.3	12	16.2	.	50.0	50.0
	Fem. Presumed Het.	1	4.5	1	14.3	2	6.9	5	11.1	7	9.5	.	14.3	28.6
	Blood Prod.
	Pediatric Risk
	Unk	6	27.3	2	28.6	8	27.6	3	6.7	11	14.9	.	54.5	72.7

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 17C

NEW YORK STATE RYAN WHITE REGION: SYRACUSE
*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison,
 Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)*

**AIDS Cases* (excluding prisoners), Newly Diagnosed (January-December 2009)
 and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		57	100.0	4.1	2,241	100.0
Gender	Male	33	57.9	4.8	1,698	75.8
	Female	24	42.1	3.5	543	24.2
Age at Diagnosis	12 & under	.	.	.	12	0.5
	13-19	3	5.3	1.9	31	1.4
	20-24	3	5.3	2.4	97	4.3
	25-29	6	10.5	6.7	262	11.7
	30-39	10	17.5	6.3	933	41.6
	40-49	20	35.1	9.8	640	28.6
	50-59	13	22.8	6.5	204	9.1
	60+	2	3.5	0.7	62	2.8
Race/Ethnicity	White	24	42.1	1.9	1,293	57.7
	Black	21	36.8	26.7	646	28.8
	Hispanic	6	10.5	21.1	203	9.1
	Asian/PI	2	3.5	5.7	12	0.5
	Native Am	.	.	.	8	0.4
	Multi Race****	4	7.0	.	79	3.5
	Unk
Risk	MSM	18	31.6	.	924	41.2
	IDU	5	8.8	.	479	21.4
	MSM/IDU	1	1.8	.	132	5.9
	Heterosexual	17	29.8	.	377	16.8
	Fem. Presumed Het.	3	5.3	.	96	4.3
	Blood Prod.	.	.	.	52	2.3
	Pediatric Risk	3	5.3	.	28	1.2
	Unk	10	17.5	.	153	6.8

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 18A***NEW YORK CITY: by Borough******Living HIV and AIDS Cases as of December 2009****

Borough	Living HIV (not AIDS)	Living AIDS	Living HIV & AIDS
Bronx	8,552	14,230	22,782
Brooklyn	9,906	16,552	26,458
Manhattan	13,441	19,441	32,882
Queens	5,786	9,777	15,563
Staten Island	766	1,142	1,908
Total	38,451	61,142	99,593

**Cases reported and confirmed through December 2010*

NEW YORK CITY: by Borough***Newly Diagnosed HIV and AIDS Cases, 2009*
and Cumulative AIDS Diagnosed through December 2009***

Borough	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses
Bronx	738	712	33,836
Brooklyn	982	836	41,662
Manhattan	913	737	53,345
Queens	607	455	22,130
Staten Island	63	52	3,169
Total	3,303	2,792	154,142

**Cases reported and confirmed through December 2010*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

Table 19A

NEW YORK CITY BOROUGH: BRONX

Living HIV and AIDS Cases as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		8,552	100.0	632.2	14,230	100.0	1056.3	22,782	100.0	1688.5	1,397,287
Gender	Male	4,812	56.3	766.5	8,749	61.5	1429.1	13,561	59.5	2195.5	656,983
	Female	3,739	43.7	518.7	5,481	38.5	754.1	9,220	40.5	1272.7	740,304
	Unk	1	0.0	1	0.0	.	.
Current Age	12 & under	143	1.7	51.4	9	0.1	3.2	152	0.7	54.6	278,250
	13-19	263	3.1	167.0	197	1.4	125.1	460	2.0	292.1	157,499
	20-24	475	5.6	460.6	279	2.0	270.5	754	3.3	731.2	103,125
	25-29	634	7.4	616.2	416	2.9	404.3	1,050	4.6	1020.5	102,895
	30-39	1,874	21.9	976.6	1,803	12.7	939.6	3,677	16.1	1916.2	191,895
	40-49	2,692	31.5	1370.3	5,238	36.8	2666.2	7,930	34.8	4036.5	196,457
	50-59	1,793	21.0	1126.6	4,507	31.7	2831.9	6,300	27.7	3958.5	159,152
	60+	678	7.9	325.9	1,780	12.5	855.7	2,458	10.8	1181.7	208,014
	Unk	.	.	.	1	0.0	.	1	0.0	.	.
Race/Ethnicity	White	347	4.1	210.3	565	4.0	319.6	912	4.0	530.0	174,794
	Black	4,093	47.9	934.4	6,044	42.5	1366.3	10,137	44.5	2300.7	440,400
	Hispanic	3,937	46.0	575.6	7,364	51.7	1119.9	11,301	49.6	1695.5	726,265
	Asian/PI	31	0.4	58.1	50	0.4	91.0	81	0.4	149.1	50,960
	Native Am	7	0.1	136.9	8	0.1	171.3	15	0.1	308.1	4,868
	Multi Race***	97	1.1	.	191	1.3	.	288	1.3	.	.
	Unk	40	0.5	.	8	0.1	.	48	0.2	.	.
Risk	MSM	1,625	19.0	.	2,172	15.3	.	3,797	16.7	.	.
	IDU	1,111	13.0	.	3,949	27.8	.	5,060	22.2	.	.
	MSM/IDU	136	1.6	.	414	2.9	.	550	2.4	.	.
	Heterosexual	1,579	18.5	.	2,802	19.7	.	4,381	19.2	.	.
	Fem. Presumed Het.	1,916	22.4	.	2,040	14.3	.	3,956	17.4	.	.
	Blood Prod.	6	0.1	.	35	0.2	.	41	0.2	.	.
	Pediatric Risk	443	5.2	.	378	2.7	.	821	3.6	.	.
	Unk	1,736	20.3	.	2,440	17.1	.	4,176	18.3	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 19B

NEW YORK CITY BOROUGH: BRONX
HIV Cases*, Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		176	100.0	46	100.0	222	100.0	516	100.0	738	100.0	54.0	23.8	30.1
Gender	Male	120	68.2	32	69.6	152	68.5	324	62.8	476	64.5	74.5	25.2	31.9
	Female	56	31.8	14	30.4	70	31.5	192	37.2	262	35.5	36.0	21.4	26.7
Age at Diagnosis	12 & under	3	0.6	3	0.4	1.1	.	.
	13-19	5	2.8	3	6.5	8	3.6	31	6.0	39	5.3	24.8	12.8	20.5
	20-24	7	4.0	2	4.3	9	4.1	91	17.6	100	13.6	97.0	7.0	9.0
	25-29	17	9.7	5	10.9	22	9.9	62	12.0	84	11.4	81.6	20.2	26.2
	30-39	33	18.8	8	17.4	41	18.5	123	23.8	164	22.2	85.5	20.1	25.0
	40-49	63	35.8	20	43.5	83	37.4	121	23.4	204	27.6	103.8	30.9	40.7
	50-59	33	18.8	8	17.4	41	18.5	59	11.4	100	13.6	62.8	33.0	41.0
	60+	18	10.2	.	.	18	8.1	26	5.0	44	6.0	21.2	40.9	40.9
Race/Ethnicity	White	5	2.8	4	8.7	9	4.1	21	4.1	30	4.1	19.4	16.7	30.0
	Black	85	48.3	24	52.2	109	49.1	249	48.3	358	48.5	81.6	23.7	30.4
	Hispanic	78	44.3	16	34.8	94	42.3	234	45.3	328	44.4	47.1	23.8	28.7
	Asian/PI	1	0.6	1	2.2	2	0.9	3	0.6	5	0.7	9.4	20.0	40.0
	Native Am	1	0.6	.	.	1	0.5	.	.	1	0.1	23.3	100.0	100.0
	Multi Race****	6	3.4	1	2.2	7	3.2	9	1.7	16	2.2	.	37.5	43.8
	Unk
Risk	MSM	23	13.1	10	21.7	33	14.9	145	28.1	178	24.1	.	12.9	18.5
	IDU	12	6.8	4	8.7	16	7.2	44	8.5	60	8.1	.	20.0	26.7
	MSM/IDU	2	1.1	.	.	2	0.9	2	0.4	4	0.5	.	50.0	50.0
	Heterosexual	40	22.7	17	37.0	57	25.7	91	17.6	148	20.1	.	27.0	38.5
	Fem. Presumed Het.	37	21.0	3	6.5	40	18.0	110	21.3	150	20.3	.	24.7	26.7
	Blood Prod.
	Pediatric Risk	3	0.6	3	0.4	.	.	.
	Unk	62	35.2	12	26.1	74	33.3	121	23.4	195	26.4	.	31.8	37.9

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 19C

NEW YORK CITY BOROUGH: BRONX

**AIDS Cases*, Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		712	100.0	52.9	33,836	100.0
Gender	Male	432	60.7	70.0	22,109	65.3
	Female	280	39.3	38.5	11,727	34.7
Age at Diagnosis	12 & under	.	.	.	603	1.8
	13-19	27	3.8	17.1	337	1.0
	20-24	41	5.8	39.8	1,039	3.1
	25-29	58	8.1	56.4	3,101	9.2
	30-39	148	20.8	77.1	12,870	38.0
	40-49	240	33.7	122.2	10,812	32.0
	50-59	148	20.8	93.0	3,903	11.5
	60+	50	7.0	24.0	1,171	3.5
Race/Ethnicity	White	23	3.2	15.0	1,805	5.3
	Black	324	45.5	74.1	13,920	41.1
	Hispanic	343	48.2	50.8	17,435	51.5
	Asian/PI	2	0.3	3.5	91	0.3
	Native Am	1	0.1	23.3	8	0.0
	Multi Race****	19	2.7	.	568	1.7
	Unk	.	.	.	9	0.0
Risk	MSM	116	16.3	.	5,125	15.1
	IDU	101	14.2	.	14,625	43.2
	MSM/IDU	20	2.8	.	1,104	3.3
	Heterosexual	159	22.3	.	5,164	15.3
	Fem. Presumed Het.	133	18.7	.	2,938	8.7
	Blood Prod.	1	0.1	.	133	0.4
	Pediatric Risk	18	2.5	.	776	2.3
	Unk	164	23.0	.	3,971	11.7

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 20A

NEW YORK CITY BOROUGH: BROOKLYN

Living HIV and AIDS Cases as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		9,906	100.0	392.9	16,552	100.0	658.3	26,458	100.0	1051.1	2,567,098
Gender	Male	6,082	61.4	511.0	10,664	64.4	915.0	16,746	63.3	1426.0	1,215,532
	Female	3,824	38.6	288.2	5,888	35.6	441.5	9,712	36.7	729.7	1,351,566
Current Age	12 & under	112	1.1	24.1	6	0.0	1.3	118	0.4	25.4	465,464
	13-19	289	2.9	124.6	202	1.2	87.1	491	1.9	211.6	231,991
	20-24	563	5.7	321.4	287	1.7	163.9	850	3.2	485.3	175,146
	25-29	866	8.7	379.1	480	2.9	210.1	1,346	5.1	589.2	228,435
	30-39	2,209	22.3	564.5	2,130	12.9	544.3	4,339	16.4	1108.8	391,327
	40-49	3,146	31.8	921.3	5,962	36.0	1746.0	9,108	34.4	2667.4	341,458
	50-59	1,931	19.5	622.9	5,272	31.9	1700.6	7,203	27.2	2323.5	310,008
	60+	790	8.0	186.6	2,212	13.4	522.6	3,002	11.3	709.2	423,269
	Unk	.	.	.	1	0.0	.	1	0.0	.	.
Race/Ethnicity	White	1,258	12.7	137.4	1,568	9.5	170.1	2,826	10.7	307.5	959,454
	Black	6,092	61.5	714.5	10,124	61.2	1170.6	16,216	61.3	1885.1	850,276
	Hispanic	2,216	22.4	467.9	4,401	26.6	976.9	6,617	25.0	1444.8	502,546
	Asian/PI	119	1.2	46.0	141	0.9	54.8	260	1.0	100.8	248,296
	Native Am	6	0.1	86.9	3	0.0	43.7	9	0.0	130.6	6,526
	Multi Race***	168	1.7	.	311	1.9	.	479	1.8	.	.
	Unk	47	0.5	.	4	0.0	.	51	0.2	.	.
Risk	MSM	2,842	28.7	.	3,628	21.9	.	6,470	24.5	.	.
	IDU	937	9.5	.	3,651	22.1	.	4,588	17.3	.	.
	MSM/IDU	143	1.4	.	374	2.3	.	517	2.0	.	.
	Heterosexual	1,823	18.4	.	3,081	18.6	.	4,904	18.5	.	.
	Fem. Presumed Het.	1,942	19.6	.	2,330	14.1	.	4,272	16.1	.	.
	Blood Prod.	6	0.1	.	51	0.3	.	57	0.2	.	.
	Pediatric Risk	397	4.0	.	358	2.2	.	755	2.9	.	.
	Unk	1,816	18.3	.	3,079	18.6	.	4,895	18.5	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 20B

NEW YORK CITY BOROUGH: BROOKLYN
HIV Cases*, Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		260	100.0	60	100.0	320	100.0	662	100.0	982	100.0	38.1	26.5	32.6
Gender	Male	194	74.6	44	73.3	238	74.4	473	71.5	711	72.4	57.5	27.3	33.5
	Female	66	25.4	16	26.7	82	25.6	189	28.5	271	27.6	20.2	24.4	30.3
Age at Diagnosis	12 & under	2	0.3	2	0.2	0.4	.	.
	13-19	6	2.3	1	1.7	7	2.2	48	7.3	55	5.6	23.7	10.9	12.7
	20-24	16	6.2	6	10.0	22	6.9	116	17.5	138	14.1	78.8	11.6	15.9
	25-29	21	8.1	9	15.0	30	9.4	104	15.7	134	13.6	58.7	15.7	22.4
	30-39	66	25.4	15	25.0	81	25.3	168	25.4	249	25.4	63.6	26.5	32.5
	40-49	79	30.4	14	23.3	93	29.1	135	20.4	228	23.2	66.8	34.6	40.8
	50-59	49	18.8	10	16.7	59	18.4	69	10.4	128	13.0	41.3	38.3	46.1
	60+	23	8.8	5	8.3	28	8.8	20	3.0	48	4.9	11.3	47.9	58.3
Race/Ethnicity	White	23	8.8	2	3.3	25	7.8	74	11.2	99	10.1	10.2	23.2	25.3
	Black	163	62.7	47	78.3	210	65.6	425	64.2	635	64.7	73.5	25.7	33.1
	Hispanic	65	25.0	8	13.3	73	22.8	139	21.0	212	21.6	42.0	30.7	34.4
	Asian/PI	3	1.2	1	1.7	4	1.3	11	1.7	15	1.5	5.5	20.0	26.7
	Native Am
	Multi Race****	6	2.3	2	3.3	8	2.5	13	2.0	21	2.1	.	28.6	38.1
	Unk
Risk	MSM	77	29.6	13	21.7	90	28.1	285	43.1	375	38.2	.	20.5	24.0
	IDU	16	6.2	4	6.7	20	6.3	19	2.9	39	4.0	.	41.0	51.3
	MSM/IDU	2	0.8	2	3.3	4	1.3	6	0.9	10	1.0	.	20.0	40.0
	Heterosexual	36	13.8	12	20.0	48	15.0	82	12.4	130	13.2	.	27.7	36.9
	Fem. Presumed Het.	42	16.2	8	13.3	50	15.6	126	19.0	176	17.9	.	23.9	28.4
	Blood Prod.
	Pediatric Risk	1	0.4	.	.	1	0.3	2	0.3	3	0.3	.	33.3	33.3
	Unk	86	33.1	21	35.0	107	33.4	142	21.5	249	25.4	.	34.5	43.0

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BROOKLYN
AIDS Cases*, Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		836	100.0	33.0	41,662	100.0
Gender	Male	574	68.7	48.0	28,316	68.0
	Female	262	31.3	19.7	13,346	32.0
Age at Diagnosis	12 & under	.	.	.	720	1.7
	13-19	17	2.0	7.3	354	0.8
	20-24	53	6.3	30.3	1,329	3.2
	25-29	86	10.3	37.6	4,085	9.8
	30-39	194	23.2	49.6	15,999	38.4
	40-49	267	31.9	78.2	12,812	30.8
	50-59	163	19.5	52.6	4,736	11.4
	60+	56	6.7	13.2	1,627	3.9
Race/Ethnicity	White	71	8.5	7.7	4,933	11.8
	Black	519	62.1	60.7	24,560	59.0
	Hispanic	217	26.0	45.7	11,166	26.8
	Asian/PI	7	0.8	2.6	215	0.5
	Native Am	.	.	.	5	0.0
	Multi Race****	22	2.6	.	778	1.9
	Unk	.	.	.	5	0.0
Risk	MSM	250	29.9	.	8,359	20.1
	IDU	82	9.8	.	15,637	37.5
	MSM/IDU	19	2.3	.	1,022	2.5
	Heterosexual	147	17.6	.	5,728	13.7
	Fem. Presumed Het.	133	15.9	.	3,868	9.3
	Blood Prod.	1	0.1	.	234	0.6
	Pediatric Risk	8	1.0	.	856	2.1
	Unk	196	23.4	.	5,958	14.3

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 21A

NEW YORK CITY BOROUGH: MANHATTAN

Living HIV and AIDS Cases as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		13,441	100.0	778.2	19,441	100.0	1130.7	32,882	100.0	1908.9	1,629,054
Gender	Male	10,998	81.8	1289.6	15,586	80.2	1856.5	26,584	80.8	3146.1	775,857
	Female	2,440	18.2	287.7	3,855	19.8	452.3	6,295	19.1	740.0	853,197
	Unk	3	0.0	3	0.0	.	.
Current Age	12 & under	72	0.5	35.9	5	0.0	2.5	77	0.2	38.4	200,444
	13-19	157	1.2	166.6	116	0.6	123.1	273	0.8	289.7	94,232
	20-24	421	3.1	381.4	195	1.0	176.7	616	1.9	558.0	110,385
	25-29	856	6.4	488.1	344	1.8	196.2	1,200	3.6	684.3	175,365
	30-39	2,883	21.4	903.0	2,069	10.6	648.1	4,952	15.1	1551.1	319,264
	40-49	5,065	37.7	2131.9	6,959	35.8	2929.1	12,024	36.6	5061.0	237,580
	50-59	2,864	21.3	1437.1	6,523	33.6	3273.2	9,387	28.5	4710.3	199,288
	60+	1,122	8.3	383.6	3,230	16.6	1104.3	4,352	13.2	1487.9	292,496
	Unk	1	0.0	1	0.0	.	.
Race/Ethnicity	White	5,190	38.6	534.1	6,032	31.0	634.2	11,222	34.1	1168.3	838,577
	Black	4,094	30.5	1897.2	6,941	35.7	3110.5	11,035	33.6	5007.7	220,027
	Hispanic	3,469	25.8	1048.4	5,802	29.8	1702.8	9,271	28.2	2751.1	387,678
	Asian/PI	253	1.9	129.3	262	1.3	147.3	515	1.6	276.6	179,213
	Native Am	14	0.1	411.4	14	0.1	484.2	28	0.1	895.6	3,559
	Multi Race***	194	1.4	.	371	1.9	.	565	1.7	.	.
	Unk	227	1.7	.	19	0.1	.	246	0.7	.	.
Risk	MSM	7,292	54.3	.	8,608	44.3	.	15,900	48.4	.	.
	IDU	878	6.5	.	3,707	19.1	.	4,585	13.9	.	.
	MSM/IDU	244	1.8	.	587	3.0	.	831	2.5	.	.
	Heterosexual	1,229	9.1	.	2,103	10.8	.	3,332	10.1	.	.
	Fem. Presumed Het.	1,148	8.5	.	1,263	6.5	.	2,411	7.3	.	.
	Blood Prod.	6	0.0	.	29	0.1	.	35	0.1	.	.
	Pediatric Risk	248	1.8	.	212	1.1	.	460	1.4	.	.
	Unk	2,396	17.8	.	2,932	15.1	.	5,328	16.2	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 21B

NEW YORK CITY BOROUGH: MANHATTAN

HIV Cases*, Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		203	100.0	42	100.0	245	100.0	668	100.0	913	100.0	50.0	22.2	26.8
Gender	Male	167	82.3	35	83.3	202	82.4	564	84.4	766	83.9	84.9	21.8	26.4
	Female	36	17.7	7	16.7	43	17.6	104	15.6	147	16.1	17.3	24.5	29.3
Age at Diagnosis	12 & under	2	0.3	2	0.2	1.0	.	.
	13-19	2	1.0	1	2.4	3	1.2	13	1.9	16	1.8	17.0	12.5	18.8
	20-24	17	8.4	5	11.9	22	9.0	96	14.4	118	12.9	106.9	14.4	18.6
	25-29	21	10.3	7	16.7	28	11.4	111	16.6	139	15.2	79.3	15.1	20.1
	30-39	51	25.1	10	23.8	61	24.9	201	30.1	262	28.7	82.1	19.5	23.3
	40-49	58	28.6	14	33.3	72	29.4	166	24.9	238	26.1	100.2	24.4	30.3
	50-59	39	19.2	3	7.1	42	17.1	65	9.7	107	11.7	53.7	36.4	39.3
	60+	15	7.4	2	4.8	17	6.9	14	2.1	31	3.4	10.6	48.4	54.8
Race/Ethnicity	White	43	21.2	7	16.7	50	20.4	211	31.6	261	28.6	25.3	16.5	19.2
	Black	83	40.9	21	50.0	104	42.4	238	35.6	342	37.5	157.5	24.3	30.4
	Hispanic	66	32.5	12	28.6	78	31.8	189	28.3	267	29.2	72.8	24.7	29.2
	Asian/PI	2	1.0	.	.	2	0.8	17	2.5	19	2.1	7.5	10.5	10.5
	Native Am	1	0.1	1	0.1	12.8	.	.
	Multi Race****	9	4.4	2	4.8	11	4.5	12	1.8	23	2.5	.	39.1	47.8
	Unk
Risk	MSM	85	41.9	19	45.2	104	42.4	407	60.9	511	56.0	.	16.6	20.4
	IDU	7	3.4	2	4.8	9	3.7	15	2.2	24	2.6	.	29.2	37.5
	MSM/IDU	2	1.0	1	2.4	3	1.2	9	1.3	12	1.3	.	16.7	25.0
	Heterosexual	26	12.8	6	14.3	32	13.1	54	8.1	86	9.4	.	30.2	37.2
	Fem. Presumed Het.	21	10.3	3	7.1	24	9.8	55	8.2	79	8.7	.	26.6	30.4
	Blood Prod.
	Pediatric Risk	2	0.3	2	0.2	.	.	.
	Unk	62	30.5	11	26.2	73	29.8	126	18.9	199	21.8	.	31.2	36.7

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: MANHATTAN

**AIDS Cases*, Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		737	100.0	41.9	53,345	100.0
Gender	Male	589	79.9	67.8	43,977	82.4
	Female	148	20.1	17.3	9,368	17.6
Age at Diagnosis	12 & under	.	.	.	412	0.8
	13-19	7	0.9	7.4	214	0.4
	20-24	45	6.1	40.8	1,071	2.0
	25-29	61	8.3	34.8	4,658	8.7
	30-39	182	24.7	57.0	20,994	39.4
	40-49	252	34.2	106.1	17,182	32.2
	50-59	139	18.9	69.7	6,543	12.3
	60+	51	6.9	17.4	2,271	4.3
Race/Ethnicity	White	181	24.6	18.3	18,452	34.6
	Black	307	41.7	144.1	18,530	34.7
	Hispanic	216	29.3	66.3	14,734	27.6
	Asian/PI	6	0.8	2.5	470	0.9
	Native Am	.	.	.	18	0.0
	Multi Race****	27	3.7	.	1,118	2.1
	Unk	.	.	.	23	0.0
Risk	MSM	329	44.6	.	24,457	45.8
	IDU	58	7.9	.	15,774	29.6
	MSM/IDU	18	2.4	.	1,863	3.5
	Heterosexual	96	13.0	.	3,896	7.3
	Fem. Presumed Het.	72	9.8	.	1,907	3.6
	Blood Prod.	1	0.1	.	169	0.3
	Pediatric Risk	7	0.9	.	492	0.9
	Unk	156	21.2	.	4,787	9.0

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 22A

NEW YORK CITY BOROUGH: QUEENS

Living HIV and AIDS Cases as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		5,786	100.0	241.4	9,777	100.0	394.9	15,563	100.0	636.3	2,306,712
Gender	Male	4,016	69.4	336.7	6,939	71.0	569.1	10,955	70.4	905.9	1,122,781
	Female	1,770	30.6	147.1	2,838	29.0	228.7	4,608	29.6	375.8	1,183,931
Current Age	12 & under	44	0.8	12.2	2	0.0	0.6	46	0.3	12.7	361,637
	13-19	111	1.9	60.6	84	0.9	45.8	195	1.3	106.4	183,311
	20-24	296	5.1	210.6	142	1.5	101.0	438	2.8	311.6	140,545
	25-29	445	7.7	242.3	259	2.6	141.0	704	4.5	383.3	183,650
	30-39	1,364	23.6	375.1	1,349	13.8	371.0	2,713	17.4	746.1	363,624
	40-49	2,023	35.0	578.5	3,611	36.9	1032.6	5,634	36.2	1611.1	349,697
	50-59	1,169	20.2	382.7	3,172	32.4	1038.4	4,341	27.9	1421.1	305,474
	60+	333	5.8	79.5	1,158	11.8	276.5	1,491	9.6	356.0	418,774
	Unk	1	0.0	1	0.0	.	.
Race/Ethnicity	White	1,004	17.4	139.4	1,533	15.7	194.3	2,537	16.3	333.7	719,226
	Black	2,378	41.1	533.5	4,014	41.1	860.0	6,392	41.1	1393.5	433,288
	Hispanic	2,045	35.3	312.6	3,686	37.7	589.5	5,731	36.8	902.1	620,205
	Asian/PI	204	3.5	35.8	277	2.8	48.5	481	3.1	84.3	521,347
	Native Am	7	0.1	57.2	12	0.1	89.7	19	0.1	146.9	12,646
	Multi Race***	103	1.8	.	249	2.5	.	352	2.3	.	.
	Unk	45	0.8	.	6	0.1	.	51	0.3	.	.
Risk	MSM	2,153	37.2	.	2,904	29.7	.	5,057	32.5	.	.
	IDU	501	8.7	.	2,023	20.7	.	2,524	16.2	.	.
	MSM/IDU	76	1.3	.	235	2.4	.	311	2.0	.	.
	Heterosexual	1,067	18.4	.	1,799	18.4	.	2,866	18.4	.	.
	Fem. Presumed Het.	782	13.5	.	958	9.8	.	1,740	11.2	.	.
	Blood Prod.	9	0.2	.	34	0.3	.	43	0.3	.	.
	Pediatric Risk	155	2.7	.	172	1.8	.	327	2.1	.	.
	Unk	1,043	18.0	.	1,652	16.9	.	2,695	17.3	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 22B

NEW YORK CITY BOROUGH: QUEENS
HIV Cases*, Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		155	100.0	54	100.0	209	100.0	398	100.0	607	100.0	25.3	25.5	34.4
Gender	Male	115	74.2	38	70.4	153	73.2	309	77.6	462	76.1	38.7	24.9	33.1
	Female	40	25.8	16	29.6	56	26.8	89	22.4	145	23.9	11.9	27.6	38.6
Age at Diagnosis	12 & under
	13-19	4	2.6	6	11.1	10	4.8	22	5.5	32	5.3	17.5	12.5	31.3
	20-24	3	1.9	8	14.8	11	5.3	61	15.3	72	11.9	51.2	4.2	15.3
	25-29	18	11.6	12	22.2	30	14.4	69	17.3	99	16.3	53.9	18.2	30.3
	30-39	42	27.1	9	16.7	51	24.4	113	28.4	164	27.0	45.1	25.6	31.1
	40-49	42	27.1	11	20.4	53	25.4	87	21.9	140	23.1	40.0	30.0	37.9
	50-59	33	21.3	8	14.8	41	19.6	35	8.8	76	12.5	24.9	43.4	53.9
	60+	13	8.4	.	.	13	6.2	11	2.8	24	4.0	5.7	54.2	54.2
Race/Ethnicity	White	14	9.0	4	7.4	18	8.6	47	11.8	65	10.7	8.9	21.5	27.7
	Black	70	45.2	18	33.3	88	42.1	159	39.9	247	40.7	55.7	28.3	35.6
	Hispanic	49	31.6	28	51.9	77	36.8	157	39.4	234	38.6	33.6	20.9	32.9
	Asian/PI	12	7.7	4	7.4	16	7.7	27	6.8	43	7.1	7.6	27.9	37.2
	Native Am
	Multi Race****	10	6.5	.	.	10	4.8	8	2.0	18	3.0	.	55.6	55.6
	Unk
Risk	MSM	47	30.3	23	42.6	70	33.5	206	51.8	276	45.5	.	17.0	25.4
	IDU	6	3.9	2	3.7	8	3.8	16	4.0	24	4.0	.	25.0	33.3
	MSM/IDU	2	1.3	.	.	2	1.0	5	1.3	7	1.2	.	28.6	28.6
	Heterosexual	32	20.6	15	27.8	47	22.5	57	14.3	104	17.1	.	30.8	45.2
	Fem. Presumed Het.	25	16.1	8	14.8	33	15.8	44	11.1	77	12.7	.	32.5	42.9
	Blood Prod.
	Pediatric Risk
	Unk	43	27.7	6	11.1	49	23.4	70	17.6	119	19.6	.	36.1	41.2

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: QUEENS

**AIDS Cases*, Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		455	100.0	18.9	22,130	100.0
Gender	Male	332	73.0	27.6	16,463	74.4
	Female	123	27.0	10.1	5,667	25.6
Age at Diagnosis	12 & under	.	.	.	278	1.3
	13-19	10	2.2	5.5	180	0.8
	20-24	27	5.9	19.2	703	3.2
	25-29	48	10.5	26.1	2,176	9.8
	30-39	124	27.3	34.1	8,943	40.4
	40-49	137	30.1	39.2	6,852	31.0
	50-59	83	18.2	27.2	2,267	10.2
	60+	26	5.7	6.2	731	3.3
Race/Ethnicity	White	48	10.5	6.8	4,742	21.4
	Black	186	40.9	42.3	9,309	42.1
	Hispanic	171	37.6	25.2	7,073	32.0
	Asian/PI	25	5.5	4.5	418	1.9
	Native Am	1	0.2	5.9	14	0.1
	Multi Race****	24	5.3	.	566	2.6
	Unk	.	.	.	8	0.0
Risk	MSM	151	33.2	.	6,329	28.6
	IDU	43	9.5	.	7,390	33.4
	MSM/IDU	9	2.0	.	622	2.8
	Heterosexual	89	19.6	.	2,912	13.2
	Fem. Presumed Het.	60	13.2	.	1,480	6.7
	Blood Prod.	1	0.2	.	149	0.7
	Pediatric Risk	3	0.7	.	366	1.7
	Unk	99	21.8	.	2,882	13.0

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 23A

NEW YORK CITY BOROUGH: STATEN ISLAND
Living HIV and AIDS Cases as of December 2009*, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Number	Column Percent	Prevalence Rate**	Area Population
Total		766	100.0	148.9	1,142	100.0	211.4	1,908	100.0	360.2	491,730
Gender	Male	478	62.4	187.4	733	64.2	276.6	1,211	63.5	464.0	240,090
	Female	287	37.5	111.2	409	35.8	150.3	696	36.5	261.5	251,640
	Unk	1	0.1	1	0.1	.	.
Current Age	12 & under	14	1.8	17.8	.	.	.	14	0.7	17.8	78,834
	13-19	17	2.2	35.8	12	1.1	25.3	29	1.5	61.1	47,465
	20-24	32	4.2	103.0	17	1.5	54.7	49	2.6	157.8	31,057
	25-29	62	8.1	184.0	35	3.1	103.9	97	5.1	287.9	33,691
	30-39	118	15.4	179.8	119	10.4	181.3	237	12.4	361.0	65,645
	40-49	281	36.7	369.7	440	38.5	578.8	721	37.8	948.5	76,016
	50-59	185	24.2	263.9	393	34.4	560.7	578	30.3	824.6	70,095
	60+	57	7.4	64.1	126	11.0	141.7	183	9.6	205.8	88,927
Race/Ethnicity	White	249	32.5	72.7	358	31.3	93.4	607	31.8	166.1	326,829
	Black	307	40.1	651.1	397	34.8	856.8	704	36.9	1507.9	48,174
	Hispanic	158	20.6	210.4	344	30.1	479.7	502	26.3	690.1	78,347
	Asian/PI	13	1.7	32.9	3	0.3	7.6	16	0.8	40.5	37,445
	Native Am	2	0.3	261.1	2	0.2	287.4	4	0.2	548.5	935
	Multi Race***	26	3.4	.	38	3.3	.	64	3.4	.	.
	Unk	11	1.4	11	0.6	.	.
Risk	MSM	205	26.8	.	217	19.0	.	422	22.1	.	.
	IDU	72	9.4	.	310	27.1	.	382	20.0	.	.
	MSM/IDU	10	1.3	.	31	2.7	.	41	2.1	.	.
	Heterosexual	127	16.6	.	216	18.9	.	343	18.0	.	.
	Fem. Presumed Het.	143	18.7	.	143	12.5	.	286	15.0	.	.
	Blood Prod.	2	0.3	.	7	0.6	.	9	0.5	.	.
	Pediatric Risk	34	4.4	.	24	2.1	.	58	3.0	.	.
	Unk	173	22.6	.	194	17.0	.	367	19.2	.	.

*Cases reported and confirmed through December 2010

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 23B

NEW YORK CITY BOROUGH: STATEN ISLAND
HIV Cases*, Newly Diagnosed (January-December 2009), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses**			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate***	%	%
Total		14	100.0	4	100.0	18	100.0	45	100.0	63	100.0	12.8	22.2	28.6
Gender	Male	10	71.4	3	75.0	13	72.2	28	62.2	41	65.1	16.8	24.4	31.7
	Female	4	28.6	1	25.0	5	27.8	17	37.8	22	34.9	8.6	18.2	22.7
Age at Diagnosis	12 & under
	13-19	4	8.9	4	6.3	8.4	.	.
	20-24	11	24.4	11	17.5	35.4	.	.
	25-29	1	7.1	1	25.0	2	11.1	11	24.4	13	20.6	38.6	7.7	15.4
	30-39	3	21.4	2	50.0	5	27.8	8	17.8	13	20.6	19.8	23.1	38.5
	40-49	5	35.7	1	25.0	6	33.3	8	17.8	14	22.2	18.4	35.7	42.9
	50-59	4	28.6	.	.	4	22.2	2	4.4	6	9.5	8.6	66.7	66.7
	60+	1	7.1	.	.	1	5.6	1	2.2	2	3.2	2.2	50.0	50.0
Race/Ethnicity	White	3	21.4	1	25.0	4	22.2	11	24.4	15	23.8	4.7	20.0	26.7
	Black	5	35.7	3	75.0	8	44.4	21	46.7	29	46.0	59.3	17.2	27.6
	Hispanic	3	21.4	.	.	3	16.7	11	24.4	14	22.2	16.1	21.4	21.4
	Asian/PI	1	2.2	1	1.6	2.6	.	.
	Native Am
	Multi Race****	3	21.4	.	.	3	16.7	1	2.2	4	6.3	.	75.0	75.0
	Unk
Risk	MSM	4	28.6	1	25.0	5	27.8	18	40.0	23	36.5	.	17.4	21.7
	IDU	1	7.1	.	.	1	5.6	1	2.2	2	3.2	.	50.0	50.0
	MSM/IDU
	Heterosexual	1	7.1	2	50.0	3	16.7	7	15.6	10	15.9	.	10.0	30.0
	Fem. Presumed Het.	3	21.4	.	.	3	16.7	11	24.4	14	22.2	.	21.4	21.4
	Blood Prod.
	Pediatric Risk
	Unk	5	35.7	1	25.0	6	33.3	8	17.8	14	22.2	.	35.7	42.9

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 23C

NEW YORK CITY BOROUGH: STATEN ISLAND

**AIDS Cases*, Newly Diagnosed (January-December 2009)
and Cumulative (through December 2009) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses**			Cumulative AIDS Cases	
		Number	Percent	Case Rate***	Number	Percent
Total		52	100.0	10.0	3,169	100.0
Gender	Male	32	61.5	12.7	2,240	70.7
	Female	20	38.5	7.6	929	29.3
Age at Diagnosis	12 & under	.	.	.	42	1.3
	13-19	2	3.8	4.2	23	0.7
	20-24	1	1.9	3.2	96	3.0
	25-29	4	7.7	11.9	251	7.9
	30-39	7	13.5	10.7	1,286	40.6
	40-49	23	44.2	30.3	1,056	33.3
	50-59	10	19.2	14.3	328	10.4
	60+	5	9.6	5.6	87	2.7
Race/Ethnicity	White	7	13.5	1.9	1,293	40.8
	Black	23	44.2	51.5	1,030	32.5
	Hispanic	17	32.7	21.5	730	23.0
	Asian/PI	.	.	.	9	0.3
	Native Am	.	.	.	3	0.1
	Multi Race****	5	9.6	.	103	3.3
	Unk	.	.	.	1	0.0
Risk	MSM	10	19.2	.	629	19.8
	IDU	4	7.7	.	1,398	44.1
	MSM/IDU	.	.	.	87	2.7
	Heterosexual	8	15.4	.	397	12.5
	Fem. Presumed Het.	11	21.2	.	213	6.7
	Blood Prod.	.	.	.	44	1.4
	Pediatric Risk	2	3.8	.	54	1.7
	Unk	17	32.7	.	347	10.9

*Cases reported and confirmed through December 2010

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.