

# Heat and Health Profile Report Columbia County



**Department  
of Health**

## Table of Contents

Heat-Health Vulnerability Assessment.....	1
Introduction.....	1
Exposure.....	2
Temperature.....	2
County Temperature Projections.....	2
Sensitivity.....	4
Heat-Related Illness.....	4
Renal Illness.....	4
Cardiovascular Illness.....	6
Vulnerability.....	7
Heat Vulnerability Index (HVI).....	7
Adaptive Capacity and Adaptation Resources.....	10
Cooling Centers.....	10
Extreme Heat Outreach Materials.....	10
Climate Smart Communities.....	10
National Weather Service (NWS) .....	10
Other Heat-Adaptation Measures.....	10
Data Sources.....	11
NASA temperature data for downloading.....	11
References.....	12

This report was created by the New York State (NYS) Department of Health to supplement current efforts undertaken by NYS counties to mitigate the impacts of extreme heat. It is intended to help local public health leaders and emergency planners with developing targeted strategies and allocating resources. This report is also available at <https://www.health.ny.gov/environmental/weather/profiles/>.

For more information contact the NYS Environmental Public Health Tracking Program at [epht@health.ny.gov](mailto:epht@health.ny.gov)

**ACKNOWLEDGEMENTS:** Funding agencies include Centers for Disease Control and Prevention (CDC) Environmental Public Health Tracking (EPHT), CDC's Climate-Ready States and Cities Initiative (CRSCI), National Aeronautics and Space Administration (NASA), and New York State Energy Research and Development Authority (NYSERDA) grants.

**SUGGESTED CITATION:** *Columbia County Heat-Health Profile Report. Developed by New York State Department of Health, Center for Environmental Health. 2019.*

# Columbia County Heat-Health Vulnerability Assessment

## Introduction

### What is extreme heat and/or an extreme heat event?

Extreme heat is defined as summertime temperatures that are substantially hotter and/or more humid than expected or typical for a specific region<sup>1,2</sup>. An extreme heat event (EHE) is an extended period of unusually hot weather conditions that can potentially be harmful to human health<sup>3</sup>. In comparison to other extreme weather hazards, EHEs occur less frequently but can have devastating consequences and can be underestimated as a public health hazard. Summertime temperatures in NYS have been increasing for past several decades<sup>4,5</sup> and are predicted to continue to increase along with more frequent and intense EHEs over the next century.

### How does extreme heat affect health in NYS?

Exposure to extreme heat can have adverse effects on health, particularly in vulnerable populations<sup>6,7</sup>. Direct impacts of extreme heat on health include heat-related illness (heat cramps, heat exhaustion, or heat stroke) and even death. Exposure to extreme heat can also exacerbate pre-existing conditions like cardiovascular, respiratory and renal diseases.

Heat can disproportionately affect vulnerable populations including the elderly, young children, outdoor workers, socioeconomically disadvantaged populations and those living in socially and environmentally vulnerable regions<sup>8</sup>. Most heat-related deaths occur from long exposure to extreme heat with little or no air-conditioning<sup>2</sup>.

Health impacts of heat can be avoided if timely measures are taken to reduce long periods of heat exposure. This can be achieved with the help of air-conditioning and/or cooling centers. This emphasizes the importance of identifying vulnerable populations, and taking steps to reduce heat impacts. Some examples of mitigating steps include having a heat-specific plan, alerting the community of an EHE, education, support services, and cooling centers. Since many heat-related illnesses can be prevented, communities can benefit by identifying their vulnerable populations and directing resources to help them adapt.


This report summarizes the impact of extreme heat on health in NYS with regards to four major factors- **exposure, sensitivity, vulnerability and adaptive capacity**<sup>9,10</sup>. The combination of these factors can affect an individual's ability to respond to and adapt/cope with the impacts of heat and extreme heat events.

## Temperature

Annual average temperatures across NYS have been steadily increasing over the last few decades. This trend includes an increase in the number of extremely hot summer days (above 90°F). July is consistently the hottest month in the region. Summer (June-August) daily maximum temperature in NYS ranged from 42.8°F to 93.7°F in 1979 and 46.9°F to 99.2°F in 2016. Variations and sudden spikes in temperature can affect health, especially among the elderly who may need time to adjust to the rising temperatures. The trend graph in **Figure 1a** shows the number of days each year with maximum temperature above 90°F in Columbia County while **Figure 1b** displays the summer (June-August) maximum temperature anomalies between 1979 and 2016 in Columbia County. **Figure 1c** shows the average monthly summer (June-August) maximum temperature between 1979 and 2016 in Columbia County.


## Temperature Projections for Columbia County

Over the next century, average summertime (June-August) temperatures in NYS are projected to increase between 3.6 to 10.8°F. Projected temperatures are based on Representative Concentration Pathways (RCP)<sup>11</sup>. RCPs are scenarios that describe different pathways of the total measure of greenhouse gas emissions from multiple sources for a hundred-year period (2000 to 2100). The scenarios are based on a range of possible climate policy outcomes with different assumptions about economic growth, energy consumption, population, land use and energy sources for the 21st century. Here, we compare two RCP scenarios: 1) RCP 4.5<sup>11</sup>, an intermediate emission scenario in a future with relatively ambitious emissions reductions and stabilization after 2100, and 2) RCP 8.5<sup>11</sup>, a high emission scenario representing a future with no policy changes to reduce emissions. **Figure 1d** displays temperature projections with the two scenarios in Columbia County up to 2100. Both scenarios predict an increase in average temperatures, with a much greater increase under the high emission scenario in comparison to intermediate emission scenario.







**Figure 1b. Summer Temperature Anomalies in Columbia County, 1979 to 2016**



A temperature anomaly is a departure from a reference value or long-term average. Reference value used is a 30-year norm (1980 - 2010). A positive anomaly indicates that the observed temperature was warmer than the reference value, while a negative anomaly indicates that the observed temperature was cooler than the reference value

**Figure 1c. Columbia County: Monthly Averages of Daily Maximum Temperature, 1979 - 2016**





## Sensitivity

The effect of heat on health can depend on an individual's overall health. The presence of existing health conditions predisposes a person to the effects of extreme heat by causing or worsening health conditions.


### Heat Related Illness

The spectrum of heat-related illness includes heat edema, heat stroke, heat cramps, heat stress, and dehydration. Heat related illness, although largely preventable, occurs during hot days or extreme heat events when the body is unable to dissipate heat by natural mechanisms. High humidity, direct sun exposure, and dehydration caused by excessive loss of fluid or salt via sweating can result in heat related illness<sup>12, 13</sup>. These conditions can also be exacerbated in situations that require intense physical exertions such as outdoor sports and physical labor. **Figure 2a** shows heat related illness hospital and ED visit rates across Columbia County from 2008 to 2016.


### Renal Illness

High temperatures can affect the body's fluid balance, which can exacerbate renal and urinary disorders<sup>14</sup> including acute renal failure, chronic kidney disease, urinary tract infections, renal and urinary tract calculi, nephritis and nephrosis and other kidney, ureter, and lower urinary tract disorders. **Figure 2b** shows acute kidney disease related hospital and ED visit rates across Columbia County between 2008 and 2016 during warm weather months.


**Figure 2a. Heat Related Illness Hospitalizations & ED Visit rates, Columbia County, May to Sep, 2008-2016**



**Figure 2b. Renal Disease Hospitalizations & ED Visit rates, Columbia County, May to Sep, 2008-2016**



**Figure 2c. Cardiovascular Disease Hospitalizations & ED Visit rates, Columbia County, May to Sep, 2008-2016**



## Cardiovascular Illness

Prolonged exposure to extreme temperatures can worsen chronic conditions such as cardiovascular diseases (CVD)<sup>15,16</sup> including myocardial infarction, congestive heart failure<sup>17</sup> and coronary thrombosis<sup>18</sup>. **Figure 2c** shows the cardiovascular disease hospital and ED visit rates across Columbia County between 2008 and 2016 during warm weather months.

Hospitalizations and ED visits across NYS during the months May to September showed that hot days and sustained high temperatures (heat waves) can have a direct impact on health outcomes like heat stress, dehydration and renal diseases and a delayed (lagged) effect with cardiovascular diseases. Temperatures were highest during the months of July or August and increased risk of illness was observed with various health conditions during these months. The impact of heat on health can also be influenced by community level sociodemographic and environmental factors that contribute to heat vulnerability as described in the next section.

More information on heat-health associations in NYS can be found in a recently published article (<https://ehjournal.biomedcentral.com/articles/10.1186/s12940-019-0467-5>) by the NYS Department of Health<sup>19</sup>.



# Vulnerability


Heat vulnerability can be influenced by individual characteristics (such as underlying health, socio-demographics, etc.) as well as certain aspects of the community where one lives (environment, community demographics). These community level sociodemographic and land use indicators can help to identify areas with populations that may be more vulnerable to the effects of heat, which may help planning and implementing local adaptations and interventions. The NYSDOH developed a Heat Vulnerability index (HVI) combining these indicators to help identify heat vulnerable areas in NYS<sup>8</sup>.

## Heat Vulnerability Index (HVI):


Thirteen environmental and sociodemographic factors that could influence the impact of heat on health were first grouped into four categories to represent different aspects of heat vulnerability. The four heat-vulnerability categories include 1) language vulnerability; 2) socioeconomic vulnerability; 3) environmental and urban vulnerability; and 4) elderly isolation and elderly vulnerability. **Figure 3a** displays the overall county HVI identifying the most heat vulnerable areas in NYS. **Figure 3b-e** display the four heat vulnerability categories. The heat-vulnerability categories together estimated the overall HVI for each census tract.

The HVI can assist in the deployment of scarce resources based on characteristics of the vulnerable populations in that community. The HVI can also inform long term heat-mitigation planning efforts in the community. For example, the HVI can help local agencies make decisions on targeted risk communication and alert messages, or setting up cooling centers and transportation to and from cooling centers. More information on the HVI and printable state and county-specific maps are available at [https://www.health.ny.gov/environmental/weather/vulnerability\\_index/index.htm](https://www.health.ny.gov/environmental/weather/vulnerability_index/index.htm).


**Figure 3a. Heat Vulnerability Index Columbia County**




**Figure 3b. Language Vulnerability Columbia County**




**Figure 3c. Socio-Economic Vulnerability Columbia County**



**Figure 3d. Environmental/Urban Vulnerability Columbia County**



**Figure 3e. Elderly Isolation/Elderly Vulnerability Columbia County**



## Adaptive Capacity and Adaptation Resources

### Cooling Centers

Access to air conditioning at work or home for a few hours a day during an extreme heat event can significantly reduce the effect of heat on health<sup>20, 21</sup>. But since this may not be always possible, the availability of places to get cool in the community can play an important role in heat-adaptation. Cooling centers are usually set up by local agencies and could be indoors in air-conditioned facilities or outdoors in parks or recreation areas that are open to the public. The NYSDOH works with local health departments and county emergency management offices to gather information on cooling center locations in the 57 NYS counties (excluding NYC). The addresses and contact information of cooling centers are updated annually and provided to the public at <https://www.health.ny.gov/environmental/weather/cooling/>. County and local agencies can contact us at [epht@health.ny.gov](mailto:epht@health.ny.gov) to update cooling centers in their jurisdictions. An interactive mapping application is now available on the Environmental Public Health Tracker so the public can find the closest cooling centers to an address in NYS. Users can also obtain contact information, operating hours, driving directions and public transportation information on the application.

### Extreme Heat Outreach Materials

The NYSDOH has developed outreach and educational material to inform the public about the impacts of heat on health. Relevant information on signs and symptoms of heat related illness and preventive measures can be explored at <https://www.health.ny.gov/environmental/emergency/weather/hot/>. The NYSDOH has also created an infographic that provides a snapshot of heat and health in NYS (<https://www.health.ny.gov/publications/6636.pdf/>). Local health departments and emergency management offices are encouraged to utilize and disseminate these resources.

### Climate Smart Communities

Climate Smart Communities (CSC) is a network of New York communities engaged in reducing greenhouse gas emissions and improving climate resilience. The CSC Program is sponsored by six state agencies, including the NYS Department of Health, who provide resources to local governments to support climate action at the community level. The program is structured around ten CSC pledge elements that provide a comprehensive approach to climate change mitigation and adaptation, including actions that local governments can take to reduce vulnerability to extreme heat events. Learn more about the resources available via the CSC Program at <http://www.dec.ny.gov/energy/76483.html>.

### National Weather Service (NWS)

The NWS uses a multi-tiered heat warning system to increase public awareness and promote a proper response to the impending hazardous weather event. Effective on or about June 1, 2018, the NWS lowered the heat advisory criteria for NYS. More information can be found at <https://www.weather.gov/media/car/DSS/NEWHeatThresholds.pdf> and in the recently published article describing the heat-health analysis that helped inform the NWS decision to lower regional thresholds<sup>19</sup>. Details on the NWS heat resources can be found on the NWS 'Heat Safety Tips and Resources' at <https://www.weather.gov/safety/heat/>.

### Other Heat-Adaptation Measures

Long-term planning efforts, including green or cool roofs and increasing trees and vegetation, can help keep buildings and the surrounding areas cool especially in urban areas which may experience the heat island effect. Cool pavements are another means of reducing the heat island effect. These pavements can be used in urban roads and parking lots as they are modified to reflect more solar energy, and enhance water evaporation, thereby keeping the pavement cooler than conventional pavements<sup>22</sup>.



## Data Sources

- Statewide Planning and Research Cooperative System (SPARCS): Daily summer hospitalizations and ED visits (May - September) between 2008 and 2016 in New York State were acquired from SPARCS. The SPARCS database is created and maintained by the New York State Department of Health (NYS DOH) and consists of inpatient (hospitalizations) and outpatient (Emergency department, outpatient and ambulatory surgery) visits among NYS residents. More information at <https://www.health.ny.gov/statistics/sparcs/>
- US Census Bureau: Census data was used to develop the Heat Vulnerability Index. Census tract data was obtained from the 2010 US Census Bureau Summary File 1 which contains data compiled from the questions asked of all people and about every housing unit. Data can be downloaded at <https://www.census.gov/>
- National Land Cover Database (NLCD): NLCD data was used to develop the Heat Vulnerability Index. NLCD provides nation-wide data on land cover, impervious surface and tree canopy cover at 30-m spatial resolution. Data is available at <https://www.mrlc.gov/data>
- North American Land Data Assimilation System (NLDAS): Temperature indicators including daily maximum air temperature were computed across grid cells using model-derived data of NLDAS, available at approximately 12 km by 12 km grid. The grid-level daily temperature data were averaged for summer months and mapped for each county. More information at <https://climatedataguide.ucar.edu/climate-data/nldas-north-american-land-data-assimilation-system>
- Downscaled CMIP5 Climate and Hydrology Projections: provides monthly average of surface air temperature at the 1/8th degree grid (approximately 12 km by 12 km) from 1950-2099 with coverage of NLDAS domain (contiguous US plus portion of southern Canada and northern Mexico). Data is archived at [https://gdo-dcp.ucllnl.org/downscaled\\_cmip\\_projections/](https://gdo-dcp.ucllnl.org/downscaled_cmip_projections/)

### **NASA temperature data for downloading**

- Census tract level estimates for Average Temperature by month will be available on the sub-county Environmental Public Health Tracking portal (in development). Daily census tract level data can be made available on request. For more information, contact the NYS Environmental Public Health Tracking Program at [epht@health.ny.gov](mailto:epht@health.ny.gov)

## References

1. About Extreme Heat. National Center for Environmental Health (NCEH)/Agency for Toxic Substances and Disease Registry (ATSDR), Coordinating Center for Environmental Health and Injury Prevention (CCEHIP), 2017. (Accessed September 13, 2016, at [https://www.cdc.gov/disasters/extremeheat/heat\\_guide.html](https://www.cdc.gov/disasters/extremeheat/heat_guide.html).)
2. U.S. EPA. Excessive Heat Events Guidebook. EPA 430-B-16-001. Washington, DC: United States Environmental Protection Agency; 2016.
3. Climate Change and Extreme Heat Events. Centers for Disease Control and Prevention, National Center for Environmental Health. at <https://www.cdc.gov/climateandhealth/pubs/ClimateChangeandExtremeHeatEvents.pdf>.)
4. Insaf TZ, Lin S, Sheridan S. Climate Trends in Indices for Temperature and Precipitation across New York State, 1948-2008. *Air Quality, Atmosphere and Health* 2013; 6(1):247-257.
5. New York State Department of Environmental Conservation. Observed and Projected Climate Change in New York State: An Overview. 2015.
6. Responding to Climate Change in New York State: The Climaid Integrated Assessment for Effective Climate Change Adaptation in New York State: Final Report. In: Kinney P SP, Ostfeld RS, Carr J, Leichenko R, Vancura P. *Public Health*. In: Rosenzweig C, Solecki W, DeGaetano A, O'Grady M, Hassol S, Grabhorn P., ed. New York State Energy Research and Development Authority, ed. Albany, NY: New York State Energy Research and Development Authority,; 2011:1-643.
7. Sheffield PE, Landrigan PJ. Global Climate Change and Children's Health: Threats and Strategies for Prevention. *Environ Health Persp* 2011;119:291-8.
8. Nayak SG., Shrestha S., Kinney PL., Ross Z., Sheridan SC., Pantea CI., Hsu WH., Muscatiello N., Hwang SA. Development of a heat vulnerability index for New York State. *Journal Article. Public Health*. Dec 2017. <https://doi.org/10.1016/j.puhe.2017.09.006>
9. Ebi KL, Meehl GA. Regional Impacts of Climate Change: Four Case Studies in the United States. The Pew Center 2007.
10. Hess JJ, McDowell JZ, Luber G. Integrating Climate Change Adaptation into Public Health Practice: Using Adaptive Management to Increase Adaptive Capacity and Build Resilience. *Environ Health Persp* 2012;120:171-9.
11. van Vuuren DP, Edmonds J, Kainuma M, et al. The representative concentration pathways: an overview. *Climatic Change* 2011;109:5-31.
12. Centers for Disease Control and Prevention. Heat-Related Deaths --- United States, 1999--2003. *Morbidity and Mortality Weekly Report*. Washington, DC2006 7/28/2006. Report No.: 55(29).
13. Centers for Disease Control and Prevention. Extreme Heat: A Prevention Guide to Promote Your Personal Health and Safety. Atlanta, GA2009 7/31/2009.
14. Fletcher BA, Lin S, Fitzgerald EF, Hwang SA. Association of Summer Temperatures With Hospital Admissions for Renal Diseases in New York State: A Case-Crossover Study. *Am J Epidemiol* 2012;175:907-16.
15. Curriero FC, Heiner KS, Samet JM, Zeger SL, Strug L, Patz JA. Temperature and mortality in 11 cities of the eastern United States. *Am J Epidemiol* 2002;155:80-7.
16. Cui J, Sinoway LI. Cardiovascular responses to heat stress in chronic heart failure. *Curr Heart Fail Rep* 2014;11:139-45.
17. Schwartz J, Samet JM, Patz JA. Hospital admissions for heart disease - The effects of temperature and humidity. *Epidemiology* 2004;15:755-61.
18. Kolb S, Radon K, Valois MF, Heguy L, Goldberg MS. The short-term influence of weather on daily mortality in congestive heart failure. *Arch Environ Occup H* 2007;62:169-76.
19. Adeyeye TE, Insaf TZ, Al-Hamdan MZ, Nayak SG, Stuart N, DiRienzo S, Crosson WL. Estimating policy-relevant health effects of ambient heat exposures using spatially contiguous reanalysis data. *Environmental Health* 2019; 18(1):35. doi:10.1186/s12940-019-0467-5
20. Anderson BG, Bell ML. Weather-Related Mortality How Heat, Cold, and Heat Waves Affect Mortality in the United States. *Epidemiology* 2009;20:205-13.
21. O'Neill MS, Zanobetti A, Schwartz J. Disparities by race in heat-related mortality in four US cities: the role of air conditioning prevalence. *J Urban Health* 2005;82:191-7.
22. Heat Island Cooling Strategies. United States Environmental Protection Agency (Accessed March 13, 2018 at <https://www.epa.gov/heat-islands/heat-island-cooling-strategies>.)