

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	CPPO, CEPO, CHMO, EP
GENERAL INFO	30	25	54	Member ID	Member ID that is used in the HEDIS software to calculate the rates.
GENERAL INFO	8	55	62	Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	63	64	Member Months	The member month contribution this member adds according to the Enrollment by Product Line measure. Valid values are between 0 - 12.
GENERAL INFO	1	65	65	Sex	Enter: The gender assigned at birth 'F' if this member is female 'M' if this member is male 'O' if the member refused to provide gender No other characters are allowed
ABA	1	66	66	Denominator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ABA	1	67	67	Numerator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	68	68	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	69	69	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	70	70	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	71	71	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	72	72	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	73	73	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	74	74	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	75	75	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	76	76	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	77	77	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	78	78	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	79	79	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	80	80	Denominator for Childhood Immunization Status (CIS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS	1	81	81	Numerator for Childhood Immunization Status (CIS): DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	82	82	Numerator for Childhood Immunization Status (CIS): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	83	83	Numerator for Childhood Immunization Status (CIS): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	84	84	Numerator for Childhood Immunization Status (CIS): HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	85	85	Numerator for Childhood Immunization Status (CIS): HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	86	86	Numerator for Childhood Immunization Status (CIS): VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	87	87	Numerator for Childhood Immunization Status (CIS): PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	88	88	Numerator for Childhood Immunization Status (CIS): HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS	1	89	89	Numerator for Childhood Immunization Status (CIS): RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	90	90	Numerator for Childhood Immunization Status (CIS): Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	91	91	Numerator for Childhood Immunization Status (CIS): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	92	92	Numerator for Childhood Immunization Status (CIS): Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	93	93	Numerator for Childhood Immunization Status (CIS): Combo 4	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	94	94	Numerator for Childhood Immunization Status (CIS): Combo 5	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	95	95	Numerator for Childhood Immunization Status (CIS): Combo 6	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	96	96	Numerator for Childhood Immunization Status (CIS): Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	97	97	Numerator for Childhood Immunization Status (CIS): Combo 8	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	98	98	Numerator for Childhood Immunization Status (CIS): Combo 9	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	99	99	Numerator for Childhood Immunization Status (CIS): Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	100	100	Denominator for Immunizations for Adolescents (IMA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA	1	101	101	Numerator for Immunizations for Adolescents (IMA): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	102	102	Numerator for Immunizations for Adolescents (IMA): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IMA	1	103	103	Numerator for Immunizations for Adolescents (IMA): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	104	104	Numerator for Immunizations for Adolescents (IMA): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	105	105	Numerator for Immunizations for Adolescents (IMA): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS	1	106	106	Denominator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS	1	107	107	Numerator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS	1	108	108	Denominator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS	1	109	109	Numerator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL	1	110	110	Denominator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL	1	111	111	Numerator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	112	112	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	113	113	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	114	114	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	115	115	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	1	116	116	Denominator for Appropriate Testing for Children With Pharyngitis (CWP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CWP	1	117	117	Numerator for Appropriate Testing for Children With Pharyngitis (CWP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPR	1	118	118	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPR	1	119	119	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PCE	2	120	121	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
PCE	2	122	123	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PCE	2	124	125	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
MMA	1	126	126	Denominator for Medication Management for People with Asthma (MMA): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	127	127	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	128	128	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	129	129	Denominator for Medication Management for People with Asthma (MMA): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	130	130	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	131	131	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	132	132	Denominator for Medication Management for People with Asthma (MMA): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	133	133	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
MMA	1	134	134	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	135	135	Denominator for Medication Management for People with Asthma (MMA): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	136	136	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	137	137	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	138	138	Denominator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	139	139	Numerator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	140	140	Denominator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	141	141	Numerator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	142	142	Denominator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	143	143	Numerator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	144	144	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	145	145	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CBP	1	146	146	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	147	147	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PBH	1	148	148	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PBH	1	149	149	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	150	150	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	151	151	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	152	152	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	153	153	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	154	154	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	155	155	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	156	156	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	157	157	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	158	158	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	159	159	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	160	160	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	161	161	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CDC	1	162	162	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	163	163	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	164	164	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Control <7% for a selected population	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	165	165	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Control <7% for a selected population	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	166	166	Denominator for Comprehensive Diabetes Care (CDC): Eye Exam	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	167	167	Numerator for Comprehensive Diabetes Care (CDC): Eye Exam	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	168	168	Denominator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	169	169	Numerator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	170	170	Denominator for Comprehensive Diabetes Care (CDC): BP Control <140/90	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	171	171	Numerator for Comprehensive Diabetes Care (CDC): BP Control <140/90	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	172	172	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	173	173	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	174	174	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	175	175	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
ART	1	176	176	Denominator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ART	1	177	177	Numerator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	178	178	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMM	1	179	179	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	180	180	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	181	181	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	182	182	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	183	183	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	184	184	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUH	2	185	186	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	187	188	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	189	190	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
APM	1	191	191	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 1-5 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	192	192	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 1-5 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
APM	1	193	193	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 6-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	194	194	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 6-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	195	195	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	196	196	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MPM	1	197	197	Denominator for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on ACE Inhibitors or ARBs	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MPM	1	198	198	Numerator for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on ACE Inhibitors or ARBs	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MPM	1	199	199	Denominator for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on Diuretics	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MPM	1	200	200	Numerator for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on Diuretics	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
NCS	1	201	201	Denominator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
NCS	1	202	202	Numerator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	1	203	203	Denominator for Appropriate Treatment for Children With Upper Respiratory Infection (URI)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
URI	1	204	204	Numerator for Appropriate Treatment for Children With Upper Respiratory Infection (URI)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAB	1	205	205	Denominator for Avoidance of Antibiotic Treatment in Adults With Acute Bronchitis (AAB)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAB	1	206	206	Numerator for Avoidance of Antibiotic Treatment in Adults With Acute Bronchitis (AAB)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
LBP	1	207	207	Denominator for Use of Imaging Studies for Low Back Pain (LBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	208	208	Numerator for Use of Imaging Studies for Low Back Pain (LBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APC	1	209	209	Denominator for Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC): 1-5 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APC	1	210	210	Numerator for Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC): 1-5 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APC	1	211	211	Denominator for Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC): 6-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APC	1	212	212	Numerator for Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC): 6-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APC	1	213	213	Denominator for Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APC	1	214	214	Numerator for Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	215	215	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	216	216	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	217	217	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	218	218	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	219	219	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	220	220	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CAP	1	221	221	Denominator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 12-24 months	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CAP	1	222	222	Numerator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 12-24 months	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CAP	1	223	223	Denominator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 25 months - 6 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CAP	1	224	224	Numerator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 25 months - 6 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CAP	1	225	225	Denominator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 7-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CAP	1	226	226	Numerator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 7-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CAP	1	227	227	Denominator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 12-19 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CAP	1	228	228	Numerator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 12-19 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	229	229	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	230	230	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	231	231	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	232	232	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	233	233	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	234	234	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	1	235	235	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	236	236	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	237	237	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	238	238	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	239	239	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	240	240	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	241	241	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	242	242	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	243	243	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	244	244	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	245	245	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	246	246	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PPC	2	247	248	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	249	250	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PPC	2	251	252	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	253	254	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
APP	1	255	255	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-5 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	256	256	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-5 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	257	257	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 6-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	258	258	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 6-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	259	259	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	260	260	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	261	261	Denominator for Well-Child Visits in the First 15 Months of Life (W15)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W15	1	262	262	Numerator for Well-Child Visits in the First 15 Months of Life (W15): No Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	263	263	Numerator for Well-Child Visits in the First 15 Months of Life (W15): One Well-Child Visit	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	264	264	Numerator for Well-Child Visits in the First 15 Months of Life (W15): Two Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	265	265	Numerator for Well-Child Visits in the First 15 Months of Life (W15): Three Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	266	266	Numerator for Well-Child Visits in the First 15 Months of Life (W15): Four Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
W15	1	267	267	Numerator for Well-Child Visits in the First 15 Months of Life (W15): Five Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	268	268	Numerator for Well-Child Visits in the First 15 Months of Life (W15): Six or more Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W34	1	269	269	Denominator for Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W34	1	270	270	Numerator for Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AWC	1	271	271	Denominator for Adolescent Well-Care Visits (AWC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AWC	1	272	272	Numerator for Adolescent Well-Care Visits (AWC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUM	2	273	274	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	275	276	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	277	278	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	279	280	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	281	282	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	283	284	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	285	286	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	287	288	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUA	2	289	290	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
ADL	1	291	291	Denominator for Adolescent Preventive Care (ADL)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADL	1	292	292	Numerator 1 for Adolescent Preventive Care (ADL) – Sexual Activity	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADL	1	293	293	Numerator 2 for Adolescent Preventive Care (ADL) – Depression	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADL	1	294	294	Numerator 3 for Adolescent Preventive Care (ADL) – Tobacco Use	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADL	1	295	295	Numerator 4 for Adolescent Preventive Care (ADL) – Substance Use	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LSC	1	296	296	Denominator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LSC	1	297	297	Numerator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOD	1	298	298	Numerator for Use of Opioids at High Dosage (UOD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOD	1	299	299	Denominator for Use of Opioids at High Dosage (UOD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	300	300	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	301	301	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	302	302	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	303	303	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
General Info	2	304	305	Age Grouping for the member as of December 31 of the measurement year	Enter the age grouping for the member's age as of December 31 of the measurement year. 00 = < 1 year 01 = 1-4 yrs. 02 = 5-9 yrs. 03 = 10-14 yrs. 04 = 15-17 yrs. 05 = 18-19 yrs. 06 = 20-24 yrs. 07 = 25-29 yrs. 08 = 30-34 yrs. 09 = 35-39 yrs. 10 = 40-44 yrs. 11 = 45-49 yrs. 12 = 50-54 yrs. 13 = 55-59 yrs. 14 = 60-64 yrs. 15 = 65 and up 99 = Unknown
General Info	1	306	306	Race	Enter the member's race: 1=White 2=Black 3=Asian/Pacific Islander 4=American Indian/Alaskan Native 5=Other 9=Unknown 0=Declined
General Info	1	307	307	Ethnicity	Enter the Member's ethnicity: 1=Hispanic 2=Non-Hispanic 9=Unknown 0=Declined
General Info	1	308	308	Language Spoken	Enter the member's spoken language: 1=English 2=Non-English 9=Unknown 0=Declined

NYS Patient-Level Detail File Specifications - COMMERCIAL

12/13/2018

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
General Info	3	309	311	County of Residence	Enter the 3-digit county FIPS code for each member's residence of county. See the attachment for codes and values to enter here. ### = FIPS Code 000= Outside of NYS 999 = Unknown
General Info	3	312	314	Indirect Race Estimate - White	Enter the indirectly estimated probability of the member's race being White as a percentage of 100
General Info	3	315	317	Indirect Race Estimate -Black	Enter the indirectly estimated probability of the member's race being Black as a percentage of 100
General Info	3	318	320	Indirect Race Estimate - Asian/Pacific Islander	Enter the indirectly estimated probability of the member's race being Asian/Pacific Islander as a percentage of 100
General Info	3	321	323	Indirect Race Estimate -American Indian/Alaskan Native	Enter the indirectly estimated probability of the member's race being American Indian/Alaskan Native as a percentage of 100
General Info	3	324	326	Indirect Race Estimate -Other	Enter the indirectly estimated probability of the member's race being Other as a percentage of 100
General Info	3	327	329	Indirect Race Estimate -Hispanic	Enter the indirectly estimated probability of the member's ethnicity being Hispanic as a percentage of 100

Note: Highlighted are new measures added to PLD			
---	--	--	--