

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**New York State**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	116044.4	484.8	483.6-486.1	57760.0	529.4	527.4-531.4	58284.4	456.6	454.9-458.3
Oral cavity and pharynx	2771.2	11.4	11.2-11.6	1891.6	17.0	16.6-17.3	879.6	6.8	6.6-7.0
Esophagus	1099.6	4.4	4.3-4.5	827.6	7.5	7.2-7.7	272.0	2.0	1.9-2.1
Stomach	2041.2	8.5	8.4-8.7	1205.4	11.2	10.9-11.5	835.8	6.4	6.2-6.6
Colorectal	8974.0	37.7	37.4-38.1	4613.8	43.3	42.7-43.9	4360.2	33.2	32.7-33.6
Colon excluding rectum	6336.2	26.5	26.2-26.8	3101.4	29.3	28.8-29.8	3234.8	24.3	23.9-24.7
Rectum & rectosigmoid	2637.8	11.2	11.0-11.4	1512.4	14.0	13.7-14.3	1125.4	8.9	8.6-9.1
Liver / intrahepatic bile duct	2236.2	8.9	8.7-9.1	1582.6	13.8	13.5-14.1	653.6	4.8	4.6-5.0
Pancreas	3551.2	14.4	14.2-14.7	1770.6	16.4	16.0-16.7	1780.6	12.9	12.6-13.1
Larynx	743.8	3.0	2.9-3.1	587.4	5.2	5.0-5.4	156.4	1.2	1.1-1.3
Lung and bronchus	14234.8	57.6	57.2-58.0	6901.0	63.7	63.0-64.4	7333.8	53.4	52.8-53.9
Melanoma of the skin	4260.8	18.1	17.9-18.4	2471.0	23.4	22.9-23.8	1789.8	14.4	14.1-14.8
Female breast							16819.0	135.7	134.7-136.6
Cervix uteri							840.6	7.7	7.4-7.9
Corpus uterus and NOS							4198.0	31.7	31.3-32.1
Ovary							1446.8	11.6	11.3-11.9
Prostate				15242.4	130.7	129.8-131.7			
Testis				580.2	6.1	5.9-6.4			
Urinary bladder (incl. in situ)	5446.2	22.2	21.9-22.4	4061.8	38.5	37.9-39.0	1384.4	10.0	9.7-10.2
Kidney and renal pelvis	4073.4	17.1	16.9-17.3	2624.0	24.0	23.6-24.5	1449.4	11.3	11.0-11.5
Brain and other central nervous system	1429.2	6.5	6.4-6.7	792.4	7.7	7.5-8.0	636.8	5.5	5.3-5.7
Thyroid	4026.4	19.3	19.0-19.6	1054.4	10.3	10.0-10.6	2972.0	27.9	27.4-28.4
Hodgkin lymphoma	632.6	3.1	3.0-3.2	342.6	3.5	3.3-3.7	290.0	2.8	2.6-2.9
Non-Hodgkin lymphomas	5066.6	21.5	21.2-21.8	2721.2	25.8	25.4-26.3	2345.4	18.1	17.8-18.4
Myeloma	2006.4	8.2	8.1-8.4	1087.4	10.1	9.8-10.3	919.0	6.8	6.6-7.0
Leukemias	3750.8	16.0	15.8-16.3	2174.6	20.9	20.5-21.3	1576.2	12.3	12.0-12.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**New York City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	42153.8	443.9	441.9-445.8	20257.6	484.6	481.6-487.7	21896.2	420.3	417.8-422.9
Oral cavity and pharynx	946.4	9.9	9.6-10.2	619.6	14.6	14.1-15.2	326.8	6.2	5.9-6.5
Esophagus	321.4	3.3	3.1-3.4	230.0	5.5	5.1-5.8	91.4	1.6	1.5-1.8
Stomach	990.0	10.4	10.1-10.7	563.8	13.7	13.2-14.3	426.2	8.0	7.6-8.3
Colorectal	3513.4	37.1	36.5-37.7	1810.8	44.0	43.1-45.0	1702.6	31.9	31.2-32.6
Colon excluding rectum	2463.0	26.0	25.5-26.4	1222.2	29.9	29.1-30.7	1240.8	23.0	22.4-23.6
Rectum & rectosigmoid	1050.4	11.2	10.8-11.5	588.6	14.1	13.6-14.6	461.8	8.9	8.5-9.2
Liver / intrahepatic bile duct	1077.6	10.9	10.6-11.2	754.8	17.4	16.8-17.9	322.8	5.8	5.5-6.1
Pancreas	1302.4	13.5	13.2-13.8	626.0	15.2	14.7-15.8	676.4	12.1	11.7-12.5
Larynx	263.6	2.7	2.6-2.8	207.8	4.9	4.6-5.2	55.8	1.0	0.9-1.2
Lung and bronchus	4429.4	45.9	45.3-46.5	2212.6	54.1	53.1-55.2	2216.8	40.1	39.4-40.9
Melanoma of the skin	938.2	10.0	9.7-10.3	520.2	12.9	12.4-13.5	418.0	8.0	7.7-8.4
Female breast							6464.8	127.4	126.0-128.8
Cervix uteri							432.2	9.0	8.6-9.4
Corpus uterus and NOS							1689.8	31.5	30.8-32.2
Ovary							575.8	11.3	10.9-11.7
Prostate				5551.4	126.8	125.3-128.4			
Testis				220.4	5.1	4.8-5.4			
Urinary bladder (incl. in situ)	1593.2	16.6	16.2-17.0	1176.2	29.6	28.8-30.4	417.0	7.5	7.2-7.8
Kidney and renal pelvis	1404.0	14.8	14.4-15.1	892.4	21.2	20.5-21.8	511.6	9.7	9.3-10.1
Brain and other central nervous system	530.4	5.9	5.7-6.1	291.6	7.1	6.7-7.5	238.8	4.9	4.6-5.2
Thyroid	1817.8	20.4	20.0-20.8	437.6	10.4	10.0-10.9	1380.2	29.4	28.7-30.1
Hodgkin lymphoma	260.6	3.0	2.8-3.1	141.8	3.4	3.2-3.7	118.8	2.6	2.4-2.8
Non-Hodgkin lymphomas	1870.8	20.0	19.6-20.4	989.0	24.2	23.5-24.9	881.8	16.8	16.3-17.3
Myeloma	859.6	8.9	8.7-9.2	440.0	10.6	10.2-11.1	419.6	7.7	7.4-8.0
Leukemias	1269.8	13.7	13.4-14.1	710.8	17.7	17.1-18.3	559.0	10.8	10.4-11.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Bronx County**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6481.4	439.4	434.6-444.3	3149.0	503.3	495.3-511.5	3332.4	399.0	392.8-405.2
Oral cavity and pharynx	149.4	10.0	9.3-10.8	100.4	15.7	14.4-17.2	49.0	5.8	5.1-6.6
Esophagus	50.2	3.4	3.0-3.8	36.8	6.0	5.1-6.9	13.4	1.6	1.2-2.0
Stomach	144.0	10.0	9.3-10.8	75.8	12.7	11.4-14.1	68.2	8.2	7.3-9.1
Colorectal	533.6	36.6	35.2-38.1	273.2	44.5	42.1-47.0	260.4	30.9	29.2-32.7
Colon excluding rectum	373.4	25.7	24.6-26.9	186.0	30.6	28.6-32.7	187.4	22.2	20.8-23.7
Rectum & rectosigmoid	160.2	10.9	10.1-11.7	87.2	13.9	12.6-15.3	73.0	8.7	7.8-9.7
Liver / intrahepatic bile duct	232.2	15.1	14.2-16.0	163.8	25.0	23.3-26.8	68.4	7.7	6.9-8.6
Pancreas	202.0	13.7	12.9-14.6	101.6	16.7	15.3-18.3	100.4	11.5	10.5-12.6
Larynx	59.4	4.0	3.5-4.5	42.6	6.8	5.9-7.8	16.8	2.0	1.6-2.5
Lung and bronchus	666.6	45.2	43.7-46.8	336.2	55.8	53.1-58.6	330.4	38.0	36.2-40.0
Melanoma of the skin	58.6	4.1	3.7-4.6	30.8	5.4	4.6-6.4	27.8	3.3	2.8-4.0
Female breast							946.6	115.0	111.7-118.4
Cervix uteri							76.2	9.9	8.9-11.0
Corpus uterus and NOS							266.0	31.1	29.4-32.8
Ovary							87.0	10.5	9.5-11.5
Prostate				956.4	146.8	142.5-151.1			
Testis				22.8	3.3	2.7-4.0			
Urinary bladder (incl. in situ)	199.8	13.8	12.9-14.7	139.0	24.1	22.3-26.0	60.8	7.0	6.3-7.9
Kidney and renal pelvis	236.8	15.9	15.0-16.9	143.2	22.7	21.0-24.4	93.6	11.0	10.0-12.1
Brain and other central nervous system	77.0	5.4	4.8-5.9	40.2	6.4	5.5-7.3	36.8	4.6	3.9-5.3
Thyroid	216.6	15.3	14.4-16.2	41.0	6.5	5.6-7.4	175.6	22.7	21.2-24.3
Hodgkin lymphoma	45.2	3.2	2.8-3.6	24.6	3.7	3.1-4.5	20.6	2.7	2.2-3.2
Non-Hodgkin lymphomas	281.0	19.4	18.4-20.5	142.6	23.2	21.5-25.0	138.4	16.7	15.5-18.0
Myeloma	171.0	11.5	10.8-12.4	86.4	13.9	12.6-15.4	84.6	10.0	9.0-11.0
Leukemias	186.2	12.8	11.9-13.6	96.4	15.7	14.3-17.2	89.8	10.7	9.8-11.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Bronx County  
Riverdale, Fieldston & Kingsbridge**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	621.4	414.6	399.4-430.2	287.2	446.7	423.2-471.2	334.2	397.4	377.1-418.5
Oral cavity and pharynx	15.4	10.7	8.4-13.6	10.2	16.8	12.4-22.4	5.2	5.9	3.8-9.0
Esophagus	3.2	1.9	1.1-3.3	2.0	3.0	1.4-5.7	1.2	1.3	0.4-3.1
Stomach	9.8	6.4	4.7-8.7	5.8	9.0	6.0-13.2	4.0	4.7	2.8-7.7
Colorectal	49.2	32.5	28.3-37.1	23.0	37.5	30.7-45.3	26.2	28.7	23.6-34.6
Colon excluding rectum	34.4	22.4	19.0-26.3	15.8	25.7	20.2-32.3	18.6	19.8	15.6-24.8
Rectum & rectosigmoid	14.8	10.1	7.8-12.8	7.2	11.8	8.1-16.5	7.6	8.9	6.1-12.6
Liver / intrahepatic bile duct	19.2	12.5	10.1-15.4	13.2	20.2	15.5-26.0	6.0	6.9	4.6-10.2
Pancreas	19.4	11.5	9.2-14.2	10.6	16.1	11.9-21.2	8.8	8.2	5.8-11.5
Larynx	3.8	2.4	1.4-3.9	2.8	4.1	2.2-7.0	1.0	1.2	0.4-3.1
Lung and bronchus	60.0	36.3	32.2-40.9	27.4	40.8	34.1-48.4	32.6	33.1	28.0-38.9
Melanoma of the skin	15.8	10.9	8.5-13.8	8.4	14.2	10.1-19.5	7.4	8.6	5.9-12.3
Female breast							99.8	127.1	115.5-139.7
Cervix uteri							4.4	6.8	4.1-10.5
Corpus uterus and NOS							25.2	30.1	24.9-36.1
Ovary							11.0	14.1	10.4-18.8
Prostate				80.6	120.2	108.5-132.8			
Testis				2.4	4.5	2.3-8.0			
Urinary bladder (incl. in situ)	24.8	14.9	12.3-18.0	17.0	25.5	20.2-31.8	7.8	7.7	5.4-10.9
Kidney and renal pelvis	20.4	13.7	11.1-16.9	13.2	21.0	16.1-26.9	7.2	8.5	5.8-12.1
Brain and other central nervous system	8.4	6.1	4.2-8.4	5.0	8.5	5.3-12.7	3.4	4.3	2.3-7.2
Thyroid	22.4	18.4	15.0-22.3	3.6	6.5	3.8-10.5	18.8	28.3	22.6-35.0
Hodgkin lymphoma	2.8	2.6	1.4-4.4	0.6	1.3	0.3-3.8	2.2	3.8	1.8-6.8
Non-Hodgkin lymphomas	27.0	17.6	14.6-21.1	13.6	20.7	15.9-26.5	13.4	15.8	11.9-20.6
Myeloma	16.4	10.7	8.4-13.4	8.6	13.5	9.7-18.3	7.8	8.7	6.0-12.2
Leukemias	21.4	13.9	11.2-17.1	10.8	17.8	13.2-23.5	10.6	11.0	7.9-14.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Bronx County  
Wakefield, Williamsbridge & Woodlawn**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	699.8	443.5	428.6-458.7	339.2	508.2	483.6-533.8	360.6	400.3	381.7-419.6
Oral cavity and pharynx	12.4	8.1	6.2-10.5	8.2	12.9	9.2-17.7	4.2	4.9	3.0-7.6
Esophagus	3.4	2.2	1.3-3.6	2.4	4.1	2.1-7.2	1.0	1.1	0.4-2.7
Stomach	15.4	10.1	7.9-12.6	7.6	12.7	8.9-17.6	7.8	8.4	6.0-11.6
Colorectal	64.6	41.4	37.0-46.3	31.2	47.7	40.2-56.0	33.4	37.0	31.5-43.2
Colon excluding rectum	48.2	30.8	27.0-35.1	22.2	34.2	28.0-41.5	26.0	28.5	23.7-33.9
Rectum & rectosigmoid	16.4	10.6	8.4-13.3	9.0	13.4	9.7-18.1	7.4	8.5	6.0-11.9
Liver / intrahepatic bile duct	14.2	8.4	6.5-10.7	10.6	15.1	11.2-19.9	3.6	3.7	2.2-6.0
Pancreas	20.2	12.8	10.4-15.7	9.8	15.3	11.2-20.3	10.4	11.0	8.2-14.6
Larynx	5.4	3.7	2.4-5.3	4.4	7.5	4.7-11.4	1.0	1.1	0.3-2.6
Lung and bronchus	61.6	38.9	34.6-43.6	31.4	47.4	40.1-55.7	30.2	32.4	27.4-38.1
Melanoma of the skin	5.6	3.8	2.5-5.5	2.4	4.1	2.1-7.2	3.2	3.6	2.0-5.9
Female breast							104.0	117.3	107.2-128.1
Cervix uteri							10.2	11.8	8.7-15.7
Corpus uterus and NOS							35.0	36.7	31.4-42.7
Ovary							10.4	11.6	8.6-15.3
Prostate				125.4	174.5	160.7-189.1			
Testis				2.4	4.0	2.0-7.1			
Urinary bladder (incl. in situ)	13.4	8.8	6.8-11.2	9.0	15.5	11.2-20.8	4.4	4.8	3.0-7.4
Kidney and renal pelvis	27.0	17.1	14.3-20.3	17.0	26.1	20.7-32.5	10.0	10.9	8.0-14.5
Brain and other central nervous system	6.2	4.0	2.7-5.7	3.6	5.3	3.1-8.5	2.6	2.8	1.5-4.9
Thyroid	18.6	12.4	9.9-15.2	1.8	2.6	1.2-5.1	16.8	19.7	15.6-24.5
Hodgkin lymphoma	4.0	2.7	1.6-4.2	2.0	3.1	1.5-5.7	2.0	2.4	1.1-4.6
Non-Hodgkin lymphomas	30.4	20.0	16.9-23.5	15.4	24.7	19.3-31.1	15.0	16.8	13.1-21.2
Myeloma	24.2	15.4	12.7-18.4	14.4	22.4	17.4-28.5	9.8	10.7	7.9-14.3
Leukemias	19.2	12.4	10.0-15.2	8.6	13.3	9.5-18.0	10.6	12.2	9.1-16.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Bronx County  
Co-op City, Pelham Bay & Schuylerville**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	762.4	429.2	415.1-443.7	355.6	479.4	457.0-502.8	406.8	399.0	380.6-418.1
Oral cavity and pharynx	15.8	9.2	7.2-11.6	9.4	12.9	9.4-17.4	6.4	6.5	4.3-9.4
Esophagus	4.0	2.1	1.3-3.4	2.6	3.3	1.7-5.8	1.4	1.2	0.5-2.8
Stomach	12.6	6.8	5.2-8.9	7.4	9.9	6.9-13.9	5.2	4.6	2.9-7.1
Colorectal	56.6	32.2	28.4-36.5	26.8	38.5	32.1-45.9	29.8	27.6	23.1-32.9
Colon excluding rectum	40.4	22.6	19.4-26.1	18.8	26.9	21.6-33.1	21.6	19.5	15.8-24.0
Rectum & rectosigmoid	16.2	9.6	7.6-12.2	8.0	11.6	8.2-16.1	8.2	8.1	5.7-11.4
Liver / intrahepatic bile duct	21.8	11.9	9.8-14.5	14.4	19.2	15.0-24.4	7.4	6.8	4.7-9.6
Pancreas	24.2	12.4	10.2-15.0	10.8	14.2	10.6-18.8	13.4	11.1	8.5-14.4
Larynx	8.2	4.4	3.1-6.0	5.6	7.1	4.7-10.4	2.6	2.5	1.3-4.5
Lung and bronchus	88.4	45.5	41.3-50.1	41.6	54.2	47.0-62.2	46.8	40.2	35.1-46.0
Melanoma of the skin	16.0	9.2	7.2-11.6	9.8	14.0	10.3-18.7	6.2	6.0	3.9-8.9
Female breast							112.0	116.6	106.5-127.5
Cervix uteri							6.0	8.4	5.5-12.4
Corpus uterus and NOS							32.8	31.2	26.4-36.7
Ovary							8.8	8.6	6.2-11.9
Prostate				104.4	133.6	122.3-145.8			
Testis				1.8	3.5	1.6-6.7			
Urinary bladder (incl. in situ)	33.0	17.0	14.5-19.9	22.2	29.3	24.1-35.5	10.8	9.0	6.7-12.0
Kidney and renal pelvis	29.6	16.4	13.7-19.4	17.6	23.6	18.8-29.3	12.0	11.3	8.5-14.9
Brain and other central nervous system	6.4	4.0	2.6-5.8	2.6	4.0	2.1-7.0	3.8	3.8	2.1-6.4
Thyroid	26.6	20.0	16.6-23.9	7.4	12.5	8.7-17.4	19.2	26.5	21.1-32.8
Hodgkin lymphoma	4.4	3.0	1.8-4.7	2.2	3.4	1.7-6.2	2.2	2.5	1.2-4.8
Non-Hodgkin lymphomas	33.6	19.7	16.7-23.2	16.8	24.2	19.2-30.2	16.8	16.2	12.7-20.6
Myeloma	20.4	11.2	9.1-13.8	8.0	10.4	7.4-14.3	12.4	12.1	9.1-15.9
Leukemias	24.0	14.0	11.5-17.0	12.2	17.5	13.2-22.7	11.8	11.7	8.7-15.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Bronx County  
Pelham Parkway, Morris Park & Laconia**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	623.8	410.0	395.5-424.9	318.8	474.1	450.8-498.3	305.0	366.8	348.1-386.3
Oral cavity and pharynx	10.6	6.9	5.2-9.1	7.6	11.2	7.8-15.4	3.0	3.5	1.9-5.9
Esophagus	5.4	3.4	2.2-5.0	4.4	6.5	4.1-10.0	1.0	1.1	0.4-2.7
Stomach	15.4	10.3	8.1-12.9	8.4	12.9	9.3-17.6	7.0	8.5	5.9-12.0
Colorectal	59.0	38.4	34.0-43.1	31.4	46.5	39.4-54.5	27.6	32.3	27.0-38.4
Colon excluding rectum	42.2	27.3	23.7-31.3	22.2	32.8	26.9-39.7	20.0	23.4	18.9-28.6
Rectum & rectosigmoid	16.8	11.1	8.8-13.8	9.2	13.7	9.9-18.3	7.6	8.9	6.2-12.4
Liver / intrahepatic bile duct	22.6	14.0	11.5-16.9	15.2	21.3	16.7-26.8	7.4	8.0	5.6-11.2
Pancreas	18.0	10.9	8.7-13.5	8.4	12.4	8.9-16.9	9.6	9.8	7.1-13.2
Larynx	5.0	3.3	2.1-5.0	4.0	6.3	3.8-9.8	1.0	1.1	0.4-2.8
Lung and bronchus	67.2	42.6	38.1-47.5	37.6	56.4	48.5-65.2	29.6	32.8	27.6-38.7
Melanoma of the skin	6.0	4.0	2.6-5.7	3.2	4.7	2.7-7.8	2.8	3.5	1.8-6.0
Female breast							80.8	99.7	89.9-110.2
Cervix uteri							5.4	7.9	5.1-11.6
Corpus uterus and NOS							25.4	31.3	26.0-37.4
Ovary							8.8	10.3	7.4-14.0
Prostate				83.4	121.1	109.6-133.5			
Testis				2.6	4.3	2.3-7.4			
Urinary bladder (incl. in situ)	25.8	16.1	13.4-19.2	19.4	28.9	23.3-35.3	6.4	7.0	4.8-10.1
Kidney and renal pelvis	25.2	16.4	13.6-19.6	16.8	24.2	19.2-30.1	8.4	10.1	7.2-13.8
Brain and other central nervous system	9.0	6.5	4.7-8.8	6.2	10.0	6.8-14.4	2.8	3.6	2.0-6.2
Thyroid	19.8	15.1	12.2-18.5	4.8	7.7	4.9-11.6	15.0	21.9	17.1-27.6
Hodgkin lymphoma	4.4	3.6	2.2-5.5	2.4	4.4	2.3-7.7	2.0	2.9	1.4-5.3
Non-Hodgkin lymphomas	27.4	18.3	15.3-21.7	14.0	21.8	16.9-27.6	13.4	15.6	12.0-20.0
Myeloma	16.6	10.4	8.3-13.0	9.2	13.2	9.6-17.7	7.4	8.1	5.7-11.4
Leukemias	16.6	11.4	9.0-14.2	9.2	14.1	10.3-18.9	7.4	9.8	6.8-13.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Bronx County  
Belmont, Crotona Park East & East Tremont**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	679.0	488.7	472.0-505.9	321.6	564.5	535.5-594.5	357.4	442.1	421.5-463.3
Oral cavity and pharynx	19.8	14.0	11.3-17.2	13.2	22.7	17.2-29.2	6.6	8.1	5.6-11.4
Esophagus	8.4	6.4	4.6-8.8	6.0	11.8	7.7-17.1	2.4	3.1	1.6-5.4
Stomach	12.8	9.6	7.4-12.4	6.0	11.3	7.4-16.4	6.8	8.6	6.0-12.1
Colorectal	56.8	42.2	37.3-47.6	31.0	56.6	47.5-66.8	25.8	32.6	27.1-38.8
Colon excluding rectum	37.4	28.5	24.5-33.1	20.8	39.4	31.7-48.3	16.6	21.4	17.0-26.6
Rectum & rectosigmoid	19.4	13.7	11.1-16.8	10.2	17.2	12.6-22.8	9.2	11.1	8.1-14.9
Liver / intrahepatic bile duct	30.0	20.6	17.3-24.2	22.6	36.5	29.7-44.2	7.4	9.0	6.3-12.5
Pancreas	21.0	16.0	13.0-19.4	9.8	19.1	13.8-25.7	11.2	14.2	10.7-18.5
Larynx	9.8	6.9	5.1-9.2	5.8	10.0	6.5-14.5	4.0	4.9	3.0-7.6
Lung and bronchus	79.2	59.8	53.9-66.1	36.0	69.9	59.5-81.5	43.2	54.0	46.9-61.7
Melanoma of the skin	2.4	2.0	1.0-3.5	2.0	4.6	2.1-8.5	0.4	0.5	0.1-1.7
Female breast							100.8	124.1	113.4-135.6
Cervix uteri							9.4	11.6	8.5-15.4
Corpus uterus and NOS							27.4	33.6	28.1-39.8
Ovary							10.6	13.4	10.0-17.6
Prostate				91.8	155.9	141.3-171.6			
Testis				2.0	2.5	1.2-4.8			
Urinary bladder (incl. in situ)	20.2	16.0	13.0-19.6	14.0	27.6	21.1-35.2	6.2	8.6	5.8-12.2
Kidney and renal pelvis	19.8	14.1	11.4-17.2	10.4	18.0	13.2-23.8	9.4	11.4	8.3-15.2
Brain and other central nervous system	8.0	5.4	3.8-7.4	4.2	6.3	3.8-9.9	3.8	4.6	2.8-7.3
Thyroid	18.6	12.6	10.1-15.5	2.8	4.4	2.3-7.4	15.8	19.0	15.0-23.8
Hodgkin lymphoma	4.4	3.0	1.8-4.5	2.8	4.4	2.4-7.5	1.6	1.8	0.8-3.6
Non-Hodgkin lymphomas	25.0	18.3	15.2-21.9	11.4	20.7	15.4-27.1	13.6	16.7	12.9-21.3
Myeloma	16.6	12.3	9.7-15.3	8.0	15.7	10.9-21.6	8.6	10.6	7.6-14.3
Leukemias	19.0	12.6	10.1-15.5	9.2	13.1	9.4-17.9	9.8	11.8	8.7-15.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Bronx County  
Bedford Park, Fordham North & Norwood**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	543.2	465.2	447.4-483.6	273.2	548.3	518.1-579.8	270.0	409.5	387.4-432.4
Oral cavity and pharynx	14.2	12.0	9.3-15.2	9.0	17.0	12.2-23.0	5.2	7.9	5.1-11.7
Esophagus	4.2	3.5	2.2-5.4	3.6	7.2	4.1-11.6	0.6	0.9	0.2-2.6
Stomach	12.0	11.0	8.3-14.2	6.6	14.2	9.6-20.2	5.4	8.5	5.6-12.5
Colorectal	47.6	41.2	36.0-47.0	26.4	54.2	44.9-64.8	21.2	31.2	25.4-38.0
Colon excluding rectum	35.6	31.4	26.8-36.5	20.2	42.1	33.9-51.6	15.4	23.2	18.2-29.2
Rectum & rectosigmoid	12.0	9.8	7.5-12.7	6.2	12.1	8.0-17.3	5.8	8.0	5.3-11.6
Liver / intrahepatic bile duct	23.2	19.8	16.3-23.9	16.6	32.0	25.1-40.0	6.6	10.3	7.1-14.6
Pancreas	21.2	18.9	15.4-23.0	11.6	25.0	18.7-32.6	9.6	14.8	10.8-19.7
Larynx	4.0	3.5	2.1-5.4	3.6	7.3	4.2-11.9	0.4	0.6	0.1-2.3
Lung and bronchus	53.4	48.1	42.3-54.4	28.6	60.8	50.7-72.2	24.8	39.3	32.5-47.0
Melanoma of the skin	4.0	3.7	2.2-5.8	2.4	5.4	2.7-9.5	1.6	2.6	1.1-5.1
Female breast							81.2	122.9	111.0-135.7
Cervix uteri							6.6	10.3	7.1-14.5
Corpus uterus and NOS							17.2	24.8	19.8-30.7
Ovary							7.8	11.8	8.3-16.2
Prostate				77.8	152.0	136.5-168.6			
Testis				2.6	3.7	1.9-6.5			
Urinary bladder (incl. in situ)	13.0	12.1	9.3-15.6	9.4	21.1	15.2-28.4	3.6	5.9	3.4-9.4
Kidney and renal pelvis	20.2	16.8	13.6-20.5	11.8	23.1	17.3-30.1	8.4	12.2	8.7-16.6
Brain and other central nervous system	6.2	5.1	3.5-7.4	3.6	6.8	3.9-10.9	2.6	3.9	2.0-6.7
Thyroid	19.4	15.3	12.4-18.8	3.6	6.8	3.9-10.8	15.8	23.1	18.2-28.9
Hodgkin lymphoma	5.4	4.2	2.7-6.1	2.8	5.0	2.6-8.6	2.6	3.6	1.9-6.3
Non-Hodgkin lymphomas	28.0	24.0	20.1-28.4	14.8	28.0	21.7-35.5	13.2	20.4	15.7-26.1
Myeloma	12.4	11.2	8.5-14.4	6.4	13.4	9.0-19.2	6.0	9.7	6.5-13.9
Leukemias	14.6	12.6	9.8-15.9	8.2	17.2	12.1-23.6	6.4	9.2	6.2-13.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Bronx County  
Morris Heights, Fordham South & Mount Hope**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	523.0	474.0	454.7-493.7	261.4	570.4	535.8-606.4	261.6	413.0	390.1-437.0
Oral cavity and pharynx	12.8	10.7	8.1-13.9	8.8	17.6	12.2-24.4	4.0	5.8	3.5-9.2
Esophagus	4.6	5.1	3.1-7.8	3.2	9.0	4.6-15.4	1.4	2.8	1.1-5.7
Stomach	13.8	13.1	10.0-16.8	7.0	16.2	10.7-23.3	6.8	11.1	7.6-15.6
Colorectal	42.6	40.9	35.2-47.1	24.4	56.4	45.4-69.0	18.2	30.9	24.7-38.2
Colon excluding rectum	28.8	28.7	23.8-34.1	15.6	38.0	28.8-49.0	13.2	23.0	17.6-29.5
Rectum & rectosigmoid	13.8	12.2	9.3-15.6	8.8	18.4	12.8-25.5	5.0	7.9	5.0-11.8
Liver / intrahepatic bile duct	19.4	17.0	13.6-21.0	14.4	31.1	23.3-40.5	5.0	7.7	4.9-11.4
Pancreas	15.8	15.2	11.8-19.3	8.4	17.7	12.2-24.8	7.4	12.8	8.9-17.9
Larynx	5.6	4.9	3.1-7.2	3.4	8.2	4.4-13.7	2.2	2.9	1.4-5.4
Lung and bronchus	48.4	49.8	43.3-56.9	25.4	64.7	52.5-78.7	23.0	40.1	32.8-48.5
Melanoma of the skin	1.2	1.3	0.4-2.8	0.2	0.3	0.0-2.2	1.0	1.9	0.6-4.3
Female breast							80.0	122.4	110.3-135.4
Cervix uteri							6.8	9.5	6.5-13.5
Corpus uterus and NOS							20.6	31.0	25.1-37.8
Ovary							5.2	9.1	5.8-13.5
Prostate				88.8	182.8	164.4-202.5			
Testis				1.4	1.8	0.7-4.2			
Urinary bladder (incl. in situ)	11.8	12.5	9.4-16.3	7.4	19.9	13.4-28.2	4.4	7.9	4.9-12.0
Kidney and renal pelvis	21.4	19.2	15.5-23.4	14.6	32.3	24.6-41.4	6.8	10.2	7.0-14.4
Brain and other central nervous system	6.6	5.8	3.8-8.2	3.0	5.7	3.0-9.9	3.6	5.6	3.2-9.1
Thyroid	16.4	13.0	10.3-16.3	2.4	4.5	2.2-8.2	14.0	20.1	15.6-25.5
Hodgkin lymphoma	4.0	2.8	1.6-4.4	2.4	3.3	1.7-6.1	1.6	2.2	0.9-4.5
Non-Hodgkin lymphomas	21.0	17.4	14.1-21.3	10.2	19.4	14.0-26.1	10.8	16.0	11.9-21.0
Myeloma	12.2	12.2	9.2-15.9	6.4	14.5	9.4-21.2	5.8	10.5	6.9-15.2
Leukemias	13.0	11.3	8.6-14.5	6.6	14.3	9.3-20.9	6.4	9.5	6.4-13.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.  
 Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
 NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
 For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Bronx County  
Concourse, Highbridge & Mount Eden**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	605.4	461.3	444.5-478.5	311.6	555.8	526.6-586.2	293.8	398.1	377.7-419.3
Oral cavity and pharynx	16.0	11.9	9.4-14.9	11.6	20.4	15.3-26.7	4.4	5.7	3.6-8.7
Esophagus	4.6	3.3	2.1-5.1	3.8	6.8	3.9-10.8	0.8	1.0	0.3-2.5
Stomach	16.4	13.1	10.4-16.4	7.8	15.7	10.8-21.9	8.6	11.8	8.5-16.0
Colorectal	47.2	37.7	32.9-43.0	24.2	44.9	36.8-54.3	23.0	32.7	26.9-39.3
Colon excluding rectum	31.6	25.0	21.1-29.3	15.8	28.2	22.0-35.6	15.8	22.3	17.6-27.8
Rectum & rectosigmoid	15.6	12.8	10.0-16.0	8.4	16.7	11.7-23.0	7.2	10.4	7.3-14.5
Liver / intrahepatic bile duct	20.6	14.9	12.1-18.2	12.4	20.1	15.2-26.1	8.2	10.6	7.6-14.5
Pancreas	18.8	15.2	12.2-18.7	11.6	22.1	16.3-29.2	7.2	10.5	7.3-14.6
Larynx	4.4	3.2	2.0-4.9	2.6	4.4	2.3-7.8	1.8	2.3	1.0-4.4
Lung and bronchus	66.2	52.0	46.4-58.1	35.2	67.0	56.8-78.4	31.0	42.0	35.5-49.2
Melanoma of the skin	1.8	1.8	0.8-3.3	0.4	0.8	0.1-3.0	1.4	2.3	0.9-4.6
Female breast							83.0	111.6	101.0-123.1
Cervix uteri							6.6	9.2	6.3-12.9
Corpus uterus and NOS							20.6	26.7	21.7-32.5
Ovary							5.4	7.1	4.7-10.4
Prostate				106.6	181.1	165.1-198.2			
Testis				2.6	3.4	1.8-6.0			
Urinary bladder (incl. in situ)	14.6	12.0	9.4-15.2	10.8	21.3	15.6-28.2	3.8	5.5	3.3-8.6
Kidney and renal pelvis	21.0	15.9	13.0-19.4	13.2	23.2	17.6-29.9	7.8	10.6	7.5-14.5
Brain and other central nervous system	6.6	5.0	3.4-7.0	3.2	5.3	2.9-9.0	3.4	4.8	2.8-7.6
Thyroid	22.0	16.7	13.6-20.2	5.0	9.4	5.9-14.1	17.0	23.3	18.5-28.9
Hodgkin lymphoma	3.2	2.1	1.2-3.5	1.6	2.1	0.9-4.3	1.6	2.1	0.9-4.2
Non-Hodgkin lymphomas	25.2	19.4	16.0-23.2	13.4	24.2	18.3-31.2	11.8	16.0	12.2-20.8
Myeloma	17.0	13.3	10.5-16.5	7.8	14.3	9.9-19.8	9.2	12.4	9.0-16.6
Leukemias	16.6	12.5	9.9-15.6	10.0	18.6	13.4-25.0	6.6	8.6	5.9-12.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Bronx County  
Castle Hill, Clason Point & Parkchester**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	817.0	428.1	414.8-441.7	387.6	485.1	462.9-508.2	429.4	393.3	376.6-410.7
Oral cavity and pharynx	17.0	9.1	7.2-11.2	11.6	14.8	11.2-19.3	5.4	4.7	3.1-6.9
Esophagus	6.4	3.5	2.4-4.9	4.4	6.2	3.8-9.4	2.0	1.7	0.8-3.2
Stomach	20.2	11.1	9.0-13.6	11.6	15.2	11.4-19.9	8.6	8.2	5.9-11.1
Colorectal	67.6	36.0	32.2-40.1	34.6	44.2	37.6-51.5	33.0	30.4	25.8-35.5
Colon excluding rectum	45.2	24.4	21.2-27.8	21.4	27.8	22.6-33.8	23.8	22.0	18.2-26.4
Rectum & rectosigmoid	22.4	11.6	9.5-14.0	13.2	16.4	12.5-21.1	9.2	8.4	6.1-11.2
Liver / intrahepatic bile duct	31.4	15.4	13.0-18.1	22.8	25.8	21.1-31.2	8.6	7.7	5.5-10.5
Pancreas	24.8	13.0	10.7-15.5	12.8	15.6	11.9-20.1	12.0	10.8	8.2-14.0
Larynx	8.4	4.3	3.1-5.8	6.8	8.4	5.7-11.8	1.6	1.4	0.6-2.8
Lung and bronchus	80.2	42.4	38.2-46.8	42.2	54.5	47.0-62.7	38.0	34.1	29.3-39.4
Melanoma of the skin	3.8	1.9	1.1-3.0	1.6	1.9	0.8-3.9	2.2	1.9	0.9-3.4
Female breast							123.0	113.3	104.3-122.8
Cervix uteri							9.2	9.3	6.7-12.4
Corpus uterus and NOS							39.8	34.6	29.9-39.9
Ovary							11.6	10.8	8.2-14.0
Prostate				113.2	133.2	122.0-145.1			
Testis				2.2	2.6	1.3-4.6			
Urinary bladder (incl. in situ)	23.6	13.2	10.9-15.9	17.2	26.1	20.7-32.5	6.4	5.6	3.8-8.0
Kidney and renal pelvis	29.0	15.0	12.6-17.7	15.4	18.9	14.7-23.8	13.6	12.1	9.4-15.4
Brain and other central nervous system	11.2	6.2	4.6-8.1	5.0	6.5	4.1-9.7	6.2	5.7	3.9-8.2
Thyroid	30.2	16.2	13.7-19.1	6.2	7.2	4.8-10.3	24.0	23.5	19.4-28.2
Hodgkin lymphoma	5.2	2.8	1.8-4.1	3.2	3.8	2.1-6.2	2.0	2.0	0.9-3.7
Non-Hodgkin lymphomas	35.2	18.8	16.0-21.8	17.8	23.5	18.7-29.1	17.4	15.8	12.6-19.6
Myeloma	19.6	10.1	8.2-12.4	8.8	11.1	8.0-15.1	10.8	9.5	7.1-12.5
Leukemias	22.2	11.8	9.7-14.3	11.0	13.6	10.1-17.8	11.2	10.5	7.9-13.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Bronx County  
Hunts Point, Longwood & Melrose**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	604.6	443.9	427.9-460.4	291.4	505.0	478.0-533.0	313.2	411.8	391.5-433.0
Oral cavity and pharynx	15.4	11.1	8.7-13.9	10.8	17.1	12.7-22.5	4.6	6.2	3.9-9.3
Esophagus	6.0	4.2	2.8-6.0	4.4	6.8	4.2-10.4	1.6	2.1	0.9-4.2
Stomach	15.6	12.3	9.7-15.4	7.6	14.7	10.2-20.4	8.0	10.8	7.7-14.7
Colorectal	42.4	31.8	27.6-36.4	20.2	32.8	26.5-40.2	22.2	30.4	24.9-36.6
Colon excluding rectum	29.6	22.9	19.3-26.9	13.2	22.4	17.1-28.8	16.4	22.9	18.2-28.4
Rectum & rectosigmoid	12.8	8.9	6.8-11.4	7.0	10.4	7.2-14.6	5.8	7.5	5.0-10.8
Liver / intrahepatic bile duct	29.4	21.0	17.7-24.7	21.2	34.9	28.3-42.5	8.2	10.5	7.5-14.3
Pancreas	18.6	14.7	11.8-18.1	7.8	14.5	10.1-20.0	10.8	14.6	10.9-19.1
Larynx	4.8	3.5	2.2-5.3	3.6	6.3	3.6-10.2	1.2	1.7	0.6-3.7
Lung and bronchus	61.8	46.8	41.6-52.4	30.6	55.5	46.6-65.4	31.2	41.0	34.7-48.0
Melanoma of the skin	2.0	1.5	0.7-2.8	0.4	0.7	0.1-2.5	1.6	2.2	0.9-4.3
Female breast							81.8	106.1	96.0-117.0
Cervix uteri							11.6	15.7	11.9-20.3
Corpus uterus and NOS							22.0	28.1	23.0-33.9
Ovary							7.2	9.8	6.8-13.6
Prostate				83.8	147.4	133.0-162.8			
Testis				2.8	3.6	1.9-6.2			
Urinary bladder (incl. in situ)	19.6	15.2	12.3-18.6	12.6	22.7	17.1-29.3	7.0	9.8	6.8-13.6
Kidney and renal pelvis	23.2	16.8	13.8-20.2	13.2	22.5	17.2-29.0	10.0	12.8	9.5-17.0
Brain and other central nervous system	8.4	5.8	4.1-7.9	3.8	5.5	3.2-8.8	4.6	6.0	3.8-9.1
Thyroid	22.6	15.3	12.5-18.4	3.4	5.2	2.9-8.6	19.2	24.6	19.8-30.1
Hodgkin lymphoma	7.4	4.8	3.4-6.7	4.6	6.4	3.9-9.8	2.8	3.6	1.9-6.1
Non-Hodgkin lymphomas	28.2	21.2	17.7-25.0	15.2	27.2	21.1-34.3	13.0	17.8	13.7-22.7
Myeloma	15.6	11.7	9.2-14.7	8.8	16.3	11.6-22.1	6.8	8.8	6.1-12.4
Leukemias	19.6	14.2	11.4-17.3	10.6	17.5	12.8-23.2	9.0	11.6	8.4-15.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	12258.2	442.8	439.3-446.4	5847.8	487.1	481.4-492.8	6410.4	416.7	412.1-421.4
Oral cavity and pharynx	258.0	9.4	8.8-9.9	167.2	13.9	12.9-14.9	90.8	5.8	5.3-6.4
Esophagus	87.6	3.1	2.8-3.4	61.6	5.1	4.6-5.7	26.0	1.6	1.3-1.9
Stomach	315.2	11.4	10.8-12.0	184.0	15.6	14.6-16.7	131.2	8.3	7.7-9.0
Colorectal	1079.6	39.1	38.1-40.2	553.4	47.0	45.2-48.8	526.2	33.4	32.1-34.7
Colon excluding rectum	755.6	27.3	26.4-28.2	372.2	31.7	30.3-33.2	383.4	24.2	23.1-25.3
Rectum & rectosigmoid	324.0	11.8	11.2-12.4	181.2	15.2	14.2-16.3	142.8	9.2	8.5-9.9
Liver / intrahepatic bile duct	286.0	10.0	9.5-10.6	200.8	16.2	15.2-17.2	85.2	5.2	4.7-5.8
Pancreas	386.4	13.8	13.2-14.5	182.0	15.3	14.3-16.4	204.4	12.6	11.8-13.4
Larynx	74.8	2.6	2.4-2.9	59.0	4.9	4.4-5.5	15.8	1.0	0.8-1.2
Lung and bronchus	1247.4	44.7	43.6-45.8	659.0	56.5	54.5-58.5	588.4	36.6	35.2-37.9
Melanoma of the skin	234.8	8.6	8.1-9.1	123.6	10.7	9.9-11.6	111.2	7.2	6.6-7.9
Female breast							1881.2	125.7	123.1-128.3
Cervix uteri							139.0	9.6	8.9-10.3
Corpus uterus and NOS							525.8	33.2	31.9-34.5
Ovary							171.2	11.2	10.5-12.0
Prostate				1614.8	129.4	126.5-132.3			
Testis				68.0	5.2	4.6-5.8			
Urinary bladder (incl. in situ)	441.0	15.9	15.3-16.6	332.6	29.2	27.8-30.7	108.4	6.8	6.2-7.4
Kidney and renal pelvis	412.2	14.8	14.2-15.5	262.6	21.5	20.3-22.7	149.6	9.6	8.9-10.3
Brain and other central nervous system	162.6	6.0	5.6-6.5	90.6	7.4	6.7-8.1	72.0	4.9	4.4-5.5
Thyroid	574.4	21.4	20.6-22.3	136.2	11.1	10.2-12.0	438.2	30.5	29.2-31.9
Hodgkin lymphoma	86.6	3.3	3.0-3.6	46.0	3.8	3.3-4.3	40.6	2.9	2.5-3.3
Non-Hodgkin lymphomas	512.6	18.8	18.0-19.5	272.8	23.0	21.7-24.2	239.8	15.5	14.6-16.4
Myeloma	253.4	9.1	8.6-9.6	127.4	10.9	10.0-11.7	126.0	7.9	7.3-8.6
Leukemias	356.0	13.1	12.5-13.7	192.2	16.4	15.4-17.5	163.8	10.6	9.9-11.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Greenpoint & Williamsburg**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	511.4	383.4	368.2-399.0	251.6	423.3	399.3-448.3	259.8	362.5	342.3-383.6
Oral cavity and pharynx	11.4	9.1	6.9-11.9	8.2	14.6	10.4-19.9	3.2	4.6	2.6-7.6
Esophagus	2.4	1.8	0.9-3.2	2.2	3.7	1.8-6.7	0.2	0.3	0.0-1.6
Stomach	14.6	11.1	8.7-14.1	9.4	16.8	12.3-22.5	5.2	7.1	4.6-10.4
Colorectal	43.8	32.7	28.4-37.5	25.8	44.1	36.5-52.7	18.0	23.6	18.9-29.2
Colon excluding rectum	31.4	23.2	19.6-27.2	17.6	29.4	23.4-36.5	13.8	17.7	13.7-22.6
Rectum & rectosigmoid	12.4	9.5	7.2-12.2	8.2	14.7	10.4-20.0	4.2	5.9	3.6-9.1
Liver / intrahepatic bile duct	12.8	9.7	7.4-12.5	8.8	14.9	10.7-20.1	4.0	5.4	3.2-8.4
Pancreas	19.8	15.2	12.3-18.6	9.6	17.2	12.6-22.9	10.2	13.7	10.1-18.2
Larynx	4.4	3.3	2.1-5.0	3.2	5.4	3.1-8.9	1.2	1.6	0.6-3.6
Lung and bronchus	51.4	39.7	34.9-44.9	25.0	45.3	37.5-54.1	26.4	35.3	29.5-42.0
Melanoma of the skin	13.2	9.2	7.0-11.9	6.4	9.8	6.5-14.2	6.8	9.1	6.1-13.0
Female breast							66.6	99.9	89.0-111.7
Cervix uteri							6.2	8.6	5.6-12.5
Corpus uterus and NOS							20.2	29.3	23.7-35.8
Ovary							8.6	12.6	9.0-17.2
Prostate				52.2	90.3	79.4-102.2			
Testis				8.0	7.1	4.9-10.1			
Urinary bladder (incl. in situ)	19.2	14.8	12.0-18.2	15.0	26.7	20.8-33.6	4.2	6.0	3.7-9.3
Kidney and renal pelvis	18.6	13.9	11.2-17.2	12.4	20.1	15.2-25.9	6.2	8.3	5.6-11.9
Brain and other central nervous system	11.0	8.2	6.1-10.8	5.4	8.6	5.5-12.8	5.6	8.2	5.3-12.0
Thyroid	23.6	15.3	12.5-18.6	5.6	7.9	5.0-11.7	18.0	22.8	18.0-28.4
Hodgkin lymphoma	7.4	4.1	2.8-5.9	4.0	4.8	2.8-7.9	3.4	3.5	1.9-5.9
Non-Hodgkin lymphomas	26.4	20.2	16.8-24.0	15.4	26.3	20.5-33.2	11.0	15.7	11.7-20.7
Myeloma	6.6	5.1	3.5-7.1	3.2	5.2	2.9-8.5	3.4	5.0	2.9-8.0
Leukemias	14.4	10.8	8.4-13.7	8.6	14.4	10.3-19.7	5.8	7.9	5.2-11.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Bushwick**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	407.6	378.9	362.0-396.3	195.6	419.0	391.2-448.2	212.0	355.1	333.7-377.6
Oral cavity and pharynx	9.0	8.8	6.3-11.8	5.4	12.2	7.9-18.0	3.6	6.1	3.6-9.7
Esophagus	3.6	3.6	2.1-5.7	2.4	5.8	2.8-10.2	1.2	2.1	0.8-4.6
Stomach	13.4	13.2	10.2-16.9	7.0	15.5	10.5-21.9	6.4	11.4	7.8-16.2
Colorectal	35.4	34.8	29.7-40.5	22.0	50.7	41.1-61.8	13.4	23.6	18.2-30.0
Colon excluding rectum	24.4	24.3	20.0-29.1	13.4	30.4	23.1-39.2	11.0	19.7	14.7-25.6
Rectum & rectosigmoid	11.0	10.5	7.8-13.7	8.6	20.3	14.4-27.7	2.4	3.9	2.0-6.9
Liver / intrahepatic bile duct	10.8	10.3	7.7-13.5	6.2	13.0	8.6-18.7	4.6	8.0	5.0-12.0
Pancreas	11.6	11.1	8.3-14.4	6.4	14.1	9.4-20.2	5.2	9.0	5.8-13.2
Larynx	1.8	1.6	0.7-3.0	1.2	2.4	0.8-5.4	0.6	0.9	0.2-2.8
Lung and bronchus	40.2	41.4	35.7-47.7	20.6	51.8	41.6-63.4	19.6	34.7	28.0-42.3
Melanoma of the skin	3.8	2.9	1.7-4.7	1.8	2.4	1.0-4.9	2.0	3.2	1.5-6.0
Female breast							58.6	96.6	85.6-108.5
Cervix uteri							7.4	12.3	8.6-17.0
Corpus uterus and NOS							20.4	33.2	27.0-40.5
Ovary							5.2	8.4	5.5-12.4
Prostate				49.6	104.8	91.5-119.4			
Testis				6.4	8.1	5.4-11.8			
Urinary bladder (incl. in situ)	13.6	13.7	10.5-17.4	9.4	24.4	17.5-32.9	4.2	6.9	4.3-10.7
Kidney and renal pelvis	10.2	9.7	7.2-12.8	6.2	13.7	9.1-19.8	4.0	6.9	4.2-10.7
Brain and other central nervous system	6.6	5.8	3.9-8.3	4.6	8.0	4.9-12.5	2.0	3.3	1.6-6.1
Thyroid	17.0	13.4	10.6-16.7	4.8	7.1	4.4-10.9	12.2	19.1	14.5-24.7
Hodgkin lymphoma	3.4	2.5	1.4-4.1	2.4	3.9	1.9-7.1	1.0	1.3	0.4-3.3
Non-Hodgkin lymphomas	17.6	15.7	12.5-19.5	9.6	18.8	13.5-25.4	8.0	13.4	9.5-18.3
Myeloma	8.8	9.1	6.6-12.3	3.4	9.2	5.1-15.0	5.4	9.4	6.1-13.7
Leukemias	13.4	11.7	8.9-15.0	7.2	14.1	9.7-19.9	6.2	9.4	6.3-13.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Bedford-Stuyvesant**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	491.4	410.2	393.7-427.2	228.6	459.0	431.4-487.8	262.8	379.9	359.3-401.4
Oral cavity and pharynx	10.0	8.2	6.1-10.9	6.6	12.9	8.7-18.3	3.4	4.7	2.7-7.6
Esophagus	5.2	4.3	2.8-6.4	3.0	5.7	3.1-9.5	2.2	3.2	1.6-5.8
Stomach	8.0	7.6	5.4-10.4	5.0	11.8	7.5-17.6	3.0	4.8	2.7-8.0
Colorectal	41.2	35.1	30.3-40.3	19.6	40.7	32.6-50.0	21.6	31.2	25.6-37.8
Colon excluding rectum	30.0	25.8	21.7-30.3	13.8	28.5	21.9-36.5	16.2	23.9	18.9-29.7
Rectum & rectosigmoid	11.2	9.3	7.0-12.1	5.8	12.1	8.0-17.6	5.4	7.4	4.8-10.8
Liver / intrahepatic bile duct	13.0	10.3	7.9-13.2	8.4	15.8	11.2-21.7	4.6	6.5	4.1-9.8
Pancreas	14.2	12.0	9.3-15.2	6.2	13.0	8.6-18.7	8.0	11.5	8.2-15.7
Larynx	4.8	3.8	2.4-5.8	3.0	6.3	3.4-10.5	1.8	2.3	1.0-4.4
Lung and bronchus	49.0	43.0	37.6-48.9	23.8	52.4	43.0-63.1	25.2	37.2	30.8-44.4
Melanoma of the skin	2.4	1.9	1.0-3.4	0.6	1.1	0.2-3.4	1.8	2.5	1.1-4.8
Female breast							77.6	113.2	102.0-125.2
Cervix uteri							6.0	8.4	5.6-12.0
Corpus uterus and NOS							23.0	32.5	26.8-39.2
Ovary							5.8	8.4	5.6-12.1
Prostate				78.2	154.4	138.8-171.1			
Testis				3.6	5.3	3.1-8.5			
Urinary bladder (incl. in situ)	11.6	10.5	7.9-13.7	7.8	17.5	12.2-24.2	3.8	6.1	3.6-9.5
Kidney and renal pelvis	18.0	14.7	11.8-18.2	10.8	20.4	15.2-26.9	7.2	10.3	7.2-14.4
Brain and other central nervous system	5.6	4.3	2.9-6.3	3.0	6.0	3.2-10.1	2.6	3.4	1.8-5.9
Thyroid	14.2	10.9	8.5-13.9	2.2	4.3	2.1-7.8	12.0	16.2	12.3-21.0
Hodgkin lymphoma	4.2	3.1	1.9-4.8	2.0	3.1	1.5-5.9	2.2	3.0	1.4-5.4
Non-Hodgkin lymphomas	16.0	12.8	10.1-16.0	8.2	16.1	11.3-22.1	7.8	10.5	7.4-14.4
Myeloma	15.0	13.6	10.6-17.1	7.8	17.3	12.1-24.0	7.2	10.9	7.6-15.1
Leukemias	13.8	11.2	8.6-14.3	7.6	14.3	9.9-19.9	6.2	8.9	6.0-12.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Brooklyn Heights & Fort Greene**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	594.6	494.7	476.6-513.3	273.0	528.5	500.0-558.2	321.6	479.8	455.9-504.7
Oral cavity and pharynx	14.6	12.3	9.6-15.6	10.6	20.3	15.1-26.8	4.0	6.1	3.7-9.5
Esophagus	3.8	3.3	2.0-5.2	1.8	4.3	1.9-8.0	2.0	2.9	1.3-5.5
Stomach	9.8	8.3	6.1-11.0	5.2	10.3	6.7-15.3	4.6	6.8	4.3-10.3
Colorectal	50.8	43.8	38.5-49.7	28.8	58.5	49.1-69.2	22.0	33.0	27.0-40.0
Colon excluding rectum	33.4	29.2	24.9-34.1	17.6	36.9	29.4-45.6	15.8	23.5	18.5-29.5
Rectum & rectosigmoid	17.4	14.6	11.6-18.1	11.2	21.7	16.2-28.4	6.2	9.5	6.4-13.7
Liver / intrahepatic bile duct	11.8	9.5	7.2-12.3	8.8	16.7	12.0-22.5	3.0	4.0	2.2-6.9
Pancreas	16.0	13.7	10.8-17.2	7.0	14.2	9.7-19.9	9.0	13.6	9.9-18.4
Larynx	3.4	2.9	1.6-4.6	2.4	4.8	2.4-8.4	1.0	1.5	0.5-3.6
Lung and bronchus	53.2	45.3	39.9-51.2	25.4	51.4	42.7-61.4	27.8	40.7	34.1-48.3
Melanoma of the skin	19.0	15.6	12.5-19.2	10.4	20.1	14.8-26.6	8.6	12.3	8.8-16.9
Female breast							108.0	167.6	153.4-182.8
Cervix uteri							6.0	9.1	6.0-13.1
Corpus uterus and NOS							27.4	39.6	33.1-47.0
Ovary							7.8	10.5	7.4-14.6
Prostate				71.6	137.2	123.0-152.6			
Testis				6.0	8.0	5.2-11.8			
Urinary bladder (incl. in situ)	16.6	14.3	11.3-17.8	11.6	24.1	18.2-31.4	5.0	7.1	4.5-10.6
Kidney and renal pelvis	20.0	15.8	12.8-19.3	12.2	22.7	17.2-29.4	7.8	10.1	7.2-14.1
Brain and other central nervous system	5.4	4.4	2.9-6.5	2.8	5.2	2.8-8.9	2.6	3.8	2.0-6.7
Thyroid	26.2	19.3	15.9-23.1	6.6	10.8	7.3-15.4	19.6	26.9	21.6-33.3
Hodgkin lymphoma	4.8	4.1	2.5-6.2	3.0	5.8	3.2-9.7	1.8	2.6	1.1-5.3
Non-Hodgkin lymphomas	24.4	20.7	17.0-24.8	13.4	25.0	19.2-32.0	11.0	17.0	12.7-22.4
Myeloma	13.6	11.6	9.0-14.8	6.4	13.8	9.4-19.6	7.2	10.4	7.2-14.5
Leukemias	17.6	15.1	12.0-18.7	11.2	21.8	16.3-28.5	6.4	9.6	6.4-13.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Park Slope, Carroll Gardens & Red Hook**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	482.6	472.8	453.3-492.8	217.4	490.6	460.3-522.3	265.2	472.3	446.3-499.6
Oral cavity and pharynx	10.8	10.3	7.7-13.6	7.8	16.4	11.5-22.8	3.0	5.6	3.1-9.4
Esophagus	3.4	3.7	2.1-6.0	2.2	5.7	2.8-10.3	1.2	2.2	0.8-4.9
Stomach	9.2	9.7	7.1-13.1	4.8	11.9	7.4-18.0	4.4	8.3	5.1-12.8
Colorectal	34.0	34.2	29.0-39.9	17.6	39.9	31.6-49.7	16.4	30.2	23.8-37.8
Colon excluding rectum	23.2	23.6	19.4-28.5	10.8	26.3	19.5-34.7	12.4	22.5	17.1-29.2
Rectum & rectosigmoid	10.8	10.5	7.8-13.9	6.8	13.6	9.2-19.4	4.0	7.7	4.6-12.0
Liver / intrahepatic bile duct	12.0	11.6	8.8-15.1	7.8	16.0	11.2-22.2	4.2	7.8	4.7-12.1
Pancreas	13.8	13.7	10.6-17.5	7.2	16.4	11.3-23.1	6.6	11.5	7.8-16.3
Larynx	2.0	1.8	0.9-3.5	1.8	3.9	1.7-7.7	0.2	0.3	0.0-2.1
Lung and bronchus	44.4	47.0	40.9-53.9	19.8	50.0	40.2-61.3	24.6	46.1	38.0-55.3
Melanoma of the skin	20.2	20.1	16.3-24.7	10.0	22.6	16.5-30.2	10.2	18.8	13.8-25.0
Female breast							86.8	155.0	140.4-170.8
Cervix uteri							5.0	8.4	5.3-12.7
Corpus uterus and NOS							17.4	32.2	25.6-40.0
Ovary							6.2	10.5	7.1-15.2
Prostate				54.8	119.7	105.3-135.4			
Testis				4.4	6.4	3.9-10.2			
Urinary bladder (incl. in situ)	18.0	19.0	15.2-23.5	13.6	34.9	26.8-44.7	4.4	7.9	4.9-12.2
Kidney and renal pelvis	15.6	15.8	12.3-19.8	11.8	27.2	20.4-35.4	3.8	6.5	3.8-10.4
Brain and other central nervous system	7.8	7.9	5.4-11.0	3.6	8.2	4.7-13.4	4.2	7.7	4.5-12.3
Thyroid	25.2	20.1	16.5-24.3	4.8	8.2	5.2-12.6	20.4	31.0	24.9-38.3
Hodgkin lymphoma	3.8	3.2	1.7-5.4	1.6	3.0	1.0-6.8	2.2	3.2	1.5-6.2
Non-Hodgkin lymphomas	22.8	21.5	17.6-26.1	11.0	23.1	17.1-30.7	11.8	20.1	15.1-26.3
Myeloma	7.2	7.6	5.3-10.7	4.2	10.7	6.5-16.6	3.0	5.6	3.1-9.4
Leukemias	14.4	14.6	11.3-18.5	7.8	17.1	11.9-23.7	6.6	13.1	8.9-18.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Crown Heights North & Prospect Heights**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	527.2	429.1	412.5-446.1	242.4	491.4	463.0-521.2	284.8	393.1	372.6-414.4
Oral cavity and pharynx	11.4	9.1	6.8-11.8	7.2	14.6	10.0-20.4	4.2	5.6	3.5-8.7
Esophagus	5.2	4.4	2.9-6.5	3.6	7.9	4.6-12.6	1.6	2.2	0.9-4.3
Stomach	10.6	8.7	6.5-11.4	6.6	14.3	9.6-20.3	4.0	5.3	3.2-8.3
Colorectal	48.8	40.8	35.7-46.3	23.0	51.0	41.7-61.6	25.8	35.0	29.2-41.8
Colon excluding rectum	36.8	31.1	26.7-36.0	15.8	37.0	29.0-46.4	21.0	28.4	23.1-34.5
Rectum & rectosigmoid	12.0	9.7	7.3-12.5	7.2	14.0	9.6-19.6	4.8	6.6	4.2-10.0
Liver / intrahepatic bile duct	10.0	7.5	5.5-9.9	7.0	12.8	8.8-18.1	3.0	3.8	2.1-6.3
Pancreas	17.0	14.1	11.2-17.5	7.0	14.0	9.5-19.7	10.0	14.0	10.4-18.6
Larynx	4.0	3.4	2.0-5.2	2.8	6.6	3.5-11.1	1.2	1.5	0.5-3.4
Lung and bronchus	45.0	37.9	33.0-43.3	22.4	47.3	38.7-57.3	22.6	31.8	26.1-38.4
Melanoma of the skin	6.2	4.4	2.9-6.3	3.8	6.5	3.8-10.4	2.4	2.9	1.4-5.2
Female breast							93.8	131.1	119.3-143.7
Cervix uteri							7.4	10.1	7.1-14.1
Corpus uterus and NOS							28.8	39.3	33.1-46.4
Ovary							8.4	12.1	8.7-16.5
Prostate				82.0	163.0	147.0-180.2			
Testis				3.8	5.3	3.1-8.5			
Urinary bladder (incl. in situ)	12.0	10.4	7.9-13.5	9.6	21.2	15.4-28.4	2.4	3.7	1.9-6.6
Kidney and renal pelvis	14.0	10.9	8.5-13.9	7.2	14.2	9.8-19.9	6.8	8.6	5.9-12.1
Brain and other central nervous system	8.6	6.8	4.9-9.2	4.8	8.4	5.3-12.6	3.8	5.5	3.3-8.7
Thyroid	17.8	13.7	11.0-17.0	4.4	8.3	5.1-12.7	13.4	18.1	13.9-23.1
Hodgkin lymphoma	3.8	3.0	1.8-4.8	1.6	2.8	1.2-5.7	2.2	3.1	1.5-5.6
Non-Hodgkin lymphomas	18.0	14.3	11.4-17.6	10.0	19.4	14.2-25.8	8.0	10.4	7.4-14.2
Myeloma	12.8	10.8	8.3-13.9	5.8	12.4	8.1-18.0	7.0	9.8	6.8-13.8
Leukemias	11.6	9.8	7.4-12.8	7.0	14.7	10.1-20.7	4.6	6.2	3.9-9.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Brownsville & Ocean Hill**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	555.6	495.8	477.0-515.1	258.4	595.2	561.1-630.9	297.2	439.2	416.8-462.5
Oral cavity and pharynx	10.6	9.4	7.0-12.4	6.2	14.3	9.5-20.6	4.4	6.5	4.0-9.9
Esophagus	4.6	4.0	2.5-6.1	3.0	6.5	3.4-11.1	1.6	2.5	1.0-4.9
Stomach	12.0	10.7	8.1-13.8	6.8	15.0	10.1-21.3	5.2	7.9	5.1-11.7
Colorectal	46.4	42.5	37.1-48.5	22.4	51.6	42.0-62.7	24.0	36.6	30.3-43.9
Colon excluding rectum	33.0	29.9	25.4-34.9	15.2	33.9	26.4-42.8	17.8	26.9	21.6-33.2
Rectum & rectosigmoid	13.4	12.6	9.7-16.1	7.2	17.7	12.1-25.0	6.2	9.7	6.5-13.7
Liver / intrahepatic bile duct	16.0	13.6	10.7-17.1	11.2	24.0	17.9-31.6	4.8	6.8	4.3-10.2
Pancreas	14.2	13.1	10.1-16.5	6.4	15.0	9.9-21.5	7.8	11.9	8.4-16.4
Larynx	5.4	4.5	3.0-6.6	3.6	8.0	4.5-12.9	1.8	2.5	1.1-4.8
Lung and bronchus	59.2	54.0	47.9-60.7	27.4	65.1	54.0-77.8	31.8	47.4	40.2-55.5
Melanoma of the skin	0.8	0.8	0.2-2.0	0.2	0.5	0.0-2.8	0.6	0.9	0.2-2.7
Female breast							88.6	128.2	116.3-140.9
Cervix uteri							10.0	14.9	11.0-19.7
Corpus uterus and NOS							26.6	38.8	32.4-46.1
Ovary							7.4	10.9	7.6-15.1
Prostate				97.4	218.5	198.3-240.1			
Testis				1.6	3.0	1.3-6.3			
Urinary bladder (incl. in situ)	8.8	8.2	5.9-11.1	6.2	16.7	10.8-24.3	2.6	3.9	2.0-6.6
Kidney and renal pelvis	20.4	17.6	14.3-21.5	11.4	25.6	19.0-33.8	9.0	12.8	9.3-17.3
Brain and other central nervous system	5.6	4.8	3.2-7.0	3.4	7.1	4.0-11.6	2.2	3.3	1.6-6.0
Thyroid	11.2	9.8	7.4-12.8	1.6	3.9	1.5-8.0	9.6	14.1	10.4-18.8
Hodgkin lymphoma	4.6	3.9	2.5-5.9	2.4	4.8	2.4-8.5	2.2	3.2	1.6-5.8
Non-Hodgkin lymphomas	20.6	18.6	15.1-22.7	10.4	24.6	18.0-32.7	10.2	14.9	11.1-19.7
Myeloma	18.0	16.8	13.4-20.8	7.4	19.5	13.4-27.3	10.6	15.8	11.8-20.8
Leukemias	11.4	10.3	7.8-13.5	5.2	12.4	7.7-18.7	6.2	9.3	6.3-13.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
East New York & Starrett City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	699.0	450.7	435.6-466.2	336.2	524.7	498.9-551.4	362.8	404.7	386.0-424.1
Oral cavity and pharynx	13.6	8.6	6.6-10.9	9.8	14.7	10.8-19.6	3.8	4.2	2.5-6.5
Esophagus	7.4	4.7	3.3-6.5	5.0	7.9	5.0-11.8	2.4	2.5	1.3-4.5
Stomach	17.0	11.5	9.1-14.3	9.2	15.8	11.4-21.3	7.8	8.8	6.2-12.1
Colorectal	61.4	41.3	36.7-46.3	32.0	52.8	44.7-61.9	29.4	33.9	28.6-40.0
Colon excluding rectum	42.6	28.7	24.9-32.9	20.8	34.5	27.9-42.0	21.8	25.0	20.5-30.3
Rectum & rectosigmoid	18.8	12.6	10.1-15.5	11.2	18.3	13.7-24.0	7.6	8.9	6.3-12.3
Liver / intrahepatic bile duct	18.6	11.7	9.4-14.4	12.4	18.9	14.3-24.4	6.2	6.6	4.5-9.5
Pancreas	25.6	16.9	14.1-20.2	11.4	18.5	13.9-24.2	14.2	15.6	12.2-19.8
Larynx	5.6	3.4	2.2-5.0	3.8	5.6	3.3-8.9	1.8	1.9	0.8-3.6
Lung and bronchus	69.6	45.0	40.3-50.1	37.8	58.8	50.4-68.2	31.8	35.7	30.3-41.8
Melanoma of the skin	4.6	3.2	2.0-4.9	2.0	3.7	1.7-6.8	2.6	3.0	1.6-5.1
Female breast							101.8	112.5	102.8-122.9
Cervix uteri							13.6	15.4	11.9-19.6
Corpus uterus and NOS							31.0	33.2	28.1-38.9
Ovary							9.8	11.2	8.2-14.9
Prostate				109.0	163.4	149.5-178.3			
Testis				1.6	2.2	0.9-4.4			
Urinary bladder (incl. in situ)	21.0	14.1	11.5-17.2	15.2	27.1	21.1-34.1	5.8	6.1	4.1-8.8
Kidney and renal pelvis	17.8	10.9	8.7-13.4	10.0	14.5	10.7-19.3	7.8	8.4	5.9-11.5
Brain and other central nervous system	6.8	4.2	2.9-6.0	3.4	4.7	2.7-7.7	3.4	3.8	2.2-6.1
Thyroid	29.0	19.2	16.2-22.6	5.8	8.8	5.8-12.7	23.2	27.1	22.3-32.5
Hodgkin lymphoma	6.4	4.3	2.9-6.0	3.2	4.8	2.7-7.8	3.2	3.8	2.2-6.3
Non-Hodgkin lymphomas	25.8	16.7	13.9-20.0	14.0	21.6	16.7-27.4	11.8	13.2	10.0-17.1
Myeloma	17.2	11.1	8.8-13.8	8.6	13.1	9.4-17.8	8.6	9.6	6.9-13.1
Leukemias	19.6	13.1	10.6-16.1	10.6	17.0	12.6-22.5	9.0	10.4	7.6-14.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Canarsie & Flatlands**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1062.6	458.4	445.8-471.3	516.2	531.6	510.5-553.4	546.4	410.7	395.0-426.8
Oral cavity and pharynx	16.0	7.1	5.6-8.8	10.4	11.1	8.2-14.6	5.6	4.2	2.8-6.2
Esophagus	8.0	3.4	2.4-4.7	5.6	5.8	3.8-8.5	2.4	1.8	0.9-3.2
Stomach	27.6	12.4	10.3-14.7	14.4	16.0	12.4-20.4	13.2	10.0	7.6-12.8
Colorectal	91.8	39.8	36.1-43.7	44.0	46.4	40.3-53.3	47.8	35.5	31.0-40.4
Colon excluding rectum	62.6	27.1	24.1-30.4	27.6	29.4	24.6-35.0	35.0	25.7	21.9-29.9
Rectum & rectosigmoid	29.2	12.6	10.6-14.9	16.4	17.0	13.4-21.3	12.8	9.8	7.5-12.6
Liver / intrahepatic bile duct	16.4	7.0	5.6-8.8	10.6	10.8	8.0-14.3	5.8	4.4	2.9-6.4
Pancreas	33.8	14.3	12.2-16.7	17.2	17.5	13.8-21.8	16.6	12.0	9.5-14.9
Larynx	5.8	2.5	1.7-3.7	5.4	5.9	3.8-8.6	0.4	0.3	0.0-1.1
Lung and bronchus	87.2	38.5	34.9-42.4	43.8	49.3	42.7-56.5	43.4	31.7	27.5-36.3
Melanoma of the skin	16.6	7.1	5.6-8.9	8.6	8.9	6.3-12.1	8.0	6.0	4.2-8.2
Female breast							177.6	134.4	125.5-143.8
Cervix uteri							10.6	8.6	6.4-11.3
Corpus uterus and NOS							50.6	35.6	31.2-40.4
Ovary							14.2	10.5	8.2-13.4
Prostate				198.2	191.3	179.0-204.2			
Testis				1.8	2.1	0.9-3.9			
Urinary bladder (incl. in situ)	35.4	15.4	13.2-18.0	26.4	28.6	23.8-34.1	9.0	6.7	4.9-9.1
Kidney and renal pelvis	31.6	13.8	11.7-16.2	21.8	21.9	17.9-26.6	9.8	7.8	5.7-10.5
Brain and other central nervous system	12.8	6.0	4.6-7.7	7.4	7.6	5.3-10.5	5.4	5.0	3.3-7.3
Thyroid	34.2	15.7	13.4-18.3	8.8	9.8	7.1-13.3	25.4	20.4	16.9-24.4
Hodgkin lymphoma	6.4	3.0	2.1-4.3	3.4	3.6	2.1-5.9	3.0	2.5	1.4-4.2
Non-Hodgkin lymphomas	46.8	20.1	17.5-22.9	24.0	23.9	19.6-28.8	22.8	17.2	14.1-20.8
Myeloma	32.0	13.8	11.7-16.2	16.6	17.4	13.7-21.7	15.4	11.3	8.9-14.3
Leukemias	24.0	10.9	9.0-13.1	11.2	12.8	9.6-16.7	12.8	9.8	7.5-12.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
East Flatbush, Farragut & Rugby**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	712.6	437.6	422.9-452.8	349.6	518.6	493.3-544.9	363.0	386.0	368.0-404.8
Oral cavity and pharynx	10.0	6.0	4.4-8.0	6.0	9.1	6.0-13.2	4.0	4.1	2.5-6.5
Esophagus	4.0	2.4	1.5-3.8	2.0	2.8	1.3-5.4	2.0	2.0	0.9-3.8
Stomach	19.6	13.2	10.7-16.2	10.8	19.3	14.2-25.5	8.8	9.9	7.1-13.4
Colorectal	62.4	39.5	35.1-44.4	29.4	46.6	39.1-55.3	33.0	34.8	29.6-40.8
Colon excluding rectum	44.0	28.2	24.5-32.4	20.2	32.2	25.9-39.5	23.8	25.7	21.2-30.9
Rectum & rectosigmoid	18.4	11.3	9.1-14.0	9.2	14.5	10.5-19.5	9.2	9.1	6.6-12.3
Liver / intrahepatic bile duct	12.4	7.5	5.7-9.8	8.2	12.0	8.5-16.6	4.2	4.4	2.7-6.9
Pancreas	23.0	14.5	11.9-17.5	9.4	14.5	10.5-19.6	13.6	14.4	11.1-18.5
Larynx	3.6	2.2	1.3-3.6	2.8	4.4	2.3-7.6	0.8	0.8	0.2-2.3
Lung and bronchus	51.0	32.2	28.2-36.5	26.8	41.5	34.5-49.6	24.2	25.9	21.4-31.1
Melanoma of the skin	2.2	1.2	0.6-2.3	1.4	1.7	0.6-3.7	0.8	0.9	0.2-2.4
Female breast							119.0	125.1	115.0-136.0
Cervix uteri							11.6	12.3	9.3-16.1
Corpus uterus and NOS							39.2	37.9	32.7-43.9
Ovary							10.2	10.8	8.0-14.4
Prostate				159.0	218.3	202.7-234.9			
Testis				1.8	2.8	1.3-5.5			
Urinary bladder (incl. in situ)	14.6	9.8	7.6-12.4	10.2	16.9	12.4-22.6	4.4	5.0	3.1-7.6
Kidney and renal pelvis	18.4	11.1	8.9-13.7	12.4	18.7	14.1-24.4	6.0	6.2	4.1-9.0
Brain and other central nervous system	6.4	4.2	2.8-6.0	3.8	5.8	3.4-9.1	2.6	3.0	1.6-5.3
Thyroid	16.0	10.8	8.5-13.5	3.2	4.8	2.7-8.0	12.8	14.9	11.4-19.1
Hodgkin lymphoma	4.6	3.3	2.1-5.0	1.8	3.0	1.4-5.8	2.8	3.5	1.9-6.0
Non-Hodgkin lymphomas	23.0	14.4	11.8-17.3	11.2	16.8	12.5-22.2	11.8	12.7	9.6-16.6
Myeloma	22.8	14.3	11.8-17.3	11.6	18.9	14.1-24.8	11.2	11.6	8.7-15.3
Leukemias	19.0	13.0	10.4-16.0	9.2	15.3	11.1-20.5	9.8	11.5	8.4-15.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Crown Heights So., Prospect Lefferts & Wingate**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	524.6	419.2	402.9-435.9	246.6	481.1	453.7-509.7	278.0	383.7	363.3-405.1
Oral cavity and pharynx	9.2	7.2	5.3-9.7	5.0	9.9	6.3-14.8	4.2	5.7	3.5-8.9
Esophagus	3.0	2.4	1.3-4.0	2.0	3.9	1.8-7.3	1.0	1.2	0.4-3.0
Stomach	14.0	11.7	9.1-14.9	7.8	16.1	11.3-22.2	6.2	8.8	5.9-12.7
Colorectal	47.6	37.9	33.1-43.2	19.2	37.0	29.7-45.5	28.4	38.3	32.1-45.4
Colon excluding rectum	36.8	29.3	25.2-34.0	14.4	27.7	21.5-35.1	22.4	29.9	24.5-36.2
Rectum & rectosigmoid	10.8	8.6	6.4-11.3	4.8	9.3	5.8-14.1	6.0	8.4	5.6-12.1
Liver / intrahepatic bile duct	8.2	6.1	4.4-8.4	5.8	10.8	7.1-15.8	2.4	3.1	1.6-5.6
Pancreas	16.2	13.4	10.6-16.7	6.8	13.7	9.4-19.4	9.4	12.8	9.4-17.1
Larynx	2.4	1.8	0.9-3.3	1.8	3.6	1.6-7.0	0.6	0.8	0.2-2.6
Lung and bronchus	37.4	29.6	25.4-34.3	18.0	36.6	29.2-45.3	19.4	25.7	20.7-31.5
Melanoma of the skin	2.2	1.9	0.9-3.5	1.2	2.7	0.9-5.8	1.0	1.4	0.4-3.5
Female breast							86.4	121.9	110.3-134.3
Cervix uteri							6.6	9.8	6.6-13.9
Corpus uterus and NOS							30.0	38.1	32.1-45.0
Ovary							8.2	10.6	7.5-14.5
Prostate				107.2	198.4	181.4-216.5			
Testis				2.0	3.8	1.8-7.1			
Urinary bladder (incl. in situ)	12.0	9.8	7.5-12.7	7.2	15.6	10.8-21.8	4.8	6.5	4.1-9.8
Kidney and renal pelvis	14.6	11.8	9.2-14.9	9.2	18.1	13.1-24.4	5.4	7.6	5.0-11.3
Brain and other central nervous system	5.8	4.6	3.0-6.6	3.4	6.6	3.8-10.8	2.4	3.0	1.6-5.5
Thyroid	18.0	15.4	12.3-19.0	2.8	6.1	3.3-10.3	15.2	22.8	17.8-28.8
Hodgkin lymphoma	3.0	2.7	1.5-4.5	1.4	2.9	1.1-6.0	1.6	2.6	1.1-5.2
Non-Hodgkin lymphomas	13.8	12.3	9.5-15.6	7.4	16.5	11.6-22.9	6.4	9.5	6.4-13.6
Myeloma	17.4	13.5	10.8-16.8	8.8	17.4	12.5-23.6	8.6	11.1	8.0-15.2
Leukemias	13.2	11.4	8.8-14.6	8.8	19.0	13.7-25.7	4.4	6.1	3.8-9.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Sunset Park & Windsor Terrace**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	625.8	454.8	438.7-471.4	309.4	493.2	467.9-519.6	316.4	436.3	414.8-458.7
Oral cavity and pharynx	20.6	14.5	11.8-17.7	14.2	20.7	16.0-26.3	6.4	8.8	6.0-12.5
Esophagus	5.6	4.3	2.8-6.2	5.0	8.8	5.6-13.0	0.6	0.8	0.2-2.4
Stomach	33.0	23.8	20.2-27.8	23.0	35.5	29.1-42.8	10.0	13.2	9.8-17.5
Colorectal	62.6	46.1	41.1-51.6	31.6	50.1	42.3-58.8	31.0	42.5	36.0-49.8
Colon excluding rectum	41.4	31.1	26.9-35.7	21.0	34.4	27.9-41.9	20.4	28.2	22.9-34.3
Rectum & rectosigmoid	21.2	15.1	12.3-18.3	10.6	15.7	11.7-20.7	10.6	14.3	10.7-18.8
Liver / intrahepatic bile duct	27.8	20.2	16.9-23.9	22.2	33.7	27.4-40.8	5.6	8.2	5.4-11.9
Pancreas	16.4	13.0	10.3-16.1	8.0	14.1	9.9-19.3	8.4	11.8	8.5-16.0
Larynx	3.2	2.3	1.3-3.8	2.8	4.6	2.4-7.8	0.4	0.5	0.1-1.8
Lung and bronchus	59.0	44.2	39.2-49.7	34.4	57.9	49.3-67.6	24.6	34.0	28.2-40.6
Melanoma of the skin	8.0	5.9	4.2-8.0	4.0	7.0	4.2-10.9	4.0	5.4	3.3-8.4
Female breast							84.0	118.2	107.1-130.3
Cervix uteri							6.6	9.2	6.3-13.0
Corpus uterus and NOS							20.2	28.5	23.1-34.6
Ovary							8.6	12.2	8.8-16.5
Prostate				55.2	92.3	81.3-104.3			
Testis				4.0	4.6	2.8-7.4			
Urinary bladder (incl. in situ)	20.0	15.6	12.7-19.0	14.8	27.3	21.2-34.5	5.2	7.5	4.9-11.0
Kidney and renal pelvis	21.4	15.4	12.6-18.7	12.4	18.0	13.7-23.3	9.0	12.8	9.3-17.2
Brain and other central nervous system	8.8	6.1	4.4-8.3	4.8	6.3	4.0-9.6	4.0	5.8	3.5-8.9
Thyroid	55.4	35.4	31.3-40.0	15.4	19.8	15.5-25.0	40.0	51.6	44.6-59.5
Hodgkin lymphoma	3.8	2.6	1.5-4.1	2.2	3.2	1.5-5.9	1.6	2.0	0.8-4.1
Non-Hodgkin lymphomas	27.2	20.0	16.7-23.8	15.6	24.9	19.4-31.3	11.6	16.0	12.1-20.8
Myeloma	8.0	5.9	4.2-8.1	3.8	6.7	4.0-10.6	4.2	5.5	3.4-8.4
Leukemias	19.6	13.9	11.2-17.0	10.0	15.4	11.3-20.6	9.6	12.7	9.3-16.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Bay Ridge & Dyker Heights**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	721.8	459.3	444.1-475.0	343.2	485.4	462.4-509.3	378.6	452.2	431.3-474.0
Oral cavity and pharynx	13.8	8.9	6.9-11.4	10.8	15.3	11.4-20.1	3.0	3.5	1.9-6.0
Esophagus	5.2	3.0	1.9-4.5	4.6	6.1	3.9-9.3	0.6	0.6	0.1-2.0
Stomach	16.6	10.2	8.0-12.7	10.0	13.8	10.2-18.3	6.6	6.9	4.7-10.0
Colorectal	64.6	40.5	36.1-45.3	35.4	51.2	43.9-59.5	29.2	32.9	27.5-39.0
Colon excluding rectum	43.0	26.3	22.8-30.2	23.0	33.4	27.5-40.2	20.0	21.4	17.3-26.4
Rectum & rectosigmoid	21.6	14.2	11.6-17.2	12.4	17.8	13.6-22.9	9.2	11.4	8.2-15.4
Liver / intrahepatic bile duct	17.6	11.1	8.9-13.8	13.2	18.4	14.2-23.6	4.4	5.2	3.2-8.1
Pancreas	21.0	12.6	10.2-15.3	8.8	12.6	9.1-17.0	12.2	12.1	9.1-15.8
Larynx	5.2	3.2	2.1-4.8	4.6	6.8	4.3-10.3	0.6	0.6	0.1-2.1
Lung and bronchus	95.2	57.2	52.1-62.7	49.6	68.7	60.3-78.0	45.6	49.5	43.2-56.7
Melanoma of the skin	21.2	14.1	11.5-17.1	10.8	15.9	11.9-20.9	10.4	12.8	9.4-17.0
Female breast							111.2	134.9	123.5-147.0
Cervix uteri							5.2	7.2	4.6-10.6
Corpus uterus and NOS							25.4	29.8	24.7-35.7
Ovary							9.0	11.1	8.0-15.2
Prostate				69.4	94.0	84.3-104.7			
Testis				4.4	6.8	4.2-10.4			
Urinary bladder (incl. in situ)	31.0	18.6	15.7-21.8	24.4	34.5	28.6-41.3	6.6	7.0	4.8-10.1
Kidney and renal pelvis	24.0	15.5	12.8-18.6	17.4	24.8	19.8-30.8	6.6	7.8	5.3-11.2
Brain and other central nervous system	9.2	6.7	4.8-9.0	5.0	7.3	4.6-10.9	4.2	6.4	3.9-10.0
Thyroid	48.2	35.2	30.8-40.1	11.8	17.3	13.1-22.5	36.4	52.8	45.2-61.4
Hodgkin lymphoma	4.6	3.7	2.3-5.7	2.8	4.3	2.3-7.3	1.8	3.2	1.4-6.2
Non-Hodgkin lymphomas	32.4	21.0	17.8-24.7	17.0	25.1	19.9-31.2	15.4	17.4	13.5-22.0
Myeloma	9.4	6.0	4.4-8.1	4.4	6.4	4.0-9.8	5.0	5.8	3.7-8.7
Leukemias	19.8	12.2	9.9-15.0	10.8	15.0	11.2-19.7	9.0	10.2	7.4-13.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Borough Park, Kensington & Ocean Parkway**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	656.0	430.5	415.3-446.1	311.6	434.8	412.7-457.7	344.4	438.8	417.1-461.2
Oral cavity and pharynx	14.4	9.7	7.5-12.3	9.4	13.9	10.1-18.6	5.0	5.9	3.7-8.8
Esophagus	3.6	2.2	1.3-3.6	2.0	2.8	1.3-5.3	1.6	1.5	0.6-3.2
Stomach	15.4	10.4	8.2-13.1	9.8	14.4	10.6-19.1	5.6	7.1	4.6-10.3
Colorectal	63.4	40.5	35.9-45.4	34.8	48.4	41.3-56.5	28.6	34.1	28.4-40.5
Colon excluding rectum	45.0	28.7	25.0-32.9	24.2	33.8	27.9-40.7	20.8	24.8	20.0-30.3
Rectum & rectosigmoid	18.4	11.7	9.3-14.5	10.6	14.6	10.8-19.2	7.8	9.3	6.4-13.0
Liver / intrahepatic bile duct	15.2	9.4	7.3-11.8	11.0	14.7	11.0-19.3	4.2	4.5	2.7-7.1
Pancreas	23.2	15.0	12.3-18.1	12.6	18.3	14.0-23.5	10.6	12.2	9.0-16.2
Larynx	3.4	2.3	1.3-3.7	2.4	3.6	1.8-6.4	1.0	1.3	0.4-3.0
Lung and bronchus	68.4	45.3	40.5-50.6	37.0	52.9	45.3-61.4	31.4	39.2	33.0-46.1
Melanoma of the skin	15.2	9.8	7.7-12.4	9.2	12.7	9.2-17.0	6.0	7.7	5.0-11.2
Female breast							85.6	118.1	106.5-130.4
Cervix uteri							4.4	6.4	3.9-9.8
Corpus uterus and NOS							22.6	28.8	23.5-34.9
Ovary							7.8	10.1	7.1-14.1
Prostate				54.2	76.0	67.0-85.9			
Testis				3.2	4.2	2.3-6.9			
Urinary bladder (incl. in situ)	27.0	17.4	14.5-20.8	19.2	27.9	22.4-34.3	7.8	9.5	6.6-13.3
Kidney and renal pelvis	25.0	16.6	13.7-19.9	15.8	22.3	17.5-28.0	9.2	11.6	8.3-15.7
Brain and other central nervous system	13.6	7.8	6.0-10.0	8.6	9.8	7.0-13.4	5.0	6.2	3.9-9.2
Thyroid	49.4	34.9	30.5-39.7	12.6	17.2	13.1-22.2	36.8	53.2	45.5-61.8
Hodgkin lymphoma	4.8	3.0	1.9-4.6	2.2	2.6	1.2-4.7	2.6	3.5	1.8-6.0
Non-Hodgkin lymphomas	32.4	21.0	17.8-24.7	17.2	24.4	19.4-30.3	15.2	17.8	13.8-22.6
Myeloma	11.2	7.5	5.6-9.8	6.4	9.2	6.2-13.1	4.8	6.0	3.8-9.1
Leukemias	24.4	15.5	12.8-18.7	12.4	17.3	13.2-22.3	12.0	14.1	10.6-18.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Flatbush & Midwood**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	762.8	422.7	409.1-436.7	362.4	463.8	442.1-486.3	400.4	395.7	378.1-413.9
Oral cavity and pharynx	12.0	6.8	5.1-8.8	7.2	9.1	6.3-12.8	4.8	4.8	3.0-7.2
Esophagus	5.4	2.9	1.9-4.3	4.2	5.1	3.1-7.9	1.2	1.3	0.4-2.8
Stomach	18.8	10.4	8.4-12.8	10.2	13.3	9.8-17.7	8.6	8.3	6.0-11.3
Colorectal	62.8	34.1	30.4-38.2	30.8	38.3	32.4-45.1	32.0	30.8	26.1-36.2
Colon excluding rectum	41.2	22.6	19.5-26.0	20.0	25.6	20.7-31.3	21.2	20.4	16.6-24.8
Rectum & rectosigmoid	21.6	11.6	9.4-14.0	10.8	12.8	9.5-16.8	10.8	10.4	7.8-13.7
Liver / intrahepatic bile duct	15.6	8.4	6.6-10.6	11.2	13.6	10.2-17.8	4.4	4.2	2.6-6.6
Pancreas	24.8	13.5	11.2-16.1	11.8	14.8	11.1-19.2	13.0	12.1	9.3-15.5
Larynx	3.4	1.7	1.0-2.9	2.4	3.0	1.5-5.3	1.0	0.9	0.3-2.2
Lung and bronchus	68.8	37.9	33.9-42.3	36.2	48.5	41.5-56.3	32.6	31.1	26.4-36.4
Melanoma of the skin	15.2	8.7	6.8-11.0	7.6	10.3	7.2-14.2	7.6	7.7	5.4-10.7
Female breast							117.2	121.0	111.1-131.6
Cervix uteri							8.0	8.1	5.7-11.1
Corpus uterus and NOS							38.6	36.4	31.3-42.1
Ovary							10.2	9.6	7.1-12.8
Prostate				108.2	131.0	119.9-142.9			
Testis				3.8	4.7	2.8-7.4			
Urinary bladder (incl. in situ)	32.2	18.1	15.3-21.2	23.6	31.7	26.1-38.2	8.6	8.5	6.2-11.6
Kidney and renal pelvis	28.8	15.9	13.4-18.8	18.4	23.8	19.0-29.3	10.4	10.1	7.5-13.4
Brain and other central nervous system	11.6	7.1	5.3-9.2	6.8	9.0	6.2-12.7	4.8	5.4	3.4-8.0
Thyroid	31.2	18.1	15.3-21.2	7.2	9.7	6.8-13.6	24.0	25.3	20.9-30.4
Hodgkin lymphoma	5.0	3.1	2.0-4.6	2.4	3.2	1.7-5.7	2.6	2.9	1.5-5.0
Non-Hodgkin lymphomas	36.8	20.6	17.6-23.8	19.2	24.8	20.0-30.5	17.6	17.3	13.8-21.4
Myeloma	12.0	6.3	4.8-8.2	6.6	8.4	5.7-12.0	5.4	4.9	3.2-7.2
Leukemias	25.0	14.2	11.8-17.0	13.4	18.2	14.0-23.2	11.6	10.9	8.2-14.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Sheepshead Bay, Gerritsen Beach & Homecrest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	978.6	469.2	455.5-483.1	463.0	479.7	459.8-500.3	515.6	469.2	450.1-488.9
Oral cavity and pharynx	22.6	11.0	9.0-13.4	12.0	13.7	10.4-17.9	10.6	8.5	6.2-11.4
Esophagus	4.6	2.1	1.3-3.2	3.0	3.1	1.7-5.2	1.6	1.2	0.5-2.8
Stomach	24.2	11.3	9.3-13.7	12.4	12.7	9.6-16.5	11.8	10.4	7.7-13.7
Colorectal	87.8	40.3	36.5-44.5	44.8	45.5	39.5-52.1	43.0	36.2	31.2-41.8
Colon excluding rectum	66.2	29.9	26.6-33.5	33.2	33.2	28.2-38.9	33.0	27.3	23.1-32.2
Rectum & rectosigmoid	21.6	10.4	8.5-12.7	11.6	12.3	9.2-16.0	10.0	8.8	6.5-11.9
Liver / intrahepatic bile duct	16.6	7.6	6.0-9.6	11.2	11.4	8.5-15.0	5.4	4.5	2.9-6.8
Pancreas	34.2	15.0	12.8-17.6	16.8	16.8	13.4-21.0	17.4	13.4	10.7-16.8
Larynx	4.6	2.1	1.3-3.2	4.4	4.4	2.7-6.8	0.2	0.1	0.0-1.1
Lung and bronchus	110.8	48.7	44.6-53.1	63.4	63.7	56.7-71.3	47.4	36.8	32.2-42.1
Melanoma of the skin	30.6	15.0	12.6-17.6	17.4	18.1	14.4-22.5	13.2	12.8	9.8-16.5
Female breast							147.4	139.8	129.2-151.0
Cervix uteri							7.4	7.7	5.3-10.9
Corpus uterus and NOS							36.6	33.1	28.2-38.6
Ovary							14.0	13.7	10.5-17.6
Prostate				97.6	95.0	86.6-104.0			
Testis				3.0	4.5	2.5-7.5			
Urinary bladder (incl. in situ)	53.8	23.8	21.0-27.0	42.4	43.4	37.6-49.9	11.4	8.8	6.6-11.7
Kidney and renal pelvis	35.6	17.9	15.2-20.9	22.4	24.1	19.7-29.2	13.2	12.6	9.6-16.4
Brain and other central nervous system	12.0	6.2	4.7-8.1	6.2	7.0	4.7-10.2	5.8	5.6	3.7-8.3
Thyroid	52.6	32.0	28.0-36.3	12.2	14.5	10.9-18.8	40.4	48.5	41.7-56.1
Hodgkin lymphoma	5.2	3.3	2.1-5.0	2.8	3.7	2.0-6.4	2.4	2.9	1.5-5.3
Non-Hodgkin lymphomas	47.4	23.9	20.9-27.4	24.8	28.1	23.2-33.7	22.6	20.1	16.4-24.5
Myeloma	12.0	5.2	4.0-6.8	6.6	6.3	4.3-9.1	5.4	4.5	2.9-6.7
Leukemias	33.0	15.8	13.4-18.6	18.0	19.3	15.4-23.9	15.0	13.4	10.4-17.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Bensonhurst & Bath Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1021.6	429.8	417.9-442.1	494.4	452.0	434.1-470.4	527.2	422.1	405.6-439.2
Oral cavity and pharynx	29.8	12.9	10.8-15.2	18.2	16.9	13.6-20.9	11.6	9.3	7.0-12.2
Esophagus	7.2	2.8	2.0-4.0	6.0	5.2	3.5-7.6	1.2	0.8	0.3-1.9
Stomach	29.0	11.8	9.9-13.9	18.4	16.7	13.5-20.6	10.6	7.8	5.8-10.4
Colorectal	90.6	37.0	33.6-40.7	49.4	44.8	39.4-50.9	41.2	30.4	26.2-35.1
Colon excluding rectum	61.4	24.8	22.0-27.8	31.8	28.7	24.3-33.6	29.6	21.6	18.1-25.6
Rectum & rectosigmoid	29.2	12.2	10.3-14.4	17.6	16.2	12.9-20.0	11.6	8.8	6.6-11.6
Liver / intrahepatic bile duct	30.0	12.6	10.6-14.8	21.2	19.7	16.1-23.9	8.8	6.0	4.4-8.3
Pancreas	27.6	10.9	9.1-13.0	13.4	12.2	9.4-15.6	14.2	10.0	7.8-12.8
Larynx	7.4	3.0	2.1-4.2	6.8	6.2	4.2-8.7	0.6	0.4	0.1-1.4
Lung and bronchus	147.8	58.6	54.4-63.0	82.4	73.8	66.8-81.4	65.4	47.5	42.3-53.1
Melanoma of the skin	23.6	9.8	8.1-11.8	11.8	11.2	8.5-14.5	11.8	9.0	6.7-11.8
Female breast							146.2	122.2	113.2-131.7
Cervix uteri							8.6	8.2	5.9-11.2
Corpus uterus and NOS							32.2	25.4	21.5-29.8
Ovary							15.2	12.1	9.5-15.3
Prostate				82.4	72.5	65.6-80.0			
Testis				6.2	6.6	4.4-9.4			
Urinary bladder (incl. in situ)	40.4	15.9	13.8-18.3	32.6	29.3	24.9-34.2	7.8	5.7	4.1-8.0
Kidney and renal pelvis	37.4	16.1	13.8-18.7	24.4	22.6	18.8-27.1	13.0	10.6	8.1-13.6
Brain and other central nervous system	14.6	6.9	5.3-8.7	8.4	8.4	6.0-11.4	6.2	5.5	3.6-8.0
Thyroid	65.6	31.7	28.3-35.4	17.2	16.5	13.1-20.6	48.4	46.7	40.9-53.2
Hodgkin lymphoma	7.0	3.6	2.5-5.0	4.8	5.1	3.3-7.7	2.2	2.2	1.0-3.9
Non-Hodgkin lymphomas	41.8	17.6	15.2-20.3	22.2	20.5	16.8-24.8	19.6	15.0	12.1-18.5
Myeloma	13.8	5.4	4.2-6.9	7.4	6.7	4.7-9.3	6.4	4.3	2.9-6.2
Leukemias	30.8	13.6	11.5-16.0	17.8	16.8	13.5-20.8	13.0	11.1	8.4-14.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Kings (Brooklyn) County  
Brighton Beach & Coney Island**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	921.4	483.8	468.8-499.2	447.4	529.5	506.7-553.1	474.0	456.5	436.4-477.5
Oral cavity and pharynx	18.2	9.7	7.7-12.2	12.2	15.4	11.6-20.2	6.0	5.1	3.3-7.7
Esophagus	5.4	2.4	1.6-3.8	4.0	4.1	2.5-6.6	1.4	1.4	0.4-3.3
Stomach	22.4	11.7	9.5-14.4	13.2	15.5	11.9-20.0	9.2	9.3	6.5-12.9
Colorectal	84.0	42.1	37.9-46.8	42.6	50.2	43.4-58.0	41.4	36.4	31.2-42.5
Colon excluding rectum	59.0	28.6	25.2-32.3	31.6	35.6	30.1-42.0	27.4	23.7	19.5-28.7
Rectum & rectosigmoid	25.0	13.6	11.1-16.5	11.0	14.6	10.7-19.5	14.0	12.7	9.7-16.5
Liver / intrahepatic bile duct	21.2	10.0	8.1-12.2	15.6	17.7	13.8-22.4	5.6	4.1	2.7-6.3
Pancreas	34.0	16.1	13.6-18.9	16.0	18.1	14.2-22.9	18.0	14.4	11.4-18.2
Larynx	4.4	2.4	1.4-3.8	3.8	4.8	2.8-7.9	0.6	0.5	0.1-1.9
Lung and bronchus	109.8	50.0	45.8-54.6	65.2	71.2	63.6-79.8	44.6	35.0	30.3-40.3
Melanoma of the skin	29.8	16.0	13.3-19.1	16.4	21.1	16.5-26.6	13.4	12.2	9.2-16.0
Female breast							124.6	127.0	116.3-138.6
Cervix uteri							8.4	11.5	8.1-16.0
Corpus uterus and NOS							35.6	35.4	30.0-41.7
Ovary							14.6	14.7	11.1-19.0
Prostate				88.2	99.0	89.7-109.1			
Testis				2.4	4.7	2.4-8.3			
Urinary bladder (incl. in situ)	53.8	24.3	21.4-27.6	43.4	47.2	41.0-54.3	10.4	8.2	5.9-11.2
Kidney and renal pelvis	40.8	22.7	19.5-26.4	26.4	33.6	27.8-40.3	14.4	14.3	10.9-18.5
Brain and other central nervous system	10.4	6.7	4.9-9.0	5.2	7.7	4.9-11.6	5.2	5.8	3.6-9.0
Thyroid	39.6	27.4	23.4-31.8	9.2	13.9	9.9-19.0	30.4	38.9	32.4-46.3
Hodgkin lymphoma	3.8	3.3	1.9-5.2	2.0	3.7	1.7-6.9	1.8	2.8	1.2-5.5
Non-Hodgkin lymphomas	39.4	21.1	18.0-24.6	22.2	27.9	22.6-34.1	17.2	16.0	12.5-20.4
Myeloma	15.6	7.2	5.6-9.1	8.4	9.0	6.4-12.4	7.2	5.9	4.0-8.5
Leukemias	31.0	17.1	14.2-20.4	15.4	20.5	15.9-26.1	15.6	14.2	10.9-18.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**New York (Manhattan) County**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8762.8	449.0	444.7-453.3	4201.8	486.3	479.6-493.0	4561.0	429.5	423.7-435.3
Oral cavity and pharynx	226.0	11.5	10.8-12.2	151.8	17.4	16.2-18.7	74.2	6.8	6.1-7.6
Esophagus	63.0	3.1	2.8-3.5	40.8	4.7	4.1-5.4	22.2	1.8	1.5-2.2
Stomach	149.4	7.6	7.0-8.2	84.0	9.9	8.9-10.9	65.4	5.9	5.3-6.6
Colorectal	643.6	33.0	31.8-34.2	334.0	39.2	37.4-41.2	309.6	28.2	26.8-29.7
Colon excluding rectum	443.0	22.5	21.6-23.5	220.2	26.0	24.5-27.7	222.8	19.9	18.7-21.2
Rectum & rectosigmoid	200.6	10.5	9.8-11.1	113.8	13.2	12.1-14.3	86.8	8.3	7.5-9.1
Liver / intrahepatic bile duct	208.2	10.3	9.7-10.9	139.6	15.8	14.6-17.0	68.6	5.9	5.2-6.5
Pancreas	263.8	13.1	12.4-13.8	130.6	15.3	14.1-16.5	133.2	11.4	10.5-12.3
Larynx	46.6	2.3	2.0-2.7	36.8	4.2	3.6-4.8	9.8	0.9	0.7-1.2
Lung and bronchus	907.0	44.7	43.4-46.1	404.6	47.1	45.0-49.2	502.4	43.2	41.5-44.9
Melanoma of the skin	352.2	17.9	17.1-18.8	203.8	23.8	22.4-25.4	148.4	13.7	12.7-14.8
Female breast							1421.6	140.6	137.3-144.1
Cervix uteri							68.2	7.1	6.3-7.9
Corpus uterus and NOS							318.2	29.8	28.3-31.4
Ovary							112.2	10.8	9.9-11.8
Prostate				1133.0	126.6	123.2-129.9			
Testis				65.6	7.0	6.3-7.9			
Urinary bladder (incl. in situ)	357.0	17.6	16.8-18.4	260.0	30.8	29.1-32.5	97.0	8.3	7.5-9.1
Kidney and renal pelvis	239.6	12.5	11.8-13.3	154.0	18.0	16.7-19.3	85.6	8.2	7.4-9.1
Brain and other central nervous system	120.8	6.9	6.3-7.5	68.6	8.6	7.7-9.6	52.2	5.4	4.7-6.2
Thyroid	339.2	18.6	17.7-19.5	91.8	10.6	9.6-11.6	247.4	26.0	24.5-27.6
Hodgkin lymphoma	49.8	2.7	2.4-3.1	24.8	2.9	2.4-3.5	25.0	2.6	2.1-3.1
Non-Hodgkin lymphomas	436.4	22.5	21.6-23.5	229.6	27.2	25.6-28.9	206.8	18.9	17.7-20.1
Myeloma	158.8	7.9	7.4-8.5	84.6	9.8	8.9-10.8	74.2	6.5	5.8-7.2
Leukemias	273.4	14.3	13.6-15.1	159.2	19.3	17.9-20.7	114.2	10.6	9.7-11.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**New York (Manhattan) County  
Washington Heights, Inwood & Marble Hill**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	885.0	384.1	372.8-395.8	435.0	458.4	438.9-478.5	450.0	343.2	328.8-358.1
Oral cavity and pharynx	19.6	8.7	7.0-10.6	13.2	14.1	10.9-18.1	6.4	4.5	3.1-6.5
Esophagus	8.2	3.4	2.4-4.6	5.2	5.4	3.5-8.0	3.0	2.0	1.1-3.4
Stomach	18.4	8.2	6.6-10.1	9.8	11.0	8.1-14.6	8.6	6.4	4.6-8.7
Colorectal	80.8	34.9	31.5-38.5	42.2	44.7	38.7-51.3	38.6	28.1	24.2-32.5
Colon excluding rectum	56.4	24.4	21.6-27.4	27.0	29.2	24.4-34.7	29.4	21.2	17.9-25.0
Rectum & rectosigmoid	24.4	10.5	8.7-12.6	15.2	15.4	12.1-19.4	9.2	6.9	5.0-9.3
Liver / intrahepatic bile duct	22.4	9.7	7.9-11.7	13.6	14.0	10.8-17.8	8.8	6.4	4.6-8.7
Pancreas	28.6	12.3	10.3-14.5	16.2	17.5	13.8-21.8	12.4	8.9	6.8-11.6
Larynx	4.6	1.9	1.2-2.9	3.2	3.1	1.7-5.1	1.4	1.0	0.4-2.2
Lung and bronchus	70.0	30.1	27.0-33.4	33.8	37.5	32.0-43.7	36.2	25.5	21.9-29.6
Melanoma of the skin	12.4	5.4	4.1-6.9	7.6	8.0	5.6-11.1	4.8	3.7	2.4-5.6
Female breast							140.6	111.6	103.3-120.4
Cervix uteri							7.6	6.6	4.6-9.1
Corpus uterus and NOS							37.2	28.0	24.1-32.5
Ovary							16.2	13.1	10.4-16.4
Prostate				149.4	152.0	141.0-163.5			
Testis				4.4	3.7	2.3-5.8			
Urinary bladder (incl. in situ)	29.4	12.6	10.6-14.8	22.0	25.0	20.5-30.2	7.4	5.2	3.6-7.3
Kidney and renal pelvis	23.8	10.5	8.7-12.6	15.2	15.8	12.4-19.9	8.6	6.6	4.7-8.9
Brain and other central nervous system	12.6	5.7	4.4-7.4	6.2	6.5	4.4-9.3	6.4	5.1	3.4-7.3
Thyroid	31.6	14.2	12.0-16.6	7.4	7.4	5.1-10.3	24.2	20.4	16.9-24.5
Hodgkin lymphoma	5.2	2.5	1.6-3.7	2.6	2.9	1.5-5.0	2.6	2.3	1.2-3.9
Non-Hodgkin lymphomas	40.4	17.8	15.4-20.5	20.2	22.3	18.1-27.2	20.2	14.9	12.1-18.2
Myeloma	20.4	8.9	7.3-10.9	10.2	11.5	8.5-15.2	10.2	7.5	5.5-9.9
Leukemias	23.4	10.5	8.7-12.7	14.8	15.8	12.3-19.9	8.6	6.9	4.9-9.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**New York (Manhattan) County  
Hamilton Heights, Manhattanville & West Harlem**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	531.0	398.6	383.4-414.3	258.2	461.2	435.9-487.6	272.8	363.9	344.4-384.3
Oral cavity and pharynx	13.2	10.1	7.8-13.0	7.4	13.5	9.5-18.8	5.8	8.0	5.3-11.6
Esophagus	3.2	2.4	1.4-4.0	2.6	5.2	2.7-8.9	0.6	0.8	0.2-2.4
Stomach	11.8	8.7	6.6-11.2	6.0	10.8	7.2-15.5	5.8	7.5	5.0-10.9
Colorectal	44.6	34.0	29.7-38.9	23.4	42.9	35.4-51.6	21.2	28.0	22.8-34.1
Colon excluding rectum	31.4	23.9	20.3-28.0	16.6	31.1	24.6-38.7	14.8	19.4	15.2-24.5
Rectum & rectosigmoid	13.2	10.1	7.8-12.9	6.8	11.8	8.1-16.6	6.4	8.6	5.8-12.4
Liver / intrahepatic bile duct	15.8	11.7	9.3-14.6	10.6	18.8	14.0-24.7	5.2	6.4	4.2-9.6
Pancreas	15.2	11.2	8.8-14.1	7.2	13.9	9.7-19.3	8.0	9.6	6.8-13.3
Larynx	3.4	2.5	1.5-4.1	2.4	4.4	2.2-7.7	1.0	1.2	0.4-3.0
Lung and bronchus	45.2	33.2	29.0-37.9	20.4	37.8	30.7-46.1	24.8	30.9	25.7-37.0
Melanoma of the skin	8.4	6.1	4.4-8.3	4.6	7.6	4.8-11.5	3.8	5.0	3.0-8.0
Female breast							84.6	118.3	107.0-130.5
Cervix uteri							5.4	8.1	5.3-12.0
Corpus uterus and NOS							21.2	28.1	23.0-34.2
Ovary							7.8	9.8	6.9-13.5
Prostate				86.6	149.6	135.6-164.6			
Testis				3.4	4.6	2.6-7.8			
Urinary bladder (incl. in situ)	14.6	11.0	8.6-13.8	9.2	17.4	12.7-23.3	5.4	6.4	4.2-9.5
Kidney and renal pelvis	13.4	10.0	7.7-12.8	8.2	14.3	10.2-19.6	5.2	6.7	4.3-9.9
Brain and other central nervous system	7.4	5.7	3.9-7.9	4.2	7.6	4.7-11.8	3.2	4.3	2.4-7.1
Thyroid	18.0	13.8	11.0-17.0	5.0	8.2	5.2-12.3	13.0	18.7	14.3-24.1
Hodgkin lymphoma	3.6	2.2	1.3-3.6	1.8	2.7	1.1-5.3	1.8	1.9	0.8-3.8
Non-Hodgkin lymphomas	28.0	21.5	18.1-25.5	13.8	25.2	19.5-32.1	14.2	19.7	15.2-25.0
Myeloma	13.0	9.8	7.6-12.6	7.2	13.0	9.1-18.1	5.8	7.5	5.0-11.0
Leukemias	13.0	10.2	7.8-13.1	8.0	15.2	10.8-20.8	5.0	6.5	4.2-9.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by New York City Neighborhood, 2015-2019**  
**New York (Manhattan) County**  
**Central Harlem**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	608.0	494.1	476.5-512.1	285.8	560.0	530.5-590.7	322.2	455.3	433.2-478.3
Oral cavity and pharynx	12.8	10.4	8.0-13.3	8.6	17.3	12.3-23.5	4.2	5.8	3.6-9.0
Esophagus	4.2	3.6	2.2-5.5	2.0	4.9	2.3-8.9	2.2	3.0	1.5-5.5
Stomach	14.0	11.7	9.1-14.8	6.8	14.2	9.7-20.0	7.2	10.0	7.0-14.0
Colorectal	49.8	40.4	35.5-45.8	25.6	50.2	41.6-60.0	24.2	33.9	28.1-40.6
Colon excluding rectum	34.4	28.1	24.0-32.7	18.0	36.3	29.0-44.9	16.4	22.7	18.1-28.3
Rectum & rectosigmoid	15.4	12.3	9.7-15.4	7.6	13.9	9.8-19.3	7.8	11.2	7.9-15.3
Liver / intrahepatic bile duct	18.0	14.5	11.6-17.8	12.6	24.5	18.6-31.5	5.4	7.6	5.0-11.1
Pancreas	22.6	18.4	15.2-22.2	10.0	19.2	14.1-25.5	12.6	17.3	13.3-22.3
Larynx	4.8	3.7	2.4-5.6	3.8	7.2	4.3-11.4	1.0	1.4	0.4-3.3
Lung and bronchus	69.0	57.0	51.1-63.4	30.8	63.6	53.6-74.7	38.2	52.8	45.5-61.0
Melanoma of the skin	4.0	3.2	2.0-5.0	2.2	4.0	2.0-7.3	1.8	2.6	1.2-5.1
Female breast							102.0	146.3	133.8-159.6
Cervix uteri							8.6	12.0	8.7-16.3
Corpus uterus and NOS							27.6	38.5	32.3-45.5
Ovary							5.8	8.6	5.8-12.5
Prostate				94.8	183.3	166.7-201.0			
Testis				4.0	6.8	4.1-10.6			
Urinary bladder (incl. in situ)	16.6	13.8	11.0-17.2	10.8	22.7	16.9-29.7	5.8	8.1	5.4-11.7
Kidney and renal pelvis	21.4	17.4	14.2-21.0	12.2	23.3	17.7-30.1	9.2	13.2	9.7-17.7
Brain and other central nervous system	4.4	3.5	2.2-5.4	1.8	3.3	1.5-6.3	2.6	3.7	1.9-6.5
Thyroid	15.2	11.8	9.3-14.8	3.8	6.4	3.8-10.1	11.4	16.2	12.2-21.0
Hodgkin lymphoma	4.2	3.3	2.0-5.1	2.6	4.4	2.3-7.6	1.6	2.4	1.0-4.9
Non-Hodgkin lymphomas	22.2	18.6	15.2-22.4	11.6	22.3	16.8-29.0	10.6	15.5	11.6-20.4
Myeloma	13.2	11.0	8.5-14.0	6.2	12.0	8.1-17.2	7.0	9.9	6.9-13.9
Leukemias	14.0	11.7	9.1-14.8	6.8	13.9	9.5-19.6	7.2	10.2	7.1-14.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by New York City Neighborhood, 2015-2019**  
**New York (Manhattan) County**  
**East Harlem**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	637.4	483.7	466.9-501.0	285.0	534.5	506.8-563.2	352.4	458.5	436.9-480.9
Oral cavity and pharynx	17.8	13.8	11.1-17.0	12.8	24.4	18.7-31.1	5.0	6.7	4.3-10.0
Esophagus	3.6	2.7	1.6-4.2	1.0	1.9	0.6-4.4	2.6	3.0	1.6-5.3
Stomach	11.4	8.8	6.7-11.5	5.8	11.3	7.5-16.2	5.6	7.5	4.9-11.0
Colorectal	55.0	41.5	36.7-46.7	28.8	55.2	46.5-65.1	26.2	32.2	26.9-38.4
Colon excluding rectum	36.8	27.6	23.7-31.9	18.6	35.8	28.8-43.9	18.2	22.3	17.9-27.6
Rectum & rectosigmoid	18.2	13.9	11.1-17.1	10.2	19.4	14.4-25.5	8.0	9.9	7.0-13.6
Liver / intrahepatic bile duct	26.6	19.6	16.4-23.2	17.2	32.5	26.0-40.2	9.4	11.0	8.1-14.8
Pancreas	20.2	15.0	12.2-18.3	9.6	19.0	14.0-25.2	10.6	12.4	9.3-16.4
Larynx	6.6	5.0	3.4-7.0	5.6	10.7	7.1-15.5	1.0	1.3	0.4-3.2
Lung and bronchus	72.2	53.1	47.7-58.9	31.4	59.4	50.4-69.5	40.8	49.2	42.6-56.7
Melanoma of the skin	6.2	4.6	3.1-6.5	4.0	7.3	4.4-11.3	2.2	2.9	1.4-5.2
Female breast							97.2	131.7	120.0-144.3
Cervix uteri							9.0	13.3	9.6-17.8
Corpus uterus and NOS							27.6	36.4	30.5-43.2
Ovary							7.8	10.3	7.2-14.2
Prostate				69.0	127.2	114.1-141.5			
Testis				4.2	7.3	4.4-11.3			
Urinary bladder (incl. in situ)	21.8	15.7	12.9-19.0	12.6	23.7	18.2-30.4	9.2	10.6	7.7-14.3
Kidney and renal pelvis	24.0	18.6	15.4-22.2	14.4	26.5	20.7-33.5	9.6	12.7	9.3-17.0
Brain and other central nervous system	8.2	6.8	4.8-9.2	5.0	9.0	5.8-13.4	3.2	5.0	2.8-8.1
Thyroid	20.4	16.4	13.3-19.9	3.2	6.2	3.5-10.0	17.2	25.0	19.9-31.0
Hodgkin lymphoma	4.6	3.7	2.3-5.6	2.0	3.9	1.8-7.3	2.6	3.8	2.0-6.5
Non-Hodgkin lymphomas	29.4	22.6	19.1-26.7	13.4	25.0	19.3-31.8	16.0	21.0	16.6-26.2
Myeloma	16.0	12.2	9.6-15.2	7.6	14.7	10.4-20.2	8.4	10.4	7.4-14.2
Leukemias	18.2	13.5	10.9-16.7	11.6	20.9	15.8-27.2	6.6	8.5	5.8-12.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**New York (Manhattan) County  
Upper East Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1493.0	476.6	465.1-488.2	681.6	488.1	471.1-505.6	811.4	472.1	456.5-488.1
Oral cavity and pharynx	38.0	11.5	9.9-13.4	24.6	17.1	14.2-20.6	13.4	7.3	5.6-9.5
Esophagus	9.8	2.8	2.1-3.8	5.6	3.8	2.5-5.7	4.2	2.0	1.3-3.3
Stomach	12.8	4.0	3.0-5.2	7.4	5.1	3.5-7.1	5.4	3.3	2.1-4.9
Colorectal	86.2	27.7	25.0-30.6	39.8	29.9	25.7-34.7	46.4	25.7	22.3-29.5
Colon excluding rectum	59.8	18.6	16.5-21.1	27.4	20.3	16.9-24.4	32.4	17.2	14.5-20.3
Rectum & rectosigmoid	26.4	9.0	7.5-10.8	12.4	9.6	7.3-12.5	14.0	8.5	6.5-11.0
Liver / intrahepatic bile duct	19.0	5.7	4.6-7.0	11.8	8.2	6.2-10.7	7.2	3.7	2.5-5.3
Pancreas	45.0	13.4	11.6-15.5	23.6	16.4	13.4-19.9	21.4	11.2	9.0-13.9
Larynx	6.8	2.0	1.4-2.9	5.4	3.6	2.4-5.5	1.4	0.9	0.3-2.0
Lung and bronchus	149.8	42.7	39.6-46.0	52.4	34.7	30.6-39.3	97.4	49.0	44.6-53.7
Melanoma of the skin	96.2	31.0	28.1-34.0	56.0	40.9	36.1-46.2	40.2	23.6	20.3-27.4
Female breast							264.0	161.9	152.8-171.5
Cervix uteri							6.6	4.6	3.1-6.6
Corpus uterus and NOS							43.4	24.4	21.1-28.1
Ovary							22.0	12.7	10.2-15.7
Prostate				175.6	118.4	110.6-126.7			
Testis				9.2	8.0	5.7-11.0			
Urinary bladder (incl. in situ)	73.4	20.9	18.7-23.2	54.6	36.1	31.9-40.8	18.8	9.7	7.7-12.0
Kidney and renal pelvis	34.6	10.8	9.2-12.7	23.0	16.6	13.6-20.1	11.6	6.3	4.7-8.3
Brain and other central nervous system	22.2	9.2	7.3-11.4	13.8	13.3	9.9-17.3	8.4	5.8	4.0-8.3
Thyroid	63.2	24.4	21.6-27.5	17.2	14.3	11.3-17.9	46.0	32.6	28.2-37.5
Hodgkin lymphoma	8.2	3.5	2.3-5.0	4.0	4.0	2.1-6.7	4.2	3.0	1.7-4.9
Non-Hodgkin lymphomas	82.0	26.1	23.4-29.1	42.4	31.0	26.8-35.8	39.6	22.4	19.0-26.3
Myeloma	25.8	7.6	6.4-9.2	14.2	9.8	7.6-12.5	11.6	6.1	4.6-8.1
Leukemias	58.6	19.2	16.9-21.8	35.2	26.4	22.4-30.9	23.4	13.4	10.8-16.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**New York (Manhattan) County  
Upper West Side & West Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1291.4	454.9	443.5-466.6	608.2	475.2	458.0-492.9	683.2	448.2	432.5-464.4
Oral cavity and pharynx	29.2	9.8	8.3-11.6	19.4	14.5	11.7-17.9	9.8	6.3	4.6-8.5
Esophagus	7.6	2.6	1.8-3.7	5.2	4.1	2.7-6.2	2.4	1.4	0.7-2.7
Stomach	19.2	6.7	5.4-8.3	10.4	8.5	6.3-11.3	8.8	5.3	3.8-7.4
Colorectal	79.6	28.0	25.2-31.0	40.8	32.1	27.8-37.0	38.8	25.0	21.5-29.1
Colon excluding rectum	55.8	19.3	17.0-21.9	26.6	21.0	17.5-25.1	29.2	18.3	15.3-21.8
Rectum & rectosigmoid	23.8	8.6	7.1-10.5	14.2	11.1	8.6-14.2	9.6	6.8	4.9-9.2
Liver / intrahepatic bile duct	19.2	6.2	5.0-7.7	13.6	9.9	7.6-12.7	5.6	3.2	2.1-4.9
Pancreas	37.6	12.3	10.6-14.3	16.6	12.8	10.2-16.0	21.0	12.0	9.8-14.7
Larynx	3.6	1.2	0.7-1.9	3.2	2.3	1.3-3.9	0.4	0.2	0.0-1.2
Lung and bronchus	121.0	40.0	36.9-43.5	51.8	39.8	35.0-45.1	69.2	40.5	36.2-45.2
Melanoma of the skin	71.6	25.2	22.6-28.1	41.0	32.8	28.4-37.8	30.6	19.4	16.3-23.0
Female breast							232.6	159.8	150.3-169.8
Cervix uteri							7.4	5.7	3.9-8.0
Corpus uterus and NOS							47.8	30.7	26.8-35.0
Ovary							13.0	8.6	6.6-11.2
Prostate				175.0	129.4	120.9-138.5			
Testis				8.8	9.2	6.5-12.6			
Urinary bladder (incl. in situ)	60.6	20.0	17.8-22.5	46.2	36.3	31.7-41.4	14.4	8.5	6.6-11.0
Kidney and renal pelvis	32.6	11.2	9.5-13.2	21.2	16.1	13.1-19.6	11.4	7.4	5.5-9.8
Brain and other central nervous system	19.6	7.7	6.2-9.6	9.6	8.8	6.3-11.9	10.0	6.8	4.9-9.3
Thyroid	48.0	20.1	17.4-23.0	12.6	10.8	8.2-14.0	35.4	28.3	24.0-33.2
Hodgkin lymphoma	6.0	3.2	2.0-4.7	3.4	3.7	2.0-6.1	2.6	2.9	1.4-5.3
Non-Hodgkin lymphomas	71.8	25.2	22.6-28.1	39.8	32.0	27.6-36.9	32.0	19.9	16.8-23.5
Myeloma	22.6	7.5	6.1-9.0	12.2	9.2	7.0-11.9	10.4	6.1	4.5-8.2
Leukemias	41.4	14.0	12.1-16.2	22.4	17.6	14.4-21.3	19.0	11.2	9.0-13.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**New York (Manhattan) County  
Chelsea, Clinton & Midtown Business District**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	820.0	494.1	478.7-509.9	433.2	529.6	506.7-553.5	386.8	479.3	457.4-502.0
Oral cavity and pharynx	23.6	14.1	11.7-17.1	16.8	19.7	15.6-24.8	6.8	8.0	5.5-11.5
Esophagus	5.0	3.0	1.9-4.6	4.0	5.2	3.1-8.4	1.0	1.1	0.4-3.1
Stomach	11.6	7.2	5.4-9.4	6.6	8.6	5.9-12.4	5.0	5.7	3.7-8.8
Colorectal	64.4	39.8	35.6-44.6	39.0	50.1	43.1-58.0	25.4	30.3	25.1-36.4
Colon excluding rectum	42.8	26.6	23.1-30.5	24.8	32.5	26.9-39.1	18.0	20.9	16.7-26.1
Rectum & rectosigmoid	21.6	13.3	10.9-16.2	14.2	17.6	13.7-22.6	7.4	9.3	6.5-13.2
Liver / intrahepatic bile duct	19.6	11.4	9.2-14.0	14.2	16.5	12.8-21.2	5.4	6.3	4.1-9.5
Pancreas	23.0	13.9	11.5-16.9	11.2	14.3	10.7-18.9	11.8	13.6	10.3-17.8
Larynx	3.8	2.3	1.4-3.8	3.2	3.7	2.1-6.4	0.6	0.8	0.1-2.8
Lung and bronchus	81.2	49.5	44.8-54.7	41.4	52.5	45.4-60.5	39.8	46.9	40.5-54.1
Melanoma of the skin	33.6	19.1	16.3-22.4	20.4	23.9	19.3-29.4	13.2	15.7	11.9-20.4
Female breast							119.8	154.5	142.0-167.9
Cervix uteri							7.4	9.0	6.3-12.8
Corpus uterus and NOS							32.6	40.9	34.7-48.0
Ovary							11.8	15.7	11.8-20.6
Prostate				110.4	131.2	120.3-143.1			
Testis				7.6	6.8	4.7-9.9			
Urinary bladder (incl. in situ)	31.8	19.8	16.8-23.3	25.2	34.0	28.2-40.8	6.6	7.7	5.2-11.1
Kidney and renal pelvis	20.8	12.9	10.5-15.8	14.6	17.7	13.8-22.6	6.2	7.9	5.3-11.6
Brain and other central nervous system	11.4	7.2	5.3-9.6	7.8	9.9	6.7-14.3	3.6	4.2	2.4-7.0
Thyroid	33.2	18.5	15.7-21.8	9.4	10.5	7.6-14.4	23.8	29.2	23.9-35.5
Hodgkin lymphoma	5.6	2.9	1.9-4.4	3.2	3.3	1.8-5.8	2.4	2.5	1.2-4.9
Non-Hodgkin lymphomas	36.0	21.1	18.1-24.5	23.8	28.7	23.6-34.7	12.2	13.9	10.6-18.2
Myeloma	11.4	6.7	5.0-8.8	7.0	8.5	5.9-12.2	4.4	5.0	3.1-7.9
Leukemias	25.6	16.8	13.8-20.2	15.2	20.2	15.8-25.7	10.4	14.2	10.3-19.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**New York (Manhattan) County  
Murray Hill, Gramercy & Stuyvesant Town**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	947.2	481.0	466.4-496.1	433.4	490.5	468.7-513.2	513.8	481.6	461.3-502.6
Oral cavity and pharynx	24.6	12.4	10.2-15.0	17.0	19.2	15.3-24.2	7.6	6.8	4.7-9.8
Esophagus	7.4	3.5	2.5-5.1	4.0	4.4	2.7-7.3	3.4	2.8	1.6-4.9
Stomach	12.4	6.3	4.7-8.2	7.0	7.5	5.2-10.9	5.4	5.3	3.4-8.2
Colorectal	61.8	31.5	27.8-35.6	32.2	37.2	31.2-44.1	29.6	27.0	22.5-32.3
Colon excluding rectum	45.4	22.8	19.7-26.4	21.4	24.9	20.0-31.0	24.0	21.4	17.5-26.1
Rectum & rectosigmoid	16.4	8.6	6.8-11.0	10.8	12.2	9.1-16.3	5.6	5.6	3.5-8.6
Liver / intrahepatic bile duct	20.6	10.3	8.3-12.7	15.0	17.3	13.5-22.0	5.6	4.6	3.0-7.2
Pancreas	24.4	12.0	9.9-14.5	11.8	13.5	10.2-17.7	12.6	10.7	8.1-14.1
Larynx	2.8	1.3	0.7-2.4	2.0	2.0	1.0-4.3	0.8	0.7	0.2-2.5
Lung and bronchus	105.2	48.8	44.6-53.3	46.0	50.0	43.6-57.2	59.2	47.4	42.1-53.5
Melanoma of the skin	58.6	28.3	25.0-32.0	31.6	35.2	29.8-41.6	27.0	23.3	19.3-28.2
Female breast							164.8	162.9	151.1-175.4
Cervix uteri							4.4	5.3	3.2-8.4
Corpus uterus and NOS							30.6	28.1	23.6-33.4
Ovary							12.2	12.0	8.9-16.0
Prostate				101.8	109.2	99.8-119.5			
Testis				9.6	10.4	7.0-15.0			
Urinary bladder (incl. in situ)	45.4	21.2	18.5-24.4	30.6	33.5	28.4-39.6	14.8	12.3	9.6-15.8
Kidney and renal pelvis	20.8	11.1	8.9-13.8	12.6	14.6	11.1-19.0	8.2	8.7	5.8-12.5
Brain and other central nervous system	15.6	10.5	7.7-14.0	8.8	13.8	9.0-20.2	6.8	7.7	4.8-11.9
Thyroid	31.8	18.1	15.1-21.5	10.0	11.5	8.4-15.6	21.8	24.2	19.4-29.9
Hodgkin lymphoma	5.6	3.0	1.7-4.8	2.0	2.0	0.9-4.4	3.6	3.5	1.7-6.4
Non-Hodgkin lymphomas	52.6	27.2	23.8-31.1	26.8	32.1	26.5-38.8	25.8	23.0	18.9-28.0
Myeloma	12.2	6.0	4.5-8.0	5.6	6.1	4.0-9.2	6.6	6.0	4.0-8.9
Leukemias	30.6	16.3	13.4-19.7	16.6	20.2	15.8-25.7	14.0	13.5	9.7-18.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**New York (Manhattan) County  
Chinatown & Lower East Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	847.6	405.6	393.2-418.4	424.0	451.1	431.9-471.0	423.6	380.9	364.0-398.3
Oral cavity and pharynx	26.8	13.2	11.0-15.7	17.0	18.3	14.6-22.8	9.8	9.0	6.5-12.1
Esophagus	7.0	3.1	2.2-4.4	6.0	6.2	4.2-9.0	1.0	0.7	0.2-2.0
Stomach	30.0	13.5	11.4-16.0	20.4	21.5	17.5-26.2	9.6	7.3	5.3-9.9
Colorectal	74.2	34.8	31.2-38.6	36.4	38.8	33.3-44.9	37.8	32.2	27.6-37.4
Colon excluding rectum	48.4	22.4	19.6-25.5	22.0	23.3	19.1-28.2	26.4	22.0	18.3-26.4
Rectum & rectosigmoid	25.8	12.4	10.3-14.8	14.4	15.4	12.1-19.6	11.4	10.1	7.6-13.3
Liver / intrahepatic bile duct	37.6	17.4	14.9-20.1	25.2	26.4	22.0-31.6	12.4	9.7	7.4-12.6
Pancreas	27.6	12.4	10.4-14.7	13.2	13.9	10.7-17.8	14.4	11.0	8.5-14.1
Larynx	6.6	3.1	2.1-4.4	4.8	5.2	3.3-7.9	1.8	1.4	0.6-2.9
Lung and bronchus	122.0	55.0	50.7-59.7	65.4	69.0	61.7-77.0	56.6	44.8	39.6-50.7
Melanoma of the skin	17.2	8.6	6.8-10.7	9.6	10.2	7.5-13.7	7.6	7.1	4.9-10.0
Female breast							103.4	99.3	90.6-108.7
Cervix uteri							7.4	7.4	5.1-10.4
Corpus uterus and NOS							27.8	26.6	22.2-31.7
Ovary							9.8	9.3	6.8-12.6
Prostate				82.2	85.7	77.6-94.5			
Testis				6.0	5.9	3.9-8.6			
Urinary bladder (incl. in situ)	30.2	13.5	11.4-15.9	23.2	24.6	20.3-29.6	7.0	5.3	3.6-7.6
Kidney and renal pelvis	28.6	14.8	12.4-17.6	18.2	20.1	16.1-24.9	10.4	10.8	7.9-14.5
Brain and other central nervous system	9.8	5.6	4.0-7.5	5.4	6.8	4.4-10.1	4.4	4.4	2.6-7.0
Thyroid	45.6	24.6	21.5-28.2	13.6	15.3	11.8-19.5	32.0	34.2	28.9-40.2
Hodgkin lymphoma	4.8	2.4	1.5-3.6	2.6	2.5	1.3-4.5	2.2	2.1	1.0-3.9
Non-Hodgkin lymphomas	35.6	17.1	14.6-19.9	17.2	18.6	14.8-23.0	18.4	16.1	12.9-20.0
Myeloma	13.2	6.0	4.6-7.7	7.0	7.5	5.2-10.6	6.2	4.8	3.2-7.0
Leukemias	23.2	11.4	9.3-13.8	12.4	13.7	10.4-17.7	10.8	9.9	7.2-13.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**New York (Manhattan) County  
Battery Park City, Greenwich Village & Soho**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	696.4	456.8	441.3-472.7	354.4	484.6	461.6-508.4	342.0	442.5	421.0-464.9
Oral cavity and pharynx	20.2	13.0	10.6-15.9	15.0	19.6	15.3-24.8	5.2	6.7	4.3-10.1
Esophagus	7.0	4.7	3.2-6.6	5.2	7.0	4.5-10.4	1.8	2.3	1.1-4.7
Stomach	7.8	5.1	3.6-7.1	3.8	5.4	3.2-8.6	4.0	4.7	2.8-7.6
Colorectal	46.4	31.0	27.0-35.4	25.2	34.9	29.0-41.8	21.2	27.7	22.4-34.0
Colon excluding rectum	31.4	21.0	17.7-24.8	17.6	24.4	19.5-30.3	13.8	18.0	13.7-23.3
Rectum & rectosigmoid	15.0	10.0	7.8-12.6	7.6	10.5	7.4-14.6	7.4	9.7	6.7-13.6
Liver / intrahepatic bile duct	9.2	5.8	4.2-7.8	5.6	7.3	4.8-10.8	3.6	4.2	2.5-6.9
Pancreas	19.2	12.4	10.0-15.3	11.0	15.0	11.2-19.8	8.2	10.2	7.3-14.1
Larynx	3.6	2.3	1.4-3.8	3.2	4.3	2.4-7.1	0.4	0.5	0.1-2.1
Lung and bronchus	71.4	47.9	43.0-53.3	31.2	45.0	38.1-52.8	40.2	51.3	44.4-59.1
Melanoma of the skin	44.0	28.0	24.3-32.1	26.8	36.2	30.2-43.1	17.2	20.6	16.3-25.8
Female breast							112.0	151.8	139.1-165.3
Cervix uteri							4.4	5.7	3.5-8.8
Corpus uterus and NOS							22.2	29.5	24.2-35.8
Ovary							5.8	7.3	4.8-10.8
Prostate				87.4	117.6	106.7-129.5			
Testis				8.4	7.6	5.4-10.7			
Urinary bladder (incl. in situ)	33.0	22.2	18.9-26.0	25.4	37.7	31.3-45.0	7.6	9.4	6.6-13.2
Kidney and renal pelvis	19.0	12.4	10.0-15.3	13.8	18.3	14.1-23.4	5.2	6.6	4.3-9.9
Brain and other central nervous system	9.4	6.3	4.4-8.8	5.8	7.4	4.5-11.5	3.6	5.3	3.0-8.6
Thyroid	32.0	19.2	16.2-22.6	9.6	12.1	8.9-16.4	22.4	27.0	21.9-32.9
Hodgkin lymphoma	2.0	1.0	0.5-2.1	0.6	0.7	0.1-2.4	1.4	1.4	0.5-3.3
Non-Hodgkin lymphomas	37.8	24.6	21.2-28.5	20.6	28.2	22.9-34.4	17.2	21.5	17.1-26.8
Myeloma	10.8	7.0	5.3-9.3	7.2	9.9	6.9-14.0	3.6	4.3	2.5-7.0
Leukemias	25.4	18.1	14.8-21.9	16.2	23.4	18.3-29.6	9.2	13.2	9.1-18.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	11590.0	425.0	421.5-428.6	5567.4	453.5	448.1-459.0	6022.6	411.2	406.4-416.0
Oral cavity and pharynx	253.2	9.2	8.7-9.7	159.0	12.6	11.7-13.5	94.2	6.4	5.8-7.0
Esophagus	92.4	3.2	3.0-3.6	68.8	5.5	4.9-6.1	23.6	1.5	1.2-1.8
Stomach	331.2	12.1	11.6-12.8	189.6	15.7	14.7-16.7	141.6	9.5	8.8-10.2
Colorectal	1025.2	37.7	36.6-38.7	530.0	43.6	42.0-45.4	495.2	33.0	31.7-34.3
Colon excluding rectum	720.6	26.4	25.6-27.3	358.2	29.7	28.3-31.2	362.4	23.9	22.8-25.0
Rectum & rectosigmoid	304.6	11.2	10.7-11.8	171.8	13.9	13.0-14.9	132.8	9.1	8.4-9.8
Liver / intrahepatic bile duct	285.6	10.1	9.6-10.7	203.8	16.0	15.0-17.1	81.8	5.3	4.8-5.9
Pancreas	357.8	12.8	12.2-13.5	166.4	13.9	12.9-14.9	191.4	11.9	11.2-12.7
Larynx	62.8	2.2	2.0-2.5	53.2	4.3	3.8-4.9	9.6	0.6	0.5-0.8
Lung and bronchus	1220.2	43.8	42.7-44.9	629.2	52.3	50.4-54.2	591.0	37.7	36.3-39.1
Melanoma of the skin	206.8	7.6	7.2-8.1	113.4	9.7	8.9-10.5	93.4	6.3	5.7-6.9
Female breast							1792.0	124.8	122.1-127.5
Cervix uteri							127.0	9.5	8.8-10.3
Corpus uterus and NOS							458.6	30.3	29.0-31.6
Ovary							162.8	11.7	10.9-12.5
Prostate				1503.2	115.7	113.0-118.4			
Testis				50.4	4.3	3.8-4.9			
Urinary bladder (incl. in situ)	443.0	16.0	15.3-16.7	329.4	28.2	26.8-29.6	113.6	7.1	6.5-7.7
Kidney and renal pelvis	388.2	14.3	13.7-15.0	246.0	19.9	18.8-21.1	142.2	9.6	8.9-10.4
Brain and other central nervous system	133.0	5.2	4.8-5.7	73.4	6.2	5.6-6.9	59.6	4.4	3.9-4.9
Thyroid	513.8	20.8	20.0-21.6	118.6	9.8	9.0-10.7	395.2	31.3	29.9-32.7
Hodgkin lymphoma	62.0	2.6	2.3-3.0	35.6	3.1	2.7-3.6	26.4	2.2	1.8-2.6
Non-Hodgkin lymphomas	498.6	18.5	17.8-19.3	269.8	22.5	21.3-23.8	228.8	15.4	14.5-16.3
Myeloma	223.8	8.1	7.6-8.6	112.6	9.2	8.4-10.0	111.2	7.2	6.6-7.8
Leukemias	350.6	13.4	12.7-14.0	200.2	17.1	16.0-18.2	150.4	10.4	9.7-11.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Astoria & Long Island City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	801.0	418.6	405.5-432.1	395.0	464.9	444.3-486.4	406.0	394.6	377.1-412.7
Oral cavity and pharynx	16.0	8.4	6.7-10.6	11.0	12.5	9.4-16.4	5.0	5.0	3.2-7.6
Esophagus	6.6	3.4	2.4-4.9	5.2	6.1	3.9-9.0	1.4	1.2	0.5-2.7
Stomach	21.8	11.4	9.4-13.8	13.0	15.8	12.1-20.2	8.8	8.1	5.9-11.0
Colorectal	69.6	36.4	32.6-40.5	39.4	46.7	40.3-53.9	30.2	28.6	24.1-33.7
Colon excluding rectum	49.6	25.9	22.7-29.4	26.4	31.7	26.4-37.7	23.2	21.8	17.9-26.4
Rectum & rectosigmoid	20.0	10.5	8.5-12.8	13.0	15.0	11.6-19.3	7.0	6.7	4.7-9.5
Liver / intrahepatic bile duct	20.8	10.6	8.6-12.9	15.8	18.7	14.7-23.3	5.0	4.5	2.9-6.8
Pancreas	25.6	13.3	11.0-15.8	12.8	15.2	11.6-19.5	12.8	11.7	9.0-15.1
Larynx	4.8	2.5	1.6-3.8	3.6	4.3	2.6-6.9	1.2	1.2	0.4-2.7
Lung and bronchus	88.0	45.1	40.9-49.6	45.8	55.5	48.4-63.3	42.2	38.2	33.1-43.8
Melanoma of the skin	16.6	8.0	6.4-10.1	7.6	8.3	5.8-11.5	9.0	7.8	5.6-10.6
Female breast							114.6	117.5	107.8-127.8
Cervix uteri							10.6	11.0	8.2-14.6
Corpus uterus and NOS							24.8	23.7	19.6-28.4
Ovary							11.0	10.4	7.8-13.7
Prostate				86.8	99.9	90.6-109.9			
Testis				6.6	5.6	3.8-8.1			
Urinary bladder (incl. in situ)	37.2	19.5	16.8-22.6	28.4	35.8	30.0-42.2	8.8	7.8	5.6-10.6
Kidney and renal pelvis	24.8	13.4	11.1-16.1	15.8	18.1	14.3-22.7	9.0	8.9	6.4-12.1
Brain and other central nervous system	11.2	6.4	4.8-8.4	6.6	7.9	5.4-11.2	4.6	5.1	3.2-7.8
Thyroid	39.0	20.8	17.9-24.0	8.8	9.5	6.8-12.9	30.2	32.3	27.1-38.2
Hodgkin lymphoma	7.2	4.3	3.0-6.1	4.8	6.0	3.8-9.1	2.4	2.7	1.3-4.9
Non-Hodgkin lymphomas	41.2	21.2	18.3-24.4	24.8	28.7	23.7-34.4	16.4	14.6	11.5-18.3
Myeloma	14.6	7.4	5.8-9.4	6.6	7.7	5.3-10.9	8.0	7.0	5.0-9.6
Leukemias	25.0	13.6	11.2-16.3	14.8	18.4	14.4-23.3	10.2	10.0	7.3-13.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Jackson Heights & North Corona**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	723.8	393.6	380.7-406.9	344.2	415.1	395.0-436.0	379.6	393.1	375.3-411.5
Oral cavity and pharynx	17.6	9.3	7.4-11.5	11.2	12.8	9.6-16.8	6.4	6.4	4.3-9.1
Esophagus	3.2	1.8	1.0-3.0	2.0	2.5	1.2-4.6	1.2	1.2	0.4-2.7
Stomach	25.8	14.3	11.9-17.0	13.8	16.3	12.6-20.8	12.0	12.5	9.5-16.2
Colorectal	64.8	35.8	32.0-40.0	33.2	39.2	33.3-45.9	31.6	32.9	27.9-38.5
Colon excluding rectum	43.6	24.3	21.1-27.8	21.0	25.1	20.4-30.6	22.6	23.5	19.3-28.4
Rectum & rectosigmoid	21.2	11.5	9.4-14.0	12.2	14.1	10.7-18.3	9.0	9.3	6.8-12.6
Liver / intrahepatic bile duct	20.4	11.3	9.2-13.7	14.2	17.3	13.4-21.9	6.2	6.2	4.2-8.9
Pancreas	19.8	11.2	9.1-13.7	9.8	12.4	9.0-16.5	10.0	9.8	7.3-13.0
Larynx	2.4	1.5	0.7-2.5	2.0	2.9	1.4-5.3	0.4	0.4	0.1-1.6
Lung and bronchus	59.0	32.9	29.2-36.9	29.0	37.2	31.2-44.0	30.0	30.1	25.4-35.4
Melanoma of the skin	9.8	5.5	4.0-7.3	6.8	8.9	6.1-12.5	3.0	3.3	1.8-5.5
Female breast							104.4	108.6	99.3-118.5
Cervix uteri							10.8	11.7	8.7-15.3
Corpus uterus and NOS							25.6	25.8	21.4-30.7
Ovary							11.0	11.9	8.9-15.5
Prostate				96.0	114.8	104.4-125.9			
Testis				5.8	5.5	3.7-8.1			
Urinary bladder (incl. in situ)	21.2	12.0	9.8-14.6	14.2	19.3	15.0-24.5	7.0	7.2	5.0-10.1
Kidney and renal pelvis	30.0	16.1	13.6-18.9	18.0	20.9	16.7-25.9	12.0	12.0	9.1-15.5
Brain and other central nervous system	9.2	5.1	3.7-6.8	5.6	6.6	4.3-9.6	3.6	3.9	2.3-6.1
Thyroid	41.2	21.2	18.4-24.4	8.8	8.9	6.4-12.1	32.4	34.7	29.4-40.6
Hodgkin lymphoma	3.6	1.8	1.1-2.9	2.0	1.9	0.9-3.6	1.6	1.7	0.7-3.5
Non-Hodgkin lymphomas	35.0	19.5	16.7-22.7	17.6	22.4	17.7-27.8	17.4	18.1	14.5-22.4
Myeloma	14.8	8.4	6.6-10.6	7.8	10.2	7.2-14.0	7.0	7.3	5.1-10.3
Leukemias	22.4	12.1	9.9-14.6	13.2	15.2	11.6-19.5	9.2	9.6	6.9-12.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Flushing, Murray Hill & Whitestone**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1611.4	447.7	437.7-458.0	773.6	462.2	447.4-477.4	837.8	444.1	430.1-458.5
Oral cavity and pharynx	37.4	10.4	8.9-12.1	24.2	14.5	11.9-17.4	13.2	6.9	5.2-8.9
Esophagus	15.0	3.9	3.0-4.9	11.8	6.9	5.2-8.9	3.2	1.4	0.8-2.4
Stomach	62.4	16.5	14.6-18.5	37.4	21.9	18.8-25.4	25.0	12.1	10.0-14.6
Colorectal	153.2	42.1	39.1-45.3	82.0	50.0	45.2-55.3	71.2	35.7	31.9-39.8
Colon excluding rectum	108.4	29.3	26.8-32.0	56.6	34.3	30.4-38.7	51.8	25.2	22.1-28.7
Rectum & rectosigmoid	44.8	12.8	11.1-14.7	25.4	15.7	13.0-18.8	19.4	10.4	8.4-12.9
Liver / intrahepatic bile duct	52.8	14.1	12.4-16.0	37.8	21.6	18.6-25.1	15.0	7.7	6.0-9.8
Pancreas	54.2	13.8	12.1-15.6	24.8	14.3	11.9-17.2	29.4	13.4	11.3-15.9
Larynx	9.8	2.5	1.9-3.4	8.0	4.6	3.3-6.4	1.8	0.8	0.4-1.7
Lung and bronchus	216.0	55.8	52.5-59.4	113.0	66.1	60.6-71.9	103.0	47.9	43.7-52.4
Melanoma of the skin	26.4	7.4	6.1-8.8	14.6	9.4	7.3-11.9	11.8	5.8	4.4-7.6
Female breast							237.4	131.4	123.7-139.5
Cervix uteri							18.6	11.5	9.2-14.3
Corpus uterus and NOS							52.0	26.9	23.6-30.5
Ovary							22.6	12.5	10.2-15.2
Prostate				162.6	91.1	84.9-97.7			
Testis				5.2	4.6	2.9-6.7			
Urinary bladder (incl. in situ)	68.8	17.7	15.9-19.8	49.2	29.4	25.8-33.4	19.6	8.7	7.0-10.8
Kidney and renal pelvis	49.4	14.0	12.3-16.0	31.4	19.4	16.4-22.8	18.0	9.5	7.6-11.9
Brain and other central nervous system	16.0	5.0	3.9-6.4	8.0	5.2	3.7-7.3	8.0	4.8	3.3-6.8
Thyroid	80.8	28.2	25.4-31.3	18.6	12.9	10.3-16.0	62.2	42.5	37.7-47.7
Hodgkin lymphoma	5.8	2.0	1.3-2.9	3.0	2.0	1.1-3.5	2.8	2.0	1.0-3.4
Non-Hodgkin lymphomas	65.8	17.9	16.0-20.1	37.4	22.6	19.4-26.2	28.4	14.3	12.0-17.1
Myeloma	22.4	5.9	4.9-7.2	13.0	7.6	5.8-9.8	9.4	4.6	3.4-6.3
Leukemias	46.0	13.8	11.9-15.8	27.0	17.9	14.9-21.4	19.0	10.4	8.3-13.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Bayside, Douglaston & Little Neck**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	742.0	422.9	408.7-437.4	363.8	445.9	424.9-467.7	378.2	410.1	390.7-430.3
Oral cavity and pharynx	18.8	10.5	8.4-13.1	13.6	16.7	12.8-21.5	5.2	5.3	3.4-8.1
Esophagus	6.2	3.2	2.2-4.7	4.4	5.2	3.2-8.1	1.8	1.4	0.6-3.2
Stomach	21.0	11.6	9.4-14.2	11.6	14.2	10.7-18.6	9.4	9.3	6.8-12.8
Colorectal	58.4	33.2	29.3-37.5	30.0	36.9	31.0-43.6	28.4	29.9	24.9-35.7
Colon excluding rectum	42.6	24.0	20.8-27.7	21.6	25.9	21.1-31.5	21.0	22.2	17.9-27.4
Rectum & rectosigmoid	15.8	9.1	7.2-11.5	8.4	11.0	7.9-15.2	7.4	7.6	5.3-10.8
Liver / intrahepatic bile duct	16.0	9.3	7.3-11.7	11.0	13.7	10.2-18.2	5.0	5.5	3.4-8.5
Pancreas	21.2	11.1	9.0-13.5	11.0	13.1	9.9-17.3	10.2	9.6	7.1-12.9
Larynx	2.4	1.3	0.7-2.5	2.2	2.7	1.3-5.2	0.2	0.2	0.0-1.5
Lung and bronchus	99.0	53.3	48.6-58.4	52.4	63.8	56.1-72.3	46.6	45.4	39.6-51.9
Melanoma of the skin	21.0	11.4	9.3-14.0	12.8	15.7	12.0-20.3	8.2	8.4	5.9-11.7
Female breast							115.8	130.0	119.1-141.8
Cervix uteri							5.6	7.5	4.9-11.1
Corpus uterus and NOS							30.2	31.3	26.3-37.1
Ovary							7.6	8.5	5.9-12.1
Prostate				85.2	98.5	89.1-108.7			
Testis				3.4	6.3	3.5-10.3			
Urinary bladder (incl. in situ)	38.2	20.3	17.4-23.5	30.6	36.7	31.0-43.3	7.6	7.3	5.1-10.5
Kidney and renal pelvis	20.0	11.6	9.3-14.3	11.2	13.5	10.1-17.8	8.8	9.9	7.1-13.7
Brain and other central nervous system	6.6	4.3	2.8-6.3	3.4	4.9	2.7-8.3	3.2	3.7	2.0-6.5
Thyroid	30.6	23.1	19.4-27.3	9.4	14.0	10.1-18.9	21.2	31.5	25.5-38.6
Hodgkin lymphoma	2.6	1.9	1.0-3.5	1.6	2.8	1.1-5.6	1.0	1.2	0.4-3.1
Non-Hodgkin lymphomas	33.0	18.2	15.4-21.4	19.0	23.5	18.8-29.0	14.0	14.0	10.8-18.1
Myeloma	12.6	7.3	5.5-9.5	6.0	7.6	5.0-11.1	6.6	7.1	4.8-10.3
Leukemias	23.4	13.8	11.3-16.8	12.4	16.1	12.2-21.0	11.0	12.2	8.9-16.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Queens Village, Cambria Heights & Rosedale**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1109.0	437.5	425.7-449.5	539.2	490.5	471.5-510.1	569.8	402.8	387.6-418.5
Oral cavity and pharynx	17.0	7.1	5.6-8.8	9.2	8.3	6.0-11.3	7.8	6.0	4.2-8.3
Esophagus	6.0	2.2	1.5-3.2	3.8	3.3	1.9-5.3	2.2	1.5	0.7-2.8
Stomach	28.4	11.4	9.5-13.5	16.0	15.1	11.9-19.0	12.4	8.8	6.7-11.5
Colorectal	93.8	37.0	33.6-40.6	43.2	39.9	34.6-45.8	50.6	34.7	30.4-39.5
Colon excluding rectum	69.0	27.1	24.2-30.2	30.4	28.0	23.6-33.1	38.6	26.2	22.5-30.4
Rectum & rectosigmoid	24.8	9.9	8.2-11.9	12.8	11.9	9.1-15.3	12.0	8.6	6.5-11.2
Liver / intrahepatic bile duct	16.2	6.3	4.9-7.9	12.0	10.5	7.9-13.7	4.2	3.0	1.8-4.7
Pancreas	39.8	15.5	13.4-17.9	18.2	17.2	13.7-21.3	21.6	14.3	11.7-17.4
Larynx	6.0	2.2	1.5-3.2	5.2	4.7	3.1-7.1	0.8	0.5	0.1-1.4
Lung and bronchus	88.4	34.2	31.0-37.7	43.2	41.3	35.8-47.5	45.2	29.5	25.7-33.8
Melanoma of the skin	10.4	3.9	2.9-5.1	5.4	4.9	3.2-7.2	5.0	3.4	2.2-5.2
Female breast							182.8	131.6	122.9-140.7
Cervix uteri							10.0	8.2	6.0-11.0
Corpus uterus and NOS							56.4	37.9	33.5-42.8
Ovary							17.8	12.9	10.3-16.0
Prostate				215.6	181.9	170.9-193.5			
Testis				3.6	4.0	2.4-6.5			
Urinary bladder (incl. in situ)	37.8	14.3	12.3-16.5	25.4	24.4	20.3-29.2	12.4	7.8	5.9-10.1
Kidney and renal pelvis	35.8	14.1	12.1-16.5	22.8	21.0	17.2-25.5	13.0	9.1	7.0-11.8
Brain and other central nervous system	9.8	4.5	3.3-6.0	5.2	5.6	3.6-8.3	4.6	3.6	2.2-5.6
Thyroid	31.8	14.7	12.4-17.3	6.8	6.8	4.6-9.7	25.0	21.1	17.4-25.4
Hodgkin lymphoma	5.4	2.7	1.7-3.9	3.4	3.6	2.0-5.8	2.0	2.0	0.9-3.6
Non-Hodgkin lymphomas	39.8	16.2	13.9-18.7	22.2	20.8	17.0-25.3	17.6	12.6	10.0-15.7
Myeloma	31.4	12.2	10.3-14.4	16.2	15.3	12.0-19.1	15.2	9.8	7.7-12.4
Leukemias	33.0	14.1	12.0-16.6	17.6	17.8	14.2-22.1	15.4	11.4	8.9-14.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Briarwood, Fresh Meadows & Hillcrest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	806.0	409.8	396.7-423.1	382.4	424.3	404.9-444.4	423.6	402.8	385.1-421.2
Oral cavity and pharynx	18.4	9.4	7.5-11.6	10.4	11.6	8.6-15.4	8.0	7.5	5.3-10.5
Esophagus	5.6	2.5	1.7-3.7	4.6	4.8	3.0-7.4	1.0	0.7	0.2-1.9
Stomach	21.2	11.2	9.1-13.6	12.0	13.8	10.5-18.0	9.2	9.1	6.6-12.4
Colorectal	73.2	37.1	33.2-41.2	39.8	45.6	39.3-52.7	33.4	29.8	25.3-35.0
Colon excluding rectum	53.4	27.3	24.0-31.0	29.2	34.1	28.7-40.3	24.2	21.5	17.7-26.0
Rectum & rectosigmoid	19.8	9.7	7.8-11.9	10.6	11.5	8.5-15.2	9.2	8.3	6.0-11.3
Liver / intrahepatic bile duct	18.8	8.8	7.1-10.9	13.0	13.8	10.5-17.7	5.8	4.8	3.2-7.1
Pancreas	25.2	11.9	9.8-14.2	10.6	11.7	8.7-15.4	14.6	12.0	9.4-15.3
Larynx	3.8	1.8	1.1-2.9	3.4	3.7	2.1-6.0	0.4	0.3	0.0-1.4
Lung and bronchus	85.0	42.1	38.1-46.5	43.4	47.4	41.2-54.4	41.6	37.9	32.7-43.6
Melanoma of the skin	14.0	6.6	5.1-8.5	8.8	9.7	7.0-13.1	5.2	4.3	2.7-6.5
Female breast							133.8	130.0	119.9-140.8
Cervix uteri							6.0	6.5	4.3-9.5
Corpus uterus and NOS							31.8	29.1	24.6-34.3
Ovary							11.2	12.2	9.1-16.0
Prostate				97.2	101.6	92.5-111.3			
Testis				2.4	3.1	1.6-5.4			
Urinary bladder (incl. in situ)	29.4	13.9	11.7-16.4	23.0	25.0	20.5-30.2	6.4	5.3	3.6-7.6
Kidney and renal pelvis	26.2	13.6	11.3-16.2	16.8	18.9	15.0-23.6	9.4	9.5	6.9-12.8
Brain and other central nervous system	10.4	5.8	4.2-7.7	5.8	7.1	4.7-10.3	4.6	4.6	2.8-7.1
Thyroid	37.2	22.7	19.5-26.4	8.4	11.1	7.9-15.2	28.8	33.4	28.0-39.6
Hodgkin lymphoma	4.0	2.4	1.5-3.8	2.2	2.9	1.4-5.3	1.8	1.9	0.8-3.7
Non-Hodgkin lymphomas	39.0	20.6	17.7-23.8	21.6	25.9	21.1-31.5	17.4	16.4	13.0-20.5
Myeloma	14.4	7.0	5.4-8.9	8.4	9.0	6.4-12.3	6.0	5.3	3.5-7.8
Leukemias	25.4	13.1	10.8-15.7	14.2	16.5	12.7-20.9	11.2	10.0	7.5-13.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Elmhurst & South Corona**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	597.0	403.3	388.6-418.4	296.6	445.6	422.2-470.0	300.4	382.2	362.8-402.5
Oral cavity and pharynx	14.4	9.6	7.5-12.2	8.0	11.4	8.0-15.7	6.4	7.9	5.4-11.3
Esophagus	5.0	3.3	2.1-4.9	4.2	6.6	4.0-10.2	0.8	0.9	0.2-2.5
Stomach	25.6	17.6	14.6-21.0	14.8	21.8	16.9-27.6	10.8	14.1	10.6-18.5
Colorectal	48.8	34.2	29.9-38.8	24.2	37.3	30.7-44.8	24.6	31.9	26.4-38.2
Colon excluding rectum	33.4	23.1	19.7-27.0	16.2	24.8	19.5-31.1	17.2	22.2	17.7-27.5
Rectum & rectosigmoid	15.4	11.0	8.7-13.8	8.0	12.5	8.8-17.2	7.4	9.7	6.8-13.5
Liver / intrahepatic bile duct	21.4	14.7	12.0-17.8	15.2	22.6	17.6-28.5	6.2	8.3	5.6-11.9
Pancreas	14.2	10.2	7.9-12.9	7.2	11.2	7.7-15.7	7.0	9.1	6.3-12.7
Larynx	3.0	1.9	1.1-3.2	2.6	4.1	2.1-7.1	0.4	0.4	0.1-1.7
Lung and bronchus	56.8	39.9	35.3-44.9	34.8	55.3	47.0-64.6	22.0	28.8	23.6-34.8
Melanoma of the skin	5.4	4.0	2.6-5.8	2.6	4.7	2.5-8.1	2.8	3.7	2.0-6.3
Female breast							86.8	109.9	99.6-121.0
Cervix uteri							7.0	8.8	6.1-12.3
Corpus uterus and NOS							24.2	30.1	24.9-36.1
Ovary							6.2	8.0	5.4-11.5
Prostate				76.4	109.6	98.4-121.6			
Testis				3.2	3.4	1.9-5.7			
Urinary bladder (incl. in situ)	18.6	13.7	11.0-16.9	16.0	28.6	22.5-35.9	2.6	3.3	1.7-5.7
Kidney and renal pelvis	20.4	13.5	10.9-16.4	12.0	16.9	12.8-21.9	8.4	10.0	7.2-13.7
Brain and other central nervous system	9.8	6.8	5.0-9.1	6.2	9.2	6.1-13.2	3.6	4.7	2.7-7.5
Thyroid	38.4	24.1	20.7-27.8	7.8	9.9	6.9-13.7	30.6	38.5	32.6-45.3
Hodgkin lymphoma	1.8	1.2	0.5-2.3	0.8	1.0	0.3-2.7	1.0	1.3	0.4-3.2
Non-Hodgkin lymphomas	25.6	17.5	14.5-20.9	13.4	20.6	15.8-26.5	12.2	15.1	11.5-19.6
Myeloma	9.2	6.2	4.5-8.3	5.8	8.3	5.4-12.1	3.4	4.3	2.5-7.0
Leukemias	17.8	12.2	9.8-15.1	12.2	17.6	13.3-22.8	5.6	7.4	4.9-10.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Forest Hills & Rego Park**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	733.4	425.1	410.6-440.0	336.0	439.3	417.8-461.8	397.4	420.2	400.4-440.8
Oral cavity and pharynx	12.0	7.2	5.4-9.5	6.8	9.4	6.4-13.4	5.2	5.3	3.3-8.2
Esophagus	5.8	2.9	1.9-4.4	4.4	5.2	3.2-8.2	1.4	1.2	0.5-3.0
Stomach	16.4	9.4	7.4-11.9	9.6	12.5	9.2-16.9	6.8	7.1	4.8-10.4
Colorectal	63.6	35.3	31.3-39.6	31.6	41.7	35.3-49.1	32.0	29.9	25.2-35.5
Colon excluding rectum	44.2	24.3	21.1-27.9	20.6	27.0	22.0-33.0	23.6	22.2	18.2-27.2
Rectum & rectosigmoid	19.4	11.0	8.8-13.6	11.0	14.7	10.9-19.4	8.4	7.7	5.4-10.8
Liver / intrahepatic bile duct	13.4	7.1	5.4-9.3	8.6	10.1	7.3-14.0	4.8	4.7	2.8-7.6
Pancreas	24.0	12.2	10.1-14.8	10.6	13.5	10.0-18.0	13.4	11.1	8.5-14.5
Larynx	3.2	1.7	0.9-2.9	3.0	3.8	2.1-6.5	0.2	0.2	0.0-1.7
Lung and bronchus	73.8	38.9	34.9-43.3	36.6	45.5	39.0-52.8	37.2	34.2	29.3-40.0
Melanoma of the skin	21.4	12.0	9.8-14.7	12.8	16.7	12.8-21.6	8.6	8.5	6.0-11.8
Female breast							120.8	136.9	125.4-149.2
Cervix uteri							5.0	6.1	3.9-9.4
Corpus uterus and NOS							21.8	22.0	17.9-26.9
Ovary							9.0	9.9	7.1-13.7
Prostate				77.4	93.2	84.0-103.3			
Testis				2.6	5.0	2.6-8.8			
Urinary bladder (incl. in situ)	33.2	17.1	14.6-20.1	24.4	30.0	24.9-36.1	8.8	8.0	5.7-11.1
Kidney and renal pelvis	26.2	14.7	12.2-17.6	14.4	18.8	14.6-24.0	11.8	11.5	8.6-15.3
Brain and other central nervous system	8.2	5.8	4.0-8.3	3.8	6.2	3.6-10.1	4.4	5.5	3.0-9.1
Thyroid	37.8	27.9	23.8-32.5	10.0	15.1	11.0-20.2	27.8	39.8	32.9-47.6
Hodgkin lymphoma	3.2	3.2	1.7-5.5	1.8	4.2	1.7-8.3	1.4	2.2	0.9-4.8
Non-Hodgkin lymphomas	39.4	23.5	20.1-27.3	18.8	25.8	20.7-32.0	20.6	22.0	17.5-27.5
Myeloma	15.6	9.0	7.0-11.4	7.8	10.7	7.5-15.0	7.8	7.5	5.3-10.7
Leukemias	25.4	15.1	12.4-18.4	15.4	21.1	16.4-26.9	10.0	10.4	7.4-14.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Sunnyside & Woodside**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	589.4	404.9	390.1-420.2	271.8	411.9	389.4-435.4	317.6	417.9	397.1-439.6
Oral cavity and pharynx	17.8	11.6	9.3-14.3	10.2	13.9	10.3-18.5	7.6	9.7	6.8-13.5
Esophagus	4.0	2.8	1.7-4.3	2.8	4.1	2.2-7.1	1.2	1.6	0.6-3.7
Stomach	20.8	14.4	11.7-17.6	13.8	20.8	16.0-26.6	7.0	9.5	6.6-13.3
Colorectal	50.6	36.0	31.6-40.8	25.6	40.2	33.3-48.1	25.0	33.2	27.6-39.8
Colon excluding rectum	30.6	22.0	18.6-25.9	12.8	21.1	16.0-27.2	17.8	23.6	18.9-29.2
Rectum & rectosigmoid	20.0	14.0	11.3-17.1	12.8	19.1	14.6-24.6	7.2	9.6	6.7-13.5
Liver / intrahepatic bile duct	15.4	10.2	8.0-12.8	11.2	16.9	12.6-22.2	4.2	5.1	3.1-8.0
Pancreas	14.6	10.6	8.3-13.4	7.8	12.7	8.8-17.5	6.8	9.0	6.2-12.7
Larynx	2.2	1.4	0.7-2.6	2.0	2.8	1.3-5.3	0.2	0.2	0.0-1.6
Lung and bronchus	54.8	37.9	33.5-42.8	28.6	47.2	39.5-55.9	26.2	32.1	26.8-38.3
Melanoma of the skin	14.8	10.3	8.1-13.1	6.8	10.5	7.1-14.8	8.0	10.1	7.2-14.0
Female breast							93.8	124.7	113.4-136.9
Cervix uteri							7.8	9.9	7.0-13.8
Corpus uterus and NOS							24.2	31.7	26.2-38.1
Ovary							9.4	13.2	9.6-17.7
Prostate				58.6	83.8	74.1-94.3			
Testis				4.2	4.5	2.7-7.1			
Urinary bladder (incl. in situ)	18.6	13.2	10.6-16.3	13.6	22.7	17.4-29.0	5.0	6.4	4.1-9.6
Kidney and renal pelvis	18.2	12.3	9.9-15.2	12.6	18.7	14.3-24.1	5.6	6.6	4.3-9.7
Brain and other central nervous system	7.6	5.5	3.8-7.7	4.4	6.6	4.0-10.1	3.2	4.7	2.6-7.8
Thyroid	34.0	22.9	19.5-26.7	6.4	8.9	6.0-12.8	27.6	37.8	31.6-45.0
Hodgkin lymphoma	4.6	3.4	2.1-5.2	3.4	5.4	3.0-8.9	1.2	1.4	0.5-3.2
Non-Hodgkin lymphomas	28.8	20.0	16.8-23.7	14.4	21.4	16.6-27.2	14.4	18.9	14.7-24.1
Myeloma	10.4	7.2	5.4-9.6	5.4	7.9	5.1-11.6	5.0	6.4	4.1-9.6
Leukemias	16.8	12.2	9.6-15.2	8.6	12.6	9.0-17.3	8.2	11.7	8.3-16.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Ridgewood, Glendale & Middle Village**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	847.2	416.6	404.0-429.6	405.4	439.4	420.0-459.3	441.8	407.0	389.8-424.8
Oral cavity and pharynx	19.2	9.3	7.5-11.5	13.6	14.5	11.2-18.5	5.6	5.0	3.3-7.3
Esophagus	7.6	3.6	2.6-5.0	5.8	6.4	4.3-9.3	1.8	1.4	0.7-2.9
Stomach	19.6	9.6	7.7-11.7	10.4	11.4	8.4-15.0	9.2	8.3	6.0-11.1
Colorectal	77.6	37.9	34.2-41.9	39.2	42.7	36.8-49.3	38.4	34.6	29.7-40.0
Colon excluding rectum	55.2	27.0	23.8-30.4	27.4	30.1	25.2-35.7	27.8	24.7	20.7-29.3
Rectum & rectosigmoid	22.4	10.9	9.0-13.2	11.8	12.6	9.5-16.4	10.6	9.9	7.4-13.0
Liver / intrahepatic bile duct	21.8	10.3	8.4-12.4	16.6	17.0	13.5-21.3	5.2	4.8	3.1-7.1
Pancreas	28.2	13.6	11.4-16.0	11.4	12.3	9.3-16.1	16.8	14.3	11.3-17.8
Larynx	6.2	3.1	2.1-4.4	4.8	5.1	3.2-7.7	1.4	1.3	0.5-2.7
Lung and bronchus	98.8	48.1	43.9-52.6	48.8	54.0	47.3-61.4	50.0	43.7	38.4-49.6
Melanoma of the skin	24.4	12.1	10.0-14.5	11.4	13.4	10.1-17.5	13.0	12.0	9.2-15.5
Female breast							121.2	113.8	104.7-123.5
Cervix uteri							8.8	8.8	6.3-11.9
Corpus uterus and NOS							31.0	27.6	23.4-32.5
Ovary							12.2	11.7	8.9-15.2
Prostate				90.0	92.0	83.5-101.1			
Testis				3.4	3.7	2.1-6.0			
Urinary bladder (incl. in situ)	44.4	21.8	19.0-24.9	35.4	40.7	34.9-47.3	9.0	7.8	5.6-10.5
Kidney and renal pelvis	32.6	16.4	13.9-19.1	19.8	21.0	17.0-25.7	12.8	12.3	9.4-15.9
Brain and other central nervous system	10.0	5.1	3.8-6.8	4.4	4.7	2.9-7.2	5.6	5.5	3.6-8.0
Thyroid	32.6	17.6	15.0-20.6	8.4	9.4	6.7-12.8	24.2	25.8	21.3-30.9
Hodgkin lymphoma	4.2	2.4	1.4-3.7	2.8	3.1	1.7-5.3	1.4	1.6	0.6-3.4
Non-Hodgkin lymphomas	39.0	19.6	16.9-22.6	21.2	23.2	18.9-28.1	17.8	16.4	13.1-20.3
Myeloma	11.0	5.3	4.0-7.0	5.4	6.2	4.1-9.1	5.6	4.7	3.1-7.0
Leukemias	27.6	14.0	11.7-16.6	15.8	17.3	13.6-21.7	11.8	11.2	8.5-14.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Richmond Hill & Woodhaven**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	602.2	407.8	392.9-423.2	301.4	447.7	424.1-472.2	300.8	384.8	365.1-405.2
Oral cavity and pharynx	11.8	7.9	5.9-10.2	7.6	10.4	7.1-14.5	4.2	5.8	3.5-8.9
Esophagus	5.0	3.1	2.0-4.7	4.0	5.5	3.3-8.7	1.0	1.2	0.4-2.9
Stomach	12.4	8.4	6.4-10.9	6.6	10.5	7.0-14.9	5.8	7.3	4.8-10.6
Colorectal	53.8	36.5	32.1-41.3	33.8	49.5	41.9-58.0	20.0	26.0	21.0-31.7
Colon excluding rectum	34.8	23.9	20.4-27.8	22.8	34.4	28.0-41.7	12.0	15.5	11.7-20.1
Rectum & rectosigmoid	19.0	12.6	10.1-15.5	11.0	15.1	11.2-19.9	8.0	10.5	7.4-14.4
Liver / intrahepatic bile duct	16.0	10.6	8.3-13.3	12.2	17.1	12.8-22.2	3.8	5.1	3.0-8.1
Pancreas	16.2	11.5	9.1-14.4	10.0	16.2	11.8-21.6	6.2	7.6	5.1-10.9
Larynx	2.6	2.0	1.0-3.4	2.6	4.5	2.3-7.9	0.0	0.0	0.0-1.0
Lung and bronchus	59.4	42.6	37.7-48.0	33.2	53.9	45.5-63.3	26.2	34.4	28.6-41.0
Melanoma of the skin	7.4	5.4	3.8-7.5	4.2	7.2	4.4-11.0	3.2	4.4	2.5-7.3
Female breast							90.4	112.8	102.4-124.0
Cervix uteri							9.0	11.3	8.1-15.2
Corpus uterus and NOS							27.4	34.9	29.2-41.5
Ovary							10.4	12.9	9.6-17.0
Prostate				75.0	106.2	95.1-118.2			
Testis				3.2	4.3	2.4-7.0			
Urinary bladder (incl. in situ)	20.0	14.6	11.8-17.9	14.4	24.2	18.7-30.9	5.6	7.2	4.7-10.5
Kidney and renal pelvis	23.4	15.0	12.3-18.1	17.4	23.6	18.7-29.4	6.0	7.4	5.0-10.7
Brain and other central nervous system	7.0	4.5	3.1-6.4	4.6	5.9	3.7-9.0	2.4	3.2	1.6-5.6
Thyroid	34.8	22.9	19.5-26.6	9.6	13.1	9.6-17.6	25.2	32.6	27.1-38.9
Hodgkin lymphoma	5.8	3.8	2.5-5.6	2.4	3.1	1.6-5.6	3.4	4.5	2.6-7.4
Non-Hodgkin lymphomas	29.4	20.5	17.2-24.2	16.0	23.6	18.4-29.7	13.4	17.6	13.6-22.5
Myeloma	12.2	8.5	6.4-11.0	6.4	9.8	6.6-14.0	5.8	7.6	5.0-11.0
Leukemias	18.8	13.1	10.5-16.1	10.4	16.7	12.3-22.1	8.4	10.6	7.6-14.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Jamaica, Hollis & St. Albans**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1134.8	444.1	432.4-456.1	527.8	492.7	473.4-512.5	607.0	418.8	403.8-434.4
Oral cavity and pharynx	22.0	8.5	7.0-10.3	12.8	11.7	9.0-15.1	9.2	6.4	4.7-8.7
Esophagus	10.8	4.2	3.1-5.5	7.4	6.9	4.8-9.6	3.4	2.4	1.4-3.8
Stomach	28.8	11.7	9.9-13.8	16.6	16.8	13.3-20.9	12.2	8.4	6.4-10.9
Colorectal	101.0	39.7	36.2-43.4	45.6	43.5	37.9-49.8	55.4	37.7	33.3-42.5
Colon excluding rectum	74.6	29.5	26.5-32.7	31.0	30.1	25.4-35.4	43.6	29.5	25.6-33.8
Rectum & rectosigmoid	26.4	10.2	8.5-12.2	14.6	13.4	10.4-17.0	11.8	8.2	6.2-10.7
Liver / intrahepatic bile duct	24.6	9.5	7.9-11.4	16.8	15.7	12.4-19.6	7.8	5.1	3.6-7.0
Pancreas	34.2	13.9	11.8-16.1	13.6	14.1	10.9-18.0	20.6	13.6	11.1-16.6
Larynx	6.8	2.5	1.7-3.6	5.8	5.4	3.5-7.8	1.0	0.6	0.2-1.6
Lung and bronchus	98.6	39.2	35.7-42.9	49.4	49.3	43.2-56.1	49.2	32.5	28.5-37.0
Melanoma of the skin	4.0	1.6	1.0-2.6	2.2	2.0	1.0-3.7	1.8	1.3	0.6-2.6
Female breast							197.8	137.5	128.9-146.6
Cervix uteri							18.0	13.6	10.8-16.8
Corpus uterus and NOS							57.0	36.5	32.3-41.1
Ovary							15.6	11.3	8.9-14.2
Prostate				214.4	190.0	178.4-202.1			
Testis				3.2	3.1	1.8-5.0			
Urinary bladder (incl. in situ)	27.0	10.9	9.1-13.0	20.4	20.6	16.7-25.1	6.6	4.4	3.0-6.3
Kidney and renal pelvis	34.6	13.2	11.2-15.3	22.8	20.7	17.0-25.1	11.8	7.8	5.9-10.2
Brain and other central nervous system	10.2	4.3	3.2-5.6	6.0	5.6	3.8-8.1	4.2	3.2	1.9-4.9
Thyroid	30.2	12.8	10.8-15.1	4.6	4.4	2.8-6.6	25.6	20.1	16.7-24.0
Hodgkin lymphoma	6.6	3.1	2.1-4.3	3.2	3.3	1.9-5.4	3.4	3.0	1.7-4.7
Non-Hodgkin lymphomas	32.8	13.0	11.1-15.2	15.0	14.0	10.9-17.7	17.8	12.4	9.9-15.3
Myeloma	31.8	12.5	10.6-14.6	12.2	11.5	8.7-14.8	19.6	13.2	10.6-16.1
Leukemias	28.2	11.6	9.7-13.7	13.0	12.7	9.8-16.3	15.2	11.0	8.6-13.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Howard Beach & Ozone Park**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	613.2	411.9	397.2-427.1	294.8	439.2	416.3-462.9	318.4	396.6	376.9-417.0
Oral cavity and pharynx	12.4	8.3	6.3-10.7	8.0	11.8	8.4-16.3	4.4	5.5	3.4-8.5
Esophagus	6.8	4.6	3.2-6.5	5.2	8.2	5.3-12.1	1.6	1.8	0.8-3.8
Stomach	14.2	9.3	7.2-11.8	7.4	10.5	7.3-14.7	6.8	8.2	5.7-11.6
Colorectal	51.4	34.7	30.5-39.3	28.4	41.5	34.8-49.3	23.0	29.0	23.8-35.0
Colon excluding rectum	37.2	25.1	21.5-29.1	20.8	30.6	24.8-37.3	16.4	20.4	16.2-25.5
Rectum & rectosigmoid	14.2	9.6	7.5-12.2	7.6	11.0	7.6-15.3	6.6	8.6	5.9-12.2
Liver / intrahepatic bile duct	13.2	8.9	6.9-11.5	9.8	14.5	10.7-19.4	3.4	4.2	2.4-6.9
Pancreas	19.8	13.6	11.0-16.6	9.6	14.9	10.9-20.0	10.2	12.5	9.3-16.6
Larynx	3.2	2.1	1.2-3.5	3.0	4.6	2.5-7.7	0.2	0.2	0.0-1.4
Lung and bronchus	66.8	44.4	39.7-49.6	32.0	48.7	41.3-57.2	34.8	41.5	35.5-48.3
Melanoma of the skin	9.2	6.1	4.4-8.2	5.4	8.1	5.3-11.9	3.8	4.5	2.7-7.2
Female breast							99.0	122.8	112.0-134.4
Cervix uteri							5.0	7.0	4.5-10.4
Corpus uterus and NOS							26.2	32.2	26.8-38.4
Ovary							9.6	12.6	9.2-16.9
Prostate				75.0	104.5	93.9-116.1			
Testis				1.4	2.4	0.9-4.9			
Urinary bladder (incl. in situ)	26.4	18.2	15.2-21.7	18.8	30.0	24.1-36.9	7.6	9.2	6.5-12.8
Kidney and renal pelvis	22.2	15.0	12.3-18.2	15.2	22.1	17.3-27.9	7.0	8.6	5.9-12.1
Brain and other central nervous system	8.8	6.3	4.5-8.5	5.4	8.0	5.2-11.8	3.4	4.5	2.6-7.3
Thyroid	24.6	17.8	14.7-21.3	5.8	8.6	5.7-12.6	18.8	26.4	21.2-32.5
Hodgkin lymphoma	2.2	1.7	0.9-3.2	1.4	2.2	0.8-4.6	0.8	1.3	0.4-3.4
Non-Hodgkin lymphomas	23.8	16.3	13.4-19.6	15.0	23.6	18.5-29.8	8.8	11.0	7.9-14.9
Myeloma	11.0	7.0	5.3-9.2	5.6	7.7	5.0-11.3	5.4	6.3	4.2-9.4
Leukemias	20.6	14.5	11.8-17.7	14.0	22.4	17.3-28.5	6.6	8.2	5.6-11.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Queens County  
Far Rockaway, Breezy Point & Broad Channel**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	672.2	474.5	458.2-491.3	330.8	508.1	483.2-533.9	341.4	449.6	427.9-472.1
Oral cavity and pharynx	18.0	12.7	10.1-15.7	12.0	17.7	13.4-23.0	6.0	8.5	5.7-12.3
Esophagus	4.8	3.1	2.0-4.7	3.2	4.6	2.6-7.7	1.6	1.8	0.8-3.7
Stomach	12.2	8.6	6.5-11.1	6.2	9.9	6.7-14.3	6.0	7.7	5.1-11.2
Colorectal	64.4	45.8	40.8-51.2	33.4	52.6	44.7-61.5	31.0	39.7	33.6-46.7
Colon excluding rectum	43.2	30.3	26.3-34.7	20.8	32.8	26.6-40.0	22.4	27.7	22.7-33.5
Rectum & rectosigmoid	21.2	15.5	12.6-18.9	12.6	19.9	15.1-25.6	8.6	12.0	8.6-16.3
Liver / intrahepatic bile duct	14.4	9.3	7.3-11.9	9.4	13.7	9.9-18.4	5.0	5.7	3.7-8.5
Pancreas	20.4	13.6	11.1-16.6	8.8	13.0	9.4-17.6	11.6	13.8	10.4-18.0
Larynx	6.4	4.3	2.9-6.1	5.0	7.3	4.7-11.0	1.4	1.7	0.7-3.7
Lung and bronchus	75.0	50.6	45.5-56.1	38.4	58.4	50.3-67.5	36.6	44.8	38.4-52.0
Melanoma of the skin	22.0	15.7	12.9-19.0	12.0	18.6	14.1-24.2	10.0	13.8	10.1-18.3
Female breast							93.2	126.9	115.3-139.4
Cervix uteri							4.8	6.7	4.2-10.2
Corpus uterus and NOS							26.0	33.0	27.4-39.4
Ovary							9.0	12.4	9.0-16.8
Prostate				92.6	133.6	121.4-146.6			
Testis				2.2	4.3	2.1-7.7			
Urinary bladder (incl. in situ)	22.2	14.9	12.3-18.1	15.6	24.3	19.1-30.5	6.6	7.8	5.3-11.1
Kidney and renal pelvis	24.4	17.7	14.6-21.2	15.8	25.6	20.1-32.2	8.6	11.5	8.3-15.7
Brain and other central nervous system	8.2	5.9	4.2-8.1	4.0	6.1	3.6-9.5	4.2	5.7	3.5-8.8
Thyroid	20.4	17.1	13.8-20.8	5.0	8.2	5.2-12.3	15.4	24.6	19.3-31.0
Hodgkin lymphoma	5.0	4.1	2.6-6.2	2.8	4.7	2.5-8.0	2.2	3.7	1.8-6.6
Non-Hodgkin lymphomas	25.6	18.5	15.3-22.1	13.0	20.7	15.9-26.6	12.6	16.7	12.7-21.6
Myeloma	12.0	8.4	6.3-10.9	5.6	8.7	5.7-12.8	6.4	8.2	5.5-11.7
Leukemias	20.0	14.9	12.0-18.2	11.4	19.8	14.8-25.8	8.6	11.0	7.9-15.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Richmond (Staten Island) County**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	3061.4	528.9	520.3-537.6	1491.6	566.3	553.1-579.7	1569.8	506.1	494.6-517.8
Oral cavity and pharynx	59.8	10.0	8.8-11.2	41.2	14.9	12.9-17.2	18.6	5.7	4.5-7.0
Esophagus	28.2	4.6	3.9-5.4	22.0	7.9	6.5-9.6	6.2	1.9	1.3-2.8
Stomach	50.2	8.6	7.6-9.8	30.4	11.9	10.0-14.0	19.8	6.1	4.9-7.5
Colorectal	231.4	40.1	37.8-42.6	120.2	46.7	43.0-50.7	111.2	34.6	31.7-37.7
Colon excluding rectum	170.4	29.5	27.5-31.6	85.6	33.4	30.3-36.9	84.8	26.2	23.7-28.9
Rectum & rectosigmoid	61.0	10.6	9.4-11.9	34.6	13.3	11.3-15.5	26.4	8.3	6.9-10.0
Liver / intrahepatic bile duct	65.6	10.6	9.5-11.9	46.8	16.5	14.4-18.9	18.8	5.7	4.6-7.1
Pancreas	92.4	15.5	14.1-17.0	45.4	17.0	14.8-19.5	47.0	14.2	12.4-16.2
Larynx	20.0	3.3	2.7-4.1	16.2	6.2	4.9-7.7	3.8	1.2	0.7-1.9
Lung and bronchus	388.2	65.7	62.7-68.7	183.6	71.1	66.5-76.0	204.6	62.3	58.5-66.4
Melanoma of the skin	85.8	15.0	13.6-16.6	48.6	19.0	16.6-21.6	37.2	12.2	10.4-14.1
Female breast							423.4	138.1	132.1-144.4
Cervix uteri							21.8	8.0	6.5-9.7
Corpus uterus and NOS							121.2	37.0	34.0-40.2
Ovary							42.6	13.8	12.0-15.9
Prostate				344.0	121.2	115.4-127.3			
Testis				13.6	6.3	4.9-8.0			
Urinary bladder (incl. in situ)	152.4	25.8	24.0-27.7	115.2	45.2	41.4-49.1	37.2	11.1	9.5-12.9
Kidney and renal pelvis	127.2	21.7	20.0-23.5	86.6	32.3	29.3-35.6	40.6	12.7	11.0-14.7
Brain and other central nervous system	37.0	6.8	5.8-7.9	18.8	7.4	6.0-9.2	18.2	6.2	4.9-7.6
Thyroid	173.8	33.8	31.5-36.2	50.0	19.9	17.4-22.6	123.8	46.7	42.9-50.7
Hodgkin lymphoma	17.0	3.5	2.8-4.3	10.8	4.6	3.4-6.0	6.2	2.5	1.6-3.5
Non-Hodgkin lymphomas	142.2	25.1	23.2-27.1	74.2	29.3	26.3-32.5	68.0	21.6	19.3-24.2
Myeloma	52.6	8.9	7.8-10.1	29.0	11.2	9.4-13.3	23.6	7.0	5.8-8.5
Leukemias	103.6	18.5	16.9-20.3	62.8	24.7	22.0-27.7	40.8	13.6	11.8-15.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Richmond (Staten Island) County  
Tottenville, Great Kills & Annadale**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1137.2	560.3	545.4-575.5	552.8	592.9	570.1-616.3	584.4	542.7	522.5-563.5
Oral cavity and pharynx	24.0	11.6	9.6-14.0	16.6	17.1	13.5-21.4	7.4	6.8	4.7-9.5
Esophagus	9.2	4.4	3.2-5.9	8.0	8.3	5.9-11.5	1.2	1.1	0.4-2.6
Stomach	18.6	9.2	7.3-11.3	11.0	12.0	8.9-15.8	7.6	6.9	4.8-9.7
Colorectal	82.4	41.6	37.6-45.9	45.8	50.5	43.9-57.7	36.6	34.1	29.2-39.6
Colon excluding rectum	59.0	29.8	26.4-33.5	31.4	34.8	29.4-40.9	27.6	25.7	21.5-30.5
Rectum & rectosigmoid	23.4	11.8	9.7-14.2	14.4	15.7	12.2-20.0	9.0	8.4	6.0-11.4
Liver / intrahepatic bile duct	22.8	10.9	8.9-13.2	15.8	16.1	12.6-20.2	7.0	6.7	4.6-9.4
Pancreas	31.6	15.0	12.7-17.7	15.6	16.5	12.9-20.8	16.0	13.8	10.9-17.3
Larynx	8.0	3.9	2.8-5.4	6.0	6.8	4.5-9.8	2.0	1.7	0.8-3.4
Lung and bronchus	139.8	68.1	63.0-73.5	66.0	75.1	66.9-84.0	73.8	64.2	57.7-71.3
Melanoma of the skin	36.4	18.2	15.6-21.1	20.6	21.6	17.5-26.4	15.8	15.5	12.2-19.5
Female breast							164.0	151.6	141.0-162.8
Cervix uteri							7.6	8.2	5.7-11.4
Corpus uterus and NOS							43.4	37.2	32.3-42.8
Ovary							16.0	14.5	11.4-18.2
Prostate				121.0	118.6	109.0-128.9			
Testis				3.8	5.4	3.2-8.4			
Urinary bladder (incl. in situ)	66.6	32.3	28.8-36.1	50.4	55.4	48.5-63.0	16.2	14.1	11.1-17.6
Kidney and renal pelvis	52.4	25.2	22.1-28.6	34.4	35.6	30.3-41.7	18.0	16.3	13.0-20.2
Brain and other central nervous system	14.6	7.9	6.2-10.1	7.4	8.8	6.1-12.3	7.2	7.0	4.8-9.9
Thyroid	71.4	39.3	35.2-43.8	20.6	23.5	19.1-28.7	50.8	54.4	47.6-61.8
Hodgkin lymphoma	5.2	3.3	2.1-4.9	3.4	4.3	2.5-7.0	1.8	2.3	1.0-4.4
Non-Hodgkin lymphomas	53.4	26.2	23.0-29.6	28.2	30.2	25.2-35.8	25.2	23.1	19.1-27.8
Myeloma	18.8	8.9	7.1-10.9	10.8	11.7	8.7-15.4	8.0	6.7	4.7-9.3
Leukemias	37.2	19.2	16.5-22.3	21.4	23.6	19.2-28.7	15.8	16.0	12.6-20.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Richmond (Staten Island) County  
New Springville & South Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	939.2	511.5	496.4-526.9	455.0	547.6	524.7-571.3	484.2	490.9	470.5-512.1
Oral cavity and pharynx	17.4	8.9	7.1-11.1	12.4	14.1	10.7-18.3	5.0	4.6	2.9-7.0
Esophagus	7.4	3.6	2.6-5.1	6.0	6.7	4.5-9.8	1.4	1.2	0.5-2.7
Stomach	16.8	9.3	7.3-11.6	11.2	14.0	10.5-18.4	5.6	5.8	3.8-8.7
Colorectal	77.4	41.1	37.0-45.6	39.0	48.0	41.3-55.5	38.4	35.7	30.6-41.5
Colon excluding rectum	56.8	30.0	26.5-33.9	28.0	34.7	29.0-41.2	28.8	26.2	21.9-31.1
Rectum & rectosigmoid	20.6	11.1	9.0-13.6	11.0	13.3	9.9-17.5	9.6	9.5	6.9-12.9
Liver / intrahepatic bile duct	17.6	9.0	7.2-11.2	12.6	14.6	11.2-18.9	5.0	4.3	2.8-6.6
Pancreas	27.4	14.0	11.7-16.7	13.6	16.1	12.4-20.6	13.8	12.2	9.4-15.6
Larynx	6.6	3.4	2.3-4.8	5.8	6.7	4.4-9.7	0.8	0.9	0.2-2.5
Lung and bronchus	130.2	68.1	62.8-73.7	62.8	75.9	67.5-85.0	67.4	62.8	56.0-70.2
Melanoma of the skin	25.6	13.9	11.5-16.7	13.8	17.2	13.3-22.0	11.8	11.9	8.9-15.7
Female breast							128.8	134.6	123.8-146.1
Cervix uteri							7.6	8.7	6.0-12.3
Corpus uterus and NOS							34.2	33.3	28.3-39.1
Ovary							11.4	12.8	9.6-16.9
Prostate				101.4	112.1	102.4-122.6			
Testis				4.6	7.2	4.5-10.8			
Urinary bladder (incl. in situ)	44.2	23.0	20.0-26.3	33.2	40.4	34.3-47.2	11.0	9.7	7.3-12.9
Kidney and renal pelvis	38.8	21.2	18.2-24.6	26.2	31.8	26.4-38.1	12.6	12.2	9.3-15.8
Brain and other central nervous system	9.8	5.8	4.2-7.9	5.2	6.9	4.5-10.4	4.6	5.0	3.0-7.8
Thyroid	55.6	36.8	32.4-41.7	16.4	22.2	17.5-27.8	39.2	50.5	43.3-58.6
Hodgkin lymphoma	5.8	4.2	2.7-6.1	3.0	4.2	2.3-7.2	2.8	4.2	2.2-7.1
Non-Hodgkin lymphomas	42.2	23.1	20.0-26.7	21.4	26.7	21.8-32.6	20.8	20.0	16.2-24.5
Myeloma	13.2	6.6	5.1-8.5	7.2	8.7	6.0-12.2	6.0	5.0	3.4-7.4
Leukemias	31.8	17.3	14.6-20.4	20.0	24.4	19.8-29.9	11.8	12.0	8.9-15.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2015-2019**

**Richmond (Staten Island) County  
Port Richmond, Stapleton & Mariner's Harbor**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	984.8	514.8	500.2-529.7	483.6	555.8	533.1-579.1	501.2	485.7	466.4-505.5
Oral cavity and pharynx	18.4	9.3	7.4-11.5	12.2	13.5	10.2-17.5	6.2	5.6	3.8-8.0
Esophagus	11.6	5.9	4.4-7.6	8.0	8.8	6.2-12.1	3.6	3.5	2.1-5.6
Stomach	14.6	7.4	5.7-9.3	8.0	9.1	6.4-12.5	6.6	5.8	3.9-8.2
Colorectal	71.6	38.0	34.1-42.2	35.4	41.6	35.5-48.4	36.2	34.4	29.5-40.0
Colon excluding rectum	54.6	28.9	25.5-32.7	26.2	31.2	26.0-37.2	28.4	26.8	22.5-31.7
Rectum & rectosigmoid	17.0	9.0	7.2-11.3	9.2	10.4	7.5-14.0	7.8	7.6	5.4-10.6
Liver / intrahepatic bile duct	25.2	12.2	10.1-14.6	18.4	19.0	15.2-23.4	6.8	6.4	4.4-9.0
Pancreas	33.4	17.5	14.9-20.5	16.2	18.7	14.7-23.4	17.2	16.4	13.1-20.4
Larynx	5.4	2.7	1.8-4.0	4.4	5.0	3.1-7.7	1.0	0.9	0.3-2.3
Lung and bronchus	118.2	61.3	56.3-66.5	54.8	62.7	55.3-70.9	63.4	60.4	53.8-67.5
Melanoma of the skin	23.8	12.8	10.6-15.4	14.2	17.8	13.8-22.6	9.6	9.1	6.6-12.1
Female breast							130.6	127.6	117.8-138.1
Cervix uteri							6.6	7.3	5.0-10.3
Corpus uterus and NOS							43.6	40.5	35.2-46.4
Ovary							15.2	14.2	11.1-17.9
Prostate				121.6	132.8	122.1-144.2			
Testis				5.2	6.5	4.2-9.6			
Urinary bladder (incl. in situ)	41.6	21.9	19.0-25.2	31.6	39.2	33.1-46.0	10.0	9.4	6.9-12.5
Kidney and renal pelvis	36.0	18.5	15.8-21.5	26.0	29.5	24.5-35.2	10.0	9.4	6.9-12.5
Brain and other central nervous system	12.6	6.5	4.9-8.3	6.2	6.5	4.3-9.3	6.4	6.3	4.3-9.0
Thyroid	46.8	25.9	22.6-29.5	13.0	14.6	11.1-18.7	33.8	36.2	30.8-42.2
Hodgkin lymphoma	6.0	3.2	2.2-4.6	4.4	5.0	3.1-7.6	1.6	1.6	0.7-3.2
Non-Hodgkin lymphomas	46.6	25.7	22.4-29.3	24.6	30.8	25.4-36.9	22.0	21.5	17.6-26.1
Myeloma	20.6	11.1	9.0-13.5	11.0	13.1	9.8-17.2	9.6	9.3	6.8-12.5
Leukemias	34.6	18.5	15.8-21.5	21.4	25.2	20.5-30.6	13.2	12.6	9.7-16.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.